

## JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

### 1023E Sub-Compact Utility Tractor (15 PTO hp) Equipment for Base Machine

**ENGINE:**  
Yanmar 3 Cylinder Liquid Cooled Diesel Engine  
Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW)  
Rated Speed 3200 RPM  
Indirect Fuel Injection  
Auto Bleed Fuel System  
Glow Plug Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner With Safety Element  
Fully Enclosed Engine and Muffler With Horizontal Exhaust  
5.6 Gallon Fuel Tank Capacity (21.2 L)  
Hand Throttle  
Key Engine Shut Off

**TRANSMISSION:**  
Hydrostatic Transmission:  
Infinitely Variable - 2 Speed Transaxle  
Twin Touch Pedals and Direction Control  
Differential Lock

**FRONT/REAR AXLE:**  
Flanged Rear Axle  
Spur Gear Final Drive

**4WD STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Wheel Brakes  
Park Brake  
Wet Disk Brakes

**HYDRAULICS:**  
Open Center Hydraulic System  
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)  
Dual Mid SCV Standard  
**PTO:**  
Mid PTO Standard Equipment  
Independent Mid and Rear PTO  
540-RPM Rear PTO  
Hydraulic PTO Clutch  
PTO Brake  
Separate or Simultaneous Operation of Mid and Rear PTO  
Flip Up PTO Shield

**ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:**  
Rockshaft  
Limited Category 1, 3-Pt. Hitch  
Rate of Drop/Stop Valve  
Hitch Plate

**INSTRUMENTATION:**  
Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
Flashing Warning Light Indicator

**ELECTRICAL:**  
12-Volt Electrical System  
Wet Battery With 500 Cold Cranking Amps  
40 Amp Alternator  
Key Ignition Starter With Neutral Start Switch

**LIGHTS:**  
Two Front Halogen Head Lights  
Two Flashing Warning Lights

**OPERATOR PROTECTIVE STRUCTURE:**

Folding ROPS (Roll-Over Protective Structure)  
\*\* Meets SAE J2194 and OSHA 1928 ROPS Certification Standards  
Seat Belt  
Operator Presence System

**MISCELLANEOUS:**  
SMV Emblem  
Front Weight Bracket  
Tilt-Up Hood  
Cupholder - Left Console  
Mower Deck Height Adjustment

**BASE MACHINE (4WD):**  
Engage on the go 4WD  
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires  
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires  
Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW)  
Rated Speed 3200 RPM

**MID-MOUNT LIFT SYSTEM:**  
Mid-Mower Mechanical Lift Ready  
Includes Mid-Mower Lift  
Rockshaft  
Includes Mechanical Lift Arm Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

025JLV	1023E Sub-Compact Utility Tractor (15 PTO hp)	12,424.00
--------	---	-----------

**DESTINATION**

0184	Canada	No Added Cost
0205	Quebec	No Added Cost
0202	United States	In Base Price

**OPERATOR'S MANUAL**

0409	English Operator's Manual	In Base Price
------	---------------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)  
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-33.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i>	300.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>  53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,181.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>  Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	3,460.00
1795		Less Loader	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

**Ballast Box**

## JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

### 1023E Sub-Compact Utility Tractor (15 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		<b>Cold Start Packages</b>	
	MIA881629	Engine Block Heater Adapter	113.82
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Engine</b>	
	BLV10640	Engine Coolant Heater Kit (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	66.00
		<b>Front Wheels and Tires</b>	
	BLV10859	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	338.80
	BLV10857	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	380.60
		<b>Hitch Type</b>	
	LP19969	iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	32.00
	LP25004	iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
	PM00353	iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.89
	PM03008	iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.36
		<b>Hydraulics</b>	
	LVB25837	Rear Hydraulic Kit	316.80
	BLV10948	Rear Hydraulic Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017. Routes Dual Mid SCVs to Rear of Tractor. Not compatible with BLV10929 (Power Beyond Kit) or BLV11114 (Third SCV Kit). Also not compatible with Backhoe.</i>	316.80
	BLV10351	Single Rear Selective Control Valve (SCV) Kit <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	683.10

## JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

### 1023E Sub-Compact Utility Tractor (15 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV11114	Single Rear Selective Control Valve Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017. Not compatible with BLV10929 (Power Beyond Kit) or BLV10948 (Rear Hydraulic Kit). Also not compatible with Backhoe or with drop-on cab from Mauser (LP68087).</i>	683.10
	BLV10984	Single Rear Selective Control Valve Kit (OOS)	683.10
		<b>Hydraulics</b>	
	BLV10929	Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with BLV10948 (Rear Hydraulic Kit) and BLV11114 (Third SCV Kit). Also not compatible with drop-on cab from Mauser (LP68087).</i>	181.50
	LVB25956	Power Beyond Kit (1023E, 1025R, 1026R) <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	181.50
		<b>Lighting Equipment</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Requires Lighting Kit Harness (LVB26026). Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	66.00
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness (LVB26026). Not Compatible with Rear Work Light Kit (LVB25547).</i>	112.20
	BLV10497	LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400). Requires Lighting Kit Harness (LVB26026).</i>	312.40
	LVB26026	Rear Work Light Harness Kit <i>Required to use with the following kits: Forward Lighting Kit LVB25546 Rear Work Light LVB25547 LED Work Light Kit BLV10497</i>	24.20
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	82.50
	BLV10399	Work Light Brush Guard Kit (OOS Only)	82.50
		<b>Miscellaneous</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	LP64809	Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
	LVA21035	Filter Pak	63.54
	BLV10623	Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP95233	Large Seat Cover	29.99
	BLV11042	Rear License Plate Kit (Includes Light)	67.10
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
	LVU15507	iMatch Quick Hitch Bushings	25.42
	BW15056	iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	101.20
	LVU12858	<b>Rear Hitch</b> iMatch Quick Hitch Bushings	24.00
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
		<b>Rear Wheels and Tires</b>	
	BLV10858	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	465.30
	BLV10856	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	524.70
		<b>Spark Arrester</b>	
	AM108146	Spark Arrester Screen for Muffler	28.37
		<b>Tire Chains</b>	
	TY15958	Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	97.67
		<b>Weights</b>	
	UC13499	70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	175.49
	BM18101	Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	31.03
	BM18089	Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight on 26x12-12 Tire	24.61
		<b>Weights</b>	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96
	BM17976	50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	69.56
	BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	59.91

## JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

### 1025R Sub-Compact Utility Tractor (18 PTO hp) Equipment for Base Machine

<p><b>ENGINE:</b> Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off</p> <p><b>TRANSMISSION:</b> Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle 2-Pedal Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p><b>FRONT/REAR AXLE:</b> Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p><b>STEERING AND BRAKES:</b> Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p><b>HYDRAULICS:</b> Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter</p>	<p>Working Pressure (2000 PSI) Dual Mid SCV Standard</p> <p><b>PTO:</b> Mid PTO Standard Equipment Independent Mid and Rear PTO 540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield</p> <p><b>ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:</b> Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate</p> <p><b>INSTRUMENTATION:</b> Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator</p> <p><b>ELECTRICAL:</b> 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch</p> <p><b>LIGHTS:</b> Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights</p> <p><b>OPERATOR PROTECTIVE STRUCTURE:</b> Folding ROPS (Roll-Over Protective Structure)</p>	<p>** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Deluxe Cushion Seat With Seat Belt Operator Presence System</p> <p><b>MISCELLANEOUS:</b> SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment Tool Box 12V Outlet Floor Mat</p> <p><b>BASE MACHINE (4WD):</b> Engage on the go 4WD 26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels &amp; Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels &amp; Tires</p> <p>Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM</p> <p><b>MID-MOWER LIFT SYSTEM:</b> Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

028JLV	1025R Sub-Compact Utility Tractor (18 PTO hp)	14,301.00
--------	---	-----------

**DESTINATION**

0184	Canada	No Added Cost
0205	Quebec	No Added Cost
0202	United States	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL</b>			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>REAR WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-33.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>THREE-POINT HITCH</b>			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not available with factory installed Tractor/Loader/Backhoe</i>	300.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<b>LOADERS</b>			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>  <i>53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,181.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>  <i>Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	3,460.00
1795		Less Loader	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>BACKHOES</b>			
3701		260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i>  <i>Pricing includes backhoe and installation with the following options:</i>  <i>6 ft. 2 In. (1.89 m) Digging Depth</i> <i>One Double Acting Swing Cylinder</i> <i>150 Degree Swing Angle</i> <i>Two Lever Control</i> <i>Six Spool Control Valve</i> <i>12 In. Bucket</i> <i>Transport Locking Pins</i> <i>Hydraulic Stabilizers</i> <i>Subframe Mounting and Power Beyond Hydraulics</i>  <i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i> <i>Not available with factory installed iMatch</i>	6,575.00
3749		Less Backhoe	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Ballast Box</b>		
BW15073	Ballast Box		302.50
BW15074	Ballast Box Extension		143.00
	<b>Cab Operator's Station</b>		
LP68087	Drop-on cab from Mauser (Heat Only) <i>F.O.B. Milwaukee, Wisconsin</i> <i>Not Compatible with Backhoe.</i> <i>Recommended to use 55 Amp Alternator (LVB25015) when installing cab. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>		5,440.00
LP68118	Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>		80.00
LP68117	Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>		105.00
LP68115	Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>		200.00



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP68120		<b>Stereo Kit</b> Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	155.00
AM134805		<b>Cold Start Packages</b> Engine Block Heater Adapter	122.63
LP63768		<b>Drawbar</b> Magnetic hitch pin	18.99
BLV10640		<b>Engine</b> Engine Coolant Heater Kit (110 Volt) Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).	66.00
BLV10859		<b>Front Wheels and Tires</b> 18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	338.80
BLV10857		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	380.60
LP19969		<b>Hitch Type</b> iMatch Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	32.00
LP25004		iMatch Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.	0.89
PM03008		iMatch Quick Hitch Upper Adapter Bushing Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.	1.36
LVB25837		<b>Hydraulics</b> Rear Hydraulic Kit	316.80
BLV10948		Rear Hydraulic Kit For use on 1023E and 1025R Tractors built after July 14th, 2017. Routes Dual Mid SCVs to Rear of Tractor. Not compatible with BLV10929 (Power Beyond Kit) or BLV11114 (Third SCV Kit). Also not compatible with Backhoe.	316.80

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)  
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
BLV10351		Single Rear Selective Control Valve (SCV) Kit <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	683.10
BLV11114		Single Rear Selective Control Valve Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017. Not compatible with BLV10929 (Power Beyond Kit) or BLV10948 (Rear Hydraulic Kit). Also not compatible with Backhoe or with drop-on cab from Mauser (LP68087).</i>	683.10
BLV10984		Single Rear Selective Control Valve Kit (OOS)	683.10
<b>Hydraulics</b>			
BLV10929		Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with BLV10948 (Rear Hydraulic Kit) and BLV11114 (Third SCV Kit). Also not compatible with drop-on cab from Mauser (LP68087).</i>	181.50
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	181.50
<b>Lighting</b>			
LP68116		Beacon Light Kit <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	423.50
<b>Lighting Equipment</b>			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	66.00
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	112.20
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	312.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	82.50
BLV10399		Work Light Brush Guard Kit (OOS Only)	82.50
<b>Miscellaneous</b>			

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
LVA21036		Filter Pak	63.08
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
BLV11042		Rear License Plate Kit (Includes Light)	67.10
LP68694		Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors.</i>	34.95
LVA15392		Spark Arrester Screen for Muffler	40.34
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
LVU15507		iMatch Quick Hitch Bushings	25.42
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	101.20
LP68119		<b>Operator's Station</b> Console Adapter Kit for Non-Current Tractors <i>Required for all 1026R tractors. Also required for 1025R tractors built prior to calendar year 2016 ( - GXXXXXXX). For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	270.00
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
LVU12858		<b>Rear Hitch</b> iMatch Quick Hitch Bushings	24.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20