

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Final Tier IV EPA Emissions Certified Engine Power 23.9 HP (17.8 kW) 24.2 PS ** PTO Power 18.0 HP (13.4 kW) **Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 3200 RPM 77.3 Cu. In. Displacement (1.267 L) Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element and Mechanical Restriction Indicator Fully Enclosed Engine and Muffler with Horizontal Exhaust 6.2 Gallon Fuel Tank Capacity (23.5 L) Hand Throttle Key Engine Shut Off</p> <p>TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle TwinTouch (2-Pedal) Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p>FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p>HYDRAULICS: Open Center Hydraulic System 9.0cc Gear Pump Maximum Total Flow 7.5 GPM (28.5 LPM) Working Pressure (2000 PSI) Dual Mid SCV Standard</p>	<p>PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Limited Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Hitch Plate Adjustable Sway Chains INSTRUMENTATION: Analog Style Fuel Gauge in Left Hand Fender Tachometer/Hour Meter Oil Pressure Indicator Light Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light Alternator Charge Indicator Light PTO Engagement Light Park Brake Light Flashing Amber Warning Light</p> <p>ELECTRICAL: 12-Volt Outlet 12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter with Over-Start Protection Neutral Start Switch</p> <p>LIGHTS: Two Front Halogen Head Lights Two Forward Flashing Warning Lights Two Rearward Flashing Warning Lights Two Fender Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard</p> <p>OPERATOR PROTECTIVE STRUCTURE:</p>	<p>Folding ROPS (Roll-Over-Protective Structure) **Meets OECD 7 Standard Deluxe Cushion Seat with Seat Belt Isolated Foot Deck Operator Presence System</p> <p>MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood with Gas-Lift Shocks Cup holder Integrated Storage in Right Fender (Open) Mower Deck Height Adjustment Tool Box Floor Mat High Back Mechanical Suspension Seat Adjustable Armrests Fuel fill location on LH fender Chrome Plated Row Finder on Hood Seat close out Fender close outs Fender grab handles - LH & RH</p> <p>BASE MACHINE (4WD): Engage on-the-go 4WD Anti-Wrapping Guard for 4WD Drive Shaft 12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires 23x8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires</p> <p>MID-MOWER LIFT SYSTEM: Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1512LV	2025R Compact Utility Tractor (18 PTO hp)	16,669.00
--------	---	-----------

DESTINATION

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
DESTINATION Continued...			
0184		Canada	No Added Cost
0205		Quebec, Canada	No Added Cost
024H		United States Minor Outlying Islands	No Added Cost
0202		United States	In Base Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
REAR WHEELS AND TIRES			
5203		12-16.5 (6PR, R4 Industrial, 1 Position) Bias Ply	122.00
5205		12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
5204		280/70 R16 (R3 Turf, 1 Position) Radial	-38.00
FRONT WHEELS AND TIRES			
6203		23 X 8.50-12 (6PR, R4 Industrial, 1 Position) Bias Ply	45.00
6205		23 X 8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
6204		220/55 R12 (R3 Turf, 1 Position) Radial	-62.00
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	300.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 120R Loader with the following options:</i> <i>53 In.(1350 mm) Quick Change Materials Bucket</i> <i>Quick Change Attachment Carrier</i> <i>Quik-Park Loader Mounting System</i> <i>Mounting Frame</i> <i>Deluxe Hood Guard</i> <i>Mechanical Bucket Level Indicator</i> <i>Oil Line Cover</i> <i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,181.00
1750		Factory Installed Loader less Bucket	3,460.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Pricing includes loader installation charge and 120R loader with the following options:</i>			
<i>Quick Change Attachment Carrier</i>			
<i>Quik-Park Loader Mounting System</i>			
<i>Mounting Frame</i>			
<i>Deluxe Hood Guard</i>			
<i>Mechanical Bucket Level Indicator</i>			
<i>Oil Line Cover</i>			
<i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
<hr/>			
BACKHOES			
3701		260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i>	6,575.00
<i>Pricing includes backhoe and installation with the following options:</i>			
<i>6 ft. 2 In. (1.89 m) Digging Depth</i>			
<i>One Double Acting Swing Cylinder</i>			
<i>150 Degree Swing Angle</i>			
<i>Two Lever Control</i>			
<i>Six Spool Control Valve</i>			
<i>12 In. Bucket</i>			
<i>Transport Locking Pins</i>			
<i>Hydraulic Stabilizers</i>			
<i>Subframe Mounting and Power Beyond Hydraulics</i>			
<i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i>			
<i>*Not available with factory installed iMatch</i>			
3749		Less Backhoe	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
	BW15073	Ballast Box Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
	LP70012	Cab Operator's Station Beacon Light Kit <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>For use with drop-on cab (LP70009).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
	LP70009	Drop-on cab from Mauser (Heat Only) <i>F.O.B. Milwaukee, Wisconsin</i> <i>Not Compatible with Backhoe.</i> <i>Recommended to use 55 Amp Alternator (LVB25015) when installing cab. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	5,790.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP70014		Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	90.00
LP70013		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	79.00
LP70011		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer</i>	200.00
LP70016		Stereo Kit <i>Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	87.00
AM134805		Cold Start Packages Engine Block Heater Adapter	122.63
BLV10640		Engine Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
BLV10784		Engine Auto-Throttle Kit <i>Kit contains cables and necessary hardware to connect the TwinTouch pedals to the engine throttle. This allows engine speed to increase or decrease as the transmission speed changes. This feature works in both the forward and reverse directions.</i>	236.50
BLV10945		Front Fenders Turnable Front Fender Kit with Quick Release Mechanism <i>Not compatible while mid-mount mower is installed.</i>	481.80
BLV10681		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10708		Front Quick-Hitch Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Wheels and Tires	

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10745		220/55-12 (R3 Turf) Radial Front Wheels & Tires	367.40
BLV10741		23x8.5-12 (R3 Turf) Bias Ply Front Wheels & Tires	446.60
BLV10743		23x8.5-12 (R4 Industrial) Bias Ply Front Wheels & Tires	502.70
LP19969		Hitch Type iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	32.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.89
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.36
BLV10880		Hydraulic Angling Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BLV10775		Hydraulics Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with Power Beyond Kit (BLV10746) or Third SCV Kit (BLV11025). Not compatible with Tire Chains.</i>	316.80
BLV11025		Single Rear Selective Control Valve (SCV) Kit Without Detent <i>For use on MY 2017 and Newer 2025R Tractors. Not compatible with Power Beyond Kit (BLV10746) or Rear Outlet Kit (BLV10775).</i>	683.10
BLV10746		Hydraulics Power Beyond Kit <i>For use on MY 2017 and Newer 2025R Tractors. Not compatible with Third SCV Kit (BLV11025) or Rear Outlet Kit (BLV10775).</i>	181.50
BLV10673		Lighting Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	423.50

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting Equipment	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	66.00
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	112.20
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	312.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	82.50
BLV10399		Work Light Brush Guard Kit (OOS Only)	82.50
		Miscellaneous	
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
BLV11042		Rear License Plate Kit (Includes Light)	67.10
LP68694		Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors.</i>	34.95
LVA15392		Spark Arrester Screen for Muffler	40.34
TY15201		Tire Chains <i>For Use with 280/70-16 (R3 - Radial) Rear Tires.</i>	206.63
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
LVU15507		iMatch Quick Hitch Bushings	25.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	101.20
		Rear Fenders	
BLV10930		Rear FenderExtension Kit	84.70
		Rear Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
		Rear Wheels and Tires	
BLV10740		12-16.5 (R3 Turf) Bias Ply Rear Wheels & Tires	876.70
BLV10742		12x16.5 (R4 Industrial) Bias Ply Rear Wheels & Tires	1,030.70
BLV10744		280/70-16 (R3 Turf) Radial Rear Wheels & Tires	829.40
		Weights	
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp) Equipment for Base Machine

<p>ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Final Tier IV EPA Emissions Certified Engine Power 30.8 HP (23.0 kW) 31.2 PS ** PTO Power 25.0 HP (18.6 kW) **Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 2500 RPM 100.2 Cu. In. Displacement (1.642 L) Direct Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator Fully Enclosed Engine and Muffler with Side Outlet Exhaust 8.6 Gallon Fuel Tank Capacity (32.5 L) Hand Throttle eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable Key Engine Shut Off</p> <p>TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle TwinTouch (2-Pedal) Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p>FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p>STERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Individual Wheel (Turning) Brakes Park Brake Wet Disk Brakes</p> <p>HYDRAULICS: Open Center Hydraulic System Dual Gear Pumps 8.2cc Gear Pump (Implement) 6.1cc Gear Pump (Steering) Maximum Total Flow 9.1 GPM (34.2 LPM)</p>	<p>Steering Pump 3.9 GPM (14.6 LPM) Implement Pump 5.2 GPM (19.6 LPM) Working Pressure (2500 PSI) Dual Mid SCV Standard</p> <p>PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield</p> <p>ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Adjustable Drawbar Adjustable Sway Chains</p> <p>INSTRUMENTATION: Analog Style Fuel Gauge in Instrument Panel Tachometer/Hour Meter Premium Instrument Panel with Advanced Diagnostic Capabilities Dot Matrix Display with Multiple Language Support Oil Pressure Indicator Light Air Filter Restriction Indicator Light Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light Alternator Charge Indicator Light PTO Engagement Light Park Brake Light Flashing Amber Warning Light Cruise Control Indicator Light MFWD Indicator Light Digital PTO Speed Indicator</p> <p>ELECTRICAL: 12-Volt Outlet 12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps 85 Amp Alternator Key Ignition Starter with Over-Start Protection Neutral Start Switch Pre-Wired for Backup Alarm</p>	<p>LIGHTS: Two Front Halogen Head Lights Two Forward Flashing Warning Lights Two Rearward Flashing Warning Lights Two Fender Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard</p> <p>OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over-Protective Structure) **Meets OECD 7 Standard Deluxe Cushion Seat with Seat Belt Isolated Foot Deck Operator Presence System</p> <p>MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood with Gas-Lift Shocks Cup holder Integrated Storage in Left Fender (Covered) Integrated Storage in Right Fender (Open) Floor Mat High Back Mechanical Suspension Seat Adjustable Armrests Fuel fill location on LH fender Chrome Plated Row Finder on Hood Seat close out Fender close outs Fender grab handles - LH & RH</p> <p>BASE MACHINE (4WD): Engage on-the-go 4WD Anti-Wrapping Guard for 4WD Drive Shaft 14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires 23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

2032R Compact Utility Tractor (25 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1532LV		2032R Compact Utility Tractor (25 PTO hp)	22,759.00
DESTINATION			
0184		Canada	No Added Cost
0205		Quebec, Canada	No Added Cost
024H		United States Minor Outlying Islands	No Added Cost
0202		United States	In Base Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-492.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	755.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-275.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-63.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	32.00
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	300.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options: Non Self-Leveling Boom</i>	4,704.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2032R Compact Utility Tractor (25 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i>	
		<i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i> <i>Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i>	3,952.00
		<i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	

ATTACHMENTS FOR FIELD CONVERSION

	Ballast Box		
BW15073	Ballast Box		302.50
BW15074	Ballast Box Extension		143.00
	Drawbar		
LP63768	Magnetic hitch pin		18.99
	Engine		
BLV10640	Engine Coolant Heater Kit (110 Volt)		66.00
	Front Fenders		
BLV10520	Rear FenderExtension Kit		281.60
BLV10999	Turnable Front Fender Kit		481.80
	Front Power Take-Off (PTO)		
BLV10633	2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>		323.40
	Front Quick-Hitch		
BLV10637	A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)		215.60
BLV10634	Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>		95.70
BLV10631	Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)		1,393.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2032R Compact Utility Tractor (25 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
		Front Wheels and Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	911.90
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	792.00
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	871.20
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	524.70
		Hitch Type	
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	32.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.89
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.36
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	886.60
		Hydraulics	
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	426.80
		Lighting	
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	423.50

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting Equipment	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	66.00
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	112.20
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	312.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	82.50
BLV10399		Work Light Brush Guard Kit (OOS Only)	82.50
		Miscellaneous	
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BLV10677		Rear License Plate Kit (Includes Light)	67.10
RE19428		Safety Chain Support Kit	158.04
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	269.86
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
TY25324		Weather Protection Umbrella	113.73
BLV10430		Wheel Spacer Set, 60MM (each side) <i>For use on MY17 and newer 2032R and 2038R tractors only.</i>	331.10
LVU15507		iMatch Quick Hitch Bushings	25.42
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	101.20
		Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	77.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
Rear Wheels and Tires			
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	763.40
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,303.50
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,382.70
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,332.00
Transmission			
BLV10641		Transmission Oil Heater	88.00
Weights			
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB24952.</i>	59.91
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp) Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Final Tier IV EPA Emissions Certified
Engine Power 36.8 HP (27.4 kW) 37.3 PS **
PTO Power 30.0 HP (22.4 kW)
**Manufacturer's Estimate of Power (ISO) per SAE J1995
Rated Speed 2500 RPM
95.7 Cu. In. Displacement (1.568 L)
Direct Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
Fully Enclosed Engine and Muffler with Side Outlet Exhaust
8.6 Gallon Fuel Tank Capacity (32.5 L)
Hand Throttle
eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Individual Wheel (Turning) Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
8.2cc Gear Pump (Implement)
6.1cc Gear Pump (Steering)
Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
Implement Pump 5.2 GPM (19.6 LPM)
Working Pressure (2500 PSI)
Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
540-RPM Rear PTO
2000-RPM Mid PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND

HITCH PLATE / DRAWBAR:
Rockshaft
Category 1, 3-Pt. Hitch
Position Control Hitch
Rate of Drop/Stop Valve
Adjustable Drawbar
Adjustable Sway Chains

INSTRUMENTATION:

Analog Style Fuel Gauge in Instrument Panel
Tachometer/Hour Meter
Premium Instrument Panel with Advanced Diagnostic Capabilities
Dot Matrix Display with Multiple Language Support
Oil Pressure Indicator Light
Air Filter Restriction Indicator Light
Analog Engine Coolant Temperature Gauge
Coolant Over-Temperature Warning Light
Alternator Charge Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Amber Warning Light
Cruise Control Indicator Light
MFWD Indicator Light
Digital PTO Speed Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500 Cold Cranking Amps
85 Amp Alternator
Key Ignition Starter with Over-Start Protection
Neutral Start Switch
Pre-Wired for Backup Alarm

LIGHTS:

Two Front Halogen Head Lights
Two Forward Flashing Warning Lights
Two Rearward Flashing Warning Lights
Two Fender Lights
Brake Indicator Lights
**Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over-Protective Structure)
**Meets OECD 7 Standard
Deluxe Cushion Seat with Seat Belt
Isolated Foot Deck
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood with Gas-Lift Shocks
Cup holder
Integrated Storage in Left Fender (Covered)
Integrated Storage in Right Fender (Open)
Floor Mat
High Back Mechanical Suspension Seat
Adjustable Armrests
Fuel fill location on LH fender
Chrome Plated Row Finder on Hood
Seat close out
Fender close outs
Fender grab handles - LH & RH

BASE MACHINE (4WD):

Engage on-the-go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

2038R Compact Utility Tractor (30 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1552LV		2038R Compact Utility Tractor (30 PTO hp)	24,677.00
DESTINATION			
0184		Canada	No Added Cost
0205		Quebec, Canada	No Added Cost
024H		United States Minor Outlying Islands	No Added Cost
0202		United States	In Base Price
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-492.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	755.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-275.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-63.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	32.00
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	300.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options: Non Self-Leveling Boom</i>	4,704.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2038R Compact Utility Tractor (30 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i></p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1750		<p>Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i></p> <p><i>Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i></p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	3,952.00

ATTACHMENTS FOR FIELD CONVERSION

	Ballast Box		
BW15073	Ballast Box		302.50
BW15074	Ballast Box Extension		143.00
	Drawbar		
LP63768	Magnetic hitch pin		18.99
	Engine		
BLV10640	Engine Coolant Heater Kit (110 Volt)		66.00
	Front Fenders		
BLV10520	Rear FenderExtension Kit		281.60
BLV10999	Turnable Front Fender Kit		481.80
	Front Power Take-Off (PTO)		
BLV10633	2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>		323.40
	Front Quick-Hitch		
BLV10637	A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)		215.60
BLV10634	Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>		95.70
BLV10631	Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)		1,393.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2038R Compact Utility Tractor (30 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
		Front Wheels and Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	911.90
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	792.00
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	871.20
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	524.70
		Hitch Type	
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	32.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.89
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.36
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	886.60
		Hydraulics	
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	426.80
		Lighting	
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	423.50

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Lighting Equipment			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	66.00
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	112.20
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	312.40
BLV10400		Warning Light Brush Guard Kit (Two Guards)	82.50
BLV10399		Work Light Brush Guard Kit (OOS Only)	82.50
Miscellaneous			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BLV10677		Rear License Plate Kit (Includes Light)	67.10
RE19428		Safety Chain Support Kit	158.04
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	269.86
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
TY25324		Weather Protection Umbrella	113.73
BLV10430		Wheel Spacer Set, 60MM (each side) <i>For use on MY17 and newer 2032R and 2038R tractors only.</i>	331.10
LVU15507		iMatch Quick Hitch Bushings	25.42
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	101.20
Operator's Station			
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	77.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
Rear Wheels and Tires			
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	763.40
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,303.50
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,382.70
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,332.00
Transmission			
BLV10641		Transmission Oil Heater	88.00
Weights			
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB24952.</i>	59.91
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00