

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075M Utility Tractor**  
Equipment for Base Machine

**ENGINE:**

75 Engine Horsepower @ 2200 rpm\*  
60 PTO Horsepower @ 2100 RPM\*  
2.9L 3 Cylinder Turbocharged John Deere PowerTech Diesel Engine  
EPA Final Tier 4 Emissions Compliant  
Dry Type Air Cleaner with Safety Element  
Cold Start Aid - Glow Plugs  
Water Separator Bowl  
Anti-Freeze  
Hand and Foot Throttle  
Key Engine Shut Off  
Fan Finger Guard

**TRANSMISSION:**

EH Differential Lock  
Integrated Park Position  
Neutral Start Safety Switch  
Wet Traction Clutch

**REAR AXLE:**

Flanged Rear Axle  
Planetary Final Drives

**FRONT AXLE:**

Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes  
Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
Tandem Gear Pump 24.7 gpm (94 lpm)  
Maximum Total Flow -  
Steering Pump 6.3 gpm (24 lpm)  
Implement Pump 18.4 gpm (70 lpm)

**POWER TAKE-OFF SHAFT:**

Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm  
Economy PTO Setting for 540 PTO rpm @ 1645 Engine rpm  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch

Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:  
65-mm Lift Cylinders  
Standard Adjustable Straight Drawbar  
Telescoping Draft Links with Category II Balls  
Lower Link Draft Sensing

**INSTRUMENTATION:**

Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator (PR Only)  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Indicator Light

**ELECTRICAL:**

12-Volt Electrical System

One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity

7-Pin ASAE Outlet Socket

**LIGHTS:**

Two Front Halogen Headlights

Two Turn/Warning Lights

Dual Tail Lights

**MISCELLANEOUS:**

Slow-moving vehicle (SMV) Emblem

Toolbox

\* Manufacturer's Rating

\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

191DLV		5075M Utility Tractor	56,389.00
--------	--	-----------------------	-----------

**DESTINATION**

0240		American Samoa	No Added Cost
0245		Guam	No Added Cost
0203		Puerto Rico	No Added Cost
024H		US Minor Outlying Islands	No Added Cost
020A		US Virgin Islands	No Added Cost

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0207		<b>DESTINATION ...Continued...</b> Saint Pierre and Miquelon	No Added Cost
0202		<b>North America</b> United States	In Base Price
0184		Canada	No Added Cost
0205		French Quebec	No Added Cost
<b>OPERATOR'S MANUAL</b>			
0409		ENGLISH	In Base Price
0413		FRENCH	No Added Cost
0437		SPANISH	No Added Cost
<b>TRANSMISSION</b>			
1362		12F/4R SyncShuttle Plus (30k) <i>Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)</i>	-3,188.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	1,747.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	4,471.00
<b>OPERATOR'S STATION</b>			
2005		Premium Isolated Open Operator Station <i>Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	526.00
2010		Standard Isolated Open Operator Station <i>Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights Flashing Warning Lights Dual Taillights 29 U.S. Gallon (111 L) Fuel Tank Capacity Requires Option Code 4010 (Mechanical rear hitch)</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2055		<b>OPERATOR'S STATION ...Continued...</b> Standard Cab <i>Deluxe Isolated Cab with Flat Floor</i> <i>Tilt and Telescopic Steering Column</i> <i>Left and Right Side Doors with Steps</i> <i>Air Conditioning and Heater</i> <i>Speedometer</i> <i>Beverage Holder</i> <i>Sunvisor for Front Window</i> <i>2-Speed Front Windshield Wiper and Washer</i> <i>Two Front/Two Rear Roof-Mounted Work Lights</i> <i>Two Front/Two Rear Roof-Mounted Warning Lights</i> <i>Two Fender-Mounted Taillights</i> <i>Convenience Power Outlet</i> <i>Monitor Mounting Bosses (2 Sets)</i> <i>Swing-Out Rear Window with Two Removable Rear Plugs for Monitor</i> <i>Right-Hand Console Light</i> <i>Radio Preparation (with speakers, wiring)</i> <i>Rear window grab handle</i> <i>Bluetooth Ready</i> <i>36 U.S. Gallon (139 L) Fuel Tank Capacity</i> <i>29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i>	12,122.00
2060		Premium Cab <i>Includes Premium package, all features of Standard Cab plus:</i> <i>Load View Window (Sunroof) with Shade</i> <i>Front Sunshade</i> <i>Factory Installed Radio (Bluetooth and Satellite Capable)</i> <i>Rear Window Wiper</i> <i>Radio Antenna</i> <i>Additional Defrost Louvers</i> <i>Requires PowrReverser Transmission (1380, 1382, 1390 or 1394)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i> <i>Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch)</i> <i>Requires Option code 6040 (MFWD)</i>	13,845.00
2065		Narrow Cab <i>Includes all features and dimensions of Standard Cab with Narrow Fenders, plus High Capacity Fuel Tank</i> <i>42 U.S. Gallon (161 L) Fuel Tank Capacity</i> <i>Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)</i>	13,101.00
<hr/>			
<b>MIRRORS</b>			
2511		Mirror Telescopic LH & RH <i>Available on Cab Tractors only</i>	314.00
2500		Less Rear View Mirrors <i>Available on Cab Tractors only</i>	In Base Price
<hr/>			
<b>SEAT</b>			
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	874.00
2121		Premium Air Suspension Seat <i>Includes heater and low frequency air suspension.</i> <i>Available on Cab Tractors only.</i>	1,394.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>CAB INSTRUCTIONAL SEAT</b>			
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt <i>Available on Cab Tractors only.</i>	576.00
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	486.00
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors Only.</i>	In Base Price
3025		Corner Post Deluxe Exhaust <i>Available on Cab Tractors Only.</i>	621.00
<b>SELECTIVE CONTROL VALVES</b>			
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	913.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid SCVs <i>Requires Code 4010 (Mechanical Rear Hitch Controls)</i>	-996.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	797.00
<b>REAR POWER TAKE-OFF (PTO)</b>			
3820		Two Speed PTO - 540/540E	In Base Price
<b>HITCH CONTROLS</b>			
4010		Mechanical Rear Hitch Control <i>Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)</i>	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender <i>Not compatible with Code 2010 (Standard Open Operator Station)</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price
<b>STABILIZER</b>			
4420		LH & RH Stabilizer Bar	In Base Price
<b>LIFT LINK</b>			

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075M Utility Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
4160		<b>LIFT LINK ...Continued...</b> LH Only Adjustment Lift Link <i>Right Hand side is Fixed.</i>	In Base Price
<b>FRONT AXLE</b>			
6020		2WD Front Axle <i>Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)</i>	-7,085.00
6040		MFWD Front Axle	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>2WD Requires Code 6103 or 6113.</i> <i>MFWD Requires Code 6123.</i>	-1,488.00
5121		16.9-30 6PR R1 Bias <i>2WD Requires Code 6112 or 6113 (Firestone)</i> <i>MFWD Requires Code 6111 (Goodyear)</i>	-2,145.00
5133		460/85R30 (18.4R30) R1W Radial <i>2WD Requires Code 6112 (Firestone)</i> <i>MFWD Requires Code 6203 (Firestone)</i>	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial <i>Requires Code 6210 (Firestone)</i>	-1,242.00
5151		230/95R48 134A8 R1W Radial <i>Requires Code 6131 (Kleber) for High Clearance Applications.</i>	233.00
5155		320/85R36 (12.4R36) R1W Radial <i>Requires Code 6180 (Michelin)</i>	-836.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6200 (Michelin).</i>	-88.00
5191		460/85R34 (18.4R34) R1W Radial <i>Requires Code 6210 or 6120 (Michelin).</i>	207.00
5192		19.5L-24 In. 10PR R4 Bias <i>2WD Requires Code 6113 (Firestone).</i> <i>Requires Code 6133 (Goodyear).</i>	-2,169.00
5202		420/85R34 (16.9R34) R1W Radial <i>Requires Code 6210 (Michelin).</i>	33.00
5203		480/70R34 R1W Radial <i>Requires Code 6211 (Michelin)</i>	916.00
5205		23.1-26 8PR R3 <i>2WD Requires Code 6103 or 6113 (Titan).</i> <i>MFWD Requires Code 6214 (Titan).</i>	-886.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075M Utility Tractor  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,956.00
6111		11.2-24 6PR R1 Bias <i>Goodyear Brand</i>	-1,176.00
6112		11L - 15 in. 8PR F2 Bias <i>Firestone Brand</i>	-2,405.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>Firestone Brand</i>	-2,382.00
6120		380/85R24 - 14.9R24 R1W Radial <i>Michelin Brand</i>	932.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,769.00
6131		230/95R32 126A8 R1W Radial <i>Kleber Brand. Recommended for High Clearance Applications</i>	340.00
6133		12.5/80-18 In. 12PR R4 Bias <i>Goodyear Brand</i>	-1,580.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	-112.00
6200		320/85R24 (12.4R24) R1W Radial <i>Michelin Brand</i>	No Added Cost
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial <i>Michelin or Firestone Brand</i>	626.00
6211		380/70R24 R1W Radial <i>Michelin Brand</i>	920.00
6214		44X18-20 4PR R3 Bias <i>Titan Brand</i>	-728.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price

**CAB OPERATOR'S STATION**

8280		Rear Window Wiper <i>In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.</i>	294.00
------	--	--	--------

**POWER TAKE-OFF (PTO) CONTROLS**

8386		PTO Remote Control and LH and RH Fenders	64.00
------	--	--	-------

**HITCH CYLINDERS**

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8458		<b>HITCH CYLINDERS ...Continued...</b> 70 mm Hitch lift cylinder	352.00
8010		<b>FRONT FENDERS</b> Front Fenders - Rigid (Axle Mounted) <i>Front fenders will restrict some front tires</i>	570.00
8015		Front Fenders - Turnable (Axle Mounted) <i>Front fenders will restrict some front tires</i>	876.00
8020		Rear Fender Extensions (Cab) <i>Not Compatible with Narrow Cab.</i>	248.00
8725		<b>LIGHTING EQUIPMENT</b> Beacon Light LH Side mounted - (RH side traffic)	214.00
8910		<b>FRONT LOADER PREPARATION PACKAGES</b> Loader Preparation Package <i>Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard</i>	1,766.00
8300		<b>MISCELLANEOUS</b> Cold Weather package - Coolant heater <i>Includes Coolant Heater</i>	91.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank <i>Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab.</i> <i>* All Narrow Cab and 5115M models have high capacity tank in base equipment</i>	211.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
BLV10950		<b>Backhoes</b> 595 Backhoe Kit	2,712.60
BSJ10442		<b>Backup Alarm</b> Backup Alarm Kit	167.20
RE282643		<b>Cab Equipment</b> Leather Steering Wheel	179.21
AL80126		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
AL80127		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
BSJ10436		<b>Exhaust</b> Side Exhaust Kit <i>Not compatible with the following tire options: 230/95R48.</i>	1,020.80
AL156778		<b>Front Axle</b> Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.</i>	721.60
LVB25776		<b>Front Fenders</b> Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
AL180328		Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i>	83.47
AL180330		Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	98.38
AL180327		Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	110.66
BSJ10387		<b>Front Hitch</b> Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
BW16765		<b>Hood Guards</b> Hood Guard	440.00
BSJ10441		<b>Hydraulics</b> 3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station</i>	1,004.30
BSJ10283		<b>CASE DRAIN</b> <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.</i>	195.80
BLV10074		Mid-couplers kit	187.00
BSJ10465		<b>Oil Collection System</b> <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).</i>	116.60



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	BSJ10282	POWER BEYOND	342.10
		<b>Lighting</b>	
	LVB24997	Auxiliary loader light kit <i>Requires Loader installation.</i>	784.30
	LVB25720	Auxiliary work light kit (2 lights)	156.20
	RE244176	Beacon Light Kit <i>Open Operator Station only</i>	271.13
	BLV10120	Beacon light kit <i>Cab tractors only.</i>	244.20
	BSJ10325	LED HEADLIGHTS	297.00
		<b>Loader Mounted Fenders</b>	
	BW16094	Stationary fenders <i>Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.</i>	580.80
		<b>Mid Selective Control Valves</b>	
	BSJ10330	2 Mechanical Mid-SCV with Joystick lever <i>Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve. Does not include loader side frames. 5ML must also order the following - (1) SJ26965, (1) SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
		<b>Miscellaneous</b>	
	BLV10099	1000/540/540E-rpm power take-off (PTO) kit <i>Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.</i>	1,532.30
	RE554568	120 Amp Alternator <i>OOS models only</i>	764.70
	RE555751	200 Amp Alternator <i>Cab models only.</i>	838.79
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing 2 Mid SCV valves.</i>	876.70
	AH104259	Ash Tray <i>Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.</i>	72.43
	LVB25785	Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
	LVB25783	Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
T21709		Category I Interchangeable Hitch Ball <i>Two required.</i>	15.70
T21706		Category II Interchangeable Hitch Ball <i>Two required.</i>	14.57
T12553		Center Link Conversion Bushing, Cat. II to Cat. I	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
RE52682		Convenience Outlet <i>Open Station only.</i> <i>Also order: (1) L157467 strap, (4) 37M70995 screws.</i>	122.58
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
LVB25949		Drawbar - Hammerstrap and chain clevis kit <i>Kit contains all necessary parts and hardware (instructions included).</i>	146.30
LVB25716		Electrohydraulic (EH) hitch right fender switch kit <i>For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models</i>	156.20
BSJ10163		Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear.</i>	455.40
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153).</i> <i>Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
LVB25941		Heavy-duty drawbar kit <i>Kit contains Heavy Duty Drawbar with support assembly.</i> <i>Hardware and instructions included.</i>	298.10
BSJ10125		Instructional Seat Kit, CAB only	633.60
AL213203		Lockable Filler Cap Fuel Tank	34.06
BSJ10104		Mid Fuel Tank - OOS ONLY <i>Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models.</i> <i>Base Codes 191DLV, 252CLV, 253CLV</i>	229.90
LVB25727		PowrReverser modulation control kit	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Cab Only. (Satellite Capable)</i>	712.11
RE567557		Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04
BSJ10122		Satellite receiver and antenna only (Bosch specific) <i>All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers.</i> <i>Requires Radio Ordered Separately.</i> <i>Requires Radio Subscription Ordered Separately</i>	243.10
AL77888		Seat Backrest Extension <i>Premium Open Operator Station (Code 2005) Tractors ONLY.</i>	280.94
AT162291		Seat Backrest Extension <i>Cab Tractors ONLY.</i>	200.23
AL71345		Security Door Lock Kit	206.80
AL203265		Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
BLV10173		Wiper and washer, rear	355.30
		<b>Operator's Station</b>	
LVB25334		Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.</i>	25.96
RE68495		Power Strip with Six Outlets <i>Cab Tractors ONLY (codes 2050, 2055, or 2060).</i> <i>Requires (2) R205546 and (4) 37M7355 Ordered Separately.</i>	56.07
BRE10152		Self - Leveling Cup Holder	64.90

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Rear Fenders</b>	
LVB25714		Rear fender extension <i>Cab tractors only.</i> <i>Interference may occur with some implements when raising the hitch.</i>	227.70
LVB25066		Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60
		<b>Rear Hitch</b>	
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507).</i> <i>Not compatible with LVB25941 (Heavy Duty Hitch Kit).</i>	376.20
		<b>Three-Point Hitch</b>	
TY27545		Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090M Utility Tractor**  
Equipment for Base Machine

**ENGINE:**

90 Engine Horsepower @ 2200 rpm\*  
75 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
4.5L PowerTech Diesel Engine  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
DEF Tank capacity (3.2 gal)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut Off  
Water Separator Bowl  
**TRANSMISSION:**  
EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
**REAR AXLE:**  
Flanged Rear Axle  
Planetary Final Drives  
**FRONT AXLE:**  
Planetary Final Drives  
**STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting  
**HYDRAULIC:**  
Open Center Hydraulic System  
Tandem Gear Pump 24.7 gpm (94 lpm)  
Maximum Total Flow -  
Steering Pump 6.3 gpm (24 lpm)  
Implement Pump 18.4 gpm (70 lpm)  
**POWER TAKE-OFF SHAFT:**  
Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm  
Economy PTO Setting for 540 PTO rpm @ 1645 Engine rpm  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield

**ROCKSHAFT, HITCH AND DRAWBAR:**

65-mm Lift Cylinders  
Standard Adjustable Straight Drawbar  
Telescoping Draft Links with Category II Balls  
Lower Link Draft Sensing  
**INSTRUMENTATION:**  
Electric Fuel Gauge  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning Signal  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator  
Neutral Indicator (PR Only)  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light (Rear PTO)  
**ELECTRICAL:**  
12-Volt Electrical System  
One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity  
7-Pin ASAE Outlet Socket  
**LIGHTS:**  
Two Front Halogen Headlights  
Two Turn/Warning Lights  
Dual Tail Lights  
**MISCELLANEOUS:**  
Slow-moving Vehicle (SMV) Emblem  
Toolbox  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

252CLV	5090M Utility Tractor	61,376.00
--------	-----------------------	-----------

**DESTINATION**

0240	American Samoa	No Added Cost
0245	Guam	No Added Cost
0203	Puerto Rico	No Added Cost
024H	US Minor Outlying Islands	No Added Cost
020A	US Virgin Islands	No Added Cost

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>DESTINATION ...Continued...</b>			
0207		Saint Pierre and Miquelon	No Added Cost
<b>North America</b>			
0202		United States	In Base Price
0184		Canada	No Added Cost
0205		French Quebec	No Added Cost
<b>OPERATOR'S MANUAL</b>			
0409		ENGLISH	In Base Price
0413		FRENCH	No Added Cost
0437		SPANISH	No Added Cost
<b>TRANSMISSION</b>			
1362		12F/4R SyncShuttle Plus (30k) <i>Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)</i>	-3,188.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	1,747.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	4,471.00
<b>OPERATOR'S STATION</b>			
2005		Premium Isolated Open Operator Station <i>Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	526.00
2010		Standard Isolated Open Operator Station <i>Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights Flashing Warning Lights Dual Taillights 29 U.S. Gallon (111 L) Fuel Tank Capacity Requires Option Code 4010 (Mechanical rear hitch)</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
2055		Standard Cab <i>Deluxe Isolated Cab with Flat Floor</i> <i>Tilt and Telescopic Steering Column</i> <i>Left and Right Side Doors with Steps</i> <i>Air Conditioning and Heater</i> <i>Speedometer</i> <i>Beverage Holder</i> <i>Sunvisor for Front Window</i> <i>2-Speed Front Windshield Wiper and Washer</i> <i>Two Front/Two Rear Roof-Mounted Work Lights</i> <i>Two Front/Two Rear Roof-Mounted Warning Lights</i> <i>Two Fender-Mounted Taillights</i> <i>Convenience Power Outlet</i> <i>Monitor Mounting Bosses (2 Sets)</i> <i>Swing-Out Rear Window with Two Removable Rear Plugs for Monitor</i> <i>Right-Hand Console Light</i> <i>Radio Preparation (with speakers, wiring)</i> <i>Rear window grab handle</i> <i>Bluetooth Ready</i> <i>36 U.S. Gallon (139 L) Fuel Tank Capacity</i> <i>29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i>	12,122.00
2060		Premium Cab <i>Includes Premium package, all features of Standard Cab plus:</i> <i>Load View Window (Sunroof) with Shade</i> <i>Front Sunshade</i> <i>Factory Installed Radio (Bluetooth and Satellite Capable)</i> <i>Rear Window Wiper</i> <i>Radio Antenna</i> <i>Additional Defrost Louvers</i> <i>Requires PowrReverser Transmission (1380, 1382, 1390 or 1394)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i> <i>Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch)</i> <i>Requires Option code 6040 (MFWD)</i>	13,845.00
2065		Narrow Cab <i>Includes all features and dimensions of Standard Cab with Narrow Fenders, plus High Capacity Fuel Tank</i> <i>42 U.S. Gallon (161 L) Fuel Tank Capacity</i> <i>Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)</i>	13,101.00
<b>MIRRORS</b>			
2511		Mirror Telescopic LH & RH <i>Available on Cab Tractors only</i>	314.00
2500		Less Rear View Mirrors <i>Available on Cab Tractors only</i>	In Base Price
<b>SEAT</b>			
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	874.00
2121		Premium Air Suspension Seat <i>Includes heater and low frequency air suspension.</i> <i>Available on Cab Tractors only.</i>	1,394.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>SEAT ...Continued...</b>			
<b>CAB INSTRUCTIONAL SEAT</b>			
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt <i>Available on Cab Tractors only.</i>	576.00
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	486.00
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors Only.</i>	In Base Price
3025		Corner Post Deluxe Exhaust <i>Available on Cab Tractors Only.</i>	621.00
<b>SELECTIVE CONTROL VALVES</b>			
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	913.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid SCVs <i>Requires Code 4010 (Mechanical Rear Hitch Controls)</i>	-996.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	797.00
<b>REAR POWER TAKE-OFF (PTO)</b>			
3820		Two Speed PTO - 540/540E	In Base Price
<b>HITCH CONTROLS</b>			
4010		Mechanical Rear Hitch Control <i>Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)</i>	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender <i>Not compatible with Code 2010 (Standard Open Operator Station)</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price
<b>STABILIZER</b>			



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>STABILIZER ...Continued...</b>			
4420		LH & RH Stabilizer Bar	In Base Price
<b>LIFT LINK</b>			
4160		LH Only Adjustment Lift Link <i>Right Hand side is Fixed.</i>	In Base Price
<b>FRONT AXLE</b>			
6020		2WD Front Axle <i>Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)</i>	-7,085.00
6040		MFWD Front Axle	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>2WD Requires Code 6103 or 6113. MFWD Requires Code 6123.</i>	-1,488.00
5121		16.9-30 6PR R1 Bias <i>2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)</i>	-2,145.00
5133		460/85R30 (18.4R30) R1W Radial <i>2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)</i>	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial <i>Requires Code 6210 (Firestone)</i>	-1,242.00
5151		230/95R48 134A8 R1W Radial <i>Requires Code 6131 (Kleber) for High Clearance Applications.</i>	233.00
5155		320/85R36 (12.4R36) R1W Radial <i>Requires Code 6180 (Michelin)</i>	-836.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6200 (Michelin).</i>	-88.00
5191		460/85R34 (18.4R34) R1W Radial <i>Requires Code 6210 or 6120 (Michelin).</i>	207.00
5192		19.5L-24 In. 10PR R4 Bias <i>2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).</i>	-2,169.00
5202		420/85R34 (16.9R34) R1W Radial <i>Requires Code 6210 (Michelin).</i>	33.00
5203		480/70R34 R1W Radial <i>Requires Code 6211 (Michelin)</i>	916.00
5205		23.1-26 8PR R3 <i>2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).</i>	-886.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090M Utility Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,956.00
6111		11.2-24 6PR R1 Bias <i>Goodyear Brand</i>	-1,176.00
6112		11L - 15 in. 8PR F2 Bias <i>Firestone Brand</i>	-2,405.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>Firestone Brand</i>	-2,382.00
6120		380/85R24 - 14.9R24 R1W Radial <i>Michelin Brand</i>	932.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,769.00
6131		230/95R32 126A8 R1W Radial <i>Kleber Brand. Recommended for High Clearance Applications</i>	340.00
6133		12.5/80-18 In. 12PR R4 Bias <i>Goodyear Brand</i>	-1,580.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	-112.00
6200		320/85R24 (12.4R24) R1W Radial <i>Michelin Brand</i>	No Added Cost
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial <i>Michelin or Firestone Brand</i>	626.00
6211		380/70R24 R1W Radial <i>Michelin Brand</i>	920.00
6214		44X18-20 4PR R3 Bias <i>Titan Brand</i>	-728.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>CAB OPERATOR'S STATION</b>			
8280		Rear Window Wiper <i>In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.</i>	294.00
<b>POWER TAKE-OFF (PTO) CONTROLS</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8386		<b>POWER TAKE-OFF (PTO) CONTROLS ...Continued...</b> PTO Remote Control and LH and RH Fenders	64.00
8458		<b>HITCH CYLINDERS</b> 70 mm Hitch lift cylinder	352.00
8010		<b>FRONT FENDERS</b> Front Fenders - Rigid (Axle Mounted) <i>Front fenders will restrict some front tires</i>	570.00
8015		Front Fenders - Turnable (Axle Mounted) <i>Front fenders will restrict some front tires</i>	876.00
8020		Rear Fender Extensions (Cab) <i>Not Compatible with Narrow Cab.</i>	248.00
8725		<b>LIGHTING EQUIPMENT</b> Beacon Light LH Side mounted - (RH side traffic)	214.00
8910		<b>FRONT LOADER PREPARATION PACKAGES</b> Loader Preparation Package <i>Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard</i>	1,766.00
8300		<b>MISCELLANEOUS</b> Cold Weather package - Coolant heater <i>Includes Coolant Heater</i>	91.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank <i>Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab.</i> <i>* All Narrow Cab and 5115M models have high capacity tank in base equipment</i>	211.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
BPF11130		<b>Autotrac Universal Supplemental Kits</b> AutoTrac Universal Steering Supplemental Kit - "AA" <i>For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	220.00
BPF11129		FT4 GreenStar Harness <i>For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	511.50

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Backhoes</b>	
	BLV10950	595 Backhoe Kit	2,712.60
		<b>Backup Alarm</b>	
	BSJ10442	Backup Alarm Kit	167.20
		<b>Cab Equipment</b>	
	RE282643	Leather Steering Wheel	179.21
	AL80126	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
		<b>Cold Weather Packages</b>	
	DZ102076	Engine Block Heater (110V)	110.75
		<b>Exhaust</b>	
	BSJ10435	Side Exhaust Kit <i>Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.</i>	1,020.80
		<b>Front Axle</b>	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.</i>	721.60
		<b>Front Fenders</b>	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i>	83.47
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	98.38
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	110.66
		<b>Front Hitch</b>	
	BSJ10387	Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
BLV10679		<b>Front Power Take-Off (PTO)</b> Auxiliary Front Drive Coupler Kit	1,032.90
BW16765		<b>Hood Guards</b> Hood Guard	440.00
BSJ10441		<b>Hydraulics</b> 3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features:</i> - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve <i>Compatible with CAB or OPEN Station</i>	1,004.30
BSJ10283		<b>CASE DRAIN</b> <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.</i>	195.80
BSJ10465		<b>Oil Collection System</b> <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).</i>	116.60
BSJ10282		<b>POWER BEYOND</b>	342.10
LVB24997		<b>Lighting</b> Auxiliary loader light kit <i>Requires Loader installation.</i>	784.30
LVB25720		Auxiliary work light kit (2 lights)	156.20
RE244176		Beacon Light Kit <i>Open Operator Station only</i>	271.13
BLV10120		Beacon light kit <i>Cab tractors only.</i>	244.20
BSJ10325		LED HEADLIGHTS	297.00
BW16094		<b>Loader Mounted Fenders</b> Stationary fenders <i>Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.</i>	580.80
BSJ10450		<b>Machine Connectivity</b> JDLink Mounting Kit, Cab models <i>For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)</i>	181.50

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10451		JDLINK Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLINK kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
BSJ10330		<b>Mid Selective Control Valves</b> 2 Mechanical Mid-SCV with Joystick lever <i>Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve. Does not include loader side frames. 5ML must also order the following - (1) SJ26965, (1) SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
BLV10099		<b>Miscellaneous</b> 1000/540/540E-rpm power take-off (PTO) kit <i>Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.</i>	1,532.30
RE554568		120 Amp Alternator <i>OOS models only</i>	764.70
RE555751		200 Amp Alternator <i>Cab models only.</i>	838.79
BSJ10101		3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing 2 Mid SCV valves.</i>	876.70
AH104259		Ash Tray <i>Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.</i>	72.43
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00
T21709		Category I Interchangeable Hitch Ball <i>Two required.</i>	15.70
T21706		Category II Interchangeable Hitch Ball <i>Two required.</i>	14.57
T12553		Center Link Conversion Bushing, Cat. II to Cat. I	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
RE52682		Convenience Outlet <i>Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.</i>	122.58
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
LVB25949		Drawbar - Hammerstrap and chain clevis kit <i>Kit contains all necessary parts and hardware (instructions included).</i>	146.30

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
LVB25716		Electrohydraulic (EH) hitch right fender switch kit <i>For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models</i>	156.20
BSJ10163		Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear.</i>	455.40
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
LVB25941		Heavy-duty drawbar kit <i>Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.</i>	298.10
BSJ10125		Instructional Seat Kit, CAB only	633.60
AL213203		Lockable Filler Cap Fuel Tank	34.06
BSJ10104		Mid Fuel Tank - OOS ONLY <i>Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Base Codes 191DLV, 252CLV, 253CLV</i>	229.90
LVB25727		PowrReverser modulation control kit	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Cab Only. (Satellite Capable)</i>	712.11
RE567557		Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5090M Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10122		Satellite receiver and antenna only (Bosch specific) <i>All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately</i>	243.10
AL77888		Seat Backrest Extension <i>Premium Open Operator Station (Code 2005) Tractors ONLY.</i>	280.94
AT162291		Seat Backrest Extension <i>Cab Tractors ONLY.</i>	200.23
AL71345		Security Door Lock Kit	206.80
AL203265		Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
BSJ10102		Shield Kit, Fuel Tank (under) <i>Not compatible with backhoe attachment.</i>	154.00
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
BLV10173		Wiper and washer, rear	355.30
		<b>Operator's Station</b>	
LVB25334		Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.</i>	25.96
RE68495		Power Strip with Six Outlets <i>Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.</i>	56.07
BRE10152		Self - Leveling Cup Holder	64.90
		<b>Rear Fenders</b>	
LVB25714		Rear fender extension <i>Cab tractors only. Interference may occur with some implements when raising the hitch.</i>	227.70
LVB25066		Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60
		<b>Rear Hitch</b>	
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507). Not compatible with LVB25941 (Heavy Duty Hitch Kit).</i>	376.20



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Three-Point Hitch</b>	
	TY27545	Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

---

**5090M Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5100M Utility Tractor  
Equipment for Base Machine**

**ENGINE:**

100 Engine Horsepower @ 2200 rpm\*  
85 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
4.5L PowerTech Diesel Engine  
Turbocharger with Intercooler  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
DEF Tank capacity (3.2 gal)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut Off  
Water Separator Bowl

**TRANSMISSION:**

EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
Planetary Final Drives

**FRONT AXLE:**

Planetary Final Drives

**STERING AND BRAKES:**

Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and  
Self-Adjusting

**HYDRAULIC:**

Open Center Hydraulic System  
Tandem Gear Pump 24.7 gpm (94 lpm)  
Maximum Total Flow -  
Steering Pump 6.3 gpm (24 lpm)  
Implement Pump 18.4 gpm (70 lpm)

**POWER TAKE-OFF SHAFT:**

Independent "Live" 540 rpm Rear PTO Shaft @ 2100  
Engine rpm  
Economy PTO Setting for 540 PTO rpm @ 1645 Engine  
rpm  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch

Flip Up PTO Shield

**ROCKSHAFT, HITCH AND DRAWBAR:**

65-mm Lift Cylinder  
Standard Adjustable Straight Drawbar  
Telescoping Draft Links with  
Category II Balls  
Lower Link Draft Sensing

**INSTRUMENTATION:**

Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator (PR Only)  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning  
Signal

Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light (Rear PTO)

**ELECTRICAL:**

12-Volt Electrical System  
One Battery - 925 CCA\*\* with 180 Minute Reserve  
Capacity

7-Pin ASAE Outlet Socket

**LIGHTS:**

Two Front Halogen Headlights  
Two Turn/Warning Lights  
Dual Tail Lights

**MISCELLANEOUS:**

Slow-moving Vehicle (SMV) Emblem  
Toolbox  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

253CLV		5100M Utility Tractor	64,702.00
--------	--	-----------------------	-----------

**DESTINATION**

0240		American Samoa	No Added Cost
0245		Guam	No Added Cost
0203		Puerto Rico	No Added Cost
024H		US Minor Outlying Islands	No Added Cost

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>DESTINATION ...Continued...</b>			
020A		US Virgin Islands	No Added Cost
0207		Saint Pierre and Miquelon	No Added Cost
<b>North America</b>			
0202		United States	In Base Price
0184		Canada	No Added Cost
0205		French Quebec	No Added Cost
<b>OPERATOR'S MANUAL</b>			
0409		ENGLISH	In Base Price
0413		FRENCH	No Added Cost
0437		SPANISH	No Added Cost
<b>TRANSMISSION</b>			
1362		12F/4R SyncShuttle Plus (30k) <i>Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)</i>	-3,188.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	1,747.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	4,471.00
<b>OPERATOR'S STATION</b>			
2005		Premium Isolated Open Operator Station <i>Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	526.00
2010		Standard Isolated Open Operator Station <i>Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights Flashing Warning Lights Dual Taillights 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Requires Option Code 4010 (Mechanical rear hitch)</i>			
2055		Standard Cab <i>Deluxe Isolated Cab with Flat Floor</i> <i>Tilt and Telescopic Steering Column</i> <i>Left and Right Side Doors with Steps</i> <i>Air Conditioning and Heater</i> <i>Speedometer</i> <i>Beverage Holder</i> <i>Sunvisor for Front Window</i> <i>2-Speed Front Windshield Wiper and Washer</i> <i>Two Front/Two Rear Roof-Mounted Work Lights</i> <i>Two Front/Two Rear Roof-Mounted Warning Lights</i> <i>Two Fender-Mounted Taillights</i> <i>Convenience Power Outlet</i> <i>Monitor Mounting Bosses (2 Sets)</i> <i>Swing-Out Rear Window with Two Removable Rear Plugs for Monitor</i> <i>Right-Hand Console Light</i> <i>Radio Preparation (with speakers, wiring)</i> <i>Rear window grab handle</i> <i>Bluetooth Ready</i> 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models) <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i>	12,122.00
2060		Premium Cab <i>Includes Premium package, all features of Standard Cab plus:</i> <i>Load View Window (Sunroof) with Shade</i> <i>Front Sunshade</i> <i>Factory Installed Radio (Bluetooth and Satellite Capable)</i> <i>Rear Window Wiper</i> <i>Radio Antenna</i> <i>Additional Defrost Louvers</i> <i>Requires PowrReverser Transmission (1380, 1382, 1390 or 1394)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i> <i>Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch)</i> <i>Requires Option code 6040 (MFWD)</i>	13,845.00
2065		Narrow Cab <i>Includes all features and dimensions of Standard Cab with Narrow Fenders, plus High Capacity Fuel Tank</i> 42 U.S. Gallon (161 L) Fuel Tank Capacity <i>Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)</i>	13,101.00
<b>MIRRORS</b>			
2511		Mirror Telescopic LH & RH <i>Available on Cab Tractors only</i>	314.00
2500		Less Rear View Mirrors <i>Available on Cab Tractors only</i>	In Base Price
<b>SEAT</b>			
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	874.00
2121		Premium Air Suspension Seat <i>Includes heater and low frequency air suspension.</i>	1,394.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>SEAT ...Continued...</b>			
<i>Available on Cab Tractors only.</i>			
<b>CAB INSTRUCTIONAL SEAT</b>			
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt <i>Available on Cab Tractors only.</i>	576.00
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	486.00
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors Only.</i>	In Base Price
3025		Corner Post Deluxe Exhaust <i>Available on Cab Tractors Only.</i>	621.00
<b>SELECTIVE CONTROL VALVES</b>			
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	913.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid SCVs <i>Requires Code 4010 (Mechanical Rear Hitch Controls)</i>	-996.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	797.00
<b>REAR POWER TAKE-OFF (PTO)</b>			
3820		Two Speed PTO - 540/540E	In Base Price
<b>HITCH CONTROLS</b>			
4010		Mechanical Rear Hitch Control <i>Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)</i>	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender <i>Not compatible with Code 2010 (Standard Open Operator Station)</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>STABILIZER</b>			
4420		LH & RH Stabilizer Bar	In Base Price
<b>LIFT LINK</b>			
4160		LH Only Adjustment Lift Link <i>Right Hand side is Fixed.</i>	In Base Price
<b>FRONT AXLE</b>			
6020		2WD Front Axle <i>Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)</i>	-7,085.00
6040		MFWD Front Axle	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>2WD Requires Code 6103 or 6113. MFWD Requires Code 6123.</i>	-1,488.00
5121		16.9-30 6PR R1 Bias <i>2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)</i>	-2,145.00
5133		460/85R30 (18.4R30) R1W Radial <i>2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)</i>	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial <i>Requires Code 6210 (Firestone)</i>	-1,242.00
5151		230/95R48 134A8 R1W Radial <i>Requires Code 6131 (Kleber) for High Clearance Applications.</i>	233.00
5155		320/85R36 (12.4R36) R1W Radial <i>Requires Code 6180 (Michelin)</i>	-836.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6200 (Michelin).</i>	-88.00
5191		460/85R34 (18.4R34) R1W Radial <i>Requires Code 6210 or 6120 (Michelin).</i>	207.00
5192		19.5L-24 In. 10PR R4 Bias <i>2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).</i>	-2,169.00
5202		420/85R34 (16.9R34) R1W Radial <i>Requires Code 6210 (Michelin).</i>	33.00
5203		480/70R34 R1W Radial <i>Requires Code 6211 (Michelin)</i>	916.00
5205		23.1-26 8PR R3 <i>2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).</i>	-886.00

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5100M Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,956.00
6111		11.2-24 6PR R1 Bias <i>Goodyear Brand</i>	-1,176.00
6112		11L - 15 in. 8PR F2 Bias <i>Firestone Brand</i>	-2,405.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>Firestone Brand</i>	-2,382.00
6120		380/85R24 - 14.9R24 R1W Radial <i>Michelin Brand</i>	932.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,769.00
6131		230/95R32 126A8 R1W Radial <i>Kleber Brand. Recommended for High Clearance Applications</i>	340.00
6133		12.5/80-18 In. 12PR R4 Bias <i>Goodyear Brand</i>	-1,580.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	-112.00
6200		320/85R24 (12.4R24) R1W Radial <i>Michelin Brand</i>	No Added Cost
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial <i>Michelin or Firestone Brand</i>	626.00
6211		380/70R24 R1W Radial <i>Michelin Brand</i>	920.00
6214		44X18-20 4PR R3 Bias <i>Titan Brand</i>	-728.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>CAB OPERATOR'S STATION</b>			
8280		Rear Window Wiper <i>In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.</i>	294.00
<b>POWER TAKE-OFF (PTO) CONTROLS</b>			



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8386		<b>POWER TAKE-OFF (PTO) CONTROLS ...Continued...</b> PTO Remote Control and LH and RH Fenders	64.00
8458		<b>HITCH CYLINDERS</b> 70 mm Hitch lift cylinder	352.00
8010		<b>FRONT FENDERS</b> Front Fenders - Rigid (Axle Mounted) <i>Front fenders will restrict some front tires</i>	570.00
8015		Front Fenders - Turnable (Axle Mounted) <i>Front fenders will restrict some front tires</i>	876.00
8020		Rear Fender Extensions (Cab) <i>Not Compatible with Narrow Cab.</i>	248.00
8725		<b>LIGHTING EQUIPMENT</b> Beacon Light LH Side mounted - (RH side traffic)	214.00
8910		<b>FRONT LOADER PREPARATION PACKAGES</b> Loader Preparation Package <i>Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard</i>	1,766.00
8300		<b>MISCELLANEOUS</b> Cold Weather package - Coolant heater <i>Includes Coolant Heater</i>	91.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank <i>Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab. * All Narrow Cab and 5115M models have high capacity tank in base equipment</i>	211.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
BPF11130		<b>Autotrac Universal Supplemental Kits</b> AutoTrac Universal Steering Supplemental Kit - "AA" <i>For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	220.00
BPF11129		FT4 GreenStar Harness <i>For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	511.50

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Backhoes</b>	
	BLV10950	595 Backhoe Kit	2,712.60
		<b>Backup Alarm</b>	
	BSJ10442	Backup Alarm Kit	167.20
		<b>Cab Equipment</b>	
	RE282643	Leather Steering Wheel	179.21
	AL80126	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
		<b>Cold Weather Packages</b>	
	DZ102076	Engine Block Heater (110V)	110.75
		<b>Exhaust</b>	
	BSJ10435	Side Exhaust Kit <i>Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.</i>	1,020.80
		<b>Front Axle</b>	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.</i>	721.60
		<b>Front Fenders</b>	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i>	83.47
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	98.38
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	110.66
		<b>Front Hitch</b>	
	BSJ10387	Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
BLV10679		<b>Front Power Take-Off (PTO)</b> Auxiliary Front Drive Coupler Kit	1,032.90
BW16765		<b>Hood Guards</b> Hood Guard	440.00
BSJ10441		<b>Hydraulics</b> 3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features:</i> - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve <i>Compatible with CAB or OPEN Station</i>	1,004.30
BSJ10283		<b>CASE DRAIN</b> <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.</i>	195.80
BSJ10465		<b>Oil Collection System</b> <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).</i>	116.60
BSJ10282		<b>POWER BEYOND</b>	342.10
LVB24997		<b>Lighting</b> Auxiliary loader light kit <i>Requires Loader installation.</i>	784.30
LVB25720		Auxiliary work light kit (2 lights)	156.20
RE244176		Beacon Light Kit <i>Open Operator Station only</i>	271.13
BLV10120		Beacon light kit <i>Cab tractors only.</i>	244.20
BSJ10325		<b>LED HEADLIGHTS</b>	297.00
BW16094		<b>Loader Mounted Fenders</b> Stationary fenders <i>Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.</i>	580.80
BSJ10450		<b>Machine Connectivity</b> JDLink Mounting Kit, Cab models <i>For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)</i>	181.50

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10451		JDLINK Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLINK kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
BSJ10330		<b>Mid Selective Control Valves</b> 2 Mechanical Mid-SCV with Joystick lever <i>Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve. Does not include loader side frames. 5ML must also order the following - (1) SJ26965, (1) SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
BLV10099		<b>Miscellaneous</b> 1000/540/540E-rpm power take-off (PTO) kit <i>Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.</i>	1,532.30
RE554568		120 Amp Alternator <i>OOS models only</i>	764.70
RE555751		200 Amp Alternator <i>Cab models only.</i>	838.79
BSJ10101		3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing 2 Mid SCV valves.</i>	876.70
AH104259		Ash Tray <i>Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.</i>	72.43
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00
T21709		Category I Interchangeable Hitch Ball <i>Two required.</i>	15.70
T21706		Category II Interchangeable Hitch Ball <i>Two required.</i>	14.57
T12553		Center Link Conversion Bushing, Cat. II to Cat. I	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
RE52682		Convenience Outlet <i>Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.</i>	122.58
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
LVB25949		Drawbar - Hammerstrap and chain clevis kit <i>Kit contains all necessary parts and hardware (instructions included).</i>	146.30

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
LVB25716		Electrohydraulic (EH) hitch right fender switch kit <i>For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models</i>	156.20
BSJ10163		Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear.</i>	455.40
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
LVB25941		Heavy-duty drawbar kit <i>Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.</i>	298.10
BSJ10125		Instructional Seat Kit, CAB only	633.60
AL213203		Lockable Filler Cap Fuel Tank	34.06
BSJ10104		Mid Fuel Tank - OOS ONLY <i>Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Base Codes 191DLV, 252CLV, 253CLV</i>	229.90
LVB25727		PowrReverser modulation control kit	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Cab Only. (Satellite Capable)</i>	712.11
RE567557		Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10122		Satellite receiver and antenna only (Bosch specific) <i>All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately</i>	243.10
AL77888		Seat Backrest Extension <i>Premium Open Operator Station (Code 2005) Tractors ONLY.</i>	280.94
AT162291		Seat Backrest Extension <i>Cab Tractors ONLY.</i>	200.23
AL71345		Security Door Lock Kit	206.80
AL203265		Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
BSJ10102		Shield Kit, Fuel Tank (under) <i>Not compatible with backhoe attachment.</i>	154.00
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
BLV10173		Wiper and washer, rear	355.30
		<b>Operator's Station</b>	
LVB25334		Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.</i>	25.96
RE68495		Power Strip with Six Outlets <i>Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.</i>	56.07
BRE10152		Self - Leveling Cup Holder	64.90
		<b>Rear Fenders</b>	
LVB25714		Rear fender extension <i>Cab tractors only. Interference may occur with some implements when raising the hitch.</i>	227.70
LVB25066		Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60
		<b>Rear Hitch</b>	
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507). Not compatible with LVB25941 (Heavy Duty Hitch Kit).</i>	376.20

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
TY27545	<b>Three-Point Hitch</b>	Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5100M Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---



**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5115M Utility Tractor**  
Equipment for Base Machine

**ENGINE:**

115 Engine Horsepower @ 2200 rpm\*  
100 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
4.5L PowerTech Diesel Engine  
Turbocharger with Intercooler  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
DEF Tank capacity (3.2 gal)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut-Off  
Water Separator Bowl

**TRANSMISSION:**

EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
**REAR AXLE:**  
Flanged Rear Axle  
Planetary Final Drives  
**FRONT AXLE:**  
Planetary Final Drives  
**STERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and  
Self-Adjusting

**HYDRAULIC:**

Open Center Hydraulic System  
Tandem Gear Pump 24.7 gpm (94 lpm)  
Maximum Total Flow -  
Steering Pump 6.3 gpm (24 lpm)  
Implement Pump 18.4 gpm (70 lpm)

**POWER TAKE-OFF SHAFT:**

Independent "Live" 540 rpm Rear PTO Shaft @ 2100  
Engine rpm  
Economy PTO Setting for 540 PTO rpm @ 1645 Engine  
rpm  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield

**ROCKSHAFT, HITCH AND DRAWBAR:**

65-mm Lift Cylinder  
Heavy-duty Drawbar  
Telescoping Draft Links with  
Category II Balls  
Lower Link Draft Sensing  
**INSTRUMENTATION:**  
Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator (PR Only)  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning  
Signal

Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light (Rear PTO)

**ELECTRICAL:**

12-Volt Electrical System  
One Battery - 925 CCA\*\* with 180 Minute Reserve  
Capacity

7-Pin ASAE Outlet Socket

**LIGHTS:**

Two Front Halogen Headlights  
Two Turn/Warning Lights  
Two Rear Work Lights  
Dual Tail Lights

**MISCELLANEOUS:**

Slow-moving Vehicle (SMV) Emblem  
Toolbox

\* Manufacturer's Rating

\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

254CLV		5115M Utility Tractor	69,691.00
--------	--	-----------------------	-----------

**DESTINATION**

0240		American Samoa	No Added Cost
0245		Guam	No Added Cost
0203		Puerto Rico	No Added Cost
024H		US Minor Outlying Islands	No Added Cost

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
020A		<b>DESTINATION ...Continued...</b> US Virgin Islands	No Added Cost
0207		Saint Pierre and Miquelon	No Added Cost
0202		<b>North America</b> United States	In Base Price
0184		Canada	No Added Cost
0205		French Quebec	No Added Cost
<hr/>			
<b>OPERATOR'S MANUAL</b>			
0409		ENGLISH	In Base Price
0413		FRENCH	No Added Cost
0437		SPANISH	No Added Cost
<hr/>			
<b>TRANSMISSION</b>			
1362		12F/4R SyncShuttle Plus (30k) <i>Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)</i>	-3,188.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	1,747.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper <i>Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).</i>	4,471.00
<hr/>			
<b>OPERATOR'S STATION</b>			
2005		Premium Isolated Open Operator Station <i>Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	526.00
2010		Standard Isolated Open Operator Station <i>Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights Flashing Warning Lights Dual Taillights 29 U.S. Gallon (111 L) Fuel Tank Capacity</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Requires Option Code 4010 (Mechanical rear hitch)</i>			
2055		Standard Cab <i>Deluxe Isolated Cab with Flat Floor</i> <i>Tilt and Telescopic Steering Column</i> <i>Left and Right Side Doors with Steps</i> <i>Air Conditioning and Heater</i> <i>Speedometer</i> <i>Beverage Holder</i> <i>Sunvisor for Front Window</i> <i>2-Speed Front Windshield Wiper and Washer</i> <i>Two Front/Two Rear Roof-Mounted Work Lights</i> <i>Two Front/Two Rear Roof-Mounted Warning Lights</i> <i>Two Fender-Mounted Taillights</i> <i>Convenience Power Outlet</i> <i>Monitor Mounting Bosses (2 Sets)</i> <i>Swing-Out Rear Window with Two Removable Rear Plugs for Monitor</i> <i>Right-Hand Console Light</i> <i>Radio Preparation (with speakers, wiring)</i> <i>Rear window grab handle</i> <i>Bluetooth Ready</i> 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models) <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i>	12,122.00
2060		Premium Cab <i>Includes Premium package, all features of Standard Cab plus:</i> <i>Load View Window (Sunroof) with Shade</i> <i>Front Sunshade</i> <i>Factory Installed Radio (Bluetooth and Satellite Capable)</i> <i>Rear Window Wiper</i> <i>Radio Antenna</i> <i>Additional Defrost Louvers</i> <i>Requires PowrReverser Transmission (1380, 1382, 1390 or 1394)</i> <i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i> <i>Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch)</i> <i>Requires Option code 6040 (MFWD)</i>	13,845.00
2065		Narrow Cab <i>Includes all features and dimensions of Standard Cab with Narrow Fenders, plus High Capacity Fuel Tank</i> 42 U.S. Gallon (161 L) Fuel Tank Capacity <i>Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)</i>	13,101.00

**MIRRORS**

2511		Mirror Telescopic LH & RH <i>Available on Cab Tractors only</i>	314.00
2500		Less Rear View Mirrors <i>Available on Cab Tractors only</i>	In Base Price

**SEAT**

2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	874.00
2121		Premium Air Suspension Seat <i>Includes heater and low frequency air suspension.</i>	1,394.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>SEAT ...Continued...</b>			
<i>Available on Cab Tractors only.</i>			
<b>CAB INSTRUCTIONAL SEAT</b>			
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt <i>Available on Cab Tractors only.</i>	576.00
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	486.00
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors Only.</i>	In Base Price
3025		Corner Post Deluxe Exhaust <i>Available on Cab Tractors Only.</i>	621.00
<b>SELECTIVE CONTROL VALVES</b>			
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	913.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid SCVs <i>Requires Code 4010 (Mechanical Rear Hitch Controls)</i>	-996.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	797.00
<b>REAR POWER TAKE-OFF (PTO)</b>			
3820		Two Speed PTO - 540/540E	In Base Price
<b>HITCH CONTROLS</b>			
4010		Mechanical Rear Hitch Control <i>Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)</i>	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender <i>Not compatible with Code 2010 (Standard Open Operator Station)</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5115M Utility Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>STABILIZER</b>			
4420		LH & RH Stabilizer Bar	In Base Price
<b>LIFT LINK</b>			
4160		LH Only Adjustment Lift Link <i>Right Hand side is Fixed.</i>	In Base Price
<b>FRONT AXLE</b>			
6040		MFWD Front Axle	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>2WD Requires Code 6103 or 6113.</i> <i>MFWD Requires Code 6123.</i>	-1,488.00
5121		16.9-30 6PR R1 Bias <i>2WD Requires Code 6112 or 6113 (Firestone)</i> <i>MFWD Requires Code 6111 (Goodyear)</i>	-2,145.00
5133		460/85R30 (18.4R30) R1W Radial <i>2WD Requires Code 6112 (Firestone)</i> <i>MFWD Requires Code 6203 (Firestone)</i>	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial <i>Requires Code 6210 (Firestone)</i>	-1,242.00
5151		230/95R48 134A8 R1W Radial <i>Requires Code 6131 (Kleber) for High Clearance Applications.</i>	233.00
5155		320/85R36 (12.4R36) R1W Radial <i>Requires Code 6180 (Michelin)</i>	-836.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6200 (Michelin).</i>	-88.00
5191		460/85R34 (18.4R34) R1W Radial <i>Requires Code 6210 or 6120 (Michelin).</i>	207.00
5192		19.5L-24 In. 10PR R4 Bias <i>2WD Requires Code 6113 (Firestone).</i> <i>Requires Code 6133 (Goodyear).</i>	-2,169.00
5202		420/85R34 (16.9R34) R1W Radial <i>Requires Code 6210 (Michelin).</i>	33.00
5203		480/70R34 R1W Radial <i>Requires Code 6211 (Michelin)</i>	916.00
5205		23.1-26 8PR R3 <i>2WD Requires Code 6103 or 6113 (Titan).</i> <i>MFWD Requires Code 6214 (Titan).</i>	-886.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5115M Utility Tractor  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>REAR TIRE BRAND PREFERENCE ...Continued...</b>			
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6111		11.2-24 6PR R1 Bias <i>Goodyear Brand</i>	-1,176.00
6120		380/85R24 - 14.9R24 R1W Radial <i>Michelin Brand</i>	932.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,769.00
6131		230/95R32 126A8 R1W Radial <i>Kleber Brand. Recommended for High Clearance Applications</i>	340.00
6133		12.5/80-18 In. 12PR R4 Bias <i>Goodyear Brand</i>	-1,580.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	-112.00
6200		320/85R24 (12.4R24) R1W Radial <i>Michelin Brand</i>	No Added Cost
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial <i>Michelin or Firestone Brand</i>	626.00
6211		380/70R24 R1W Radial <i>Michelin Brand</i>	920.00
6214		44X18-20 4PR R3 Bias <i>Titan Brand</i>	-728.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>CAB OPERATOR'S STATION</b>			
8280		Rear Window Wiper <i>In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.</i>	294.00
<b>POWER TAKE-OFF (PTO) CONTROLS</b>			
8386		PTO Remote Control and LH and RH Fenders	64.00
<b>HITCH CYLINDERS</b>			
8458		70 mm Hitch lift cylinder	352.00
<b>FRONT FENDERS</b>			
8010		Front Fenders - Rigid (Axle Mounted)	570.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT FENDERS ...Continued...</b>			
<i>Front fenders will restrict some front tires</i>			
8015		Front Fenders - Turnable (Axle Mounted) <i>Front fenders will restrict some front tires</i>	876.00
8020		Rear Fender Extensions (Cab) <i>Not Compatible with Narrow Cab.</i>	248.00
<b>LIGHTING EQUIPMENT</b>			
8725		Beacon Light LH Side mounted - (RH side traffic)	214.00
<b>FRONT LOADER PREPARATION PACKAGES</b>			
8910		Loader Preparation Package <i>Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard</i>	1,766.00
<b>MISCELLANEOUS</b>			
8300		Cold Weather package - Coolant heater <i>Includes Coolant Heater</i>	91.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Autotrac Universal Supplemental Kits</b>			
BPF11130		AutoTrac Universal Steering Supplemental Kit - "AA" <i>For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	220.00
BPF11129		FT4 GreenStar Harness <i>For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	511.50
<b>Backhoes</b>			
BLV10950		595 Backhoe Kit	2,712.60
<b>Backup Alarm</b>			
BSJ10442		Backup Alarm Kit	167.20
<b>Cab Equipment</b>			
RE282643		Leather Steering Wheel	179.21
AL80126		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
AL80127		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Cold Weather Packages</b>	
DZ102076		Engine Block Heater (110V)	110.75
		<b>Exhaust</b>	
BSJ10435		Side Exhaust Kit <i>Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.</i>	1,020.80
		<b>Front Axle</b>	
AL156778		Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.</i>	721.60
		<b>Front Fenders</b>	
LVB25776		Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
AL180328		Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i>	83.47
AL180330		Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	98.38
AL180327		Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i>	110.66
		<b>Front Hitch</b>	
BSJ10387		Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
		<b>Front Power Take-Off (PTO)</b>	
BLV10679		Auxiliary Front Drive Coupler Kit	1,032.90
		<b>Hood Guards</b>	
BW16765		Hood Guard	440.00
		<b>Hydraulics</b>	
BSJ10441		3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station</i>	1,004.30



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10283		CASE DRAIN <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.</i>	195.80
BSJ10465		Oil Collection System <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).</i>	116.60
BSJ10282		POWER BEYOND	342.10
		<b>Lighting</b>	
LVB24997		Auxiliary loader light kit <i>Requires Loader installation.</i>	784.30
LVB25720		Auxiliary work light kit (2 lights)	156.20
RE244176		Beacon Light Kit <i>Open Operator Station only</i>	271.13
BLV10120		Beacon light kit <i>Cab tractors only.</i>	244.20
BSJ10325		LED HEADLIGHTS	297.00
		<b>Loader Mounted Fenders</b>	
BW16094		Stationary fenders <i>Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.</i>	580.80
		<b>Machine Connectivity</b>	
BSJ10450		JDLink Mounting Kit, Cab models <i>For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)</i>	181.50
BSJ10451		JDLink Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
		<b>Mid Selective Control Valves</b>	
BSJ10330		2 Mechanical Mid-SCV with Joystick lever <i>Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve. Does not include loader side frames. 5ML must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
		<b>Miscellaneous</b>	
BLV10099		1000/540/540E-rpm power take-off (PTO) kit <i>Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.</i>	1,532.30

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	RE554568	120 Amp Alternator <i>OOS models only</i>	764.70
	RE555751	200 Amp Alternator <i>Cab models only.</i>	838.79
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing 2 Mid SCV valves.</i>	876.70
	AH104259	Ash Tray <i>Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.</i>	72.43
	LVB25785	Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
	LVB25783	Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00
	T21709	Category I Interchangeable Hitch Ball <i>Two required.</i>	15.70
	T21706	Category II Interchangeable Hitch Ball <i>Two required.</i>	14.57
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	14.15
	AR60937	Cigarette Lighter <i>Cab only.</i>	14.24
	RE52682	Convenience Outlet <i>Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.</i>	122.58
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
	LVB25949	Drawbar - Hammerstrap and chain clevis kit <i>Kit contains all necessary parts and hardware (instructions included).</i>	146.30
	LVB25716	Electrohydraulic (EH) hitch right fender switch kit <i>For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models</i>	156.20
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear.</i>	455.40
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5115M Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
	BSJ10125	Instructional Seat Kit, CAB only	633.60
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	160.60
	AT439279	Radio - AM/FM, Bosch (Premium) <i>Cab Only. (Satellite Capable)</i>	712.11
	RE567557	Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
	RE244177	Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
	RE19428	Safety Chain Support Kit	158.04
	BSJ10122	Satellite receiver and antenna only (Bosch specific) <i>All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers.</i> <i>Requires Radio Ordered Separately.</i> <i>Requires Radio Subscription Ordered Separately</i>	243.10
	AT162291	Seat Backrest Extension <i>Cab Tractors ONLY.</i>	200.23
	AL71345	Security Door Lock Kit	206.80
	AL203265	Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
	BSJ10102	Shield Kit, Fuel Tank (under) <i>Not compatible with backhoe attachment.</i>	154.00
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	R213907	Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
	BLV10173	Wiper and washer, rear	355.30
	LVB25334	<b>Operator's Station</b> Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115M Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	BRE10015	Cell Phone Mount Kit	67.10
	RE566705	Dual USB Charger <i>Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.</i>	25.96
	RE68495	Power Strip with Six Outlets <i>Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.</i>	56.07
	BRE10152	Self - Leveling Cup Holder	64.90
		<b>Rear Fenders</b>	
	LVB25714	Rear fender extension <i>Cab tractors only. Interference may occur with some implements when raising the hitch.</i>	227.70
	LVB25066	Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60
		<b>Three-Point Hitch</b>	
	TY27545	Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075GV Narrow Specialty Tractor  
Equipment for Base Machine**

Engine:  
73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM  
62 (46 kW) PTO Horsepower @ 1900\*\* RPM  
4-Cylinder Turbocharged FPT F34 Engine  
3.4 L Displacement  
EPA Final Tier 4 Final Compliant  
(Aftertreatment: DOC/DPF)  
Dry Air Cleaner with Safety Element  
Common Rail Electronic Fuel Injection  
Hand and Foot Throttle  
Viscous Fan  
Water Separation Bowl  
Engine Shut Off with Key  
Maintenance Free Closed Cooling System  
Radiator Screen  
22.7 U.S. Gallon (86 L) Fuel Tank Capacity  
Transmission:  
Differential Lock  
Neutral Start Safety Switch  
Mirrors Left-Hand and Right-Hand

Axle:  
Final Drive with three Planetary Gears  
Flanged Rear Axles  
Steering and Brakes:  
Hydrostatic Power Steering  
Hydraulic Wet-Disk Rear Brakes, Self-Equalizing  
and Self-Adjusting  
Five Oil Cooled Hydraulically Actuated Disk Brakes  
per side.  
Secondary Park Break  
Hydraulics:  
Open Center Hydraulic System  
Hitch Control with Center link Draft Sensing  
PTO:  
Independent &Live 540/540E RPM rear PTO shaft  
Safety Start Switch  
Rockshaft, Hitch, and Drawbar:  
Mechanical Rockshaft

Swinging Drawbar plus Hammer Strap  
3 Point (category I) Hitch and Sway Blocks  
Convertible to Category IN  
Adjustable Drawbar  
Instrumentation:  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Indicator Light  
PTO Engagement Light  
Speedometer  
Digital Display - Hour Meter  
Electrical:  
12-Volt (100 amps) Electrical system  
95 Amp Alternator  
Lights:  
Two Front Halogen headlights  
Two Rear Warning and Turn lights  
Dual Tail Lights  
Miscellaneous:  
Beverage Holder on Left-Hand Side Console  
Tool Box  
SMV Emblem  
One Piece Tilt-up hood  
Extra CEE Administration Fee  
Premium Container Shipment  
\*Manufacturer s Rating  
\*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Port of Entry*

0514AT	5075GV Narrow Specialty Tractor	38,474.00
--------	---------------------------------	-----------

**DESTINATION**

0202	USA <i>Requires code 0409 (English)</i>	In Base Price
0184	Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost

**OPERATOR'S MANUAL, DECALS, AND MONITORS**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1340		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. <i>Requires:</i> Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	No Added Cost
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes:</i> Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	4,757.00
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 24F/12R, 4WD (1380).	979.00
2055		Standard Cab Two front and two rear H3 working lights.	10,821.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>OPERATOR'S STATION ...Continued...</b> <i>Openable front windscreen and rear window.</i> <i>Comfort Textile seat.</i> <i>Fixed Steering Wheel.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per NA Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).</i>	
2065		Premium Cab <i>Two front and two rear H3 working lights.</i> <i>Openable front windscreen and rear window.</i> <i>Super Deluxe Textile seat.</i> <i>Tilttable and Telescopic Steering Wheel.</i> <i>Rear Wiper.</i> <i>Internal cab Mirror.</i> <i>Mechanical Remote Control.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per North America Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).</i>	11,814.00
<hr/>			
<b>EXHAUST</b>			
3011		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack <i>Available on cab tractors only (2055 or 2065)</i>	155.00
3022		Vertical A Cornerpost Exhaust <i>Available on cab tractors only (2055 or 2065)</i>	618.00
<hr/>			
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System	773.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HYDRAULIC PUMP ...Continued...</b>			
<i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.</i>			
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	2,140.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side <i>Requires three rear remote SCVs (code 3334)</i>	1,273.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) <i>Requires four rear remote SCVs (code 3347)</i>	1,782.00
<b>REAR WHEELS AND TIRES</b>			
5109		380/85R28 <i>Requires code 6166 or 6287 and Code 2055 or 2065</i>	584.00
5122		340/85R24 <i>Requires code 6124, 6289, 6304, 6165</i>	361.00
5126		320/85R24 <i>Requires code 6165 or 6304</i>	-703.00
5128		340/85R28 <i>Requires code 6286 or 6288</i>	464.00
5129		360/70R28 <i>Requires code 6113</i>	484.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5137		360/70R24 <i>Requires code 6124 or 6143</i>	475.00
5138		250/85R28 <i>Requires code 6124</i>	-236.00
5139		9.50R28 <i>Requires code 6124</i>	-392.00
5205		380/70R24 <i>Requires code 6165</i>	541.00
5220		320/85R28 <i>Requires code 6288 or 6293</i>	330.00
5221		420/70R28 <i>Requires code 6287</i>	1,326.00
5222		280/85R28 <i>Requires code 6124, 6165 or 6304 and Code 2055 or 2065</i>	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6113		280/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,073.00
6124		6.00-16 <i>Requires code 6020</i>	In Base Price
6143		240/70R16 <i>Requires code 6040</i>	927.00
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	969.00
6286		8.25-16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	349.00
6287		280/70R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,150.00
6288		7.50R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	729.00
6289		10.0/75-15.3 Heavy Duty (2 position rims) <i>Requires code 6040</i>	399.00
6293		6.50-16 <i>Requires code 6020</i>	No Added Cost
6304		180/95R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	295.00
<b>AXLE</b>			
6020		Two-Wheel Drive (2WD)	In Base Price

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5075GV Narrow Specialty Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6040		<b>AXLE ...Continued...</b> Four-Wheel Drive (4WD)	8,518.00
<b>POWER TAKE-OFF (PTO)</b>			
3822		Mechanical actuation 540 and 540E rpm <i>Shiftable without GD Power Take-Off (PTO)</i> <i>With PTO shaft cover</i> <i>With Safety start switch</i> <i>Requires code 1340 or 1341</i>	In Base Price
3826		ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO).</i> <i>With PTO shaft cover.</i> <i>With Safety start switch.</i> <i>Requires code 1380</i>	No Added Cost
<b>THREE-POINT HITCH</b>			
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	309.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	438.00
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4002		Base weight 150 Lbs (68 kg)	In Base Price
<b>MIRRORS</b>			
8230		Rear view cab mirror	67.00
<b>FRONT FENDERS</b>			
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) <i>Requires code 6020</i>	391.00
8017		Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm) <i>Requires code 6040</i>	391.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm) <i>Not compatible with Code 8022.</i>	304.00
<b>HITCH CONTROLS</b>			
8446		Mechanical remote control for 3-point hitch	335.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HITCH CONTROLS ...Continued...</b>			
<b>DRAWBAR</b>			
8455		Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
<b>LIGHTING EQUIPMENT</b>			
8731		Two H4 Belt-Line Lights <i>Requires: Codes 2055 or 2065 (cab options).</i>	258.00
8725		Beacon Light	155.00
<b>ELECTRICITY</b>			
8745		Mechanical Battery Switch	162.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cab Operator's Station</b>	
ER067872		Rear Wiper And Washer	158.96
		<b>Front Fenders</b>	
ER064913		Mechanical remote hitch control for CAB	405.90
ER064912		Mechanical remote hitch control for OOS	405.90
		<b>Hydraulics</b>	
ER064898		5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
ER064897		5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
ER064906		7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH.</i> <i>Requires four rear remote SCVs.</i>	2,156.00
ER064899		7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH.</i> <i>Requires four rear remote SCVs.</i>	2,156.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
ER064891		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064892		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
		<b>Lighting</b>	
ER064907		Beacon Light Kit <i>Cab tractors only</i>	187.00
ER064908		Two beltline-mounted H4 headlights	311.30
		<b>Miscellaneous</b>	
ER064768		Beacon Light OOS tractors <i>Open Operator Station only. (Code 2000 and 2005).</i>	187.00
ER064623		Carbon Air Filter	397.10
ER064909		Horizontal Exhaust	756.80
ER064627		Single Hydraulic Lift Rod for Right Hand Side	877.80
ER064622		Wiper with Washer Kit - Rear Window	353.10
		<b>Radio</b>	
ER067882		Rear Speaker For Cab Tractors	137.50
		<b>Rear Fenders</b>	
ER064763		2WD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064762		MFWD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064765		Rear Fender Extensions 3.1 In (80 mm) Wide	299.20
ER064764		Rear Fender Extensions 6.3 In (160 mm) Wide	368.50

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GV Narrow Specialty Tractor**  
Equipment for Base Machine

**Engine:**

90 (67.1 kW) 97/68EC Engine Horsepower @ 2300\* RPM  
78 (58 kW) PTO Horsepower @ 2000\*\* RPM  
4-Cylinder Turbocharged FPT F34 Engine  
3.4 L Displacement  
EPA Final Tier 4 Final Compliant  
(Aftertreatment: DOC/SCR)  
2.7 U.S. Gallon (10.3 L) DEF Tank  
Dry Air Cleaner with Safety Element  
Common Rail Electronic Fuel Injection  
Hand and Foot Throttle  
Viscous Fan  
Water Separation Bowl  
Engine Shut Off with Key  
Maintenance Free Closed Cooling System  
Radiator Screen  
19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity  
**Transmission:**  
Differential Lock  
Neutral Start Safety Switch  
Mirrors Left-Hand and Right-Hand

**Axle:**

Final Drive with three Planetary Gears  
Flanged Rear Axles  
Steering and Brakes:  
Hydrostatic Power Steering  
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing  
and Self-Adjusting  
Five Oil Cooled Hydraulically Actuated Disk Brakes  
per side.  
Secondary Park Break

**Hydraulics:**

Open Center Hydraulic System  
Hitch Control with Center link Draft Sensing  
**PTO:**  
Independent &Live 540/540E RPM rear PTO shaft  
Safety Start Switch  
Rockshaft, Hitch, and Drawbar:

**Mechanical Rockshaft**

Swinging Drawbar plus Hammer Strap  
3 Point (category I) Hitch and Sway Blocks  
Convertible to Category IN  
Adjustable Drawbar  
**Instrumentation:**  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Indicator Light  
PTO Engagement Light  
Speedometer  
Digital Display - Hour Meter  
**Electrical:**  
12-Volt (100 amps) Electrical system  
95 Amp Alternator  
**Lights:**  
Two Front Halogen headlights  
Two Rear Warning and Turn lights  
Dual Tail Lights  
**Miscellaneous:**  
Beverage Holder on Left-Hand Side Console  
Tool Box  
SMV Emblem  
One Piece Tilt-up hood  
Extra CEE Administration Fee  
Premium Container Shipment  
\*Manufacturer s Rating  
\*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Port of Entry*

2734AT	5090GV Narrow Specialty Tractor	48,008.00
--------	---------------------------------	-----------

**DESTINATION**

0202	USA <i>Requires code 0409 (English)</i>	In Base Price
0184	Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost

**OPERATOR'S MANUAL, DECALS, AND MONITORS**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1340		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. <i>Requires:</i> Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	No Added Cost
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes:</i> Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	4,757.00
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 24F/12R, 4WD (1380).	979.00
2055		Standard Cab Two front and two rear H3 working lights.	10,821.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>OPERATOR'S STATION ...Continued...</b> <i>Openable front windscreen and rear window.</i> <i>Comfort Textile seat.</i> <i>Fixed Steering Wheel.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per NA Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).</i>	
2065		Premium Cab <i>Two front and two rear H3 working lights.</i> <i>Openable front windscreen and rear window.</i> <i>Super Deluxe Textile seat.</i> <i>Tilttable and Telescopic Steering Wheel.</i> <i>Rear Wiper.</i> <i>Internal cab Mirror.</i> <i>Mechanical Remote Control.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per North America Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).</i>	11,814.00
<hr/>			
<b>EXHAUST</b>			
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack <i>Available on cab tractors only (2055 or 2065)</i>	155.00
3022		Vertical A Cornerpost Exhaust <i>Available on cab tractors only (2055 or 2065)</i>	618.00
<hr/>			
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System	773.00

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5090GV Narrow Specialty Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HYDRAULIC PUMP ...Continued...</b>			
<i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.</i>			
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	2,140.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side <i>Requires three rear remote SCVs (code 3334)</i>	1,273.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) <i>Requires four rear remote SCVs (code 3347)</i>	1,782.00
<b>REAR WHEELS AND TIRES</b>			
5109		380/85R28 <i>Requires code 6166 or 6287 and Code 2055 or 2065</i>	584.00
5122		340/85R24 <i>Requires code 6124, 6289, 6304, 6165</i>	361.00
5126		320/85R24 <i>Requires code 6165 or 6304</i>	-703.00
5128		340/85R28 <i>Requires code 6286 or 6288</i>	464.00
5129		360/70R28 <i>Requires code 6113</i>	484.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5137		360/70R24 <i>Requires code 6124 or 6143</i>	475.00
5138		250/85R28 <i>Requires code 6124</i>	-236.00
5139		9.50R28 <i>Requires code 6124</i>	-392.00
5205		380/70R24 <i>Requires code 6165</i>	541.00
5220		320/85R28 <i>Requires code 6288 or 6293</i>	330.00
5221		420/70R28 <i>Requires code 6287</i>	1,326.00
5222		280/85R28 <i>Requires code 6124, 6165 or 6304 and Code 2055 or 2065</i>	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6113		280/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,073.00
6124		6.00-16 <i>Requires code 6020</i>	In Base Price
6143		240/70R16 <i>Requires code 6040</i>	927.00
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	969.00
6286		8.25-16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	349.00
6287		280/70R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,150.00
6288		7.50R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	729.00
6289		10.0/75-15.3 Heavy Duty (2 position rims) <i>Requires code 6040</i>	399.00
6293		6.50-16 <i>Requires code 6020</i>	No Added Cost
6304		180/95R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	295.00
<b>AXLE</b>			
6020		Two-Wheel Drive (2WD)	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6040		<b>AXLE ...Continued...</b> Four-Wheel Drive (4WD)	8,518.00
<b>POWER TAKE-OFF (PTO)</b>			
3822		Mechanical actuation 540 and 540E rpm <i>Shiftable without GD Power Take-Off (PTO)</i> <i>With PTO shaft cover</i> <i>With Safety start switch</i> <i>Requires code 1340 or 1341</i>	In Base Price
3826		ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO).</i> <i>With PTO shaft cover.</i> <i>With Safety start switch.</i> <i>Requires code 1380</i>	No Added Cost
<b>THREE-POINT HITCH</b>			
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	309.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	438.00
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4002		Base weight 150 Lbs (68 kg)	In Base Price
<b>MIRRORS</b>			
8230		Rear view cab mirror	67.00
<b>FRONT FENDERS</b>			
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) <i>Requires code 6020</i>	391.00
8017		Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm) <i>Requires code 6040</i>	391.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm) <i>Not compatible with Code 8022.</i>	304.00
<b>HITCH CONTROLS</b>			
8446		Mechanical remote control for 3-point hitch	335.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HITCH CONTROLS ...Continued...</b>			
<b>DRAWBAR</b>			
8455		Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
<b>LIGHTING EQUIPMENT</b>			
8731		Two H4 Belt-Line Lights <i>Requires: Codes 2055 or 2065 (cab options).</i>	258.00
8725		Beacon Light	155.00
<b>ELECTRICITY</b>			
8746		Electronic Battery Switch	647.00
<b>ENGINE</b>			
8220		Intelligent Power Management (IPM) <i>Requires PR Transmission (code 1380)</i>	1,221.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cab Operator's Station</b>	
ER067872		Rear Wiper And Washer	158.96
		<b>Front Fenders</b>	
ER064913		Mechanical remote hitch control for CAB	405.90
ER064912		Mechanical remote hitch control for OOS	405.90
		<b>Hydraulics</b>	
ER064898		5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
ER064897		5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
ER064906		7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GV Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
ER064899		7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064891		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064892		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
		<b>Lighting</b>	
ER064907		Beacon Light Kit <i>Cab tractors only</i>	187.00
ER064908		Two beltline-mounted H4 headlights	311.30
		<b>Miscellaneous</b>	
ER064768		Beacon Light OOS tractors <i>Open Operator Station only. (Code 2000 and 2005).</i>	187.00
ER064623		Carbon Air Filter	397.10
ER064910		Horizontal Exhaust	756.80
ER064627		Single Hydraulic Lift Rod for Right Hand Side	877.80
ER064622		Wiper with Washer Kit - Rear Window	353.10
		<b>Radio</b>	
ER067882		Rear Speaker For Cab Tractors	137.50
		<b>Rear Fenders</b>	
ER064763		2WD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064762		MFWD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064765		Rear Fender Extensions 3.1 In (80 mm) Wide	299.20
ER064764		Rear Fender Extensions 6.3 In (160 mm) Wide	368.50

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075GN Narrow Specialty Tractor  
Equipment for Base Machine**

**Engine:**

73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM  
62 (46 kW) PTO Horsepower @ 1900\*\* RPM  
4-Cylinder Turbocharged FPT F34 Engine  
3.4 L Displacement  
EPA Final Tier 4 Final Compliant  
(Aftertreatment: DOC/DPF)  
Dry Air Cleaner with Safety Element  
Common Rail Electronic Fuel Injection  
Hand and Foot Throttle  
Viscous Fan  
Water Separation Bowl  
Engine Shut Off with Key  
Maintenance Free Closed Cooling System  
Radiator Screen  
22.7 U.S. Gallon (86 L) Fuel Tank Capacity  
**Transmission:**  
Differential Lock  
Neutral Start Safety Switch  
Mirrors Left-Hand and Right-Hand

**Axle:**

Final Drive with three Planetary Gears  
Flanged Rear Axles  
**Steering and Brakes:**  
Hydrostatic Power Steering  
Hydraulic Wet-Disk Rear Brakes, Self-Equalizing  
and Self-Adjusting  
Five Oil Cooled Hydraulically Actuated Disk Brakes  
per side.  
Secondary Park Break

**Hydraulics:**

Open Center Hydraulic System  
Hitch Control with Center link Draft Sensing

**PTO:**

Independent &Live 540/540E RPM rear PTO shaft  
Safety Start Switch  
Rockshaft, Hitch, and Drawbar:

**Mechanical Rockshaft**

Swinging Drawbar plus Hammer Strap  
3 Point (category II) Hitch and Sway Blocks  
Convertible to Category I/IN  
Adjustable Drawbar  
**Instrumentation:**  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Indicator Light  
PTO Engagement Light  
Speedometer  
Digital Display - Hour Meter  
**Electrical:**  
12-Volt (100 amps) Electrical system  
95 Amp Alternator  
**Lights:**  
Two Front Halogen headlights  
Two Rear Warning and Turn lights  
Dual Tail Lights  
**Miscellaneous:**  
Beverage Holder on Left-Hand Side Console  
Tool Box  
SMV Emblem  
One Piece Tilt-up hood  
Extra CEE Administration Fee  
Premium Container Shipment  
\*Manufacturer s Rating  
\*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Port of Entry*

0414AT		5075GN Narrow Specialty Tractor	38,474.00
--------	--	---------------------------------	-----------

**DESTINATION**

0202		USA <i>Requires code 0409 (English)</i>	In Base Price
0184		Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost

**OPERATOR'S MANUAL, DECALS, AND MONITORS**

0409		English Operator's Manual and Decal Kit	In Base Price
------	--	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b>			
0413		French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1340		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> <i>Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation.</i> <i>Requires: Code 6020 two-wheel drive (2WD).</i>	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> <i>Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation.</i> <i>Requires: Code 6040 four-wheel drive (4WD).</i>	No Added Cost
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes:</i> <i>Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.</i> <i>Requires: Code 6040 four-wheel drive (4WD).</i>	4,757.00
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station <i>Two post Roll Roll-Over Protective Structure (ROPS).</i> <i>Basic Polyvinyl Chloride (PVC) seat.</i> <i>Air Deflector with Grab Handles.</i> <i>Fixed right-hand steering wheel.</i> <i>Right-hand and Left-Hand access and egress with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing-Out front two post ROPS.</i> <i>Blinker lever with integrated lighting functions.</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per North America Requirement (7-pin).</i> <i>Cigarette Lighter (12-V power socket).</i> <i>Rear working light.</i> <i>Digital Read Out.</i> <i>Base rear fender.</i> <i>Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).</i>	In Base Price
2005		Premium Isolated Open Operator Station <i>Two Roll Roll-Over Protective Structure (ROPS).</i> <i>Air suspended Polyvinyl Chloride (PVC) seat.</i> <i>Air Deflector with Grab Handles.</i> <i>Tiltable &amp; Telescopic steering wheel.</i> <i>Mechanical remote control.</i> <i>Right-Hand and Left-Hand access and egress with steps.</i> <i>Right-Hand and Left-Hand Range Levers.</i> <i>Swing Out front two post ROPS.</i> <i>Blinker lever with integrated lighting functions.</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per North America Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Rear working light.</i> <i>Digital Read Out.</i> <i>Base rear fender.</i> <i>Requires: 24F/12R, 4WD (1380).</i>	979.00
2055		Standard Cab <i>Two front and two rear H3 working lights.</i>	10,821.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>OPERATOR'S STATION ...Continued...</b> <i>Openable front windscreen and rear window. Comfort Textile seat. Fixed Steering Wheel. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per NA Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).</i>	
2065		Premium Cab <i>Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tilttable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).</i>	11,814.00
<hr/>			
<b>EXHAUST</b>			
3011		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack <i>Available on cab tractors only (2055 or 2065)</i>	155.00
3022		Vertical A Cornerpost Exhaust <i>Available on cab tractors only (2055 or 2065)</i>	618.00
<hr/>			
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System	773.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HYDRAULIC PUMP ...Continued...</b>			
<i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.</i>			
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	2,140.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side <i>Requires three rear remote SCVs (code 3334)</i>	1,273.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) <i>Requires four rear remote SCVs (code 3347)</i>	1,782.00
<b>REAR WHEELS AND TIRES</b>			
5109		380/85R28 <i>Requires code 6166 or 6287 and Code 2055 or 2065</i>	584.00
5122		340/85R24 <i>Requires code 6124</i>	361.00
5123		480/65R28 <i>Requires code 6287</i>	1,874.00
5128		340/85R28 <i>Requires code 6286, 6288, 6110, 6125 or 6287</i>	464.00
5205		380/70R24 <i>Requires code 6165</i>	541.00



**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GN Narrow Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5220		320/85R28 <i>Requires code 6288 or 6124</i>	330.00
5221		420/70R28 <i>Requires code 6287</i>	1,326.00
5222		280/85R28 <i>Requires code 6124 or 6165</i>	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6110		7.50-16 Diagonal Tire <i>Requires code 6020</i>	62.00
6124		6.00-16 <i>Requires code 6020</i>	In Base Price
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	969.00
6166		7.50R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	916.00
6286		8.25-16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	349.00
6287		280/70R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,150.00
6288		7.50R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	729.00
6293		6.50-16 <i>Requires code 6020</i>	No Added Cost
6304		180/95R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	295.00
<b>AXLE</b>			
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,518.00
<b>POWER TAKE-OFF (PTO)</b>			
3822		Mechanical actuation 540 and 540E rpm <i>Shiftable without GD Power Take-Off (PTO)</i> <i>With PTO shaft cover</i> <i>With Safety start switch</i> <i>Requires code 1340 or 1341</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GN Narrow Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
3826		<b>POWER TAKE-OFF (PTO) ...Continued...</b> ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO).</i> <i>With PTO shaft cover.</i> <i>With Safety start switch.</i> <i>Requires code 1380</i>	No Added Cost
<b>THREE-POINT HITCH</b>			
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	309.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	438.00
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4002		Base weight 150 Lbs (68 kg)	In Base Price
<b>MIRRORS</b>			
8230		Rear view cab mirror	67.00
<b>HYDRAULICS</b>			
8490		Additional Lift Cylinder <i>max lift capacity at ball ends: 3 tons</i>	386.00
<b>FRONT FENDERS</b>			
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) <i>Requires code 6020</i>	391.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm) <i>Requires code 6040</i>	464.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm) <i>Not compatible with Code 8022.</i>	304.00
<b>HITCH CONTROLS</b>			
8446		Mechanical remote control for 3-point hitch	335.00
<b>DRAWBAR</b>			

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>DRAWBAR ...Continued...</b>	
8455		Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
		<b>LIGHTING EQUIPMENT</b>	
8731		Two H4 Belt-Line Lights <i>Requires: Codes 2055 or 2065 (cab options).</i>	258.00
8725		Beacon Light	155.00
		<b>ELECTRICITY</b>	
8745		Mechanical Battery Switch	162.00
		<b>FUEL TANK</b>	
8313		External Fuel Tank <i>Only Available on GN models</i>	210.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Cab Operator's Station</b>	
	ER067872	Rear Wiper And Washer	158.96
		<b>Front Fenders</b>	
	ER064913	Mechanical remote hitch control for CAB	405.90
	ER064912	Mechanical remote hitch control for OOS	405.90
		<b>Hydraulics</b>	
	ER064898	5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH.</i> <i>Requires four rear remote SCVs.</i>	2,156.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
ER064899		7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064891		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064892		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064911		Single Hydraulic Lift Rod for Right Hand Side	877.80
		<b>Lighting</b>	
ER064907		Beacon Light Kit <i>Cab tractors only</i>	187.00
ER064908		Two beltline-mounted H4 headlights	311.30
		<b>Miscellaneous</b>	
ER064890		Air seat suspension kit (Cab Only) <i>Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.</i>	745.80
ER064768		Beacon Light OOS tractors <i>Open Operator Station only. (Code 2000 and 2005).</i>	187.00
ER064623		Carbon Air Filter	397.10
ER064909		Horizontal Exhaust	756.80
ER064805		Wiper with Washer Kit - Rear Window	353.10
		<b>Radio</b>	
ER067882		Rear Speaker For Cab Tractors	137.50
		<b>Rear Fenders</b>	
ER064763		2WD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064761		MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	561.00
ER064765		Rear Fender Extensions 3.1 In (80 mm) Wide	299.20
ER064764		Rear Fender Extensions 6.3 In (160 mm) Wide	368.50

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5090GN Narrow Specialty Tractor  
Equipment for Base Machine**

<p>Engine: 90 (67.1 kW) 97/68EC Engine Horsepower @ 2300* RPM 78 (58 kW) PTO Horsepower @ 2000** RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/SCR) 2.7 U.S. Gallon (10.3 L) DEF Tank Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand Axle: Final Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes: Hydrostatic Power Steering Hydraulic Wet-Disk Rear Brakes, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System Hitch Control with Center link Draft Sensing</p> <p>PTO: Independent &amp;Live 540/540E RPM rear PTO shaft Safety Start Switch Rockshaft, Hitch, and Drawbar:</p>	<p>Mechanical Rockshaft Swinging Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment *Manufacturer s Rating ** Factory Observed</p>
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>EX-WORKS Port of Entry</i>			
0444AT		5090GN Narrow Specialty Tractor	48,008.00
<b>DESTINATION</b>			
0202		USA <i>Requires code 0409 (English)</i>	In Base Price
0184		Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost
<b>OPERATOR'S MANUAL, DECALS, AND MONITORS</b>			
0409		English Operator's Manual and Decal Kit	In Base Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b>			
0413		French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1340		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. <i>Requires:</i> Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	No Added Cost
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes:</i> Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	4,757.00
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 24F/12R, 4WD (1380).	979.00
2055		Standard Cab Two front and two rear H3 working lights.	10,821.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>OPERATOR'S STATION ...Continued...</b> <i>Openable front windscreen and rear window. Comfort Textile seat. Fixed Steering Wheel. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per NA Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).</i>	
2065		Premium Cab <i>Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tilttable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).</i>	11,814.00
<hr/>			
<b>EXHAUST</b>			
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack <i>Available on cab tractors only (2055 or 2065)</i>	155.00
3022		Vertical A Cornerpost Exhaust <i>Available on cab tractors only (2055 or 2065)</i>	618.00
<hr/>			
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System	773.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HYDRAULIC PUMP ...Continued...</b>			
<i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.</i>			
<hr/>			
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	2,140.00
<hr/>			
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side <i>Requires three rear remote SCVs (code 3334)</i>	1,273.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) <i>Requires four rear remote SCVs (code 3347)</i>	1,782.00
<hr/>			
<b>REAR WHEELS AND TIRES</b>			
5109		380/85R28 <i>Requires code 6166 or 6287 and Code 2055 or 2065</i>	584.00
5122		340/85R24 <i>Requires code 6124</i>	361.00
5123		480/65R28 <i>Requires code 6287</i>	1,874.00
5128		340/85R28 <i>Requires code 6286, 6288, 6110, 6125 or 6287</i>	464.00
5205		380/70R24 <i>Requires code 6165</i>	541.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5220		320/85R28 <i>Requires code 6288 or 6124</i>	330.00
5221		420/70R28 <i>Requires code 6287</i>	1,326.00
5222		280/85R28 <i>Requires code 6124 or 6165</i>	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6110		7.50-16 Diagonal Tire <i>Requires code 6020</i>	62.00
6124		6.00-16 <i>Requires code 6020</i>	In Base Price
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	969.00
6166		7.50R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	916.00
6286		8.25-16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	349.00
6287		280/70R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,150.00
6288		7.50R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	729.00
6293		6.50-16 <i>Requires code 6020</i>	No Added Cost
6304		180/95R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	295.00
<b>AXLE</b>			
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,518.00
<b>POWER TAKE-OFF (PTO)</b>			
3822		Mechanical actuation 540 and 540E rpm <i>Shiftable without GD Power Take-Off (PTO)</i> <i>With PTO shaft cover</i> <i>With Safety start switch</i> <i>Requires code 1340 or 1341</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GN Narrow Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
3826		<b>POWER TAKE-OFF (PTO) ...Continued...</b> ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO).</i> <i>With PTO shaft cover.</i> <i>With Safety start switch.</i> <i>Requires code 1380</i>	No Added Cost
<b>THREE-POINT HITCH</b>			
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	309.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	438.00
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4002		Base weight 150 Lbs (68 kg)	In Base Price
<b>MIRRORS</b>			
8230		Rear view cab mirror	67.00
<b>HYDRAULICS</b>			
8490		Additional Lift Cylinder <i>max lift capacity at ball ends: 3 tons</i>	386.00
<b>FRONT FENDERS</b>			
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) <i>Requires code 6020</i>	391.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm) <i>Requires code 6040</i>	464.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm) <i>Not compatible with Code 8022.</i>	304.00
<b>HITCH CONTROLS</b>			
8446		Mechanical remote control for 3-point hitch	335.00
<b>DRAWBAR</b>			

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>DRAWBAR ...Continued...</b>	
8455		Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
		<b>LIGHTING EQUIPMENT</b>	
8731		Two H4 Belt-Line Lights <i>Requires: Codes 2055 or 2065 (cab options).</i>	258.00
8725		Beacon Light	155.00
		<b>ELECTRICITY</b>	
8746		Electronic Battery Switch	647.00
		<b>ENGINE</b>	
8220		Intelligent Power Management (IPM) <i>Requires PR Transmission (code 1380)</i>	1,221.00
		<b>FUEL TANK</b>	
8313		External Fuel Tank <i>Only Available on GN models</i>	210.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Cab Operator's Station</b>	
	ER067872	Rear Wiper And Washer	158.96
		<b>Front Fenders</b>	
	ER064913	Mechanical remote hitch control for CAB	405.90
	ER064912	Mechanical remote hitch control for OOS	405.90
		<b>Hydraulics</b>	
	ER064898	5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5090GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
ER064906		7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064899		7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064891		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064892		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064911		Single Hydraulic Lift Rod for Right Hand Side	877.80
		<b>Lighting</b>	
ER064907		Beacon Light Kit <i>Cab tractors only</i>	187.00
ER064908		Two beltline-mounted H4 headlights	311.30
		<b>Miscellaneous</b>	
ER064890		Air seat suspension kit (Cab Only) <i>Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.</i>	745.80
ER064768		Beacon Light OOS tractors <i>Open Operator Station only. (Code 2000 and 2005).</i>	187.00
ER064623		Carbon Air Filter	397.10
ER064910		Horizontal Exhaust	756.80
ER064805		Wiper with Washer Kit - Rear Window	353.10
		<b>Radio</b>	
ER067882		Rear Speaker For Cab Tractors	137.50
		<b>Rear Fenders</b>	
ER064763		2WD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064761		MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	561.00
ER064765		Rear Fender Extensions 3.1 In (80 mm) Wide	299.20
ER064764		Rear Fender Extensions 6.3 In (160 mm) Wide	368.50

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5100GN Narrow Specialty Tractor  
Equipment for Base Machine**

Engine:  
100 (74.6 kW) 97/68EC Engine Horsepower @ 2300\*  
RPM  
84 (63 kW) PTO Horsepower @ 2000\*\* RPM  
4-Cylinder Turbocharged FPT F34 Engine  
3.4 L Displacement  
EPA Final Tier 4 Final Compliant  
(Aftertreatment: DOC/SCR)  
2.7 U.S. Gallon (10.3 L) DEF Tank  
Dry Air Cleaner with Safety Element  
Common Rail Electronic Fuel Injection  
Hand and Foot Throttle  
Viscous Fan  
Water Separation Bowl  
Engine Shut Off with Key  
Maintenance Free Closed Cooling System  
Radiator Screen  
19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity  
Transmission:  
Differential Lock  
Neutral Start Safety Switch  
Mirrors Left-Hand and Right-Hand  
Axle:  
Final Drive with three Planetary Gears  
Flanged Rear Axles  
Steering and Brakes:  
Hydrostatic Power Steering  
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing  
and Self-Adjusting  
Five Oil Cooled Hydraulically Actuated Disk Brakes  
per side.  
Secondary Park Break  
Hydraulics:  
Open Center Hydraulic System  
Hitch Control with Center link Draft Sensing  
PTO:  
Independent &Live 540/540E RPM rear PTO shaft  
Safety Start Switch  
Rockshaft, Hitch, and Drawbar:

Mechanical Rockshaft  
Swinging Drawbar plus Hammer Strap  
3 Point (category II) Hitch and Sway Blocks  
Convertible to Category I/IN  
Adjustable Drawbar  
Instrumentation:  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Indicator Light  
PTO Engagement Light  
Speedometer  
Digital Display - Hour Meter  
Electrical:  
12-Volt (100 amps) Electrical system  
95 Amp Alternator  
Lights:  
Two Front Halogen headlights  
Two Rear Warning and Turn lights  
Dual Tail Lights  
Miscellaneous:  
Beverage Holder on Left-Hand Side Console  
Tool Box  
SMV Emblem  
One Piece Tilt-up hood  
Extra CEE Administration Fee  
Premium Container Shipment  
\*Manufacturer s Rating  
\*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Port of Entry*

0434AT	5100GN Narrow Specialty Tractor	57,713.00
--------	---------------------------------	-----------

**DESTINATION**

0202	USA <i>Requires code 0409 (English)</i>	In Base Price
0184	Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost

**OPERATOR'S MANUAL, DECALS, AND MONITORS**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1340		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. <i>Requires:</i> Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO <i>Includes:</i> Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	No Added Cost
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes:</i> Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. <i>Requires:</i> Code 6040 four-wheel drive (4WD).	4,757.00
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. <i>Requires:</i> 24F/12R, 4WD (1380).	979.00
2055		Standard Cab Two front and two rear H3 working lights.	10,821.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>OPERATOR'S STATION ...Continued...</b> <i>Openable front windscreen and rear window.</i> <i>Comfort Textile seat.</i> <i>Fixed Steering Wheel.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per NA Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).</i>	
2065		Premium Cab <i>Two front and two rear H3 working lights.</i> <i>Openable front windscreen and rear window.</i> <i>Super Deluxe Textile seat.</i> <i>Tilttable and Telescopic Steering Wheel.</i> <i>Rear Wiper.</i> <i>Internal cab Mirror.</i> <i>Mechanical Remote Control.</i> <i>Opening Right-Hand and Left-Hand door with steps.</i> <i>Right-Hand Gear and Left-Hand Range Levers.</i> <i>Swing Out Front window (One Position).</i> <i>Swing Out Rear window.</i> <i>Sun visor integrated with the cab roof.</i> <i>Blinker lever with integrated lighting functions.</i> <i>1-Speed Front Windshield Wiper with Washer.</i> <i>Cab with Air Conditioning and Heating.</i> <i>Radio ready (includes glass antenna and wiring).</i> <i>Position lights as per North America Requirement.</i> <i>Power socket as per North America Requirement (7-pin).</i> <i>Cigarette lighter (12-V power socket).</i> <i>Two storage areas.</i> <i>Digital Read Out.</i> <i>Base rear Fender.</i> <i>Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).</i>	11,814.00
<hr/>			
<b>EXHAUST</b>			
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack <i>Available on cab tractors only (2055 or 2065)</i>	155.00
3022		Vertical A Cornerpost Exhaust <i>Available on cab tractors only (2055 or 2065)</i>	618.00
<hr/>			
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System	773.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

5100GN Narrow Specialty Tractor  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HYDRAULIC PUMP ...Continued...</b>			
<i>Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.</i>			
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	2,140.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side <i>Requires three rear remote SCVs (code 3334)</i>	1,273.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) <i>Requires four rear remote SCVs (code 3347)</i>	1,782.00
<b>REAR WHEELS AND TIRES</b>			
5109		380/85R28 <i>Requires code 6166 or 6287 and Code 2055 or 2065</i>	584.00
5122		340/85R24 <i>Requires code 6124</i>	361.00
5123		480/65R28 <i>Requires code 6287</i>	1,874.00
5128		340/85R28 <i>Requires code 6286, 6288, 6110, 6125 or 6287</i>	464.00
5205		380/70R24 <i>Requires code 6165</i>	541.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5220		320/85R28 <i>Requires code 6288 or 6124</i>	330.00
5221		420/70R28 <i>Requires code 6287</i>	1,326.00
5222		280/85R28 <i>Requires code 6124 or 6165</i>	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6110		7.50-16 Diagonal Tire <i>Requires code 6020</i>	62.00
6124		6.00-16 <i>Requires code 6020</i>	In Base Price
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	969.00
6166		7.50R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	916.00
6286		8.25-16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	349.00
6287		280/70R18 Heavy Duty (2 position rims) <i>Requires code 6040</i>	1,150.00
6288		7.50R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	729.00
6293		6.50-16 <i>Requires code 6020</i>	No Added Cost
6304		180/95R16 Heavy Duty (2 position rims) <i>Requires code 6040</i>	295.00
<b>AXLE</b>			
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,518.00
<b>POWER TAKE-OFF (PTO)</b>			
3822		Mechanical actuation 540 and 540E rpm <i>Shiftable without GD Power Take-Off (PTO)</i> <i>With PTO shaft cover</i> <i>With Safety start switch</i> <i>Requires code 1340 or 1341</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100GN Narrow Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
3826		<b>POWER TAKE-OFF (PTO) ...Continued...</b> ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO).</i> <i>With PTO shaft cover.</i> <i>With Safety start switch.</i> <i>Requires code 1380</i>	No Added Cost
<b>THREE-POINT HITCH</b>			
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	309.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	438.00
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4002		Base weight 150 Lbs (68 kg)	In Base Price
<b>MIRRORS</b>			
8230		Rear view cab mirror	67.00
<b>HYDRAULICS</b>			
8490		Additional Lift Cylinder <i>max lift capacity at ball ends: 3 tons</i>	386.00
<b>FRONT FENDERS</b>			
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) <i>Requires code 6020</i>	391.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm) <i>Requires code 6040</i>	464.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm) <i>Not compatible with Code 8022.</i>	304.00
<b>HITCH CONTROLS</b>			
8446		Mechanical remote control for 3-point hitch	335.00
<b>DRAWBAR</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8455		<b>DRAWBAR ...Continued...</b> Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
<b>LIGHTING EQUIPMENT</b>			
8731		Two H4 Belt-Line Lights <i>Requires: Codes 2055 or 2065 (cab options).</i>	258.00
8725		Beacon Light	155.00
<b>ELECTRICITY</b>			
8746		Electronic Battery Switch	647.00
<b>ENGINE</b>			
8220		Intelligent Power Management (IPM) <i>Requires PR Transmission (code 1380)</i>	1,221.00
<b>FUEL TANK</b>			
8313		External Fuel Tank <i>Only Available on GN models</i>	210.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
ER067872		<b>Cab Operator's Station</b> Rear Wiper And Washer	158.96
ER064913		<b>Front Fenders</b> Mechanical remote hitch control for CAB	405.90
ER064912		Mechanical remote hitch control for OOS	405.90
ER064898		<b>Hydraulics</b> 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10
ER064897		5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,541.10

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100GN Narrow Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
ER064906		7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064899		7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control <i>5 on RH and 2 on LH. Requires four rear remote SCVs.</i>	2,156.00
ER064891		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064892		Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	998.80
ER064911		Single Hydraulic Lift Rod for Right Hand Side	877.80
		<b>Lighting</b>	
ER064907		Beacon Light Kit <i>Cab tractors only</i>	187.00
ER064908		Two beltline-mounted H4 headlights	311.30
		<b>Miscellaneous</b>	
ER064890		Air seat suspension kit (Cab Only) <i>Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.</i>	745.80
ER064768		Beacon Light OOS tractors <i>Open Operator Station only. (Code 2000 and 2005).</i>	187.00
ER064623		Carbon Air Filter	397.10
ER064910		Horizontal Exhaust	756.80
ER064805		Wiper with Washer Kit - Rear Window	353.10
		<b>Radio</b>	
ER067882		Rear Speaker For Cab Tractors	137.50
		<b>Rear Fenders</b>	
ER064763		2WD Stationnary Front Fenders 10.4 In (225mm) Wide	474.10
ER064761		MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	561.00
ER064765		Rear Fender Extensions 3.1 In (80 mm) Wide	299.20
ER064764		Rear Fender Extensions 6.3 In (160 mm) Wide	368.50

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075GL Narrow, Low-Profile Tractor  
Equipment for Base Machine**

**Engine:**

73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM  
62 (46 kW) PTO Horsepower @ 1900\*\* RPM  
4-Cylinder Turbocharged FPT F34 Engine  
3.4 L Displacement  
EPA Final Tier 4 Final Compliant  
(Aftertreatment: DOC/DPF)  
Dry Air Cleaner with Safety Element  
Common Rail Electronic Fuel Injection  
Hand and Foot Throttle  
Viscous Fan  
Water Separation Bowl  
Engine Shut Off with Key  
Maintenance Free Closed Cooling System  
Radiator Screen  
19 U.S. Gallon (73 L) Fuel Tank Capacity  
**Transmission:**  
Differential Lock  
Neutral Start Safety Switch

**Axle:**

Final Drive with three Planetary Gears  
Flanged Rear Axles  
**Steering and Brakes:**  
Hydrostatic Power Steering  
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing  
and Self-Adjusting  
Five Oil Cooled Hydraulically Actuated Disk Brakes  
per side.  
Secondary Park Break

**Hydraulics:**

Open Center Hydraulic System  
Hitch Control with Center link Draft Sensing

**PTO:**

Independent "Live 540/540E RPM rear PTO shaft  
Safety Start Switch

**Rockshaft, Hitch, and Drawbar:**  
Mechanical Rockshaft

Adjustable Drawbar plus Hammer Strap  
3 Point (category II) Hitch and Sway Blocks  
Convertible to Category I/IN  
Less Drawbar

**Instrumentation:**

Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Indicator Light  
PTO Engagement Light  
Speedometer  
Digital Display - Hour Meter

**Electrical:**

12-Volt (100 amps) Electrical system  
95 Amp Alternator

**Lights:**

Two Front Halogen headlights  
Two Rear Warning and Turn lights  
Dual Tail Lights

**Miscellaneous:**

Beverage Holder on Left-Hand Side Console  
SMV Emblem  
One Piece Tilt-up hood  
Extra CEE Administration Fee  
Premium Container Shipment  
\*Manufacturer's Rating  
\*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Port of Entry*

0314AT		5075GL Narrow, Low-Profile Tractor	57,083.00
--------	--	------------------------------------	-----------

**DESTINATION**

0202		USA <i>Requires code 0409 (English)</i>	In Base Price
0184		Canada <i>Requires code 0409 (English) or 0413 (French)</i>	No Added Cost

**OPERATOR'S MANUAL, DECALS, AND MONITORS**

0409		English Operator's Manual and Decal Kit	In Base Price
------	--	---	---------------

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075GL Narrow, Low-Profile Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>OPERATOR'S MANUAL, DECALS, AND MONITORS ...Continued...</b>			
0413		French Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) <i>Includes: Oil cooler, neutral start safety switch, PowrReverser Plus, de-clutch button on the gear lever, electrohydraulic Mechanical Front-Wheel Drive (MFWD), Diff lock and PTO actuation.</i>	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Standard Isolated Open Operator Station <i>Isolated Open Operator Station Two Post Mid Mount Roll-Over Protective Structure (ROPS) RH Gear Levers &amp; LH Range Levers Base seat, Polyvinyl Chloride (PVC) with driver sensor under seat Glass Debris/Air Deflector with Grab Handles Blinker lever with integrated lighting functions Left hand access and egress with steps (No footsteps for 20" tires)      Position lights as per North American standard Rear power outlet as per North America Requirement (7-Pin)      12V power outlet Rear working light Digital Instrument Panel Read Out</i>	In Base Price
<b>EXHAUST</b>			
3011		Horizontal Exhaust	In Base Price
<b>HYDRAULIC PUMP</b>			
3220		Two Pump Hydraulic System <i>Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) at 2300 rpm.</i>	In Base Price
3225		Three Pump Hydraulic System <i>Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) plus an additional 7.8 gpm (29.8 L/min) at 2300 rpm. Not compatible with code 3312</i>	773.00
<b>REAR SELECTIVE CONTROL VALVES</b>			
3312		Two Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).</i>	In Base Price
3336		Three Rear Selective Control Valves (SCVs) with lever controls <i>One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.</i>	1,070.00

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075GL Narrow, Low-Profile Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid-Mounted Couplers	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5137		360/70R24 <i>Requires code 6167</i>	1,234.00
5216		380/70R20 <i>Requires code 6165</i>	In Base Price
5205		380/70R24 <i>Requires code 6167</i>	1,299.00
5158		440/65R24 <i>Requires code 6287</i>	1,205.00
<b>FRONT WHEELS AND TIRES</b>			
6165		260/70R16 Heavy Duty (2 position rims) <i>Requires code 6051</i>	In Base Price
6167		280/70R16 Heavy Duty (2 position rims)	36.00
<b>AXLE</b>			
6051		Four-Wheel Drive (4WD) <i>Flange to Flange is 1155mm</i>	In Base Price
<b>POWER TAKE-OFF (PTO)</b>			
3826		ElectroHydraulic actuation 540 and 540E rpm <i>Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380</i>	In Base Price
<b>THREE-POINT HITCH</b>			
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	In Base Price
<b>THREE-POINT HITCH ROD</b>			
4151		Hydraulic Lift Rod	644.00
4152		Mechanical Lift Rod	In Base Price
<b>FRONT ATTACHMENTS</b>			
4004		Base weight 150 Lbs (68 kg) without Tow Pin	In Base Price
<b>REAR FENDERS</b>			
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) <i>Not compatible with Code 8023</i>	248.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)	304.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5075GL Narrow, Low-Profile Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>REAR FENDERS ...Continued...</b> <i>Not compatible with Code 8022.</i>	
		<b>HITCH CONTROLS</b>	
8446		Mechanical remote control for 3-point hitch	335.00
		<b>DRAWBAR</b>	
8455		Ball Kit for Draft Links (Category 1 and 1N) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
8465		Ball Kit for Draft Links (Category 2) <i>Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).</i>	48.00
844T		Horizontal Drawbar (Category 1) <i>Not orderable with Code 844U.</i>	57.00
844U		Horizontal Drawbar (Category 2) <i>Not orderable with Code 844T.</i>	96.00
		<b>LIGHTING EQUIPMENT</b>	
8725		Beacon Light	155.00
		<b>ELECTRICITY</b>	
8745		Mechanical Battery Switch	162.00



**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100MH Hi-Crop Specialty Tractor**  
Equipment for Base Machine

**ENGINE:**

100 Engine Horsepower @ 2200 rpm\*  
85 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
4.5L PowerTech Diesel Engine  
Turbocharger with Intercooler  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut Off  
Water Separator Bowl  
DEF Tank capacity (3.2 gal)  
**TRANSMISSION:**  
EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
**REAR AXLE:**  
Flanged Rear Axle  
Planetary Final Drives  
**FRONT AXLE:**  
Mechanical Front Wheel Drive Front Axle  
Planetary Final Drives  
Electrohydraulic MFWD Engagement via On/Auto/Brake  
**STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting  
**HYDRAULIC:**  
Open Center Hydraulic System  
Tandem Gear Pump 24.7 gpm (94 lpm)  
Maximum Total Flow -  
Steering Pump 6.3 gpm (24 lpm)  
Implement Pump 18.4 gpm (70 lpm)  
Mid SCV (see code for selection)  
Rear SCV (see code for selection)  
**POWER TAKE-OFF SHAFT:**  
Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm  
Economy PTO Setting for 540 PTO rpm @ 1645 Engine rpm  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO

Safety Start Switch  
Flip Up PTO Shield  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
65-mm Lift Cylinder  
Standard Adjustable Straight Drawbar  
Telescoping Draft Links with Category II Balls  
Lower Link Draft Sensing  
**INSTRUMENTATION:**  
Electric Fuel Gauge  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning Signal  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator  
Neutral Indicator (PR Only)  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light (Rear PTO)  
**ELECTRICAL:**  
12-Volt Electrical System  
One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity  
7-Pin ASAE Outlet Socket  
**LIGHTS:**  
Two Front Halogen Headlights  
Two Turn/Warning Lights  
Two Tail Lights  
**MISCELLANEOUS:**  
Slow-moving Vehicle (SMV) Emblem  
Toolbox  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

255CLV		5100MH Hi-Crop Specialty Tractor	70,215.00
--------	--	----------------------------------	-----------

**DESTINATION**

0240		American Samoa	No Added Cost
0245		Guam	No Added Cost
0203		Puerto Rico	No Added Cost
024H		US Minor Outlying Islands	No Added Cost

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5100MH Hi-Crop Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>DESTINATION ...Continued...</b>			
020A		US Virgin Islands	No Added Cost
0207		Saint Pierre and Miquelon	No Added Cost
024F		Norfolk Island	No Added Cost
<b>Oceania</b>			
0230		Australia	No Added Cost
<b>North America</b>			
0202		United States	In Base Price
0184		Canada	No Added Cost
0205		French Quebec	No Added Cost
<b>OPERATOR'S MANUAL</b>			
0450		English (Australia & NZ)	No Added Cost
0409		ENGLISH	In Base Price
0413		FRENCH	No Added Cost
0437		SPANISH	No Added Cost
<b>TRANSMISSION</b>			
1382		16F/16R PowrReverser (40k) with Creeper <i>Requires Option Code 6040 (MFWD)</i>	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Fixed Open Operator Station <i>Fixed Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Speedometer Base seat with Flip Up Feature and Retractable Seat Belt 29 U.S. Gallon Fuel Tank Capacity Beverage Holder 90 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Requires Mechanical Hitch (code 4010).</i>	In Base Price
2055		Standard Cab <i>Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer</i>	12,950.00

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100MH Hi-Crop Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Two Front/Two Rear Roof-Mounted Work Lights</i>			
<i>Two Front/Two Rear Roof-Mounted Warning Lights</i>			
<i>Two Fender-Mounted Taillights</i>			
<i>Convenience Power Outlet</i>			
<i>Monitor Mounting Bosses (2 Sets)</i>			
<i>Swing-Out Rear Window with Two Removable Rear Plugs for Monitor</i>			
<i>Right-Hand Console Light</i>			
<i>Radio Preparation (with speakers, wiring)</i>			
<i>Rear window grab handle</i>			
<i>Bluetooth Ready</i>			
<i>36 U.S. Gallon (139 L) Fuel Tank Capacity</i>			
<i>29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models)</i>			
<i>Requires Option Code 3025 (Deluxe Corner Post Exhaust).</i>			
2060		Premium Cab <i>Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)</i>	14,673.00
<b>MIRRORS</b>			
2511		Mirror Telescopic LH & RH <i>Available on Cab Tractors only</i>	314.00
2500		Less Rear View Mirrors <i>Available on Cab Tractors only</i>	In Base Price
<b>SEAT</b>			
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	874.00
2121		Premium Air Suspension Seat <i>Includes heater and low frequency air suspension. Available on Cab Tractors only.</i>	1,394.00
<b>CAB INSTRUCTIONAL SEAT</b>			
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt <i>Available on Cab Tractors only.</i>	576.00
<b>EXHAUST</b>			
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors Only.</i>	In Base Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100MH Hi-Crop Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3025		<b>EXHAUST ...Continued...</b> Corner Post Deluxe Exhaust <i>Available on Cab Tractors Only.</i>	621.00
<b>SELECTIVE CONTROL VALVES</b>			
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	913.00
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid SCVs <i>Requires Code 4010 (Mechanical Rear Hitch Controls)</i>	-996.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	797.00
<b>REAR POWER TAKE-OFF (PTO)</b>			
3820		Two Speed PTO - 540/540E	In Base Price
<b>HITCH CONTROLS</b>			
4010		Mechanical Rear Hitch Control <i>Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)</i>	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender <i>Not compatible with Code 2010 (Standard Open Operator Station)</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price
<b>STABILIZER</b>			
4420		LH & RH Stabilizer Bar	In Base Price
<b>LIFT LINK</b>			
4160		LH Only Adjustment Lift Link <i>Right Hand side is Fixed.</i>	In Base Price
<b>FRONT AXLE</b>			
6040		MFWD Front Axle	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5151		230/95R48 134A8 R1W Radial <i>Requires Code 6132 (Kleber)</i>	1,070.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100MH Hi-Crop Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5301		230/95R40 122A8 R1 Radial <i>Requires Code 6301.</i>	In Base Price
5302		13.6-38 In. 6PR R2 Tubeless Bias <i>Requires Code 6302 (Firestone).</i>	-676.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
6132		230/95R48 134A8 R1W Radial <i>Kleber Brand</i>	1,070.00
6301		230/95R40 122A8 R1 Radial	In Base Price
6302		13.6-38 In. 6PR R2 Tubeless Bias <i>Firestone Brand</i>	-676.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>CAB OPERATOR'S STATION</b>			
8280		Rear Window Wiper <i>In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.</i>	294.00
<b>MISCELLANEOUS</b>			
8300		Cold Weather package - Coolant heater <i>Includes Coolant Heater</i>	91.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BPF11130		<b>Autotrac Universal Supplemental Kits</b> AutoTrac Universal Steering Supplemental Kit - "AA" <i>For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	220.00
BPF11129		FT4 GreenStar Harness <i>For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).</i>	511.50
BSJ10442		<b>Backup Alarm</b> Backup Alarm Kit	167.20

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

5100MH Hi-Crop Specialty Tractor  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Cab Equipment</b>	
RE282643		Leather Steering Wheel	179.21
AL80126		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
AL80127		Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
		<b>Cold Weather Packages</b>	
DZ102076		Engine Block Heater (110V)	110.75
		<b>Front Axle</b>	
AL156778		Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Tread setting should not exceed 80 In. for maximum load applications. Contains (2) L154685 Hubs, (16) 24M7242 washers, and (16) L152521 bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.</i>	721.60
		<b>Front Hitch</b>	
BSJ10387		Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
		<b>Front Power Take-Off (PTO)</b>	
BLV10679		Auxiliary Front Drive Coupler Kit	1,032.90
		<b>Hood Guards</b>	
BW16765		Hood Guard	440.00
		<b>Hydraulics</b>	
BSJ10441		3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station</i>	1,004.30
BSJ10283		CASE DRAIN <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.</i>	195.80
BSJ10465		Oil Collection System <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).</i>	116.60
BSJ10282		POWER BEYOND	342.10

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100MH Hi-Crop Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Lighting</b>	
LVB25720		Auxiliary work light kit (2 lights)	156.20
BSJ10325		LED HEADLIGHTS	297.00
		<b>Machine Connectivity</b>	
BSJ10450		JDLINK Mounting Kit, Cab models <i>For FT4 5M, 5MH, 5R tractors. JDLINK kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)</i>	181.50
BSJ10451		JDLINK Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLINK kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
		<b>Miscellaneous</b>	
BLV10099		1000/540/540E-rpm power take-off (PTO) kit <i>Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.</i>	1,532.30
RE554568		120 Amp Alternator <i>OOS models only</i>	764.70
RE555751		200 Amp Alternator <i>Cab models only.</i>	838.79
BSJ10101		3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing 2 Mid SCV valves.</i>	876.70
AH104259		Ash Tray <i>Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.</i>	72.43
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00
T21709		Category I Interchangeable Hitch Ball <i>Two required.</i>	15.70
T21706		Category II Interchangeable Hitch Ball <i>Two required.</i>	14.57
T12553		Center Link Conversion Bushing, Cat. II to Cat. I	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
RE52682		Convenience Outlet <i>Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.</i>	122.58

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5100MH Hi-Crop Specialty Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
LVB25949		Drawbar - Hammerstrap and chain clevis kit <i>Kit contains all necessary parts and hardware (instructions included).</i>	146.30
BSJ10163		Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear.</i>	455.40
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
BSJ10125		Instructional Seat Kit, CAB only	633.60
AL213203		Lockable Filler Cap Fuel Tank	34.06
LVB25727		PowrReverser modulation control kit	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Cab Only. (Satellite Capable)</i>	712.11
RE567557		Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
BSJ10122		Satellite receiver and antenna only (Bosch specific) <i>All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately</i>	243.10
AT162291		Seat Backrest Extension <i>Cab Tractors ONLY.</i>	200.23
AL71345		Security Door Lock Kit	206.80



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100MH Hi-Crop Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	AL203265	Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	BLV10173	Wiper and washer, rear	355.30
	LVB25334	<b>Operator's Station</b> Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
	BRE10015	Cell Phone Mount Kit	67.10
	RE566705	Dual USB Charger <i>Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.</i>	25.96
	RE68495	Power Strip with Six Outlets <i>Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.</i>	56.07
	LVB25501	Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	150.70
	BRE10152	Self - Leveling Cup Holder	64.90
	LVB25714	<b>Rear Fenders</b> Rear fender extension <i>Cab tractors only. Interference may occur with some implements when raising the hitch.</i>	227.70
	LVB25066	Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60
	LVB25976	<b>Rear Hitch</b> iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings(LVU15507). Not compatible with LVB25941 (Heavy Duty Hitch Kit).</i>	376.20
	TY27545	<b>Three-Point Hitch</b> Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37
	R266939	<b>Wheel Tread Width</b> Hi-Crop Axle Spacer Kit - 200mm <i>Requires the following be ordered separately: (2) R266939, (28) R281444, (32) 14M7299, (4) 44M7154, (2) R266945, (2) R281497</i>	2,794.06

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5100MH Hi-Crop Specialty Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100ML Low-Profile Specialty Tractor**  
Equipment for Base Machine

**ENGINE:**

100 Engine Horsepower @ 2200 rpm\*  
85 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
PowerTech Diesel Engine  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Cornerpost Exhaust Stack  
(Aftertreatment: DOC/SCR)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut-Off  
Water Separator Bowl  
**TRANSMISSION:**  
EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
**REAR AXLE:**  
Flanged Rear Axle  
Planetary Final Drives  
8-Position Standard Steel Rear Wheels  
**FRONT AXLE:**  
Mechanical Front Wheel Drive Front Axle  
Planetary Final Drives  
Electrohydraulic MFWD Engagement via On/Auto/Brake  
**STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing  
and Self-Adjusting  
**HYDRAULIC:**  
See code selection for Selective Control Valves  
(SCVs) and hydraulic system selection  
**POWER TAKE-OFF SHAFT:**  
See code selection for PTO Shaft  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
Heavy Duty Adjustable Drawbar

See code selection for draft link sizing

**INSTRUMENTATION:**

Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning  
Signal  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light  
4WD Engagement Light

**ELECTRICAL:**

12-Volt Electrical System  
One Battery - 950 CCA\*\* with 180 Minute Reserve  
Capacity  
90 Amp Alternator  
7-Pin ASAE Outlet Socket

**LIGHTS:**

Two Front Halogen Headlights  
Two Turn/Warning Lights  
Two Rear Work Lights  
Dual Tail Lights

**MISCELLANEOUS:**

Slow-moving Vehicle (SMV) Emblem  
Front weight support  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.*

198DLV		5100ML Low-Profile Specialty Tractor	66,722.00
--------	--	--------------------------------------	-----------

**DESTINATION**

0184	<b>North America</b> Canada		No Added Cost
0202	United States		In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL</b>			
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1380		16F/16R PowrReverser Transmission - 540/540E <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>B-C-D Range Synchronization</i> <i>29.6 Gallon Fuel tank</i> <i>65mm lift cylinders</i> <i>Requires Shifttable 540/540E Rear PTO (code 3820).</i> <i>Requires Open Center Hydraulics (code 3221).</i>	In Base Price
1370		16F/16R PowrQuad Transmission <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shifttable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	4,659.00
1375		16F/16R PowrQuad Transmission with Creeper <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shifttable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	7,383.00
1385		32F/16R PowrQuad Transmisson <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shifttable 540/540E/1000 Rear PTO (code 3830).</i>	6,406.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>TRANSMISSION ...Continued...</b>			
<i>Requires PFC Hydraulics (code 3223).</i>			
<i>Requires EH Hitch Controls (code 4030).</i>			
<i>Requires Fender Extensions (code 8022 or 8024).</i>			
<b>OPERATOR'S STATION</b>			
2010		Isolated Open Operator Station <i>Low Profile Isolated Open Operator Station with Flat Floor Tilt and Telescopic Steering Column Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS) Inboard mounted controls Low Profile steering wheel Speedometer Beverage Holder Foldable flashing Warning Lights Dual Taillights</i>	In Base Price
<b>SEAT</b>			
2115		Low Profile Seat	In Base Price
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	In Base Price
<b>HYDRAULICS</b>			
3221		Open Center Hydraulic System	In Base Price
3223		PFC Hydraulic System	2,898.00
<b>REAR SELECTIVE CONTROL VALVES</b>			
3330		Triple Stackable Rear Deluxe Valve with Lever Controls <i>Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.</i>	In Base Price
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valve <i>Does not include side frames.</i>	In Base Price
3410		Less Mid Valve, Add Engine Side Frames	255.00
3420		Dual Stackable Mid Valve with Joystick Control <i>Includes side frames.</i>	1,328.00
<b>POWER TAKE-OFF (PTO)</b>			
3820		Shiftable 540 / 540E Rear PTO	In Base Price
3830		Three Speed PTO - 540/540E/1000 <i>Requires PFC Hydraulics (Code 3223)</i>	818.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>HITCH CONTROLS</b>			
4010		Mechanical Hitch Control <i>Requires Open Center Hydraulics (Code 3221)</i>	In Base Price
4030		Electronic Hitch Control <i>Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links (Cat. 2) <i>Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)</i>	In Base Price
4105		Telescoping Draft Links (Cat. 3) <i>Requires PFC Hydraulics (Code 3223) Requires Cat. 3 Center Link (Code 4215)</i>	No Added Cost
<b>LIFT LINK</b>			
4160		Left Hand Only Adjustable Lift Links <i>Right side fixed</i>	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link (Cat. 2) <i>Requires Cat 2. Draft Links (Code 4110).</i>	In Base Price
4215		Mechanical Center Link (Cat. 3) <i>Requires PFC Hydraulics (Code 3223). Requires Cat. 3 Draft Links (Code 4105).</i>	No Added Cost
4220		Hydraulic Center Link with Ball End (Cat. 2) <i>Requires PFC Hydraulics (Code 3223) Requires Cat 2. Telescoping Draft Links (Code 4110)</i>	795.00
<b>STABILIZER</b>			
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
<b>FRONT AXLE</b>			
6040		MFWD (4-Wheel Drive) <i>Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light. Electrohydraulic MFWD Engagement via On/Auto/Brake Auto Engagement Mode.</i>	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear) <i>Requires Code 6111.</i>	No Added Cost
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) <i>Requires Code 6133.</i>	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5100ML Low-Profile Specialty Tractor**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5303		21.5L - 16.1 in. R3 Bias (Buton Tire) <i>Requires Codes 6111 or 6303.</i>	-909.00
5130		16.9-24 R1 Bias (Firestone) <i>Requires Codes 6130</i>	-608.00
5173		480/70R28 R1 Radial (Mitas) <i>Requires Code 6155</i>	2,111.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6111		11.2-24 6PR R1 (Goodyear) Bias	404.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-477.00
6130		10.5/80-18 R4 Bias (Goodyear)	-213.00
6155		380/70R20 R1 (Mitas)	1,058.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>LIGHTING</b>			
8720		ROPS Mounted Work Lights (LED) <i>Upgrades from halogen to LED</i>	125.00
8725		Beacon Light (ROPS Mounted)	155.00
<b>HITCH CYLINDERS</b>			
8458		70mm hitch lift cylinder	352.00
8463		80mm hitch lift cylinder <i>Requires PFC Hydraulics (Code 3223).</i>	396.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extensions <i>Adds an additional 8.8 inches (224mm) extension per fender</i>	248.00
8024		Rear Fender Extensions - Wide <i>Adds an additional 15.2 inches (385mm) extension per fender</i>	426.00
<b>FRONT LOADER PREPARATION PACKAGES</b>			
8912		Loader Preparation Package	1,766.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT LOADER PREPARATION PACKAGES ...Continued...</b>			
<i>Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 540M and H310 loaders. Includes loader mounting frames and hood guard. Requires mid valve (Code 3420)</i>			
<b>GUARDS</b>			
8330		Skid Plate, Fuel Tank and Steering Line Guarding Package	857.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Backup Alarm</b>			
	BSJ10442	Backup Alarm Kit	167.20
<b>Cab Equipment</b>			
	AL80126	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
<b>Cold Weather Packages</b>			
	DZ102076	Engine Block Heater (110V)	110.75
<b>Front Hitch</b>			
	BSJ10387	Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
<b>Front Power Take-Off (PTO)</b>			
	BLV10679	Auxiliary Front Drive Coupler Kit	1,032.90
<b>Fuel Tank</b>			
	BSJ10485	Fuel Tank Shield Kit <i>Compatible with cab tractors equipped with PowrReverser Transmissions</i>	154.00
<b>Hydraulics</b>			
	BSJ10283	CASE DRAIN <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed. Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.</i>	195.80
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.</i>	195.80
	BSJ10309	Hydraulic Center Link - Ball Type	1,897.50



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10465		Oil Collection System <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included). For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System</i>	116.60
BSJ10282		POWER BEYOND <i>Compatible with PowrReverser models only.</i>	342.10
BSJ10240		Power Beyond Kit (PFC System) <i>Kit contains couplers only.</i>	203.50
		<b>Lighting</b>	
RE244176		Beacon Light Kit	271.13
BSJ10325		LED HEADLIGHTS	297.00
		<b>Machine Connectivity</b>	
BSJ10451		JDLink Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
		<b>Mid Selective Control Valves</b>	
BSJ10330		2 Mechanical Mid-SCV with Joystick lever <i>Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader side frames. Compatible with 5100ML and 5115ML with PowrReverser transmissions. Base Codes 198DLV, 256DLV For 5ML models, you must also order the following - (1) SJ26965, (1) SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
		<b>Miscellaneous</b>	
SJ12010		Engine Side Frame Kit for 5ML Tractors	272.26
		<b>Miscellaneous</b>	
BLV10099		1000/540/540E-rpm power take-off (PTO) kit <i>New gear box (assembly required) and reversible PTO stub shaft included. For tractors equipped with a PowrReverser transmission only.</i>	1,532.30
BSJ10101		3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing Dual valves on tractors equipped with a PowrReverser Transmission.</i>	876.70
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5100ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	160.60
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
	RE244177	Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
	RE19428	Safety Chain Support Kit	158.04
	AL203265	Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	R213907	Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
	TY27545	<b>Three-Point Hitch</b> Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5115ML Low-Profile Specialty Tractor**  
Equipment for Base Machine

**ENGINE:**  
115 Engine Horsepower @ 2200 rpm\*  
100 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
PowerTech Diesel Engine  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Cornerpost Exhaust Stack  
(Aftertreatment: DOC/SCR)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut-Off  
Water Separator Bowl  
**TRANSMISSION:**  
EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
**REAR AXLE:**  
Flanged Rear Axle  
Planetary Final Drives  
8-Position Standard Steel Rear Wheels  
**FRONT AXLE:**  
Mechanical Front Wheel Drive Front Axle  
Planetary Final Drives  
Electrohydraulic MFWD Engagement via On/Auto/Brake  
**STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and  
Self-Adjusting  
**HYDRAULIC:**  
See code selection for Selective Control Valves  
(SCVs) and hydraulic system selection  
**POWER TAKE-OFF SHAFT:**  
SeeCode selection for PTO shaft  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield  
  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
Heavy-duty Drawbar Adjustable Drawbar

See code selection for draft link sizing  
Lower Link Draft Sensing  
**INSTRUMENTATION:**  
Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning  
Signal  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light  
4WD Engagement Light  
**ELECTRICAL:**  
12-Volt Electrical System  
One Battery - 950 CCA\*\* with 180 Minute Reserve  
Capacity  
90 Amp Alternator  
7-Pin ASAE Outlet Socket  
**LIGHTS:**  
Two Front Halogen Headlights  
Two Turn/Warning Lights  
Two Rear Work Lights  
Dual Tail Lights  
**MISCELLANEOUS:**  
Slow-moving Vehicle (SMV) Emblem  
Front weight support

\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.*

256DLV	5115ML Low-Profile Specialty Tractor	71,711.00
--------	--------------------------------------	-----------

**DESTINATION**

0202	North America United States	In Base Price
------	--------------------------------	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0184		<b>DESTINATION ...Continued...</b> Canada	No Added Cost
<b>OPERATOR'S MANUAL</b>			
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1380		16F/16R PowrReverser Transmission - 540/540E <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>B-C-D Range Synchronization</i> <i>29.6 Gallon Fuel tank</i> <i>65mm lift cylinders</i> <i>Requires Shifttable 540/540E Rear PTO (code 3820).</i> <i>Requires Open Center Hydraulics (code 3221).</i>	In Base Price
1370		16F/16R PowrQuad Transmission <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shifttable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	4,659.00
1375		16F/16R PowrQuad Transmission with Creeper <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shifttable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	7,383.00
1385		32F/16R PowrQuad Transmisson <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i>	6,406.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115ML Low-Profile Specialty Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>TRANSMISSION ...Continued...</b> <i>Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).</i>	
<b>OPERATOR'S STATION</b>			
2010		Isolated Open Operator Station <i>Low Profile Isolated Open Operator Station with Flat Floor Tilt and Telescopic Steering Column Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS) Inboard mounted controls Low Profile steering wheel Speedometer Beverage Holder Foldable flashing Warning Lights Dual Taillights</i>	In Base Price
<b>SEAT</b>			
2115		Low Profile Seat	In Base Price
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	In Base Price
<b>HYDRAULICS</b>			
3221		Open Center Hydraulic System	In Base Price
3223		PFC Hydraulic System	2,898.00
<b>REAR SELECTIVE CONTROL VALVES</b>			
3330		Triple Stackable Rear Deluxe Valve with Lever Controls <i>Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.</i>	In Base Price
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valve <i>Does not include side frames.</i>	In Base Price
3410		Less Mid Valve, Add Engine Side Frames	255.00
3420		Dual Stackable Mid Valve with Joystick Control <i>Includes side frames.</i>	1,328.00
<b>POWER TAKE-OFF (PTO)</b>			
3820		Shiftable 540 / 540E Rear PTO	In Base Price

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5115ML Low-Profile Specialty Tractor**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
3830		<b>POWER TAKE-OFF (PTO) ...Continued...</b> Three Speed PTO - 540/540E/1000 <i>Requires PFC Hydraulics (Code 3223)</i>	818.00
<b>HITCH CONTROLS</b>			
4010		Mechanical Hitch Control <i>Requires Open Center Hydraulics (Code 3221)</i>	In Base Price
4030		Electronic Hitch Control <i>Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).</i>	489.00
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links (Cat. 2) <i>Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)</i>	In Base Price
4105		Telescoping Draft Links (Cat. 3) <i>Requires PFC Hydraulics (Code 3223)</i> <i>Requires Cat. 3 Center Link (Code 4215)</i>	No Added Cost
<b>LIFT LINK</b>			
4160		Left Hand Only Adjustable Lift Links <i>Right side fixed</i>	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link (Cat. 2) <i>Requires Cat 2. Draft Links (Code 4110).</i>	In Base Price
4215		Mechanical Center Link (Cat. 3) <i>Requires PFC Hydraulics (Code 3223).</i> <i>Requires Cat. 3 Draft Links (Code 4105).</i>	No Added Cost
4220		Hydraulic Center Link with Ball End (Cat. 2) <i>Requires PFC Hydraulics (Code 3223)</i> <i>Requires Cat 2. Telescoping Draft Links (Code 4110)</i>	795.00
<b>STABILIZER</b>			
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
<b>FRONT AXLE</b>			
6040		MFWD (4-Wheel Drive) <i>Limited Slip Differential</i> <i>Push Button, On-The-Go Engagement</i> <i>Engagement Indicator Light.</i> <i>Electrohydraulic MFWD Engagement via On/Auto/Brake</i> <i>Auto Engagement Mode.</i>	In Base Price
<b>REAR WHEELS AND TIRES</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear) <i>Requires Code 6111.</i>	No Added Cost
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) <i>Requires Code 6133.</i>	In Base Price
5303		21.5L - 16.1 in. R3 Bias (Button Tire) <i>Requires Codes 6111 or 6303.</i>	-909.00
5130		16.9-24 R1 Bias (Firestone) <i>Requires Codes 6130</i>	-608.00
5173		480/70R28 R1 Radial (Mitas) <i>Requires Code 6155</i>	2,111.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6111		11.2-24 6PR R1 (Goodyear) Bias	404.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-477.00
6130		10.5/80-18 R4 Bias (Goodyear)	-213.00
6155		380/70R20 R1 (Mitas)	1,058.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>LIGHTING</b>			
8720		ROPS Mounted Work Lights (LED) <i>Upgrades from halogen to LED</i>	125.00
8725		Beacon Light (ROPS Mounted)	155.00
<b>HITCH CYLINDERS</b>			
8458		70mm hitch lift cylinder	352.00
8463		80mm hitch lift cylinder <i>Requires PFC Hydraulics (Code 3223).</i>	396.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extensions <i>Adds an additional 8.8 inches (224mm) extension per fender</i>	248.00
8024		Rear Fender Extensions - Wide	426.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

5115ML Low-Profile Specialty Tractor  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>REAR FENDERS ...Continued...</b> <i>Adds an additional 15.2 inches (385mm) extension per fender</i>	
		<b>FRONT LOADER PREPARATION PACKAGES</b>	
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 540M and H310 loaders. Includes loader mounting frames and hood guard. Requires mid valve (Code 3420)</i>	1,766.00
		<b>GUARDS</b>	
8330		Skid Plate, Fuel Tank and Steering Line Guarding Package	857.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Backup Alarm</b>	
	BSJ10442	Backup Alarm Kit	167.20
		<b>Cab Equipment</b>	
	AL80126	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
		<b>Cold Weather Packages</b>	
	DZ102076	Engine Block Heater (110V)	110.75
		<b>Front Hitch</b>	
	BSJ10387	Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
		<b>Front Power Take-Off (PTO)</b>	
	BLV10679	Auxiliary Front Drive Coupler Kit	1,032.90
		<b>Fuel Tank</b>	
	BSJ10485	Fuel Tank Shield Kit <i>Compatible with cab tractors equipped with PowrReverser Transmissions</i>	154.00
		<b>Hydraulics</b>	
	BSJ10283	CASE DRAIN <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed. Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.</i>	195.80
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.</i>	195.80



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BSJ10309		Hydraulic Center Link - Ball Type	1,897.50
BSJ10465		Oil Collection System <i>Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included). For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System</i>	116.60
BSJ10282		POWER BEYOND <i>Compatible with PowrReverser models only.</i>	342.10
BSJ10240		Power Beyond Kit (PFC System) <i>Kit contains couplers only.</i>	203.50
		<b>Lighting</b>	
RE244176		Beacon Light Kit	271.13
BSJ10325		LED HEADLIGHTS	297.00
		<b>Machine Connectivity</b>	
BSJ10451		JDLINK Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLINK kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
		<b>Mid Selective Control Valves</b>	
BSJ10330		2 Mechanical Mid-SCV with Joystick lever <i>Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader side frames. Compatible with 5100ML and 5115ML with PowrReverser transmissions. Base Codes 198DLV, 256DLV For 5ML models, you must also order the following - (1) SJ26965, (1) SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134</i>	1,460.80
		<b>Miscellaneous</b>	
SJ12010		Engine Side Frame Kit for 5ML Tractors	272.26
		<b>Miscellaneous</b>	
BLV10099		1000/540/540E-rpm power take-off (PTO) kit <i>New gear box (assembly required) and reversible PTO stub shaft included. For tractors equipped with a PowrReverser transmission only.</i>	1,532.30
BSJ10101		3rd Mid SCV (upgrade from 2 Mid SCV) <i>Stackable design adds 3rd Function to existing Dual valves on tractors equipped with a PowrReverser Transmission.</i>	876.70
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5115ML Low-Profile Specialty Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	160.60
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
	RE244177	Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
	RE19428	Safety Chain Support Kit	158.04
	AL203265	Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
	R213907	Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
	TY27545	<b>Three-Point Hitch</b> Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5125ML Low-Profile Specialty Tractor**  
Equipment for Base Machine

125 Engine Horsepower @ 2200 rpm\*  
115 PTO Horsepower @ 2100 rpm\*  
EPA Final Tier 4 Emissions Compliant  
Turbocharger with Intercooler  
4.5L PowerTech Diesel Engine  
4 Valve HPCR  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Side Exhaust  
(Aftertreatment: DOC/SCR)  
Cold Start Aid - Air Intake Heater  
Hand and Foot Throttle  
Key Engine Shut-Off  
Water Separator Bowl  
TRANSMISSION:  
EH Differential Lock  
Hydraulic Oil Cooler  
Wet Traction Clutch  
Park Lock  
Neutral Start Safety Switch  
REAR AXLE:  
Flanged Rear Axle  
Planetary Final Drives  
8-Position Standard Steel Rear Wheels  
FRONT AXLE:  
Mechanical Front Wheel Drive Front Axle  
Planetary Final Drives  
Electrohydraulic MFWD Engagement via On/Auto/Brake  
STEERING AND BRAKES:  
Hydrostatic Power Steering  
Hydraulic Wet Disk Brakes Self-Equalizing and  
Self-Adjusting  
HYDRAULIC:  
PFC Hydraulic System  
See code selection for Selective Control Valves  
(SCVs)  
POWER TAKE-OFF SHAFT:  
Independent "Live" 540 /1000 RPM Rear PTO Shaft @  
2100 Engine RPM  
Economy PTO Setting for 540 PTO RPM @ 1645 Engine  
RPM  
Reversible 540/1000 PTO Shaft  
Electrohydraulic PTO Engagement  
Wet PTO Clutch  
Operator Presence Safety Warning - PTO  
Safety Start Switch  
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:  
Heavy-duty Drawbar Adjustable Drawbar  
See code selection for draft link sizing  
Lower Link Draft Sensing  
INSTRUMENTATION:  
Electric Fuel Gauge  
Flashing Warning Lamp  
High Beam Indicator Light  
Service Transmission Indicator  
PTO Speed Indicator/Roll Mode  
Neutral Indicator  
Tachometer/Hour Meter  
Engine Oil Pressure  
Hydraulic Temperature Indicator  
Coolant Temperature Gauge  
Diesel Exhaust Fluid Gauge with low DEF Warning  
Signal  
Alternator Indicator Light  
Air Restriction Indicator Light  
Exhaust Filter Cleaning Switch  
Roll Mode for Instrument Cluster  
PTO Engagement Light  
4WD Engagement Light  
ELECTRICAL:  
12-Volt Electrical System  
One Battery - 950 CCA\*\* with 180 Minute Reserve  
Capacity  
90 Amp Alternator  
7-Pin ASAE Outlet Socket  
LIGHTS:  
Two Front Halogen Headlights  
Two Turn/Warning Lights  
Two ROPS Mounted Work Lights  
Dual Tail Lights  
MISCELLANEOUS:  
Slow-moving Vehicle (SMV) Emblem  
Front Weight Support  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.*

257CLV	5125ML Low-Profile Specialty Tractor	83,629.00
--------	--------------------------------------	-----------

**DESTINATION**

0184	North America Canada	No Added Cost
------	-------------------------	---------------

**AGRICULTURAL PRODUCTS**  
**JOHN DEERE TRACTORS**

**5125ML Low-Profile Specialty Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0202		<b>DESTINATION ...Continued...</b> United States	In Base Price
<b>OPERATOR'S MANUAL</b>			
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1370		16F/16R PowrQuad Transmission <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shiftable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	In Base Price
1375		16F/16R PowrQuad Transmission with Creeper <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shiftable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	2,724.00
1385		32F/16R PowrQuad Transmisson <i>Electrohydraulic (EH) Directional Reverser</i> <i>Electrohydraulic Differential Lock</i> <i>Hydraulic Oil Cooler</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Park Lock</i> <i>Neutral Start Safety Switch</i> <i>38 Gallon Fuel Tank</i> <i>75mm lift cylinders</i> <i>Requires Shiftable 540/540E/1000 Rear PTO (code 3830).</i> <i>Requires PFC Hydraulics (code 3223).</i> <i>Requires EH Hitch Controls (code 4030).</i> <i>Requires Fender Extensions (code 8022 or 8024).</i>	1,747.00
<b>OPERATOR'S STATION</b>			
2010		Isolated Open Operator Station	In Base Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5125ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Low Profile Isolated Open Operator Station with Flat Floor Tilt and Telescopic Steering Column Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS) Inboard mounted controls Low Profile steering wheel Speedometer Beverage Holder Foldable flashing Warning Lights Dual Taillights</i>			
<b>SEAT</b>			
2115		Low Profile Seat	In Base Price
<b>EXHAUST</b>			
3010		Horizontal Side Exhaust	In Base Price
<b>HYDRAULICS</b>			
3223		PFC Hydraulic System	In Base Price
<b>REAR SELECTIVE CONTROL VALVES</b>			
3330		Triple Stackable Rear Deluxe Valve with Lever Controls <i>Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.</i>	In Base Price
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valve <i>Does not include side frames.</i>	In Base Price
3410		Less Mid Valve, Add Engine Side Frames	255.00
3420		Dual Stackable Mid Valve with Joystick Control <i>Includes side frames.</i>	1,328.00
<b>POWER TAKE-OFF (PTO)</b>			
3830		Three Speed PTO - 540/540E/1000 <i>Requires PFC Hydraulics (Code 3223)</i>	In Base Price
<b>HITCH CONTROLS</b>			
4030		Electronic Hitch Control <i>Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).</i>	In Base Price
<b>DRAFT LINK</b>			
4110		Telescoping Draft Links (Cat. 2) <i>Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)</i>	In Base Price

## AGRICULTURAL PRODUCTS

### JOHN DEERE TRACTORS

#### 5125ML Low-Profile Specialty Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4105		<b>DRAFT LINK ...Continued...</b> Telescoping Draft Links (Cat. 3) <i>Requires PFC Hydraulics (Code 3223)</i> <i>Requires Cat. 3 Center Link (Code 4215)</i>	No Added Cost
<b>LIFT LINK</b>			
4160		Left Hand Only Adjustable Lift Links <i>Right side fixed</i>	In Base Price
<b>CENTER LINK</b>			
4210		Mechanical Center Link (Cat. 2) <i>Requires Cat 2. Draft Links (Code 4110).</i>	In Base Price
4215		Mechanical Center Link (Cat. 3) <i>Requires PFC Hydraulics (Code 3223).</i> <i>Requires Cat. 3 Draft Links (Code 4105).</i>	No Added Cost
4220		Hydraulic Center Link with Ball End (Cat. 2) <i>Requires PFC Hydraulics (Code 3223)</i> <i>Requires Cat 2. Telescoping Draft Links (Code 4110)</i>	795.00
<b>STABILIZER</b>			
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
<b>FRONT AXLE</b>			
6040		MFWD (4-Wheel Drive) <i>Limited Slip Differential</i> <i>Push Button, On-The-Go Engagement</i> <i>Engagement Indicator Light.</i> <i>Electrohydraulic MFWD Engagement via On/Auto/Brake</i> <i>Auto Engagement Mode.</i>	In Base Price
<b>REAR WHEELS AND TIRES</b>			
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear) <i>Requires Code 6111.</i>	No Added Cost
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) <i>Requires Code 6133.</i>	In Base Price
5303		21.5L - 16.1 in. R3 Bias (Buton Tire) <i>Requires Codes 6111 or 6303.</i>	-909.00
5130		16.9-24 R1 Bias (Firestone) <i>Requires Codes 6130</i>	-608.00
5173		480/70R28 R1 Radial (Mitas) <i>Requires Code 6155</i>	2,111.00
<b>REAR TIRE BRAND PREFERENCE</b>			
5999		No Rear Tire Brand Preference	In Base Price

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5125ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR TIRE BRAND PREFERENCE ...Continued...</b>			
<b>FRONT WHEELS AND TIRES</b>			
<i>See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>			
6111		11.2-24 6PR R1 (Goodyear) Bias	404.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-477.00
6130		10.5/80-18 R4 Bias (Goodyear)	-213.00
6155		380/70R20 R1 (Mitas)	1,058.00
<b>FRONT TIRE BRAND PREFERENCE</b>			
6799		No Front Tire Brand Preference	In Base Price
<b>LIGHTING</b>			
8720		ROPS Mounted Work Lights (LED) <i>Upgrades from halogen to LED</i>	125.00
8725		Beacon Light (ROPS Mounted)	155.00
<b>HITCH CYLINDERS</b>			
8463		80mm hitch lift cylinder <i>Requires PFC Hydraulics (Code 3223).</i>	396.00
<b>REAR FENDERS</b>			
8022		Rear Fender Extensions <i>Adds an additional 8.8 inches (224mm) extension per fender</i>	248.00
8024		Rear Fender Extensions - Wide <i>Adds an additional 15.2 inches (385mm) extension per fender</i>	426.00
<b>FRONT LOADER PREPARATION PACKAGES</b>			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 540M and H310 loaders. Includes loader mounting frames and hood guard. Requires mid valve (Code 3420)</i>	1,766.00
<b>GUARDS</b>			
8330		Skid Plate, Fuel Tank and Steering Line Guarding Package	857.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5125ML Low-Profile Specialty Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Backup Alarm</b>	
	BSJ10442	Backup Alarm Kit	167.20
		<b>Cab Equipment</b>	
	AL80126	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.</i>	188.10
		<b>Cold Weather Packages</b>	
	DZ102076	Engine Block Heater (110V)	110.75
		<b>Front Hitch</b>	
	BSJ10387	Front Hitch Attaching Parts - Augusta sourced - R4	4,530.90
		<b>Front Power Take-Off (PTO)</b>	
	BLV10679	Auxiliary Front Drive Coupler Kit	1,032.90
		<b>Hydraulics</b>	
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) <i>Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.</i>	195.80
	BSJ10309	Hydraulic Center Link - Ball Type	1,897.50
	BSJ10240	Power Beyond Kit (PFC System) <i>Kit contains couplers only.</i>	203.50
		<b>Lighting</b>	
	RE244176	Beacon Light Kit	271.13
	BSJ10325	LED HEADLIGHTS	297.00
		<b>Machine Connectivity</b>	
	BSJ10451	JDLink Mounting Kit, OOS models <i>For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)</i>	543.40
		<b>Miscellaneous</b>	
	SJ12010	Engine Side Frame Kit for 5ML Tractors	272.26



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

5125ML Low-Profile Specialty Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Miscellaneous</b>	
LVB25785		Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
LVB25783		Canopy mounting kit <i>Operator Stations Only. Canopy ordered separately.</i>	77.00
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
AL213203		Lockable Filler Cap Fuel Tank	34.06
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04
AL203265		Service Horn <i>Requires bolt and nut 19m7865 and 14m7298.</i>	41.13
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	140.80
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.</i>	147.40
		<b>Three-Point Hitch</b>	
TY27545		Quik-Coupler, Economy, Category 2 <i>Interference may occur when raising the hitch if extended fenders are configured.</i>	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5125ML Low-Profile Specialty Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---