

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WG32A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 32 in. Deck
Equipment for Base Machine**

14.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Operator Presence System
Gear Drive Transmission
5 Forward Gears (5.4 mph max
speed)
1 Reverse Gear with Reverse
Assist
Neutral Start Dual Element Air
Cleaner
32 In. Fully Floating Commercial
Side Discharge Mower Deck

7-Gauge Fabricated Steel Mower
Deck with Aluminum Spindles
1.5-4.75 In. Height of Cut with
7 Cutting Positions
Pistol Grip Direction Control
Multi-Position Recoil Start
5.4 U.S. Gallon Fuel Capacity
13x5-6 4-Ply Pneumatic Rear
Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1334TC		WG32A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 32 in. Deck	3,699.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BTC10643	Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
Mulch Kits		
TCB11738	812.8-mm (32-in.) Mulch Kit	224.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WG36A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 36 In. Deck
Equipment for Base Machine**

<p>14.5 HP* Vertical-Shaft Air Cooled Engine (603cc, 36.8 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Operator Presence System Gear Drive Transmission 5 Forward Gears (5.4 mph max speed) 1 Reverse Gear with Reverse Assist Neutral Start Dual Element Air Cleaner 36 In. Fully Floating Commercial Side Discharge Mower Deck</p>	<p>7-Gauge Fabricated Steel Mower Deck with Aluminum Spindles 1.5-4.75 In. Height of Cut with 7 Cutting Positions Pistol Grip Direction Control Multi-Position Recoil Start 5.4 U.S. Gallon Fuel Capacity 13x5-6 4-Ply Pneumatic Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be</p>	<p>used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
--	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1344TC	WG36A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 36 In. Deck	3,899.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
BTC10643	Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
	Mulch Kits	
TCB11739	914.4-mm (36-in.) Mulch Kit	224.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WG48A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck
Equipment for Base Machine**

14.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Operator Presence System
Gear Drive Transmission
5 Forward Gears (5.4 mph max
speed)
1 Reverse Gear with Reverse
Assist
Neutral Start Dual Element Air
Cleaner
48 In. Fully Floating Commercial
Side Discharge Mower Deck

7-Gauge Fabricated Steel Mower
Deck with Aluminum Spindles
1.5-4.75 In. Height of Cut with
7 Cutting Positions
Pistol Grip Direction Control
Multi-Position Recoil Start
5.4 U.S. Gallon Fuel Capacity
13x5-6 4-Ply Pneumatic Rear
Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1354TC		WG48A - 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck	4,199.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
BTC10643		Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
Mulch Kits			
TCB11740		1219.2-mm (48-in.) Mulch Kit	260.01

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH36A - 14.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 36 In. Deck
Equipment for Base Machine**

14.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
36 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1394TC		WH36A - 14.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 36 In. Deck	6,399.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
BTC10643		Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
TCB11744		Sulky	602.41
	Mulch Kits		
TCB11739		914.4-mm (36-in.) Mulch Kit	224.70
	Weights		
BTC10484		Weight Kit (Model Year 2013 and newer)	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP36A - 14.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 36 In. Deck
Equipment for Base Machine**

14.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
36 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1395TC		WHP36A - 14.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 36 In. Deck	6,399.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
BTC10643		Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
TCB11744		Sulky	602.41
	Mulch Kits		
TCB11739		914.4-mm (36-in.) Mulch Kit	224.70
	Weights		
BTC10484		Weight Kit (Model Year 2013 and newer)	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH48A - 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
48 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1294TC		WH48A - 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BTC10643	Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
TCB11744	Sulky	602.41
Mulch Kits		
TCB11740	1219.2-mm (48-in.) Mulch Kit	260.01
Weights		
BTC10484	Weight Kit <i>(Model Year 2013 and newer)</i>	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP48A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
48 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1295TC		WHP48A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
BTC10643		Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
TCB11744		Sulky	602.41
	Mulch Kits		
TCB11740		1219.2-mm (48-in.) Mulch Kit	260.01
	Weights		
BTC10484		Weight Kit (Model Year 2013 and newer)	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH52A - 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
52 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1284TC		WH52A - 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

BTC10643		Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
----------	--	---	--------

TCB11744		Sulky	602.41
----------	--	-------	--------

Mulch Kits

TCB11741		1320.8-mm (52-in.) Mulch Kit	283.56
----------	--	------------------------------	--------

Weights

BTC10484		Weight Kit (Model Year 2013 and newer)	120.91
----------	--	---	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP52A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
52 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

1285TC		WHP52A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BTC10643	Grass Collector, 0.0283168 m ³ (3 cu ft)	363.80
TCB11744	Sulky	602.41
Mulch Kits		
TCB11741	1320.8-mm (52-in.) Mulch Kit	283.56
Weights		
BTC10484	Weight Kit (Model Year 2013 and newer)	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH61A - 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck
Equipment for Base Machine**

23 HP*
Vertical-Shaft Air Cooled Engine (726cc 44.3 cu. in)
Full Pressure Lubrication System with Replaceable Oil Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
61 In. Fully Floating Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with 7 Cut Height Settings
Twin Loop Controls with Speed Index Bar and Reverse Index Bar
Adjustable Height Operator Station
5.4 U.S. Gallon Fuel Capacity
16x8.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

0711TC		WH61A - 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck	8,829.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
TCB11744	Sulky	602.41
Mulch Kits		
BTC10636	1549.4-mm (61-in.) Mulch Kit	295.31
Weights		
BTC10484	Weight Kit (Model Year 2013 and newer)	120.91

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP61A - 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 61 In. Deck
Equipment for Base Machine**

23 HP*
Vertical-Shaft Air Cooled
Engine (726cc 44.3 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Dual Element Air Cleaner
Electric Start
Operator Presence System
Dual Hydrostatic Wheel Drive
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
7 MPH Forward Speed
3 MPH Reverse Speed
61 In. Fully Floating
Commercial Side Discharge Mower

Deck
7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
7 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
5.4 U.S. Gallon Fuel Capacity
16x8.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and
torque information are provided

by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Fuquay Varina, North Carolina.

0721TC		WHP61A - 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck	8,829.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
TCB11744	Sulky	602.41
Mulch Kits		
BTC10636	1549.4-mm (61-in.) Mulch Kit	295.31
Weights		
BTC10484	Weight Kit <i>(Model Year 2013 and newer)</i>	120.91