

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 44-in. Front Blade Equipment for Base Machine

1118 mm (44 in.) Cutting Width      Thickness  
1016 mm (40 in.) Cutting Width  
at 25 degree angle  
3 Angling Positions  
3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Davenport, Iowa</i>			
6001M		44-in. Front Blade <i>For Model Year 2006-2015 Select Series X300 Tractors</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>	579.00

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Miscellaneous</b>			
LP33711		Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
M146542		Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>	64.62
LP33712		Manual angling kit (44-in. Front Blade X300s)	158.00
AM135847		Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	240.74

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 44-in. Front Blade Equipment for Base Machine

1118 mm (44 in.) Cutting Width      Thickness  
1016 mm (40 in.) Cutting Width  
at 25 degree angle  
3 Angling Positions  
3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Davenport, Iowa</i>			
6005M		44-in. Front Blade <i>For model year 2016- Select Series X300 tractors.</i>  <i>Rear weights and tire chains are available for additional traction.</i>  <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	579.00

#### DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Miscellaneous</b>			
LP64865		Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>	459.00
M146542		Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>	64.62
LP33712		Manual angling kit (44-in. Front Blade X300s)	158.00
BUC10209		<b>Spanish North American Kit</b> 44-in Front Blade Spanish North American Operator's Manual and Decal kit (6005M for 2016- X300 Series)	31.03

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 48-in. Front Blade Equipment for Base Machine

1219 mm (48 in.) Cutting Width	Spring-Trip with Lock
1194 mm (47 in.) Cutting Width at 15 degree angle	3.05 mm (0.12 in.) Blade Thickness
1067 mm (42 in.) Cutting Width at 30 degree angle	
5 Angling Positions	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

6002M		48-in. Front Blade <i>For Model Year 2006-2015 Select Series X500 M-T Tractors</i>	810.00
<i>Rear weights and tire chains are recommended for additional traction.</i>			

#### ATTACHMENTS FOR FIELD CONVERSION

		<b>Miscellaneous</b>	
LP33711		Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	69.02
AM119321		Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	66.33
BM23448		Manual angling kit (48-in. Front Blade X394 and X500 M-T)	264.29
AM135847		Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	240.74
LP64664		Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 48-in. Front Blade Equipment for Base Machine

1219 mm (48 in.) Cutting Width	Spring-Trip with Lock
1194 mm (47 in.) Cutting Width at 15 degree angle	3.05 mm (0.12 in.) Blade Thickness
1067 mm (42 in.) Cutting Width at 30 degree angle	
5 Angling Positions	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

6006M		48-in. Front Blade <i>For X394, and model year 2016- Select Series X500 M-T tractors.</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>  <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	810.00
-------	--	---	--------

#### DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

		<b>Miscellaneous</b>	
LP64865		Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>	459.00
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	69.02
AM119321		Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	66.33
BM23448		Manual angling kit (48-in. Front Blade X394 and X500 M-T)	264.29
LP64664		Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00
BUC10208		<b>Spanish North American Kit</b> 48-in Front Blade Spanish North American Operator's Manual and Decal kit (6006M for 2016- X500 Series)	63.13

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

### 54 in. Quick-Hitch Front Blade Equipment for Base Machine

1372 mm (54 in.) Clearing Width Straight	degrees
1219 mm (48 in.) Clearing Width Fully Angled	Two Adjustable Skid Shoes
Replaceable Cutting Edge	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Heavy 11-Gauge, Curved Blade	
Angled Left or Right Up to 27	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

1492M		54 in. Quick-Hitch Front Blade <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	529.00
-------	--	---	--------

#### DESTINATION

0202	United States	<i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada	<i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec	<i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico	<i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

#### OPERATOR'S MANUAL

0409	English operator's manual and decal kit		In Base Price
0413	French Canada operator's manual and decal kit		No Added Cost
0437	Spanish operator's manual and decal kit		No Added Cost
0448	English operator's manual and no-text decal kit		No Added Cost
0457	Spanish operator's manual and no-text decal kit		No Added Cost

#### FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift		632.00
------	--------------------------------------	--	--------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 in. Quick-Hitch Front Blade**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>FRONT QUICK-HITCH Continued...</b> <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	
6947		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	654.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	672.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.  Includes BLV10680 front attaching support kit.</i>	941.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
6968		Less Front Quick-Hitch	In Base Price
<hr/>			
<b>HYDRAULIC ANGLING</b>			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	194.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	169.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	196.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	265.00
6818		Less Hydraulic Angling	In Base Price
<hr/>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
	<b>BM20921</b>	<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
	<b>LVB24898</b>	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
	<b>BM17347</b>	Front quick hitch and hydraulic lift (415, 425, 445, 455)	750.07

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 in. Quick-Hitch Front Blade**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM17650		Hydraulic angling (415, 425, 445, 455)	193.67
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>For X400/X500 HDGTs, and X700s. See Sales Manual for specific requirements.</i>	759.00
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LP53767		Front Blade Snow Extension Kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	189.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	69.02
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**54 in. Quick-Hitch Front Blade**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM119321	Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	66.33
	LP64664	Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00
		<b>Miscellaneous</b>	
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 in. Quick-Hitch Front Blade**  
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Replaceable Cutting Edge Heavy 7-Gauge, Curved Blade Angled Left or Right Up to 27 degrees	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9820M		60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support lit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	910.00
-------	--	---	--------

**DESTINATION**

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

**OPERATOR'S MANUAL**

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	No Added Cost
0437	Spanish operator's manual and decal kit	No Added Cost
0448	English operator's manual and no-text decal kit	No Added Cost
0457	Spanish operator's manual and no-text decal kit	No Added Cost

**FRONT QUICK-HITCH**

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 in. Quick-Hitch Front Blade**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
6940		<b>FRONT QUICK-HITCH Continued...</b> Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	632.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	672.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.  Includes BLV10680 front attaching support kit.</i>	941.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
6968		Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING**

6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	194.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	196.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	265.00
6818		Less Hydraulic Angling	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BM20921	<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761	Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 in. Quick-Hitch Front Blade**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Miscellaneous</b>	
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
AM119321		Heavy-duty skid shoe (1)	66.33
LP64664		Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### ROPS Hard Cab Equipment for Base Machine

Modular Design  
Roll-Over Protective Structure  
(ROPS) Certified  
Steel Doors  
Sliding Glass Windows  
Front windshield wiper

Safety Glass Rear Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

9356M		ROPS Hard Cab <i>For X700 Signature Series Tractors (X710, X730, X734, X738, X739, X750, X754, and X758)</i>	4,919.00
-------	--	---	----------

#### DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
BM25347		55-amp alternator harness kit	49.21
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	450.47
BM25094		Heater quick connect kit (X710,X730,X734,X738,X739,X750,X754,X758)	185.11
BM25033		Heater, Tuck-Away	469.73
BM25081		Interior review mirror kit (X710,X730,X734,X738,X739,X750,X754,X758)	115.56
BM25062		Mirror Kit (X710,X730,X734,X738,X739,X750,X754,X758)	114.49
BM25061		Rear Wiper Kit (X710,X730,X734,X738,X739,X750,X754,X758)	156.21
BM25063		Strobe Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	164.79
BM25064		Switch-panel fuse block kit (X710,X730,X734,X738,X739,X750,X754,X758)	317.79
BM25082		Work Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	231.11

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Weather Enclosure (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740,  
X744, X748, X749 Garden Tractors)**  
Equipment for Base Machine

16 Gauge Steel Tubing  
Construction  
Molded Plastic Roof  
Vinyl Fabric Doors and  
Sides  
Lexan Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>Weather Enclosure</b>			
<i>Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.</i>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Weather Enclosures</b>	
	BM20482	Soft weather enclosure	1,126.71
	BM20923	Windshield, safety glass	224.70
	BM20925	Wiper, 12-V electric <i>Requires BM20923 Windshield</i>	234.33

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger (For Riding Mowers)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy

Installation and Removal  
Air Flow Indicator

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>MCS Chutes</b>	
	BM20384	Rear bagger chute for 30-in. (76-cm) and 38-in. (97-cm) Mowers	78.11

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For STX38 and STX46 Lawn Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal

Air Flow Indicator  
BLOWER ASSEMBLY:  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM20988		Power Flow chute (7 bu)	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
		<b>Mower Deck and Mower Deck Attachments</b>	
M83459		High Lift Mower Blade (38 In. Mower)	16.99
		<b>Mower Decks</b>	
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	222.76
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	105.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For LT Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM20988		Power Flow chute (7 bu)	78.11
BM20493		Rear bagger chute for LT 38-in. mower	81.31
BM20942		Rear bagger chute for LT 42C Mower	97.37
		<b>MCS Hoppers</b>	
BM20454		7-bu (247-L) 2-Bag Hopper Assembly (LT Tractors) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	461.17
		<b>MCS Power Flow Blowers</b>	
BM20004		QT Blower Assembly for 38-in. Mower	615.26
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	587.43
		<b>Mower Deck and Mower Deck Attachments</b>	
M135589		Hi Lift Blade For 48 In. Mower	13.64
M83459		High Lift Mower Blade (38 In. Mower)	16.99
		<b>Mower Decks</b>	
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	222.76
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	105.90



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>MCS Chutes</b>			
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
<b>MCS Hoppers</b>			
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	461.17
BM20455		7-bu (247-L) 2-Bag Hopper Assembly (LX172-LX188, LX255, LX266, LX277, LX277 AWS, LX279 and LX288, and LX280 AWS) <i>For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.</i>	461.17
<b>MCS Power Flow Blowers</b>			
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	555.33
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	555.33
<b>Material Collection System Power Flow Blowers</b>			
BM18770		QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) <i>Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.</i>	609.90
<b>Mower Deck and Mower Deck Attachments</b>			
M139977		Bagging Mower Blade (42C Mower)	19.50
M135589		Hi Lift Blade For 48 In. Mower	13.64
M83459		High Lift Mower Blade (38 In. Mower)	16.99
<b>Mower Decks</b>			

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20505	Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
	BM19894	Leaf bagging kit (48C or 48X Mower)	105.93
	BM20985	Leaf bagging kit (54C or 54X Mower)	132.69
	AM103851	Mower lip kit (left), 38-in. (97-cm) Mower	222.76
	AM103852	Mower lip kit (right rear), 38-in. (97-cm) Mower	105.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For SST Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	78.11
BM20943		Rear bagger chute for 42-in. (107-cm) All-Purpose Mower (42AP)	92.01
		<b>MCS Power Flow Blowers</b>	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700)	555.33
		<b>Mower Deck and Mower Deck Attachments</b>	
M135589		Hi Lift Blade For 48 In. Mower	13.64
		<b>Mower Decks</b>	
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
		<b>MCS Hoppers</b>	
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	461.17
		<b>MCS Power Flow Blowers</b>	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.</i>	555.33
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	555.33
		<b>Mower Deck and Mower Deck Attachments</b>	
M139977		Bagging Mower Blade (42C Mower) <i>For LX, GT and GX Tractors.</i>	19.50
M135589		Hi Lift Blade For 48 In. Mower	13.64
M135590		Hi Lift Blade for 54 In. Mower	17.27
		<b>Mower Decks</b>	
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93
BM20985		Leaf bagging kit (54C or 54X Mower)	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
		<b>MCS Hoppers</b>	
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	461.17
		<b>MCS Power Flow Blowers</b>	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	555.33
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	555.33
		<b>Mower Deck and Mower Deck Attachments</b>	
M135589		Hi Lift Blade For 48 In. Mower	13.64
M135590		Hi Lift Blade for 54 In. Mower	17.27
		<b>Mower Decks</b>	
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93
BM20985		Leaf bagging kit (54C or 54X Mower)	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For 425, 445, 455 Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM20988		Power Flow chute (7 bu)	78.11
		<b>MCS Hoppers</b>	
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	507.19
		<b>MCS Power Flow Blowers</b>	
BM19090		Blower Assembly for 54-in. (137-cm) Mower	555.33
		<b>Miscellaneous</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
		<b>Mower Deck and Mower Deck Attachments</b>	
M135589		Hi Lift Blade For 48 In. Mower	13.64
M135590		Hi Lift Blade for 54 In. Mower	17.27
		<b>Mower Decks</b>	
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For X400/X500 HDGT and X700 Series  
Garden Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
		<b>MCS Hoppers</b>	
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	507.19
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	555.33
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	555.33
BG20867		54 HC High-Performance Power Flow (X700 Signature Series)	674.10
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	555.33
		<b>Miscellaneous</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
		<b>Mower Decks</b>	
BM19894		Leaf bagging kit (48C or 48X Mower)	105.93
BM20985		Leaf bagging kit (54C or 54X Mower)	132.69
BM20986		Leaf bagging kit (62C or 62X Mower)	147.66

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX)  
Equipment for Base Machine**

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21682		Power Flow chute (14 bu)	144.46
		<b>MCS Hoppers</b>	
BM21680		14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Also Requires ""C or X"" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.</i>	957.66
		<b>MCS Power Flow Blowers</b>	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotatable Anti-Scalp Wheels) Cartoned Deck.</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower	555.33



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series  
Garden Tractors)**

Equipment for Base Machine

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>MCS Chutes</b>	
BM21682		Power Flow chute (14 bu)	144.46
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Not compatible with 48X deck on X729, X739 or X749 Tractors. Requires BM20714 Click-N-Go Bracket, Requires ""C"" Series high performance power flow blower assembly and power flow chute.  Front ballast is recommended when bagging, especially on hills or inclines.</i>	975.84
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	555.33
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	555.33
BG20867		54 HC High-Performance Power Flow (X700 Signature Series)	674.10
BM22697		54C/54X/54D High-Performance Power Flow blower	555.33
BG20727		60 HC High-Performance Power Flow (X700 Signature Series)	691.21
BM24514		60D High-Performance Power Flow	737.23
BM21496		62C/62X High-Performance Power Flow	555.33
		<b>Miscellaneous</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.**  
Equipment for Base Machine

Hopper Volume = 6.5 Bushels  
ABS Hopper Top  
2 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners

Ployethylene Blower and Fan  
will not Rust or Corrode  
No Tools Cargo Mount

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers</b>	
BM21376		6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	809.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mowers and Attachments for Mowers For Non-Current Riding Lawn Equipment**  
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Mower Decks</b>			
AM119680		Blowout Reduction kit (54-in. Mower)	107.28
BM20985		Leaf bagging kit (54C or 54X Mower)	132.69
BM20986		Leaf bagging kit (62C or 62X Mower)	147.66
AM108476		Mower deck wear plate, 38-in. (97-cm) Mower	102.93
<b>Mulch Kits</b>			
AM115361		Leaf Mulcher Kit <i>For 48 In. and 54 In. Mowers.</i>	185.96

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**38 in. Edge Xtra Deck (38X)**  
Equipment for Base Machine

38-in. (96.5-cm) cutting width  
Side discharge Edge Xtra  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

9038M		38 in. Edge Xtra Deck (38X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, and X310). Requires M156856 Right-Hand Lift Arm.</i>	615.00
-------	--	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	No Added Cost
0195	Mexico	No Added Cost
0250	All Other Countries	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM21817	Mulch kit, 38 in. (97 cm)/38X		138.03

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 in. Edge Xtra Deck (42X)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Side discharge Edge Xtra  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

9039M		42 in. Edge Xtra Deck (42X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>	615.00
-------	--	---	--------

**DESTINATION**

0202		United States and Canada	In Base Price
0230		Australia and New Zealand	No Added Cost
0195		Mexico	No Added Cost
0250		All Other Countries	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM21816	Mulch kit, 42 in. (107 cm)/42X		103.79

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 in. Edge Mulch Deck (42M)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Mulch rear discharge  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

903RM		42 in. Edge Mulch Deck (42M) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>  <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38,X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	720.00
-------	--	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	No Added Cost
0195	Mexico	No Added Cost
0250	All Other Countries	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>	
AM130907	Mower deck leveling gauge	6.95

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 48 in. Edge Xtra Deck (48X) Equipment for Base Machine

48-in. (122-cm) cutting width  
Side discharge Edge Xtra  
11-gauge, 0.120-in. (3-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin.*

903SM		48 in. Edge Xtra Deck (48X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>  <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,025.00
-------	--	---	----------

#### DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	No Added Cost
0195	Mexico	No Added Cost
0250	All Other Countries	No Added Cost

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge	6.95
<b>Mulch Kits</b>		
BM20007	Mulch kit (48C/48X)	164.79

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54 in. Edge Xtra Deck (54X)**  
Equipment for Base Machine

54-in. (137-cm) cutting width  
Side discharge Edge Xtra  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

903TM		54 in. Edge Xtra Deck (54X) <i>For Model Year 2006-2015 Select Series Tractors (X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>	1,330.00
-------	--	---	----------

**DESTINATION**

0202		United States and Canada	In Base Price
0230		Australia and New Zealand	No Added Cost
0195		Mexico	No Added Cost
0250		All Other Countries	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM20827	Mulch kit (54C/54D/54X)		222.56



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42-in. Accel Deep Mower Deck (42A)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Side discharge Accel Deep  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5370M		42-in. Accel Deep Mower Deck (42A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	600.00
-------	--	--	--------

**DESTINATION**

001A		US/CANANDA	In Base Price
0195		MEXICO	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM24794	42A MulchControl attachment		139.10

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42-in. Edge Mulch Mower Deck (42M)**  
Equipment for Base Machine

42-in. (107-cm) cutting width	Mower wash port
Mulch rear discharge	Two front mower wheels
12-gauge, 0.105-in. (2.7-mm)	
stamped-steel deck shell	
Belt drive	
Two greaseable blade spindles	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5376M		42-in. Edge Mulch Mower Deck (42M) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	700.00
-------	--	--	--------

**DESTINATION**

001A		US/CANANDA	In Base Price
------	--	------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48-in. Accel Deep Mower Deck (48A)**  
Equipment for Base Machine

48-in. (122-cm) cutting width	Four mower wheels and front center roller
Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Belt drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5372M		48-in. Accel Deep Mower Deck (48A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, X370, X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>  <i>X330, X350, and X354 tractors shipped with 42A mower deck or less deck require BM25887 lift assist spring kit.</i>	1,000.00
-------	--	---	----------

**DESTINATION**

001A	US/CANANDA	In Base Price
0195	MEXICO	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>	
AM130907	Mower deck leveling gauge	6.95
	<b>Mulch Kits</b>	
BM24993	48A MulchControl attachment	169.06

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54-in. Accel Deep Mower Deck (54A)**  
Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels and front center roller
Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Belt drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5373M		54-in. Accel Deep Mower Deck (54A) <i>For Model Year 2016- Select Series Tractors (X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>	1,300.00
-------	--	--	----------

**DESTINATION**

001A		US/CANANDA	In Base Price
0195		MEXICO	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge	6.95
<b>Mulch Kits</b>		
BM24994	54A MulchControl attachment	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48-in. Shaft Drive Edge Xtra Mower Deck (48X)**  
Equipment for Base Machine

48-in. (122-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra 11-gauge, 0.120-in. (3-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9070M		48-in. Shaft Drive Edge Xtra Mower Deck (48X) For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, and Model Year 2013-2015 X700 Signature Series.  Model Year 2013-2015 Signature Series Models (X710, X730, X734, X738, X739, X750, X754, and X758) require BM24370 Upstop Kit (Order Through Parts).	1,330.00
-------	--	---	----------

**DESTINATION**

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Attaching Parts</b>			
BM24370		48X Draft arm kit, X700 Signature Series Installation on X700 tractors built after 22 September 2016 (including all model year 2017- tractors) also require two M176459 half-moon bushings.	66.34
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM20007		Mulch kit (48C/48X)	164.79

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)**  
Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	Mower wheels rotate 90 degrees for easy mower removal
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9071M		54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,330.00
-------	--	---	----------

**DESTINATION**

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

**ATTACHING PARTS**

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	272.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	539.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Attaching Parts</b>			
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	197.96
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	311.37
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	420.51
<b>Hydraulics</b>			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	432.29
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	294.26
		<b>Mulch Kits</b>	
BM20827		Mulch kit (54C/54D/54X)	222.56
		<b>Spanish North American Kit</b>	
LVB26020		North American Spanish Labels	0.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48-in. Shaft Drive Accel Deep Mower Deck (48A)**  
Equipment for Base Machine

48-in. (122-cm) cutting width	Four mower wheels and front center roller
Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9077M		48-in. Shaft Drive Accel Deep Mower Deck (48A) <i>For X700 Signature Series (Model Year 2013-).</i>	1,300.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**POWER TAKE-OFF (PTO) CONNECTION**

3425		Standard Connect	In Base Price
3426		Auto Connect	254.00
3490		Less Drive Shaft	-187.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM24993	48A MulchControl attachment		169.06
	<b>Power Take-Off (PTO) Connection</b>		
BM25677	AutoConnect attachment, X700 Signature Series and X940s		505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s		214.00
	<b>Spanish North American Kit</b>		
BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>		34.24



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54-in. Shaft Drive High Capacity Mower Deck (54 HC)**  
Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9078M		54-in. Shaft Drive High Capacity Mower Deck (54 HC) <i>For X700 Signature Series (model year 2013-).</i>	1,700.00
-------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**POWER TAKE-OFF (PTO) CONNECTION**

3425		Standard Connect	In Base Price
3426		Auto Connect	254.00
3490		Less Drive Shaft	-187.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM23977	54 HC Mulch kit		237.54
BM26300	54-in. High Capacity MulchControl attachment		241.81
BUC10536	Hydraulic MulchControl actuator		329.56
	<b>Power Take-Off (PTO) Connection</b>		
BM25677	AutoConnect attachment, X700 Signature Series and X940s		505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s		214.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60-in. Shaft Drive High Capacity Mower Deck (60 HC)**  
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9075M		60-in. Shaft Drive High Capacity Mower Deck (60 HC) <i>For X700 Signature Series (Model Year 2013-).</i>	2,100.00
-------	--	---	----------

**DESTINATION**

0195		Mexico	No Added Cost
001A		United States and Canada	In Base Price

**POWER TAKE-OFF (PTO) CONNECTION**

3425		Standard Connect	In Base Price
3426		Auto Connect	254.00
3490		Less Drive Shaft	-187.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge		6.95
	<b>Mulch Kits</b>		
BM23978	60 HC Mulch kit		249.31
BM25258	60-in. High Capacity MulchControl attachment		257.87
	<b>Power Take-Off (PTO) Connection</b>		
BM25677	AutoConnect attachment, X700 Signature Series and X940s		505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s		214.00
	<b>Spanish North American Kit</b>		
BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>		34.24

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60-in. Shaft Drive 7-Iron Mower Deck (60D)**  
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels and front center roller
Side discharge 7-Iron 7-gauge, 0.179-in. (4.6-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9076M		60-in. Shaft Drive 7-Iron Mower Deck (60D) <i>Compatible With Model Year 2007-2012 (Serial 020,001-080,000) X700-Series 2-Wheel Steer Tractors. Not Compatible with 4-Wheel Steer Models.</i>  <i>Requires Turf Tires or BM22425 HDAP Tires. BM22425 Tires are Factory Equipment on Serial MOX728A020102- and MOX748A020388-.</i>  <i>See Sales Manual for Complete Compatibility Information for 3-Point Hitches, Cabs, Special Edition Models and Special Edition Serial Number Breaks.</i>	2,250.00
-------	--	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mower Decks</b>		
AM130907	Mower deck leveling gauge	6.95
<b>Mulch Kits</b>		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)**  
Equipment for Base Machine

62-in. (157-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	Mower wheels rotate 90 degrees for easy mower removal
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

9072M		62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,740.00
-------	--	---	----------

**DESTINATION**

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

**ATTACHING PARTS**

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	272.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	539.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Attaching Parts</b>			
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	197.96
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	311.37
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	420.51
<b>Hydraulics</b>			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	432.29
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	294.26
BM21890		<b>Mulch Kits</b> Mulch kit (62C/62D/62X)	237.54
LVB26020		<b>Spanish North American Kit</b> North American Spanish Labels	0.00

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### Mulching Attachments Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Mower Decks</b>			
BM20985		Leaf bagging kit (54C or 54X Mower)	132.69
BM20986		Leaf bagging kit (62C or 62X Mower)	147.66
<b>Mulch Kits</b>			
BM17920		30-in. Tricycler Mulching Attachment <i>Fits 108, 130 and Riders.</i>	132.69
BM24794		42A MulchControl attachment	139.10
BM19321		46-in. Tricycler Mulching Attachment <i>Fits 46 In. Decks with Hinged Discharge, include Blades.</i>	176.56
BM24993		48A MulchControl attachment	169.06
BM23977		54 HC Mulch kit	237.54
BM17869		54-in. (137-cm) Tricycler Mulching kit	256.80
BM26300		54-in. High Capacity MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	241.81
BM24994		54A MulchControl attachment	219.36
BM23978		60 HC Mulch kit	249.31
BM17878		60-in. (152-cm) Tricycler Mulching kit	274.99
BM25258		60-in. High Capacity MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	257.87
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
BM20686		Mulch Kit, 42-in. rear discharge (LTR155, LTR166, LTR180)	180.83
BM19918		Mulch Kit, 48-in (122-cm)	242.89
BM20007		Mulch kit (48C/48X)	164.79
BM20827		Mulch kit (54C/54D/54X)	222.56
BM21890		Mulch kit (62C/62D/62X)	237.54
BM21817		Mulch kit, 38 in. (97 cm)/38X	138.03
BM21816		Mulch kit, 42 in. (107 cm)/42X	103.79

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Mulching Attachments**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20008	Mulch kit, 42 in. (107 cm)/42X (LX/GT) <i>Fits 42 In. Convertible Mower (42C) Only.</i>	103.79
	BG20304	Mulch kit, 54 in. (137 cm) <i>Fits G110, 190C.</i>	232.19

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
Equipment for Base Machine

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive (2) Adjustable Rear Mounting
48 In. (1,219 mm) Clearing Width "Angled"	Caster Wheels
Storage Stands	Brush Head Height Adjustment
21 In. (533 mm) Diameter	Three Spare Driveshaft Shear
Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M		52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,239.00
-------	--	---	----------

**FRONT QUICK-HITCH**

1000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
1012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
1005		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	672.00
1006		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
1013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.  Includes BLV10680 front attaching support kit.</i>	941.00
1010		Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING**

2000		Hydraulic Angling	194.00
------	--	-------------------	--------



**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>HYDRAULIC ANGLING Continued...</b>			
<i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>			
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
2009		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	265.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	196.00
2010		Less Hydraulic Angling	In Base Price
<hr/>			
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	289.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	273.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
<hr/>			
<b>IMPLEMENT DRIVE SHAFT</b>			
4000		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	257.00
4006		Implement Drive Shaft <i>For model year 2017- 2025R.</i>	285.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

#### 52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>IMPLEMENT DRIVE SHAFT Continued...</b>			
<i>Includes BLV10900 implement drive shaft and BLV10794 mounting frame.</i>			
4002		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	270.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	257.00
4010		Less Implement Drive Shaft	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Front Power Take-Off (PTO)</b>	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
		<b>Front Quick-Hitch</b>	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01

## JOHN DEERE TURF & UTILITY PRODUCTS

### EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

#### 52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Implement Drive Shaft</b>	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
		<b>Miscellaneous</b>	
BM21777		Deflector kit (52-in. Rotary Broom)	63.13
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

---

**52 in. Quick-Hitch Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM21853	Thatching-wheel kit (52-in. Rotary Broom)	274.99
		<b>Miscellaneous</b>	
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Mounting Frame</b>	
	BLV10794	52-in. Quick-Hitch Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	32.10
		<b>Spanish North American Kit</b>	
	BLV11054	52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
	BM26530	52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
	BLV11056	60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Equipment for Base Machine

57 In. (1,448 mm) Clearing Width "Straight"	Chain and Sprocket Final Drive (2) Adjustable Rear Mounted
50 In. (1,270 mm) Clearing Width "Angled"	Caster Wheels Broom Head Float
Storage Stands	Four Spare Driveshaft Shear
26 In. (660 mm) Diameter	Bolts Two Sizes, "Mounted to Shell"
Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M		60 In. Heavy-Duty Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2036R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010, 4100, 4110, 4115, and 4400-4410 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. See Sales Manual for ballast requirements. Not compatible with BM17347, 400-Series Quick-Hitch. Compact tractors require dual selective control valve and mid PTO. Small chassis compact tractors also require front attaching support kit. See Sales Manual for front attaching support requirements. 3120-3720 Tractors with mid-mount mowers for use with front three-point hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,429.00
-------	--	---	----------

**MOUNTING FRAME**

1000		Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700s, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115, model year 2013-2016 2025R, and model year 2013-2016 2032R.</i>	402.00
1004		Mounting Frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	402.00
1001		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	831.00
1003		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For model year 2017- 2032R, 2036R and 2038R.</i>	875.00
1010		Less Mounting Frame	In Base Price

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	632.00
2002		Front Quick-Hitch and Hydraulic Lift	774.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT QUICK-HITCH Continued...</b>			
<i>For 4210-4410.</i>			
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>  <i>Also requires LVB25396 front attaching support.</i>	672.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010,4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i>  <i>Includes BLV10680 front attaching support kit.</i>	941.00
2011		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>  <i>Includes BLV10796 front attaching support kit.</i>	931.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,447.00
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For model year 2017- 2032R, 2036R and 2038R.</i>	1,447.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
<hr/>			
<b>HYDRAULIC ANGLING</b>			
<i>Hydraulic Angling for 3120-3720, model year 2017- 2032R, 2036R, 2038R, 4200-4400, and 4210-4410 Tractors are included in option codes 1001, 1002, and 1003.</i>			
3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	194.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	196.00
3003		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
3005		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	265.00
3010		Less Hydraulic Angling	In Base Price
<hr/>			
<b>FRONT POWER TAKE-OFF (PTO)</b>			
4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	266.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	266.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	265.00
4005		2000 RPM Front PTO Kit <i>For 2210 and 2305.</i>	289.00
4006		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
4017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
4007		2000 RPM Front PTO Kit <i>For model year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	273.00
4016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	344.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
4012		2000 RPM Front PTO Kit <i>For model year 2017- 2032R, 2036R and 2038R.</i>	274.00
<b>IMPLEMENT DRIVE SHAFT</b>			
<i>Drive Shaft for Model Year 2017- 2032R, 2036R, 2038R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.</i>			
5001		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	270.00
5003		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	257.00
5005		Implement Drive Shaft <i>For model year 2017- 2025R Tractors.</i>	257.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	257.00
5010		Less Implement Drive Shaft	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Power Take-Off (PTO)</b>	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes RIO override for front implements.</i>	323.40
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	303.89
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	95.70
		<b>Front Quick-Hitch</b>	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	215.60
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	95.70
LVB25878		Front 3-Point Hitch (3120-3720)	1,344.99
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	770.40



## JOHN DEERE TURF & UTILITY PRODUCTS

### EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

#### 60 In. Heavy-Duty Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,393.70
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,393.70
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Implement Drive Shaft</b>	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
LVB24956		Implement Drive Shaft for Rotary Brooms (3120-3720, 3033R-3046R)	178.69
BLV10800		Implement Drive Shaft for Rotary Brooms (model year 2017- 2032R, 2036R, and 2038R)	230.06
		<b>Miscellaneous</b>	
BM19805		Debris deflector (60-in. Heavy-Duty Rotary Broom)	428.00
LVB24810		Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	243.96

## JOHN DEERE TURF & UTILITY PRODUCTS

### EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

#### 60 In. Heavy-Duty Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	179.30
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
BM20706		Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	370.21
AM128682		Wafers, Polypropylene Bristle (Pack of 16)	303.49
AM128683		Wafers, Steel Bristle (Pack of 16)	487.97
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Mounting Frame</b>	
BM20626		60-in. Rotary Broom mounting frame <i>For use on X400/X500 HDGT's, X700s, 2210, 2305, model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	461.17
BLV10795		60-in. Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	461.17
BLV10776		Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R, model year 2017-2032R, 2036R, and 2038R)	773.61
		<b>Spanish North American Kit</b>	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
BM26530		52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 44-in. Snow Blower Equipment for Base Machine

1118 mm (44 in.) clearing width	Cast iron gear box
One-tool removal and re-installation	Sealed, anti-friction ball bearings
305 mm (12 in.) diameter auger	Remote spout cap control
Reversible and replaceable cutting blade	Adjustable skid shoes
200-degree spout rotation	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

700AM	44-in. Snow Blower <i>Compatible with 100 Series and S240 Tractors built after April 2014. This includes all S240 models, all E100 models, and includes the D100 models above the serial number breaks listed in heat shield DTAC solution 98995.  <a href="http://dtac.deere.com/Solutions/English/98995.htm">http://dtac.deere.com/Solutions/English/98995.htm</a></i>  Requires two UC13263 suit case weights and one BG20627 rear weight bracket. Tire chains are recommended for additional traction.  Sales are restricted to the following countries: Canada, and United States.	1,489.00
-------	--	----------

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
M88984	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
LP68150	Snow blower electric lift kit (for snow blower 700AM on 100 Series and S240) <i>Availability expected February 2017</i>	435.00
BUC10298	<b>Spanish North American Kit</b> Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 44-in. Snow Blower Equipment for Base Machine

1118-mm (44-in.) Clearing Width Easy-On, Easy-Off Mounting 305-mm (12-in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

	<i>F.O.B. Davenport, Iowa</i>		
7001M		44-in. Snow Blower <i>For model year 2006-2015 Select Series tractors (model X300, X304, X310, X320, X324, X340, X360, X300R, X305R, model X500, and X520).</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>  <i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i>  <i>X300 and X304 tractors shipped with 38X, 42X, or less deck require AM136646 lift assist spring kit.</i>  <i>X300-42M and X304-42M built with Edge Mulch deck with a single belt (model year 2006-2009, S.N. 010,001- 150,000) require AM136646 lift-assist spring kit.</i>  <i>X320, X324, X340, model X500, and X520 tractors built prior to September 2006 (see Sales Manual for tractor serial number breaks) require the original M151924 lift-assist spring be replaced with AM136645 lift-assist spring.</i>  <i>X300R and X305R tractors require collection hopper or a rear deflector kit. For snow blowers built prior to April 2008 (S.N. -030,001) see DTAC solution 79224 for adaptation instructions.</i>  <i>Not for sale in France.</i>	1,609.00

#### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous</b>		
	<b>M88984</b>	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
	<b>LP33711</b>	Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
	<b>M157831</b>	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
	<b>AM122263</b>	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
	<b>AM122264</b>	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**44-in. Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	240.74

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 44-in. Snow Blower Equipment for Base Machine

1118 mm (44 in.) Clearing Width Easy-On, Easy-Off Mounting 305 mm (12 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

7007M	<p><i>F.O.B. Davenport, Iowa</i></p> <p><b>44-in. Snow Blower</b>                  For model year 2016- Select Series tractors (X330, X350, X354, X370, X380, X384, X390, X394, X350R, and X570).</p> <p><i>Rear weights and tire chains are recommended for additional traction.</i></p> <p><i>X330, X350, and X354 tractors shipped with 42-in. Accel Deep mower deck or less deck require BM25887 lift assist spring kit.</i></p> <p><i>X350R tractors require BM24810 supplemental lift assist spring kit.</i></p> <p><i>X350R tractors require collection hopper or a rear deflector kit.</i></p> <p><i>Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i></p>	1,609.00
-------	--	----------

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous</b>	
M88984	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
LP64865	Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>	459.00
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**44-in. Snow Blower**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Spanish North American Kit</b>	
	BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 47-in. Snow Blower Equipment for Base Machine

1194 mm (47 in.) Clearing Width Easy-On, Easy-Off Mounting 406 mm (16 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

	<i>F.O.B. Davenport, Iowa</i>	
7002M	47-in. Snow Blower For model year 2006-2015 Select Series tractors (X530, X534, X540, and model year 2015 X590).  <i>Rear weights and tire chains are recommended for additional traction.</i>  <i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i>  Also order M158756 spring and M174506 belt when used on model year 2015 X590 (serial 100,001-110,000).  Not for sale in France.	1,815.00

#### ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
M88984	Drift Blade For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.	31.38
LP33711	Electric Lift Kit (Model Year 2006-2015) For snow blower and front blade	408.00
M157831	Skid shoe, Plastic (1) Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.	28.43
AM122263	Skid shoe, heavy-duty left-hand (1) Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers	62.75
AM122264	Skid shoe, heavy-duty right-hand (1) Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers	62.75
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.	240.74



## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 47-in. Snow Blower Equipment for Base Machine

1194 mm (47 in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
406 mm (16 in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

	<i>F.O.B. Davenport, Iowa</i>	
7008M	47-in. Snow Blower <i>For model year 2016- Select Series tractors (X580, X584, and model year 2016- X590).</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>  <i>Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	1,815.00

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Miscellaneous</b>		
M88984	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	62.75
<b>Spanish North American Kit</b>		
BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower  
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M		47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,179.00
-------	--	---	----------

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	654.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 front attaching support.</i>	672.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.  Includes BLV10680 front attaching support kit.</i>	941.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
2010		Less Front Quick-Hitch	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	242.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	289.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://diac.deere.com/Solutions/English/111853.htm">http://diac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	273.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	227.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	379.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>  <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	432.00
4010		Less Implement Drive and Upstop	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
4013		<b>IMPLEMENT DRIVE AND UPSTOP Continued...</b> Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	274.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BLV10786		<b>Front Power Take-Off (PTO)</b> 2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BM17330		2000-rpm front power take-off (PTO) (415, 425, 445, 455)	277.13
BM20921		<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	29.96
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
LVB24902		<b>Implement Drive and Upstop</b> Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	434.41
BM20871		Implement Drive and Upstop (425, 445, 455, F900's)	260.01
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
M88984		<b>Miscellaneous</b> Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	292.11
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
AM119321		Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000)</i>	66.33
AM128337		Left-Side Skid Shoe Plate and Hardware	51.51

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	129.47
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
AM128336		Right-Side Skid Shoe Plate and Hardware	51.51
M157831		Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Spanish North American Kit</b>	
BLV11058		47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

02C1M		54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, model year 2013-2016 2032R, 2320-2720 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,619.00
-------	--	--	----------

**FRONT QUICK-HITCH**

2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 front attaching support.</i>	672.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, and 2320, 2520, 2720 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720).</i>	734.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	941.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	931.00
2010		Less Front Quick-Hitch	In Base Price

**FRONT POWER TAKE-OFF (PTO)**

3007		2000 RPM Front PTO	289.00
------	--	--------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
<i>For 2305 Tractor.</i>			
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	273.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00

**IMPLEMENT DRIVE AND UPSTOP**

4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	288.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>  <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	432.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	274.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Front Power Take-Off (PTO)</b>		
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BM20921		<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
BM23238		<b>Implement Drive and Upstop</b> Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	339.19
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
M88984		<b>Miscellaneous</b> Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	292.11

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25396	Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
	LVB24895	Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
	BLV10796	Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
	BM20753	Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
	LVB25302	Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
	AM128337	Left-Side Skid Shoe Plate and Hardware	51.51
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	129.47
	LVB24958	Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
	BLV10720	Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
	AM128336	Right-Side Skid Shoe Plate and Hardware	51.51
	M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
		<b>Miscellaneous</b>	
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Spanish North American Kit</b>	
	BLV11058	47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**Front Mounted Thatchers**  
Equipment for Base Machine

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Mounting Frames</b>	
BM20853		Thatcher Mounting Frame <i>For X400/X500 HDGT and X700 Ultimate Tractors.</i>	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**30-in. Mechanical Tiller**  
Equipment for Base Machine

762 mm (30 In.) Tilling Width  
356 mm (14 In.) Tine Diameter  
152 mm (6 In.) Tilling Depth  
Easy-On, Easy-Off Mounting

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
5003M		30-in. Mechanical Tiller <i>For Select Series Model X500, X520, X530, X540, X570, X580, and X590 Tractors.</i>  <i>See Sales Manual for Ballast Requirements.</i>	1,819.00
<b>DESTINATION</b>			
001A		US and Canada	In Base Price

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 42-in. Hydraulic Tiller Equipment for Base Machine

1067 mm (42 In.) Tilling Width	Door
356 mm (14 In.) Tine Diameter	Standard or Counter-Rotating
25-152 mm (1-6 In.) Tilling Depth	Tines
Self-Contained Hydraulic Drive System	
Adjustable Rear Hinged Cover	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

5002M		42-in. Hydraulic Tiller <i>For Select Series Model X530, X540, X580, and X590 Tractors.</i>  <i>See Sales Manual for Ballast Requirements.</i>	2,625.00
-------	--	---	----------

#### ATTACHMENTS FOR FIELD CONVERSION

	BM19406	<b>Miscellaneous</b> Adjustable skid shoes (42-in. Hydraulic Tiller)	234.33
--	---------	---	--------

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### 42-in. Hydraulic Tiller Equipment for Base Machine

1067 mm (42 In.) Tilling Width	Depth
Shaft Drive with Lock-Back Collar	Adjustable Rear Hinged Cover Door
Category "1" 3-Point Hitch Mounting	Standard or Counter-Rotating Tines
356 mm (14 In.) Tine Diameter	
25-152 mm (1-6 In.) Tilling	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

4392M	<p><b>42-in. Hydraulic Tiller</b>  <i>For X700s and non-current X400 and X500 Heavy-Duty Garden Tractors (HDGT). See base code 5002M for the version used on X530, X540, X580, and X590 Tractors.</i></p> <p><i>Bar tires are recommended on two-wheel drive tractors and HDAP tires recommended on four-wheel drive tractors for tilling applications. Tire chains are not recommended for tilling.</i></p> <p><i>72 kg (160 lbs.) of front ballast is required for X400 and X500 HDGT and X700 Series Garden Tractors.</i></p> <p><i>X400 and X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i></p>	2,510.00
-------	--	----------

#### ATTACHMENTS FOR FIELD CONVERSION

	<p><b>Miscellaneous</b> Adjustable skid shoes (42-in. Hydraulic Tiller)</p>	234.33
--	---	--------

## JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

### Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors Equipment for Base Machine

Spreaders: Capacity and Type: 80 Lb. Pull-Type (TY25010) 125 Lb. Pull-Type (TY25011) 175 Lb. Pull-Type (TY25012) 175 Lb. Pull-Type (LPBST35JD) NEED TO UPDATE ALL SPECS 40 Lb. Push-Type (TY24375) Hopper Material Stainless Steel (40 Lb.) Polyethylene (80-, 125-, 175, 110- Lb.) 80 Setting Dial-A-Matic Rate Control Knob Solid, One-Place Axle	Drive Gears Delron/Nylon (40- and 80-Lb.) Heavy-Duty Die Cast Metal (110-, 125-, and 175-Lb.) Tires: 10 In. Pneumatic (80 Lb.) 14 In. Pneumatic (125- and 175-Lb.) 8x2.25 In. Semi-Pneumatic (40 Lb) 13x5 In. Turf Saver (110 Lb) Powder-Coated 16 gauge Tubular Steel Frame Stainless Steel Hopper Bottom	No-Stick Nylon Rate Gauge Stainless Steel Rate Gauge Linkage and Rotary Agitator One-Year Limited Warranty
---	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Carts</b>	
LPUT21JD		Utility Cart, 21 Steel	925.00
		<b>Carts</b>	
LPPCT10JD		Utility Cart, 10P Poly	255.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPHDC18JD		Utility Cart, 18 Steel	510.00
		<b>Order Zone</b>	
LP3100		100 Lb. Push-Type Spreader	269.00
LP25011		125 Lb. Pull-Type Spin Spreader	265.00
LP25012		175 Lb. Pull-Type Spin Spreader	299.00
LP3050		50 Lb. Push-Type Spin Spreader	179.00
LPPTK10		Cart Hard Top - 10 cu. Ft.	115.00
		<b>Sprayers</b>	
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.</i>	624.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)</i>	30.78
		<b>Spreaders</b>	
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Thatchers</b>	
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00