#### 1550 TerrainCut Commercial Front Mower (Less Mower Deck)

**Equipment for Base Machine** 

24.2 HP (17.8 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 77 cu. in. (1.27
L)
Three Cylinder Liquid-Cooled
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column

mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Internal Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System

Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Folding Two Post ROPS (Roll-Over Protective Structure) and Retractable Seat Belt Cast Iron Rear Bumper Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2400TC		1550 TerrainCut Commercial Front Mower (Less Mower Deck)	19,199.00
		DESTINATION	
001A		North America United States and Canada	In Base Price
		DRIVE SYSTEM	
1190		Two Wheel Drive	In Base Price
1191		Four Wheel Drive (Full Time or On Demand) Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.	2,913.00
		DRIVE WHEELS AND TIRES	
1019		23x10.50-12 4PR Turf Drive Tires	In Base Price
1020		23x8.50-12 4PR Turf Drive Tires	-35.00
1149		Less Drive Wheels and Tires	-332.00
		SEAT	
2010		Deluxe Comfort Seat with Armrests Non-suspension base seat.	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued Air Ride Suspension Seat with Armrests	680.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Auxiliary Hydraulics	
	BTC10531	Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	340.26
	BTC10530	Single-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	622.74
	AR87167	Cold Start Packages Engine Coolant Heater (110 V) 1550 requires Engine Block Heater Adapter (AM882530) to complete installation.	82.67
	TCB10013	Drive Wheels and Tires  Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires  Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.	310.30
	TCA19916	Engine B20 Biodiesel Conversion Kit This kit converts one machine to use B20 Diesel fuel.	233.12
	BTC10562	Hydraulics Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	344.54
	BTC10594	Lighting Beacon Light For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.	329.56
	BTC10644	Front Worklight (2) Kit Requires 4-Post ROPS. Not Compatible with Cab Models.	220.41
	TCB10325	Mirrors (1) Exterior Mirror Kit Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.	233.26
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	57.08
	TCU38442	Bracket, Right-Hand Front Tie Down	59.35
	BTC10529	Double-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	851.71
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	BTC10784	Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	410.89

Mowers)

# JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL FRONT MOWERS AND EQUIPMENT

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	TCB10413	ATTACHMENTS FOR FIELD CONVERSION Continued Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	394.83
	TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	841.37
	BTC10334	Roll Over Protection System (ROPS) 4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.	1,768.71
	TY15956	Tire Chains Tire chains (pair) for 23x10.50-12 tires	81.08
	TY15841	Tire chains (pair) for 23x8.50-12 tires	68.14
	BM18101	Weights Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	31.03
	TCB10303	Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.	116.63
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit.	59.91
	TCB10620	Windshield Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front	511.46

#### 1570 TerrainCut Commercial Front Mower (Less Mower Deck)

**Equipment for Base Machine** 

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 100.2 cu.
in. (1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock

Front Lights (steering column mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 6PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (RollOver Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2430TC		1570 TerrainCut Commercial Front Mower (Less Mower Deck)	26,999.00
		DESTINATION	
001A		North America United States and Canada	In Base Price
		DRIVE SYSTEM	
1190		Two Wheel Drive	In Base Price
1191		Four Wheel Drive (Full Time or On Demand) Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.	2,913.00
		DRIVE WHEELS AND TIRES	
1019		23x10.50-12 4PR Turf Drive Tires	In Base Price
1020		23x8.50-12 4PR Turf Drive Tires	-35.00
1149		Less Drive Wheels and Tires	-332.00
		SEAT	
2010		Deluxe Comfort Seat with Armrests Non-suspension base seat.	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued Air Ride Suspension Seat with Armrests	680.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Auxiliary Hydraulics	
	BTC10531	Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	340.26
	BTC10530	Single-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	622.74
	AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67
		Drive Wheels and Tires	
	TCB10013	Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires Requires (2) Sets of 23x8.50-12 in. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.	310.30
		Hydraulics	
	BTC10562	Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	344.54
		Lighting	
	BTC10594	Beacon Light For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.	329.56
	BTC10644	Front Worklight (2) Kit Requires 4-Post ROPS.	220.41
		Not Compatible with Cab Models.	
		Mirrors	
	TCB10325	(1) Exterior Mirror Kit Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.	233.26
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	57.08
	TCU38442	Bracket, Right-Hand Front Tie Down	59.35
	BTC10529	Double-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	851.71
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	BTC10784	Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	410.89
	TCB10413	Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	394.83
	TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	841.37

#### 1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10334	ATTACHMENTS FOR FIELD CONVERSION Continued Roll Over Protection System (ROPS) 4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.	1,768.71
	TY15956	Tire Chains Tire chains (pair) for 23x10.50-12 tires	81.08
	TY15841	Tire chains (pair) for 23x8.50-12 tires	68.14
	BM18101	Weights Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	31.03
	TCB10303	Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.	116.63
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit.	59.91
	TCB10620	Windshield Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)	511.46

#### 1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

**Equipment for Base Machine** 

37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L)Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 23x10.50-12 In. 4PR Turf Drive Tires 18x8.50-10 In. 6PR Turf

Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video

Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension Seat with Adjustable Armrests,
Lumbar, and Seat Back
Dual Forward Work Lights
Two Speed Front Windshield
Wiper
Rearview Mirror (inside)
Sun Visor
Interior Light
Two Front/Two Rear Roof
Mounted
Warning Lights and Turn
Signals
Double Spool Auxiliary
Hydraulic Valve
with Forward-mounted
Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2443TC		1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	40,199.00
		DESTINATION	
001A		North America United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	340.26
	AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67
	BTC10562	Hydraulics Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	344.54
	LVB24852	Lighting Beacon Light Kit (Cab Only)	251.90

Mirrors

#### 1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB24844	ATTACHMENTS FOR FIELD CONVERSION Continued External Mirror Kit (Cab Only)	196.90
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	57.08
	TCU38442	Bracket, Right-Hand Front Tie Down	59.35
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10677	Radio Mount Kit (Cab Only)	126.26
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	BTC10784	Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	410.89
	TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	841.37
	LVB24853	Miscellaneous Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights, cab is pre-wired.	156.20
	SWJHD1630	Operator's Station Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Requires radio mounting kit to complete installation.	243.61
	RE321109	Radio Radio Kit Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.	942.70
	TY15956	Tire Chains Tire chains (pair) for 23x10.50-12 tires	81.08
	BM18101	Weights Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	31.03
	TCB10303	Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.	116.63
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit.	59.91

#### 1580 TerrainCut Commercial Front Mower (Less Mower Deck)

**Equipment for Base Machine** 

37.4 HP (27.5 kW), gross SAE J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand

Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 26x12.00-12 In. Square Shoulder 6PR Turf Drive Tires 20x10.00-10 In. 6PR Round Shoulder Steering Tires Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (RollOver Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2451TC		1580 TerrainCut Commercial Front Mower (Less Mower Deck)	32,549.00
		DESTINATION	
001A		North America United States and Canada	In Base Price
		SEAT	
2010		Deluxe Comfort Seat with Armrests Non-suspension base seat.	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00
2012		Air Ride Suspension Seat with Armrests	680.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	340.26
	BTC10530	Single-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	622.74
	AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67

#### 1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Hydraulics	
	BTC10562	Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	344.54
	BTC10594	Lighting Beacon Light For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.	329.56
	BTC10644	Front Worklight (2) Kit Requires 4-Post ROPS. Not Compatible with Cab Models.	220.41
	TCB10325	Mirrors (1) Exterior Mirror Kit Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.	233.26
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	57.08
	TCU38442	Bracket, Right-Hand Front Tie Down	59.35
	BTC10529	Double-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	851.71
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	841.37
	BTC10334	Roll Over Protection System (ROPS) 4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.	1,768.71
	TY15958	<b>Tire Chains</b> Tire chains (pair) for 26x12-12 tires	97.67
	BM18101	Weights Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	31.03
	TCB10303	Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.	116.63
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit.	59.91

Windshield

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	TCB10620	ATTACHMENTS FOR FIELD CONVERSION Continued Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)	511.46

#### 1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, P Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L)Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Two-Speed Transaxle Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 26x12.00-12 In. Square Shoulder 6PR Turf Drive Tires

20x10.00-10 In. 6PR Round Shoulder Steering Tires Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video

Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension

Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights Double Spool Auxiliary Hydraulic Valve with Forward-mounted Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2463TC		1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	42,649.00
		DESTINATION	
001A		North America United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	340.26
	AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67
	BTC10562	Hydraulics Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	344.54
	LVB24852	Lighting Beacon Light Kit (Cab Only)	251.90

Mirrors

### 1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB24844	ATTACHMENTS FOR FIELD CONVERSION Continued External Mirror Kit (Cab Only)	196.90
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	57.08
	TCU38442	Bracket, Right-Hand Front Tie Down	59.35
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10677	Radio Mount Kit (Cab Only)	126.26
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	841.37
	LVB24853	Miscellaneous Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights, cab is pre-wired.	156.20
	SWJHD1630	Operator's Station Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Requires radio mounting kit to complete installation.	243.61
	RE321109	Radio Radio Kit Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.	942.70
	TY15958	Tire Chains Tire chains (pair) for 26x12-12 tires	97.67
	BM18101	Weights Mounting hardware (1) for attaching 72-lb (33-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	31.03
	TCB10303	Rear Weight Mounting Kit Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.	116.63
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit.	59.91