

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)
Equipment for Base Machine

ENGINE:

46 Engine kW (62 hp) (839 cc),
electronic fuel injection (EFI)
2-cylinder, liquid-cooled, dual
overhead cams, 4-cycle gasoline
full pressure, and dry sump with
reservoir lubrication system
Replaceable single dry-type
element air cleaner with remote
intake
28-L (7.4-gal.) fuel capacity
Solid-state ignition (12 V)
Spark-arresting muffler
ELECTRICAL:
Electric start
38-amp (450-W) alternator
340 cold cranking amps (CCA)
battery
Four 27-W halogen headlights
Brake and tail light
TRANSAXLE AND TRANSMISSION:
Continuously variable
Transmission
Full clutch enclosure
Two-speed transaxle
Operator selectable four-wheel
drive (4WD)
97 km/h (60 mph) maximum
Forward speed
On-demand true four-wheel drive
system
Lockable limited slip; switch
engagement
Front differential
Spool rear final drive
Front and rear hydraulic disk
brakes
Foot brake; mechanical disk
Actuation
Park brake
Large diameter half shafts with
thermoplastic elastomer (TPE)
boot axles
STEERING AND SUSPENSION:
Rack and pinion steering

Independent front suspension
Double A-arm with coil over
shock and anti-sway bar
Independent rear suspension
(IRS) with 229 mm (9 in.) of
travel
Independent rear suspension
Semi-trailing double A-arm with
coil over shock and anti-sway
bar independent rear suspension
(IRS) with 229 mm (9 in.) of
travel
Standard 50-mm (2-in.) rear
receiver
6-m (19.7-ft) turning circle
Ground clearance: 266 mm (10.5
in.)
Ground clearance
(Under foot platform): 267 mm
(10.5 in.)
FRAME AND STYLED PARTS:
Full, robotically welded frame
design
Side frame rails for rock
sliding
ROLL-OVER PROTECTIVE STRUCTURE
(ROPS):
44.4-mm (1.75-in.) steel
tubular
Overhead structure
Multiple passenger handholds
3-point seat belts
ISO 3471 and OSHA roll-over
protective structure (ROPS)
certified
OPERATOR STATION:
Professional high-back bucket
seats; tilt forward
Adjustment on driver's seat
Glove box
Storage compartment underhood
Two cup holders
12-V DC outlet
Digital instrument cluster with
speed mph, km/h, rpm, fuel

level, hour meter, odometer,
with trip, clock, water
temperature, and four
wheel-drive (4WD) notice.
DIMENSIONS (WITH ROPS):
3022.6 mm (119 in.) long by
1435.1 mm (56.5 in.) wide by
1828.8 mm (72 in.) high
PAYLOAD CAPACITY:
363-kg (800-lb) total payload
Capacity which includes: 91-kg
(200-lb) driver, 91-kg (200-lb)
passenger, and 181 kg (400 lb)
in cargo box
Towing capacity: 544 kg (1200
lb)
CARGO BOX:
820 mm (32.3 in.) long by 1209
mm (47.6 in.) wide by 297 mm
(11.7 in.) deep
.25-m (8.9-cu ft) capacity
181-kg (400-lb) box capacity
Tilting box; two-sided manual
Release
Hinged (bottom) tailgate
TIRES:
Front: 25x8-12 Ancla M-T (4PR),
26x8-14 Maxxis Bighorn 2.0 (6PR)
Rear: 25x10-12 Ancla M-T (4PR),
26x10-14 Maxxis Bighorn 2.0
(6PR)
SAFETY VIDEO TAPE:
Safety and operational DVD
Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Horicon, Wisconsin</i>			
4631M		RSX860E (MY19) <i>Base machine suggested list price does not include 600 USD destination charge.</i>	10,999.00
DESTINATION			
001A		United States and Canada	In Base Price
PACKAGES			
0501		PR - Base Package G&Y	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
PACKAGES Continued...			
- Green & Yellow (Code 2500)			
- 25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow Steel Wheels (Code 1002)			
- 21 in. deluxe high back seats - yellow (code 2026)			
- OPS with brake / taillight, headrests, and OSR doors (Code 2026)			
- FOX Monotube shocks (Code 2300)			
- Less roof (Code 4049)			
- Less rear bumper (Code 4199)			
- Less PreRunner bumper (Code 4249)			
- Less Packages (Code 6349)			
COLOR			
2500		Green & Yellow	In Base Price
WHEELS AND TIRES			
1002		25 in. Ancla M-T (Extreme Terrain) (4PR) tires on 12 in. yellow steel wheels	In Base Price
SEAT			
2026		21 in. standard high back seat - yellow	In Base Price
ROOF SELECTION			
4049		Less roof	In Base Price
SUSPENSION			
2300		FOX monotube shocks	In Base Price
PERFORMANCE PACKAGES			
6349		Less packages	In Base Price
FRONT BRUSH GUARD			
4249		Less PreRunner Bumper	In Base Price
GUARDS			
4199		Less rear bumper	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions	
BM25411		Ag Management Solutions (AMS) Integration Kit <i>Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.</i>	456.89
		Batteries	
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	326.36
		Bumper	
BM23309		Constant-Velocity (CV) Guards <i>Aluminum.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23366	Front Brushguard	358.46
	BM23361	Nerf Bar <i>Not compatible with front fender guards.</i>	274.99
	BUC10291	Nerfbar kit <i>Compatible with front fender guard</i>	274.99
	BM23364	PreRunner Bumper	358.46
	BM23362	Rear Bumper	210.79
	BM23333	Underbody Armor <i>Aluminum.</i>	323.14
	BUC10347	Underbody Armor <i>Aluminum.</i>	323.14
		Cargo Box	
	BM23849	19 L (5 gal) Pail Holder <i>Cargo box rails required.</i>	42.80
	BM23371	Box Mat	128.40
	BM23526	Cargo Box Rails	121.99
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	367.01
	BUC10155	Cargo box side extensions cover <i>Requires cargo box wall extension kit. Not compatible with rear panel on S4 Vehicles.</i>	266.43
	LP67755	Sportsman Gear Bag <i>Requires cargo box rails for mounting installation</i>	399.99
	BM23385	Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	232.19
		Carts	
	LPUT21JD	Utility Cart, 21 Steel	925.00
		Cover	
	LP37036	Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) <i>Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011+ HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	144.99
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23363		50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
PM05201		51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.80
BM22290		Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
		Harnesses	
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
		Heater	
BUC10184		Heater Kit	863.49
		Horn	
BM23370		Horn Kit <i>Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	103.79
		Lighting	
BM25553		Beacon Light <i>Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.</i>	257.87
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	123.06
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	89.89
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location. Not compatible with Deluxe Cab. Not compatible with Jensen Radios.</i>	449.40
BUC10222		LED Work Lights <i>Regions 1, 3, & 4: Can be installed on brush guard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	359.51
BM24089		Occupant Protective Structure (OPS) Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	75.97
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	123.06
		Mirrors	
BM25148		Occupant Protective Structure (OPS) Rear View Mirror	90.96

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24737		Occupant Protective Structure (OPS) Side Mirrors <i>Not compatible with poly cab.</i>	197.96
BM24796		Poly Cab Mirror	177.61
		Operator's Station	
BM23368		Floor Mat	85.60
BM24200		Glove Box Lock	12.84
BM23377		OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90
BM25956		OSR Door Closeout Panels <i>Panels to closeout openings in the OSR doors.</i>	158.36
BM25014		Occupant Protective Structure (OPS) Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	545.70
BM23933		Sport Steering Wheel	220.41
		Radio	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	702.99
		Roof	
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	369.16
LP37046		OPS Soft Roof - Black	32.99
LP37047		OPS Soft Roof - Camo	39.95
BUC10243		Occupant Protective Structure (OPS) Poly Roof - Black	374.50
BM23853		Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
		Seat	
BM26583		Seat-Belt Comfort Strap (2) <i>For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.</i>	96.30
		Sprayers	
LP39965		25 Gallon Bed Sprayer	535.00
LP39964		45 Gallon Bed Sprayer	609.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP39098	45 Gallon High Performance Bed Sprayer	806.00
	LP22911	HP Standard Gator Boom <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	66.00
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	244.00
	LP22884	High performance boomless nozzles <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	149.00
	LP39963	Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	709.00
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	624.00
		Spreaders	
	LPPCT17ATJD	17AT Cart	799.00
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	599.00
		Storage	
	LP37044	OPS Overhead Organizer - Black	65.99
		Suspension	
	BM23981	Fox 2.0 Performance Series Shocks	1,930.29
		Turn Signals	
	BM24831	Deluxe Light Kit <i>Includes hazards and turn signals (front & rear).</i>	422.66
		Winch	
	BM26741	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.</i>	628.09
	BM21392	Winch Accessories Kit <i>Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.</i>	141.24
	BM26662	Wireless Winch Remote	361.66
		Winch Mounting Kit	
	BM26249	Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	211.86
		Windshield	
	BM25259	Abrasion Resistant Half Windshield	277.13

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860E (MY19)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM26000	Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	212.93
	BM23373	Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper <i>Requires OPS switch bank</i>	776.81
	BM25103	Occupant Protective Structure (OPS) Windshield Washer Kit <i>Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.</i>	317.79
	BM25967	Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	372.36

**JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT**

**RSX860M Power Steering winch ready (MY19)
Equipment for Base Machine**

ENGINE:

46 Engine kW (62 hp) (839 cc),
electronic fuel injection (EFI)
2-cylinder, liquid-cooled, dual
overhead cams, 4-cycle gasoline
full pressure, and dry sump with
reservoir lubrication system
Replaceable single dry-type
element air cleaner with remote
intake
28-L (7.4-gal.) fuel capacity
Solid-state ignition (12 V)
Spark-arresting muffler
ELECTRICAL:
Electric start
38-amp (450-W) alternator
340 cold cranking amps (CCA)
battery
Four 27-W halogen headlights
Brake and tail light
Pre-wired for winch
TRANSAXLE AND TRANSMISSION:
Continuously variable
Transmission
Full clutch enclosure
Two-speed transaxle
Operator selectable four-wheel
drive (4WD)
97 km/h (60 mph) maximum
Forward speed
On-demand true four-wheel drive
system
Lockable limited slip; switch
engagement
Front differential
Spool rear final drive
Front and rear hydraulic disk
brakes
Foot brake; mechanical disk
Actuation
Park brake
Large diameter half shafts with
thermoplastic elastomer (TPE)
boot axles
STEERING AND SUSPENSION:

Power Steering
Rack and pinion steering
Independent front suspension
Double A-arm with coil over
shock and anti-sway bar
Independent rear suspension
(IRS) with 229 mm (9 in.) of
travel
Independent rear suspension
Semi-trailing double A-arm with
coil over shock and anti-sway
bar independent rear suspension
(IRS) with 229 mm (9 in.) of
travel
Standard 50-mm (2-in.) rear
receiver
6-m (19.7-ft) turning circle
Ground clearance: 266 mm (10.5
in.)
Ground clearance
(Under foot platform): 267 mm
(10.5 in.)
FRAME AND STYLED PARTS:
Full, robotically welded frame
design
Side frame rails for rock
sliding
**ROLL-OVER PROTECTIVE STRUCTURE
(ROPS):**
44.4-mm (1.75-in.) steel
tubular
Overhead structure
Multiple passenger handholds
3-point seat belts
ISO 3471 and OSHA roll-over
protective structure (ROPS)
certified
OPERATOR STATION:
Professional high-back bucket
seats; tilt forward
Adjustment on driver's seat
Glove box
Storage compartment underhood
Two cup holders
12-V DC outlet

Digital instrument cluster with
speed mph, km/h, rpm, fuel
level, hour meter, odometer,
with trip, clock, water
temperature, and four
wheel-drive (4WD) notice.
DIMENSIONS (WITH ROPS):
3022.6 mm (119 in.) long by
1435.1 mm (56.5 in.) wide by
1828.8 mm (72 in.) high
PAYLOAD CAPACITY:
363-kg (800-lb) total payload
Capacity which includes: 91-kg
(200-lb) driver, 91-kg (200-lb)
passenger, and 181 kg (400 lb)
in cargo box
Towing capacity: 544 kg (1200
lb)
CARGO BOX:
820 mm (32.3 in.) long by 1209
mm (47.6 in.) wide by 297 mm
(11.7 in.) deep
.25-m (8.9-cu ft) capacity
181-kg (400-lb) box capacity
Tilting box; two-sided manual
Release
Hinged (bottom) tailgate
TIRES:
Front: 25x8-12 Ancla M-T (4PR),
26x8-14 Maxxis Bighorn 2.0 (6PR)
Rear: 25x10-12 Ancla M-T (4PR),
26x10-14 Maxxis Bighorn 2.0
(6PR)
SAFETY VIDEO TAPE:
Safety and operational DVD
Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Horicon, Wisconsin</i>			
4641M		RSX860M Power Steering winch ready (MY19) <i>Base machine suggested list price does not include 600 USD destination charge.</i>	12,199.00
DESTINATION			
001A		United States and Canada	In Base Price
PACKAGES			
0505		Build to Order Package	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT**

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
PACKAGES Continued...			
COLOR			
2500		Green & Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
2501		Olive & Black	100.00
WHEELS AND TIRES			
1008		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. black alloy wheels	862.00
1002		25 in. Ancla M-T (Extreme Terrain) (4PR) tires on 12 in. yellow steel wheels	In Base Price
1003		25 in. Ancla M-T (Extreme Terrain) tires (4PR) on 12 in. black steel wheels	No Added Cost
SEAT			
2028		High performance sport seat - black	315.00
2029		High performance sport seat - black with sport steering wheel	521.00
2026		21 in. standard high back seat - yellow	In Base Price
2027		21 in. standard high back seat - black	No Added Cost
ROOF SELECTION			
4030		Poly roof - black	350.00
4034		Poly roof - camo	750.00
4049		Less roof	In Base Price
SUSPENSION			
2300		FOX monotube shocks	In Base Price
2301		FOX 2.0 Performance Series Shocks	1,190.00
PERFORMANCE PACKAGES			
6320		Winch and protection package <i>Package consists of Warn ProVantage 1588-kg (3500-lb.) winch, pre-runner bumper, rear bumper, 50.8-mm (2-in.) front receiver hitch and recovery loops, and cargo box rails.</i>	1,347.00
6321		Protection package <i>Package consists of pre-runner bumper, rear bumper, and cargo box rails.</i>	646.00
6349		Less packages	In Base Price
6313		Winch package <i>Package consists of Warn ProVantage 1588-kg (3500-lb.) winch and 50.8-mm (2-in.) front receiver hitch and recovery loops.</i>	701.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT BRUSH GUARD			
4203		PreRunner Bumper	335.00
4249		Less PreRunner Bumper	In Base Price
GUARDS			
4152		Rear bumper	197.00
4199		Less rear bumper	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions	
BM25411		Ag Management Solutions (AMS) Integration Kit <i>Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.</i>	456.89
		Batteries	
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	326.36
		Bumper	
BM23309		Constant-Velocity (CV) Guards <i>Aluminum.</i>	159.43
BM23366		Front Brushguard	358.46
BM23361		Nerf Bar <i>Not compatible with front fender guards.</i>	274.99
BUC10291		Nerfbar kit <i>Compatible with front fender guard</i>	274.99
BM23364		PreRunner Bumper	358.46
BM23362		Rear Bumper	210.79
BM23333		Underbody Armor <i>Aluminum.</i>	323.14
BUC10347		Underbody Armor <i>Aluminum.</i>	323.14
		Cargo Box	
BM23849		19 L (5 gal) Pail Holder <i>Cargo box rails required.</i>	42.80
BM23371		Box Mat	128.40
BM23526		Cargo Box Rails	121.99
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	367.01
BUC10155		Cargo box side extensions cover <i>Requires cargo box wall extension kit. Not compatible with rear panel on S4 Vehicles.</i>	266.43

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP67755	Sportsman Gear Bag <i>Requires cargo box rails for mounting installation</i>	399.99
	BM23385	Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	232.19
		Carts	
	LPUT21JD	Utility Cart, 21 Steel	925.00
		Cover	
	LP37036	Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) <i>Available through Order Zone.</i> <i>Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure.</i> <i>For use on 2011+ HPX Gas/Diesel Utility Vehicles.</i> <i>For use on XUV 620i, 850D Utility Vehicles.</i> <i>For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions)</i> <i>For use on XUV 550 Utility Vehicles. (Excludes S4 versions)</i> <i>For use on M-Gator A2, A3 Utility Vehicles.</i> <i>For use on RSX 850i Utility Vehicles.</i>	144.99
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	BM23363	50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.80
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
		Harnesses	
	BM26182	Beacon Light Harness Kit <i>Required with Beacon Light.</i>	70.61
	BM25731	Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
		Heater	
	BUC10184	Heater Kit	863.49
		Horn	
	BM23370	Horn Kit <i>Compatible with Model Year 2012 to current where applicable on the following models:</i> <i>For use on HPX Gas/Diesel Utility Vehicles.</i> <i>For use on XUV 620i, 850D Utility Vehicles.</i> <i>For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions)</i> <i>For use on XUV 550 Utility Vehicles. (Includes S4 versions)</i> <i>For use on M-Gator A2, A3 Utility Vehicles.</i> <i>For use on RSX 850i Utility Vehicles.</i>	103.79
		Lighting	
	BM25553	Beacon Light <i>Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.</i>	257.87
	BM25619	Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens).</i>	123.06

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	89.89
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location. Not compatible with Deluxe Cab. Not compatible with Jensen Radios.</i>	449.40
BUC10222		LED Work Lights <i>Regions 1, 3, & 4: Can be installed on brush guard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	359.51
BM24089		Occupant Protective Structure (OPS) Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	75.97
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	123.06
		Mirrors	
BM25148		Occupant Protective Structure (OPS) Rear View Mirror	90.96
BM24737		Occupant Protective Structure (OPS) Side Mirrors <i>Not compatible with poly cab.</i>	197.96
BM24796		Poly Cab Mirror	177.61
		Operator's Station	
BM23368		Floor Mat	85.60
BM24200		Glove Box Lock	12.84
BM23377		OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90
BM25956		OSR Door Closeout Panels <i>Panels to closeout openings in the OSR doors.</i>	158.36
BM25014		Occupant Protective Structure (OPS) Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	545.70
BM23933		Sport Steering Wheel	220.41

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Radio	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	702.99
		Roof	
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	369.16
LP37046		OPS Soft Roof - Black	32.99
LP37047		OPS Soft Roof - Camo	39.95
BUC10243		Occupant Protective Structure (OPS) Poly Roof - Black	374.50
BM23853		Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
		Seat	
BM26583		Seat-Belt Comfort Strap (2) <i>For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.</i>	96.30
		Sprayers	
LP39965		25 Gallon Bed Sprayer	535.00
LP39964		45 Gallon Bed Sprayer	609.00
LP39098		45 Gallon High Performance Bed Sprayer	806.00
LP22911		HP Standard Gator Boom <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	66.00
LP22885		High Performance Sprayer Precision Boom (12.5 ft) <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	244.00
LP22884		High performance boomless nozzles <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	149.00
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	709.00
LP20485		Tow-Behind Sprayer, 45 gal. (170 L)	624.00
		Spreaders	
LPPCT17ATJD		17AT Cart	799.00
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00

JOHN DEERE TURF & UTILITY PRODUCTS
HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

RSX860M Power Steering winch ready (MY19)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP53513		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	599.00
LP37044		Storage OPS Overhead Organizer - Black	65.99
BM23981		Suspension Fox 2.0 Performance Series Shocks	1,930.29
BM24831		Turn Signals Deluxe Light Kit <i>Includes hazards and turn signals (front & rear).</i>	422.66
BM26741		Winch WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.</i>	628.09
BM21392		Winch Accessories Kit <i>Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.</i>	141.24
BM26662		Wireless Winch Remote	361.66
BM25079		Winch Mounting Kit Winch Mounting Kit <i>Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	194.74
BM25259		Windshield Abrasion Resistant Half Windshield	277.13
BM26000		Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	212.93
BM23373		Full No-Scratch Flip-Open Windshield	578.87
BM25344		OPS Glass Windshield w/ Wiper <i>Requires OPS switch bank</i>	776.81
BM25103		Occupant Protective Structure (OPS) Windshield Washer Kit <i>Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.</i>	317.79
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	372.36

JOHN DEERE TURF & UTILITY PRODUCTS
CURRENT ATTACHMENTS FOR NON-CURRENT HIGH PERFORMANCE UTILITY VEHICLES

Attachments for Non-Current High Performance Utility Vehicles
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions	
BM25411		Ag Management Solutions (AMS) Integration Kit <i>Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.</i>	456.89
		Batteries	
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	326.36
		Bumper	
BM23309		Constant-Velocity (CV) Guards <i>Aluminum.</i>	159.43
BM23366		Front Brushguard	358.46
BM23361		Nerf Bar <i>Not compatible with front fender guards.</i>	274.99
BM23364		PreRunner Bumper	358.46
BM23362		Rear Bumper	210.79
BM23333		Underbody Armor <i>Aluminum.</i>	323.14
		Cargo Box	
BM23849		19 L (5 gal) Pail Holder <i>Cargo box rails required.</i>	42.80
BM23371		Box Mat	128.40
BM23526		Cargo Box Rails	121.99
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	367.01
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	232.19
		Carts	
LPUT21JD		Utility Cart, 21 Steel	925.00
		Cover	
LP37036		Vehicle Cover - Black	78.99

JOHN DEERE TURF & UTILITY PRODUCTS

CURRENT ATTACHMENTS FOR NON-CURRENT HIGH PERFORMANCE UTILITY VEHICLES

Attachments for Non-Current High Performance Utility Vehicles

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP37040	Vehicle Cover - Transportable (Black) <i>Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011+ HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	144.99
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	BM23363	50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.80
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
		Horn	
	BM23370	Horn Kit <i>For Serial Numbers M0XUVDX031018 (XUV Diesel G&Y) and above. For Serial Numbers M0XUVDT030081 (XUV Diesel O&B) and above. For Serial Numbers M0XUVGX031259 (XUV Gas G&Y) and above. For Serial Numbers M0XUVGT030221 (XUV Gas O&B) and above. For Serial Numbers M0HP4DX070230 (HPX Diesel) and above. For Serial Numbers M0HP4GX070209 (HPX Gas) and above. For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	103.79
		Lighting	
	BM24089	Occupant Protective Structure (OPS) Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	75.97
		Mirrors	
	BM24737	Occupant Protective Structure (OPS) Side Mirrors <i>Not compatible with poly cab.</i>	197.96
	BM24796	Poly Cab Mirror	177.61
		Operator's Station	
	BM25224	Cab Heater	822.83
	BM23368	Floor Mat	85.60
	BM24200	Glove Box Lock	12.84
	BM23377	OPS Poly Cab <i>Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.</i>	3,070.90
	BM25014	Occupant Protective Structure (OPS) Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	545.70

JOHN DEERE TURF & UTILITY PRODUCTS
CURRENT ATTACHMENTS FOR NON-CURRENT HIGH PERFORMANCE UTILITY
VEHICLES

Attachments for Non-Current High Performance Utility Vehicles

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23933	Sport Steering Wheel	220.41
	BRE10015	Operator's Station Cell Phone Mount Kit	67.10
	BM23379	Radio Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	702.99
	LP37046	Roof OPS Soft Roof - Black	32.99
	LP37047	OPS Soft Roof - Camo	39.95
	BM23853	Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
		Sprayers	
	LP39965	25 Gallon Bed Sprayer	535.00
	LP39964	45 Gallon Bed Sprayer	609.00
	LP39098	45 Gallon High Performance Bed Sprayer	806.00
	LP22911	HP Standard Gator Boom <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	66.00
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	244.00
	LP22884	High performance boomless nozzles <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	149.00
	LP39963	Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	709.00
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	624.00
		Spreaders	
	LPPCT17ATJD	17AT Cart	799.00
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	599.00

JOHN DEERE TURF & UTILITY PRODUCTS
CURRENT ATTACHMENTS FOR NON-CURRENT HIGH PERFORMANCE UTILITY VEHICLES

Attachments for Non-Current High Performance Utility Vehicles

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Storage	
	LP37044	OPS Overhead Organizer - Black	65.99
		Suspension	
	BM23981	Fox 2.0 Performance Series Shocks	1,930.29
		Turn Signals	
	BM24831	Deluxe Light Kit <i>Includes hazards and turn signals (front & rear).</i>	422.66
		Winch	
	BM24723	WARN ProVantage 1587.573-kg (3500-lb) Winch <i>Requires 1587.57 Kg. (3500 lb.) bumper mount kit OR receiver mount kit. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) Requires winch mounting kit and also requires 5.08 cm (2 In.) Front Receiver Hitch with Recovery Loops for mounting.</i>	628.09
		Winch Mounting Kit	
	BM25079	Winch Mounting Kit <i>Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	194.74
		Windshield	
	BM23373	Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper <i>Requires OPS switch bank</i>	776.81
	BM25967	Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	372.36