

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck  
Equipment for Base Machine**

ENGINE  
20 hp\* (14.9 kW)  
44.2-cu in. (724-cc)  
displacement  
Model 44J6  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain and oil drain  
tube  
FUEL SYSTEM  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
ELECTRICAL SYSTEM  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
TRANSAXLE  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse

speed  
CHASSIS  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
STEERING  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
42A - 26-in. (66 cm) uncut  
circle radius  
SEAT  
15-in. (38.1-cm) open back with  
grasp  
LIFT SYSTEM  
Foot pedal implement lift with  
optional adjustable spring  
assist  
MOWER DECK

Side discharge 42 in. (107 cm)  
12-gauge, 0.105-in. (2.7-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4690M	Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	2,999.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
PM05101		<b>Drawbar</b> 48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
LG277		<b>Home Maintenance Kits</b> Home maintenance kit <i>For use with X330</i>	50.52
BG20754		<b>Mcs Chutes</b> Rear bagger chute for 42A Mower	128.40
BM21679		<b>Mcs Hoppers</b> 7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
BM24915		<b>Miscellaneous</b> 12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	958.00
TY25866		Battery charger and maintainer	37.68
LPJD301		Bucket holder (double)	79.00
LPJD301W		Bucket holder (double) with buckets	94.00
LPJD400		Bucket, 5 gal. (19 L)	8.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
GX25668		<b>Mower Blades</b> Blade (42A bagging)	27.98

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
		<b>Mower Decks</b>	
LP63762		Grass Groomer (42A)	96.00
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		<b>Spanish North American Kit</b>	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
		<b>Sprayers</b>	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
	BM23054	Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
	LP48005	Thatcher Mounting Frame (X300/X500 M-T)	207.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
	LP55438	X300 Series weather enclosure	499.99
		<b>Weights</b>	
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
42A - 26 in. (66 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
optional adjustable spring  
assist  
**MOWER DECK**  
Side discharge 42 in. (107 cm)

12-gauge, 0.105-in. (2.7-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels  
  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4880M	Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,299.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BG20754	Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51
	AM136046	Seat net kit	49.09
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Mower Blades</b>			
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
<b>Mower Decks</b>			
LP63762		Grass Groomer (42A)	96.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
<b>Spreaders</b>			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

---

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
adjustable spring assist  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell  
Mower wash port  
Four mower wheels and front  
center rollers  
  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4881M	Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	3,699.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	AM136046	Seat net kit	49.09

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		<b>Spanish North American Kit</b>	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
		<b>Sprayers</b>	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor Less Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse  
speed  
**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional

front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
42 Mulch - Right 23 in. (58 cm)  
Left 27 in. (69 cm), 42A - 26  
in. (66 cm); 48A - 21 in. (53  
cm) uncut circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
optional adjustable spring  
assist  
**OPTIONAL MOWER DECKS**  
Mulch 42 in. (107 cm), side  
discharge 42 in. (107 cm) or 48  
in. (122 cm)  
42M, 42A - 12-gauge, 0.105-in.  
(2.7-mm); 48A - 10-gauge,

0.135-in. (3.4-mm) stamped steel  
deck shell  
Mower wash port  
42 Mulch and 42A - Two mower  
wheels, 48A - Four mower wheels  
and front center rollers  
**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4882M	Select Series X350 Tractor Less Mower Deck <i>Not Available for Sale in California.</i>	2,799.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00



## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Select Series X350 Tractor Less Mower Deck Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BG20754	Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51
	AM136046	Seat net kit	49.09

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor Less Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		<b>Mower Blades</b>	
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	56.32
AM140973		Blade Kit (42M mulching)	41.79
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	58.86
LP63762		Grass Groomer (42A)	96.00
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	87.62
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Select Series X350 Tractor Less Mower Deck Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
<b>Spreaders</b>			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
<b>Sun Protection</b>			
BM23054		Sun shade (X300 and X500 M-T)	171.20
<b>Thatchers</b>			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
<b>Tire Chains</b>			

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Select Series X350 Tractor Less Mower Deck Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
<b>Tow Behind</b>			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
<b>Weather Enclosures</b>			
LP55438		X300 Series weather enclosure	499.99
<b>Weights</b>			
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain

holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender

42M, 42A - 12-gauge, 0.105-in.  
(2.7-mm); 48A - 10-gauge,  
0.135-in. (3.4-mm) stamped steel  
deck shell  
Mower wash port  
42 Mulch and 42A - Two mower  
wheels, 48A - Four mower wheels  
and front center rollers

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
42 Mulch - Right 23 in. (58 cm)  
Left 27 in. (69 cm), 42A - 26  
in. (66 cm); 48A - 21 in. (53  
cm) uncut circle radius

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal

**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet

**SEAT**  
15-in. (38.1-cm) open back with  
grasp

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse  
speed

**LIFT SYSTEM**  
Foot pedal implement lift with  
optional adjustable spring  
assist

**CHASSIS**  
Standard rear weight bracket

**OPTIONAL MOWER DECKS**  
Mulch 42 in. (107 cm), side  
discharge 42 in. (107 cm) or 48  
in. (122 cm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4883M	Select Series X350 Tractor Less Mower Deck, California Model	2,799.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
LG265		Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BG20754		Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	958.00
TY25866		Battery charger and maintainer	37.68
LPJD301		Bucket holder (double)	79.00
LPJD301W		Bucket holder (double) with buckets	94.00
LPJD400		Bucket, 5 gal. (19 L)	8.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51
AM136046		Seat net kit	49.09

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		<b>Mower Blades</b>	
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	56.32
AM140973		Blade Kit (42M mulching)	41.79
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	58.86
LP63762		Grass Groomer (42A)	96.00
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	87.62
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		<b>Spanish North American Kit</b>	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
		<b>Sprayers</b>	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
<b>Tow Behind</b>			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
<b>Weather Enclosures</b>			
LP55438		X300 Series weather enclosure	499.99
<b>Weights</b>			
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.3 mph (0-8.5 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse  
speed

**CHASSIS**  
Optional front weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16.5-in. (42-cm) turning radius  
42R - Right 23 in. (58 cm), Left  
28 in. (71 cm) uncut circle  
radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
non-adjustable spring assist  
**MOWER DECK**  
Rear discharge and collect 42  
in. (107 cm)  
11-gauge, 0.120-in. (3-mm)

stamped steel deck shell  
Mower wash port  
Two mower wheels  
Mulching plug  
  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4890M	Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck <i>Not Available for Sale in California.</i>	4,499.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	BM25065	Rear deflector kit (X350R)	130.54
	AM136046	Seat net kit	49.09
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
	BM24810	Supplemental lift-assist spring kit (X350R)	86.67
		<b>Mower Blades</b>	
	AM140332	Blade Kit (42M mulching low lift and X350R mulching)	56.32
	AM147289	Blade kit (X350R bagging and rear discharge)	75.14
		<b>Mower Decks</b>	
	AM130907	Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
	BM25257	Mulch kit (X350R) <i>Includes mulching blades</i>	110.21
		<b>Protection</b>	
	BM23057	Brush guard (X300/X500 M-T)	131.61
	BM23056	Bumper (X300s, X500, X530, X534, X570)	68.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP93647	Protective cover, large deluxe	99.99
	LP92624	Seat cover, medium deluxe yellow	42.99
	LP92324	Seat cover, medium standard yellow	26.99
		<b>Spanish North American Kit</b>	
	BUC10203	Spanish label and operator's manual kit <i>For model year 2018 X350R</i>	75.97
		<b>Spark Arrester</b>	
	AM135845	Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
		<b>Sprayers</b>	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
	LP48005	Thatcher Mounting Frame (X300/X500 M-T)	207.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weights</b>	
BM19123		31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
 LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model  
 Equipment for Base Machine**

**ENGINE**  
 18.5 hp\* (13.8 kW)  
 36.8-cu in. (603-cc)  
 displacement  
 Model FS600V  
 Air cooled, V-twin cylinder with  
 cast-iron liners  
 No tools oil drain

**FUEL SYSTEM**  
 Gasoline  
 Instrument display with  
 hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
 12-V (340-CCA) battery  
 15-amp regulated flywheel  
 alternator  
 Optional 12-V outlet

**TRANSAXLE**  
 K46 hydrostatic transmission  
 Twin Touch pedals  
 Cruise control  
 0-5.3 mph (0-8.5 km/h) forward  
 speed  
 0-4 mph (0-6.4 km/h) reverse

speed  
**CHASSIS**  
 Optional front weight bracket  
 holds up to four 42-lb (19-kg)  
 Quik-Tatch weights  
 Cast-iron front axle  
 15x6-6 front turf tires  
 20x10-8 rear turf tires  
 Storage under seat and on fender

**STEERING**  
 Manual, two-wheel steer  
 14-in. (35.6-cm) steering wheel  
 16.5-in. (42-cm) turning radius  
 42R - Right 23 in. (58 cm), Left  
 28 in. (71 cm) uncut circle  
 radius

**SEAT**  
 15-in. (38.1-cm) open back with  
 grasp

**LIFT SYSTEM**  
 Foot pedal implement lift with  
 non-adjustable spring assist

**MOWER DECK**  
 Rear discharge and collect 42  
 in. (107 cm)  
 11-gauge, 0.120-in. (3-mm)  
 stamped steel deck shell  
 Mower wash port  
 Two mower wheels  
 Mulching plug

\*Engine horsepower and torque  
 information for non-Deere  
 engines are provided by the  
 engine manufacturer for  
 comparison purposes only. Actual  
 operating horsepower and torque  
 will be less. Refer to the  
 engine manufacturer's Web site  
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

4891M		Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model	4,499.00
-------	--	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	510.00
<b>Drawbar</b>			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
<b>Home Maintenance Kits</b>			
LG265		Home maintenance kit	48.44
<b>Miscellaneous</b>			
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	958.00
TY25866		Battery charger and maintainer	37.68
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
BM25065		Rear deflector kit (X350R)	130.54
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
BM24810		Supplemental lift-assist spring kit (X350R)	86.67
<b>Mower Blades</b>			
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	56.32
AM147289		Blade kit (X350R bagging and rear discharge)	75.14
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM25257		Mulch kit (X350R) <i>Includes mulching blades</i>	110.21
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
	LP92624	Seat cover, medium deluxe yellow	42.99
	LP92324	Seat cover, medium standard yellow	26.99
	BUC10203	<b>Spanish North American Kit</b> Spanish label and operator's manual kit <i>For model year 2018 X350R</i>	75.97
	AM135845	<b>Spark Arrester</b> Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
	<b>Sprayers</b>		
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
	<b>Spreaders</b>		
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
	<b>Thatchers</b>		
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
	LP48005	Thatcher Mounting Frame (X300/X500 M-T)	207.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
	<b>Tire Chains</b>		
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
	<b>Tow Behind</b>		
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
<b>Weights</b>			
BM19123		31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K46 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.5 mph (0-8.9 km/h) forward  
speed  
0-4 mph (0-6.4 km/h) reverse

speed  
**CHASSIS**  
Optional rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, four-wheel steer  
14-in. (35.6-cm) steering wheel  
15-in. (38.1-cm) turning radius  
42A - 15 in. (38 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
optional adjustable spring  
assist

**MOWER DECK**  
Side discharge 42 in. (107 cm)  
12-gauge, 0.105-in. (2.7-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5190M		Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,899.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
0195		Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BG20754	Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51
	AM136046	Seat net kit	49.09
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Mower Blades</b>			
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
<b>Mower Decks</b>			
LP63762		Grass Groomer (42A)	96.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
<b>Spreaders</b>			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
<b>Sun Protection</b>			
BM23054		Sun shade (X300 and X500 M-T)	171.20
<b>Thatchers</b>			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
<b>Tire Chains</b>			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
<b>Tow Behind</b>			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
<b>Weather Enclosures</b>			
LP55438		X300 Series weather enclosure	499.99
<b>Weights</b>			
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X354 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and low fuel indicator ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed CHASSIS Optional rear weight bracket</p>	<p>holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-10 rear turf tires Storage under seat and on fender STEERING Manual, four-wheel steer 14-in. (35.6-cm) steering wheel 15-in. (38.1-cm) turning radius 42M - Right 12 in. (30 cm) Left 15 in. (38 cm), 42A - 15 in. (38 cm) uncut circle radius SEAT 15-in. (38.1-cm) open back with grasp LIFT SYSTEM Foot pedal implement lift with optional adjustable spring assist OPTIONAL MOWER DECK Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48 in. (122 cm) 42M, 42A - 12-gauge, 0.105-in.</p>	<p>(2.7-mm); 48A - 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers *Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5191M	Select Series X354 Tractor Less Mower Deck, California Model	3,399.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X354 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
LG265		Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
BG20754		Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Miscellaneous</b>	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	958.00
TY25866		Battery charger and maintainer	37.68
LPJD301		Bucket holder (double)	79.00
LPJD301W		Bucket holder (double) with buckets	94.00
LPJD400		Bucket, 5 gal. (19 L)	8.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		<b>Mower Blades</b>	
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X354 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	56.32
AM140973		Blade Kit (42M mulching)	41.79
<b>Mower Decks</b>			
LP63762		Grass Groomer (42A)	96.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
<b>Spreaders</b>			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Select Series X354 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
	BM23054	Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
	LP48005	Thatcher Mounting Frame (X300/X500 M-T)	207.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
	LP55438	X300 Series weather enclosure	499.99
		<b>Weights</b>	
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X354 Tractor Less Mower Deck, California Model**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck  
Equipment for Base Machine**

ENGINE  
18.5 hp\* (13.8 kW)  
36.8-cu in. (603-cc)  
displacement  
Model FS600V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
FUEL SYSTEM  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
ELECTRICAL SYSTEM  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
TRANSAXLE  
K57 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.8 mph (0-9.3 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse

speed  
CHASSIS  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
15x6-6 front turf tires  
20x10-8 rear turf tires  
Storage under seat and on fender  
STERING  
Power, two-wheel steer  
14-in. (35.6-cm) steering wheel  
22-in. (55.9-cm) turning radius  
42A - 30 in. (76 cm) uncut  
circle radius  
SEAT  
15-in. (38.1-cm) open back with  
grasp  
LIFT SYSTEM  
Hydraulic implement lift

MOWER DECK  
Side discharge 42 in. (107 cm)  
12-gauge, 0.105-in. (2.7-mm)  
stamped steel deck shell  
Mower wash port  
Two mower wheels  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5200M	Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	4,099.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BG20754	Rear bagger chute for 42A Mower	128.40
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
	AM136046	Seat net kit	49.09
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Mower Blades</b>			
GX25668		Blade (42A bagging)	27.98
M170642		Blade (42A mulching)	28.66
M170639		Blade (42A side discharge)	25.30
<b>Mower Decks</b>			
LP63762		Grass Groomer (42A)	96.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	329.56
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
<b>Spreaders</b>			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
<b>Sun Protection</b>			
BM23054		Sun shade (X300 and X500 M-T)	171.20
<b>Thatchers</b>			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
<b>Tire Chains</b>			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
<b>Tow Behind</b>			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
<b>Weather Enclosures</b>			
LP55438		X300 Series weather enclosure	499.99
<b>Weights</b>			
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77



**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
adjustable spring assist  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell  
Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5210M	Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	4,599.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
<b>Mower Decks</b>			
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
54A - 18 in. (46 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
adjustable spring assist  
**MOWER DECK**  
Side discharge 54 in. (137 cm)  
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell  
Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5212M	Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	4,899.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M177791		Blade (54A mulching)	23.25
M152726		Blade (54C/54X/54A high lift)	21.57
M143520		Blade (54C/54X/54A side discharge)	13.96
<b>Mower Decks</b>			
BM26239		Dry-condition kit (54A)	62.06
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	410.89
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X380 Tractor Less Mower Deck, California Model  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet

**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender

**STEERING**  
Manual, two-wheel steer  
14-in. (35.6-cm) steering wheel  
16-in. (40.6-cm) turning radius  
48A - 21 in. (53 cm), 54A - 18  
in. (46 cm) uncut circle radius

**SEAT**  
15-in. (38.1-cm) open back with  
grasp

**LIFT SYSTEM**  
Foot pedal implement lift with  
adjustable spring assist

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm)  
or 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell  
Mower wash port  
48A and 54A - Four mower wheels  
and front center rollers

**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5213M	Select Series X380 Tractor Less Mower Deck, California Model	3,699.00
-------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
LG265		Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	958.00
TY25866		Battery charger and maintainer	37.68
LPJD301		Bucket holder (double)	79.00
LPJD301W		Bucket holder (double) with buckets	94.00
LPJD400		Bucket, 5 gal. (19 L)	8.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
AM136046		Seat net kit	49.09

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	23.25
M152726		Blade (54C/54X/54A high lift)	21.57
M143520		Blade (54C/54X/54A side discharge)	13.96
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	58.86
BM26239		Dry-condition kit (54A)	62.06
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	410.89
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X380 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP92324		Seat cover, medium standard yellow	26.99
BUC10202		<b>Spanish North American Kit</b> Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
AM135845		<b>Spark Arrester</b> Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
LP22861		<b>Sprayers</b> Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
LP35439		<b>Spreaders</b> Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
BM23054		<b>Sun Protection</b> Sun shade (X300 and X500 M-T)	171.20
LP48004		<b>Thatchers</b> 38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
LP39858		<b>Tire Chains</b> TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
LPSTS42JD		<b>Tow Behind</b> Lawn Sweeper, 42 in. (107 cm)	369.00

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Select Series X380 Tractor Less Mower Deck, California Model

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck**  
Equipment for Base Machine

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-5.9 mph (0-9.5 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed

**CHASSIS**  
Optional rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
15x6-6 front turf tires  
20x10-10 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Manual, four-wheel steer  
14-in. (35.6-cm) steering wheel  
15-in. (38.1-cm) turning radius  
48A - 9 in. (23 cm) uncut circle  
radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Foot pedal implement lift with  
adjustable spring assist  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell  
Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5220M	Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,299.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
<b>Mower Decks</b>			
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

ENGINE  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
FUEL SYSTEM  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
ELECTRICAL SYSTEM  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
TRANSAXLE  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed  
CHASSIS

Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
STEERING  
Power, two-wheel steer  
14-in. (35.6-cm) steering wheel  
22-in. (55.9-cm) turning radius  
48A - 24 in. (61 cm) uncut  
circle radius  
SEAT  
15-in. (38.1-cm) open back with  
grasp  
LIFT SYSTEM  
Hydraulic implement lift  
MOWER DECK  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
MOWER ATTACHABILITY  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5230M	Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,599.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
<b>Mower Decks</b>			
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck  
Equipment for Base Machine**

ENGINE  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
FUEL SYSTEM  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
ELECTRICAL SYSTEM  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
TRANSAXLE  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed  
CHASSIS

Standard rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
15x6.5-8 front turf tires  
22x11-10 rear turf tires  
Storage under seat and on fender  
STEERING  
Power, two-wheel steer  
14-in. (35.6-cm) steering wheel  
22-in. (55.9-cm) turning radius  
54A - 22 in. (56 cm) uncut  
circle radius  
SEAT  
15-in. (38.1-cm) open back with  
grasp  
LIFT SYSTEM  
Hydraulic implement lift  
MOWER DECK  
Side discharge 54 in. (137 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
MOWER ATTACHABILITY  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5231M	Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	5,899.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M177791		Blade (54A mulching)	23.25
M152726		Blade (54C/54X/54A high lift)	21.57
M143520		Blade (54C/54X/54A side discharge)	13.96
<b>Mower Decks</b>			
BM26239		Dry-condition kit (54A)	62.06
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	410.89
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
LAWN TRACTORS**

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck  
Equipment for Base Machine**

**ENGINE**  
22 hp\* (16.4 kW)  
44.3 cu in. (726 cc)  
displacement  
Model FS651V  
Air cooled, V-twin cylinder with  
cast-iron liners  
No tools oil drain  
**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge  
**ELECTRICAL SYSTEM**  
12-V (340-CCA) battery  
15-amp regulated flywheel  
alternator  
Optional 12-V outlet  
**TRANSAXLE**  
K58 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
0-6.2 mph (0-10 km/h) forward  
speed  
0-3.5 mph (5.6 km/h) reverse  
speed  
**CHASSIS**

Optional rear weight bracket  
holds up to two and optional  
front weight bracket holds up to  
four 42-lb (19-kg) Quik-Tatch  
weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
15x6.5-8 front turf tires  
22x9.5-12 rear turf tires  
Storage under seat and on fender  
**STEERING**  
Power, four-wheel steer  
14-in. (35.6-cm) steering wheel  
19-in. (48.3-cm) turning radius  
48A - 15 in. (38 cm) uncut  
circle radius  
**SEAT**  
15-in. (38.1-cm) open back with  
grasp  
**LIFT SYSTEM**  
Hydraulic implement lift  
**MOWER DECK**  
Side discharge 48 in. (122 cm)  
10-gauge, 0.135-in. (3.4-mm)  
stamped steel deck shell

Mower wash port  
Four mower wheels and front  
center rollers  
**MOWER ATTACHABILITY**  
Mower wheels rotate 90 degrees  
for easy mower removal  
\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5240M	Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	6,299.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
		<b>Drawbar</b>	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>Mcs Chutes</b>	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		<b>Mcs Hoppers</b>	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	42.61
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	979.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	499.00
		<b>Mcs Power Flow Blowers</b>	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		<b>Miscellaneous</b>	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	958.00
	TY25866	Battery charger and maintainer	37.68
	LPJD301	Bucket holder (double)	79.00
	LPJD301W	Bucket holder (double) with buckets	94.00
	LPJD400	Bucket, 5 gal. (19 L)	8.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49



## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM136046		Seat net kit	49.09
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
<b>Mower Blades</b>			
M127673		Blade (48C/48X/48A mulching)	14.64
M145476		Blade (48C/48X/48A side discharge)	11.73
<b>Mower Decks</b>			
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	105.00
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	359.51
<b>Protection</b>			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Protective cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
<b>Spanish North American Kit</b>			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
<b>Spark Arrester</b>			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	50.02
<b>Sprayers</b>			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	459.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires front wheel weights or front weight bracket and two weights</i>	449.00
LP23117		Mounted electric broadcast spreader barrier shield	65.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	246.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	55.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	207.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
LP55438		X300 Series weather enclosure	499.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**LAWN TRACTORS**

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current attachments for non-current Sabre Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
<b>Complete MCS</b>			
BG10087		2-Bag Bagger for 38 In. Decks (Sabre)	360.59
BG10186		2-Bag Bagger for 42 In. Deck (Sabre)	371.29
<b>Drawbar</b>			
LP63768		Magnetic hitch pin	18.99
<b>Miscellaneous</b>			
BUC10510		MowerPlus hour meter connector <i>Only for use with the iOS version of the John Deere MowerPlus app.</i>	79.00
<b>Miscellaneous</b>			
TY25866		Battery charger and maintainer	37.68
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BG10107		38 In. Mulch kit (Sabre)	97.37
<b>Protection</b>			
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow <i>Fits 15-in. (38-cm) seat</i>	42.99
LP92324		Seat cover, medium standard yellow <i>Fits 15-in. (38-cm) seat</i>	26.99
<b>Protection</b>			
LP40090		Seat cover, low deluxe yellow <i>Fits 11-in. (28-cm) low back seats</i>	40.99

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current attachments for non-current Sabre Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22704	Seat cover, low standard yellow <i>Fits 11-in. (28-cm) low back seats</i>	25.99
		<b>Sprayers</b>	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current SST Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
<b>Drawbar</b>			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
<b>Home Maintenance Kits</b>			
LG190		Home maintenance kit	45.93
LG191		Home maintenance kit	39.60
<b>Mcs Chutes</b>			
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20943		Rear bagger chute for 42-in. (107-cm) All-Purpose Mower (42AP)	92.01
<b>Mcs Hoppers</b>			
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
<b>Mcs Power Flow Blowers</b>			
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
<b>Miscellaneous</b>			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
<b>Mower Decks</b>			
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM20007		Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current SST Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM21816	Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades</i>	103.79
		<b>Protection</b>	
	LP93617	Riding mower cover, medium deluxe	89.99
	LP93917	Riding mower cover, standard	69.99
		<b>Sprayers</b>	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weights</b>	
	BM20959	40-lb. SST front weight (Quantity 1)	26.76

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current STX Lawn Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
<b>Drawbar</b>			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
<b>Home Maintenance Kits</b>			
LG182		Home maintenance kit	37.90
<b>Mcs Chutes</b>			
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
<b>Mcs Hoppers</b>			
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
<b>Miscellaneous</b>			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
<b>Mower Decks</b>			
AM130907		Mower deck leveling gauge	6.95
<b>Mulch Kits</b>			
BM19321		46-in. Tricycler Mulching Attachment <i>Fits 46-in Mower Decks with hinged discharge. Includes mulching blades.</i>	176.56
BM21817		Mulch kit, 38 in. (97 cm)/38X	138.03
<b>Protection</b>			
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
<b>Spark Arrester</b>			
AM103386		Spark arrester muffler screen	31.57



## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current Attachments for Non-Current STX Lawn Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM115837		Spark arrester muffler screen	30.02
		<b>Sprayers</b>	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weights</b>	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current attachments for non-current 100-Series Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
<b>Complete MCS</b>			
BG20776		6.5-bu (229-L) Hopper and Chute , 100 Series with 42-in. (107-cm) mower deck <i>Front ballast recommended, especially on hills or inclines. Includes two bagging blades.</i>	349.00
BG20777		6.5-bu (229-L) Hopper and Chute , 100 Series with 48-in. (122-cm) mower deck <i>Front ballast recommended, especially on hills or inclines. Includes three bagging blades.</i>	359.00
BM22629		6.5-bu (229-L) Hopper and Chute , 100 Series with 48-in. (122-cm) mower deck, Canada version <i>Front ballast recommended, especially on hills or inclines.</i>	368.09
BG20747		6.5-bu (229-L) Hopper, Chute, and Power Flow, 100 Series with 54-in. (137-cm) mower deck <i>Front ballast recommended, especially on hills or inclines.</i>	790.73
LP47167		MCS 6 Dump-from-Seat Hopper, 100 Series and S240 with 6.5-bu (229-L) hopper <i>Requires separate material collection system</i>	499.00
<b>Drawbar</b>			
LP63768		Magnetic hitch pin	18.99
<b>Front Blade</b>			
BG20943		46-in. (117-cm) Front Blade (100 Series and S240) <i>Requires two UC13263 suit case weights and one BG20627 rear weight bracket. Tire chains are recommended for additional traction. NOTE: The ordering system will limit availability to approved countries of sale.</i>	339.19
<b>Home Maintenance Kits</b>			
LG262		Home Maintenance Kit <i>For use with model year 2014- D110 (SN 500,001- 49-state/Australia; 050,001-California; 200,001- Canada/Rest of world). See parts catalog for prior years.</i>	45.07

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current attachments for non-current 100-Series

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LG275		Home Maintenance Kit <i>For use with... D125. Model year 2013- D130 (SN 400,001- 49-State, 040,001-California). Model year 2014- D130 (SN 080,001- Canada/Australia/Rest of world). Model year 2013- D140 (SN 400,001- 49-State). Model year 2014- D140 (SN 050,001-California; 080,001- Canada/Australia/Rest of world). See parts catalog for prior years.</i>	39.45
LG271		Home maintenance kit <i>For use with... D105 (outside U.S.). 2015- X125 (SN 100,001- ). See parts catalog for prior years.</i>	41.30
LG266		Home maintenance kit <i>For use with D105 (inside U.S.).</i>	41.62
		<b>Home Maintenance Kits</b>	
LG268		Home Maintenance Kit <i>For use with model year 2016- D155 (SN 700,001-). See parts catalog for prior years.</i>	56.30
LG264		Home maintenance kit <i>For use with D160 and D170.</i>	56.96
		<b>Miscellaneous</b>	
TY25866		Battery charger and maintainer	37.68
LPJD100		Bucket holder (single)	36.00
LPJD100W		Bucket holder (single) with bucket	44.00
LPJD400		Bucket, 5 gal. (19 L)	8.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
		<b>Miscellaneous</b>	
BG20847		12-volt outlet kit <i>For use with D140-D170, E140-E180, and S240</i>	13.91
BUC10510		MowerPlus hour meter connector <i>Only for use with the iOS version of the John Deere MowerPlus app.</i>	79.00
		<b>Mower Blades</b>	
AM141031		Blade kit, 42-in. (107-cm) 3-in-1 <i>Kit includes 2 blades and hardware.</i>	47.35
AM141034		Blade kit, 42X and 42-in. (107-cm) bagging <i>Kit includes 2 blades and hardware.</i>	48.98
AM141033		Blade kit, 42X and 42-in. (107-cm) mulching <i>Kit includes 2 blades and hardware.</i>	46.81
		<b>Mower Blades</b>	
GY20852		Blade kit, 48-in. (122-cm) 3-in-1 <i>Kit includes 3 GX21784 blades.</i>	45.98
GY20684		Blade kit, 54-in. (137-cm) <i>Kit includes 3 blades and hardware.</i>	41.75
GX21785		High lift bagging blades for 48-in. (122-cm) mower deck <i>Sold as singles blades, 3 are required per machine.</i>	19.83

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current attachments for non-current 100-Series

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
GX21786		High-performance mulch blade for 48-in. (122-cm) mower deck <i>Sold as singles blades, 3 are required per machine.</i>	16.64
		<b>Mower Decks</b>	
LP1001		42-in. (107-cm) Tractor Grass Groomer	96.00
LP1002		48-in. (122-cm) and 54-in. (137-cm) Tractor Grass Groomer	105.00
BG20470		48-in. (122-cm) mower deck blowout kit <i>For use with model year -2016 (SN -800,000). Later decks have this functionality built in.</i>	51.36
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
AM130907		Mower deck leveling gauge	6.95
		<b>Mower Decks</b>	
BG20936		42-in. (107-cm) replacement mower deck (100 Series) <i>Model year -2015 (S.N. -700,000) requires GY22387 PTO Cable.</i>	658.06
AUC13429		42-in. (107-cm) replacement mower deck (100 Series) <i>Model year -2015 (S.N. -700,000) requires GY22387 PTO Cable.</i>	658.06
AUC11063		48-in. (122-cm) replacement mower deck (100 Series)	954.44
AUC13155		48-in. (122-cm) replacement mower deck (100 Series)	954.44
BG20945		54-in. (137-cm) replacement mower deck (100 Series)	1,184.49
		<b>Mulch Kits</b>	
GY00115		Mulch cover, 42 in. (107 cm)	27.98
BG20304		Mulch kit, 54 in. (137 cm)	232.19
		<b>Mulch Kits</b>	
GY20417		Mulch cover, 48 in. (122 cm)	39.04
BM21816		Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades. Use in place of GY00115 cover as high performance mulching option.</i>	103.79
		<b>Protection</b>	
BG20944		Front Bumper <i>Standard equipment on select models</i>	74.90
LP40090		Seat cover, low deluxe yellow <i>Fits 11-in. (28-cm) low back seats</i>	40.99
LP22704		Seat cover, low standard yellow <i>Fits 11-in. (28-cm) low back seats</i>	25.99
		<b>Protection</b>	
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow <i>Fits 15-in. (38-cm) seat</i>	42.99

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current attachments for non-current 100-Series Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP92324	Seat cover, medium standard yellow <i>Fits 15-in. (38-cm) seat</i>	26.99
	BUC10321	<b>Spanish North American Kit</b> Spanish North American label and decal kit	13.91
	GY22051	<b>Spark Arrester</b> Spark Arrester <i>For models manufactured April 14, 2014 and later</i>	10.29
	GY20896	Spark arrester <i>For models manufactured before April 14, 2014</i>	108.29
	LP53283	<b>Sprayers</b> Mounted Sprayer, 15 gal. (57 L) (100 Series and S240) <i>Tractors equipped with this sprayer require installation of the mid-mount mower.</i>	459.00
	LP19478	<b>Sprayers</b> Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
	LP25353	<b>Spreaders</b> Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
	LP68122	<b>Sun Protection</b> Sun canopy <i>Compatible with model year 2011- 100 Series and S240. This attachment was released with model year 2018.</i>	99.95
	LPTA40JD	<b>Thatchers</b> Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
	LP39857	<b>Tire Chains</b> TerraGrip traction belts (pair) for 20x10-8 Turf Saver and 22x9.5-12 tires	82.00
	LP39981	TerraGrip traction belts (pair) for 20x8-8 tires	82.00
	TY15959	Tire chains (pair) for 20x8-8 tires	60.51
	TY25229	Tire chains (pair) for 22x9.5-12 tires	65.05
	TY16200	<b>Tire Chains</b> Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
	LPSTS42JD	<b>Tow Behind</b> Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current attachments for non-current 100-Series Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weather Enclosures</b>	
	LP68121	Weather enclosure <i>Compatible with model year 2011- 100 Series and S240. This attachment was released with model year 2018.</i>	369.95
		<b>Weights</b>	
	BG20029	Quik-Tatch Weight, 42 lb (19 kg), boxed <i>Use up to two weights on the rear of 100 Series Tractors. Requires BG20627 rear weight bracket.</i>	64.20
	BG20627	Rear weight bracket (100 Series)	55.64
		<b>Weights</b>	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of 100 Series Tractors. Requires BG20627 rear weight bracket.</i>	59.91
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current Attachments for Non-Current LT and LTR Lawn Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
<b>Drawbar</b>			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
<b>Home Maintenance Kits</b>			
LG190		Home maintenance kit	45.93
LG191		Home maintenance kit	39.60
LG195		Home maintenance kit	45.65
LG240		Home maintenance kit	44.07
<b>Mcs Chutes</b>			
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20493		Rear bagger chute for LT 38-in. mower	81.31
BM20942		Rear bagger chute for LT 42C Mower	97.37
<b>Mcs Hoppers</b>			
BM20454		7-bu (247-L) 2-Bag Hopper Assembly (LT Tractors) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Front ballast recommended, especially on hills or inclines.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
<b>Mcs Power Flow Blowers</b>			
BM20004		QT Blower Assembly for 38-in. Mower	615.26
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	587.43
<b>Miscellaneous</b>			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current LT and LTR Lawn Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM19847	Rear deflector kit	110.21
		<b>Mower Decks</b>	
	BM20635	42M Mower Wash Port Kit <i>For Freedom 42 Mower</i>	51.36
	BM20505	Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
	BM19894	Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
	AM130907	Mower deck leveling gauge	6.95
	AM108476	Mower deck wear plate, 38-in. (97-cm) Mower	102.93
	AM103851	Mower lip kit (left), 38-in. (97-cm) Mower	222.76
	AM103852	Mower lip kit (right rear), 38-in. (97-cm) Mower	105.90
		<b>Mulch Kits</b>	
	BM19321	46-in. Tricycler Mulching Attachment <i>Fits 46-in Mower Decks with hinged discharge. Includes mulching blades.</i>	176.56
	BM20686	Mulch Kit, 42-in. rear discharge (LTR155, LTR166, LTR180) <i>Includes mulching blades</i>	180.83
	BM20007	Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79
	BM21817	Mulch kit, 38 in. (97 cm)/38X	138.03
	BM21816	Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades</i>	103.79
		<b>Protection</b>	
	LP93617	Riding mower cover, medium deluxe	89.99
	LP93917	Riding mower cover, standard	69.99
		<b>Spark Arrester</b>	
	AM103386	Spark arrester muffler screen	31.57
	AM123168	Spark arrestor kit	93.67
		<b>Sprayers</b>	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	424.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99



## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current Attachments for Non-Current LT and LTR Lawn Tractors Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
	LP39858	TerraGrip traction belts (pair) for 22x11-10 tires	82.00
	TY16200	Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96
	TY24327	Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weights</b>	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware <i>Not for LT190.</i>	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	59.91
	BM21432	Rear Weight Bracket kit LT Series)	112.36
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current Attachments for Non-Current LX Lawn Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Carts</b>			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	210.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	255.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	389.00
<b>Drawbar</b>			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.03
LP63768		Magnetic hitch pin	18.99
<b>Home Maintenance Kits</b>			
LG249		Home maintenance kit	49.62
LG191		Home maintenance kit	39.60
LG195		Home maintenance kit	45.65
LG240		Home maintenance kit	44.07
<b>Mcs Chutes</b>			
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
BG20766		Rear bagger chute for 42-in. (107-cm) 42X Mowers (X300) <i>Also use in place of discontinued BM19649 on LX, GT, 325-355, and GX tractors with 42C mower decks. Discard included mower blades in these applications.</i>	108.07
<b>Mcs Hoppers</b>			
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. For LX280 2-wheel steer, not LX280 AWS (All-Wheel Steer). Front ballast recommended, especially on hills or inclines.</i>	461.17

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current LX Lawn Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20455		7-bu (247-L) 2-Bag Hopper Assembly (LX172-LX188, LX255, LX266, LX277, LX277 AWS, LX279 and LX288, and LX280 AWS) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. LX277 AWS and LX280 AWS require BM19797 Adapter Kit. Front ballast recommended, especially on hills or inclines.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	42.61
		<b>Mcs Power Flow Blowers</b>	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow chute. Requires one AM133822 wheel adjusting pin for use on model year 2004 mowers.</i>	555.33
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow chute. See DTAC solution 106487 to if ordering to replace BM18089 (Blower Assembly 48-in. Mower). <a href="http://dtac.deere.com/Solutions/English/106487.htm">http://dtac.deere.com/Solutions/English/106487.htm</a></i>	555.33
BM18770		QT Blower Assembly for 38-in. Mower (yellow 38-in. mower decks) <i>Requires BM20988 Power Flow chute. Not for use on LX277 AWS or LX280 AWS.</i>	609.90
		<b>Miscellaneous</b>	
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.49
		<b>Mower Blades</b>	
M159047		Blade (42C bagging) <i>For LX, GT and GX tractors</i>	15.68
AM141041		Blade kit (38X bagging)	27.03
		<b>Mower Decks</b>	
SKU19943		38-in. Side Discharge Mower Deck (LX)	761.00
BM20635		42M Mower Wash Port Kit <i>For Freedom 42 Mower</i>	51.36
AM119680		Blowout Reduction kit (54-in. Mower)	107.28
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
BM20985		Leaf bagging kit (54C or 54X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	132.69
AM130907		Mower deck leveling gauge	6.95
AM108476		Mower deck wear plate, 38-in. (97-cm) Mower	102.93
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	222.76
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	105.90

## JOHN DEERE TURF & UTILITY PRODUCTS

### LAWN TRACTORS

#### Current Attachments for Non-Current LX Lawn Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
AM115361		Leaf Mulcher kit <i>For 48-in. and 54-in. Mowers</i>	185.96
BM19918		Mulch Kit, 48-in (122-cm) <i>Includes mulching blades</i>	242.89
BM20007		Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79
BM20827		Mulch kit (54C/54D/54X) <i>Includes mulching blades</i>	222.56
BM21817		Mulch kit, 38 in. (97 cm)/38X	138.03
BM20008		Mulch kit, 42 in. (107 cm)/42X (LX/GT) <i>Includes mulching blades</i>	103.79
		<b>Protection</b>	
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		<b>Spark Arrester</b>	
AM115837		Spark arrester muffler screen	30.02
AM123168		Spark arrestor kit	93.67
		<b>Sprayers</b>	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
		<b>Spreaders</b>	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	342.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	389.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		<b>Thatchers</b>	
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		<b>Tire Chains</b>	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	82.00
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	82.00
TY16200		Tire chains (pair) for 20x10-8 and 20x10-10 tires	70.96

## JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

### Current Attachments for Non-Current LX Lawn Tractors Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	76.64
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	369.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	125.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
BM19123		31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware <i>Not for LT190.</i>	70.61
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91
BM17296		Rear Weight Mounting kit (LX Series) <i>For two UC13263 weights. Mounting kit is not needed for LX280 and LX289 tractors. LX277 AWS and LX280 AWS also require BM17977 adapter kit.</i>	85.60
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77