

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller Equipment for Base Machine

48 In. (1,219 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 14 In. (368 mm) Rotor Diameter	6 Hybrid Tines per Flange 6 Flanges - Total of 36 Tines 4 Position Adjustable Skidshoes ASA 60 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch & Alpha Compatible 3-Point Hitch
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0206LV		647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3025E, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i> <i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i> <i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i>	2,697.00
--------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		In Base Price
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order option code 1000 Drive Shaft for Compact Utility Tractors.</i>		33.00
1995	Less Drive Shaft		-338.00

BRACKETS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		BRACKETS Continued... Brackets for Compact Utility Tractors	In Base Price
2001		Brackets for X400/X500 HDGT and X700 Series Tractors	No Added Cost
2995		Less Brackets	-150.00
ATTACHMENTS FOR FIELD CONVERSION			
		AutoHitch Implement Side Components - Tillers	
LVB25621		AutoHitch Implement Components for John Deere 647 <i>LVB24978 AutoHitch Retrofit Kit is Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	243.10
LVB24978		AutoHitch Retrofit Kit (647 Tiller) <i>Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	141.90
LVB25675		iMatch AutoHitch PTO Coupler	577.50
		Miscellaneous	
LVB25769		Brackets for Compact Utility Tractors	172.27
LVB25770		Brackets for X400/X500 HDGT and X700 Series Tractors	172.27
LVB25518		Drive Shaft Kit (CUTS)	387.34
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's)	424.79
		Miscellaneous	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	223.30
		Rear Power Take-Off (PTO)	
BM21914		540-rpm rear PTO (X400/X500 HDGTs, X700s before June 2010 production) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>	1,015.43
		Weights	
BM20957		9-weight front weight bracket <i>For X400/X500 HDGT's, X700, X720, X724, X728, X729, X740, X744, X748, X749.</i>	197.96
BM24363		9-weight front weight bracket <i>For X400/X500 HDGT's, X700's</i>	197.96
LVB19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	247.50

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller Equipment for Base Machine

55 In. (1,397 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth	15 In. (381 mm) Rotor Diameter 6 Hybrid Tines per Flange 7 Flanges - Total of 42 Tines 4 Position Adjustable Skidshoes ASA 80 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0216LV		655 Rotary Tiller <i>For 3005, 3025E, 3032E, 3038E, 3203, 4005, 790, 990, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 4200-4400, 4210-4410, 3033R-3046R, 3120-3720 and 4105 Tractors.</i>	3,217.00
<i>Front Ballast is Required, See Sales Manual for specific requirements.</i>			

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		In Base Price
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-352.00

ATTACHMENTS FOR FIELD CONVERSION

	LVB25622	AutoHitch Implement Side Components - Tillers AutoHitch Implement Components for John Deere 655 <i>LVB24946 AutoHitch Retrofit Kit is Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	287.10
--	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**655 Rotary Tiller
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24946		AutoHitch Retrofit Kit (655 Tiller) <i>Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	179.30
LVB25675		iMatch AutoHitch PTO Coupler	577.50
		Miscellaneous	
LVB25625		Drive Shaft	403.39
BM19780		Quik-Tatch# Weight, 31.7515 kg (70 lb)	100.10
		Miscellaneous	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	223.30
		Weights	
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.49
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVB24952		Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors. For MY '17 and Newer 2032R and 2038R Tractors. Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	247.50

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller Equipment for Base Machine

65 In. (1,651 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 30-50 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 16 In. (406 mm) Rotor Diameter	6 Hybrid Tines per Flange 8 Flanges - Total of 48 Tines 4 Position Adjustable Skidshoes ASA 100 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0226LV		665 Rotary Tiller For 3038E, 4005, 790, 990, 2038R, 4300-4700, 4310-4710, 3520, 3720, 3039R-3046R, 4105 and 4120-4320 Tractors. <i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	3,935.00
--------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		In Base Price
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-403.00

ATTACHMENTS FOR FIELD CONVERSION

		AutoHitch Implement Side Components - Tillers AutoHitch Implement Components for John Deere 665, 673 <i>LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	323.40
LVB25676			
LVB25675	iMatch AutoHitch PTO Coupler		577.50

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

665 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous	
	LVB25626	Drive Shaft	462.24
	BM19780	Quik-Tatch# Weight, 31.7515 kg (70 lb)	100.10
		Miscellaneous	
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90
		Weights	
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
	CH15318	Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.49
	CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
	LVB24952	Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors. For MY '17 and Newer 2032R and 2038R Tractors. Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
		<i>Black in Color.</i>	
	BM17998	Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	247.50

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller Equipment for Base Machine

73 In. (1,855 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 30-50 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 16 In. (406 mm) Rotor Diameter	6 Hybrid Tines per Flange 9 Flanges - Total of 54 Tines 4 Position Adjustable Skidshoes ASA 100 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0236LV		673 Rotary Tiller For 4005, 990, 4500-4600, 3038E, 3520, 3720, 3039R-3046R, 4510-4710, 4105, 4120, 4320 Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements.	4,657.00
--------	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
0195	Mexico		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		In Base Price
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-403.00

ATTACHMENTS FOR FIELD CONVERSION

	LVB25676	AutoHitch Implement Side Components - Tillers AutoHitch Implement Components for John Deere 665, 673 LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.	323.40
--	-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

673 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25675		iMatch AutoHitch PTO Coupler	577.50
		Miscellaneous	
LVB25626		Drive Shaft	462.24
BM19780		Quik-Tatch# Weight, 31.7515 kg (70 lb)	100.10
		Miscellaneous	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90
		Weights	
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller Equipment for Base Machine

81 In. Tilling Width	18 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
35-60 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	Gear Driveline	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover	
8 In. Tilling Depth	Door	
	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0246LV		681 Rotary Tiller <i>For 4005, 990, 4500-4600, 4510-4710, 3720, 3046R, 4120-4720 and 5000 Series Tractors.</i>	5,526.00
		<i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
0195	Mexico		No Added Cost

OPERATOR'S MANUAL

0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	No Added Cost
0437		Spanish North American Operator's Manual and Decal Kit	No Added Cost

DRIVE SHAFT

1000		Drive Shaft	In Base Price
1995		Less Drive Shaft	-472.00

ATTACHMENTS FOR FIELD CONVERSION

		AutoHitch Implement Side Components - Tillers	
LVB25675		iMatch AutoHitch PTO Coupler	577.50
		Miscellaneous	
LVB25627		Drive Shaft	541.41

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

681 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19780		Quik-Tatch# Weight, 31.7515 kg (70 lb)	100.10
		Miscellaneous	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90
		Weights	
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97