

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower  
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M		47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,179.00
-------	--	---	----------

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	654.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 front attaching support.</i>	672.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.  Includes BLV10680 front attaching support kit.</i>	941.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
2010		Less Front Quick-Hitch	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	242.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	289.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://diac.deere.com/Solutions/English/111853.htm">http://diac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	273.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	227.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	379.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>  <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	432.00
4010		Less Implement Drive and Upstop	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
4013		<b>IMPLEMENT DRIVE AND UPSTOP Continued...</b> Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	274.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BLV10786		<b>Front Power Take-Off (PTO)</b> 2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BM17330		2000-rpm front power take-off (PTO) (415, 425, 445, 455)	277.13
BM20921		<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	29.96
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
LVB24902		<b>Implement Drive and Upstop</b> Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	434.41
BM20871		Implement Drive and Upstop (425, 445, 455, F900's)	260.01
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
M88984		<b>Miscellaneous</b> Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	292.11
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
AM119321		Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000)</i>	66.33
AM128337		Left-Side Skid Shoe Plate and Hardware	51.51

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	129.47
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
AM128336		Right-Side Skid Shoe Plate and Hardware	51.51
M157831		Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Spanish North American Kit</b>	
BLV11058		47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower  
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

02C1M		54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, model year 2013-2016 2032R, 2320-2720 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,619.00
-------	--	--	----------

**FRONT QUICK-HITCH**

2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 front attaching support.</i>	672.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, and 2320, 2520, 2720 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720).</i>	734.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	941.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	931.00
2010		Less Front Quick-Hitch	In Base Price

**FRONT POWER TAKE-OFF (PTO)**

3007		2000 RPM Front PTO	289.00
------	--	--------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
<i>For 2305 Tractor.</i>			
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	273.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00

**IMPLEMENT DRIVE AND UPSTOP**

4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	288.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>  <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	432.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	274.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Front Power Take-Off (PTO)</b>		
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BM20921		<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
BM23238		<b>Implement Drive and Upstop</b> Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	339.19
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
M88984		<b>Miscellaneous</b> Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	31.38
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	292.11



## JOHN DEERE TURF & UTILITY PRODUCTS

### EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

#### 54 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
AM128337		Left-Side Skid Shoe Plate and Hardware	51.51
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	129.47
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
AM128336		Right-Side Skid Shoe Plate and Hardware	51.51
M157831		Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	28.43
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Spanish North American Kit</b>	
BLV11058		47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**59 In. Two-Stage Snow Blower  
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
59 In. Clearing Width "Straight"	Hydraulic Chute Angling
16 In. Diameter Impeller	Less Front Hitch
16 In. Diameter Auger	Less Front PTO
Shear Bolt Protection	Less Mounting Kit and Less
Adjustable Spout Cap Deflector	Snow Blower Driveshaft
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa.*

2759M		59 In. Two-Stage Snow Blower <i>For 3033R-3046R, 3120-3720, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors. Also for MY2017 and Newer 2032R and 2038R Tractors. For Use with Front Three-Point Hitch with A-Frame. Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting. 3120-3720 Tractors with Mid-Mount Mowers Require LVB24810. Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	4,446.00
-------	--	--	----------

**DESTINATION**

0205	Quebec	No Added Cost
0184	Canada	No Added Cost
0202	United States	In Base Price

**OPERATOR'S MANUAL**

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit	No Added Cost

**MOUNTING KIT / DRIVESHAFT**

6833	Snow Blower Mounting Kit and Driveshaft <i>For 3005, 855, 955, 670, 770, 790, 4200-4400, 4210-4410 Tractors.</i>	642.00
6834	Snow Blower Mounting Kit and Driveshaft <i>For 3033R-3046R, 3120-3720 Tractors.</i>	336.00
6835	Less Snow Blower Mounting Kit and Driveshaft	In Base Price
6836	Snow Blower Mounting Kit and Driveshaft <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	331.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**59 In. Two-Stage Snow Blower**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT HITCH</b>			
6941		Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410 Tractors.</i>	774.00
6950		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720 and 3033R-3046 Tractors.</i>	1,447.00
6967		Less Front Hitch and Less Hydraulic Lift	In Base Price
6951		Front Three-Point Hitch with A-Frame Quick Attach System <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	1,447.00
<b>FRONT POWER TAKE-OFF (PTO)</b>			
6880		2000 RPM Front PTO <i>For 4200-4400, 4210-4410 Tractors.</i>	265.00
6882		2000 RPM Front PTO <i>For 670 Tractors.</i>	399.00
6883		2000 RPM Front PTO <i>For 770, 790, 3005 Tractors.</i>	410.00
6884		2000 RPM Front PTO <i>For 855, 955 Tractors.</i>	375.00
6885		2000 RPM Front PTO <i>For 3033R-3046R, 3120-3720 Tractors.</i>	273.00
6910		Less 2000 RPM Front PTO	In Base Price
6886		2000 RPM Front PTO <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	274.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Front Power Take-Off (PTO)</b>	
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	323.40
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	303.89
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	95.70
		<b>Front Quick-Hitch</b>	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	215.60

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**59 In. Two-Stage Snow Blower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors. Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	95.70
LVB25878		Front 3-Point Hitch (3120-3720)	1,344.99
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,393.70
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	1,393.70
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use on MY '17 and newer 2032R and 2038R Tractors. For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
		<b>Miscellaneous</b>	
BM16856		2000 RPM Front PTO (670)	456.89
BM21379		2000 rpm Front Power Take-Off (PTO) (770, 790, 3005)	469.73
BM16494		2000 rpm Front Power Take-Off (PTO) (855, 955)	430.14
LVB24810		Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	243.96
AM128337		Left-Side Skid Shoe Plate and Hardware	51.51
AM128336		Right-Side Skid Shoe Plate and Hardware	51.51
LVB24800		Snow Blower Drive Shaft (3033R-3046R, 3120-3720)	165.86
BLV10799		Snow Blower Drive Shaft (MY '17 and newer 2032R and 2038R)	170.50
BLV10715		Snow Blower Mounting Kit (For MY '17 and newer 2032R and 2038R, 3033R-3046R, and 3120-3720) <i>MY'17 and newer 2032R and 2038R requires snow blower driveshaft BLV10799 3033R-3046R, and 3120-3720 requires snow blower driveshaft LVB24800</i>	225.50
BM21660		Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 3005, 4200-4400, 4210-4410)	736.16