

AGRICULTURAL PRODUCTS JOHN DEERE FLAIL SHREDDERS

115 Drawn Flail Shredder Equipment for Base Machine

Screw-Type Parking Stand
Safety Chain
Rotor Drive - Two Triple, 5VX Power
Band Belts
Two - 12.7 by 132 mm (0.5 by 5.16 in.) Reversible,
Side-Slicer Knives (Heat Treated
or Hard Surfaced Knives)
120 Knives
Knives Mounted in Pairs with
Heavy-Duty Knife Rings
Rubber Deflectors
End Wise Transport
Four - 15 x 6 KB Wheels and 7.60-15 in. 6PR Tires
1000 rpm Power Take-Off (PTO) Shaft with
Overrunning Clutch, Category 5, and
Telescoping Driveline

Heavy-Duty 150 Continuous Horsepower, 200
Maximum hp Rated Gearbox, and
Attaching Hardware
Rear Lift Pivot System
36 mm (1.4 in.) Hood Thickness
Center Bearings Grease Bank
Slow Moving Vehicle (SMV)
4572 mm (15 ft) Width of Cut
Six 762 mm (30 in.) Rows

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Ex-Works Laredo, Texas or Moline, Illinois

0615P		115 Drawn Flail Shredder	21,288.00
-------	--	--------------------------	-----------

DRIVELINES

1000		Driveline with Overrunning Clutch, 1-3/8 In. Drive	In Base Price
1010		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	490.00

DEFLECTORS

2000		Rubber Deflectors	In Base Price
2010		Steel Sheet Deflectors	-165.00

REAR PIVOT

4000		Rear Pivot Lift Less Hydraulic Cylinder	In Base Price
4010		Rear Pivot Lift with 3x8 Hydraulic Cylinder with Hoses	530.00

KNIVES CONFIGURATION

3000		Standard Heat Treated Knives	In Base Price
3010		Standard Heat Treated and Hard Surfaced Knives	1,125.00
3020		68-Degree Heat Treated Knives	No Added Cost
3040		Cupped Heat Treated Knives	1,125.00

WHEELS AND TIRES

5010		Four 15 X 6KB Wheels and 7.60-15 6PR Tires	In Base Price
------	--	--	---------------

**AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS**

115 Drawn Flail Shredder
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		WEED SEPARATOR	
		<i>Attachments Ordered for Field Conversion Will be Shipped EX-WORKS Moline, Illinois.</i>	
9040		Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002485.</i>	101.00
		ATTACHMENTS FOR FIELD CONVERSION	
		<i>Attachments ordered for field conversion will be shipped EX-WORKS Moline, Illinois.</i>	
		Miscellaneous	
	BP18083	Deflectors - Rubber	619.30
	BP16676	Deflectors - Steel Sheet	434.50
	AP40461	Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/4 In. Drive	1,870.52
	AP40459	Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	1,619.90
	AP40460	Driveline with Overrunning Clutch, 1-3/4 In. Drive	1,142.84
	BP17320	Gauge Wheel Support	392.70
	BP16519	Hydraulic Cylinder (3X8) with Hoses	599.50
	AP40006	Lateral Skid Plate	279.40
		Weed Separator	
	BP16573	Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002485. Compatible on all shredders up to and including Serial Number 002485. Compatible on all shredders above and including Serial Number 002258.</i>	111.10

**AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS**

**120 Drawn Flail Shredder
Equipment for Base Machine**

Screw-Type Parking Stand
Safety Chain
Rotor Drive Two Triple, 5VX Power
Band Belts
Two - 12.7 by 132 mm (0.5 by 5.16 in.) Reversible,
Side-Slicer Knives (Heat Treated
or Hard Surfaced Knives)
160 Knives
Knives Mounted in Pairs with
Heavy-Duty Knife Rings
Rubber Deflectors
End Wise Transport
Four - 15 x 6 KB Wheels and 7.60-15 in. 6PR Tires
1000 rpm Power Take-Off (PTO) Shaft with
Overrunning Clutch, Category 5, and
Telescoping Driveline

Heavy-Duty 150 Continuous Horsepower, 200
Maximum hp Rated Gearbox, and
Attaching Hardware
Rear Lift Pivot System
36 mm (1.4 in.) Hood Thickness
Center Bearings Grease Bank
Slow Moving Vehicle (SMV)
6096 mm (20 ft) Width of Cut
Six 1016 mm (40 in.) Rows or
Eight - 762 mm (30 in.) Rows

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Ex-Works Laredo, Texas or Moline, Illinois

0605P		120 Drawn Flail Shredder	28,931.00
-------	--	--------------------------	-----------

DRIVELINES

1000		Driveline with Overrunning Clutch, 1-3/8 In. Drive	In Base Price
1010		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	490.00
1020		Driveline with Overrunning Clutch, 1-3/4 In. Drive	93.00
1030		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/4 In. Drive	631.00

DEFLECTORS

2000		Rubber Deflectors	In Base Price
2010		Steel Sheet Deflectors	-227.00

REAR PIVOT

4000		Rear Pivot Lift Less Hydraulic Cylinder	In Base Price
4010		Rear Pivot Lift with 3x8 Hydraulic Cylinder with Hoses	530.00

KNIVES CONFIGURATION

3000		Standard Heat Treated Knives	In Base Price
3010		Standard Heat Treated and Hard Surfaced Knives	1,487.00
3020		68-Degree Heat Treated Knives	No Added Cost
3040		Cupped Heat Treated Knives	1,487.00

**AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS**

**120 Drawn Flail Shredder
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES			
5010		Four 15 X 6KB Wheels and 7.60-15 6PR Tires	In Base Price
LIGHTING			
6000		Less Safety Warning Lights	In Base Price
6010		Safety Warning Lights	154.00
WEED SEPARATOR			
<i>Attachments Ordered for Field Conversion Will be Shipped EX-WORKS Moline, Illinois.</i>			
9040		Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002258.</i>	101.00
EASY END TRANSPORT			
<i>Attachments Ordered for Field Conversion Will be Shipped EX-WORKS Moline, Illinois.</i>			
9050		Easy-End Transport <i>Not compatible when using a disk hitch.</i>	660.00
ATTACHMENTS FOR FIELD CONVERSION			
<i>Attachments ordered for field conversion will be shipped EX-WORKS Moline, Illinois.</i>			
BP18092		Easy End Transport Easy-End Transport <i>Not compatible when using a disk hitch.</i>	726.00
BP18050		Miscellaneous Deflectors - Rubber	854.70
BP16572		Deflectors - Steel	600.60
AP40461		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/4 In. Drive	1,870.52
AP40459		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	1,619.90
AP40460		Driveline with Overrunning Clutch, 1-3/4 In. Drive	1,142.84
BP17320		Gauge Wheel Support	392.70
AP40006		Lateral Skid Plate	279.40
BP18226		Safety Warning Light	171.60
BP18208		Wheel and Tire (7.60-15 6PR)	226.60

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS

120 Drawn Flail Shredder
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
	BP16573	Weed Separator Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002485.</i> <i>Compatible on all shredders above and including Serial Number 002258.</i> <i>Compatible on all shredders up to and including Serial Number 002258.</i>	111.10

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS

120 Drawn Flail Shredder
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS

520 Drawn Flail Shredder
 Equipment for Base Machine

1000 rpm Power Take-Off (PTO) Shaft with
 Driveline with Overrunning Clutch and Constant
 Velocity Joint, 4.5 cm (1.75 in.) Drive
 Driveline Support
 Heavy-Duty 180 Continuous Horsepower,
 270 Maximum hp Rated Gearbox
 Rotor Drive, Two Triple, 3.5 V Kevlar Belts
 Center Bearing Grease Bank
 124 Pairs of Reversible Side-Slicer Knives
 (Heat Treated and Hard Surfaced Knives)
 Heavy-Duty Knife Rings
 36 mm (1.4 in.) Hood Thickness
 Rubber Deflectors
 Four - 15 x 6 KB Wheels and 7.60-15 in. 6PR Tires

Rear Pivot Lift Less Hydraulic Cylinder
 Jack Stand
 Endwise Support
 Hose Support
 Operator's Manual Container
 Safety Chain
 Slow Moving Vehicle (SMV)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Ex-Works Laredo, Texas or Moline, Illinois

0650P		520 Drawn Flail Shredder	32,881.00
-------	--	--------------------------	-----------

DESTINATION

0124		Azerbaijan - Homologation Kit <i>Includes homologation kit.</i>	203.00
0166		Ukraine - Homologation Kit <i>Includes homologation kit.</i>	203.00
0184		Canada	No Added Cost
0195		Mexico	No Added Cost
0202		United States	In Base Price

DRIVELINES

1010		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	-142.00
1020		Driveline with Overrunning Clutch, 1-3/4 In. Drive	-538.00
1030		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/4 In. Drive	In Base Price

GAUGE WHEEL SUPPORT

3030		Four Gauge Wheel Supports and Axle <i>Straight position only.</i>	In Base Price
3040		Four Gauge Wheel Supports and Axle <i>Two positions - one straight and one at an angle for use in a non-row crop field. Requires Code 9050.</i>	431.00

WHEELS AND TIRES

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS**520 Drawn Flail Shredder**
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5050		WHEELS AND TIRES ...Continued... Four 15 X 6 KB Wheels and 7.60-15 in. 6PR Tires	In Base Price
REAR PIVOT			
4000		Rear Pivot Lift Less Hydraulic Cylinder	In Base Price
4010		Remote Cylinder with Hoses <i>Rear pivot lift 76.2 mm by 203.2 mm (3 in. by 8 in.) hydraulic cylinder with hoses.</i>	530.00
DEFLECTORS			
7000		Steel Deflectors	-227.00
7010		Rubber Deflectors	In Base Price
LIGHTING			
6000		Less Safety Warning Lights	In Base Price
6010		Safety Warning Lights	154.00
SKID SHOES <i>Attachments ordered for field conversion will be shipped Ex-Works Moline, Illinois.</i>			
9020		Lateral Skid Plate	254.00
WEED SEPARATOR <i>Attachments ordered for field conversion will be shipped Ex-Works Moline, Illinois.</i>			
9040		Weed Separator (Center Divider)	101.00
EASY END TRANSPORT <i>Attachments ordered for field conversion will be shipped Ex-Works Moline, Illinois.</i>			
9050		Easy-End Transport	660.00
ATTACHMENTS FOR FIELD CONVERSION <i>Attachments ordered for field conversion will be shipped EX-WORKS Moline, Illinois.</i>			
BP18092		Easy End Transport Easy-End Transport	726.00
BP18050		Miscellaneous Deflectors - Rubber	854.70
BP16572		Deflectors - Steel	600.60
BP16346		Disk Hitch with Hose Support	507.10
AP40461		Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/4 In. Drive	1,870.52

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS

520 Drawn Flail Shredder
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	AP40459	Driveline with Overrunning Clutch and Constant Velocity Joint, 1-3/8 In. Drive	1,619.90
	AP40460	Driveline with Overrunning Clutch, 1-3/4 In. Drive	1,142.84
	AP40458	Driveline with Overrunning Clutch, 1-3/8 In. Drive	1,010.14
	BP17320	Gauge Wheel Support	392.70
	AP40006	Lateral Skid Plate	279.40
	BP18226	Safety Warning Light	171.60
	BP18208	Wheel and Tire (7.60-15 6PR)	226.60
		Weed Separator	
	BP16573	Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002485. Compatible on all shredders above and including Serial Number 002258.</i>	111.10

AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS

520 Drawn Flail Shredder
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

**AGRICULTURAL PRODUCTS
 JOHN DEERE FLAIL SHREDDERS**

**520 Integral Flail Shredder
 Equipment for Base Machine**

1000 rpm Power Take-Off (PTO) Shaft with
 Overrunning Clutch, Category 5, and
 Telescoping Driveline
 Heavy-Duty 180 Continuous Horsepower,
 270 Maximum hp Rated Gearbox
 Rotor Drive, Two Triple, 3.5 V Kevlar Belts
 124 Pairs of Reversible Side-Slicer Knives
 (Heat Treated and Hard Surfaced Knives)
 Heavy-Duty Knife Rings
 Category 3 or 3N, 3-Point Hitch
 Center Bearing Grease Bank
 36 mm (1.4 in.) Hood Thickness
 Rubber Deflectors

Four Gauge Wheel Supports and Axle
 Four - 15 x 6 KB Wheels and 7.60-15 in. 6PR Tires
 Rear Pivot Lift with Ratchet
 Operator's Manual Container
 Safety Warning Lights
 Slow Moving Vehicle (SMV)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Ex-Works Laredo, Texas or Moline, Illinois

0655P		520 Integral Flail Shredder	32,527.00
-------	--	-----------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0195		Mexico	No Added Cost
0202		United States	In Base Price

DRIVELINES

1040		Driveline with Overrunning Clutch, 3.5 cm (1.38 in.) Drive	In Base Price
1050		Driveline with Overrunning Clutch, 4.5 cm (1.75 in.) Drive	142.00

GAUGE WHEEL SUPPORT

3010		Four Gauge Wheel Supports and Axle	In Base Price
------	--	------------------------------------	---------------

WHEELS AND TIRES

5050		Four 15 X 6 KB Wheels and 7.60-15 in. 6PR Tires <i>Requires Code 3010.</i>	In Base Price
------	--	---	---------------

DEFLECTORS

7000		Steel Deflectors	-227.00
7010		Rubber Deflectors	In Base Price

SKID SHOES

Attachments ordered for field conversion will be shipped Ex-Works Moline, Illinois.

**AGRICULTURAL PRODUCTS
JOHN DEERE FLAIL SHREDDERS**

520 Integral Flail Shredder
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9020		SKID SHOES ...Continued... Lateral Skid Plate	254.00
		WEED SEPARATOR <i>Attachments ordered for field conversion will be shipped Ex-Works Moline, Illinois.</i>	
9040		Weed Separator (Center Divider)	101.00
		ATTACHMENTS FOR FIELD CONVERSION <i>Attachments ordered for field conversion will be shipped EX-WORKS Moline, Illinois.</i>	
		Miscellaneous	
	AP40463	Driveline with Overrunning Clutch, 1-3/4 In. Drive	1,234.37
	BP17320	Gauge Wheel Support	392.70
	AP40006	Lateral Skid Plate	279.40
	BP17007	Safety Warning Light	171.60
	BP18208	Wheel and Tire (7.60-15 6PR)	226.60
		Weed Separator	
	BP16573	Weed Separator (Center Divider) <i>Compatible on all shredders above and including Serial Number 002485. Compatible on all shredders above and including Serial Number 002258.</i>	111.10