

KUBOTA

EXCAVATORS

WHOLEGOODS PRICE LIST EFFECTIVE NOVEMBER 13, 2018

These pages are a complete revision of this
section of your price book.
All prices are effective November 13, 2018

11/13/2018 3" seat belt for K008. See page 15-6 for details.
Updated pricing due to increase in steel prices.

KUBOTA

This page intentionally left blank.

KUBOTA

Page Number	Model	Digging Depth	Factory Number	Suggested List Price
15-5	K008T4	5' 8"	K16K957A12	\$22,312.00
15-7	U17VR1	7' 7"	K22X074A20	\$29,045.00
15-11	KX018-4R1	7' 9.7"	K23X790A28	\$31,303.00
15-15	U27-4R1	9' 5"	K27X519A60	\$36,210.00
15-19	KX71-3S4R1	9' 9"	K29X874A08	\$39,308.00
15-25	KX033-4R1	10' 6"	K34X254A72	\$45,072.00
15-31	U35-4R1	9' 8.9"	K33X801A76	\$44,476.00
15-35	KX040-4R1	11' 2.6"	K40X076A32	\$52,732.00
15-43	U55-4R1	11' 10.3"	K49X260A16	\$64,816.00
15-49	KX057-4R1	12' 8.2"	K52X535A76	\$69,126.00
15-55	KX080-4SR3	15' 1"	K79X960A36	\$105,211.00
15-62	EXCAVATOR REPLACEMENT ENGINES			

KUBOTA

This page intentionally left blank.

KUBOTA

K Series K008-3T4

K008-3T4

Hydraulic Excavator

FEATURES

Rubber Tracks
 2-Post Foldable ROPS
 Variable Width Track Frame
 2 Gear Type Pumps
 Two Operating Pattern Selection System
 Standard Front Dozer Blade
 360 Degree Full Rotation
 55° Left and 60° Right Boom Swing Angle
 5.5 GPM Auxiliary Hydraulics Port
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Two Speed Travel

BASIC UNIT

K008-3T4, Rubber tracks, 2-Post Foldable ROPS

DIMENSIONS AND OPERATING WEIGHT

K008-3T4 with K9776 Bucket
 Overall Length 9' 0"
 Overall Width 2'4" ~ 2'10"
 Overall Height 7'4"
 Operating Weight* 2200 lbs.
 Ground Clearance 5.9"

*Includes operator's weight of 175 lbs.

ENGINE

D722 Kubota E-TVCS Tier 4 Final Diesel Engine
 3 Cylinder, 4 Cycle
 10.3 Gross HP (SAE J1995) @ 2050 RPM
 10.1 Net HP (SAE J1349) @ 2050 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	5' 8"
Max Digging Radius @ Ground Level	9' 11"
Max Vertical Digging Depth	4' 6"
Max Dumping Height	6' 8"

DOZER BLADE DIMENSIONS

Width	28"/34"
Height	7.9"
Lift Above Ground	7.9"
Drop Below Ground	7.1"

PERFORMANCE

Digging Force @ Bucket (K9776)	2200 lbs.
Digging Force @ Dipper Arm	1010 lbs.
Travel Speed (Low/High)	1.2/2.5 mph
Climbing Ability	27% / 15°
Ground Pressure	3.5 psi
Lift Capacity	660 lbs.
<ul style="list-style-type: none"> • Over End • Blade Grounded • 2 Ft. Load Point Height • 6 Ft. Load Radius 	

KUBOTA

K Series K008-3T4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL K008T4 BASIC UNIT			
K008T4	Excavator Basic Unit With: Rubber Tracks, 2-Post Foldable ROPS, Dozer Blade, Dipper Arm, and Counterweight	K16K957A12	2028	\$22,312.00
PART 2	BUCKETS			
K9775	10 inch 0.49 cu. ft. Bucket (Welded teeth)	K269A80	36	\$355.00
K9776	14 inch 0.74 cu. ft. Bucket (Welded teeth)	K326A80	90	\$430.00
K7759	8 inch 0.35 cu. ft. H.D. Bucket (Bolt-on teeth)	K433A20	36	\$570.00
K7760	10 inch 0.49 cu. ft. H.D. Bucket (Bolt-on teeth)	K440A04	47	\$579.00
K7768	12 inch 0.63 cu. ft. H.D. Bucket (Bolt-on teeth)	K451A44	55	\$594.00
K7769	16 inch 0.9 cu. ft. H.D. Bucket (Bolt-on teeth)	K503A12	69	\$662.00
PART 3	ATTACHMENTS			
K7748	Two Way Service Port Hydraulic Kit The K7748 converts the auxiliary hydraulics from one way to two way flow. Includes manual, hydraulic hoses, and fittings	K224A20	15	\$295.00
KXB310Q	Hydraulic Breaker, 200 ft. lbs. rated Includes manual, onemoil point and one chisel point. For K008-3 & K008-3T4 requires K7761 Bracket and K7990 Hose Kit For K008 requires K7761 Bracket and a longer hose kit, 9.8' long. Order 70000-03824 from Parts	K4K391A28	165	\$5,778.00
K9797	3" seat belt option As required in some states for OSHA compliance.	K60A80	3	\$80.00
K7761	Hydraulic Breaker Bracket Required for KXB310Q Pin-On configuration.	K511A48	99	\$673.00
K7990	Hydraulic Breaker Hose Kit Required for KXB310Q installation on K008-3 & K008-3T4	K448A40	2.2	\$590.00
K7773	Accumulator Charge Kit For hydraulic breaker maintenance only. Requires hose assembly. Order 70003-00677 from parts.	K828A40	5	\$1,090.00
	KXB310Q Hydraulic Hammer Tool Information			
	Part Nos.	Description		
	77700-00338	Replacement Moil Point		
	77700-00320	Replacement Chisel Point		
	77700-00403	Spade Tool (Parallel To Boom)		
	77700-00406	Spade Tool (Transverse To Boom)		
K7802	Spark Arrestor Muffler Kit Optional kit for use in close proximity with grass, brush, timber and similar material with potential for ignition. Requires K7812 Spark Arrestor Screen	K92A72	50	\$122.00
K7812	Spark Arrestor Screen Required for K7802 installation.	K15A96	2.5	\$21.00
PART 4	ROPS / OPG (Top Guard, Level I)			
K7787	Replacement 2-Post Foldable ROPS	K589A76	154	\$776.00

KUBOTA

K Series U17VR1

U17VR1

Zero Tail Swing Hydraulic Excavator

FEATURES

Zero Tail Swing
 Short Pitch Rubber Tracks
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy
 Variable Width Track Frame
 Kubota 3 Hydraulic Pump Design
 1 Gear, 2 Variable Displacement Pumps
 Hydraulic Joystick Controls with Wrist Rests
 Two Operating Pattern Selection System
 Standard Front Dozer Blade with Extensions
 360 Degree Full Rotation
 65° Left and 58° Right Boom Swing Angle
 7.3 GPM Auxiliary Hydraulics Port
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Two Speed Travel

BASIC UNIT

U17VR1, Rubber tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1)

DIMENSIONS AND OPERATING WEIGHT

U17VR1, Rubber tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1)
 Overall Length 11' 7"
 Overall Width 3'3" ~ 4'1"
 Overall Height 7'8"
 Operating Weight* 3703 lbs.
 Ground Clearance 5.9"

*Includes operator's weight of 175 lbs.

ENGINE

D902 Kubota E-TVCS Tier 4 Final Diesel Engine
 3 Cylinder, 4 Cycle
 16.1 Gross HP (SAE J1995) @ 2300 RPM
 15.1 Net HP (SAE J1349) @ 2300 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	7' 7"
Max Digging Radius @ Ground Level	12' 7"
Max Vertical Digging Depth	6' 3"
Max Dumping Height	8' 0"

DOZER BLADE DIMENSIONS

Width	3'3"/4'1"
Height	10.3"
Lift Above Ground	11.0"
Drop Below Ground	7.5"

PERFORMANCE

Digging Force @ Bucket (K7970)	3417 lbs.
Digging Force @ Dipper Arm	1918 lbs.
Travel Speed (Low/High)	1.4/2.6 mph
Climbing Ability	36% / 20°
Ground Pressure	3.8 psi
Lift Capacity	1140 lbs.
<ul style="list-style-type: none"> • Over End • Blade Grounded • 2 Ft. Load Point Height • 8 Ft. Load Radius 	

KUBOTA

K Series U17VR1

HOW TO SELECT A U17VR1 EXCAVATOR (Sample Order Information Page)

Below is an example of a complete U17VR1 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a U17VR1 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT U17VR1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U17VR1	EXCAVATOR WITH: Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Dozer Blade Dipper arm Counterweight	K22K074A20	3527	\$29,045.00
ATTACHMENTS:				
K7966A	Quick Coupler	K601A92	28	\$792.00
K7970A	18" 1.5 cu. ft. Trenching Bucket	K507A68	80	\$668.00
				\$30,505.00

KUBOTA

K Series U17VR1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL U17 BASIC UNITS			
U17VR1	Excavator Basic Unit	K22K074A20	3527	\$29,045.00
	With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
PART 2	BUCKETS			
	PIN-ON BUCKETS			
K7779A	9 inch 0.52 cu. ft. 2-Hole H. D. Bucket	K512A24	70	\$674.00
K7780A	12 inch 0.74 cu. ft. 2-Hole H. D. Bucket	K528A96	78	\$696.00
K7781	16 inch 0.95 cu. ft. 2-Hole H. D. Bucket	K583A68	88	\$768.00
K7785	18 inch 1.1 cu. ft. 2-Hole H. D. Bucket	K725A04	95	\$954.00
	QUICK ATTACH BUCKETS			
K7966	Quick Coupler Includes two mounting pins, 1 locking pin, and hardware.	K629A28	28	\$828.00
K7966A	Quick Coupler Includes two mounting pins, 1 locking pin, and hardware.	K601A92	28	\$792.00
K7967A	9 inch 0.78 cu. ft. Trenching Bucket	K317A68	50	\$418.00
K7968	12 inch 1.0 cu. ft. Trenching Bucket	K427A88	92	\$563.00
K7968A	12 inch 1.0 cu. ft. Trenching Bucket	K409A64	92	\$539.00
K7969	16 inch 1.3 cu. ft. Trenching Bucket	K427A12	70	\$562.00
K7969A	16 inch 1.3 cu. ft. Trenching Bucket	K408A12	70	\$537.00
K7970	18 inch 1.5 cu. ft. Trenching Bucket	K532A00	80	\$700.00
K7970A	18 inch 1.5 cu. ft. Trenching Bucket	K507A68	80	\$668.00
K9607	Bucket Hangers Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K190A00	12	\$250.00
PART 3	ATTACHMENTS			
KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires K7639 hose kit and a mount bracket (K7754 or K7764)	K5K393A72	247	\$7,097.00
K7639	HYDRAULIC BREAKER HOSE KIT Required for all KXB360Q installations	K454A48	40	\$598.00
K7754	HYDRAULIC BREAKER BRACKET Required for KXB360Q Quick Attach configuration	K562A40	54	\$740.00
K7764	HYDRAULIC BREAKER BRACKET Required for KXB360Q Pin-On configuration	K602A68	99	\$793.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
	KXB360Q Hydraulic Hammer Tool Information			
	Part Nos.	Description		
	77700-00339	Replacement Moil Point		
	77700-00321	Replacement Chisel Point		
	77700-00404	Spade Tool (Parallel To Boom)		
	77700-00407	Spade Tool (Transverse To Boom)		

KUBOTA

K Series U17VR1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS (Cont.)			
K9919	Canopy Work Light Kit	K96A52	20	\$127.00
K9773	Travel Alarm Kit Emits an audible signal when traveling forward or reverse	K252A32	7	\$332.00
PART 4	ROPS / OPG (Top Guard, Level I)			
K9782	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K081A48	20	\$1,423.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	3	\$78.00
	Available from Parts			
	70000-01602 Screen Type Spark Arrestor			
	77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting			
	77700-08687 Rotating Beacon, Class 1, halogen (beacon light only) w/ magnetic mounting			

KUBOTA

K Series KX018-4

KX018-4

Hydraulic Excavator

FEATURES

Short Pitch Rubber Tracks
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy or Heated Cab
 Suspension Seat
 Variable Width Track Frame
 Kubota 4 Hydraulic Pump Design
 2 Gear; 2 Variable Displacement Pumps
 Hydraulic Joystick Controls with Wrist Rests
 Two Operating Pattern Selection System
 Standard Front Dozer Blade with Extensions
 360 Degree Full Rotation
 75° Left and 60° Right Boom Swing Angle
 7.4 GPM Auxiliary Hydraulics Port
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Auto-downshift Two Speed Travel System

BASIC UNIT

KX018-4R1, Rubber tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy, Dipper Arm, Counterweight
 KX018-4R2, Rubber tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Heated Cab, Dipper Arm, Counterweight

DIMENSIONS AND OPERATING WEIGHT

KX018-4R1, Rubber tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy, Dipper Arm, Counterweight

Overall Length	12' 2.1"
Overall Width	3'3" / 4'3.2"
Overall Height	7'7.7"
Operating Weight*	3747 lbs.
Ground Clearance	6.3"

*Includes operator's weight of 175 lbs.

ENGINE

D902 Kubota E-TVCS Tier 4 Final Diesel Engine
 3 Cylinder, 4 Cycle
 16.1 Gross HP (SAE J1995) @ 2300 RPM
 15.5 Net HP (SAE J1349) @ 2300 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	7' 9.7"
Max Digging Radius @ Ground Level	12' 8"
Max Vertical Digging Depth	6' 7.9"
Max Dumping Height	7' 9.7"

DOZER BLADE DIMENSIONS

Width	3'3" / 4'3.2"
Height	9.1"
Lift Above Ground	9.1"
Drop Below Ground	9.1"

PERFORMANCE

Digging Force @ Bucket (K7970)	3594 lbs.
Digging Force @ Dipper Arm	1852 lbs.
Travel Speed (Low/High)	1.4/2.6 mph
Climbing Ability	27% / 15°
Ground Pressure	3.7 psi
Lift Capacity	910 lbs.

- Over End
- Blade Grounded
- 2 Ft. Load Point Height
- 8 Ft. Load Radius

KUBOTA

K Series KX018-4

HOW TO SELECT A KX018-4 EXCAVATOR (Sample Order Information Page)

Below is an example of a complete KX018-4 order. To submit your order, please select the Basic Unit that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX018-4 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX018-4R1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX018-4R1	EXCAVATOR WITH: Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Dozer Blade Dipper arm Counterweight	K23K790A28	3747	\$31,303.00
ATTACHMENTS:				
K7966A	Quick Coupler	K601A92	28	\$792.00
K7970A	18" 1.5 cu. ft. Trenching Bucket	K507A68	80	\$668.00
				\$32,763.00

KUBOTA

K Series KX018-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX018-4 BASIC UNITS			
KX018-4R1	Excavator Basic Unit	K23K790A28	3747	\$31,303.00
	With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
KX018-4R2	Excavator Basic Unit	K26K520A20	3967	\$34,895.00
	With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Heated Cab, Dozer Blade, Dipper Arm, Counterweight			
PART 2	BUCKETS			
	PIN-ON BUCKETS			
K7779A	9 inch 0.52 cu. ft. 2-Hole H. D. Bucket	K512A24	70	\$674.00
K7780A	12 inch 0.74 cu. ft. 2-Hole H. D. Bucket	K528A96	78	\$696.00
K7781	16 inch 0.95 cu. ft. 2-Hole H. D. Bucket	K583A68	88	\$768.00
K7785	18 inch 1.1 cu. ft. 2-Hole H. D. Bucket	K725A04	95	\$954.00
	QUICK ATTACH BUCKETS			
K7966	Quick Coupler Includes two mounting pins, 1 locking pin, and hardware.	K629A28	28	\$828.00
K7966A	Quick Coupler Includes two mounting pins, 1 locking pin, and hardware.	K601A92	28	\$792.00
K7967A	9 inch 0.78 cu. ft. Trenching Bucket	K317A68	50	\$418.00
K7968	12 inch 1.0 cu. ft. Trenching Bucket	K427A88	92	\$563.00
K7968A	12 inch 1.0 cu. ft. Trenching Bucket	K409A64	92	\$539.00
K7969	16 inch 1.3 cu. ft. Trenching Bucket	K427A12	70	\$562.00
K7969A	16 inch 1.3 cu. ft. Trenching Bucket	K408A12	70	\$537.00
K7970	18 inch 1.5 cu. ft. Trenching Bucket	K507A68	80	\$668.00
K7970A	18 inch 1.5 cu. ft. Trenching Bucket	K507A68	80	\$668.00
K9607	Bucket Hangers Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K190A00	12	\$250.00
PART 3	ATTACHMENTS			
KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires K7639 hose kit and a mount bracket (K7754 or K7764)	K5K393A72	247	\$7,097.00
K7639	HYDRAULIC BREAKER HOSE KIT Required for KXB360Q Pin-On configuration Requires K7430 Hydraulic Fitting Kit	K454A48	40	\$598.00
K7430	AUX HYDRAULIC FITTING KIT Required for K7639 Hose Kit	K50A16	18	\$66.00
K7754	HYDRAULIC BREAKER BRACKET Required for KXB360Q Quick Attach configuration	K562A40	54	\$740.00
K7764	HYDRAULIC BREAKER BRACKET Required for KXB360Q Pin-On configuration	K602A68	99	\$793.00

KUBOTA

K Series KX018-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS (Cont.)			
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
	KXB360Q Hydraulic Hammer Tool Information			
	Part Nos. Description			
	77700-00339 Replacement Moil Point			
	77700-00321 Replacement Chisel Point			
	77700-00404 Spade Tool (Parallel To Boom)			
	77700-00407 Spade Tool (Transverse To Boom)			
K7420	Travel Pedal Kit	K195A32	2	\$257.00
K7421	Canopy Work Light Kit	K157A32	20	\$207.00
K7141	MIRROR KIT **Cab ONLY	K167A20	22	\$220.00
K7424	Travel Alarm Kit Emits an audible signal when traveling forward or reverse	K157A32	7	\$207.00
PART 4	ROPS / OPG (Top Guard, Level I)			
K7422	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K013A84	154	\$1,334.00
K7423	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K7423 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	K3K587A96	390	\$4,721.00
K7425	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K62A32	3	\$82.00
	Available from Parts			
	70000-01602 Screen Type Spark Arrestor			
	70000-00775 Block Heater			
	77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting			
	77700-08687 Rotating Beacon, Class 1, halogen (beacon light only) w/ magnetic mounting			

KUBOTA

K Series U27-4

U27-4

Min Tail Swing Hydraulic Excavator

FEATURES

Min Tail Swing
 Half Pitch Rubber Tracks
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy
 Or Cab w/ HEAT ONLY, Suspension Seat
 Kubota 3 Hydraulic Pump Design
 1 Gear; 2 Variable Displacement Pumps
 Hydraulic Joystick Controls with Wrist Rests
 Two Operating Pattern Selection System
 Standard Front Dozer Blade
 360 Degree Full Rotation
 75° Left and 55° Right Boom Swing Angle
 12.7 GPM Auxiliary Hydraulics Port
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Two Speed Travel with Auto Downshift
 Thumb Bracket and Relief Valves

BASIC UNIT

U27-4R1, Rubber tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1) Canopy, Dipper Arm,
 Counterweight
 U27-4R2, Rubber tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1) Cab, Dipper Arm,
 Counterweight

DIMENSIONS AND OPERATING WEIGHT

U27-4, Rubber tracks, 4-Post ROPS/OPG (Top
 Guard, Level 1) Canopy, Dipper Arm,
 Counterweight

Overall Length	13' 6"
Overall Width	4' 11"
Overall Height	7' 10"
Operating Weight*	5,688lbs.
Ground Clearance	12.1"

*Includes operator's weight of 175 lbs.

ENGINE

D1105-BH Kubota Tier 4 Final Diesel Engine
 3 Cylinder, 4 Cycle
 20.8 Gross HP (SAE J1995) @ 2400 RPM
 20.0 Net HP (SAE J1349) @ 2400 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	9' 5"
Max Digging Radius @ Ground Level	15' 4"
Max Vertical Digging Depth	7' 8"
Max Dumping Height	10'

DOZER BLADE DIMENSIONS

Width	59"
Height	11.8"
Lift Above Ground	14.0"
Drop Below Ground	13.0"

PERFORMANCE

Digging Force @ Bucket	7014 lbs.
Digging Force @ Dipper Arm	2777 lbs.
Travel Speed (Low/High)	1.6/2.7 mph
Climbing Ability	36% / 20°
Ground Pressure	3.3 psi
Lift Capacity	2050 lbs.

- Over Front
- Blade Grounded
- 2 Ft. Load Point Height
- 8 Ft. Load Radius

KUBOTA

K Series U27-4

HOW TO SELECT A U27-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete U27-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a U27-4 and get: Base Model, rubber tracks, 4-post ROPS/ OPG (Top Guard, Level I) canopy, dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT U27-4 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U27-4R1	Excavator Basic Unit	K27K519A60	7319	\$36,210.00
	With: Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7130	Quick Coupler	K634A60	39	\$835.00
K7977	18" 2.2 cu. ft. Trenching Bucket	K826A12	150	\$1,087.00
				<u>\$38,132.00</u>

KUBOTA

K Series U27-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL U27-4 BASIC UNITS			
U27-4R1	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight	K27K519A60	7319	\$36,210.00
U27-4R2	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Cab, HEAT ONLY , Dozer Blade, Dipper Arm, Counterweight	K30K890A20	7319	\$40,645.00
PART 2	BUCKETS			
	PIN-ON BUCKETS (Order Attaching Pins from Parts)			
K7150	9 inch 3-Hole H.D. BUCKET	Availability TBA		Availability TBA
K7151	12 inch 1.44 cu. ft. 3-Hole H.D. BUCKET	Availability TBA		Availability TBA
K7152	16 inch 2.12 cu. ft. 3-Hole H.D. BUCKET	Availability TBA		Availability TBA
K7153	18 inch 2.40 cu. ft. 3-Hole H.D. BUCKET	Availability TBA		Availability TBA
K7154	24 inch 3.40 cu. ft. 3-Hole H.D. BUCKET	Availability TBA		Availability TBA
	QUICK ATTACH BUCKETS			
K7130	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin, and hardware.	K634A60	39	\$835.00
K9781	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K224A20	29	\$295.00
K7975	9 inch 1.0 cu. ft. Trenching Bucket	K628A52	110	\$827.00
K7976	12 inch 1.4 cu. ft. Trenching Bucket	K727A32	135	\$957.00
K7977	16 inch 1.9 cu. ft. Trenching Bucket	K826A12	150	\$1,087.00
K7978	18 inch 2.2 cu. ft. Trenching Bucket The K7978 bucket has four teeth. The K7131 Thumb tines contact the end of the teeth and do not mesh between the teeth.	K922A64	155	\$1,214.00
K7979	24 inch 3.0 cu. ft. Trenching Bucket	K1K020A68	180	\$1,343.00
PART 3	ATTACHMENTS			
K7131	HYDRAULIC THUMB KIT K7130 Quick Coupler required.	K1K533A68	122	\$2,018.00
KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, onemoil point, and one chisel point. Requires K7774 hose kit and a mount bracket (K7755 or K7765)	K6K590A72	350	\$8,672.00

KUBOTA

K Series U27-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE										
PART 3	ATTACHMENTS (Cont.)													
K7774	HYDRAULIC BREAKER HOSE KIT Required for all KXB460Q installations	K521A36	16	\$686.00										
K7755	HYDRAULIC BREAKER MOUNT BRACKET Required for KXB460Q Quick Attach configuration	K623A20	54	\$820.00										
TBA	HYDRAULIC BREAKER MOUNT BRACKET Required for KXB460Q Pin-On configuration	TBA	TBA	TBA										
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00										
KXB460Q Hydraulic Hammer Tool Information														
<table border="1"> <thead> <tr> <th>Part Nos.</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>77700-00340</td> <td>Replacement Moil Point</td> </tr> <tr> <td>77700-00322</td> <td>Replacement Chisel Point</td> </tr> <tr> <td>77700-00405</td> <td>Spade Tool (Parallel To Boom)</td> </tr> <tr> <td>77700-00408</td> <td>Spade Tool (Transverse To Boom)</td> </tr> </tbody> </table>					Part Nos.	Description	77700-00340	Replacement Moil Point	77700-00322	Replacement Chisel Point	77700-00405	Spade Tool (Parallel To Boom)	77700-00408	Spade Tool (Transverse To Boom)
Part Nos.	Description													
77700-00340	Replacement Moil Point													
77700-00322	Replacement Chisel Point													
77700-00405	Spade Tool (Parallel To Boom)													
77700-00408	Spade Tool (Transverse To Boom)													
K7420	Travel Pedal Kit (for foot travel control)	K195A32	7	\$257.00										
K7425	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K62A32	3	\$82.00										
K7140	CANOPY WORK LIGHT KIT **Open Rops Only	K157A32	20	\$207.00										
K7141	MIRROR KIT **Cab ONLY	K167A20	22	\$220.00										
N/A	STEEL CRAWLER KIT Convert tracks from rubber to steel													
K7144	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse	K157A32	7	\$207.00										
K7145	SPARK ARRESTOR MUFFLER KIT Optional kit for use in close proximity with grass, brush, timber and similar material with potential for ignition. This kit enables the use of the 70000-01602 screen type spark arrester. The 70000-01602 screen type spark arrester CANNOT be used with the stock muffler.	K288A80		\$380.00										
PART 4	ROPS / OPG (Top Guard, Level I)													
K7142	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K054A88	154	\$1,388.00										
K7143	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) Cab, HEAT ONLY	K4K180A00		\$5,500.00										
K7425	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K62A32	3	\$82.00										
Available from Parts														
70000-01602 Screen Spark Arrestor (requires K7145)														

KUBOTA

K Series KX71-3S4

KX71-3S4 Hydraulic Excavator

FEATURES

Half Pitched Rubber Tracks or Steel Tracks
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy
 or Heated Cab
 Suspension Seat
 Kubota 3 Hydraulic Pump Design
 1 Gear; 2 Variable Displacement Pumps
 Hydraulic Joystick Controls with Wrist Rests
 Two Operating Pattern Selection System
 Standard Front Dozer Blade
 360 Degree Full Rotation
 80° Left and 60° Right Boom Swing Angle
 13.1 GPM Adjustable Auxiliary Hydraulics Port
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Two Speed Travel
 Thumb Bracket and Relief Valves
 Swivel Negative Brake

BASIC UNIT

KX71-3S4R1, Rubber Tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1) Canopy
 KX71-3S4R2, Rubber Tracks, ROPS/OPG (Top
 Guard, Level 1) Heated Cab
 KX71-3S4S1, Steel Tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1) Canopy
 KX71-3S4S2, Steel Tracks, ROPS/OPG (Top
 Guard, Level 1) Heated Cab

DIMENSIONS AND OPERATING WEIGHT

KX71-3S4R1, Rubber Tracks, 4-Post ROPS/OPG
 (Top Guard, Level 1) Canopy
 Overall Length 14' 11"
 Overall Width 4' 11"
 Overall Height 8' 0"
 Operating Weight* 6,305 lbs.
 Ground Clearance 11.0"

KX71-3S4R2, Rubber Tracks, ROPS/OPG (Top
 Guard, Level 1) Heated Cab
 Overall Length 14' 11"
 Overall Width 4' 11"
 Overall Height 7' 11"
 Operating Weight* 6,550 lbs.
 Ground Clearance 11.0"

*Includes operator's weight of 175 lbs.

ENGINE

D1505 Kubota E-TVCS Tier 4 Final Diesel Engine
 4 Cylinder, 4 Cycle
 24.4 Gross HP (SAE J1995) @ 2300 RPM
 23.1 Net HP (SAE J1349) @ 2300 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	9' 9"
Max Digging Radius @ Ground Level	16' 0"
Max Vertical Digging Depth	6' 5"
Max Dumping Height	10' 5"

DOZER BLADE DIMENSIONS

Width	59"
Height	12.0"
Lift Above Ground	13.0"
Drop Below Ground	12.0"

PERFORMANCE

Digging Force @ Bucket (K7978)	6350 lbs.
Digging Force @ Dipper Arm	3285 lbs.
Travel Speed (Low/High)	1.8/2.9 mph
Climbing Ability	36% / 20°
Ground Pressure (Rubber/Canopy)	3.9 psi
Lift Capacity	1,760 lbs.
<ul style="list-style-type: none"> • Over Front • Blade Grounded • 2 Ft. Load Point Height • 8 Ft. Load Radius 	

KUBOTA

K Series KX71-3S4

HOW TO SELECT A KX71-3S4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX71-3S4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX71-3S4 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX71-3S4R1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX71-3S4R1	Excavator Basic Unit	K29K874A08	6305	\$39,308.00
With:	Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7870	Quick Coupler	K737A96	144	\$971.00
K7875A	24" 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
				<u>\$41,562.00</u>
STANDARD UNIT KX71-3S4R2 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX71-3S4R2	Excavator Basic Unit	K33K196A80	6550	\$43,680.00
With:	Rubber Tracks ROPS/OPG (Top Guard, Level I) Cab Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7862A	24" 3.73 cu. ft. 3-Hole H. D. Bucket	K939A90	225	\$1,205.00
				<u>\$44,885.00</u>

KUBOTA

K Series KX71-3S4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX71-3S4 BASIC UNITS			
KX71-3S4R1	Excavator Basic Unit	K29K874A08	6305	\$39,308.00
	With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
KX71-3S4R2	Excavator Basic Unit	K33K196A80	6550	\$43,680.00
	With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
KX71-3S4S1	Excavator Basic Unit	K29K874A08	6525	\$39,308.00
	With: Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
KX71-3S4S2	Excavator Basic Unit	K33K196A80	6770	\$43,680.00
	With: Steel Tracks, ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
PART 2	BUCKETS			
	PIN-ON BUCKETS (Order attaching pins from Parts)			
K7792A	12 inch 2.60 cu. ft. 3-Hole Bucket	K779A76	200	\$1,026.00
K7793	16 inch 2.80 cu. ft. 3-Hole Bucket	K838A28	214	\$1,103.00
K7794	18 inch 3.20 cu. ft. 3-Hole Bucket	K876A28	223	\$1,153.00
K7796	24 inch 4.50 cu. ft. 3-Hole Bucket	K965A96	260	\$1,271.00
	QUICK ATTACH BUCKETS			
K7870	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K737A96	144	\$971.00
K7870A	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K705A28	144	\$928.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K291A84	88	\$384.00
K7872A	12 inch 2.13 cu. ft. Trenching Bucket	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. Trenching Bucket	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. Trenching Bucket The K7874A bucket has four teeth. The K7902 Thumb tines contact the end of the teeth and do not mesh between the teeth.	K813A20	190	\$1,070.00
K7875A	24 inch 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
K7473	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction.	K3K768A08	305	\$4,958.00
K7474A	BOLT ON CUTTING EDGE For K7473 36" grading bucket	K117A04	41	\$154.00
K7458	36 inch Grading Blade	K1K219A80	245	\$1,605.00
K7458A	36 inch Grading Blade	K1K060A96	245	\$1,396.00
K7546	36" Cemetery Bucket	K1K075A40	265	\$1,415.00

KUBOTA

K Series KX71-3S4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS			
K7902	HYDRAULIC THUMB KIT K7870 Quick Coupler required.	K2K292A16	190	\$3,016.00
KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires a K7774 hose kit, and a mount bracket (K7758 or K7766)	K6K590A72	350	\$8,672.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for all KXB460Q installations	K521A36	16	\$686.00
K7758	BREAKER MOUNT BRACKET Required for KXB460Q Quick Attach configuration	K674A12	54	\$887.00
K7766	BREAKER MOUNT BRACKET Required for KXB460Q Pin-On configuration	K709A08	35	\$933.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
KXB460Q Hydraulic Hammer Tool Information				
	Part Nos.	Description		
	77700-00340	Replacement Moil Point		
	77700-00322	Replacement Chisel Point		
	77700-00405	Spade Tool (Parallel To Boom)		
	77700-00408	Spade Tool (Transverse To Boom)		
K7461	24" EXCAVATING RAKE, QUICK ATTACH	K1K683A40	300	\$2,215.00
K9919	CANOPY WORK LIGHT KIT	K96A52	20	\$127.00
K9736	STEEL CRAWLER KIT Convert tracks from rubber to steel	K2K220A72	370	\$2,922.00
K9967	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse	K228A76	7	\$301.00
K9989	SPARK ARRESTOR MUFFLER KIT Optional kit for use in close proximity with grass, brush, timber and similar material with potential for ignition. Requires K9988 Heat Insulation Kit.	K288A80	20	\$380.00
K9988	HEAT INSULATION KIT Required for K9989 installation.	K51A68	2	\$68.00

KUBOTA

K Series KX71-3S4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 4 K7890	ROPS / OPG (Top Guard, Level I) REPLACEMENT 4-POST ROPS/OPG (Top Guard, Level I) CANOPY	K896A04	180	\$1,179.00
K7899	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K7899 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	K4K355A56	400	\$5,731.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	3	\$78.00

Available from parts

70000-73274 Block Heater Kit

KUBOTA

This page intentionally left blank.

KUBOTA

K Series KX033-4

KX033-4 Hydraulic Excavator

FEATURES

Half Pitched Rubber Tracks or (Steel Tracks) ***
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy or Heated Cab with A/C
 Suspension Seat
 Kubota 3 Hydraulic Pump Design
 1 Gear; 2 Variable Displacement Pumps
 Hydraulic Joystick Controls with Wrist Rests
 Hydraulic Accumulator
 Two Operating Pattern Selection System
 Standard Front Dozer Blade
 360 Degree Full Rotation
 70° Left and 48° Right Boom Swing Angle
 15.8 GPM Adjustable Auxiliary Hydraulics Port With Diverter Valve
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Two Speed Travel
 Auto Idle
 Thumb Bracket and Relief Valves
 Swivel Negative Brake
 Travel Negative Brake
 Third Line Return (Hydraulic)

DIMENSIONS AND OPERATING WEIGHT

KX033-4R1, Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy
 Overall Length 15' 6"
 Overall Width 5' 1"
 Overall Height 8' 1"
 Operating Weight* 7420 lbs.
 Ground Clearance 11.4"

KX033-4R3, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Heated Cab with A/C
 Overall Length 15' 6"
 Overall Width 5' 1"
 Overall Height 8' 1"
 Operating Weight* 7,742 lbs.
 Ground Clearance 11.4"

*Includes operator's weight of 175 lbs.

ENGINE

Kubota D1703M-DI-E4
 3 Cylinder, 4 Cycle
 24.8 Gross HP (SAE J1995) @ 2200 RPM
 23.2 Net HP (SAE J1349) @ 2200 RPM

BASIC UNIT

KX033-4R1 Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy
 KX033-4R1A, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Canopy, Angle Dozer Blade
 KX033-4R1E***, Rubber Tracks, ROPS/OPG, Canopy, Extendable Dipper Arm
 KX033-4R1AE***, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Canopy, Angle Dozer Blade, Extendable Dipper Arm
 KX033-4R3, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Heated Cab with A/C
 KX033-4R3A, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Heated Cab with A/C, Angle Blade
 KX033-4R3E***, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Heated Cab with A/C, Extendable Dipper Arm
 KX033-4R3AE***, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Heated Cab with A/C, Angle Dozer blade, Extendable Dipper Arm

OPERATIONAL DIMENSIONS

Max Digging Depth 10' 6"
 Max Digging Radius @ Ground Level 16' 10"
 Max Vertical Digging Depth 7' 4"
 Max Dumping Height 11' 7"

DOZER BLADE DIMENSIONS

Width 61"
 Height 13.5"/ 15.2" Angle
 Lift Above Ground 14.4"/ 15.9" Angle
 Drop Below Ground 14.8"/ 16.1" Angle

PERFORMANCE

Digging Force @ Bucket 8138 lbs
 Digging Force @ Dipper Arm 3867 lbs
 Travel Speed (Low/High) 1.9/2.9 mph
 Traction Force (Low) 6091 lbs
 Lift Capacity 3230 lbs

- Over Front
- Blade Grounded
- 2 Ft. Load Point Height
- 8 Ft. Load Radius

KUBOTA

K Series KX033-4

HOW TO SELECT A KX033-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX033-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX033-4 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, angle dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX033-4R1A COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX033-4R1A	Excavator Basic Unit	K36K400A20	7,140	\$47,895.00
With:	Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Angle Dozer Blade Dipper Arm Counterweight			
ATTACHMENTS:				
K7862A	24" 3.73 cu. ft. 3-Hole H. D. Bucket	K939A90	225	\$1,205.00
				<u>\$49,100.00</u>
STANDARD UNIT KX033-4R3 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX033-4R3	Excavator Basic Unit	K39K019A92	6,930	\$51,342.00
With:	Rubber Tracks ROPS/OPG (Top Guard, Level I) Cab Dozer Blade Dipper Arm Counterweight			
ATTACHMENTS:				
K7870	Quick Coupler	K737A96	144	\$971.00
K7875A	24" 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
				<u>\$53,596.00</u>

KUBOTA

K Series KX033-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX033-4			
KX033-4R1	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight	K34K254A72	6,710	\$45,072.00
KX033-4R1A	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight	K36K400A20	7,140	\$47,895.00
KX033-4R3	Excavator Basic Unit With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Cab, Heat and A/C, Dozer Blade, Dipper Arm, Counterweight	K39K019A92	6,930	\$51,342.00
KX033-4R3A	Excavator Basic Unit With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Cab, Heat and A/C, Angle Dozer Blade, Dipper Arm, Counterweight	K41K160A08	7,360	\$54,158.00
KX033-4R1E	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Extendable Dipper Arm, Counterweight	K36K742A96	6,710	\$48,346.00
KX033-4R1AE	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Extendable Dipper Arm, Counterweight	K38K888A44	7,140	\$51,169.00
KX033-4R3E	Excavator Basic Unit With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Cab, Heat and A/C, Dozer Blade, Extendable Dipper Arm, Counterweight	K41K508A16	6,930	\$54,616.00
KX033-4R3AE	Excavator Basic Unit With: Rubber Tracks, ROPS/OPG (Top Guard, Level I) Cab, Heat and A/C, Angle Dozer Blade, Extendable Dipper Arm, Counterweight	K43K648A32	7,360	\$57,432.00
PART 2	BUCKETS			
	PIN-ON BUCKETS (Order Attaching Pins from Parts)			
K7792A	12 inch 2.60 cu. ft. 3-Hole Bucket	K779A76	200	\$1,026.00
K7793	16 inch 2.80 cu. ft. 3-Hole Bucket	K838A28	214	\$1,103.00
K7794	18 inch 3.20 cu. ft. 3-Hole Bucket	K876A28	223	\$1,153.00
K7796	24 inch 4.50 cu. ft. 3-Hole Bucket	K965A96	260	\$1,271.00
	QUICK ATTACH BUCKETS			
K7870	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K737A96	144	\$971.00
K7870A	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K705A28	144	\$928.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K291A84	88	\$384.00

KUBOTA

K Series KX033-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	BUCKETS (Cont.)			
K7872A	12 inch 2.13 cu. ft. Trenching Bucket	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. Trenching Bucket	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. Trenching Bucket	K813A20	190	\$1,070.00
	The K7874 bucket has four teeth. The K7910 Thumb tines contact the end of the teeth and do not mesh between the teeth.			
K7875A	24 inch 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
K7473	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction	K3K768A08	305	\$4,958.00
K7473A	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction	K3K382A00	305	\$4,450.00
K7474A	BOLT ON CUTTING EDGE For K7473 36" grading bucket	K117A04	41	\$154.00
K7458	36" Grading Blade	K1K219A80	245	\$1,605.00
K7546	36" Cemetery Bucket	K1K075A40	265	\$1,415.00
PART 3	ATTACHMENTS			
K7910A	① HYDRAULIC THUMB KIT K7870 Quick Coupler required	K1K995A00	190	\$2,625.00
KXB460Q	① HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires a K7774 hose kit, and a K7758 mount bracket	K6K590A72	350	\$8,672.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB460Q installations	K521A36	16	\$686.00
K7758	BREAKER MOUNT BRACKET Required for KXB460Q Quick Attach configuration	K674A12	54	\$887.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
K7461	① 24 INCH EXCAVATING RAKE, QUICK ATTACH	K1K683A40	300	\$2,215.00
K7940	CANOPY WORK LIGHT KIT	K115A52	20	\$152.00
Not Available	STEEL CRAWLER KIT NOT AVAILABLE No plans to offer a steel crawler kit			Not Available
K9784	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse	K218A12	7	\$287.00
K7984	SPARK ARRESTOR MUFFLER KIT Optional kit for use in close proximity with grass, brush, timber and similar cellulose material with potential for ignition. Requires Heat Insulation Kit. 77700-06495	K372A40	50	\$490.00

① Not approved for use with extendible arm.

KUBOTA

K Series KX033-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 4	ROPS / OPG (Top Guard, Level I)			
K9786	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K209A16	165	\$1,591.00
K9787	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB	K5K148A24	390	\$6,774.00
	The cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.			
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218A12	4	\$287.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	4	\$78.00

Available from Parts

- 70000-00297 Block Heater Kit
- 77700-04753A Radio Kit AM/FM/ WB/ AUX (for Cab models Only)
- 77700-04754A Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT (for Cab models ONLY)
- 77700-06495 Heat Insulation Kit for Spark Arrestor Muffler
- 77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting
- 77700-08687 Rotating Beacon, Class 1, halogen (beacon light only) w/ magnetic mounting

KUBOTA

This page intentionally left blank.

KUBOTA

K Series U35-4

U35-4

Tight Tail Swing Hydraulic Excavator

FEATURES

Tight Tail Swing
 Half Pitched Rubber Tracks or Steel Tracks
 ROPS/OPG (Top Guard, Level 1) 4 Post Canopy or Air Conditioned & Heated Cab
 Suspension Seat
 Kubota 3 Hydraulic Pump Design
 1 Gear; 2 Variable Displacement Pumps
 All Controls Hydraulic Pilot Controls
 Hydraulic Accumulator
 Two Operating Pattern Selection System
 Digital Control Panel
 Attachment Flow Presets, Service Alerts
 Standard Front Dozer Blade with Float
 Optional Float Angle Blade w/ BOCE
 360 Degree Full Rotation
 71° Left and 45° Right Boom Swing Angle
 15.8 GPM Adjustable Auxiliary Hydraulics Port
 Auxiliary Hydraulic Diverter Valve
 Five Second Quick Preheat System
 Key Switch Stop System
 Self Bleed Fuel System
 Auto-downshift Two Speed Travel System
 Thumb Bracket and Relief Valves
 Swivel Negative Brake
 Travel Negative Brake
 Third Line Return (Hydraulic)

BASIC UNIT

U35-4R1, Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy
 U35-4R1A, Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy, Angle Dozer Blade
 U35-4R3, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Air Conditioned/Heated Cab
 U35-4R3A, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Air Conditioning/Heated Cab, Angle Dozer Blade

DIMENSIONS AND OPERATING WEIGHT

U35-4R1, Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level 1) Canopy
 Overall Length 15' 7"
 Overall Width 5' 7"
 Overall Height 8' 1.2"
 Operating Weight* 8,129 lbs.
 Ground Clearance 11.34"

U35-4R3, Rubber Tracks, ROPS/OPG (Top Guard, Level 1) Air Conditioned/Heated Cab
 Overall Length 15' 7"
 Overall Width 5' 7"
 Overall Height 8' 1.2"
 Operating Weight* 8,451 lbs.
 Ground Clearance 11.34"

*Includes operator's weight of 175 lbs.

ENGINE

D1703-M Kubota E-TVCS Tier 4 Final Diesel Engine
 3 Cylinder, 4 Cycle
 24.8 Gross HP (SAE J1995) @ 2200 RPM
 23.9 Net HP (SAE J1349) @ 2200 RPM

OPERATIONAL DIMENSIONS

Max Digging Depth	9' 8.9"
Max Digging Radius @ Ground Level	16' 11.3"
Max Vertical Digging Depth	6' 7.3"
Max Dumping Height	11' 0.7"

DOZER BLADE DIMENSIONS

Width	67"
Height	13.5"
Lift Above Ground	14.65"
Drop Below Ground	14.53"

PERFORMANCE

Digging Force @ Bucket (K7875)	7924 lbs.
Digging Force @ Dipper Arm	4451 lbs.
Travel Speed (Low/High)	1.9/2.9 mph
Climbing Ability	36% / 20°
Lift Capacity	3230 lbs.
<ul style="list-style-type: none"> • Over Front • Blade Grounded • 2 Ft. Load Point Height • 8 Ft. Load Radius 	

KUBOTA

K Series U35-4

HOW TO SELECT A U35-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete U35-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a U35-4R1A and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, angle dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT U35-4R1A COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U35-4R1A	Excavator Basic Unit	K35K986A00	8,478	\$47,350.00
With:	Rubber Tracks 4-Post ROPS/OPG (Top Guard, Level I) Canopy Angle Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7862A	24" 3.73 cu. ft. 3-Hole H. D. Bucket	K939A90	225	\$1,205.00
				<u>\$48,555.00</u>
STANDARD UNIT U35-4R3 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U35-4R3	Excavator Basic Unit	K39K262A36	8,451	\$51,661.00
With:	Rubber Tracks Air Conditioned ROPS/OPG (Top Guard, Level I) Cab Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7870	Quick Coupler	K737A96	144	\$971.00
K7875A	24" 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
				<u>\$53,915.00</u>

KUBOTA

K Series U35-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL U35-4 BASIC UNITS			
U35-4R1	Excavator Basic Unit	K33K801A76	8,129	\$44,476.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight,			
U35-4R1A	Excavator Basic Unit	K35K986A00	8,478	\$47,350.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight			
U35-4R3	Excavator Basic Unit	K39K262A36	8,451	\$51,661.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
U35-4R3A	Excavator Basic Unit	K41K445A84	8,800	\$54,534.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight			
PART 2	BUCKETS			
	PIN-ON BUCKETS (Order attaching pins from Parts)			
K7792A	12 inch 2.60 cu. ft. 3-Hole Bucket	K779A76	200	\$1,026.00
K7793	16 inch 2.80 cu. ft. 3-Hole Bucket	K838A28	214	\$1,103.00
K7794	18 inch 3.20 cu. ft. 3-Hole Bucket	K876A28	223	\$1,153.00
K7796	24 inch 4.50 cu. ft. 3-Hole Bucket	K965A96	260	\$1,271.00
	QUICK ATTACH BUCKETS			
K7870	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K737A96	144	\$971.00
K7870A	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K705A28	144	\$928.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K291A84	88	\$384.00
K7872A	12 inch 2.13 cu. ft. Trenching Bucket	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. Trenching Bucket	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. Trenching Bucket The K7874A bucket has four teeth. The K7910A Thumb tines contact the end of the teeth and do not mesh between the teeth.	K813A20	190	\$1,070.00
K7875A	24 inch 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
K7473	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction.	K3K768A08	305	\$4,958.00
K7474A	BOLT ON CUTTING EDGE For K7473 36" grading bucket	K117A04	41	\$154.00
K7458	36 inch Grading Blade	K1K219A80	245	\$1,605.00
K7546	36" Cemetery Bucket	K1K075A40	265	\$1,415.00

KUBOTA

K Series U35-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3 ATTACHMENTS				
K7910A	HYDRAULIC THUMB KIT K7870 Quick Coupler required	K1K995A00	190	\$2,625.00
KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires a K7774 hose kit, and a K7758 mount bracket	K6K590A72	350	\$8,672.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB460Q installations	K521A36	16	\$686.00
K7758	BREAKER MOUNT BRACKET Required for KXB460Q Quick Attach configuration	K674A12	54	\$887.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
K7461	24 INCH EXCAVATING RAKE, QUICK ATTACH	K1K683A40	300	\$2,215.00
K7940	CANOPY WORK LIGHT KIT	K115A52	6	\$152.00
K7447	BEACON LIGHT KIT (Enclosed Cab Use Only)	K216A60	6	\$285.00
K9784	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse.	K218A12	7	\$287.00
K7984	SPARK ARRESTOR MUFFLER KIT Optional kit for use in close proximity with grass, brush, timber and similar cellulose materials with potential for ignition. Requires Heat Insulation Kit. 77700-06495	K372A40	50	\$490.00
PART 4 ROPS / OPG (Top Guard, Level I)				
K9786	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K209A16	165	\$1,591.00
K9787	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K9787 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	K5K148A24	390	\$6,774.00
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218A12	4	\$287.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance	K60A84	3	\$78.00
Available from Parts				
77700-06495 Heat Insulation Kit for Spark Arrestor Muffler				
70000-00297 Block Heater Kit				
77700-04753A Radio Kit AM/FM/ WB/ AUX (for Cab models Only)				
77700-04754A Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT (for Cab models ONLY)				
77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting				
77700-08687 Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting				

KUBOTA

K Series KX040-4

KX040-4 Hydraulic Excavator

FEATURES

Eco Plus System
 Auto Idler
 Rubber Or Steel Track Models
 ROPS/OPG (Top Guard, Level I) 4-Post Canopy or Air Conditioning Cab
 Suspension Seat
 Kubota 1 Hydraulic Pump Load Sensing System
 1 Variable Displacement Pump
 All Controls Hydraulic Pilot Controls
 Two Operating Pattern Selection System
 Accumulator
 Digital Control Panel
 Attachment Flow Presets, Service Alerts
 Standard Front Dozer Blade w/ Float
 Optional Float Angle Blade w/ Bolt-on Cutting Edge
 360 Degree Full Rotation
 70 Degree Left, 55 Degree Right Boom Swing
 17.2 gpm Adjustable Auxiliary Hydraulics Port 1
 Auxiliary Hydraulics Diverter Valve
 9.8 gpm Adjustable Auxiliary Hydraulics Port 2 Option
 Thumb Bracket and Relief Valves
 Five Second Quick Preheat System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self-Bleed Fuel System
 Auto-Downshift Two Speed Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

BASIC UNITS

KX040-4R1, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade
 KX040-4R1A, Rubber Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade
 KX040-4R1T, Rubber Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade
 KX040-4R1P, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I), Canopy, Dozer Blade, SP2
 KX040-4R1AP, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade, SP2
 KX040-4R1TP, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade, SP2
 KX040-4R3, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade
 KX040-4R3A, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Angle Dozer Blade
 KX040-4R3T, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, 6-in-1 Dozer Blade
 KX040-4R3P, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade, SP2
 KX040-4R3AP, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I), Cab, Angle Dozer Blade, SP2
 KX040-4R3TP, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I), Cab, 6-in-1 Dozer Blade, SP2
 KX040-4S1, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade
 KX040-4S1A, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade
 KX040-4S1T, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade
 KX040-4S1P, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade, SP2

BASIC UNITS (cont'd)

KX040-4S1P, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade, SP2
 KX040-4S1AP, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Angle Dozer Blade, SP2
 KX040-4S1TP, Steel Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, 6-in-1 Dozer Blade, SP2
 KX040-4S3, Steel Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade
 KX040-4S3A, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, Angle Dozer Blade
 KX040-4S3T, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, 6-in-1 Dozer Blade
 KX040-4S3P, Steel Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Dozer Blade, SP2
 KX040-4S3AP, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, Angle Dozer Blade, SP2
 KX040-4S3TP, Steel Tracks, ROPS/OPG (TOP GUARD, LEVEL I) Air Conditioned Cab, 6-in-1 Dozer Blade, SP2

DIMENSIONS AND OPERATING WEIGHT

KX040-4R1, Rubber Tracks, 4-Post ROPS/OPG (TOP GUARD, LEVEL I) Canopy, Dozer Blade
 Overall Length 16' 8.2"
 Overall Width 5' 6.9"
 Overall Height 8' 1.8"
 Operating Weight* 9,195 lbs.
 Ground Clearance 12.9"

KX040-4R3A, Rubber Tracks, Air Conditioned ROPS/OPG (TOP GUARD, LEVEL I) Cab, Angle Dozer Blade
 Overall Length 16' 8.1"
 Overall Width 5' 6.9"
 Overall Height 8' 1.8"
 Operating Weight* 9,855 lbs.
 Ground Clearance 12.9"

* Includes operator's weight, 175 lbs.

ENGINE

D1803 Kubota DI CRS Turbo Tier 4 Diesel Engine
 3 Cylinder, 4 Cycle ; 40.4 Gross HP, 38.9 Net HP
 @ 2200 rpm (SAE J1995 & J1349 Respectively)

OPERATIONAL DIMENSIONS

Max Digging Depth 11' 2.7"
 Max Digging Radius @ Ground Level 17' 9.0"
 Max Vertical Digging Depth 7' 4.8"
 Max Dumping Height 12' 9.5"

STANDARD DOZER BLADE DIMENSIONS

Width 66.9"
 Height 15.75"
 Lift Above Ground 15.17"
 Drop Below Ground 15.94"

PERFORMANCE

Digging Force @ Bucket (K7875) 9,535 lbs.
 Digging Force @ Dipper Arm 4,112 lbs.
 Travel Speed (Low/ High) 1.8/3.1 mph
 Climbing Ability 36% / 20°
 Lift Capacity 4,080 lbs.
 • Over Front, Blade Grounded
 • 2.0 ft. Load Point Height, 8.0 ft. Load radius

KUBOTA

K Series KX040-4

HOW TO SELECT A KX040-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX040-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX040-4R1 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX040-4R1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX040-4R1	Excavator Basic Unit	K40K076A32	9,195	\$52,732.00
	With: Rubber Tracks			
	4-Post ROPS/OPG (Top Guard, Level I) Canopy			
	Dozer Blade			
	Dipper arm			
	Counterweight			
ATTACHMENTS:				
K7864A	24" 4.30 cu. ft. 3-Hole H. D. Bucket	K963A30	225	\$1,235.00
				<u>\$53,967.00</u>
STANDARD UNIT KX040-4R3A COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX040-4R3A	Excavator Basic Unit	K46K862A36	9,855	\$61,661.00
	With: Rubber Tracks			
	Air Conditioned ROPS/OPG (Top Guard, Level I) Cab			
	Angle Dozer Blade			
	Dipper arm			
	Counterweight			
ATTACHMENTS:				
K7870	Quick Coupler	K737A96	75	\$971.00
K7875A	24" 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
K7910A	Hydraulic Thumb Kit	K1K995A00	195	\$2,625.00
				<u>\$66,540.00</u>

KUBOTA

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX040-4 BASIC UNITS			
KX040-4R1	Excavator Basic Unit	K40K076A32	9370	\$52,732.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
KX040-4R1A	Excavator Basic Unit	K42K025A72	9370	\$55,297.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight			
KX040-4R1T	Excavator Basic Unit	K45K029A24	9,635	\$59,249.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight			
KX040-4R1P	Excavator Basic Unit	K41K324A24	9370	\$54,374.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4R1AP	Excavator Basic Unit	K43K273A64	9370	\$56,939.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2			
KX0404R1TP	Excavator Basic Unit	K46K277A16	10,010	\$60,891.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4R3	Excavator Basic Unit	K44K912A20	9370	\$59,095.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
KX040-4R3A	Excavator Basic Unit	K46K862A36	9370	\$61,661.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight			
KX040-4R3T	Excavator Basic Unit	K49K865A12	9,655	\$65,612.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight			
KX040-4R3P	Excavator Basic Unit	K46K160A12	9370	\$60,737.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4R3AP	Excavator Basic Unit	K48K110A28	9370	\$63,303.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2			
KX0404R3TP	Excavator Basic Unit	K51K113A04	10,010	\$67,254.00
With:	Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4S1	Excavator Basic Unit	K41K245A96	9259	\$54,271.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			

KUBOTA

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX040-4 BASIC UNITS (Cont.)			
KX040-4S1A	Excavator Basic Unit	K43K196A12	9370	\$56,837.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight			
KX040-4S1T	Excavator Basic Unit	K46K198A88	9259	\$60,788.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight			
KX040-4S1P	Excavator Basic Unit	K42K493A88	9259	\$55,913.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4S1AP	Excavator Basic Unit	K44K444A04	9370	\$58,479.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2			
KX0404S1TP	Excavator Basic Unit	K47K446A80	9259	\$62,430.00
With:	Steel Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4S3	Excavator Basic Unit	K46K081A84	9350	\$60,634.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
KX040-4S3A	Excavator Basic Unit	K48K032A00	9370	\$63,200.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight			
KX040-4S3T	Excavator Basic Unit	K51K034A76	9502	\$67,151.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight			
KX040-4S3P	Excavator Basic Unit	K47K329A76	9350	\$62,276.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4S3AP	Excavator Basic Unit	K49K279A92	9370	\$64,842.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2			
KX0404S3TP	Excavator Basic Unit	K52K282A68	9370	\$68,793.00
With:	Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 6-in-1 Dozer Blade, Dipper Arm, Counterweight, SP2			

KUBOTA

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	BUCKET OPTIONS			
	PIN-ON BUCKETS (Order attaching pins from Parts)			
K7792A	12 inch 2.6 cu. ft. 3-Hole Bucket	K779A76	194	\$1,026.00
K7793	16 inch 2.80 cu. ft. 3-Hole Bucket	K838A28	220	\$1,103.00
K7794	18 inch 3.20 cu. ft. 3-Hole Bucket	K876A28	229	\$1,153.00
K7796	24 inch 4.50 cu. ft. 3-Hole Bucket	K965A96	265	\$1,271.00
K7797	30 inch 5.80 cu. ft. 3-Hole Bucket	K1K058A68	300	\$1,393.00
K9836A	36 inch 4.17 cu. ft. Drainage Bucket	K770A64	194	\$1,014.00
	QUICK ATTACH BUCKETS			
	MECHANICAL QUICK ATTACH OPTIONS			
K7870	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K737A96	75	\$971.00
K7870A	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K705A28	75	\$928.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K291A84	49	\$384.00
K7872A	12 inch 2.13 cu. ft. Trenching Bucket	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. Trenching Bucket	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. Trenching Bucket The K7874 bucket has four teeth. The K7910 Thumb tines contact the end of the teeth and do not mesh between the teeth.	K813A20	190	\$1,070.00
K7875A	24 inch 4.25 cu. ft. Trenching Bucket	K975A08	240	\$1,283.00
K7461	24" Excavating Rake	K1K683A40	300	\$2,215.00
K7876	30 inch 5.31 cu. ft. Trenching Bucket	K1K124A80	265	\$1,480.00
K7876A	30 inch 5.31 cu. ft. Trenching Bucket	K1K074A64	265	\$1,414.00
K7877A	36 inch 6.64 cu. ft. Smooth Grading Bucket K7877A not authorized for thumb applications	K886A16	230	\$1,166.00
K7546	36" Cemetery Bucket	K1K075A40	265	\$1,415.00
K7877B	36 inch 6.64 cu. ft. Smooth Grading Bucket If used with thumb, the tines meet below cutting edge	K886A16	230	\$1,166.00
K7458	36" Grading Blade	K1K219A80	270	\$1,605.00
K7473	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction.	K3K768A08	305	\$4,958.00
K7454	39 inch 4.72 cu. ft. Tilt Grading Bucket Includes hoses and fittings. Tilts 45° each direction	K4K275A00	185	\$5,625.00
K7454A	39 inch 4.72 cu. ft. Tilt Grading Bucket Includes hoses and fittings. Tilts 45° each direction	K3K837A24	185	\$5,049.00

KUBOTA

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
KUBOTA KONNECT® (KK) QUICK COUPLER OPTIONS				
K7100	KK Hydraulic Quick Coupler Base Kit Base coupler. Requires K7102 completion kit.	K1K702A40	72	\$2,240.00
K7102	KK Hydraulic Coupler Completion Kit Contains hoses, fittings, guards, electrical components required to complete K7100 Kit	K966A72	35	\$1,272.00
K7106	KK Mechanical Coupler Base Kit Mechanical operation only. Requires K7108 completion kit.	K931A00	63	\$1,225.00
K7108	KK Mechanical Coupler Completion Kit Contains components required to complete the K7106 kit.	K224A20	15	\$295.00
K7110	KK Hydraulic Upgrade Base Kit Converts the K106 Mechanical System to a KK Hydraulic System. Must also order the K7112	K908A96	18	\$1,196.00
K7112	KK Hydraulic Upgrade Completion Kit Contains hoses, fittings, guards, electrical components required to complete K7110 Kit	K922A64	25	\$1,214.00
K7116	12" 2.13 cu. ft. KK Quick Attach Trenching Bucket	K874A00	160	\$1,150.00
K7117	16" 2.83 cu. ft. KK Quick Attach Trenching Bucket	K903A64	185	\$1,189.00
K7118	18" 3.19 cu. ft. KK Quick Attach Trenching Bucket The K7118 bucket has four teeth. The K7902 Thumb tines contact the end of the teeth and do not mesh between the teeth.	K962A92	190	\$1,267.00
K7119	24" 4.25 cu. ft. KK Quick Attach Trenching Bucket	K1K125A56	240	\$1,481.00
K7125	24" KK Quick Attach Excavating Rake	K1K697A84	300	\$2,234.00
K7120	30" 5.31 cu. ft. KK Quick Attach Trenching Bucket	K1K301A12	265	\$1,712.00
K7121	36" 6.64 cu. ft. KK Quick Attach Drainage Bucket	K1K100A48	230	\$1,448.00
K7122	36" KK Quick Attach Grading Blade	K1K241A84	270	\$1,634.00
K7123	36" 3.0 cu. ft. KK Quick Attach Tilt Grading Bucket	K3K675A36	305	\$4,836.00
K7124	39" 4.72 cu. ft. KK Quick Attach Tilt Grading Bucket	K4K475A64	185	\$5,889.00
K7127	BUCKET HANGERS, CONTOURED BUCKETS Converts Mechanical Quick Attach Buckets to KK quick coupler style. Already contoured to match mechanical quick coupler bucket profile.	K326A04	24	\$429.00
K7128	BUCKET HANGERS, NON-CONTOURED BUCKETS Converts other brand buckets to KK quick coupler style. Modification to match bucket contour required.	K327A56	102	\$431.00

KUBOTA

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS			
K7910	HYDRAULIC THUMB KIT K7870 Quick Coupler required	K1K995A00	195	\$2,625.00
K7910A	HYDRAULIC THUMB KIT K7870 Quick Coupler required	K1K995A00	195	\$2,625.00
K7474	36" Bolt On Cutting Edge For K7877A, K7473, K7121, or K7123 36" Buckets	K117A04	36	\$154.00
K7474A	36" Bolt On Cutting Edge For K7877B, K7473, K7121, or K7123 36" Buckets	K117A04	36	\$154.00
K7455	39" Bolt On Cutting Edge For K7454 or K7124 39" Tilt Grading Bucket	K133A76	44	\$176.00
K7455A	39" Bolt On Cutting Edge For K7454 or K7124 39" Tilt Grading Bucket	K117A04	44	\$154.00
KXB510Q	HYDRAULIC BREAKER, 500 ft. lbs. rated Includes manual, onemoil point and one chisel point. Requires a K7774 hose kit, and a K7992 or K7126 mount bracket	K7K254A20	610	\$9,545.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB510Q installations	K521A36	16	\$686.00
K7992	Mechanical Quick Attach (K7870) Hammer Bracket for KXB510Q Hammer	K713A64	95	\$939.00
K7126	KK Quick Attach (K7100, K7106, or K7110) Hammer Bracket for KXB510Q Hammer	K792A68	95	\$1,043.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
K7940	CANOPY WORK LIGHT KIT	K115A52	6	\$152.00
K7447	BEACON LIGHT KIT (Enclosed Cab Use Only)	K216A60	6	\$285.00
K9929	STEEL CRAWLER KIT Convert tracks from rubber to steel	K2K934A36	439	\$3,861.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse	K111A54	2	\$143.00
PART 4	ROPS / OPG (Top Guard, Level I)			
K9153	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K443A24	250	\$1,899.00
K9152	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K9152 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	K6K356A64	390	\$8,364.00
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218A12	11	\$287.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	3	\$78.00

KUBOTA

K Series KX040-4

ALLIED ATTACHMENT CONTACTS

Flail Mower	Rockhound Attachments
Model 30EX	PO Box 22 Hughson, CA 95326 Tel: (800) 426-5615, Fax: (360) 230-2322 Website: http://www.Rockhound.com

Available from Parts

70000-00297 Block Heater Kit

77700-04753A Radio Kit AM/FM/ WB/ AUX (for Cab models Only)

77700-04754A Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT (for Cab models ONLY)

77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting

77700-08687 Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting

KUBOTA

K Series U55-4

U55-4 Tight Tail Swing Hydraulic Excavator

FEATURES

Eco Plus System
 Auto Idler
 Rubber Or Steel Track Models
 4-Post ROPS/OPG (Top Guard Level I) Canopy or
 Air Conditioned Cab
 Suspension Seat
 Kubota 3 Hydraulic Pump Load Sensing System
 1 Gear, 2 Variable Displacement Pumps
 All Controls Hydraulic Pilot Controls
 Two Operating Pattern Selection System
 Accumulator
 Digital Control Panel
 Attachment Flow Presets, Service Alerts
 Standard Front Dozer Blade w/ Float
 Optional Float Angle Blade w/ Bolt-on Cutting Edge
 360 Degree Full Rotation
 70 Degree Left, 55 Degree Right Boom Swing
 19.8 gpm Adjustable Auxiliary Hydraulics Port 1
 Auxiliary Hydraulics Diverter Valve
 9.8 gpm Adjustable Auxiliary Hydraulics Port 2 Option
 Thumb Bracket And Relief Valves
 Five Second Quick Preheat System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self-Bleed Fuel System
 Auto-Downshift Two Speed Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

BASIC UNITS

U55-4R1, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight
 U55-4R1P, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2
 U55-4R1A, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight
 U55-4R1AP, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
 U55-4R3, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight
 U05-4R3P, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2
 U55-4R3A, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
 U55-4R3AP, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
 U55-4S3A, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
 U55-4S3AP, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2

ENGINE

V2607 Kubota DI CRS Tier 4 Final Diesel Engine
 4 Cylinder, 4 Cycle
 47.6 Gross HP @ 2200 rpm (SAE J1995)
 45.2 Net HP @ 2200 rpm (SAE J1349)

OPERATIONAL DIMENSIONS

Max Digging Depth	11' 10.3"
Max Digging Radius @ Ground Level	19' 6.1"
Max Vertical Digging Depth	4' 11.6"
Max Dumping Height	13' 2.3"

STANDARD DOZER BLADE DIMENSIONS

Width	77.2"
Height	16.1"
Lift Above Ground	17.3"
Drop Below Ground	16.1"

PERFORMANCE

Digging Force @ Bucket (K7919)	11,177 lbs.
Digging Force @ Dipper Arm	6,261 lbs.
Travel Speed (Low/High)	1.8/3.1 mph
Climbing Ability	36% / 20°
Lift Capacity	3,700 lbs.
<ul style="list-style-type: none"> Over Front Blade Grounded 4.0 Ft. Load Point Height 12.0 Ft. Load Radius 	

DIMENSIONS AND OPERATING WEIGHT

U55-4R1, Rubber Tracks, ROPS/OPG (Top Guard Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight

Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4.4"
Operating Weight*	11,915 lbs.
Ground Clearance	12' 0.2"

U55-4R3AP, Rubber Tracks, ROPS/OPG (Top Guard Level I) A/C Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2

Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4"
Operating Weight*	12,535 lbs.
Ground Clearance	12.0.2"

* Includes operator's weight, 175 lbs.

KUBOTA

K Series U55-4

HOW TO SELECT A U55-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete U55-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a U55-4R1 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard Level I) Canopy, dozer blade, dipper arm, counterweight, and one service port
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT U55-4R1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U55-4R1	Excavator Basic Unit	K49K260A16	12,200	\$64,816.00
	With: Rubber Tracks			
	4-Post ROPS/OPG (Top Guard, Level I) Canopy			
	Dozer Blade			
	Dipper arm			
	Counterweight			
	One Service Port			
ATTACHMENTS:				
K7915A	Quick Coupler	K706A80	100	\$930.00
K7919A	24" 6.3 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
				<u>\$66,996.00</u>
STANDARD UNIT U55-4R3AP COMPLETE ORDER AND PRICE				
BASIC UNIT:				
U55-4R3AP	Excavator Basic Unit	K57K528A20	12,535	\$75,695.00
	With: Rubber Tracks			
	Air Conditioned ROPS/OPG (Top Guard, Level I) Cab			
	Angle Dozer Blade			
	Dipper arm			
	Counterweight			
	Two Service Ports			
ATTACHMENTS:				
K7915A	Quick Coupler	K706A80	100	\$930.00
K7937A	Hydraulic Thumb	K1K675A04	195	\$2,204.00
K7919A	24" 6.3 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
				<u>\$80,079.00</u>

KUBOTA

K Series U55-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL U55 BASIC UNITS			
U55-4R1	Excavator Basic Unit	K49K260A16	12,200	\$64,816.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight			
U55-4R1P	Excavator Basic Unit	K50K508A08	12,200	\$66,458.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2			
U55-4R1A	Excavator Basic Unit	K51K443A64	11,915	\$67,689.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Blade, Dipper Arm, Counterweight			
U55-4R1AP	Excavator Basic Unit	K52K692A32	11,915	\$69,332.00
With:	Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Blade, Dipper Arm, Counterweight, SP2			
U55-4R3	Excavator Basic Unit	K54K096A04	12,400	\$71,179.00
With:	Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight			
U55-4R3P	Excavator Basic Unit	K55K343A96	12,400	\$72,821.00
With:	Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2			
U55-4R3A	Excavator Basic Unit	K56K280A28	12,535	\$74,053.00
With:	Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight			
U55-4R3AP	Excavator Basic Unit	K57K528A20	12,535	\$75,695.00
With:	Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight, SP2			
U55-4S3A	Excavator Basic Unit	K57K449A92	12,755	\$75,592.00
With:	Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight			
U55-4S3AP	Excavator Basic Unit	K58K697A84	12,755	\$77,234.00
With:	Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight, SP2			

KUBOTA

K Series U55-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	QUICK ATTACH BUCKETS			
K7915A	Quick Coupler Includes two mounting pins, 1 locking pin and hardware.	K706A80	100	\$930.00
K7916	Bucket Hangers Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K262A96	82	\$346.00
K7917A	12 inch 3.00 cu. ft. Trenching Bucket	K885A40	249	\$1,165.00
K7918A	18 inch 4.50 cu. ft. Trenching Bucket The K7918A bucket has four teeth. The K7937A thumb tines contact the end of the teeth and do not mesh between the teeth.	K899A84	275	\$1,184.00
K7919A	24 inch 6.30 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
K7920A	30 inch 8.00 cu. ft. Trenching Bucket	K1K029A80	338	\$1,355.00
K7921A	36 inch 8.00 cu. ft. Trenching Bucket	K1K443A24	368	\$1,899.00
K7926	36 inch 3.48 cu. ft. Cemetery Bucket	K1K075A40	265	\$1,415.00
K7922A	36 inch 6.64 cu. ft. Drainage Bucket Pre-drilled for bolt on cutting edge.	K887A68	230	\$1,168.00
K7474A	Bolt On Cutting Edge for K7922A 36" Drainage Bucket	K117A04	41	\$154.00
K7924A	48 inch 8.50 cu. ft. Grading Bucket Pre-drilled for bolt on cutting edge. Not authorized for use on models with K7937A thumb.	K1K269A20	270	\$1,670.00
K7878A	Bolt On Cutting Edge for K7924 48" Grading Bucket	K155A80	51	\$205.00
PART 3	ATTACHMENTS			
K7937A	HYDRAULIC THUMB KIT K7915A Quick Coupler required.	K1K675A04	195	\$2,204.00
K7932	FROST RIPPER	K976A60	325	\$1,285.00
KXB560Q	HYDRAULIC BREAKER Includes manual, onemoil point and one chisel point. Requires K7931 Breaker Mount Bracket and K7941 Hose Kit.	K9K554A72	820	\$12,572.00
K7931	BREAKER MOUNT BRACKET Required for all KXB560Q installations	K712A88	99	\$938.00
K7941	BREAKER HOSE KIT Required for all KXB560Q installations	K442A32	22	\$582.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers	K828A40	5	\$1,090.00
K7940	CANOPY WORK LIGHT KIT	K115A52	20	\$152.00
K7447	BEACON LIGHT KIT (Enclosed Cab Use Only)	K216A60	6	\$285.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse.	K111A54	7	\$143.00
K7938	Steel Crawler Kit Converts tracks from rubber to steel	K4K017A36	1298	\$5,286.00

KUBOTA

K Series U55-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 4	ROPS / OPG (Top Guard, Level I)			
K7935	REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K162A80	250	\$1,530.00
K7936	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K7936 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, air conditioner, heater, or defroster. Refer to illustrated parts list to order these components.	K4K949A88	390	\$6,513.00
K7929	Spark Arrester Muffler ** Requires heat insulator Kit K7930	K507A00		\$650.00
K7930	Heat insulator Kit** Required for use with K7929	K46A02		\$59.00
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218A12	4	\$287.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA	K60A84	4	\$78.00
V4218A	STROBE LIGHT KIT Cab pre-wired with switch. A new bracket must be created for the installation. See installation instructions.	X123A20	3	\$176.00

ALLIED ATTACHMENT CONTACTS

Flail Mower	Rockhound Attachments
Model 30EX	PO Box 22 Hughson, CA 95326 Tel: (800) 426-5615, Fax: (360) 230-2322 Website: http://www.Rockhound.com

Available from Parts

70000-73274 Block Heater Kit
 77700-04753A Radio Kit AM/FM/ WB/ AUX (for Cab models Only)
 77700-04754A Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT (for Cab models ONLY)
 77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting
 77700-08687 Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting

KUBOTA

This page intentionally left blank.

KUBOTA

K Series KX057-4

KX057-4 Hydraulic Excavator

FEATURES

Eco Plus System
 Auto Idler
 Rubber Or Steel Track Models
 4-Post ROPS/OPG (Top Guard, Level I) Canopy or Air Conditioned Cab
 Suspension Seat
 Kubota 3 Hydraulic Pump Load Sensing System
 1 Gear, 2 Variable Displacement Pumps
 All Controls Hydraulic Pilot Controls
 Two Operating Pattern Selection System
 Accumulator
 Digital Control Panel
 Attachment Flow Presets, Service Alerts
 Standard Front Dozer Blade w/ Float
 Optional Float Angle Blade w/ Bolt-on Cutting Edge
 360 Degree Full Rotation
 70 Degree Left, 55 Degree Right Boom Swing
 19.8 gpm Adjustable Auxiliary Hydraulics Port 1
 Auxiliary Hydraulics Diverter Valve
 9.8 gpm Adjustable Auxiliary Hydraulics Port 2 Option
 Thumb Bracket And Relief Valves
 Five Second Quick Preheat System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self Bleed Fuel System
 Auto-Downshift Two Speed Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

BASIC UNITS

KX057-4R1, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight
 KX057-4R1P, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2
 KX057-4R1A, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight
 KX057-4R1AP, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
 KX057-4R3, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight
 KX057-4R3P, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2
 KX057-4R3A, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
 KX057-4R3AP, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
 KX057-4S3A, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
 KX057-4S3AP, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2

ENGINE

V2607 Kubota DI CRS Tier 4 Final Diesel Engine
 4 Cylinder, 4 Cycle
 47.6 Gross HP @ 2200 rpm (SAE J1995)
 45.2 Net HP @ 2200 rpm (SAE J1349)

OPERATIONAL DIMENSIONS

Max Digging Depth	12' 8.2"
Max Digging Radius @ Ground Level	20' 0.5"
Max Vertical Digging Depth	5' 7.3"
Max Dumping Height	13' 8.6"

STANDARD DOZER BLADE DIMENSIONS

Width	77.2"
Height	16.1"
Lift Above Ground	17.3"
Drop Below Ground	16.1"

PERFORMANCE

Digging Force @ Bucket (K7919)	11,177 lbs.
Digging Force @ Dipper Arm	5,644 lbs.
Travel Speed (Low / High)	1.8/3.1 mph
Climbing Ability	36% / 20°
Lift Capacity	3,410 lbs.
<ul style="list-style-type: none"> Over Front Blade Grounded 4.0 Ft. Load Point Height 12.0 Ft. Load Radius 	

DIMENSIONS AND OPERATING WEIGHT

KX057-4R1, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight	
Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4.4"
Operating Weight*	12,200 lbs.
Ground Clearance	12' 0.2"
KX057-4R3AP, Rubber Tracks, ROPS/OPG (Top Guard, A/C Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2	
Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4"
Operating Weight*	12,820 lbs.
Ground Clearance	12.0.2"

* Includes operator's weight, 175 lbs.

KUBOTA

K Series KX057-4

HOW TO SELECT A KX057-4 EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX057-4 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX057-4R1 and get: Base Model, rubber tracks, 4-post ROPS/OPG (Top Guard, Level I) canopy, dozer blade, dipper arm, counterweight, and one service port
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX057-4R1 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX057-4R1	Excavator Basic Unit	K52K535A76	11,637	\$69,126.00
	With:			
	Rubber Tracks			
	4-Post ROPS/OPG (Top Guard, Level I) Canopy			
	Dozer Blade			
	Dipper arm			
	Counterweight			
	One Service Port			
ATTACHMENTS:				
K7915A	Quick Coupler	K706A80	100	\$930.00
K7919A	24" 6.3 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
				<u>\$71,306.00</u>
STANDARD UNIT KX057-4R3AP COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX057-4R3AP	Excavator Basic Unit	K60K303A72	12,252	\$79,347.00
	With:			
	Rubber Tracks			
	Air Conditioned ROPS/OPG (Top Guard, Level I) Cab			
	Angle Dozer Blade			
	Dipper arm			
	Counterweight			
	Two Service Ports			
ATTACHMENTS:				
K7915A	Quick Coupler	K706A80	100	\$930.00
K7937A	Hydraulic Thumb	K1K675A04	195	\$2,204.00
K7919A	24" 6.3 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
				<u>\$83,731.00</u>

KUBOTA

K Series KX057-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX057-4 BASIC UNITS			
KX057-4R1	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight	K52K535A76	12,200	\$69,126.00
KX057-4R1P	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2	K53K783A68	12,200	\$70,768.00
KX057-4R1A	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Blade, Dipper Arm, Counterweight	K54K720A00	12,620	\$72,000.00
KX057-4R1AP	Excavator Basic Unit With: Rubber Tracks, 4-Post ROPS/OPG (Top Guard, Level I) Canopy, Angle Blade, Dipper Arm, Counterweight, SP2	K55K967A92	12,620	\$73,642.00
KX057-4R3	Excavator Basic Unit With: Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight	K57K371A64	12,400	\$75,489.00
KX057-4R3P	Excavator Basic Unit With: Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2	K58K620A32	12,400	\$77,132.00
KX057-4R3A	Excavator Basic Unit With: Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight	K59K555A88	12,620	\$78,363.00
KX057-4R3AP	Excavator Basic Unit With: Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight, SP2	K60K303A72	12,620	\$79,347.00
KX057-4S3A	Excavator Basic Unit With: Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight	K60K726A28	12,755	\$79,903.00
KX057-4S3AP	Excavator Basic Unit With: Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Blade, Dipper Arm, Counterweight, SP2	K61K474A12	12,755	\$80,887.00

KUBOTA

K Series KX057-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	QUICK ATTACH BUCKETS			
K7915A	Quick Coupler Includes two mounting pins, 1 locking pin and hardware.	K706A80	100	\$930.00
K7916	Bucket Hangers Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K262A96	82	\$346.00
K7917A	12 inch 3.00 cu. ft. Trenching Bucket	K885A40	249	\$1,165.00
K7918A	18 inch 4.50 cu. ft. Trenching Bucket The K7918 bucket has four teeth. The K7937 thumb tines contact the end of the teeth and do not mesh between the teeth.	K899A84	275	\$1,184.00
K7919A	24 inch 6.30 cu. ft. Trenching Bucket	K950A00	295	\$1,250.00
K7920A	30 inch 8.00 cu. ft. Trenching Bucket	K1K029A80	338	\$1,355.00
K7921A	36 inch 8.00 cu. ft. Trenching Bucket	K1K443A24	368	\$1,899.00
K7926	36 inch 3.48 cu. ft. Cemetery Bucket	K1K075A40	265	\$1,415.00
K7922A	36 inch 6.64 cu. ft. Drainage Bucket Pre-drilled for bolt on cutting edge	K887A68	230	\$1,168.00
K7474A	Bolt On Cutting Edge for K7922 36" Drainage Bucket	K117A04	41	\$154.00
K7924A	48 inch 8.50 cu. ft. Grading Bucket Pre-drilled for bolt on cutting edge	K1K269A20	270	\$1,670.00
K7878A	Bolt On Cutting Edge for K7924A 48" Grading Bucket	K155A80	51	\$205.00
PART 3	ATTACHMENTS			
K7937A	HYDRAULIC THUMB KIT K7915 Quick Coupler required.	K1K675A04	195	\$2,204.00
K7932	FROST RIPPER	K976A60	325	\$1,285.00
KXB560Q	HYDRAULIC BREAKER Includes manual, onemoil point and one chisel point. Requires K7931 Breaker Mount Bracket and K7941 Hose Kit.	K9K554A72	820	\$12,572.00
K7931	BREAKER MOUNT BRACKET Required for all KXB560Q installations	K712A88	99	\$938.00
K7941	BREAKER HOSE KIT Required for all KXB560Q installations	K442A32	22	\$582.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers	K828A40	5	\$1,090.00
K7940	CANOPY WORK LIGHT KIT	K115A52	20	\$152.00
K7447	BEACON LIGHT KIT (Enclosed Cab Use Only)	K216A60	6	\$285.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse.	K111A54	7	\$143.00
K7928	Spark Arrester Muffler ** Requires heat insulator Kit K7930	K507A00		\$650.00
K7930	Heat insulator Kit** Required for use with K7928	K46A02		\$59.00

KUBOTA

K Series KX057-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3 K7938	ATTACHMENTS (Cont.) Steel Crawler Kit Converts tracks from rubber to steel	K4K017A36	1298	\$5,286.00
PART 4 K7933	ROPS / OPG (Top Guard, Level I) REPLACEMENT 4-POST ROPS / OPG (Top Guard, Level I) CANOPY	K1K162A80	250	\$1,530.00
K7934	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K7934 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, air conditioner, heater, or defroster. Refer to illustrated parts list to order these components.	K4K949A88	390	\$6,513.00
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218A12	4	\$287.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	4	\$78.00
V4218A	STROBE LIGHT KIT Cab pre-wired with switch. A new bracket must be created for the installation. See installation instructions.	X123A20	3	\$176.00

ALLIED ATTACHMENT CONTACTS

Flail Mower	Rockhound Attachments
Model 30EX	PO Box 22 Hughson, CA 95326 Tel: (800) 426-5615, Fax: (360) 230-2322 Website: http://www.Rockhound.com

Available from Parts

- 70000-73274 Block Heater Kit
- 77700-04753A Radio Kit AM/FM/ WB/ AUX (for Cab models Only)
- 77700-04754A Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT (for Cab models ONLY)
- 77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting
- 77700-08687 Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting

KUBOTA

This page intentionally left blank.

KUBOTA

K Series KX080-4S

KX080-4S Excavator Tight Tail Swing Utility Class Excavator

FEATURES

Eco e Plus System
 Auto Idler
 Rubber Or Steel Track Models
 Air Conditioned ROPS/OPG (Top Guard, Level I) Cab
 Cloth Suspension Seat
 Kubota 2 Hydraulic Pump Load Sensing System
 2 Variable Displacement Pumps
 All Controls Hydraulic Pilot Controls
 Two Operating Pattern Selection System
 Accumulator
 Standard Front Dozer Blade w/ Float
 Optional Float Angle Blade w/ Bolt-on Cutting Edge
 360 Degree Full Rotation
 70 Degree Left, 60 Degree Right Boom Swing
 17.6 gpm Adjustable Auxiliary Hydraulics Port 1
 26.4 gpm Adjustable Auxiliary Hydraulics Port 2
 Thumb Bracket and Relief Valves
 Five Second Quick Preheat System
 Key Switch Stop System
 Half Pitch Rubber Tracks
 Self-Bleed Fuel System
 Auto-Downshift Two Speed Travel System
 Swivel Negative Brake
 Travel Negative Brake
 Third Line

BASIC UNITS

KX080-4SR3, Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counter weight
 KX080-4SR3A, Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counter weight
 KX080-4SS3, Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counter weight
 KX080-4SS3A, Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counter weight
 KX080-4SW3, 24" Wide Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Wide Dozer Blade, Dipper Arm, Counter weight

ENGINE

V3307 Kubota DI CRS Turbo Tier 4 Final Diesel Engine
 4 Cylinder, 4 Cycle
 66.6 Gross HP @ 2000 rpm (SAE J1995)
 62.3 Net HP @ 2200 rpm (SAE J1349)

OPERATIONAL DIMENSIONS

Max Digging Depth	15' 1"
Max Digging Radius @ Ground Level	23' 6.3"
Max Vertical Digging Depth	12' 7.6"
Max Dumping Height	17' 2.7"

DOZER BLADE DIMENSIONS

Width	86.6"
Height	19.7"
Lift Above Ground	19.7"
Drop Below Ground	19.7"

PERFORMANCE

Digging Force @ Bucket (K7427)	14,660 lbs.
Digging Force @ Dipper Arm	8,554 lbs.
Travel Speed (Low / High)	1.7/3.1mph
Climbing Ability	36% / 20°
Lift Capacity	6,500 lbs.
<ul style="list-style-type: none"> Over Front Blade Grounded 4.0 Ft. Load Point Height 12.0 Ft. Load Radius 	

DIMENSIONS AND OPERATING WEIGHT

KX080-4SR3, Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counter weight	
Overall Length	21' 1.9"
Overall Width	7' 2.6"
Overall Height	8' 4"
Operating Weight*	18,280 lbs.
Ground Clearance	15.4"
KX080-4SS3, Steel Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counter weight	
Overall Length	21' 1.9"
Overall Width	7' 2.6"
Overall Height	8' 4"
Operating Weight*	18,390 lbs.
Ground Clearance	15.4"

* Includes operator's weight, 175 lbs.

KUBOTA

K Series KX080-4S

HOW TO SELECT A KX080-4S EXCAVATOR (Sample Order Information Page)

Below are examples of a complete KX080-4S order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a KX080-4SR3A and get: Base model, rubber tracks, air conditioned ROPS/OPG (Top Guard, Level I) cab, angle dozer blade, dipper arm, and counterweight.
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and quick couplers, thumb or hydraulic breaker.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STANDARD UNIT KX080-4SR3A COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX080-4SR3A	Excavator Basic Unit	K84K094A00	19,140	\$110,650.00
With:	Rubber Tracks Air Conditioned ROPS/OPG (Top Guard, Level I) Cab Angle Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7429A	36" 12.1 cu. ft. Pin-on TRENCHING BUCKET	K1K954A72	539	\$2,572.00
				<u>\$113,222.00</u>
STANDARD UNIT KX080-4SS3 COMPLETE ORDER AND PRICE				
BASIC UNIT:				
KX080-4SS3	Excavator Basic Unit	K79K960A36	18,390	\$105,211.00
With:	Steel Tracks (450 mm, 17.7") Air Conditioned ROPS/OPG (Top Guard, Level I) Cab Dozer Blade Dipper arm Counterweight			
ATTACHMENTS:				
K7402A	QUICK COUPLER	K1K216A76	140	\$1,601.00
K7429A	36" 12.1 cu. ft. TRENCHING BUCKET	K1K954A72	527	\$2,572.00
K7405A	HYDRAULIC THUMB	K3K183A64	370	\$4,189.00
				<u>\$113,573.00</u>

KUBOTA

K Series KX080-4S

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	MODEL KX080-4S BASIC UNITS			
KX080-4SR3	EXCAVATOR BASIC UNIT Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight	K79K960A36	18,280	\$105,211.00
With:				
KX080-4SR3A	EXCAVATOR BASIC UNIT Rubber Tracks, Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight	K84K094A00	19,140	\$110,650.00
With:				
KX080-4SS3	EXCAVATOR BASIC UNIT Steel Tracks (450 mm, 17.7"), Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight	K79K960A36	18,390	\$105,211.00
With:				
KX080-4SS3A	EXCAVATOR BASIC UNIT Steel Tracks (450 mm, 17.7"), Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight	K84K094A00	19,250	\$110,650.00
With:				
KX080-4SW3	EXCAVATOR BASIC UNIT Wide Steel Tracks (600 mm, 24"), Air Conditioned ROPS/OPG (Top Guard, Level I) Cab, 92.5" Wide Dozer Blade, Dipper Arm, Counterweight	K82K846A08	18,670	\$109,008.00
With:				
PART 2	BUCKETS			
	PIN-ON BUCKETS (Order Attaching Pins from Parts)			
K7416	18 inch 6.5 cu. ft. TRENCHING BUCKET	K1K484A28	405	\$1,953.00
K7417	24 inch 9.4 cu. ft. TRENCHING BUCKET	K1K907A60	460	\$2,510.00
K7418	30 inch 10.8 cu. ft. TRENCHING BUCKET	K2K118A12	505	\$2,787.00
K7419	36 inch 12.1 cu. ft. TRENCHING BUCKET	K2K359A80	539	\$3,105.00
K7436	48 inch 10.8 cu. ft. GRADING BUCKET	K2K193A36	565	\$2,886.00
K7437	54 inch 12.2 cu. ft. GRADING BUCKET	K2K293A68	615	\$3,018.00
K7438	60 inch 13.5 cu. ft. GRADING BUCKET	K2K356A76	665	\$3,101.00
	QUICK ATTACH BUCKETS			
K7402A	QUICK COUPLER Includes two mounting pins, 1 locking pin, and hardware.	K1K216A76	140	\$1,601.00
K7407	BUCKET HANGERS Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K384A56	139	\$506.00

KUBOTA

K Series KX080-4S

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	QUICK ATTACH BUCKETS (continued)			
K7426A	18 inch 6.5 cu. ft. TRENCHING BUCKET The K7426 bucket has four teeth. The K7405 thumb tines contact the end of the teeth and do not mesh between the teeth.	K1K349A76	393	\$1,776.00
K7427A	24 inch 9.4 cu. ft. TRENCHING BUCKET	K1K612A72	448	\$2,122.00
K7428A	30 inch 10.8 cu. ft. TRENCHING BUCKET	K1K751A04	493	\$2,304.00
K7429A	36 inch 12.1 cu. ft. TRENCHING BUCKET	K1K954A72	527	\$2,572.00
K7441	48 inch 10.8 cu. ft. GRADING BUCKET	K2K144A72	553	\$2,822.00
K7441A	48 inch 10.8 cu. ft. GRADING BUCKET	K1K886A32	553	\$2,482.00
K7442	54 inch 12.2 cu. ft. GRADING BUCKET K7494 Additional Weight Kit required with K7405 Thumb applications	K2K245A04	603	\$2,954.00
K7442A	54 inch 12.2 cu. ft. GRADING BUCKET K7494 Additional Weight Kit required with K7405A Thumb applications	K1K973A72	603	\$2,597.00
K7444	54 inch 9.6 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction K7494 Additional Weight Kit required with K7405 Thumb applications	K6K480A52	850	\$8,527.00
K7444A	54 inch 9.6 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction K7494 Additional Weight Kit required with K7405 Thumb applications	K5K815A52	850	\$7,652.00
K7443	60 inch 13.5 cu. ft. GRADING BUCKET K7494 Additional Weight Kit required with K7405 Thumb applications	K2K333A20	652	\$3,070.00
K7443A	60 inch 13.5 cu. ft. GRADING BUCKET K7494 Additional Weight Kit required with K7405A Thumb applications	K2K048A20	652	\$2,695.00
K7448	60 inch GRADING BLADE	K1K995A76	500	\$2,626.00
K7451	BOLT-ON CUTTING EDGE For K7436 and K7441 48" grading buckets	K143A64	79	\$189.00
K7451A	BOLT-ON CUTTING EDGE For K7436 and K7441 48" grading buckets	K126A16	79	\$166.00
K7452	BOLT-ON CUTTING EDGE For K7437, K7442, and K7444 54" grading buckets	K165A68	89	\$218.00
K7452A	BOLT-ON CUTTING EDGE For K7437, K7442, and K7444 54" grading buckets	K144A40	89	\$190.00
K7453	BOLT-ON CUTTING EDGE For K7438, and K7443 60" grading buckets	K179A36	109	\$236.00
K7453A	BOLT-ON CUTTING EDGE For K7438, and K7443 60" grading buckets	K157A32	109	\$207.00

KUBOTA

K Series KX080-4S

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS			
K7405A	HYDRAULIC THUMB KIT K7402 quick coupler required	K3K183A64	370	\$4,189.00
KXB860Q	HYDRAULIC BREAKER, 1,200 ft. lbs. rated Includes manual, one moil point and one chisel point. Requires a K7477A hose kit, and a K7993 mount bracket	K12K479A96	1,110	\$16,421.00
K7477A	HYDRAULIC BREAKER HOSE KIT Required for all KXB600F and KXB860Q installations	K614A08	16	\$808.00
K7475	HYDRAULIC BREAKER BRACKET Required for KXB600F Pin-On configuration	K1K228A92	175	\$1,617.00
K7476	HYDRAULIC BREAKER BRACKET Required for KXB600F Quick Attach configuration	K1K199A28	160	\$1,578.00
K7993	BREAKER MOUNT BRACKET Required for KXB860Q Quick Attach configuration	K1K199A28	95	\$1,578.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K828A40	5	\$1,090.00
K7449A	Brush Guard Kit	K2K511A80	300	\$3,305.00
K4080	FLAIL BRUSH SHREDDER Quick coupler mount, integrated thumb saddle, hoses, hydraulic quick couplers, safety chain debris deflector guards, manual	K13K550A04	1400	\$17,829.00
K4081	REPLACEMENT BLADE KIT FOR K4080 SHREDDER	K475A76	380	\$626.00
K7462	EXCAVATING RAKE, 36", Pin-on	K3K478A52	533	\$4,577.00
K7463	EXCAVATING RAKE, 36", Quick Attach	K3K333A36	555	\$4,386.00
K7464	EXCAVATING RAKE, 48", Pin-on	K3K812A16	720	\$5,016.00
K7465	EXCAVATING RAKE, 48", Quick Attach	K3K470A92	707	\$4,567.00
K7467	FROST RIPPER, 24", Pin-On	K1K254A76	315	\$1,651.00
K7466	FROST RIPPER, 24", Quick Attach	K1K204A60	295	\$1,585.00
K7468	SOLID TINE GRAPPLE, 36", Pin-on	K5K488A72	1015	\$7,222.00
K7471	COMPACTION WHEEL, 18", Pin-On	K4K978A00	980	\$6,550.00
K7472	COMPACTION WHEEL, 18", Quick Attach	K4K978A00	960	\$6,550.00
K7492	STEEL CRAWLER KIT (450 mm, 17.7") Convert tracks from rubber to steel***This Kit (7492) is NOT compatible with previous KX080-4. K7482A is required for previous model	K5K319A24	1877	\$6,999.00
K7481	REPLACEMENT BOLT-ON RUBBER SHOE KIT (450 mm, 17.7") Convert steel tracks to composite tracks. Machine must already have steel tracks installed. Includes 78 track shoes. Removal of existing steel pads is required and these composite pads are installed in place of steel pads (Individual pads can be ordered separate through parts if needed for individual replacement) Part #RD819-22810	K4K691A48	300	\$6,173.00

KUBOTA

K Series KX080-4S

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	ATTACHMENTS (Continued)			
K7439	BOLT ON RUBBER PAD KIT (450 mm, 17.7") Machine must be equipped with steel tracks. This kit includes 78 bolt on pads to be installed on the existing steel grousers (Individual pads can be ordered separate through parts if needed for individual replacement) Part #77700-09186	K3K426A84	300	\$4,509.00
K7493	STEEL CRAWLER KIT (600 mm, 23.6") Convert tracks from rubber to steel. The K7446 weld-on dozer blade extensions are recommended for the K7483A. Not authorized for angle blade models *** This Kit (K7493) is NOT compatible with previous KX080-4. K7483A is required for previous model	K5K776A00	300	\$7,600.00
K7446	DOZER BLADE EXTENSION KIT Kit consists of left / right blade extensions, two tie down labels, and an Installation Manual. The extensions are welded to the dozer blade to match the width of the K7493 Steel Track Conversion Kit.	K327A56	48	\$431.00
K7491	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse. ***This Kit (K7491) is NOT compatible with previous KX080-4 K7445 is required for previous model	K95A00	1	\$125.00
K7494	ADDITIONAL WEIGHT KIT Bolts on to the existing counter weight. Increases minimum tail turning radius from 4' 9.5" to 4' 11" ***This Kit (K7494) is NOT compatible with previous KX080-4 K7459 is required for previous model	K826A88	440	\$1,088.00
PART 4	ROPS / OPG (Top Guard, Level I)			
K7469B	REPLACEMENT ROPS / OPG (Top Guard, Level I) CAB The K7469 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, air conditioner, heater, or defroster. Refer to illustrated parts list to order these components. *** Fits previous KX080-4 model as well as KX080-4s Super Series	K6K903A08	463	\$9,083.00
V4218A	STROBE LIGHT KIT Cab pre-wired with switch. A new bracket must be created for the installation. See installation instructions.	X123A20	3	\$176.00
K9943A	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K60A84	3	\$78.00
	Available from Parts 77700-04753 Radio Kit AM/FM/ WB/ AUX 77700-04754 Radio Kit AM/FM/ WB/ AUX/ USB/ iPod/ SAT 77700-08686 Strobe Light, Class 2, LED, flashing strobe w/ vacuum magnetic mounting 77700-08687 Rotating Beacon, Class 1, Halogen (beacon light only) w/ magnetic mounting 77700-08260 Block Heater			

KUBOTA

K Series KX080-4S

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***** Kit Numbers for Previous Model KX080-4 *****				
***** Kits will not interchange with the KX080-4S "Super Series"				
K7445	TRAVEL ALARM KIT (For previous KX080-4) Emits an audible signal when traveling forward or reverse.	K64A60	4	\$85.00
K7482A	STEEL CRAWLER KIT (450 mm, 17.7") (For Previous KX080-4) Convert tracks from rubber to steel	K5K319A24	300	\$6,999.00
K7483A	STEEL CRAWLER KIT (600 mm, 23.6") (For Previous KX080-4) Convert tracks from rubber to steel. The K7446 weld-on dozer blade extensions are recommended for the K7483A. Not authorized for angle blade models	K5K776A00	300	\$7,600.00
K7459	ADDITONAL WEIGHT KIT (For previous KX080-4) Bolts on to the existing counter weight. Increases minimum tail turning radius from 4' 9.5" to 4' 11"	K826A88	440	\$1,088.00

KUBOTA

K Series Replacement Engines

Effective June 6, 2014 all replacement engines must be ordered through the Parts Department.

See Parts Bulletin DPB-2014-011 R01