

KUBOTA

L SERIES

WHOLEGOODS PRICE LIST EFFECTIVE SEPTEMBER 12, 2018

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of September 12, 2018

- 9/12/2018 Price increase on select implements and attachments due to steel price increase. See pages 8-18, 8-22, 8-42, 8-47 thru 8-52, and 8-55.
- 11/26/2018 Price update for L6023 and L6026. See page 8-42.
- 12/3/2018 Updated to add L3560HSTC-LE to price pages. See page 8-25.

KUBOTA

L SERIES

PAGE NO.	DESCRIPTION	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE	
L01 SERIES	8-4	L2501F 2WD Compact Tractor - 2 Post Foldable ROPS	20.5	K10B288B98	\$13,919.00
	8-4	L2501DT 4WD Compact Tractor - 2 Post Foldable ROPS	20.5	K11B932B44	\$15,298.00
	8-4	L2501HST 4WD Compact Tractor - 2 Post Foldable ROPS	19.0	K12B895B74	\$16,533.00
	8-7	L3301F 2WD Compact Tractor - 2 Post Foldable ROPS	27.7	K13B174B20	\$16,890.00
	8-7	L3301DT 4WD Compact Tractor - 2 Post Foldable ROPS	27.7	K14B905B02	\$19,109.00
	8-7	L3301HST 4WD Compact Tractor - 2 Post Foldable ROPS	26.2	K15B290B34	\$19,603.00
	8-10	L3901F 2WD Compact Tractor - 2 Post Foldable ROPS	32.1	K13B930B80	\$17,860.00
	8-10	L3901DT 4WD Compact Tractor - 2 Post Foldable ROPS	32.1	K16B263B00	\$20,850.00
	8-10	L3901HST 4WD Compact Tractor - 2 Post Foldable ROPS	30.6	K17B000B10	\$21,795.00
	8-13	L4701F 2WD Compact Tractor - 2 Post Foldable ROPS	39.3	K14B844B96	\$19,032.00
	8-13	L4701DT 4WD Compact Tractor - 2 Post Foldable ROPS	39.3	K19B506B24	\$25,008.00
	8-13	L4701HST 4WD Compact Tractor - 2 Post Foldable ROPS	37.8	K20B755B02	\$26,609.00
	8-16	L01 Dealer Installed Accessories			
	8-20	L01 Front End Loader			
	8-21	L01 Backhoe and Accessories			
8-22	L01 Snowblowers				
GRAND L 60 SERIES	8-23	L3560DT 4WD Compact Tractor - 2 Post Foldable ROPS	29.5	K17B985B24	\$23,058.00
	8-23	L3560GST 4WD Compact Tractor - 2 Post Foldable ROPS	29.5	K18B851B04	\$24,168.00
	8-23	L3560HST 4WD Compact Tractor - 2 Post Foldable ROPS	28.0	K19B225B44	\$24,648.00
	8-24	L3560HSTC 4WD Compact Tractor - ROPS Certified Cab	28.0	K25B516B92	\$32,714.00
	8-25	L3560HSTC-LE 4WD Compact Tractor - ROPS Certified Cab	28.0	K23B566B92	\$30,214.00
	8-27	L4060DT 4WD Compact Tractor - 2 Post Foldable ROPS	34.0	K20B287B02	\$26,009.00
	8-27	L4060GST 4WD Compact Tractor - 2 Post Foldable ROPS	34.0	K21B152B82	\$27,119.00
	8-27	L4060HST 4WD Compact Tractor - 2 Post Foldable ROPS	32.5	K21B527B22	\$27,599.00
	8-28	L4060HSTC 4WD Compact Tractor - ROPS Certified Cab	32.5	K27B818B70	\$35,665.00
	8-30	L4760GST 4WD Compact Tractor - 2 Post Foldable ROPS	41.0	K25B358B58	\$32,511.00
	8-29	L4760HST 4WD Compact Tractor - 2 Post Foldable ROPS	39.5	K25B732B98	\$32,991.00
	8-31	L4760HSTC 4WD Compact Tractor - ROPS Certified Cab	39.5	K32B024B46	\$41,057.00
	8-33	L5060GST 4WD Compact Tractor - 2 Post Foldable ROPS	44.0	K26B005B98	\$33,341.00
	8-35	L5460HST 4WD Compact Tractor - 2 Post Foldable ROPS	46.5	K27B157B26	\$34,817.00
	8-36	L5460HSTC 4WD Compact Tractor - ROPS Certified Cab	46.5	K33B448B74	\$42,883.00
	8-38	L6060HST 4WD Compact Tractor - 2 Post Foldable ROPS	53.0	K28B646B28	\$36,726.00
	8-39	L6060HSTC 4WD Compact Tractor - ROPS Certified Cab	53.0	K34B937B76	\$44,792.00
	8-41	Grand L 60 Dealer Installed Accessories			
	8-45	Grand L 60 Front Loaders			
	8-48	Grand L 60 Front Quick Hitch & Front Quick Hitch Implements			
	8-49	Grand L 60 Front QH Mounted Blades and Accessories			
8-50	Grand L 60 Front QH Mounted Utility Snow Blowers and Accessories				
8-51	Grand L 60 Front QH Mounted Commercial Snow Blowers and Accessories				
8-52	Grand L 60 Front QH Mounted Rotary Sweepers and Accessories				
8-53	Grand L 60 Front QH Mounted Flail Mower and Accessories				
8-54	Grand L 60 Backhoes and Accessories				
8-56	Grand L 60 Rear Mount Snow Blowers and Accessories				

KUBOTA

L SERIES

ASSEMBLY CHARGES

Starting in March 2013, KIE and Lodi assembly operations will offer L3200, L3800, L3301, L3901 and L4701 tractors fully assembled. Initially we will offer only basic tractor assembly with loader installation. All other units offered for tractor and loader will remain to be dealer installed. These assembly units will be shipped together with other assembly M and TLB models.

Dealers in Northern, Southeast, and Central (Eastern District) Division will receive assembled L-Series from our KIE location and will be handled by the same team currently responsible for M-Series assembly.

Dealers in Western and Central (Western District) Divisions will receive assembly tractors from Kubota Tractor Corp. in Lodi, CA.

Assembly fee for L Series Tractor	\$100.00	(tractor assembled with wheel and tires)
Assembly fee for Loader Installation.	\$120.00	

ALL OTHER KITS ARE FIELD INSTALLED ONLY.

KUBOTA

L01 Series

L2501 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Diesel Engine
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 490 CCA
Optional Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 1918 lbs.
24" Behind 1389 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Transmission Driven with
Over-Running Clutch - F / DT
Live PTO - HST
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 1911 Eng. Rpm - F / DT
540 rpm @ 2106 Eng. Rpm - HST

TRANSMISSION - F / DT

Sliding Gear Constant Mesh
Rear Differential Lock
8 Forward Speeds
4 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
Rear Differential Lock
3 Ranges
Optional Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Tubular Steel Beam 2WD
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	10.0 gal.
Cooling System	6.3 qts.
Crankcase	6.0 qts.
Transmission and Hydraulics	
F	7.1 gal.
DT	7.3 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

FEATURES

Illuminated Instrument Panel
Steel Hood and Fenders
Tool Box
Cup Holder
Left Hand Fender Grip

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications

Model Specifications		
L2501F	L2501DT	L2501HST
SAE Gross HP: 24.8	SAE Gross HP: 24.8	SAE Gross HP: 24.8
Engine Net HP: 23.9	Engine Net HP: 23.9	Engine Net HP: 23.9
PTO HP: 20.5	PTO HP: 20.5	PTO HP: 19
Engine Model: D1703	Engine Model: D1703	Engine Model: D1703
Displacement: 100.47 Cu. In.	Displacement: 100.47 Cu. In.	Displacement: 100.47 Cu. In.

KUBOTA

L01 Series

L2501 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L2501F	2WD Compact Tractor - 2 Post Foldable ROPS	K10B288B98	2822 lbs	\$13,191.00

L2501 F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B110B76	Add \$ 142.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B54B60	Add \$ 70.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L2501 F		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B95B94	\$ 123.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B151B32	\$ 194.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B128B70	\$ 165.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00

KUBOTA

L01 Series L2501 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L2501DT	4WD Compact Tractor - 2 Post Foldable ROPS	K11B932B44	3210 lbs	\$15,298.00
L2501HST	4WD Compact Tractor - 2 Post Foldable ROPS	K12B895B74	3249 lbs	\$16,533.00

L2501 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B96B72	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B510B12	Add \$ 654.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L2501 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B204B36	\$ 262.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B161B46	\$ 207.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B195B78	\$ 251.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B602B94	\$ 773.00

KUBOTA

L01 Series

L3301 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 580 CCA
Optional Dual Air Cleaner Element
Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At lift Point 1998 lbs.
24" Behind 1435 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Transmission Driven with
Over-Running Clutch - F / DT
Live PTO - HST
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2430 Eng. Rpm - F / DT
540 rpm @ 2580 Eng. Rpm - HST

TRANSMISSION - F / DT

Synchro Shuttle with Sliding Gear
Rear Differential Lock
8 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
Rear Differential Lock
3 Ranges
Optional Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Tubular Steel Beam 2WD
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	11.1 gal.
Cooling System	6.3 qts.
Crankcase	7.1 qts.
Transmission and Hydraulics	
F	7.4 gal.
DT	7.5 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

FEATURES

Illuminated Instrument Panel
Steel Hood and Fenders
Tool Box
Cup Holder
Left Hand Fender Grip
Default to Auto Regen; w/ Parked and Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications

L3301F		L3301DT		L3301HST	
SAE Gross HP:	33.0	SAE Gross HP:	33.0	SAE Gross HP:	33.0
Engine Net HP:	31.4	Engine Net HP:	31.4	Engine Net HP:	31.4
PTO HP:	27.7	PTO HP:	27.7	PTO HP:	26.2
Engine Model:	D1803	Engine Model:	D1803	Engine Model:	D1803
Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.

KUBOTA

L01 Series

L3301 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L3301F	2WD Compact Tractor - 2 Post Foldable ROPS	K13B174B20	2158 lbs	\$16,890.00

L3301 F		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B110B76	Add \$ 142.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B54B60	Add \$ 70.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3301 F		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B95B94	\$ 123.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B151B32	\$ 194.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B128B70	\$ 165.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00

KUBOTA

L01 Series L3301 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L3301DT	4WD Compact Tractor - 2 Post Foldable ROPS	K14B905B02	2308 lbs	\$19,109.00
L3301HST	4WD Compact Tractor - 2 Post Foldable ROPS	K15B290B34	2322 lbs	\$19,603.00

L3301 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B96B72	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B510B12	Add \$ 654.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3301 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B204B36	\$ 262.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B161B46	\$ 207.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B195B78	\$ 251.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B602B94	\$ 773.00

KUBOTA

L01 Series

L3901 F / DT / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 580 CCA
Optional Dual Air Cleaner Element
Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At lift Point 1998 lbs.
24" Behind 1435 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2425 Eng. Rpm - F / DT
540 rpm @ 2580 Eng. Rpm - HST

TRANSMISSION - F / DT

Synchro Shuttle with Sliding Gear
Rear Differential Lock
8 Forward Speeds
4 Reverse Speeds
Dual Stage Clutch
Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
Rear Differential Lock
3 Ranges
Optional Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Tubular Steel Beam 2WD
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	11.1 gal.
Cooling System	6.3 qts.
Crankcase	7.1 qts.
Transmission and Hydraulics	
F	7.4 gal.
DT	7.5 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

FEATURES

Illuminated Instrument Panel
Steel Hood and Fenders
Tool Box
Cup Holder
Left Hand Fender Grip
Default to Auto Regen; w/ Parked and
Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications

L3901F		L3901DT		L3901HST	
SAE Gross HP:	37.5	SAE Gross HP:	37.5	SAE Gross HP:	37.5
Engine Net HP:	36.3	Engine Net HP:	36.3	Engine Net HP:	36.3
PTO HP:	32.1	PTO HP:	32.1	PTO HP:	30.6
Engine Model:	D1803	Engine Model:	D1803	Engine Model:	D1803
Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.

KUBOTA

L01 Series

L3901 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L3901F	2WD Compact Tractor - 2 Post Foldable ROPS	K13B930B80	2198 lbs	\$17,860.00

L3901F		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B110B76	Add \$ 142.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B54B60	Add \$ 70.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3901F		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B95B94	\$ 123.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B151B32	\$ 194.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B128B70	\$ 165.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00

KUBOTA

L01 Series L3901 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L3901DT	4WD Compact Tractor - 2 Post Foldable ROPS	K16B263B00	2343 lbs	\$20,850.00
L3901HST	4WD Compact Tractor - 2 Post Foldable ROPS	K17B000B10	2381 lbs	\$21,795.00

L3901 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B96B72	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B510B12	Add \$ 654.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3901 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B204B36	\$ 262.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B339B30	\$ 435.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B161B46	\$ 207.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B333B84	\$ 428.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B195B78	\$ 251.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B602B94	\$ 773.00

KUBOTA

L01 Series

L4701 F / DT / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 600 CCA
Dual Air Cleaner Element
Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
13.5 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At lift Point 2870 lbs.
24" Behind 2310 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2475 Eng. Rpm - F / DT
540 rpm @ 2640 Eng. Rpm - HST
Electric over Hydraulic PTO Switch - HST

TRANSMISSION - F / DT

Synchro Shuttle with Constant Mesh
Rear Differential Lock
8 Forward Speeds
4 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
Rear Differential Lock
3 Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Tubular Steel Beam 2WD
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 6.9 qts.
Crankcase 8.7 qts.
Transmission and Hydraulics 10.6 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

FEATURES

Illuminated Instrument Panel
Steel Hood and Fenders
Tool Box
Cup Holder
Left Hand Fender Grip
Default to Auto Regen; w/ Parked and Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications			
L4701F		L4701DT	
SAE Gross HP:	47.3	SAE Gross HP:	47.3
Engine Net HP:	44.8	Engine Net HP:	44.8
PTO HP:	39.3	PTO HP:	39.3
Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.
		L4701HST	
		SAE Gross HP:	47.3
		Engine Net HP:	44.8
		PTO HP:	37.8
		Engine Model:	V2403
		Displacement:	148.5 Cu. In.

KUBOTA

L01 Series

L4701 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4701F	2WD Compact Tractor - 2 Post Foldable ROPS	K14B844B96	2760 lbs	\$19,032.00

L4701F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs		In Base Price
ALR6811A*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs		
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B326B04	Add \$ 418.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6828**	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B455B52	Add \$ 584.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

**Flip the steering cylinder shields over for tire side wall clearance.

TIRES AND WHEELS (priced per piece)

L4701F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	62 lbs	B151B32	\$ 194.00
ALR6811A*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs	B496B86	\$ 637.00
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B167B70	\$ 215.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00
ALR6828**	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B232B44	\$ 298.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00

* Standard Tires

**Flip the steering cylinder shields over for tire side wall clearance.

KUBOTA

L01 Series L4701 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4701DT	4WD Compact Tractor - 2 Post Foldable ROPS	K19B506B24	2760 lbs	\$25,008.00
L4701HST	4WD Compact Tractor - 2 Post Foldable ROPS	K20B755B02	2840 lbs	\$26,609.00

L4701 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		In Base Price
ALR6811A*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs		
TURF				
ALR6828	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B374B40	Add \$ 480.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B531B96	Add \$ 682.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B400B92	Add \$ 514.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L4701 DT/HST		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B191B88	\$ 246.00
ALR6811A*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs	B496B86	\$ 637.00
TURF				
ALR6828	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B232B44	\$ 298.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B274B56	\$ 352.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs	B680B16	\$ 872.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B614B64	\$ 788.00

KUBOTA

L01 Series**L2501 / L3301 / L3901 / L4701****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - L2501				
L7334	Base Kit and 1st Lever Includes Spring Center Valve If <u>no</u> Loader, Adapter Kit required If Backhoe, Hose Section and 90 Degree Fitting are required	K553L80	22 lbs	\$710.00
L7364	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Float or Detent Valve	K66L30	2 lbs	\$85.00
L7384	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Float or Detent Valve	K60L06	2 lbs	\$77.00
L7374	DV (Detent Valve), Not Self-Canceling (3-Position)	K378L30	8 lbs	\$485.00
L7354	FD (Float Detent) Valve Section (4-Position)	K411L06	9 lbs	\$527.00
ADAPTER KIT				
L7344	Adapter Kit for Non-Loader Applications Requires Base Kit	K113L10	6 lbs	\$145.00
ADDITIONAL REQUIREMENTS				
77700-03896	Hose Section			(Order from the Parts Department)
77700-03851	90 Degree Fitting			(Order from the Parts Department)
HYDRAULIC REAR REMOTE VALVES - L3301/L3901				
L7211	Base Kit and 1st Lever Requires Spring Center or Float or Self-Canceling Detent Valve If <u>no</u> Loader, Adapter Kit required If Backhoe, Bulkhead Bracket and Mount and Hose Extension are required	K471L90	22 lbs	\$605.00
L7212	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Spring Center or Float or Self-Canceling Detent Valve	K289L38	6 lbs	\$371.00
L7213	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Spring Center or Float or Self-Canceling Detent Valve	K289L38	6 lbs	\$371.00
L7231	Spring Center Valve, No Detent	K136L50	4 lbs	\$175.00
L7232	FD (Float Detent) Valve Section (4-Position)	K241L80	5 lbs	\$310.00
L7233	SCD (Self-Canceling Detent) Valve Section	K273L00	6 lbs	\$350.00
ADAPTER KIT				
L7344	Adapter Kit for Non-Loader Applications Requires Base Kit	K113L10	6 lbs	\$145.00
ADDITIONAL REQUIREMENTS				
77700-03797	Bulkhead Bracket			(Order from the Parts Department)
77700-03798	Bulkhead Bracket Mount			(Order from the Parts Department)
77700-06105	Hose Extension 2 per valve section			(Order from the Parts Department)

KUBOTA

L01 Series**L2501 / L3301 / L3901 / L4701****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - L4701, OPTION 1: NOT COMPATIBLE WITH DRAFT CONTROL				
L7221A	Base Kit and 1st Lever Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K448L50	17 lbs	\$575.00
L7222	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K245L70	6 lbs	\$315.00
L7223	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K245L70	6 lbs	\$315.00
L7231	Spring Center Valve, No Detent Not compatible with Draft Control Kit	K136L50	4 lbs	\$175.00
L7232	FD (Float Detent) Valve Section (4-Position) Not compatible with Draft Control Kit	K241L80	5 lbs	\$310.00
L7233	SCD (Self-Canceling Detent) Valve Section Not compatible with Draft Control Kit	K273L00	6 lbs	\$350.00
HYDRAULIC REAR REMOTE VALVES - L4701, OPTION 2: COMPATIBLE WITH DRAFT CONTROL				
L8560	Base Kit and 1st Lever Requires Double Acting Valve If Backhoe, Stays, Bolts, Hose and Manual are required	K399L36	16 lbs	\$512.00
L8562A	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Double Acting or Float Detent Valve	K193L44	8 lbs	\$248.00
L8563A	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Double Acting or Float Detent Valve	K193L44	8 lbs	\$248.00
L8303	Double Acting Valve	K187L20	4 lbs	\$240.00
L8304	FD (Float Detent) Valve Section (4-Position)	K235L56	4 lbs	\$302.00
ADDITIONAL REQUIREMENTS				
-	Stays		(Order from the Parts Department)	
-	Bolts		(Order from the Parts Department)	
-	Hose		(Order from the Parts Department)	

KUBOTA

L01 Series**L2501 / L3301 / L3901 / L4701****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
DRAFT CONTROL				
L8311C	Draft Control Kit for L4701 only Not Compatible with L2221A, L2222, L2223 Rear Remote Lever Kits	K360L36	25 lbs	\$462.00
DRAWBAR OPTIONS				
35050-98501	Swinging Drawbar for L2501 / L3301 / L3901	(Order from Parts Department)		
L9496G	Drawbar Clevis	K52L26	8 lbs	\$67.00
TELESCOPING STABILIZERS				
L8430	Telescopic Stabilizers for L2501 / L3301 / L3901 Standard for L4701	K136L50	13 lbs	\$175.00
TOP-N-TILT KIT				
L8372	Top-N-Tilt Kit Requires 2 Double Acting Remote Hydraulic Valves Not Compatible with Backhoe	K590L46	44 lbs	\$757.00

ROPS ACCESSORIES

CANOPY				
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
E1134	Fiberglass Canopy Requires Mounting Kit	K301M86	63 lbs	\$387.00
E1136	Fiberglass Canopy Mounting Kit	K148M98	29 lbs	\$191.00
FRONT WORK LIGHT				
E1138	Front Work Light Kit for Fiberglass Canopy Includes 2 Lights	K97A50	3 lbs	\$125.00
REAR WORK LIGHT				
L8327	Rear Work Light Kit (1 Light)	K66L30	4 lbs	\$85.00

BALLAST

BALLAST BOX				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K373L62	168 lbs	\$479.00
FRONT WEIGHT BRACKETS				
MX8068	Weight Bracket - up to 7 Weights, Standard for 2WD models Not Compatible with Grill Guard installed	K74M88	29 lbs	\$96.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one Weight Bolt Kit per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8060B	Weight Bolt Kit - 1 Kit per Front Suitcase Weight	K1B56	lbs	\$2.00
REAR WHEEL WEIGHTS				
L8066A	Rear Wheel Weight Set (64 lbs. Each), 2 per set 3 Weight per Wheel Not Compatible with Turf Tires or ALR8809 Tire Combinations. Requires one Weight Bolt Kit	K97L50	128 lbs	\$125.00
REAR WEIGHT BOLT KITS				
L8067A	Weight Bolt Kits - 1 Kit allows up to 3 Weights per Side	K25L74	5 lbs	\$33.00

KUBOTA

L01 Series**L2501 / L3301 / L3901 / L4701****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-00297	Block Heater			(Order from the Parts Department)
CRUISE CONTROL				
L8455	Cruise Control Kit for L2501/L3301/L3901 HST Models only	K159L90	11 lbs	\$205.00
GRILL GUARD				
L2258	Grill Guard for Loader and Non-Loader Application for L2501 / L3301 / L3901 only	K254L28	53 lbs	\$326.00
MX2268	Grill Guard for Loader and Non-Loader Application for L4701 only	K214M50	62 lbs	\$275.00
HEATER KIT				
TC620-99212	CCV Heater Kit for L3301 / L3901			(Order from the Parts Department)
TC630-99212	CCV Heater Kit for L4701			(Order from the Parts Department)
REAR WHEEL SPACERS				
L8787	Wheel Spacer Kit for L3301 / L3901 / L2501 Includes 2 Wheel Spacers (1.0 inch wide each) for a total tread increase of 2 inches Requires Stud Bolt (12), Hex Nut (8), and Lock Washer (8) Original rim hardware will be re-used.	K181L74	20 lbs	\$233.00
01517-61660	Stud Bolt (12)			(Order through the Parts Department)
02076-50160	Hex Nut (8)			(Order through the Parts Department)
04512-60160	Lock Washer (8)			(Order through the Parts Department)
REPLACEMENT ROPS				
SFL-F380	Replacement ROPS for L2501	K452L40	150 lbs	\$580.00
SFL-F390	Replacement ROPS for L3301 / L3901	K452L40	207 lbs	\$580.00
SFL-F470	Replacement ROPS for L4701	K612L30	207 lbs	\$785.00
SEAT BELT KIT				
70002-06605	Extra Length Seat Belt Kit			(Order from the Parts Department)

KUBOTA

L01 Series**L2501 / L3301 / L3901 / L4701****FRONT LOADERS**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA525	Front End Loader - Heavy Duty for L2501 / L3301 / L3901 Includes Mounting Kit, Valve, Grill Guard, Hydraulic Block and 2-Lever Type Quick Coupler Requires Bucket	K3L330L60	876 lbs	\$4,270.00
LA525FL	Front End Loader - Heavy Duty for L2501 / L3301 / L3901 Includes Mounting Kit, Valve, Grill Guard, and 60" Bucket Cylinder and Hoses are Pre-Installed Bucket is not returnable	K3L364L14	990 lbs	\$4,313.00
PIN-ON BUCKETS				
L2242	60" Pin-On Bucket	K397L80	200 lbs	\$510.00
QUICK ATTACH COUPLER & BUCKETS				
L2216	2-Lever Type Quick Coupler - Replacement	K343L98	90 lbs	\$441.00
L2256	66" Square Back QA Bucket	K485L94	212 lbs	\$623.00
L2130	Bucket Level Indicator	K50L70	5 lbs	\$65.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K500L76	165 lbs	\$642.00
L2238	Pallet Fork Frame, 2-Lever Quick Coupler Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00
LA765	Front End Loader - Heavy Duty for L4701 Includes Mounting Kit, Valve, Grill Guard, and 2-Lever Type Quick Coupler Requires Bucket	K3L854L76	1019 lbs	\$4,942.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K538L98	346 lbs	\$691.00
L2236	72" Light Material QA Bucket	K506L22	323 lbs	\$649.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K835L38	400 lbs	\$1,071.00
TL1748	Bolt On Cutting Edge for 72" HD Bucket	K177L06	70 lbs	\$227.00
L2130	Bucket Level Indicator	K50L70	5 lbs	\$65.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K500L76	165 lbs	\$642.00
L2238	Pallet Fork Frame, 2-Lever Quick Coupler Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00

KUBOTA

L01 Series

L2501 / L3301 / L3901 / L4701

BACKHOES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOES AND ACCESSORIES				
Requires a Front End Loader to be mounted when Backhoe is attached.				
BH77	4-Pt. Mounted Quick Attach Backhoe for L2501 / L3301 / L3901 Requires Sub Frame Kit (Includes Seat) Not Compatible with Top-N-Tilt Kits Not Compatible with Cab Model	K5B338B32	1077 lbs	\$6,844.00
SUB FRAME KITS				
BH4988	Sub frame Kit for L2501 / L3301 / L3901 Requires Front End Loader	K588L12	213 lbs	\$754.00
PIN-ON BUCKETS				
BT1950A	10" Bucket — 3 Teeth	K323B70	63 lbs	\$415.00
BT1951A	12" Bucket — 3 Teeth	K382B98	69 lbs	\$491.00
BT1952A	16" Bucket — 4 Teeth	K505B44	82 lbs	\$648.00
BT1953A	24" Bucket — 5 Teeth	K660B66	118 lbs	\$847.00
BACKHOE ACCESSORIES				
BH1976	6 Position Mechanical Thumb	K370B50	51 lbs	\$475.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K96L72	15 lbs	\$124.00
BH92	4-Pt. Mounted Quick Attach Backhoe for L4701 Requires Sub Frame Kit and Front Loader Not Compatible with Top-N-Tilt Kits	K5L974L02	1696 lbs	\$7,659.00
SUB FRAME KITS				
BH4946	Sub frame Kit for L4701	K888L42	330 lbs	\$1,139.00
PIN-ON BUCKETS				
BT3001	12" Bucket — 3 Teeth	K511L68	109 lbs	\$656.00
BT3002A	16" Bucket — 3 Teeth	K580L32	130 lbs	\$744.00
BT3003A	18" Bucket — 4 Teeth	K619L32	151 lbs	\$794.00
BT3004	24" Bucket — 5 Teeth	K719L94	172 lbs	\$923.00
BT3005A	30" Bucket — 6 Teeth	K830L70	205 lbs	\$1,065.00
BT3006	36" Bucket — 7 Teeth	K928L98	226 lbs	\$1,191.00
QUICK ATTACH COUPLER & BUCKETS				
BT4550	Quick Coupler for BH92	K514L80	55 lbs	\$660.00
BT4552	12" Bucket	K621L66	117 lbs	\$797.00
BT4553	16" Bucket	K655L98	135 lbs	\$841.00
BT4554	18" Bucket	K690L30	145 lbs	\$885.00
BT4555	24" Bucket	K815L10	176 lbs	\$1,045.00
BT4557	36" Bucket	K1L038L18	140 lbs	\$1,331.00
BACKHOE ACCESSORIES				
BH4948	Hydraulic Valve Kit	K686L40	23 lbs	\$880.00
BT4598	Hydraulic Thumb Requires Hydraulic Valve Kit	K1L585L74	142 lbs	\$2,033.00
BH4949	6 Position Mechanical Thumb	K696L54	56 lbs	\$893.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K96L72	15 lbs	\$124.00

KUBOTA

L01 Series

L2501 / L3301 / L3901 / L4701

SNOW BLOWERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
REAR MOUNT SNOW BLOWERS AND ACCESSORIES				
REAR MOUNT SNOW BLOWER				
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B268B24	681 lbs	\$2,908.00
LMX3174	74" Two-Stage Commercial Snowblower Mounts to Category I, II, & III 3-Point Hitches Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2L861L04	760 lbs	\$3,668.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K134B16	11 lbs	\$172.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K613B86	20 lbs	\$787.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K750B36	22 lbs	\$962.00
B2516A	Electric Chute Deflector	K496B08	9 lbs	\$636.00
L2177	Width Extension Kit, adds 5" overall cut	K89L70	27 lbs	\$115.00

KUBOTA

Grand L 60 Series L3560 DT / GST / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
Total Hyd. Flow:
DT / GST - 13.2 gpm
HST - 12.8 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3748 lbs.
24" Behind 2646 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm

TRANSMISSION - DT

4 Speed Manual w/Synchro Main
and Synchro Shuttle
Rear Differential Lock
2 Range Hi-Lo
8 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION - GST

Glide Shift w/Synchro Shuttle
Rear Differential Lock
12 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 7.1 qts.
Transmission and
Hydraulics 11.1 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications		
L3560DT	L3560GST	L3560HST
SAE Gross HP: 37.0	SAE Gross HP: 37.0	SAE Gross HP: 37.0
Engine Net HP: 35.0	Engine Net HP: 35.0	Engine Net HP: 35.0
PTO HP: 29.5	PTO HP: 29.5	PTO HP: 28
Engine Model: D1803	Engine Model: D1803	Engine Model: D1803
Displacement: 111.4 Cu. In.	Displacement: 111.4 Cu. In.	Displacement: 111.4 Cu. In.

KUBOTA

Grand L 60 Series L3560HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 60 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
12.8 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3748 lbs.
24" Behind 2646 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Forward Ranges
3 Reverse Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 7.1 qts.
Transmission and
Hydraulics 11.1 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Front Work Lights
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater with Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L3560HSTC	
SAE Gross HP:	37.0
Engine Net HP:	35.0
PTO HP:	28.0
Engine Model:	D1803
Displacement:	111.4 Cu. In.

KUBOTA

Grand L 60 Series **L3560HSTC-LE**

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
3 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 60 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
12.8 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3748 lbs.
24" Behind 2646 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Forward Ranges
3 Reverse Ranges
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank
Cooling System 13.5 gal.
Crankcase 7.9 qts.
Transmission and 7.1 qts.
Hydraulics
Front Axle 11.1 gal.
6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip LH Step Only
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater w/ Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign
Rear View Mirror

Model Specifications	
<u>L3560HSTC-LE</u>	
SAE Gross HP:	37.0
Engine Net HP:	35.0
PTO HP:	28.0
Engine Model:	D1803
Displacement:	111.4 Cu. In.

KUBOTA

Grand L 60 Series L3560 DT / GST / HST / HSTC

DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
L3560DT	4WD Compact Tractor - 2 Post Foldable ROPS	K17B985B24	3210 lbs \$23,058.00
L3560GST	4WD Compact Tractor - 2 Post Foldable ROPS	K18B851B04	3249 lbs \$24,168.00
L3560HST	4WD Compact Tractor - 2 Post Foldable ROPS	K19B225B44	3249 lbs \$24,648.00
L3560HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K25B516B92	3512 lbs \$32,714.00
L3560HSTC-LE	4WD Compact Tractor - ROPS Certified Limited Factory Cab	K23B566B92	3512 lbs \$30,214.00

L3560 DT/GST/HST/HSTC/HSTC-LE		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR8821B*	R-TIRE 12.4-24 R1 Firestone (SAT) II	156 lbs		
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B34B32	Add \$ 44.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs		
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B492B96	Add \$ 632.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B750B36	Add \$ 962.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B468B00	Add \$ 600.00
ALR8855	R-TIRE 420/70-24 R4 F-Stone All Trc Util	235 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3560 DT / GST / HST / HSTC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B204B36	\$ 262.00
ALR8821B*	R-TIRE 12.4-24 R1 Firestone (SAT) II	156 lbs	B442B26	\$ 567.00
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B167B70	\$ 215.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs	B496B08	\$ 636.00
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B249B60	\$ 320.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B299B52	\$ 384.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs	B722B28	\$ 926.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
ALR8855	R-TIRE 420/70-24 R4 F-Stone All Trc Util	235 lbs	B606B06	\$ 777.00

KUBOTA

Grand L 60 Series L4060 DT / GST / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
Total Hyd. Flow:
DT / GST - 14.7 gpm
HST - 14.1 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2756 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION, DT

4 Speed Manual w/Synchro Main
and Synchro Shuttle
Rear Differential Lock
2 Range Hi-Lo
8 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
Rear Differential Lock
12 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 8.7 qts.
Transmission and
Hydraulics 11.4 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications					
L4060DT		L4060GST		L4060HST	
SAE Gross HP:	42.0	SAE Gross HP:	42.0	SAE Gross HP:	42.0
Engine Net HP:	40.0	Engine Net HP:	40.0	Engine Net HP:	40.0
PTO HP:	34.0	PTO HP:	34.0	PTO HP:	32.5
Engine Model:	V2403	Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L4060HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 60 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2756 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 8.7 qts.
Transmission and Hydraulics 11.4 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Front Work Lights
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater with Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L4060HSTC	
SAE Gross HP:	42.0
Engine Net HP:	40.0
PTO HP:	32.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L4060 DT / GST / HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4060DT	4WD Compact Tractor - 2 Post Foldable ROPS	K20B287B02	3324 lbs	\$26,009.00
L4060GST	4WD Compact Tractor - 2 Post Foldable ROPS	K21B152B82	3346 lbs	\$27,119.00
L4060HST	4WD Compact Tractor - 2 Post Foldable ROPS	K21B527B22	3346 lbs	\$27,599.00
L4060HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K27B818B70	3743 lbs	\$35,665.00

L4060 DT / GST / HST / HSTC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		In Base Price
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs		
TURF				
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B408B72	Add \$ 524.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B666B12	Add \$ 854.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs		
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B49B92	Less \$ (64.00)
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B400B92	Add \$ 514.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L4060 DT / GST / HST / HSTC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B191B88	\$ 246.00
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs	B496B86	\$ 637.00
TURF				
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B249B60	\$ 320.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B299B52	\$ 384.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs	B722B28	\$ 926.00
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B167B70	\$ 215.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs	B496B08	\$ 636.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B614B64	\$ 788.00

KUBOTA

Grand L 60 Series L4760 GST / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 40 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
DT / GST - 14.7 gpm
HST - 14.1 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
Rear Differential Lock
12 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 8.7 qts.
Transmission and Hydraulics 11.4 gal.
Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications			
<u>L4760GST</u>		<u>L4760HST</u>	
SAE Gross HP:	49.0	SAE Gross HP:	49.0
Engine Net HP:	47.0	Engine Net HP:	47.0
PTO HP:	41.0	PTO HP:	39.5
Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L4760HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Charging Output 60 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS PLUS
Rear Differential Lock
3 Speed Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 7.9 qts.
Crankcase 8.7 qts.
Transmission and Hydraulics 11.4 gal.
Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Front Work Lights
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater with Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L4760HSTC	
SAE Gross HP:	49.0
Engine Net HP:	47.0
PTO HP:	39.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L4760 GST / HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4760GST	4WD Compact Tractor - 2 Post Foldable ROPS	K25B358B58	3430 lbs	\$32,511.00
L4760HST	4WD Compact Tractor - 2 Post Foldable ROPS	K25B732B98	3430 lbs	\$32,991.00
L4760HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K32B024B46	3752 lbs	\$41,057.00

L4760 GST / HST / HSTC				
TIRES AND WHEELS [†]				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		In Base Price
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs		
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B461B76	Add \$ 592.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B531B96	Add \$ 682.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B400B92	Add \$ 514.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L4760 GST / HST / HSTC				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B191B88	\$ 246.00
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs	B496B86	\$ 637.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B276B12	\$ 354.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B643B50	\$ 825.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B274B56	\$ 352.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs	B680B16	\$ 872.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B614B64	\$ 788.00

KUBOTA

Grand L 60 Series L5060GST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Turbocharged Engine
Charging Output 45 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
Rear Differential Lock
12 Forward Speeds
8 Reverse Speeds
Single-Stage Clutch
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 8.7 qts.
Crankcase 9.9 qts.
Transmission and
Hydraulics 11.9 gal.
Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L5060GST	
SAE Gross HP:	52.0
Engine Net HP:	50.0
PTO HP:	44
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L5060GST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L5060GST	4WD Compact Tractor - 2 Post Foldable ROPS	K26B005B98	3514 lbs	\$33,341.00

L5060GST		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B110B76	Add \$ 142.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B180B96	Add \$ 232.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B198B12	Add \$ 254.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L5060GST		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B643B50	\$ 825.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B643B50	\$ 825.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B276B12	\$ 354.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B643B50	\$ 825.00
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B643B50	\$ 825.00
INDUSTRIAL				
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B274B56	\$ 352.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B680B16	\$ 872.00

KUBOTA

Grand L 60 Series L5460HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Turbocharged Engine
Charging Output 45 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Speed Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 8.7 qts.
Crankcase 9.9 qts.
Transmission and
Hydraulics 11.9 gal.
Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance, HST
Hydro Dual Speed (H-DS), HST
HST Response Control
Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L5460HST	
SAE Gross HP:	56.0
Engine Net HP:	54.0
PTO HP:	46.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L5460HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Turbocharged Engine
Charging Output 60 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Speed Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 8.7 qts.
Crankcase 9.9 qts.
Transmission and
Hydraulics 11.9 gal.
Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Front Work Lights
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater with Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L5460HSTC	
SAE Gross HP:	56.0
Engine Net HP:	54.0
PTO HP:	46.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L5460 HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L5460HST	4WD Compact Tractor - 2 Post Foldable ROPS	K27B157B26	3514 lbs	\$34,817.00
L5460HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K33B448B74	3911 lbs	\$42,883.00

L5460 HST / HSTC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B110B76	Add \$ 142.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B180B96	Add \$ 232.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B198B12	Add \$ 254.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L5460 HST / HSTC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B643B50	\$ 825.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B643B50	\$ 825.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B276B12	\$ 354.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B643B50	\$ 825.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B274B56	\$ 352.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B680B16	\$ 872.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs	B688B74	\$ 883.00

KUBOTA

Grand L 60 Series L6060HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Turbocharged Engine
Charging Output 45 Amps
12V – 582 CCA
Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Forward Ranges
3 Reverse Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
Cooling System 8.7 qts.
Crankcase 9.9 qts.
Transmission and
Hydraulics 11.9 gal.
Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance, HST
Hydro Dual Speed (H-DS), HST
HST Response Control
Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L6060HST	
SAE Gross HP:	62.0
Engine Net HP:	60.0
PTO HP:	53
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L6060HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
4 Cylinder Engine
EPA Tier 4 Compliant
Turbocharged Engine
Charging Output 60 Amps
12V – 582 CCA

Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
Tandem Gear Pumps
14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
At Lift Point 3858 lbs.
24" Behind 2956 lbs.
Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2550 Eng. Rpm
Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
Rear Differential Lock
3 Speed Ranges
Cruise Control
Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
Cast Iron with Bevel Gear 4WD
Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	13.5 gal.
Cooling System	8.7 qts.
Crankcase	9.9 qts.
Transmission and Hydraulics	11.9 gal.
Front Axle	9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
Digital Read for Speed, MPH, PTO
Speeds, Diagnostics Systems
and DPF System
Lighted Communications Symbols
Warning Symbols
HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
Suspension w/Arm Rests
Illuminated Instrument Panel
Large, Flat Operator's Station
Tilt Steering
Wide, Anti-Slip Step
ISO Mounted Platform
Telescoping Lower Links
2 Front Work Lights
2 Tier Halogen Head Lights
4 Position Loader Valve
Steel Hood and Fenders
Cup Holder
Auto Throttle Advance
Hydro Dual Speed (H-DS)
HST Response Control
Throttle-Up Switch
Front Wiper w/Washer
Interior Light
AC/Heater with Internal/External
Ventilation
Speakers and Radio Pre-Wired
Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Turn Signals / Hazard Lights
Electric Key Shut Off
Parking Brake
SMV Sign

Model Specifications	
L6060HSTC	
SAE Gross HP:	62.0
Engine Net HP:	60.0
PTO HP:	53.0
Engine Model:	V2403
Displacement:	148.5 Cu. In.

KUBOTA

Grand L 60 Series L6060 HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L6060HST	4WD Compact Tractor - 2 Post Foldable ROPS	K28B646B28	3536 lbs	\$36,726.00
L6060HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K34B937B76	3911 lbs	\$44,792.00

L6060 HST / HSTC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		In Base Price
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B110B76	Add \$ 142.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B180B96	Add \$ 232.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B198B12	Add \$ 254.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
* Standard Tires

TIRES AND WHEELS (priced per piece)

L6060 HST / HSTC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B643B50	\$ 825.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B220B74	\$ 283.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B643B50	\$ 825.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B276B12	\$ 354.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B643B50	\$ 825.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B274B56	\$ 352.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B680B16	\$ 872.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B274B56	\$ 352.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs	B688B74	\$ 883.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
L8398	Base Kit and 1st Lever for ROPS models Requires Double Acting or Float Detent Valve Section	K457L86	20 lbs	\$587.00
L8396	Base Kit and 1st Lever for CAB models Requires Double Acting or Float Detent Valve Section	K457L86	20 lbs	\$587.00
L8393	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Double Acting or Float Detent Valve Section	K246L48	9 lbs	\$316.00
L8394	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Double Acting or Float Detent Valve Section	K246L48	8 lbs	\$316.00
L8308	Double Acting Valve Section	K187L20	4 lbs	\$240.00
L8309	FD (Float Detent) Valve Section	K235L56	4 lbs	\$302.00
DRAFT CONTROL				
L8395	Draft Control Kit for all L60 series	K437L58	25 lbs	\$561.00
DRAWBAR OPTIONS				
L9496G	Drawbar Clevis	K52L26	8 lbs	\$67.00
L8325	Swinging Drawbar	K113L10	20 lbs	\$145.00
HYDRAULIC DIVERTER VALVE				
L8397	Hydraulic Diverter Kit Enables standard loader to be used as 2 rear hydraulic remotes Spool 1: 4-Position spool with 1st stage standard non-regenerative & 2nd stage regenerative Spool 2: 4-Position spool with detent float Not Compatible with Front Loader or Rear Hydraulic Valves	K438L36	17 lbs	\$562.00
TOP-N-TILT KIT				
L8388A	Top-N-Tilt Kit Requires 2 Double Acting Remote Hydraulic Valves Not Compatible with Backhoe	K679L38	41 lbs	\$871.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB ACCESSORIES				
DEFOGGER KITS				
L8340	Defogger Kit, Rear Window Requires High Amp Alternator Kit	K219L18	28 lbs	\$281.00
L8381	Defogger Kit, Corner Windows Requires High Amp Alternator Kit	K239L46	18 lbs	\$307.00
ALTERNATOR KITS				
L5533	High Amp Alternator Kit for L3560	K361L14	15 lbs	\$463.00
L5534	High Amp Alternator Kit for L4060 / L4760 / L5460 / L6060	K361L14	15 lbs	\$463.00
RADIO				
Jensen Radios	3 Radios Available	(Order from the Parts Department)		
REAR WIPER KIT				
L8364	Rear Wiper Kit	K111L54	3 lbs	\$143.00
REAR WORK LIGHT				
L8333	Rear Work Light Kit, 2 Lights	K102L18	3 lbs	\$131.00
ROPS ACCESSORIES				
CANOPY				
E1133	Plastic Canopy	K340B86	63 lbs	\$437.00
E1134	Fiberglass Canopy Requires Mounting Bracket Kit	K301M86	63 lbs	\$387.00
E1136	Mounting Bracket Kit	K148M98	29 lbs	\$191.00
FRONT WORK LIGHT				
E1138	Front Work Light Kit for Fiberglass Canopy Includes 2 Lights	K97A50	3 lbs	\$125.00
REAR WORK LIGHT				
L8329	Rear Work Light Kit, 1 Light	K69L42	4 lbs	\$89.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
BALLAST BOX				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K373L62	168 lbs	\$479.00
FRONT WEIGHT BRACKETS				
MX8068	Weight Bracket - up to 7 Weights Not Compatible with Grill Guard or Front Hitch installed	K74M88	29 lbs	\$96.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one Bolt Kit per Weight	K55B38	55 lbs	\$71.00
FRONT WEIGHT BOLT KITS				
BL8060B	Weight Bolt Kits - 1 Kit per Front Suitcase Weight	K1B56	lbs	\$2.00
REAR WHEEL WEIGHTS & BOLT KITS				
L8066A	Rear Wheel Weight (64 lbs. Each), set of 2 Weights for all L3560 / L4060 / L4760 models 3 Weight per Standard Tractor Bracket Not Compatible with Turf Tires Requires one Weight Bolt Kit per Set	K97L50	128 lbs	\$125.00
L8067A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L3560 / L4060 / L4760 models	K25L74	5 lbs	\$33.00
LM8124	Rear Wheel Weight (103 lbs. Each), set of 2 Weights for all L5060 / L5460 / L6060 models 3 Weight per Standard Tractor Bracket Not Compatible with Turf Tires Requires one Weight Bolt Kit per Set	K217M62	206 lbs	\$279.00
LM8125A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L5060 / L5460 / L6060 models For first set of Rear Wheel Weights	K52M26	5 lbs	\$67.00
M8121A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L5060 / L5460 / L6060 models For 2nd and 3rd set of Rear Wheel Weights	K16M38	8 lbs	\$21.00
ADDITIONAL ACCESSORIES				
AIR RIDE SEAT				
L6023	Air Ride Seat for ROPS models Disables stationary PTO feature and swivel seat capability	K682L50	77 lbs	\$875.00
L6026	Air Ride Seat for CAB models Disables stationary PTO feature and swivel seat capability	K682L50	77 lbs	\$875.00
BLOCK HEATER				
70000-00297	Block Heater	(Order from the Parts Department)		
CREEP SPEED KIT				
L8382	Creep Speed Kit for all L60 series, except HST models	K469L56	24 lbs	\$602.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
GRILL GUARD - NON LOADER APPLICATION				
L2257	Grill Guard for Non-Loader Application	K209L82	61 lbs	\$269.00
MID PTO KITS				
L8387	Mid PTO Kit for all L60 series ROPS models require Internal Gear Kit	K294L06	20 lbs	\$377.00
L8316	Mid PTO Internal Gear Kit for L60 ROPS models Standard for Cab models Requires Mid PTO Kit	K193L44	25 lbs	\$248.00
REPLACEMENT CABS				
L8392	Replacement Cab for L3560HSTC	K6L536L40	850 lbs	\$8,380.00
L8391	Replacement Cab for L4060HSTC / L4760HSTC	K6L536L40	850 lbs	\$8,380.00
L8390	Replacement Cab for L5460HSTC / L6060HSTC	K6L536L40	850 lbs	\$8,380.00
REPLACEMENT ROPS				
SFL-F356A	Replacement ROPS for L3560DT/GST/HST	K612L30	227 lbs	\$785.00
SFL-F476A	Replacement ROPS for L4060DT/GST/HST and L4760GST/HST	K612L30	218 lbs	\$785.00
SFL-F606A	Replacement ROPS for L5060GST, L5460HST, and L6060HST models	K612L30	218 lbs	\$785.00
SEAT BELT KIT				
70002-06605	Extra Length Seat Belt Kit	(Order from the Parts Department)		

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER AND ACCESSORIES				
LA555	Front End Loader for L3560 only Includes Mounting Kit, 2-Lever Quick Coupler, Bucket Level Indicator, and Grill Guard Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket Not Compatible with BH92	K2L927L34	1124 lbs	\$3,753.00
3RD FUNCTION VALVE				
L2247	3rd Function Valve Must order hydraulic line quick couplers separately.	K701L22	55 lbs	\$899.00
QUICK ATTACH COUPLER & BUCKETS				
L2256	66" Square Back QA Bucket	K485L94	212 lbs	\$623.00
L2236	72" Light Material QA Bucket	K506L22	323 lbs	\$649.00
L2244	60" 4-in-1 Bucket Requires 3rd Function Valve	K1L579L50	450 lbs	\$2,025.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K500L76	165 lbs	\$642.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER AND ACCESSORIES				
LA805	Front End Loader for L3560 / L4060 Includes Mounting Kit, Valve, and Grill Guard, and 2-Lever Type Quick Coupler Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket Loader must be installed to use Backhoe.	K3L499L08	1124 lbs	\$4,486.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K538L98	346 lbs	\$691.00
L2236	72" Light Material QA Bucket	K506L22	323 lbs	\$649.00
L2244	60" 4-in-1 Bucket Requires 3rd Function Valve	K1L579L50	450 lbs	\$2,025.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L669L20	675 lbs	\$2,140.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K835L38	400 lbs	\$1,071.00
TL1748	Bolt On Cutting Edge	K177L06	70 lbs	\$227.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K500L76	165 lbs	\$642.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00
HYDRAULIC 2-LEVER QUICK COUPLER				
L2270	Hydraulic 2-Lever Quick Coupler	K1L169L22	116	\$1,499.00
THIRD FUNCTION VALVE				
L2265	3rd Function Control Valve for Hydraulic Loader Implements (for 3rd Function <u>or</u> Hydraulic 2-Lever Coupler Must order hydraulic line quick couplers separately	K701L22	25	\$899.00
L2272	3rd Function Control Valve & Hydraulic 2-Lever Quick Coupler (L2270)	K1L870L44	143	\$2,398.00
HYDRAULIC SPILL GUARD				
L2261	Hydraulic Spill Guard, anti-spill feature for buckets	K467L22	38	\$599.00
LOADER HOSE QUICK COUPLER				
L2260	3rd Function Hose Quick Coupler	K464L88	11	\$596.00
L2252	Single Lever Hose Quick Coupler for Loader hoses (4 Hoses)	K542L88	17	\$696.00
L2262	Single Lever Hose Quick Coupler for Loader, 3rd Function Control Valve, and Hydraulic 2-Lever Quick Coupler (8 Hoses)	K698L88	116	\$896.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER AND ACCESSORIES				
LA1055	Front End Loader for L4760 / L5060 / L5460 / L6060 Includes Mounting Kit, Valve, Grill Guard, and 2-Lever Type Quick Coupler Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket	K3L820L44	1124 lbs	\$4,898.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K538L98	346 lbs	\$691.00
L2236	72" Light Material QA Bucket	K506L22	323 lbs	\$649.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L669L20	675 lbs	\$2,140.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K835L38	400 lbs	\$1,071.00
TL1748	Bolt On Cutting Edge	K177L06	70 lbs	\$227.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K500L76	165 lbs	\$642.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00
HYDRAULIC 2-LEVER QUICK COUPLER				
L2270	Hydraulic 2-Lever Quick Coupler	K1L169L22	116	\$1,499.00
THIRD FUNCTION VALVE				
L2265	3rd Function Control Valve for Hydraulic Loader Implements (for 3rd Function <u>or</u> Hydraulic 2-Lever Coupler Must order hydraulic line quick couplers separately.	K701L22	25	\$899.00
L2272	3rd Function Control Valve & Hydraulic 2-Lever Quick Coupler (L2270)	K1L870L44	143	\$2,398.00
HYDRAULIC SPILL GUARD				
L2271	Hydraulic Spill Guard, anti-spill feature for buckets	K467L22	38	\$599.00
LOADER HOSE QUICK COUPLER				
L2260	3rd Function Hose Quick Coupler	K464L88	11	\$596.00
L2252	Single Lever Hose Quick Coupler for Loader hoses (4 Hoses)	K542L88	17	\$696.00
L2262	Single Lever Hose Quick Coupler for Loader, 3rd Function Control Valve, and Hydraulic 2-Lever Quick Coupler (8 Hoses)	K698L88	116	\$896.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QUICK HITCH & FRONT QUICK HITCH IMPLEMENTS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
L4455A	Manual-Hitch Does not include Driveline Completion Kit Not compatible with Grille Guards or Front Weight Bracket Installation of the L4456 GPR is advised but not required	K1L701L18	550 lbs	\$2,181.00
L4554A	Auto-Hitch - Equipped with Auto Module Includes 4 Cylinder Driveline Completion Kit For 3 cylinder models, also order Part #70001-00623 do not order the entire 3 Cylinder Driveline Competition Kit (L4483) Not compatible with Grille Guards or Front Weight Bracket Installation of the L4456 GPR is advised but not required	K6L799L26	720 lbs	\$8,717.00

FRONT QH DRIVELINE KITS

L4483	Driveline Completion Kit - 3 Cylinder Engine for L3560 Tractor	K620L88	34 lbs	\$796.00
L4484	Driveline Completion Kit - 4 Cylinder Engine for L4060 and larger tractors Included in L4554A Auto Hitch Kit	K620L88	34 lbs	\$796.00

FRONT QH OPTIONS

L4472	Auto Module Upgrade Kit Upgrades the K1 Manual Hitch to a K3 Auto Hitch	K4L463L16	160 lbs	\$5,722.00
L4456	GPR - Ground Pressure Relief System Requires L4449 install on L4455(A) Manual Hitch	K1L478L88	66 lbs	\$1,896.00
L4449	GPR Hose Kit & Control Box Requires install L4456 (GPR) on L4455(A) Manual Hitch	K331L50	22 lbs	\$425.00
L4481	Lower Grill Guard Front Support for Grill Buar and Quick Hitch Co-installation Required loader grill guard or L2257 kit for non-loader application.	K91L26	30 lbs	\$117.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED BLADES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT BLADES				
L4466	60" Front Blade for L3560 only Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L809L60	500 lbs	\$2,320.00
L4476	72" Front Blade for all Grand L60 Models Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L921L92	555 lbs	\$2,464.00
L2172A	72" Front Blade for all Grand L60 Models Includes Hyd. Lift and Angle Requires Quick Hitch and L4446 Adapter Kit Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L705L08	485 lbs	\$2,186.00
L4486	84" Front Blade, Hyd. Lift and Angle Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K2L209L74	590 lbs	\$2,833.00
L2184	84" Front Blade, Hyd. Lift and Angle Includes Hyd. Lift and Angle Requires Quick Hitch and L4446 Adapter Kit Requires Blade Completion Kit for installation on L4554(A) Hitch	K2L043L60	570 lbs	\$2,620.00
FRONT ADAPTER/COMPLETION KIT				
L4446	Blade Adapter Kit	K496L08	83 lbs	\$636.00
L4482	Completion Kit - Full Auto-Hitch Required for use of blades on L4554A Full Auto-Hitch	K664L56	22 lbs	\$852.00
FRONT BLADE OPTIONS				
B2766	60" Front Blade Rubber Cutting Edge	K171B60	49 lbs	\$220.00
B2776	72" Front Blade Rubber Cutting Edge	K202B02	59 lbs	\$259.00
L2777	84" Front Blade Rubber Cutting Edge	K228L54	60 lbs	\$293.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED UTILITY SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED UTILITY SNOW BLOWERS AND ACCESSORIES				
UTILITY SNOW BLOWERS				
L4469	64" Two-Stage Utility Snowblower for L3560 only Requires Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K3L816L54	532 lbs	\$4,893.00
L4479	74" Two-Stage Utility Snowblower for all Grand L60 Models Requires Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K4L171L44	916 lbs	\$5,348.00
L2194A	62" Two-Stage Utility Snowblower for L3560 only Requires L4445 Adapter Kit, Quick Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K4L009L98	812 lbs	\$5,141.00
L2195A	72" Two-Stage Utility Snowblower for L4060 - L6060 Models Requires: L4445 Adapter Kit, Quick Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K4L350L06	896 lbs	\$5,577.00
UTILITY SNOW BLOWER COMPLETION KITS				
L4431	Completion Kit for Utility Snow Blower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K218L40	14 lbs	\$280.00
L4432	Completion Kit for Utility Snow Blower with L4554(A) Hitch Includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler	K945L36	35 lbs	\$1,212.00
UTILITY SNOW BLOWER OPTIONS				
L2177	Width Extension Kit, adds 5" overall cut	K89L70	27 lbs	\$115.00
BL2666A	Hydraulic Chute Deflector Kit Includes Electric Selector Valve	K750B36	22 lbs	\$962.00
L4445	Snowblower Adapter Kit Required to convert L2194A or LA2195A	K382L20	60 lbs	\$490.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED COMMERCIAL SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

FRONT QH MOUNTED COMMERCIAL SNOW BLOWERS AND ACCESSORIES

COMMERCIAL SNOW BLOWERS				
L4474	74" Commercial Snowblower for L4060-L6060 Models Includes Hyd. Chute Deflector and Chute Rotation Motor Requires Snowblower Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K6L374L16	1280 lbs	\$8,172.00
L4485	80" Commercial Snowblower for L4060-L6060 Models Includes Hyd. Chute Deflector and Chute Rotation Motor Requires Snowblower Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K6L541L08	1320 lbs	\$8,386.00
COMMERCIAL SNOW BLOWER COMPLETION KITS				
L4433	Completion Kit for Comm. Snow Blower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K218L40	20 lbs	\$280.00
L4434	Completion Kit for Comm. Snow Blower with L4554(A) Hitch Includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler	K729L30	35 lbs	\$935.00
COMMERCIAL SNOW BLOWER OPTIONS				
L2470	74" Teflon Cutting Edge for Commercial Snowblowers	K235L56	15 lbs	\$302.00
L2471	80" Teflon Cutting Edge for Commercial Snowblowers	K262L08	16 lbs	\$336.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES				
ROTARY SWEEPERS				
L4467	60" Rotary Broom w/ 22" Diameter for L3560 only Power Angle Standard, Includes Hitch Lift Limiter Requires Quick-Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K3L194L10	460 lbs	\$4,095.00
L4477	72" Rotary Broom w/ 22" Diameter for all Grand L60 Models Power Angle Standard, Includes Hitch Lift Limiter Requires Quick-Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K3L718L26	550 lbs	\$4,767.00
ROTARY SWEEPER COMPLETION KIT				
L4488	Completion Kit for Rotary Sweeper with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K337L74	20 lbs	\$433.00
L4475	Completion Kit for Rotary Sweeper with L4554(A) Hitch Includes Auto Module, Hyd. Hoses, and PTO Coupler	K719L94	22 lbs	\$923.00
ROTARY SWEEPER OPTIONS				
BL2178	Side Caster Wheel	K365L04	45 lbs	\$468.00
L2168	60" Rubber Dust Deflector	K127L14	31 lbs	\$163.00
L2169	72" Rubber Dust Deflector	K149L76	36 lbs	\$192.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED FLAIL MOWER AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED FLAIL MOWER AND ACCESSORIES				
FRONT FLAIL MOWER				
L4457	72" Front Flail Mower for L4060 - L6060 Models Includes Y-Knives Requires Quick Hitch, Completion Kit, Driveline Kit, and Mid PTO Kit	K6L057L48	1400 lbs	\$7,766.00
FLAIL MOWER COMPLETION KITS				
L4448	Completion Kit for Flail Mower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K246L48	20 lbs	\$316.00
L4458	Completion Kit for Flail Mower with L4554(A) Hitch Includes Auto Module, Hyd. Hoses, and PTO Coupler	K525L72	20 lbs	\$674.00
FRONT FLAIL MOWER OPTIONS				
L4437	Replacement Y-Knife Set, Includes 68 Knives	K392L34	380 lbs	\$503.00
L4438	Replacement Hammer Knife Set, Includes 34 Knives	K503L88	380 lbs	\$646.00
L4439	Replacement Duck Foot Knife Set, Includes 34 Knives	K430L56	380 lbs	\$552.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

BACKHOES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOES AND ACCESSORIES				
REQUIRES A FRONT END LOADER TO BE MOUNTED WHEN BACKHOE IS ATTACHED				
BACKHOE				
BH77	4-Pt. Mounted Quick Attach Backhoe for L3560 ROPS only Requires Sub Frame Kit, Includes Seat Not Compatible with Top-N-Tilt Kits Not Compatible with Cab Model	K5B338B32	1077 lbs	\$6,844.00
SUB FRAME KITS				
BH4985	Subframe Kit for L3560 ROPS Models only Requires LA555 Loader	K967L20	292 lbs	\$1,240.00
BACKHOE BUCKETS				
BT1950A	10" Bucket - 3 Teeth	K323B70	63 lbs	\$415.00
BT1951A	12" Bucket - 3 Teeth	K382B98	69 lbs	\$491.00
BT1952A	14" Bucket - 4 Teeth	K505B44	82 lbs	\$648.00
BT1953A	16" Bucket - 5 Teeth	K660B66	118 lbs	\$847.00
BACKHOE ACCESSORIES				
BH1976	6 Position Mechanical Thumb	K370B50	51 lbs	\$475.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K96L72	15 lbs	\$124.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

BACKHOES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOES AND ACCESSORIES				
REQUIRES A FRONT END LOADER TO BE MOUNTED WHEN BACKHOE IS ATTACHED				
BACKHOE				
BH92	4-Pt. Mounted Quick Attach Backhoe for all Grand L60 Models Requires Sub Frame Kit and Mounting Kit Not Compatible with Top-N-Tilt Kits	K5L974L02	1696 lbs	\$7,659.00
SUB FRAME KITS				
BH4987	Mounting Kit for L3560 ROPS Models Requires LA805 Loader and BH4999	K258L18	55 lbs	\$331.00
BH4983	Mounting Kit for L3560 Cab Models Requires LA805 Loader and BH4999	K414L18	292 lbs	\$531.00
BH4989	Mounting Kit for L4060 - L6060 ROPS Models Requires LA805/LA1055 Loader and BH4999	K283L92	67 lbs	\$364.00
BH4982	Mounting Kit for L4060 - L6060 Cab Models Requires LA805/LA1055 Loader and BH4999	K439L92	196 lbs	\$564.00
BH4999	Subframe Kit for all Grand L60 Models	K734L76	345 lbs	\$942.00
BACKHOE PIN-ON BUCKETS				
BT3001	12" Bucket	K511L68	109 lbs	\$656.00
BT3002A	16" Bucket	K580L32	130 lbs	\$744.00
BT3003A	18" Bucket	K619L32	151 lbs	\$794.00
BT3004	24" Bucket	K719L94	172 lbs	\$923.00
BT3005A	30" Bucket	K830L70	205 lbs	\$1,065.00
BT3006	36" Bucket	K928L98	226 lbs	\$1,191.00
BACKHOE QUICK COUPLER & QUICK COUPLER BUCKETS				
BT4550	BH92 Quick Coupler	K514L80	55 lbs	\$660.00
BT4552	12" Bucket	K621L66	117 lbs	\$797.00
BT4553	16" Bucket	K655L98	135 lbs	\$841.00
BT4554	18" Bucket	K690L30	145 lbs	\$885.00
BT4555	24" Bucket	K815L10	176 lbs	\$1,045.00
BT4557	36" Bucket	K1L038L18	140 lbs	\$1,331.00
BACKHOE ACCESSORIES				
BH4948	Hydraulic Valve Kit	K686L40	23 lbs	\$880.00
BT4598	Hydraulic Thumb Requires BH4948 Valve Kit	K1L585L74	142 lbs	\$2,033.00
BH4949	6 Position Mechanical Thumb	K696L54	56 lbs	\$893.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K96L72	15 lbs	\$124.00

KUBOTA

Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

REAR MOUNT SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
REAR MOUNT SNOW BLOWERS AND ACCESSORIES				
REAR MOUNT SNOW BLOWER				
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Rotator Chute or Hydraulic Chute Rotator	K2B268B24	681 lbs	\$2,908.00
LMX3174	74" Two-Stage Commercial Snowblower Mounts to Category I, II, and III 3-Point Hitch Requires Manual Rotator Chute or Hydraulic Chute Rotator	K2L861L04	760 lbs	\$3,668.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K134B16	11 lbs	\$172.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hyd. Rear Remote Valves	K613B86	20 lbs	\$787.00
BL2666A	Hydraulic Chute Deflector Kit Includes Electric Selector Valve Requires Hydraulic Chute Rotator	K750B36	22 lbs	\$962.00
B2516A	Electric Chute Deflector	K496B08	9 lbs	\$636.00
L2177	Width Extension Kit, adds 5" overall cut	K89L70	27 lbs	\$115.00