

# KUBOTA

---

## Loader Landscaper Series -- B26 / L47 / M62

---

### WHOLEGOODS PRICE LIST EFFECTIVE APRIL 2, 2018

New top and tilt Kit for B26

B8362

Page 9

36" Cemetery bucket now approved for L47

K7546

Page 14

# KUBOTA

---

**This page intentionally left blank.**

# KUBOTA

PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
6 - 5	B26TL	19.5	K21B336B12	\$ 27,354.00
6 - 5	B26TLB	19.5	K27B857B70	\$ 35,715.00
6 - 11	L47TL	33.0	K31B176B60	\$ 39,970.00
6 - 11	L47TLB	33.0	K39B733B20	\$ 50,940.00
6 - 17	M62TL	46.0	K37B414B26	\$ 47,967.00
6 - 17	M62TLB	46.0	K49B776B48	\$ 63,816.00
6 - 23	Loader/Landscaper Utility Series Attachment / Accessories Matching Chart			
6 - 24	Attachments for Loader/Landscaper Utility Series Tractors			

**ASSEMBLY CHARGE (Added to Invoice)**

	TL	TLB
B26	\$ 445.00	\$ 530.00
L47	\$ 445.00	\$ 530.00
M62	\$ 445.00	\$ 530.00

# KUBOTA

---

**This page intentionally left blank.**

# KUBOTA

## B26TL/TLB

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### DIESEL ENGINE

Model # D1105 Tier IV Certified  
3 Cylinder  
68.5 cu. in.  
24.3Gross HP (SAE J1995)  
23.1 PTO HP  
@ 2800 Engine RPM  
Charging output 40 Amps  
12 V – 36 Amp Hour Battery  
Dual Element Air Cleaner

### HYDRAULICS

Open Center — Gear Type  
Total Pump Capacity 11.2 gpm  
Includes Power Steering  
Front / Rear Remotes 7.0 gpm

### CAT I 3-Point Hitch

Lift Capacity  
@ 24" behind 1,676 lbs.  
Position Control - Standard  
3-point linkage storage standard  
3-point linkage optional  
(Serial # 52354)

### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

### DRIVE TRAIN

3 Range HST  
Low-Medium-High  
Maximum Travel Speed 11.1 mph  
Rear Differential Lock  
No Clutch  
Wet Disk Brakes  
4 Wheel Drive

### DIMENSIONS

Transport Length 16' 6"  
Width 54.0"  
Height to ROPS top 89.5"  
Wheelbase 62.2"  
Ground Clearance 13.8"

### FLUID CAPACITY

Fuel Tank 8.2 gals.  
Crankcase 3.2 qts.  
Eng. Coolant 4.7 qts.  
Fr. Axle Gear Case 4.7 qts.

### TIRES AND WHEELS

Front 23 x 8.50 - 14 R4 Std  
Rear 12.4 - 16 R4 Std

### LIGHTING

2 Headlights  
2 Rear Work Lights  
2 Taillights / Turn Signals

### POWER TAKE OFF

Live Independent Rear PTO  
540 rpm @ 2768 Eng. RPM  
SAE – 1-3/8, 6 splines

### INSTRUMENTS

Hour meter / Tachometer  
Coolant Temp. Gauge  
Fuel Gauge

### REAR AXLE

Heavy Duty Axle w/ Differential  
Lock  
Planetary Final Drives  
Multiple Wet Disc Brakes

### SAFETY EQUIPMENT

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Spark Arrestor Muffler  
Safety Start Switches  
Electric Key Shut-Off  
Hazard Lamps  
SMV Sign

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
B26TL	Tractor / Loader	K21B336B12	2976	\$ 27,354.00
B26TLB	Tractor / Loader & Backhoe	K27B857B70	4001	\$ 35,715.00
B26TLB-V	Tractor / Loader & Backhoe Includes factory installed backhoe auxiliary hydraulics kit (BTB405)	K28B537B86	4012	\$ 36,587.00

# KUBOTA

## B26TL/TLB

<b>Base Tractor Includes:</b>			
<b>TL (Tractor Loader) ①</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
① Rear counter weight is required when using the B26 as a Tractor/Loader			
<b>TLB (Tractor Loader Backhoe)</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820	Backhoe without Bucket	931	
<b>TLB-V (Tractor Loader Backhoe)</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820V	Backhoe without Bucket	931	
	Includes factory installed backhoe auxiliary hydraulics kit. (BTB405)	24	

NOTE: You must order a loader bucket for all TL and TLB Packages.  
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	B26TL SUGG. LIST FACT. NO.	B26TLB SUGG. LIST FACT. NO.	B26TLB-V SUGG. LIST FACT. NO.
ABR8726	** Front 23 x 8.50-14 R4 IND	K139A62	35	\$179.00	\$27,354.00	\$ 35,715.00	\$ 36,587.00
BR8749	** Rear 12.4 -- 16 R4 IND	K332A28	147	\$426.00	K21B336B12	K27B857B70	K28B537B86
ABR8726	Front 23 x 8.50-14 R4 IND	K139A62	35	\$179.00	\$27,292.00	\$ 35,653.00	\$ 36,587.00
ABR9382	Rear 12.4 -- 16 R1 AG	K308A10	95	\$395.00	K21B287B76	K27B809B34	K28B489B50
ABR8742	Front 24 x 8.50-14Turf Multi Trac	K141A18	35	\$181.00	\$27,352.00	\$ 35,713.00	\$ 36,587.00
ABR8744	Rear 13.6 -- 16 Turf Multi Trac	K329A94	120	\$423.00	K21B334B56	K27B856B14	K28B536B30
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

# KUBOTA

## B26TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Loader - Model – TL500 Loader</b> (Standard Equipment with B26 Tractor)				
Rated Lift Capacity @ Bucket Center 1102 lbs. / Rated Breakout 3,967 lbs. / Quick Coupler Standard Maximum Lift Height 94.5" / Mechanical Spill Guard				
<b>QUICK COUPLER LOADER BUCKETS</b>				
<b>Requires a loader bucket for either TL, TLB, or TLB-V Package)</b>				
TL2142	60" HD ROUND BACK BUCKET Struck Cap. (7.8 cu. ft.), Heaped Cap. (9.5 cu. ft.)	K665A34	277	\$853.00
TL2143	BOLT-ON CUTTING EDGE FOR 60" TL2142 and L2244 Buckets	K168A48	45	\$216.00
TL2144	66" LIGHT MATERIAL BUCKET Struck Cap. (11.3 cu. ft.), Heaped Cap. (13.8 cu. ft.)	K688A74	329	\$883.00
TL1756	BOLT-ON CUTTING EDGE FOR 66" light material bucket (TL2144)	K163A80	65	\$210.00
L2238	PALLET FORK FRAME Requires K9048 36" pallet forks	K528A06	165	\$677.00
K9048	36" PALLET FORKS 2 pieces, 1 set	K317A46	180	\$407.00
L2237	BALE SPEAR	K500A76	165	\$642.00
L2244	60" 4-IN-ONE BUCKET (8.9 cu. ft. struck) (11.07 cu. ft. heaped) TL2141 required.	K1K579A50	450	\$2,025.00
<b>REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS</b>				
TL2141	REMOTE VALVE KIT Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	K673A14	60	\$863.00

### Backhoe – Models BT820 and BT820V

Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 4,211 lbs. / Dipper stick Breakout Force 2,123 lbs. / Dig Depth 8' 2", (2 ft. SAE) Stabilizer spread-operating 83.3", 2 cylinder trunion-type swing				
BT820	Backhoe – 8' 2" (for TLB Package)	K6K521A58	931	\$8,361.00
BT820V	Backhoe – 8' 2" (for TLB-V Package) Includes factory installed backhoe auxiliary hydraulic kit (BTB405)	K7K201A74	931	\$9,233.00
L9467	Stabilizer Flip-Pad Set (2) Sets Required	K96A72	34	\$124.00
<b>For TLB or TLB-V package, you also must order appropriate backhoe buckets.</b>				

# KUBOTA

## B26TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

### BUCKETS

#### Direct Pin-on Buckets

BT1961A	12 inch 1.1 cu. ft Trenching Bucket	K391A56	38	\$502.00
BT1963A	18 inch 1.84 cu. ft Trenching Bucket	K515A58	59	\$661.00
BT1964A	24 inch 2.61 cu. ft Trenching Bucket	K673A92	75	\$864.00

#### Quick Attach Coupler Buckets

BT1970	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	K278A46	65	\$357.00
BT1971	12 inch 1.1 cu. ft. Trenching Bucket	K469A56	69	\$602.00
BT1973	18 inch 1.84 cu. ft. Trenching Bucket	K619A32	151	\$794.00
BT1974	24 inch 2.61 cu. ft. Trenching Bucket	K734A76	140	\$942.00
BT1977	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K176A28	100	\$226.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BTB405	REMOTE VALVE KIT Standard equipment for BT820V Includes right foot operated valve, hoses, pipes, brackets.	K686A40	44	\$880.00
--------	--	---------	----	----------

#### HYDRAULIC THUMB

BT1975	Hydraulic Thumb BT820V or BTB405 Remote Valve Kit required. Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	K858A78	123	\$1,101.00
--------	--	---------	-----	------------

#### HYDRAULIC BREAKER

KXB310Q	HYDRAULIC BREAKER, 200 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT1970 Quick Coupler, BTB405 Remote Valve Kit, K7778 hose kit, and K7762 mount bracket.	K4K391A28	231	\$5,778.00
K7778	HYDRAULIC BREAKER HOSE KIT Required for KXB310Q installation	K311A22	16	\$399.00
K7762	HYDRAULIC BREAKER BRACKET Required for KXB310Q installation	K568A62	91	\$729.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	K828A40	5	\$1,090.00



# KUBOTA

## B26TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS KITS FOR REAR ATTACHMENTS</b>				
B8027	BASE KIT AND 1ST LEVER For 1st valve. Requires B8028.	K375A96	16	\$482.00
B8028	DOUBLE ACTING VALVE SECTION For 1st or 2nd position. Requires B8027 or B8030	K187A20	15	\$240.00
B8029	FLOAT DETENT VALVE SECTION For 2nd position only Requires B8030	K235A56	5	\$302.00
B8030	SECOND POSITION STACKING KIT For 2nd valve. Requires B8027 and B8028 or B8029 valve section.	K187A20	10	\$240.00
<b>B8362</b>	<b>TOP-N-TILT KIT</b> Includes Cylinders and Hoses Requires 2 B8028 valve sections and the B3941 3-pt linkage kit.	<b>K555A36</b>	<b>50</b>	<b>\$712.00</b>

### OPTIONAL EQUIPMENT

B3941	3-point Linkage Kit	K315A90	94	\$405.00
L8045	FRONT OR REAR WORK LIGHT KIT (2 per Kit) ROPS frame mount. Maximum 4 lights (2 kits) in total.	K122A46	10	\$157.00
L8043	HORN KIT	K45A24	10	\$58.00
B8036	DRAWBAR KIT	K46A80	50	\$60.00
B8010	SPARK ARRESTOR	K41A34	1	\$53.00
B8011	BACK-UP ALARM KIT	K63A96	1	\$82.00
B8012A	TOOL BOX	K70A20	10	\$90.00

#### Available from Parts:

70000-73274                      Block Heater (Frost Plug)

# KUBOTA

---

**This page intentionally left blank.**

# KUBOTA

## L47TL/TLB

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V2403-CR-E4  
Tier 4 Final Certified  
4 Cyl., 148.5 cu. in.  
47.1 HP Gross (SAE J1995)  
44.7 HP Net (SAE J1349)  
33.0 PTO HP  
@ 2700 Eng. rpm

Direct Injection  
Charging Output 45 Amps  
12 V - 80 Amp Hour Battery  
Dual Element Air Cleaner w/ cyclone  
Precleaner

**HYDRAULICS**

Open Center – Gear Type  
Total Pump Capacity 25.0 gpm  
Includes Power Steering  
Front /Rear Remotes 11.8 gpm  
BH Boom Swing Pump 6.6 gpm  
Cat I 3-Point Hitch (Linkage Opt.)  
24" Behind 2756 lbs.  
@ Lift Points 3860 lbs.  
Position Control

**FRONT AXLE**

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 14.1 mph  
Rear Differential Lock  
Mechanical, Multiple Wet Disc  
Brakes  
4 Wheel Drive

**DIMENSIONS**

Transport Length 234"  
Width 71.2"  
Height to ROPS top 95.1"  
Wheelbase 72.5"  
Ground Clearance 14.4"

**FLUID CAPACITY**

Fuel Tank 17.7 gal.  
Crankcase 8.7 qts.  
Engine Coolant 8.7 qts.  
Transmission and  
Hydraulics 12.2 gal.  
Front Axle Case 7.4 qts.

**TIRES AND WHEELS**

Front 27 x 10.50 - 15 R4 6 PLY  
Rear 15-19.5 R4 6 PLY

**LIGHTING**

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

**POWER TAKE OFF**

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2590 Eng. RPM  
SAE – 1-3/8, 6 splines

**INSTRUMENTS**

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed,  
Warnings, Maintenance Alerts,  
On-board Diagnostics

**REAR AXLE**

Heavy Duty Axle w/ Differential Lock  
Helical gear final drives  
Multiple Wet Disc Brakes

**SAFETY EQUIPMENT**

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat  
Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

**STANDARD EQUIPMENT**

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm  
Horn

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses &  
Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses &  
Pipes  
Thumb Bracket  
Improved Inching Performance  
High Quality Hydraulic Cylinders

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
L47TL	Tractor Loader	K31B176B60	5350	\$ 39,970.00
L47TLB	Tractor Loader Backhoe	K39B733B20	7275	\$ 50,940.00
L47TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2381)	K40B404B00	7275	\$ 51,800.00
L47TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)	K41B060B76	7275	\$ 52,642.00
L47TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	K41B731B56	7275	\$ 53,502.00

# KUBOTA

## L47TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**Base Tractor Includes:**

<b>TL (Tractor Loader) ①</b>				
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt		3290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND		136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND		534	
TL1300	Front Loader without Bucket		1568	
① Rear counter weight is required when using the L47 as a Tractor Loader				
<b>TLB (Tractor Loader Backhoe)</b>				
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt		3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND		136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND		534	
TL1300	Front Loader without Bucket		1568	
BT1000B	Backhoe without Bucket		2,007	
<b>TLB-L (Tractor Loader Backhoe)</b>				
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt		3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND		136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND		534	
TL1300V	Front Loader without Bucket		1600	
	Includes factory assembled loader auxiliary hydraulic kit (TL2381)			
BT1000B	Backhoe without Bucket		2,007	
<b>TLB-B (Tractor Loader Backhoe)</b>				
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt		3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND		136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND		534	
TL1300	Front Loader without Bucket		959	
BT1000BV	Backhoe without Bucket		1,925	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)			
<b>TLB-LB (Tractor Loader Backhoe)</b>				
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt		3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND		136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND		534	
TL1300V	Front Loader without Bucket		1600	
	Includes factory assembled loader auxiliary hydraulic kit (TL2381)			
BT1000BV	Backhoe without Bucket		2,007	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT2383)			

**NOTE:** You must order a loader bucket for all TL and TLB Packages.  
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)						Price with Tire Option	
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	L47TL SUGG. LIST FACT. NO.	L47TLB SUGG. LIST FACT. NO.	
ALR9192	** Front 27 x 10.5 - 15 R4 IND	K180A18	68	\$231.00	\$ 39,970.00	\$ 50,940.00	
ALR9195	** Rear 15 – 19.5 R4 IND	K602A94	267	\$773.00	K31B176B60	K39B733B20	
ALR9497	Front 27/10.50LL-15 Galaxy Turf	K322A92	70	\$414.00	\$ 40,336.00	\$ 51,306.00	
ALR9449	Rear 16.5L-16.1 Turf Tire	K602A94	132	\$773.00	K31B462B08	K40B018B68	
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice	

\*\* Standard tires

# KUBOTA

## L47TL/TLB

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	L47TLB-L SUGG. LIST FACT. NO.	L47TLB-B SUGG. LIST FACT. NO.	L47TLB-LB SUGG. LIST FACT. NO.
ALR9192	** Front 27 x 10.5 - 15 R4 IND	K180A18	68	\$231.00	\$ 51,800.00	\$ 52,642.00	\$ 53,502.00
ALR9195	** Rear 15 - 19.5 R4 IND	K602A94	267	\$773.00	K40B404B00	K41B060B76	K41B731B56
ALR9497	Front 27/10.50LL-15 Galaxy	K322A92	70	\$414.00	\$ 52,166.00	\$ 53,008.00	\$ 53,868.00
ALR9449	Rear 16.5L-16.1 Turf Tire	K602A94	132	\$773.00	K40B689B48	K41B346B24	K42B017B04
Tractor Assembly Charges					\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

### LOADER - MODELS TL1300 and TL1300V

Rated Lift Capacity @ Bucket Center 2,200 lbs. / Rated Breakout 4,531 lbs. Maximum Lift Height 113.9" / Automatic Self Leveling Valve / Quick Coupler				
<b>HYDRAULIC QUICK COUPLER KIT</b>				
TL1310	Hydraulic Two Lever Quick Coupler Kit Optional hydraulic front coupler	K1K169A22	118	\$1,499.00
<b>QUICK-COUPLER LOADER BUCKETS</b>				
Requires a Loader bucket for either TL or TLB Package.				
TL1765A	72" HD ROUND BACK BUCKET Struck Cap. (12.7 cu. ft.) Heaped Cap.(15.5 cu. ft.)	K836A16	336	\$1,072.00
TL1748A	BOLT-ON CUTTING EDGE for 72" L2245 and TL1765A Buckets	K177A06	70	\$227.00
L2245	72" 4 in 1 BUCKET Struck Capacity (10.9 cu. ft.) Heaped Capacity (13.1 cu. ft.) 21.5" Mouth Opening, 2,000 psi clamping force Requires TL2381 Remote Valve Kit	K1K669A20	675	\$2,140.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	K538A20	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	K371A28	196	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	K399A36	218	\$512.00
M1804	Bale Spear (Quick-Change)	K581A88	195	\$746.00
<b>REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS</b>				
TL2381	REMOTE VALVE KIT Standard equipment for TL1300V Loader Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	K704A34	40	\$903.00
TL1311	SINGLE LEVER THIRD FUNCTION QUICK CONNECT TL2381 Required	K464A88	3	\$596.00

# KUBOTA

## L47TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE – MODELS BT1000B and BT1000BV</b>				
Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 5,825 lbs. / Dipper Stick Breakout Force 3,779 lbs. / Dig Depth 10', (2 ft. SAE) / Stabilizer spread-operating 89.3" / Dedicated Boom Swing Pump / 2-Cylinder Trunion Type Swing				
BT1000B	BACKHOE – 10'	K8K556A60	2007	\$10,970.00
BT1000BV	BACKHOE – 10' Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)	K9K884A16	2007	\$12,672.00
L9467	RUBBER STABILIZER FLIP PAD (2) Required	K96A72	15	\$124.00
BT2382	STABILIZER CYLINDER COVER KIT	K131A82	18	\$169.00

For all TLB Packages, you must order appropriate backhoe buckets.

### BUCKETS

#### Direct Pin-On Buckets

BT3001	12 inch 1.47 cu. ft Bucket	K511A68	117	\$656.00
BT3002A	16 inch 2.16 cu. ft Bucket	K580A32	140	\$744.00
BT3003A	18 inch 2.51 cu. ft Bucket	K619A32	151	\$794.00
BT3004	24 inch 3.6 cu. ft Bucket	K719A94	172	\$923.00
BT3005A	30 inch 4.69 cu. ft Bucket	K830A70	205	\$1,065.00
BT3006	36 inch 5.78 cu. ft Bucket	K928A98	226	\$1,191.00

#### Quick Attach Coupler Buckets ( Compatible with CE excavator buckets)

K7543	QUICK ATTACH COUPLER (Excavator Buckets) Includes 2 mounting pins, 1 locking pin and hardware.	K705A28	64	\$928.00
K7872A	12 inch 2.13 cu. ft. TRENCHING BUCKET	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. TRENCHING BUCKET	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. TRENCHING BUCKET	K813A20	190	\$1,070.00
K7875A	24 inch 4.25 cu. ft. TRENCHING BUCKET	K975A08	240	\$1,283.00
K7876	30 inch 5.31 cu. ft TRENCHING BUCKET	K1K074A64	265	\$1,414.00
K7983	36 inch 9.8 cu. Ft. TRENCHING BUCKET	K1K223A60	270	\$1,610.00
K7473	36 inch 3.00 cu. Ft. TILT GRADING BUCKET	K3K382A00	305	\$4,450.00
<b>K7546</b>	<b>36 inch CEMETARY BUCKET</b>	<b>K936A32</b>	<b>265</b>	<b>\$1,232.00</b>
K7458	36 inch GRADING BLADE	K1K060A96	270	\$1,396.00
K9807	BUCKET HANGERS Set of two bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K254A60	49	\$335.00

#### Quick Attach Coupler Buckets ( KIE version--these are NOT compatible with CE excavator buckets)

BT4550	QUICK ATTACH COUPLER KIE Version Includes 2 pins, 1 locking pin and hardware	K514A80	55	\$660.00
BT4552	12 inch 1.47 cu. ft. TRENCHING BUCKET	K621A66	117	\$797.00
BT4553	16 inch 2.16 cu.ft. TRENCHING BUCKET	K655A98	135	\$841.00
BT4554	18 inch 2.51 cu.ft TRENCHING BUCKET	K690A30	145	\$885.00
BT4555	24 inch 3.60 cu.ft. TRENCHING BUCKET	K815A10	176	\$1,045.00
BT4557	36 inch 5.78 cu.ft. TRENCHING BUCKET	K1K038A18	229	\$1,331.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT2383	REMOTE VALVE KIT Standard equipment for BT1000BV Includes right foot operated valve, hoses, pipes, brackets.	K1K394A64	60	\$1,788.00
--------	--	-----------	----	------------

# KUBOTA

## L47TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC THUMB</b>				
BT4598	HYDRAULIC THUMB (FOR PIN ON BUCKETS and KIE Q.A.) Requires BT1000BV or BT2383 remote valve kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	K1K585A74	56	\$2,033.00
K7545A	HYDRAULIC THUMB ( FOR Q.C. CE BUCKETS ONLY) Requires BT1000BV or BT2383 remote valve kit. Compatible with K7543 Quick Coupler. Thumb mount bracket factory installed.	K1K995A00	142	\$2,625.00

### HYDRAULIC BREAKER

KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires K7543 Quick Coupler, BT2383 Remote Valve Kit, K7639 Hose Kit, and K7544 Mount Bracket.	K5K393A72	231	\$7,097.00
K7639	HYDRAULIC BREAKER HOSE KIT Required for KXB360Q installation	K454A48	13	\$598.00
K7544	HYDRAULIC BREAKER BRACKET Required for KXB360Q installation	K571A52	99	\$752.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	K828A40	5	\$1,090.00

### OPTIONAL EQUIPMENT

L3961	3-POINT LINKAGE KIT	K407A94	67	\$523.00
L1321	3-POINT LINKAGE STORAGE KIT	K183A30	21	\$235.00
L9475	DRAWBAR KIT	K166A92	37	\$214.00
L9496G	DRAWBAR CLEVIS KIT	K52A26	8	\$67.00
L9476A	TOOL BOX KIT	K70A20	10	\$90.00
L8045	① WORK LIGHT KIT FRONT / REAR ROPS frame mounted. (2 per Kit)	K122A46	3	\$157.00

① Maximum 4 (2 kits) in total.

### HYDRAULICS KITS FOR REAR ATTACHMENTS

(To be used with Backhoe removed on a Tractor/Loader)				
L9553A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Includes 3 Spool Valve, Mount Bracket, Hoses, Hydraulic Quick-Couplers	K1K003A08	37.5	\$1,286.00
L9554A	3 PT TOP and TILT KIT Includes 2 Cylinders, Hoses and Hydraulic Quick Couplers. (Requires L9553A REMOTE VALVE KIT FOR REAR ATTACHMENTS and the L3961 3-PT LINKAGE KIT)	K657A54	42	\$843.00

# KUBOTA

## L47TL/TLB

### Allied Attachment Contact

#### TLB L47 Glass Cab Enclosure (P/N 1KTLBL47)

- All Glass Cab, Removable Door & Windows
- Quick-release Backhoe cab
- Front wiper/washer & rear wiper included
- Heater included with front & rear heating vents
- Optional glass rear panel available for non-backhoe operations (P/N 1KTLBL47RP)

#### Curtis Industries Sales – Customer Service

##### Curtis Industries, LLC

111 Higgins Street, Worcester, MA 01606

**508-853-2200** (8am-5pm Eastern)

Option 1

[www.curtiscab.com](http://www.curtiscab.com)

email: sales@curtiscab.com

#### Available from Parts:

70000-00297

32822-99554

Block Heater – Front Plug

CCV Heater Kit (CCV-90A)



# KUBOTA

## M62TL/TLB

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### DIESEL ENGINE

Model # V2403-CR-TE4  
Tier IV Final Certified  
4 Cyl. 148.5 cu. in.  
Turbocharged  
63 Gross HP (SAE J1995)  
59.1 Net HP (SAE J1349)  
46.0 PTO HP  
@ 2700 Engine RPM  
Direct Injection  
Charging output 45 Amps  
12 V – 80 Amp Hour Battery  
Dual Element Air Cleaner

### HYDRAULICS

Open Center - Gear Type  
Total Pump Capacity 30.9 gpm  
Includes Power Steering  
BH Boom Swing Pump 8.3 gpm  
Front / Rear Remotes 16.0 gpm  
Cat I & II 3-point Hitch (Optional)  
24" Behind 2976 lbs.  
@ Lift Points 3860 lbs.  
Position Control

### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

### DRIVE TRAIN

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 15.7 mph  
Rear Differential Lock  
Multiple Wet Disc Brakes  
4 Wheel Drive

### DIMENSIONS

Transport Length 252.9"  
Width 75.0"  
Height to ROPS top 102.1"  
Wheelbase 80.7"  
Ground Clearance 13.8"

### FLUID CAPACITY

Fuel Tank 17.7 gals.  
Crankcase 9.9 qts.  
Eng. Coolant 8.7 qts.  
Transmission and Hydraulics 12.2 gal.  
Front Axle Case 13.2 qts.

### TIRES AND WHEELS

Front 10 - 16.5 R4 Industrial  
Rear 17.5L - 24 R4 Industrial

### LIGHTING

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

### POWER TAKE OFF

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2550 Eng. RPM  
SAE – 1-3/8, 6 splines

### INSTRUMENTS

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed,  
Warnings, Maintenance Alerts, On-board Diagnostics

### REAR AXLE

Heavy Duty Axle w/ Differential Lock  
Bull-gear final drives  
Multiple Wet Disc Brakes

### SAFETY EQUIPMENT

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

### STANDARD EQUIPMENT

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm & Horn  
Larger Canopy

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses & Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses & Pipes  
Thumb Bracket  
Stabilizer Cylinder Cover  
Improved Inching Performance  
High Quality Hydraulic Cylinders  
Tie-down Rings for Transport

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
M62TL	Tractor Loader	K37B414B26	6,158	\$ 47,967.00
M62TLB	Tractor Loader Backhoe	K49B776B48	8,345	\$ 63,816.00
M62TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2384)	K50B469B90	8,395	\$ 64,705.00
M62TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)	K50B887B20	8,405	\$ 65,240.00
M62TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	K51B580B62	8,455	\$ 66,129.00

# KUBOTA

## M62TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**Base Tractor Includes:**

<b>TL (Tractor Loader) ①</b>				
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt		4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND		103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND		280	
TL1800	Front Loader without Bucket		1,963	
① Rear counter weight is required when using the M62 as a Tractor Loader				
<b>TLB (Tractor Loader Backhoe)</b>				
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt		4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND		103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND		280	
TL1800	Front Loader without Bucket		1,963	
BT1400	Backhoe without Bucket		2,416	
<b>TLB-L (Tractor Loader Backhoe)</b>				
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt		4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND		103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND		280	
TL1800V	Front Loader without Bucket		2,018	
	Includes factory assembled loader auxiliary hydraulic kit (TL2384)			
BT1400	Backhoe without Bucket		2,416	
<b>TLB-B (Tractor Loader Backhoe)</b>				
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt		4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND		103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND		280	
TL1800	Front Loader without Bucket		1,963	
BT1400V	Backhoe without Bucket		2,411	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)			
<b>TLB-LB (Tractor Loader Backhoe)</b>				
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt		4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND		103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND		280	
TL1800V	Front Loader without Bucket		2,018	
	Includes factory assembled loader auxiliary hydraulic kit (TL2384)			
BT1400V	Backhoe without Bucket		2,411	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT2385)			

**NOTE:** You must order a loader bucket for all TL and TLB Packages.  
 For all TLB Packages, you must order appropriate backhoe buckets.

# KUBOTA

## M62TL/TLB

TIRES AND WHEELS (priced per piece)					Price with Tire Option	
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	M62TL SUGG. LIST FACT. NO.	M62TLB SUGG. LIST FACT. NO.
ALR6842	** Front 10 -- 16.5 R4 IND	K283A92	103	\$364.00	\$ 47,967.00	\$ 63,816.00
ALR6843	** Rear 17.5L -- 24 R4 IND	K662A22	280	\$849.00	K37B414B26	K49B776B48
ALR6845	Front 12 -- 16.5 SL R3 TURF	K301A08	110	\$386.00	\$ 47,967.00	\$ 63,816.00
ALR6846	Rear 16.9L -- 24 R3 TURF	K645A06	266	\$827.00	K37B414B26	K49B776B48
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	M62TLB-L SUGG. LIST FACT. NO.	M62TLB-B SUGG. LIST FACT. NO.	M62TLB-LB SUGG. LIST FACT. NO.
ALR6842	** Front 10 -- 16.5 R4 IND	K283A92	103	\$364.00	\$ 64,705.00	\$ 65,240.00	\$ 66,129.00
ALR6843	** Rear 17.5L -- 24 R4 IND	K662A22	280	\$849.00	K50B469B90	K50B887B20	K51B580B62
ALR6845	Front 12 -- 16.5 SL R3 TURF	K301A08	110	\$386.00	\$ 64,705.00	\$ 65,240.00	\$ 66,129.00
ALR6846	Rear 16.9L -- 24 R3 TURF	K645A06	266	\$827.00	K50B469B90	K50B887B20	K51B580B62
Tractor Assembly Charges					\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

# KUBOTA

## M62TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

### LOADER - MODELS TL1800 and TL1800V

Rated Lift Capacity @ Bucket Center 2,976 lbs. / Rated Breakout 5,992 lbs.

Maximum Lift Height 126.1" / Automatic Self-Leveling / Quick Coupler / Rod Type Bucket Level Indicator

#### HYDRAULIC QUICK COUPLER KIT

TL1810	HYDRAULIC TWO LEVER QUICK COUPLER KIT Optional hydraulic front coupler	K1K169A22	94	\$1,499.00
--------	---	-----------	----	------------

#### QUICK-COUPLER ATTACHMENTS

**A loader bucket is required for all packages**

TL3421A	84" HD ROUND BACK BUCKET (19.1 cu. ft. struck) (23.57 cu. ft. heaped)	K982A02	336	\$1,259.00
TL3431A	BOLT-ON CUTTING EDGE FOR 84" HD Round Back Bucket (TL3421A)	K198A90	81	\$255.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	K538A20	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	K371A28	196	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	K399A36	218	\$512.00
M1804	BALE SPEAR	K581A88	195	\$746.00

#### REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL2384	REMOTE VALVE KIT Standard equipment for TL1800V Includes valve section, hoses, pipes, loader lever control, quick couplers, and attaching hardware.	K744A90	60	\$955.00
TL1811	SINGLE LEVER THIRD FUNCTION QUICK CONNECT TL2384 Required	K464A88	12	\$596.00

### BACKHOE – MODEL BT1400 and BT1400V

Heavy-Duty, 4-Point Rigid Mount Quick Attach Backhoe

Bucket Breakout Force 6572 Lbs. / Dipperstick Breakout Force 4,657 Lbs. / Maximum Digging Depth 14'

Dedicated Boom Swing Pump / Stabilizer Spread-Operating 89.3" / 2 Cylinder Trunion-Type Swing /

Steel Flip Pads Standard

BT1400	BACKHOE 14' Backhoe without Bucket	K12K362A22	2411	\$15,849.00
BT1400V	BACKHOE 14' Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)	K13K472A94	2416	\$17,273.00
L9467	RUBBER STABILIZER FLIP PAD (2 Required)	K96A72	34	\$124.00

**You Must Order Appropriate Backhoe Bucket(s) For All TLB Packages.**

# KUBOTA

## M62TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

### BUCKETS

#### DIRECT PIN-ON BUCKETS

BT2911	12", 1.92 cu ft Trenching Bucket	K563A94	147	\$723.00
BT2912A	16", 2.82 cu ft Trenching Bucket	K641A94	140	\$823.00
BT2913A	18", 3.9 cu ft Trenching Bucket	K679A38	151	\$871.00
BT2914	24", 4.73 cu ft Trenching Bucket	K802A62	172	\$1,029.00
BT2915A	30", 6.20 cu ft Trenching Bucket	K921A18	205	\$1,181.00
BT2916	36", 7.67 cu ft Trenching Bucket	K1K020A24	226	\$1,308.00

#### QUICK-ATTACH BUCKETS ( Compatible with CE excavator buckets)

K7543	QUICK ATTACH COUPLER (CE Compatible) Includes 2 mounting pins, 1 locking pin and hardware.	K705A28	64	\$928.00
K7872A	12 inch 2.13 cu. ft. TRENCHING BUCKET	K720A48	160	\$948.00
K7873A	16 inch 2.83 cu. ft. TRENCHING BUCKET	K754A68	185	\$993.00
K7874A	18 inch 3.19 cu. ft. TRENCHING BUCKET	K813A20	190	\$1,070.00
K7875A	24 inch 4.25 cu. ft. TRENCHING BUCKET	K975A08	240	\$1,283.00
K7876	30 inch 5.31 cu. ft TRENCHING BUCKET	K1K074A64	265	\$1,414.00
K7983	36 inch 9.8 cu. ft TRENCHING BUCKET	K1K223A60	270	\$1,610.00
K7473	36 inch 3.00 cu. ft TILT GRADING BUCKET	K3K382A00	305	\$4,450.00
K7458	36 inch GRADING BLADE	K1K060A96	270	\$1,396.00
K7877B	36 inch 6.64 cu. ft GRADING BUCKET	K886A16	230	\$1,166.00
K7546	36 inch CEMETARY BUCKET	K936A32	265	\$1,232.00
K7454	39 inch 4.72 cu. ft TILT GRADING BUCKET *	K3K837A24	185	\$5,049.00
K7455	* BOE for K7454 Tilt Grading Bucket	K117A04	44	\$154.00
K7547	24 inch Q.C. FROST RIPPER	K896A80	315	\$1,180.00
K7557	24 inch Q.C. EXCAVATING RAKE	K1K464A52	300	\$1,927.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K254A60	49	\$335.00

#### Quick Attach Coupler Buckets ( KIE version-- These are NOT compatible with CE excavator buckets)

BT4580	QUICK ATTACH COUPLER ( KIE Buckets only) Includes 2 mounting oins, 1 locking pin and hardware.	K541A32	55	\$ 694.00
BT4582	12 inch 1.92 cu. ft TRENCHING BUCKET	K654A42	145	\$ 839.00
BT4583	16 inch 2.82 cu. ft. TRENCHING BUCKET	K690A30	168	\$ 885.00
BT4584	18 inch 3.9 cu. ft. TRENCHING BUCKET	K726A18	151	\$ 931.00
BT4585	24 inch 4.73 cu. ft. TRENCHING BUCKET	K857A22	140	\$ 1,099.00
BT4587	36 inch 7.67 cu. ft. TRENCHING BUCKET	K1K092A00	271	\$ 1,400.00
BT4581	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required	K237A90	75	\$ 305.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT2385	REMOTE VALVE KIT Includes right foot operated valve, hoses, pipes, brackets.	K1K366A56	64	\$1,752.00
--------	---	-----------	----	------------

# KUBOTA

## M62TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC THUMB</b>				
BT4599	HYDRAULIC THUMB (FOR PIN ON BUCKETS and KIE Q.A. ONLY) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	K1K669A20	56	\$2,140.00
K7545A	HYDRAULIC THUMB (FOR Q.A. COUPLER CE EXCAVATOR STYLE) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with Quick Coupler buckets. Thumb mount bracket factory installed.	K1K995A00	142	\$ 2,625.00

### HYDRAULIC BREAKER

KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires K7543 Quick Coupler, BT2385 Remote Valve Kit, K7774 hose kit, and K7758 mount bracket.	K6K590A72	231	\$8,672.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB460Q installation	K521A36	16	\$686.00
K7758	HYDRAULIC BREAKER BRACKET Required for KXB460Q installation	K588A24	91	\$774.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	K828A40	5	\$1,090.00

### HYDRAULICS KITS FOR REAR ATTACHMENTS (To be used with Backhoe removed on a Tractor/Loader)

TL9407A	<b>TOP-N-TILT KIT</b> Includes cylinders and hoses. Requires the L3995A Rear Remote valve kit. The TL9407A makes use of 2 of the 3 rear remote valves (L3995A). Also requires the L3951 3-PT Linkage Kit.	K881A40	50	\$1,130.00
L3995A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Consists of 3 Float Detent Valves, L-Series Style Female Quick Couplers, Quick Couplers mount on Right Side Rear ROPS Post, Three Control Levers directly connected to valves. L3995A valve kit is required for installation of the TL9407A Top-N-Tilt kit.	K1K812A72	64	\$2,324.00

### OPTIONAL EQUIPMENT

L3951	3-point Linkage Kit	K588A12	95	\$754.00
M1808	3-Point Linkage Storage Kit	K183A30	22	\$235.00
L9475	Drawbar Kit	K166A92	37	\$214.00
L9496G	Drawbar Clevis	K52A26	8	\$67.00
L9476A	Tool Box Kit	K70A20	10	\$90.00
L8045	Work Light Kit ROPS Mount (2 per Kit)	K122A46	3	\$157.00
LM8124	Wheel Weights (Max. 3 weights per wheel) Set of 2 (103 lbs. each) Requires (1) LM8125A and M8121A for 2nd / 3rd set.	K217A62	206	\$279.00
LM8125A	Bolt kit (For Pair of LM8124)	K52A26	5	\$67.00
M8121A	Bolt Kit (For 2nd / 3rd set of LM8124)	K16A38	8	\$21.00

# KUBOTA

## M62TL/TLB

### Allied Attachment Contact

#### TLB M62 Glass Cab Enclosure (P/N 1KTLBM62)

- All Glass Cab, Removable Door & Windows
- Quick-release Backhoe cab
- Front wiper/washer & rear wiper included
- Heater included with front & rear heating vents
- Optional glass rear panel available for non-backhoe operations (P/N 1KTLBM62RP)

#### Curtis Industries Sales – Customer Service

##### Curtis Industries, LLC

111 Higgins Street, Worcester, MA 01606

**508-853-2200** (8am-5pm Eastern)

Option 1

[www.curtiscab.com](http://www.curtiscab.com)

email: [sales@curtiscab.com](mailto:sales@curtiscab.com)

#### Available from Parts:

70000-00297

32821-99554

Block Heater

CCV Heater Kit (CCV90A)

# KUBOTA

## Loader/Landscaper Series Accessories/Attachment Chart

### LOADER / LANDSCAPERS SERIES ACCESSORIES/ATTACHMENT CHART

	MODEL	B26	L47	M62
ACCESSORIES	Remote Valve Kit For Rear Attachments	B8027 ①	L9553A	L3995A
	3-point Linkage Kit	B3941	L3961	L3951
	3Pt Top and Tilt Kit	B8039 ①	L9554A ④	TL9407A ⑤
	Backhoe Stabilizer Flip Pad	L9467	L9467	L9467
	Backup Alarm Kit	B8011	(STD)	(STD)
	Block Heater (Front Plug)	70000-73274	70000-00297	70000-00297
	Bolt-on Cutting Edge	TL2143 ⑥	TL1748A ⑥	TL3431A ⑥
	Drawbar Kit	B8036	L9475	L9475
	Drawbar Clevis	N/A	L9496G	L9496G
	Horn Kit	L8043	(STD)	(STD)
	Remote Valve Kit For Backhoe Mounted Attachments	BTB405	BT2383	BT2385
	Remote Valve Kit For Loader Mounted Attachments	TL2141	TL2381	TL2384
	ROPS / FOPS	FCB-26 (STD)	FCL-45 (STD)	FCM-59 (STD)
	Tool Box	B8012	L9476A	L9476A
	Working Light (2) - Front/Rear	L8045 ROPS Frame Mount	L8045 ROPS Frame Mount	L8045 ROPS Frame Mount
	Working Light (2) - Rear	N/A	L8044 Canopy Mount	L8044 Canopy Mount
ATTACHMENTS	Pallet Forks	L2238 (Frame) ②	M1809 (Frame) ③	M1809 (Frame) ③
	Backhoe Quick Attach Coupler	BT1970	K7543	K7543
	Ballast Box	B1860	M8180	M8180
	Hydraulic Breaker	KXB310Q ⑦	KXB360Q ⑦	KXB460Q ⑦
	Rear Blade	B2004	N/A	N/A
	Rear Mount Mower	RFM-60	N/A	N/A
	Transmission Type	HST (Hydrostatic)	HST Plus	HST Plus

- ① Requires B8028 valve sections.
- ② Requires K9048 36" pallet forks
- ③ Requires K9058 42" or K9059 48" pallet forks
- ④ Requires L9553A 3-spool remote valve kit for rear attachments.
- ⑤ Requires L3995A 3-spool remote valve kit for rear attachments
- ⑥ Replacement cutting edge for heavy-duty round back bucket only
- ⑦ Requires quick attach coupler, remote valve kit for backhoe mounted attachments, hose kit, and bracket



# KUBOTA

## Loader/Landscaper Series Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST BOX - An optional 3-point Linkage Kit is required for all Ballast Box installations</b>				
B8160	Ballast Box for BX, B Series, B21, and B26 400 lbs. capacity dry sand. The total weight of the ballast box with sand is 500 lbs.	K191A10	101	\$245.00
L8170	Ballast Box for L Series, L35, L45, and L47 845 lb. capacity dry sand. The total weight of the ballast box with sand is 1000 lb.	K350A22	168	\$449.00
M8180	Ballast Box for L39, L48, M59, M62 and all M-Series Tractors 1280 lb. capacity dry sand. The total weight of the ballast box with sand is 1500 lb.	K462A54	220	\$593.00