

M SERIES

WHOLEGOODS PRICE LIST

EFFECTIVE SEPTEMBER 17, 2018

9/17/2018 Udated tires and price increase due to steel surcharge.

See pages 9-8, 13, 14, 16, 21, 24 thru 28, 31, 36 thru 39, 46, 48, 49, 57, 58,

 $65,\,67,\,68,\,76\;thru\;78,\,80,\,84,\,96,\,98,\,101,\,and\,102$

11/20/2018 Updated to add M5-1 models. See pages 9-16, -38, and -40.

12/18/2018 Updated pricing on MX9490 Clevis Kit, E1138 Work Light Kit, and M8121A Bolt Kit.

See pages 9-7, -8, -17, -19, -30, -31, -41, -42, -51, -52, -61, -70, -80, -86, -94, and -98.

Bid Term: 2/20/19 - 2/19/21



M SERIES

PAGE NUMBER	MODEL	РТО Н.Р.	FACTORY NUMBER	SUGGESTED
9-4	MX4800F	40.5	K15M889M38	\$ 20,371.00
9-4	MX4800DT	40.5	K20M093M58	\$ 25,761.00
9-4	MX4800HST	39	K21M271M38	\$ 27,271.00
9-4	MX5200F	45.7	K16M669M38	· ,
9-4		45.7		· ,
	MX5200DT		K20M993M70	
9-4	MX5200HST	44.2	K22M171M50	
9-4	MX5800HST	50.2	K23M325M90	\$ 29,905.00
9-12	M5660SUH	50	K19M975M02	\$ 25,609.00
9-12	M5660SUHD	50	K23M617M62	\$ 30,279.00
9-23	M6060HFC	56	K29M010M54	\$ 37,193.00
9-23	M6060HD	56	K25M800M06	\$ 32,581.00
9-23	M6060HDC	56	K32M214M78	\$ 40,805.00
9-23	M7060HFC	64	K30M441M84	\$ 39,028.00
9-23	M7060HD	64	K27M231M36	\$ 34,912.00
9-23	M7060HDC	64	K33M645M30	\$ 43,135.00
9-23	M7060HD12	64	K28M900M56	\$ 37,052.00
9-23	M7060HDC12	64	K35M314M50	\$ 45,275.00
9-35	M5-091HF	76	K33M962M76	\$ 43,542.00
9-35	M5-091HFC	76	K41M847M00	\$ 53,650.00
9-35	M5-111HF	89	K35M978M28	\$ 46,126.00
9-35	M5-111HFC	89	K43M862M52	\$ 56,234.00
9-35	M5-091HF-1	76	K34M153M08	\$ 43,786.00
9-35	M5-091HFC-1	76	K42M037M32	\$ 53,894.00
9-35	M5-111HF-1	89	K36M352M68	\$ 46,606.00
9-35	M5-111HFC-1	89	K44M236M92	\$ 56,714.00
9-35	M5-091HD	76	K37M998M48	\$ 48,716.00
9-35	M5-091HD12	76	K38M934M48	\$ 49,916.00
9-35	M5-091HDC	76	K45M882M72	\$ 58,824.00
9-35	M5-091HDC12	76	K46M818M72	\$ 60,024.00
9-35	M5-111HD	89	K39M979M68	\$ 51,256.00
9-35	M5-111HD12	89	K40M915M68	\$ 52,456.00
9-35	M5-111HDC	89	K47M863M92	\$ 61,364.00
9-35	M5-111HDC12	89	K48M799M92	\$ 62,564.00
9-35	M5-111HDC24	89	K51M405M12	\$ 65,904.00
9-35	M5-091HD-1	76	K38M154M48	\$ 48,916.00
9-35	M5-091HD12-1	76	K39M090M48	\$ 50,116.00
9-35	M5-091HDC-1	76	K46M038M72	\$ 59,024.00
9-35	M5-091HDC12-1	76	K46M974M72	\$ 60,224.00
9-35	M5-111HD-1	89	K40M354M08	\$ 51,736.00
9-35	M5-111HD12-1	89	K41M290M08	\$ 52,936.00
9-35	M5-111HD12-1 M5-111HDC-1	89	K48M238M32	
	M5-111HDC-1 M5-111HDC12-1			
9-35	M5-111HDC12-1 M5-111HDC24-1	89	K49M174M32	
9-35		89	K51M779M52	\$ 66,384.00
9-48	M5L-111-SN	89	K44M729M10	\$ 57,345.00
9-56	M4N-071HD12	61	K36M652M20	\$ 46,990.00
9-56	M5N-091HD12	78 75	K42M900M00	\$ 55,000.00
9-56 9-56	M5N-091HD24 M5N-111HD12	75 91	K44M499M78 K48M434M10	\$ 57,051.00 \$ 62,095.00
9-56	M5N-111HD12 M5N-111HD24	88	K48M434M10 K50M033M88	\$ 62,095.00
9-56	M4N-071HDC12	61	K46M088M64	\$ 59,088.00
9-56	M5N-091HDC12	78	K51M088M44	\$ 65,498.00
9-56	M5N-091HDC24	75	K52M688M22	\$ 67,549.00
9-56	M5N-111HDC12	91	K54M436M20	\$ 69,790.00
9-56	M5N-111HDC24	88	K56M035M98	\$ 71,841.00
* Subject to availa	M5N-091HDC12PC	88	K57M330M00	\$ 73,500.00

^{*} Subject to availability.



M SERIES

PAGE NUMBER	MODEL	РТО Н.Р.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-66	M6-101DTC-F	82	K62M493M60	\$ 80,120.00
9-66	M6-111DTC-F	92	K65M253M24	\$ 83,658.00
9-75	M6S-111SHF	95	K42M756M48	\$ 54,816.00
9-75	M6S-111SHC	95	K50M220M30	\$ 64,385.00
9-75	M6S-111SHD	95	K48M831M90	\$ 62,605.00
9-75	M6S-111SDS2	95	K51M231M18	\$ 65,681.00
9-75	M6S-111SHDC	95	K55M196M70	\$ 70,765.00
9-75	M6S-111SHDC2	95	K55M625M70	\$ 71,315.00
9-75	M6S-111SDSC	95	K57M068M70	\$ 73,165.00
9-75	M6S-111SDSC2	95	K57M497M70	\$ 73,715.00
9-83	M6-131DTC-F	104	K72M148M44	\$ 92,498.00
9-83	M6-141DTC-F	114	K76M706M76	\$ 98,342.00
9-83	M6-141DTSC-F	114	K82M985M76	\$ 106,392.00
9-91	M6H-101	84	K51M194M52	\$ 65,634.00
9-95	M6L-111SDS	95	K45M548M10	\$ 58,395.00
9-95	M6L-111-SDS2	95	K46M098M00	\$ 59,100.00
9-100	M-Series Snowblowers			

ASSEMBLY CHARGES	Assembly Fee
All ROPS/Cab Model Tractor	\$250.00
Assembly Fee includes basic assembly of tractor including wheels, tires, ROPS	
, , , , , , , , , , , , , , , , , , ,	
or Cab, front and rear weights.	
M-Series, Wide Front Axle Kits	\$250.00
This is in addition to standard fee, Wide Row models will be	
assembled and shipped from Lodi, CA	
All optional hydraulic remote valves and/or flow control valves, ordered and	\$65.00
assembled on the tractor	
All optional hydraulic lever kits ordered and assembled on the tractor	\$65.00
540/1000 Dual Speed PTO	\$85.00
540/540E Dual Speed PTO	\$85.00
Single Cylinder 3-point Lift Assist Kit	\$55.00
Dual Cylinder 3-point Lift Cylinder Kit	\$105.00
Loader Assembly Charges	\$120.00
Backhoe Assembly Charges	\$85.00

ALL OTHER KITS ARE FIELD INSTALLED ONLY.

3



MX SERIES

MX4800/MX5200/MX5800

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota V2403 Direct Injection 2.4L (148.5 cu. in.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection 45 Amp Alternator ROPS 12V 600 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2700 RPM
Power Steering: 4.9 gpm
Impl. Flow: 9.5 gpm
Total Flow: 14.4 gpm

REMOTE VALVES

Optional (3) valves Float Detent, Detent or Spring Center

3 POINT HITCH & DRAWBAR

Cat I/ II 3-Point Hitch

@ Lift Points: 2870 lbs (ASAE)@24" Behind: 2310 lbs

2WD & MX4800 4WD Model - Rigid Lower Links

4WD Model - Telescoping Lower Links

2WD & MX4800 4WD Model - Turn Buckle Stabilizers

4WD Model - Telescoping Stabilizers

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2700 Eng. RPM

TRANSMISSION - F / DT

4-Speed Partially Synchronized 8F/8R Two Range Clutch - Dry Hydraulic Wet Disc Brakes Rear Differential Lock

TRANSMISSION - HST

3 Range Low/Med/High Cruise Control Standard Hydraulic Wet Disc Brakes Left Side Brake Pedals Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Telescopic 4WD: Cast Iron, Bevel Gear

FLUID CAPACITY

Fuel Tank Capacity: 13.5 gal. Cooling System: 6.9 qts. Crankcase: 8.7 qts. Hydraulics/Trans: 11.6 gal. Front Axle 4WD: 8.9 qts.

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 7.5L x 15 R1 Rear 14.9 x 26 R1 4WD: Front 9.5L x 16 R1 Rear 14.9 x 26 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

LIGHTING

2 Headlights - Tail Lights 2 Hazard Flasher Lights w/ Turn Signals

SAFETY EQUIPMENT

2 Post, ROPS Certified Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO Off Electric Key Shut Off Parking Brake Turn Signals SMV Sign

Model Specifications							
MX4800	MX5200	MX5800					
SAE Gross HP: 49.3	SAE Gross HP: 54.7	SAE Gross HP: 61.4					
Engine Net HP: 46.9	Engine Net HP: 52.1	Engine Net HP: 57.5					
Max. PTO HP F/DT: 40.5	Max. PTO HP F/DT: 45.7	Max . PTO HP: 50.2					
Max. PTO HP HST: 39.0	Max . PTO HP HST: 44.2						



MX Series	MX4800/MX5200/MX58	300			
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	2WD MODI * * * STANDARD TRACTOR WITH STANI		*		
MX4800F	2WD Utility 2 Post Foldable ROPS Tractor		K15M889M38	3474 lbs	\$20,371.00
MX5200F	2WD Utility 2 Post Foldable ROPS Tractor		K16M669M38	3474 lbs	\$21,371.00
MX4800F	F/ MX5200F 2WD				
TIRES AND WHEELS [†]				litional Price	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR				-	
ALR8852A* AMXR8861*	F-TIRE 7.5L-15 F2 Firestone Guide Grip R-TIRE 14.9-26 Titan Hi Power Lug TL	62 lbs 254 lbs	In Base Price		In Base Price
AMXR8789A AMXR8861	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 14.9-26 Titan Hi Power Lug TL	75 lbs 254 lbs	K154M44	Add	\$198.00
ALR8852A AMXR8813A	F-TIRE 7.5L-15 F2 Firestone Guide Grip R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	62 lbs 242 lbs	In Base Price		In Base Price
AMXR8789A AMXR8813A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	75 lbs 242 lbs	K154M44	Add	\$198.00
TURF					
AMXR8837 ALR6802	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	73 lbs 221 lbs	K182M52	Add	\$234.00
ALR6818A ALR6819	F-TIRE LSW305R343 R3 Titan Grizz LSW 430 R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	70 lbs 227 lbs	K319M80	Add	\$410.00

 $^{^{\}dagger}$ See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts.



MX4800/MX5200/MX5800 **MX Series FACTORY** APPROX. SUGGESTED **ORDER CODE** DESCRIPTION NUMBER SHIP WT. LIST PRICE **4WD MODELS** * * * STANDARD TRACTOR WITH STANDARD TIRES * * * MX4800DT **4WD Utility 2 Post Foldable ROPS** K20M093M58 3474 lbs \$25,761.00 4WD Utility 2 Post Foldable ROPS, HST Transmission MX4800HST K21M271M38 3474 lbs \$27,271.00 MX5200DT 4WD Utility 2 Post Foldable ROPS K20M993M70 3474 lbs \$26,915.00 MX5200HST 4WD Utility 2 Post Foldable ROPS, HST Transmission K22M171M50 3474 lbs \$28,425.00 MX5800HST 4WD Utility 2 Post Foldable ROPS, HST Transmission K23M325M90 3474 lbs \$29,905.00 M4800 / MX5200 / MX5800 4WD TIRES AND WHEELS[†] Additional Price With Tire Option **FACTORY** SUGGESTED WEIGHT **ORDER CODE DESCRIPTION NUMBER** LIST PRICE **EACH AG - BIAS REAR** AMXR8860A* F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud 78 lbs In Base Price In Base Price AMXR8861* R-TIRE 14.9-26 Titan Hi Power Lug TL 254 lbs AMXR8860A F-TIRE 9.5-16 R1 Gdvr Dura Torque 6stud 78 lbs In Base Price In Base Price R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL AMXR8813A 242 lbs **INDUSTRIAL** AMXR8828 F-TIRE 12-16.5 R4 Titan HD-2000 117 lbs K182M52 Add \$234.00 AMXR8862 R-TIRE 17.5L-24 R4 Titan Ind Cont TL 257 lbs TURF ALR8708 F-TIRE 29x12.50-15 R3 Titan Turf 83 lbs K110M76 Add \$142.00 ALR6802 R-TIRE 44x18-20 R3 Titan MultiTrac 8stud 221 lbs 70 lbs F-TIRE LSW305R343 R3 Titan Grizz LSW 430 ALR6818A K180M96 Add \$232.00 ALR6819 R-TIRE LSW610R470 R3 Grizz LSW 430 8stud 227 lbs

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts



MX SERIES	MX4800/MX5200/MX5800			
DEALER INSTAL	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITC	CH/DRAWBAR			
HYDRAULIC REAR RE	MOTE VALVES			
STANDARD NON-CONTIN				
L8303	Double Acting Valve, no Detents Required for 1 st Position Lever Kit compatible with 2 nd and 3 rd Position Lever Kits	K187L20	4 lbs	\$240.00
L8304	Float Detent Valve, Required 2 nd Position Lever Kit Not compatible with 1 st or 3 rd Position Lever Kits	K235L56	4 lbs	\$302.00
STANDARD NON-CONTIN	NUOUS FLOW VALVE LEVER KITS			
MX8451	1 st Position Lever Kit, includes Base Kit and 1 st Lever Requires Double Acting Flow Valve Not compatible with Float Detent Valve	K390M00	14 lbs	\$500.00
MX8452	2 nd Position Lever Kit, includes Stacking Kit and 2 nd Lever Requires Double Acting OR Float Detent Flow Valve	K193M44	7 lbs	\$248.00
MX8453	3 rd Position Lever Kit, includes Stacking Kit and 3 rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K193M44	7 lbs	\$248.00
CONTINUOUS FLOW DET	TENTING VALVES			
MX5141	Locking Detent Valve and Hose Kit	K368M16	8 lbs	\$472.00
MX5151	Float Detent Valve and Hose Kit Only for 2nd or 3rd Position	K402M48	8 lbs	\$516.00
MX5161	Standard 3-Way Spring Center Valve and Hose Kit	K284M70	7 lbs	\$365.00
MX5171	Lever Guide	K28M08	2 lbs	\$36.00
CONTINUOUS FLOW REI MX5111	MOTE VALVE LEVER KITS 1st Position Remote Base Kit Requires Valve and Hose Kit and Lever Guide Not Compatible with Non-Continuous Flow Valves	K374M40	8 lbs	\$480.00
MX5121	2nd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K127M14	3 lbs	\$163.00
MX5131	3rd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K127M14	4 lbs	\$163.00
HITCH/DRAWBAR	OPTIONS			
3-POINT TELESCOPIC LI I MX9495	NK / STABILIZER KIT Telescopic Link Ends and Stabilizer Kit Optional for 2WD and MX4800, Standard on MX5200 and MX5800 4WD models	K299M52	81 lbs	\$384.00
DRAFT CONTROL L8311C	Draft Control Not Compatible with Detent Valves	K360L36	25 lbs	\$462.00
DRAWBAR CLEVIS MX9490	Drawbar Clevis	K58M50	8 lbs	\$75.00
TOP-N-TILT KIT L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K679L38	41 lbs	\$871.00

Bid Term: 2/20/19 - 2/19/21

M8121A



MX SERIES MX4800/MX5200/MX5800 DEALER INSTALLED ACCESSORIES **FACTORY** APPROX. SUGGESTED **DESCRIPTION ORDER CODE** SHIP WT. **NUMBER** LIST PRICE **ROPS ACCESSORIES CANOPY** Deluxe Fiberglass Canopy (ROPS Models) E1134 K301M86 63 lbs \$387.00 Requires E1136 Mounting Kit E1136 Mounting Kit K148M98 29 lbs \$191.00 Includes Brackets/Hardware/Instructions E1138 Work Light Set for Canopy (Optional 2-lights) K124A02 3 lbs \$159.00 **REAR WORK LIGHT** M9551 Rear Working Auxiliary Light (Maximum 1 Light/Tractor) K66M30 3 lbs \$85.00 **BALLAST BALLAST BOX** L8170 \$479.00 Ballast Box - 3-Point Mount K373L62 168 lbs Up to 1000 lbs of total weight with sand FRONT WEIGHT BRACKETS MX8068 Weight Bracket K74M88 29 lbs \$96.00 Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard FRONT SUITCASE WEIGHTS BL8060-1 K55B38 Suitcase Weight (55 lbs.) 55 lbs \$71.00 Requires Weight Bracket and Bolt Kit FRONT WEIGHT BOLT/BAR KITS BL8060B Bolt/Bar Kit - Weight(s) K1B56 lbs \$2.00 One Bolt/Bar Kit per 1 Weight **ADDITIONAL ACCESSORIES BLOCK HEATER** 70000-00297 **Block Heater** (Order from Parts Department) ARMREST KIT ZG1341 Arm rest Kit K46Z80 8 lbs \$60.00 **GRILL GUARD** MX2268 Grill Guard Kit for Loader and Non-Loader (hold 4 frt. Wts) \$275.00 K214M50 62 lbs Applications with LA1065 Loader, standard with Loader **RADIATOR HEATER** 70000-82500 Radiator Heater (Order from Parts Department) REPLACEMENT ROPS Replacement ROPS - Field Installation Required SFMX-F52 (Order from Parts Department) **REAR WHEEL WEIGHTS** LM8124 Rear Wheel Weight (103 lbs. each) K217M62 206 lbs \$279.00 Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires **REAR WHEEL WEIGHT BOLT KITS** LM8125A Bolt Kit for LM8124 Weight K52M26 5 lbs \$67.00 One Kit per Weight Set

Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights

One Kit per Weight Set

Bid Term: 2/20/19 - 2/19/21

\$30.00

K23M40

8 lbs



MX SERIES	MX4800/MX5200/MX5800			
Front End Loa	aders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOAD	ER			
LA1065	Front End Loader Includes Mounting Kit, Loader Valve, Parking Stands, 2-Lever QA Coupler, and Grill Guard	K3M696M42	1120 lbs	\$4,739.00
	DOES NOT INCLUDE BUCKET or ROD LEVEL INDICATOR, mu	ust be ordered separate	ly	
LOADER ACCESSO				
MX2140	OR Bucket/Attachment Level Indicator (Rod Type)	K56M16	7 lbs	\$72.00
BUCKETS & ACCES	SSORIES			
BUCKETS / CUTTING EDO L2296	GES ALL 2-LEVER TYPE QA 72" Quick Attach Heavy Duty Round Back Bucket	K835L38	400 lbs	\$1,071.00
L2236	72" Quick Attach Light Material Bucket	K506L22	323 lbs	\$649.00
L2235A	72" Quick Attach Square Back Bucket	K538L98	346 lbs	\$691.00
BUCKET ACCESSORIES TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K177L06	70 lbs	\$227.00
BALE SPEARS L2237	Bale Spear 2 Lever Type QA	K500L76	165 lbs	\$642.00
PALLET FORK FRA	AME / PALLET FORKS			
L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K528L06	165 lbs	\$677.00
K9048	36" Pallet Forks	K317L46	176 lbs	\$407.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00



MX SERIES	MX4800/MX5200/MX5800			
Backhoes				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & ACCES	SSORIES			
BH92	Backhoe, 9 ft. digging depth Requires Mounting Kit and Bucket	K5L974L02	1696 lbs	\$7,659.00
BACKHOE MOUNTING KIT BH4978	Backhoe Subframe Kit	K978M90	292 lbs	\$1,255.00
BACKHOE ACCESSORIES BH4949	6-Position Mechanical Thumb	K696L54	56 lbs	\$893.00
BT4598	Hydraulic Thumb Requires Valve Kit	K1L585L74	142 lbs	\$2,033.00
BH4948	Hydraulic Thumb Valve Kit	K686L40	23 lbs	\$880.00
BT4550	Quick Coupler	K514L80	55 lbs	\$660.00
RUBBER FLIP PADS L9467	Rubber Flip Pad - 2 Required per Order	K96L72	15 lbs	\$124.00
PIN-ON TYPE BUCK	ETS			
BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K511L68	109 lbs	\$656.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K580L32	130 lbs	\$744.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K619L32	151 lbs	\$794.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K719L94	172 lbs	\$923.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K830L70	205 lbs	\$1,065.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K928L98	226 lbs	\$1,191.00
QUICK COUPLER T	YPE BUCKETS			
BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K621L66	117 lbs	\$797.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K655L98	135 lbs	\$841.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K690L30	145 lbs	\$885.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K815L10	176 lbs	\$1,045.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L038L18	140 lbs	\$1,331.00

10



MX SERIES

MX4800/MX5200/MX5800

Approved Attachments

Land Pride Rotary Cutters RCR1872

RCR1884

RCF2060

RCF2084

RCR2672

RCR2684 RCF2772

RCF3010 (Pull Type)

RCF3010 (Semi-Mount) RCF3696 (Pull Type)

RCF3696 (Semi-Mount) RC2512 (Pull Type)

Land Pride Rotary Tillers

RTR1274 RTR1574 **Land Pride Disc Harrows**

DH2572 DH2596

Land Pride Quick Hitches

QH15 (Cat. I) QH20 (Cat. II)

Land Pride Hydraulic Reservoir System

HRS18 HRS23 HRS3025

Land Pride Grapple Claw

SGC1560 SGC1572 SGC1584

Bid Term: 2/20/19 - 2/19/21

11



M60 SERIES

M5660SUH/M5660SUHD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V2403 Direct Injection
2.4L (148.5 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant rpm Management
Turbocharged
45 Amp Alternator ROPS
12V 600 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed: 2600 rpm

Power Steering: 6.1 gpm Impl. Flow: 10.6 gpm Total Flow: 16.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat II/I 3-point Hitch

@ Lift Points: 4189 lbs (ASAE)@24" Behind: 3307 lbs Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar - Straight

POWER TAKE OFF (540)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 2295 Eng. rpm 540/540E Economy PTO Optional Provides 540 PTO @ 1942 Eng. rpm

TRANSMISSION

Eight Speed Fully Synchronized Transmission 8F/ 8R Hydraulic-Shuttle Planetary Final Drives Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity: 17.2 gal. Cooling System: 8.5 qts. Crankcase: 7.6 qts. Hydraulics/Trans: 50.7 qts. Front Axle 4WD: 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 6.50 x 16 F2 Rear 14.9 x 28 R1 4WD: Front 8.3 x 24 R1 Rear 14.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

LIGHTING

2 Headlights - Tail lights2 Hazard Flasher Lights w/ Turn Signals

SAFETY EQUIPMENT 2-post, ROPS Certified

Retractable Seat belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO Off Electric Key Shut Off Parking Brake Turn Signals SMV Sign

Model Specifications

 M5660SUH
 M5660SUHD

 SAE Gross HP: 57.9
 SAE Gross HP: 57.9

 Engine Net HP: 56
 Engine Net HP: 56

 Max. PTO HP: 50
 Max. PTO HP: 50



ORDER
CODE

DESCRIPTION

DESCRIPTION

FACTORY APPROX. SUGGESTED
NUMBER SHIP WT. LIST PRICE

2WD MODELS

STANDARD TRACTOR WITH STANDARD TIRES

M5660SUH 2WD Utility 2 Post Foldable ROPS Tractor K19M975M02 4189 lbs \$25,609.00

M5660SUH 2WD

TIRES AND WHEELS	MOOOUSU	JH ZWU		A dditio	nal Drian	with Tire Ontion
	oŢ		144 . 14		nai Price	with Tire Option
ORDER		DECORIDEION	Weight	FACTORY		SUGGESTED
CODE		DESCRIPTION	Each	NUMBER		LIST PRICE
AG - BIAS REAR						-
MR8950*		F-TIRE 6.50-16 F2 Titan Tru Trac TT	63 lbs	In Base Price		In Base Price
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	63 lbs	1/41/4/001/400	Λ -1 -1	£4.700.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1M400M88	Add	\$1,796.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	KACOMCO	۸ ما ما	#200 00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	K160M68	Add	\$206.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	1/5 471450		#700.00
AMR8913B		R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs	K547M56	Add	\$702.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	1/4145041450		40.000.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1M561M56	Add	\$2,002.00
AG - RADIAL REAR						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K1M609M92	Add	\$2,064.00
AMR8570		R-TIRE 420/70R28 R1W Alliance Farm Pro70 Cast	650 lbs	KTWOOSWISZ	Add	Ψ2,004.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K527M28	Add	\$676.00
AMR8577		R-TIRE 420/70R28 R1W Alliance Farm Pro70	300 lbs	K327 WIZO	Auu	\$676.00
INDUSTRIAL						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K287M04	Add	\$368.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K207 WIU4	Add	φ300.00
TURF						
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K301M08	Add	\$386.00
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	NOU TIVIOU	Auu	φ300.00
ALR6818A	1	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K566M28	Add	\$726.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	NJUUIVIZO	Auu	φ120.00

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts

② Not approved for Backhoe applications.



M5660SUH 2WD						
TIRES AND WHEELS (priced	per piece)				
ORDER	•	· ·	FACTORY	APPROX.	SU	GGESTED
CODE		DESCRIPTION	NUMBER	SHIP WT.	LIS	ST PRICE
AG - BIAS REAR						
MR8950*		F-TIRE 6.50-16 F2 Titan Tru Trac TT	K148M20	63 lbs	\$	190.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$	855.00
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	K148M20	63 lbs	\$	190.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$	1,753.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$	855.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
AMR8913B		R-TIRE 16.9-28 R1 Firestone (SAT) II	K860M34	299 lbs	\$	1,103.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$	1,753.00
AG - RADIAL						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
AMR8570		R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M391M52	650 lbs	\$	1,784.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	K850M20	300 lbs	\$	1,090.00
TURF				•		
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	K276L12	83 lbs	\$	354.00
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$	884.00
ALR6818A	①	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K274L56	70 lbs	\$	352.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K823M68	261 lbs	\$	1,056.00
INDUSTRIAL						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$	293.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K730L08	267 lbs	\$	936.00

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts

② Not approved for Backhoe applications.



ORDER
CODE

FACTORY APPROX. SUGGESTED
NUMBER SHIP WT. LIST PRICE

4WD MODELS

STANDARD TRACTOR WITH STANDARD TIRES

M5660SUHD 4WD Utility 2 Post Foldable ROPS Tractor K23M617M62 4387 \$30,279.00

M5660SUH 2WD

	JH ZWU		A dditio	nal Drian	with Tire Ontion
		\A/ - ! l - 4		nai Price	
		_			SUGGESTED
		Each	NUMBER		LIST PRICE
be Rad					
			In Base Price		In Base Price
	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	2000 1 1.00		2000 :00
	F-TIRE 9.50-22 R1 Alliance 324	136 lbs	1/41/40004000		A4 700 00
	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1K400M88	Add	\$1,796.00
	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs			
			K185M64	Add	\$238.00
	· '				
			K1K586M52	bbA	\$2,034.00
	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	111100011102	7100	Ψ2,001.00
	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	IZECOMO4	۸ ما ما	¢700.00
	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs	N002IVI24	Add	\$708.00
	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	V1V624M00	٨٨٨	\$2,096.00
	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs	K I KU34IVIOO	Auu	\$2,090.00
	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	V225M40	٨٨٨	\$430.00
	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K333IVI4U	Add	\$430.00
	F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	112 lbs	160441140		
		310 lbs	K914M16	Add	\$1,172.00
	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	140071400		(0000 00)
2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K29/M96	Less	(\$382.00)
①	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	1/10=1100		001000
Ü			K165M36	Add	\$212.00
	be Rad	DESCRIPTION be Radial) F-TIRE 9.50-22 R1 Alliance 324 R-TIRE 14.9-28 R1 Firestone (SAT) II F-TIRE 9.50-22 R1 Alliance 324 R-TIRE 14.9-28 R1 F-STONE SAT II/CST F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY R-TIRE 14.9-28 R1 Firestone (SAT) II F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY R-TIRE 14.9-28 R1 F-STONE SAT II/CST F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY R-TIRE 14.9-28 R1 F-STONE SAT II/CST F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY R-TIRE 420/70R28 R1W ALLIANCE 370 F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY R-TIRE 420/70R28 R1W ALLIANCE 370 Cast F-TIRE 14-17.5 R4 WITH 0.55" INSET R-TIRE 16.9-24 R4 Titan Ind Tractor Lug F-TIRE 13.50-16.1 F-STONE ANS R3 TRF R-TIRE 18.4-26 R3 (ANS) 17mm holes F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF R-TIRE 21.5L-16.1 R3 Firestone Turf&FId	DESCRIPTION Weight Each be Radial) F-TIRE 9.50-22 R1 Alliance 324 136 lbs R-TIRE 14.9-28 R1 Firestone (SAT) II 255 lbs F-TIRE 9.50-22 R1 Alliance 324 136 lbs R-TIRE 14.9-28 R1 F-STONE SAT II/CST 600 lbs F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY 150 lbs R-TIRE 14.9-28 R1 Firestone (SAT) II 255 lbs F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY 150 lbs R-TIRE 14.9-28 R1 F-STONE SAT II/CST 600 lbs F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY 150 lbs R-TIRE 420/70R28 R1W ALLIANCE 370 300 lbs F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY 150 lbs R-TIRE 420/70R28 R1W ALLIANCE 370 Cast 650 lbs F-TIRE 14-17.5 R4 WITH 0.55" INSET 168 lbs R-TIRE 16.9-24 R4 Titan Ind Tractor Lug 267 lbs F-TIRE 18.4-26 R3 (ANS) 17mm holes 310 lbs F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF 92 lbs © R-TIRE 21.5L-16.1 R3 Firestone Turf&FId 245 lbs ① F-TIRE LSW305-521R3 Grizz LSW Soft Turf 113 lbs	DESCRIPTION	DESCRIPTION

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts

② Not approved for Backhoe applications.



М	5660SU	HD 4WD			
TIRES AND WHEELS	(priced	per piece)			
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED
ORDER CODE		DESCRIPTION	NUMBER	EACH	LIST PRICE
AG - BIAS REAR					
AMR8553*		F-TIRE 9.5-22 R1	K409M50	136 lbs	\$525.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$855.00
AMR8553	•	F-TIRE 9.5-22 R1	K409M50	136 lbs	\$525.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$1,753.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K502M32	150 lbs	\$644.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$855.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K502M32	150 lbs	\$644.00
AMR8565		R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$1,753.00
AG - RADIAL					
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K502M32	150 lbs	\$644.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	K850M20	300 lbs	\$1,090.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K502M32	150 lbs	\$644.00
AMR8570		R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M391M52	650 lbs	\$1,784.00
TURF					
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K643M50	112 lbs	\$825.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K889M98	310 lbs	\$1,141.00
AMR8576		F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K237M90	92 lbs	\$305.00
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00
AMR8526	1	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K335M40	113 lbs	\$430.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K823M68	261 lbs	\$1,056.00
INDUSTRIAL					
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	K514M02	168 lbs	\$659.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K730L08	267 lbs	\$936.00

^{*} Standard Tires

For field installation, order (12) Spring Washers 04512-60140 from Parts
 Not approved for Backhoe applications.



DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/D	RAWBAR			
HYDRAULIC REAR REMOTE	VALVES			
M7610	SCD (Self Canceling Detent)	K540M54	13 lbs	\$693.00
M7611	FD (Float Detent)	K533M52	11 lbs	\$684.00
REMOTE VALVE LEVER KIT	S			
M7692	2nd Position Lever Kit	K109M20	4 lbs	\$140.00
M7693	3rd Position Lever Kit	K109M20	3 lbs	\$140.00
DRAWBAR CLEVIS				
M9534	Drawbar Clevis	K66M30	12 lbs	\$85.00
TRANSMISSION				
DUAL SPEED PTO KITS				
M7690	540/540E Economy PTO	K795M60	72 lbs	\$1,020.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVE	,			
M9290	Fender Mounting Kit	K639M60	68 lbs	\$820.00
	Requires Plastic Fenders			
	Not Compatible with Loader Applications			
	Not Compatible with 2WD Tractors			
M9208	Plastic Fenders	K85M80	7 lbs	\$110.00
	Includes two 14.9" wide Fenders			
	Requires two (2) part # 3C294-43300			
	Pre-Drilled Front Wheel Case Supports			
WIDE ROW FRONT AXLE KI	Т			
35564-62820	Tie Rod End Extension, Requires 2	(Order fr	om Parts De	partment)
	Not Compatible with Loader Applications (SUH 2WD Only)			
REAR AXLE SPACER KIT				
M9564	Rear Axle Space Kit, adds 2 inches per side	K670M80	52 lbs	\$860.00
	Provides 72" spacing with Ag Tires			
ROPS ACCESSORIES				
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K301M86	63 lbs	\$387.00
E1136	Mounting Kit	K148M98	29 lbs	\$191.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K124A02	3 lbs	\$159.00
REAR WORK LIGHT				
M7630	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K66M30	3 lbs	\$85.00



M60 SERIES

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE	DESCRIFTION	NUMBER	SHIP WT.	LIST PRICE
BALLAST				
FRONT WEIGHT BRAC				
M8070	Weight Bumper (85 lbs.) Standard on 2WD Model Includes Mounting Bolt Kit Requires Bolt/Bar Kit Not Compatible with Loader	K241M80	95 lbs	\$310.00
M8075	Weight Bumper (230 lbs. each), Optional Up to 10 Front Suitcase Weights Requires Bolt Kit Not Compatible with Loader	K308M10	223 lbs	\$395.00
M1875A	Front Weight Bracket (59 lbs) for Loader application Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached.	K164M58	63 lbs	\$211.00
M1059	Front Weight Bracket Kit for Loader Application Requires M8074A Bolt/Bar Kit Up to 8 Front Suitcase Weights Loader must be detached	K117M78	57 lbs	\$151.00
FRONT SUITCASE WE	EIGHTS			
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT	T/BAR KITS			
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K44M46	4 lbs	\$57.00
M8074A	Bolt/Bar Kit for M1875A and M8070 One Kit per 8 Front Suitcase Weights	K48M36	8 lbs	\$62.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K50M70	10 lbs	\$65.00



M60 SERIES M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
REAR WEIGHT WEIG	HTS			
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 24" or 26" Wheels Not Compatible with Turf Tires	K217M62	206 lbs	\$279.00
M8126A	Wheel Weight Kit (164 lbs. each) Set of 2, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 28" Wheels	K241M80	328 lbs	\$310.00
REAR WHEEL WEIGH	IT BOLT KITS			
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K21M06	6 lbs	\$27.00
LM8125A	Bolt Kit to 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8127B	Bolt Kit use for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K19M50	6 lbs	\$25.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K23M40	8 lbs	\$30.00
BALLAST BOX				
M8180	Ballast Box - 3-Point Mount 1280 lbs Capacity with Dry Sand (13 cu. ft.)	K492M96	220 lbs	\$632.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-00297	Block Heater	(Order fro	(Order from Parts Department)			
FLOOR MAT						
3C001-55062	Rubber Floor Mat Order (7) 67955-51340 fasteners for mounting	(Order fro	(Order from Parts Department)			
GRILL GUARD						
M1876A	Grill Guard Kit Compatible with M8075 Front Bumper Weight	K152M88	57 lbs	\$196.00		
ARMREST KIT						
ZG1341	Arm rest Kit	K46Z80	8 lbs	\$60.00		
HAND GRIP T1060-29470	Hand Grip RH	(Order fro	(Order from Parts Department)			
REPLACEMENT ROPS SFM-F70SUH	Replacement ROPS - Field Installation Required	K780M00	175 lbs	\$1,000.00		



M60 SERIES	M5660SUH/M5660SUHD			
DEALER INSTA	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADE	R			
LA1154SU	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Loader Valve and Joystick, Parking Stands, and 2 Lever QA Coupler DOES NOT INCLUDE BUCKET or GRILL GUARD, must be orde	K4M390M62 ered separately	1330 lbs	\$5,629.00
LOADER ACCESSORY 3RD FUNCTION VALVE	KITS			
M7949	3rd Function Valve if Backhoe is installed see Backhoe Section	K722M28	56 lbs	\$926.00
BUCKETS / CUTTING EDGE	ES ALL 2-Lever Type QA			
M1811	72" 2 Lever Quick Attach	K535M08	400 lbs	\$686.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K714M48	400 lbs	\$916.00
L2245	72" 4-in-1 Bucket Requires 3rd Function	K1L669L20	675 lbs	\$2,140.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever Quick Coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K2M729M22	1090 lbs	\$3,499.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K212M16	79 lbs	\$272.00
BALE SPEARS M1804	Bale Spear 2 Lever Type QA	K581M88	195 lbs	\$746.00
PALLET FORK FRAME / PA	ALLET FORKS			
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 49" Forks	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00



M60 SERIES M5660SUH/M5660SUHD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & ACCESSOR M4509	Backhoe, 9ft digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket	K7M800M00	1960 lbs	\$10,000.00
M4509V	Backhoe, 9ft digging depth Includes Auxilary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket	K8M970M00	1960 lbs	\$11,500.00
BACKHOE MOUNTING KI M4505	T Backhoe Sub frame Kit	K1M833M00	575 lbs	\$2,350.00
BACKHOE ACCESSORIE M4516	S Auxiliary Hydraulic Valve Kit for M4509	K1M255M80	60 lbs	\$1,610.00
M4745	Bucket Quick Coupler	K600M67	70 lbs	\$790.36
M4014	Hydraulic Thumb Kit	K872M82	150 lbs	\$1,119.00
M4015	Mechanical Thumb Kit	K766M74	155 lbs	\$983.00
M4716	Fixed Pin Kit For use with additional buckets using M4745 Quick Coupler Requires 1 Pin Kit per Additional Bucket	K102M80	8 lbs	\$135.26
M4018	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011V Backhoe	K205M14	14 lbs	\$263.00
RUBBER FLIP PADS L9453	Rubber Flip Pads	K96L72	21 lbs	\$124.00
M4509 / M4509V BUCKET	·			,
L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K507L78	140 lbs	\$651.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K544L44	154 lbs	\$698.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K554L58	162 lbs	\$711.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K620L10	185 lbs	\$795.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K816M66	257 lbs	\$1,047.00
M5438	38" Bucket (4.48 cu. ft. Struck / TBA cu. ft. Heaped) NOTE: Special order due to low sales volume	K867M36	269 lbs	\$1,112.00



M60 SERIES

M5660SUH/M5660SUHD

Approved Attachments

Land Pride Rotary Cutters

RCR1872 RCR1884

RCF2072 RCF2084

RCR2672 RCF2772

RCF2784

RCF3010 (Pull Type) RCF3010 (Semi-Mount)

RCF3696 (Pull Type) RCF3696 (Semi-Mount) RC2512 (Pull Type)

RC4015

Land Pride Rotary Tillers

RTR1274 RTR1574 **Land Pride Dish Harrows**

DH2572 DH2596

Land Pride Quick Hitches

QH15 (Cat. I) QH20 (Cat. II)

Land Pride Hydraulic Reservoir System

HRS18 HRS23 HSR3025

Land Pride Grapple Claw

SGC1560 SGC1572 SGC1584



M60 SERIES

M6060/M7060

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3307 Direct Injection
3.3L (203 cu. in.) 4 Cyl
EPA Tier 4 Emission Certified
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant RPM Management
Turbocharged
45 Amp Alternator - ROPS
60 Amp Alternator - Cab
12V 700 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed: 2600 RPM

Power Steering: 6.1 gpm Impl. Flow: 11.0 gpm

Impl. Flow, 12 Speed: 16.2 gpm Total Flow: 17.1 gpm

Total Flow, 12 Speed: 22.3 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Swinging Drawbar - Straight

Cat I/II 3-Point Hitch

@ Lift Points: 4190 lbs (ASAE)@24" Behind: 3307 lbs Telescoping Lower Links Telescoping Stabilizers

POWER TAKE OFF

Live-Independent Hyd. PTO
SAE 1 3/8" Six Spline
540 RPM @ 2295 Eng. RPM
540/540E Economy PTO Optional (12 Speed Standard)
Provides 540 PTO @ 1942 Eng. RPM

TRANSMISSION

Fully Synchronized Transmission 8F/ 8R or 12F / 12R Hydraulic-Shuttle Planetary Final Drives Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity ROPS: 18.5 gal Fuel Tank Capacity Cab: 23.8 gal Cooling System: 8.5 qts Crankcase: 11.6 qts Hydraulics/Trans: 59.2 qts Front Axle 4WD: 5.8 qts

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 9.5L x 15 F2 Rear 16.9 x 28 R1 4WD: Front 9.5 x 24 R1 Rear 16.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

Cab (Ultra Grand Cab)

Integral factory ROPS Certified Flat Deck Suspension Seat w/ Retractable Seat Belt and Armrests Dual Level Air Conditioning & Heater Front Wiper w/ Washer - 2 Speed Radio Ready, includes 2 Speakers Antenna and Wiring Harness 2 Doors, Frameless all glass Left & Right Side Steps Sun Visor Tilt Steering Wheel Interior Dome Light Accessory Plug 12V -15 Amp Cup Holder Ashtray Horn

LIGHTING

2 Headlights - Tail lights2 Hazard Flasher Lights w/ Turn Signals

CAB LIGHTING

2 Front Work Lights2 Rear Work Lights

SAFETY EQUIPMENT

2 Post, ROPS Certified Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO - OPC Alarm 10 Sec. Electric Key Shut Off Parking Brake Turn Signals SMV Sign

Model Specifications				
<u>M6060</u>	<u>M7060</u>			
SAE Gross HP: 66.4	SAE Gross HP: 74.3			
Engine Net HP: 64.1	Engine Net HP: 71.9			
Max . PTO HP: 56	Max . PTO HP: 64			



M60 Series M6060 ORDER CODE DESCRIPTION DESCRIPTION M0060 FACTORY APPROX. SUGGESTED NUMBER SHIP WT. LIST PRICE

2WD MODELS

STANDARD TRACTOR WITH STANDARD TIRES

M6060HFC 2WD Utility Cab Tractor K29M010M54 5226 lbs \$37,193.00

	M6060HF	C 2WD				
TIRES AND WHEELS	S [†]			Addit	ional Price	With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT	FACTORY		SUGGESTED
		DECORIT HON	EACH	NUMBER		LIST PRICE
AG - BIAS REAR						
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	In Base Price		In Base Price
AMR8913B*		R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs	III Base I fice		III Base I fice
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	63 lbs	1/0501400	A -1 -1	£4.004.00
AMR8565	①	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K853M32	Add	\$1,094.00
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	63 lbs	LE 47NAEC	56 Less	(\$702.00\)
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	K547M56		(\$702.00)
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	1/41/04 41/400	A -1 -1	#4 000 00
AMR8565	1	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1K014M00	Add	\$1,300.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	1/0001400		(0.400.00)
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	K386M88	Less	(\$496.00)
TURF						
ALR8708	2	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K246M48	Less	(\$316.00)
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	N240W40	LCSS	(\$310.00)
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	K361M92	Loop	(\$464.00 <u>)</u>
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	N30 11/192	Less	(\$464.00)
ALR6818A		F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K40N470	٨؞٩٠	£24.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K18M72	Add	\$24.00

TIRES AND WHEELS (priced per piece)

ORDER CODE	•	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED
		22001	NUMBER	EACH	LIST PRICE
AG - BIAS REAR					
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8913B*		R-TIRE 16.9-28 R1 Firestone (SAT) II	K860M34	299 lbs	\$1,103.00
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	K148M20	63 lbs	\$190.00
AMR8565	①	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$1,753.00
MR8950		F-TIRE 6.50-16 F2 Titan Tru Trac TT	K148M20	63 lbs	\$190.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$855.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8565	1	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M367M34	600 lbs	\$1,753.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K666M90	255 lbs	\$855.00
TURF					
ALR8708	2	F-TIRE 29x12.50-15 R3 Titan Turf	K276L12	83 lbs	\$354.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K218M40	65 lbs	\$280.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00
ALR6818A		F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K274L56	70 lbs	\$352.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K823M68	261 lbs	\$1,056.00

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

[©] For field change to the AMR8935A Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.

³ Not approved for Backhoe applications.

For field installation, requires (16) 36500-49410 Spring Washers from Parts Department.



M60 Series M7060

ORDER DESCRIPTION FACTORY APPROX. SUGGESTED NUMBER SHIP WT. LIST PRICE

2WD MODELS

STANDARD TRACTOR WITH STANDARD TIRES

M7060HFC 2WD Utility Cab Tractor K30M441M84 5248 \$39,028.00

	M7060HF	C 2WD				
TIRES AND WHEELS	S [†]			Addit	ional Price	With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT	FACTORY		SUGGESTED
		DEGOTAL FIGH	EACH	NUMBER		LIST PRICE
AG - BIAS REAR						
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	In Base Price		In Base Price
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	III base Filce		III base Filce
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	V1V025M94	٨٨٨	\$1 229 00
AMR8935D	102	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K I KUSSIVIO4	K1K035M84 Add	\$1,328.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K53M04	Add	#C0.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	K53IVIU4	4 Add	\$68.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1K088M88	۸ ما ما	£4.200.00
AMR8935D	12	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	KTKU88IVI88	Add	\$1,396.00
TURF						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K35M88	Add	\$46.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	KSSIVIOO	Auu	\$46.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	1/0051100	1	(0.40.4.00)
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K385M32	Less	(\$494.00)
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	1/0001400	1	(0040.00)
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K269M88	Less	(\$346.00)
ALR6818A		F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	1448400		(00.00)
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K4M68	Less	(\$6.00)

TIRES AND WHEELS (priced per piece)

ORDER CODE	(pco)	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED
ONDEN CODE		DESCRIPTION	NUMBER	EACH	LIST PRICE
AG - BIAS REAR				_	
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K872M04	341 lbs	\$1,118.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8935D	02	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M389M96	618 lbs	\$1,782.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K872M04	341 lbs	\$1,118.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR8935D	10	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M389M96	618 lbs	\$1,782.00
TURF					
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K889M98	310 lbs	\$1,141.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K218M40	65 lbs	\$280.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	K276L12	83 lbs	\$354.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00
ALR6818A		F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K274L56	70 lbs	\$352.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K823M68	261 lbs	\$1,056.00

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

[©] For field change to the AMR8935A Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.

③ Not approved for Backhoe applications.

For field installation, requires (16) 36500-49410 Spring Washers from Parts Department.



M60 Series M6060 ORDER **FACTORY** APPROX. SUGGESTED **DESCRIPTION** CODE **NUMBER** SHIP WT. **LIST PRICE 4WD MODELS** ***STANDARD TRACTOR WITH STANDARD TIRES*** M6060HD 4WD Utility 2 Post Foldable ROPS Tractor K25M413M18 5358 lbs \$32,581.00 M6060HDC **4WD Utility Cab Tractor** K31M827M90 5358 lbs \$40,805.00 M6060 4WD **Additional Price With Tire Option** TIRES AND WHEELS **FACTORY SUGGESTED** WEIGHT **ORDER CODE DESCRIPTION EACH NUMBER** LIST PRICE AG - BIAS REAR AMR8955C* F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs In Base Price In Base Price AMR8901B* 255 lbs R-TIRE 14.9-28 R1 Firestone (SAT) II AMR8955C F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs K386M88 \$496.00 bbA R-TIRE 16.9-28 R1 Firestone (SAT) II AMR8913B 299 lbs AMR8955C F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs K1M400M88 Add \$1,796.00 R-TIRE 14.9-28 R1 F-STONE SAT II/CST 600 lbs AMR8565 **AG - RADIAL REAR** AMR8586 F-TIRE 320/85R20 R1W ALCE FRMPRO 166 lbs K578M76 Add \$742.00 AMR8577 R-TIRE 420/70R28 R1W ALLIANCE 370 300 lbs AMR8586 F-TIRE 320/85R20 R1W ALCE FRMPRO 166 lbs K1K661M40 Add \$2,130.00 650 lbs AMR8570 R-TIRE 420/70R28 R1W ALLIANCE 370 Cast TURF AMR8526 F-TIRE LSW305-521R3 Grizz LSW Soft Turf 113 lbs K268M32 Add \$344.00 AMR8541 R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75 261 lbs INDUSTRIAL AMR8808 F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud 159 lbs K438M36 Add \$562.00 ALR8917 R-TIRE 16.9-24 R4 Titan Ind Tractor Lug 267 lbs TIRES AND WHEELS (priced per piece) **FACTORY** WEIGHT SUGGESTED **ORDER CODE DESCRIPTION** LIST PRICE **NUMBER EACH AG - BIAS REAR** F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs AMR8955C* K358M02 \$459.00 AMR8901B* R-TIRE 14.9-28 R1 Firestone (SAT) II K666M90 255 lbs \$855.00 AMR8955C F-TIRE 9.5-24 R1 Goodyear Dura Torque K358M02 130 lbs \$459.00 299 lbs AMR8913B R-TIRE 16.9-28 R1 Firestone (SAT) II K860M34 \$1,103.00 F-TIRE 9.5-24 R1 Goodyear Dura Torque AMR8955C K358M02 130 lbs \$459.00 AMR8565 R-TIRE 14.9-28 R1 F-STONE SAT II/CST K1M367M34 600 lbs \$1,753.00 AG - RADIAL REAR AMR8586 F-TIRE 320/85R20 R1W ALCE FRMPRO K464M10 166 lbs \$595.00 AMR8577 R-TIRE 420/70R28 R1W ALLIANCE 370 K850M20 300 lbs \$1,090.00 AMR8586 F-TIRE 320/85R20 R1W ALCE FRMPRO K464M10 166 lbs \$595.00 AMR8570 R-TIRE 420/70R28 R1W ALLIANCE 370 Cast K1M391M52 650 lbs \$1,784.00 TURF AMR8526 F-TIRE LSW305-521R3 Grizz LSW Soft Turf K335M40 113 lbs \$430.00 AMR8541 R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75 K823M68 261 lbs \$1,056.00 **INDUSTRIAL** F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud AMR8808 K514M02 159 lbs \$659.00

ALR8917

\$936.00

R-TIRE 16.9-24 R4 Titan Ind Tractor Lug

K730L08

267 lbs

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.



M60 Series		M7060					
ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE		
4WD MODELS ***STANDARD TRACTOR WITH STANDARD TIRES***							
M7060HD		4WD Utility 2 Post Foldable ROPS Tractor	K27M231M36	5027 lbs	\$34,912.00		
M7060HDC		4WD Utility Cab Tractor	K33M645M30	5380 lbs	\$43,135.00		
M7060HD12		4WD Utility 2 Post Foldable ROPS Tractor	K28M900M56	5027 lbs	\$37,052.00		
M7060HDC12		4WD Utility Cab Tractor	K35M314M50	5380 lbs	\$45,275.00		
M7	7060	4WD					
TIRES AND WHEELS [†]				itional Price	With Tire Option		
ORDER CODE		DESCRIPTION WEIGH EACH	FACTORY NUMBER		SUGGESTED LIST PRICE		
AG - BIAS REAR							
AMR8955C* AMR8932D*		F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs R-TIRE 16.9-30 R1 DuraTorq 17mm holes 341 lbs	In Base Price		In Base Price		
AMR8955C AMR8935D	1	F-TIRE 9.5-24 R1 Goodyear Dura Torque 130 lbs R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast 618 lbs	K1K035M84	Add	\$1,328.00		
MR8956 MR8924B		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M 98 lbs R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8" 263 lbs	K508M56	Less	(\$652.00)		
AG - RADIAL REAR							
AMR8586 AMR8588		F-TIRE 320/85R20 R1W ALCE FRMPRO 166 lbs R-TIRE 420/85R30 R1W ALCE FRMPRO 400 lbs	K340M08	Add	\$436.00		
AMR8586 AMR8587	①	F-TIRE 320/85R20 R1W ALCE FRMPRO 166 lbs R-TIRE 420/85R30 R1W ALCE FRMPRO CAST 700 lbs	K 11//45X1//6()	Add	\$1,870.00		
TURF							
AMR8536 AMR8979	2	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud 77 lbs R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld 245 lbs	K580M32	Less	(\$744.00)		
AMR8566 AMR8938		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF 112 lbs R-TIRE 18.4-26 R3 (ANS) 17mm holes 310 lbs	K6061/184	Add	\$778.00		
MR8954B AMR8938		F-TIRE 9.50-24 R3 Gdyr All Weather TL 113 lbs R-TIRE 18.4-26 R3 (ANS) 17mm holes 310 lbs	K401V156	Add	\$52.00		
AMR8526 AMR8541	3	F-TIRE LSW305-521R3 Grizz LSW Soft Turf 113 lbs R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75 261 lbs	K141M96	Less	(\$182.00)		
INDUSTRIAL							
AMR8797 ALR8917		F-TIRE 14-17.5 R4 WITH 0.55" INSET R-TIRE 16.9-24 R4 Titan Ind Tractor Lug 267 lbs	K28M08	Add	\$36.00		

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires.

 $^{\, \}oplus \,$ Recommended for loader applications, increases base weight by approx. 600 lbs.

② Not approved for Backhoe applications.

③ For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.



M60 Series M7060

TIRES AND WHEELS	TIRES AND WHEELS (priced per piece)					
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED	
ORDER CODE		DESCRIPTION	NUMBER	EACH	LIST PRICE	
AG - BIAS REAR						
AMR8955C*		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K358M02	130 lbs	\$459.00	
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K872M04	341 lbs	\$1,118.00	
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K358M02	130 lbs	\$459.00	
AMR8935D	①	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M389M96	618 lbs	\$1,782.00	
MR8956		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K268M32	98 lbs	\$344.00	
MR8924B		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	K707M46	263 lbs	\$907.00	
AG - RADIAL REAR						
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO	K464M10	166 lbs	\$595.00	
AMR8588		R-TIRE 420/85R30 R1W ALCE FRMPRO	K936M00	400 lbs	\$1,200.00	
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO	K464M10	166 lbs	\$595.00	
AMR8587	1	R-TIRE 420/85R30 R1W ALCE FRMPRO CAST	K1M495M26	700 lbs	\$1,917.00	
TURF						
AMR8536		F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	K250M38	77 lbs	\$321.00	
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K689M52	245 lbs	\$884.00	
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K643M50	112 lbs	\$825.00	
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K889M98	310 lbs	\$1,141.00	
MR8954B		F-TIRE 9.50-24 R3 Gdyr All Weather TL	K360M36	113 lbs	\$462.00	
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K889M98	310 lbs	\$1,141.00	
AMR8526	3	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K335M40	113 lbs	\$430.00	
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K823M68	261 lbs	\$1,056.00	
INDUSTRIAL					_	
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	K514M02	168 lbs	\$659.00	
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K730L08	267 lbs	\$936.00	

^{*} Standard tires.

 $^{\, \}oplus \,$ Recommended for loader applications, increases base weight by approx. 600 lbs.

② Not approved for Backhoe applications.

③ For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.



M60 Series	M6060/M7060			
DEALER INSTA	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH				
HYDRAULIC REAR REMOT	E VALVES SCD (Self Canceling Detent) for ROPS	K540M54	13 lbs	\$693.00
M7605	FD (Float Detent) for ROPS	K533M52	11 lbs	\$684.00
M7610	SCD (Self Canceling Detent) for CAB	K540M54	13 lbs	\$693.00
M7611	FD (Float Detent) for CAB	K533M52	11 lbs	\$684.00
REMOTE VALVE LEVER KI' M7607	2nd Position Lever Kit for ROPS	K109M20	3 lbs	\$140.00
M7608	3rd Position Lever Kit for ROPS	K109M20	5 lbs	\$140.00
M7687	2nd Position Lever Kit for Cab	K109M20	4 lbs	\$140.00
M7688	3rd Position Lever Kit for Cab	K109M20	3 lbs	\$140.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K55M38	10 lbs	\$71.00
TRANSMISSION				
CREEP SPEED KITS M7691	Creep Speed Cassette Type for 8-Speed Transmission	K524M94	15 lbs	\$673.00
M7680	Creep Speed Cassette Type for 12-Speed Transmission	K524M94	15 lbs	\$673.00
DUAL SPEED PTO KITS M7690	540/540E Economy PTO	K795M60	72 lbs	\$1,020.00
FRONT & REAR AXL				
FRONT FENDER KIT (SWIV M9290	EL TYPE) Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K639M60	70 lbs	\$820.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders	K85M80	7 lbs	\$110.00
REAR AXLE SPACER KIT M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K670M80	52 lbs	\$860.00



M60 Series M6060/M7060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ACCESSORIE	ES			
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K301M86	63 lbs	\$387.00
E1136	Mounting Kit	K148M98	29 lbs	\$191.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K124A02	3 lbs	\$159.00
DOWN EXHAUST PIPE KIT	Г			
M7956	Pipe Kit	K258M96	19 lbs	\$332.00
HIGH CAPACITY ALTERNA	ATOR KIT			
M7965	100 Amp High Capacity Alternator Kit	K393M12	10 lbs	\$504.00
REAR WORK LIGHT				
M7630	Rear Working Auxiliary Light for ROPS Maximum 1 Light per Tractor	K66M30	3 lbs	\$85.00
<u> </u>	_		· ·	

CAB ACCESSORIES

CAB ACCESSURIES				
M7649	Rear Window Wiper Kit	K181M74	4 lbs	\$233.00
M9270	Air Ride Seat Suspension Kit	K429M00	49 lbs	\$550.00
M7698	Elec-Defogger Kit and 80 Amp Alternator	K599M82	60 lbs	\$769.00
M7964	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K269M10	8 lbs	\$345.00
3C581-97010	Monitor Bracket, Universal Type	(Order fro	(Order from Parts Department)	
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		artment)
HIGH CAPACITY ALTERNATO M7965	PR KIT 100 Amp High Capacity Alternator Kit	K393M12	10 lbs	\$504.00
JENSEN RADIO OPTIONS 77700-04753	Radio, AM/FM/WB/AUX	(Order fro	om Parts Depa	artment)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order fro	(Order from Parts Department)	
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order fro	om Parts Depa	artment)

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-73274	Block Heater (Order from Parts Department)			artment)
GRILL GUARD M1871A	Grill Guard Kit for Loader Applications	K152M88	68 lbs	\$196.00
M1876A	Grill Guard Kit Compatible with Front Weight Bumper	K152M88	57 lbs	\$196.00
REPLACEMENT CAB M7034	Replacement Ultra Grand Cab 8 speed - Field Installation Required	K6M899M88	1000 lbs	\$8,846.00
M7035	Replacement Ultra Grand Cab 12 speed - Field Installation Required	K6M899M88	1000 lbs	\$8,846.00
REPLACEMENT ROPS SFM-F70A	Replacement ROPS - Field Installation Required	(Order fro	om Parts Depa	artment)



M60 Series M6060/M7060

DEALER INSTALLED ACCESSORIES **ORDER FACTORY** APPROX. SUGGESTED **DESCRIPTION** CODE **NUMBER** SHIP WT. LIST PRICE **BALLAST** FRONT WEIGHT BRACKETS M8075 Front Weight Bumper (230 lbs. each) K308M10 223 lbs \$395.00 Standard for 2WD models Requires Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader FRONT SUITCASE WEIGHTS M8079 K78M00 102 lbs \$100.00 Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit FRONT WEIGHT BOLT/BAR KITS M8076 Front Bumper Bolt Kit for M8075 K44M46 4 lbs \$57.00 Standard on 2WD Models M8073A Bolt/Bar Kit for M8075 K50M70 10 lbs \$65.00 Required to mount weights to bumper. **REAR WHEEL WEIGHTS** LM8124 Rear Wheel Weight Kit (103 lbs. each) K217M62 206 lbs \$279.00 Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires M8126A Rear Wheel Weight Kit (164 lbs. each) K241M80 328 lbs \$310.00 Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 28", 30" Wheels **REAR WHEEL WEIGHT BOLT KITS** M8119B K21M06 6 lbs Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels \$27.00 LM8125A Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels 5 lbs K52M26 \$67.00 M8127B Bolt Kit for 2nd and 3rd Set of M8126A Weights K19M50 6 lbs \$25.00 Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels M8121A K23M40 \$30.00 Bolt Kit for 2nd and 3rd Set of LM8124 Weights 8 lbs One Bolt Kit per Weight Set **BALLAST BOX** M8180 K492M96 220 lbs Ballast Box - 3-Point Mount \$632.00

1280 lbs. Capacity with Dry Sand (13 cu. ft.)



M60 Series	M6060/M7060			
FRONT END LO	ADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1154	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler DOES NOT INCLUDE VALVE, BUCKET or GRILL GUARD, must be ordered separately	K3M625M44	1330 lbs	\$4,648.00
VALVE KITS				
M7995	Standard Valve Kit for ROPS	K765M18	75 lbs	\$981.00
M7996	Standard Valve Kit for Cab	K765M18	81 lbs	\$981.00
M7998	Hydraulic Self-Leveling Valve Kit for ROPS	K1M446M12	101 lbs	\$1,854.00
M7999	Hydraulic Self-Leveling Valve Kit for Cab	K1M446M12	92 lbs	\$1,854.00
LOADER ACCESSOR	Y KITS			
3RD FUNCTION VALVE M7991	3rd Function Valve Kit for ROPS If backhoe is installed see backhoe section.	K722M28	61 lbs	\$926.00
M7992	3rd Function Valve Kit for Cab If backhoe is installed see backhoe section.	K722M28	62 lbs	\$926.00
SHOCKLESS RIDE M7993	KSR (Kubota Shockless Ride) Accumulator	K467M22	47 lbs	\$599.00
QUICK CONNECT M1869	Hydraulic Quick Connect Single Lever	K542M88	22 lbs	\$696.00
QA BUCKETS & ACC	ESSORIES			
M1811	72" 2 Lever QA Bucket	K535M08	400 lbs	\$686.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K714M48	400 lbs	\$916.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L669L20	675 lbs	\$2,140.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K2M729M22	1090 lbs	\$3,499.00
BUCKET ACCESSORIES M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K212M16	79 lbs	\$272.00
BALE SPEARS M1804	Bale Spear 2 Lever Type QA	K581M88	195 lbs	\$746.00
PALLET FORM FRAM				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00

Bid Term: 2/20/19 - 2/19/21



M60 Series M6060/M7060

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE		NUMBER	SHIP WT.	LIST PRICE
BACKHOE & ACC		1/71/10001/100	1000 !!	040,000,00
M4509	Backhoe, 9 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket	K7M800M00	1960 lbs	\$10,000.00
M4509V	Backhoe, 9 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket	K8M970M00	1960 lbs	\$11,500.00
M4011	Backhoe, 11.1 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket	K9M511M32	1940 lbs	\$12,194.00
M4011V	Backhoe, 11.1 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket	K10M855M26	2020 lbs	\$13,917.00
BACKHOE MOUNTING M4021	KIT Backhoe Sub frame Kit for ROPS	K1M790M88	575 lbs	\$2,296.00
M4022	Backhoe Sub frame Kit for Cab	K1M852M50	575 lbs	\$2,375.00
BACKHOE ACCESSOR	ES .			
M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M255M80	60 lbs	\$1,610.00
M4016	Auxiliary Hydraulic Valve Kit for M4511	K1M255M80	60 lbs	\$1,610.00
M4745	Bucket Quick Coupler	K600M67	70 lbs	\$790.36
M4014	Hydraulic Thumb Kit	K872M82	150 lbs	\$1,119.00
M4018	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011V Backhoe.	K205M14	14 lbs	\$263.00
M4015	Mechanical Thumb Kit	K766M74	155 lbs	\$983.00
RUBBER FLIP PADS L9453	Rubber Flip Pads	K96L72	21 lbs	\$124.00
M4509 / M4011 BUCKE ⁻ L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K507L78	140 lbs	\$651.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K544L44	154 lbs	\$698.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K554L58	162 lbs	\$711.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K620L10	185 lbs	\$795.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K816M66	257 lbs	\$1,047.00
M5438	38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped) NOTE: Special order due to low sales volume	K867M36	269 lbs	\$1,112.00



M60 Series

M6060/M7060

APPROVED ATTACHMENTS

Land Pride Rotary Cutters

RCR1872 RCR1884

RCF2072

RCF2084

DOD0070

RCR2672

RCF2772

RCF2784

RCF3010 (Pull Type)

RCF3010 (Semi Mount)

RCF3696 (Pull Type)

RCF3696 (Semi Mount)

RC2512 (Pull Type)

RC4015

Land Pride Rotary Tillers

RTR1274

RTR1574

Land Pride Dish Harrows

DH2572 DH2596

Land Pride Quick Hitcher

QH15 (Cat. I)

QH20 (Cat. II)

Land Pride Hydraulic Reservoir System

HRS18

HRS23

HSR3025

Land Pride Grapple Claw

SGC1560

SGC1572

SGC1584



M5 SERIES

M5-091/M5-111

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
60 Amp Alternator - ROPS
80 Amp Alternator - Cab
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed

ROPS: 2400 rpm Cab: 2600 rpm

Power Steering: 5.4 gpm Impl. Flow - ROPS: 15.9 gpm Impl. Flow - Cab: 17.0 gpm total Flow - ROPS: 21.3 gpm

Total Flow - Cab: 23.1 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

(1) FD (Float Detent) on -1 models (2 Total standard)

3 Point Hitch & Drawbar

Cat II 3-Point Hitch 8 Speed Models

@ Lift Points: 7055 lbs (ASAE)@ 24" Behind: 5181 lbs

12/24 Speed Models

@ Lift Points: 8600 lbs (ASAE)@ 24" Behind: 7275 lbs

2 External Lift Cylinders Telescoping Lower Links

Stabilizers

Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2205 Eng. RPM

540 RPM @ 2035 Eng. RPM - 12/24 speed

540E* @ 1519 Eng. RPM

Transmission/PTO

8F/8R Two Range, 4-Speed 12F/12R Two Range, 6-Speed 540/540E

24F/24R Two Range, 6-Speed Hi/Lo

540/540E

24 speed on M5-111 only Electronic 4WD Function Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg Planetary Final Drives Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 27.7 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 15.85 ga

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 12.4-24 Rear 18.4-30

Ultra Grand Cab II

4-Post, ROPS Certified

RH & LH Doors

Tinted Glass Doors and Windows

In-Roof Window

Tilt Steering Wheel

Dual Level Air Conditioning & Heater

Front and Wiper w/ Washer

Front Sun Visor Retractable Seat belt LH & RH Side Mirrors Radio Ready Cab Steps, Left and Right Side

Interior Dome Light

12V – 30-Amp 2 Wire Coupler

12V – 3 Pin 30-Amp Coupler

12V - Outlet Cup Holder

Instructor Seat Ready

Horn

LIGHTING

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

Crankcase: 11.3 qts 2 Grill Mounted Worklights
Hydraulics/Trans: 15.85 gal 2 Front Cab Halogen Worklights
2 Rear Halogen Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign

7-Pin Electrical Trailer Connector

* if equipped 12/24 Standard

Model Specifications				
M5-091		<u>M5-111</u>		
SAE Gross HP:	92.5	SAE Gross HP: 105.6		
Engine Net HP:	85.5	Engine Net HP: 100		
Max PTO HP:	76	Max PTO HP: 89		

Bid Term: 2/20/19 - 2/19/21

35



M5 SERIES

M5-091/M5-111

ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	2WD MODELS ***STANDARD TRACTOR WITH STAND	DARD TIRES***			
M5-091HF**	2WD Utility 2 Post Foldable ROPS Tractor		K33M962M76	6482 lbs	\$43,542.00
M5-091HFC**	2WD Utility Ultra Grand Cab II Tractor		K41M847M00	6482 lbs	\$53,650.00
M5-111HF**	2WD Utility 2 Post Foldable ROPS Tractor		K35M978M28	6614 lbs	\$46,126.00
M5-111HFC**	2WD Utility Ultra Grand Cab II Tractor		K43M862M52	6614 lbs	\$56,234.00
M5-091HF-1	2WD Utility 2 Post Foldable ROPS Tractor		K34M153M08	6482 lbs	\$43,786.00
M5-091HFC-1	2WD Utility Ultra Grand Cab II Tractor		K42M037M32	6482 lbs	\$53,894.00
M5-111HF-1	2WD Utility 2 Post Foldable ROPS Tractor		K36M352M68	6482 lbs	\$46,606.00
M5-111HFC-1	2WD Utility Ultra Grand Cab II Tractor		K44M236M92	6482 lbs	\$56,714.00
M5-0	91/ M5-111 2WD				
TIRES AND WHEELS [†]				tional Price	With Tire Optio
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR				•	-
AMR8961A* AMR8530B*	F-TIRE 7.5-18 F2 Titan Tru Trac TT R-TIRE 18.4-30 R1W GDYR OPTITRAC	68 lbs 393 lbs	In Base Price		In Base Price
AMR8980B AMR8530B	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 18.4-30 R1W GDYR OPTITRAC	91 lbs 393 lbs	K145M08	Add	\$186.0
AMXR8789 AMR8522A	F-TIRE 9.5L-15 F2 BKT Pro Rib R-TIRE 18.4-26 R1 ALLIANCE 324	75 lbs 346 lbs	K137M28	Less	(\$176.0
AG - RADIAL REAR					
AMR8961A AMR8531A	F-TIRE 7.5-18 F2 Titan Tru Trac TT R-TIRE 460/85R30 R1W GDYR OPTRAC	68 lbs 429 lbs	K369M72	Add	\$474.0
AMR8980B AMR8531A	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 460/85R30 R1W GDYR OPTRAC	91 lbs 429 lbs	K514M80	Add	\$660.0
AMR8961A AMR8514B	F-TIRE 7.5-18 F2 Titan Tru Trac TT R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	68 lbs 1027 lbs	K1M290M12	Add	\$1,654.0

91 lbs

1027 lbs

91 lbs

342 lbs

91 lbs

910 lbs

75 lbs

301 lbs

65 lbs

289 lbs

75 lbs

304 lbs

K1M435M20

K801M84

K1M772M16

K17M16

K157M56

K201M24

Add

Add

Add

Less

Less

Less

AMR8980B

AMR8514B

AMR8980B

AMR8537A

AMR8980B

AMR9258A

AMR8521

AMR8545

AMR8546

AMR8532

INDUSTRIAL AMXR8789

TURF AMXR8789 F-TIRE 10.00-16 F2 Champ Guide Grip TL

F-TIRE 10.00-16 F2 Champ Guide Grip TL

F-TIRE 10.00-16 F2 Champ Guide Grip TL

F-TIRE 9.5L-15 F2 BKT Pro Rib

F-TIRE 9.5L-15 F2 BKT Pro Rib

R-TIRE 18.4-26 R3 (ANS) 19mm holes

F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib

R-TIRE 19.5L-24 R4 Titan Ind Trac Lug

R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld

R-TIRE 460/85R30 R1W GDYR OPTRAC CAST

R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL

R-TIRE 420/85R34 R1W ALLIANCE 385 CAST

\$1,840.00

\$1,028.00

\$2,272.00

(\$22.00)

(\$202.00)

(\$258.00)

 $[\]dagger$ See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires

^{**} Subject to Availability



M5-091/M5-111

TIRES AND WHEELS (priced per piece)					
ORDER CODE	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED	
		NUMBER	EACH	LIST PRICE	
AG - BIAS REAR					
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K182M52	68 lbs	\$234.00	
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K983M58	393 lbs	\$1,261.00	
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00	
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K983M58	393 lbs	\$1,261.00	
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00	
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K868M92	346 lbs	\$1,114.00	
AG - RADIAL REAR					
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K182M52	68 lbs	\$234.00	
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M168M44	429 lbs	\$1,498.00	
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00	
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M168M44	429 lbs	\$1,498.00	
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K182M52	68 lbs	\$234.00	
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64	1027 lbs	\$2,088.00	
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00	
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64	1027 lbs	\$2,088.00	
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00	
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M311M96	342 lbs	\$1,682.00	
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00	
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M797M12	910 lbs	\$2,304.00	
TURF					
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00	
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	K928M98	301 lbs	\$1,191.00	
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K218M40	65 lbs	\$280.00	
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	K868M92	289 lbs	\$1,114.00	
INDUSTRIAL					
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K228M54	75 lbs	\$293.00	
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K836M94	304 lbs	\$1,073.00	

^{*} Standard tires



M5 SERIES M5-091/M5-111						
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
	4WD MODELS ***STANDARD TRACTOR WITH STANDARD	TIRES***				
M5-091HD**	4WD Utility 2 Post Foldable ROPS Tractor		K37M998M48	6900 lbs	\$48,716.00	
M5-091HD12**	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E		K38M934M48	6900 lbs	\$49,916.00	
M5-091HDC**	4WD Utility Ultra Grand Cab II		K45M882M72	6900 lbs	\$58,824.00	
M5-091HDC12**	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E		K46M818M72	6900 lbs	\$60,024.00	
M5-111HD**	4WD Utility 2 Post Foldable ROPS Tractor		K39M979M68	7033 lbs	\$51,256.00	
M5-111HD12**	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E		K40M915M68	7033 lbs	\$52,456.00	
M5-111HDC**	11HDC** 4WD Utility Ultra Grand Cab II		K47M863M92	7033 lbs	\$61,364.00	
M5-111HDC12**	•		K48M799M92	7033 lbs	\$62,564.00	
M5-111HDC24**	4WD Utility Ultra Grand Cab II, 24 Speed 540/540E		K51M405M12	7033 lbs	\$65,904.00	
M5-091HD-1	4WD Utility 2 Post Foldable ROPS Tractor		K38M154M48	6900 lbs	\$48,916.00	
M5-091HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E		K39M090M48	6900 lbs	\$50,116.00	
M5-091HDC-1	4WD Utility Ultra Grand Cab II		K46M038M72	6900 lbs	\$59,024.00	
M5-091HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E		K46M974M72	6900 lbs	\$60,224.00	
M5-111HD-1	4WD Utility 2 Post Foldable ROPS Tractor		K40M354M08	6900 lbs	\$51,736.00	
M5-111HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E		K41M290M08	6900 lbs	\$52,936.00	
M5-111HDC-1	4WD Utility Ultra Grand Cab II		K48M238M32	6900 lbs	\$61,844.00	
M5-111HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E		K49M174M32	6900 lbs	\$63,044.00	
M5-111HDC24-1	4WD Utility Ultra Grand Cab II, 24 Speed 540/540E		K51M779M52	6900 lbs	\$66,384.00	
M5-091/ M5						
TIRES AND WHEELST		WEIGHT	Addi FACTORY	tional Price	With Tire Option	
ORDER CODE	DESCRIPTION	EACH	NUMBER		LIST PRICE	
AG - BIAS REAR AMR8556B**	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs				
AMR8530B**	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs	In Base Price		In Base Price	
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K731M64	Loop	(\$039.00)	
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K/311/104	Less	(\$938.00)	
MR8957 ①	F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	123 lbs	M893M88	Less	(\$1,146.00)	
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs			(+1,11111)	
AMR8555A AMR8933	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF R-TIRE 16.9-30 R1 DuraTorq 19mm holes	163 lbs 348 lbs	K218M40	Less	(\$280.00)	
	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF					
AMR8555A AMR8935D	R-TIRE 11.2-24 RT Firestone (SAT) II WAF	163 lbs 618 lbs	K778M44	Add	\$998.00	
AG - RADIAL REAR				-		
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K675M48	Add	\$866.00	
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		, 10.0	+555.65	
AMR8557A AMR8514B	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	220 lbs 1027 lbs	K1K595M88	Add	\$2,046.00	
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs				
AMR8537A AMR8537A	R-TIRE 420/85R24 RTW GDTR OPTRAC R-TIRE 420/85R34 RTW ALLIANCE 385 RADIAL	342 lbs	M962M52	Add	\$1,234.00	
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	1/41/40001/40 :	A.1.1	00.470.00	
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	910 lbs	K1M932M84	Add	\$2,478.00	

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard tires

^{**} Subject to Availablility

① Not compatible for Loader applications



M5-091/M5-111

M5-091/	M5-111 4WD (Cont.)				
TIRES AND WHEELS [†]	, ,		Addi	tional Price	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
TURF					-
AMR8566	F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	112 lbs	K210M60	Add	\$270.00
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	301 lbs	KZ TUIVIOU	Add	\$270.00
INDUSTRIAL					
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K232M44	Loop	(\$298.00)
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs	NZ3ZIVI44	Less	(\$290.00)

TIRES AND WHEELS (priced per piece)					
ORDER CODE	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED	
AO BIAO BEAD		NUMBER	EACH	LIST PRICE	
AG - BIAS REAR	E TIRE 40 4 04 RAW ORVE ORTITE 40	1/1001100	100 !!	4000.00	
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K483M60	193 lbs	\$620.00	
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K983M58	393 lbs	\$1,261.00	
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K393M90	147 lbs	\$505.00	
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00	
MR8957	F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	K312M78	123 lbs	\$401.00	
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00	
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K466M44	163 lbs	\$598.00	
AMR8933	R-TIRE 16.9-30 R1 DuraTorq 19mm holes	K891M54	348 lbs	\$1,143.00	
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K466M44	163 lbs	\$598.00	
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M389M96	618 lbs	\$1,782.00	
AG - RADIAL REAR	· · · · · · · · · · · · · · · · · · ·				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00	
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M168M44	429 lbs	\$1,498.00	
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00	
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64	1027 lbs	\$2,088.00	
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00	
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M311M96	342 lbs	\$1,682.00	
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00	
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M797M12	910 lbs	\$2,304.00	
TURF					
AMR8566	F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K643M50	112 lbs	\$825.00	
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	K928M98	301 lbs	\$1,191.00	
INDUSTRIAL					
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K514M02	159 lbs	\$659.00	
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K836M94	304 lbs	\$1,073.00	

^{*} Standard tires

① Not compatible for Loader applications.

REAR AXLE SPACER KIT

M7647



M5 SERIES M5-091/M5-111

WIS-091/WIS-111							
DEALER INSTA	ALLED ACCESSORIES	FACTORY	WEIGHT	SUGGESTEDL			
ORDER CODE	DESCRIPTION	NUMBER	EACH	ST PRICE			
HYDRAULICS/HIT	CH/DRAWBAR						
HYDRAULIC REAR REN M7604	MOTE VALVES - 2ND AND 3RD POSITION SCD (Self Canceling Detent) for ROPS	K540M54	13 lbs	\$693.00			
M7605	FD (Float Detent) for ROPS	K533M52	11 lbs	\$684.00			
M7610	SCD (Self Canceling Detent) for Cab	K540M54	13 lbs	\$693.00			
M7611	FD (Float Detent) for Cab	K533M52	11 lbs	\$684.00			
REMOTE VALVE LEVER		7,000,002	11100	ψου 1.00			
M9112	2nd Position Lever Kit for ROPS (Standard on -1 Models)	K117M00	3 lbs	\$150.00			
M9113	3rd Position Lever Kit for ROPS	K117M00	5 lbs	\$150.00			
M9114	2nd Position Lever Kit for Cab (Standard on -1 Models)	K117M00	3 lbs	\$150.00			
M9116	3rd Position Lever Kit for Cab	K117M00	5 lbs	\$150.00			
FLOW CONTROL VALV	ES						
M9585	Flow Control Valve	K390M78	8 lbs	\$501.00			
M9595	Flow Control Valve with SCD Valve	K811M98	18 lbs	\$1,041.00			
	For Valve-to-Valve Operation						
0 DOINT IET 40010T	Requires 2nd Lever Kit for ROPS or 2nd Lever Kit for Cab models						
3-POINT LIFT ASSIST K M7651	High Capacity Lift Cylinders	K749M58	49 lbs	\$961.00			
	Standard on 12 and 24 speed models	TAT TOMICO	10 100	Ψ001.00			
DRAWBAR CLEVIS							
M9594	Drawbar Clevis	K55M38	10 lbs	\$71.00			
TRANSMISSION							
CREEP SPEED KIT		1/==01440	00.11	****			
M9131	Creep Speed Cassette Type	K753M48	22 lbs	\$966.00			
DUAL SPEED PTO KITS		1/7051400	400 !!	# 4 000 00			
M7619A	540/540E Economy PTO. Requires Lever kit for Cab models.	K795M60	123 lbs	\$1,020.00			
M9132	In-Cab Economy PTO Lever for Cab Inside cab control is recommended for ease of user operation, it replaces the outside control lever.	K59M28	4 lbs	\$76.00			
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM	K901M68	123 lbs	\$1,156.00			
	Not compatible with 540 Economy PTO			. ,			
FRONT & REAR A	XLE						
FRONT FENDER KIT (S)							
M9290	Fender Mounting Kit Requires Plastic Fenders	K639M60	70 lbs	\$820.00			
	Not Compatible with Loader Applications						
	Not Compatible with 2WD Tractors						
	Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports						
M9208	Plastic Fenders	K85M80	7 lbs	\$110.00			
W19200	Includes two 14.9" wide Fenders	COIVICO	/ IDS	\$110.00			
WIDE ROW FRONT AXL							
M8595A	80" Wide Row Front Axle Kit	K481M26	225 lbs	\$617.00			
	Not Compatible with Loader Applications						
	·						

Page 9-40

Bid Term: 2/20/19 - 2/19/21

\$746.00

Rear Axle Space kit adds 2 inches per side

40

K581M88

56 lbs



M5-091/M5-111

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTEDLI ST PRICE
ROPS ACCESSORI	ES			
CANOPY E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K301M86	63 lbs	\$387.00
E1136	Mounting Kit	K148M98 29 lbs		\$191.00
E1138	Work Light Set for Canopy (optional 2-lights)	K124A02	3 lbs	\$159.00
DOWN EXHAUST PIPE KI M9141	T ROPS Pipe Kit	K436M02	30 lbs	\$559.00
HIGH CAPACITY ALTERN M9133	ATOR KIT 80 Amp High Capacity Alternator Kit for ROPS	K374M40	10 lbs	\$480.00
REAR WORK LIGHT M7630	GHT Rear Working Auxilary Light (Maximum 1 Light/Tractor)		3 lbs	\$85.00
CAB ACCESSORIE	s			
M7649	Rear Window Wiper Kit	K181M74	4 lbs	\$233.00
M9119	Elec-Defogger Kit and 130 Amp Alternator	K615M42	66 lbs	\$789.00
M9117	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K92M04	3 lbs	\$118.00
M9128	Interior Rear View Mirror	K34M32	2 lbs	\$44.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness	K429M00	49 lbs	\$550.00
M9205	Air Ride Seat Wire Harness	K16M38	1 lbs	\$21.00
M9129	Instructors Seat	K433M68	23 lbs	\$556.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order f	rom Parts De	epartment)
HIGH CAPACITY ALTERN M9134	ATOR KIT 130 Amp High Capacity Alternator Kit for Cab	K608M40	10 lbs	\$780.00

JENSEN RADIO OPTIONS 77700-04753 Radio, AM/FM/WB/AUX (Order from Parts Department) 77700-04754 Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Order from Parts Department) 77700-04755 Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Order from Parts Department)



M5-091/M5-111

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BRACKE	TS			
M8075	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader Compatible with Grill Guard	K308M10	223 lbs	\$395.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached Not Compatible with Grill Guard		\$211.00	
FRONT SUITCASE WEIGH	ITS			
M8079	Suitcase Weight K78M00 102 lbs Requires Front Weight bracket and Bolt/Bar Kit		102 lbs	\$100.00
FRONT WEIGHT BOLT/BA	AR KITS			
M8076	Front Bumper Bolt Kit for M8075 K44 Standard on 2WD Models		4 lbs	\$57.00
M8073A	Bolt/Bar Kit for M8075	K50M70	10 lbs	\$65.00
M8074A	Bolt/Bar Kit for M1875A	K48M36	8 lbs	\$62.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 24" or 26" Wheels	K217M62	206 lbs	\$279.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 28", 30", or 34" Wheels		\$310.00	
REAR WHEEL WEIGHT B	OLT KITS			
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K21M06	6 lbs	\$27.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K19M50	6 lbs	\$25.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K23M40	8 lbs	\$30.00



M5-091/M5-111

DEALER INSTALLED ACCESSORIES

ORDER CODE DESCRIPTION FACTORY WEIGHT SUGGESTED NUMBER EACH LIST PRICE

ADDITIONAL ACCESSORIES

BLOCK HEATER
70000-73274 Block Heater (Order from Parts Department)

EXTREME COLD WEATHER KIT

3B791-99660 CCV Heater Kit for Extreme Cold Weather (ROPS) (Order from Parts Department)
3B291-99660 CCV Heater Kit for Extreme Cold Weather (CAB) (Order from Parts Department)

GRILL GUARD

M6909 Grill Guard Kit K167M70 62 lbs \$215.00

Compatible with Front Weight Bumper

REPLACEMENT CAB

M7985 8 & 12 Speed Replacement Cab - K6M899M88 1157 lbs \$8,846.00

Field Installation Required

M7986 24 Speed Replacement Cab - Field Installation Required K6M899M88 1157 lbs \$8,846.00

REPLACEMENT ROPS

SFM-FM511 Replacement ROPS for M5 Standard ROPS Tractors TBD TBD TBD



M5 SERIES M5-091/M5-111 FRONT END LOADER **FACTORY** SUGGESTED WEIGHT ORDER CODE DESCRIPTION **NUMBER LIST PRICE EACH** FRONT END LOADER LA1854 Front End Loader (2 Lever Type Quick Coupler) K4M310M28 1859 lbs \$5,526.00 Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately VALVE KITS M6901 Standard Valve Kit for ROPS K780M78 90 lbs \$1,001.00 M6902 82 lbs Standard Valve Kit for Cab K780M78 \$1,001.00 M6903 Hydraulic Self-Leveling Valve Kit for ROPS K1M445M34 101 lbs \$1,853.00 M6904 Hydraulic Self-Leveling Valve Kit for Cab K1M475M76 92 lbs \$1,892.00 LOADER ACCESSORY KITS LOADER ACCESSORY KITS M6905 Standard 3rd Function Valve Kit for ROPS K928M20 61 lbs \$1,190.00 M6906 Standard 3rd Function Valve Kit for Cab K928M20 62 lbs \$1,190.00 M6907 Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS K954M72 61 lbs \$1,224.00 M6908 Hydraulic Self-Leveling 3rd Function Valve Kit for Cab K954M72 68 lbs \$1,224.00 LOADER ACCESSORIES KITS M6910 KSR (Kubota Shockless Ride) Accumulator K517M92 33 lbs \$664.00 M6911 Hydraulic Quick Connect Single Lever K617M76 22 lbs \$792.00 **QA BUCKETS & ACCESSORIES** M1811 72" Round Back Bucket K535M08 400 lbs \$686.00 M1815 400 lbs 84" Round Back High Capacity, Light Material Bucket K714M48 \$916.00 M1816 84" Round Back Bucket K680M94 400 lbs \$873.00 M1285 84" Bucket Tine Kit (Includes 9 Tines and Hardware) K340M08 90 lbs \$436.00 M1886 610 lbs 96" Bucket K755M82 \$969.00 M1287 96" Bucket Tine Kit (Includes 10 Tines and Hardware) K377M52 200 lbs \$484.00 M1896 K833M04 610 lbs 96" Square Back High Capacity, Light Material Bucket \$1,068.00 M9248 84" Hay Grapple Bucket K3M003M00 1240 lbs \$3.850.00 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face) M9249 90" Hay Grapple Bucket K3M184M74 1500 lbs \$4,083.00 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face) **BUCKET ACCESSORIES** M1057 Bucket Tine Kit for 72" 2 Lever QA Bucket K212M16 **79 lbs** \$272.00 **BALE SPEARS** M1804 Bale Spear 2 Lever Type QA K581M88 195 lbs \$746.00 PALLET FORK FRAME / PALLET FORKS

I ALLEI I OIKI	ALLET I SIGN I RALLET I SIGNS					
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K538M20	200 lbs	\$690.00		
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00		
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00		



M5 SERIES	M5-091/M5-111			
FRONT END	LOADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
EURO COUPLER				
M1803	Euro Type Coupler	K320M58	210 lbs	\$411.00
	EURO COUPLER TYPE			
M1816E	BUCKET TINE KITS / GRAPPLE BUCKETS 84" Euro QA Bucket	K795M60	400 lbs	\$1,020.00
M1285	84" Bucket Tine Kit	K340M08	90 lbs	\$436.00
M1886E	96" Euro QA Bucket	K1M151M28	610 lbs	\$1,476.00
M1287	96" Bucket Tine Kit	K377M52	200 lbs	\$484.00
M1896E	96" Euro QA, Light Material Bucket	K1M246M44	610 lbs	\$1,598.00
M9243E	84" Euro QA type Bale Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M205M80	1235 lbs	\$4,110.00
M9223E	96" Euro QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M455M40	1300 lbs	\$4,430.00
EURO BALE SPE	ARS			
M1817E	Bale Spear Quick Coupler, Euro QA	K640M38	200 lbs	\$821.00
EURO PALLET FO	ORK FRAME / PALLET FORKS			
M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K591M24	200 lbs	\$758.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00



M5 Series

M5-091/M5-111

BA	CKH	10	ES
DA	CINI	ıv	LJ

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & AC	CESSODIES	NOMBER	SHIP WIT.	LIST PRICE
M4509	Backhoe, 9 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket	K7M800M00	1960 lbs	\$10,000.00
M4509V	Backhoe, 9 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket	K8M970M00	1960 lbs	\$11,500.00
M4011	Backhoe, 11.1 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket		1940 lbs	\$12,194.00
M4011V	Backhoe, 11.1 ft. digging depth K10M8 Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket		2020 lbs	\$13,917.00
BACKHOE MOUNTING				40.000.00
M4029	Backhoe Subframe Kit	K2M028M00	575 lbs	\$2,600.00
BACKHOE ACCESSOF M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M255M80	60 lbs	\$1,610.00
M4016	Auxiliary Hydraulic Valve Kit for M4 <mark>0</mark> 11	K1M255M80	60 lbs	\$1,610.00
M4745	Bucket Quick Coupler	K600M67	70 lbs	\$790.36
M4014	Hydraulic Thumb Kit	K872M82	150 lbs	\$1,119.00
M4018	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011 Backhoe.	K205M14	14 lbs	\$263.00
M4015	Mechanical Thumb Kit	K766M74	155 lbs	\$983.00
RUBBER FLIP PADS L9453	Rubber Flip Pads	K96L72	21 lbs	\$124.00
M4509 / M4011 BUCK E L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K507L78	140 lbs	\$651.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K544L44	154 lbs	\$698.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K554L58	162 lbs	\$711.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K620L10	185 lbs	\$795.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits unless Bucket Quick Coupler is installed	K816M66	257 lbs	\$1,047.00
M5438	38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped) NOTE: Special order due to low sales volume	K867M36	269 lbs	\$1,112.00



M5-091/M5-111

Approved Attachments

Land Pride Rotary Cutters
RCR1860
RCR1884
RCF2060
RCF2084
RCR2660
RCR2672
RCR2684
RCF2760
RCF2772

RCF2784 RCF2784 (Pull Type) RCF3010 (Pull Type) RCF3010 (Semi-Mount)

RCF3010 RCF3610

RCF3610 (Pull Type) RCF3610 (Semi-Mount) RCF3696 (Pull Type) RCF3696 (Semi-Mount) RCF3696

RC3620 (Pull Type) RC4015 (Pull Type) Land Pride Box Blades

BB4596 (Pull Type) BB4510 (Pull Type) BB4512 (Pull Type)

Land Pride Dish Harrows

DH2572 DH2596

Land Pride Quick Hitches

QH15 (Cat. I) QH20 (Cat. II)

Land Pride Powered Ditcher

DT55

Land Pride Hydraulic Reservoir System

HRS18 HRS23 HSR3025

Land Pride Grapple Bucket

GB2590 GBE2590

Bid Term: 2/20/19 - 2/19/21

47



M5L-111 Low Profile

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
60 Amp Alternator - ROPS
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed ROPS: 2400 RPM

Power Steering: 5.6 gpm Impl. Flow - ROPS: 15.7 gpm Total Flow - ROPS: 21.3 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

(1) FD (Float Detent)

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 7055 lbs
(ASAE)@ 24" Behind: 5181 lbs
2 External Lift Cylinders
Telescoping Lower Links
Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2035 Eng. RPM 540E @ 1519 Eng. RPM

Model Specifications

M5-111

SAE Gross HP: 105.6 SAE Gross HP: 100 Max . PTO HP: 89

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Limited Slip Differential Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 24.3 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 15.84 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front Rear

OPERATOR STATION

Tilt Steering Wheel Retractable Seat belt 12V - Outlet Cup Holder

LIGHTING

2 Headlights - Tail lights4 Hazard Flasher Lights w/ Turn Signals2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

48



M5L-111 Low Profile

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE

STANDARD TRACTOR WITH STANDARD TIRES

M5L-111-SN 4WD Low Profile Utility 2 Post Telescopic ROPS Tractor K44M729M10 6900 lbs \$57,345.00

M5L-111-SN						
TIRES AND WHEELS	†	•		Addit	ional Price	With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR					•	•
MR8956* AMR8523A*		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	98 lbs 265 lbs	In Base Price		In Base Price
AMR8538 AMR8523A		F-TIRE 12.5/80-18 Titan Trac Impl 422 R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	147 lbs 265 lbs	K251M16	Add	\$322.00
AMR8955C AMR8522A	①	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 18.4-26 R1 ALLIANCE 324	130 lbs 346 lbs	K502M32	Add	\$644.00
AG - RADIAL REAR						
AMR8643 AMR8661		F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB	169 lbs 169 lbs	K1K285M44	Add	\$1,648.00
AMR8643 AMR8690		F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	169 lbs 1015 lbs	K2K260M44	Add	\$2,898.00
TURF/FLOTATION						
AMR8567 AMR8580	2	F-TR 400/50-15.5 ALLIANCE I-2 FLOAT R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	517 lbs 517 lbs	K536M64	Add	\$688.00
INDUSTRIAL						
AMR8808 AMR8532		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	159 lbs 304 lbs	K750M36	Add	\$962.00

^{*} Standard Tires

② Only 2 weights can be mounted per side.

TIRES AND WHEELS (priced	per piece)			
ORDER CODE		DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR					•
MR8956*		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K268M32	98 lbs	\$344.00
AMR8523A*		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00
AMR8538		F-TIRE 12.5/80-18 Titan Trac Impl 422	K393M90	147 lbs	\$505.00
AMR8523A		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K358M02	130 lbs	\$459.00
AMR8522A	1	R-TIRE 18.4-26 R1 ALLIANCE 324	K868M92	346 lbs	\$1,114.00
AG - RADIAL REAR					•
AMR8643		F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K585M00	169 lbs	\$750.00
AMR8661		R-TIRE 480/65R24 R1W MCHLN MLTBIB	K1M033M50	169 lbs	\$1,325.00
AMR8643		F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K585M00	169 lbs	\$750.00
AMR8690		R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	K1M521M00	1015 lbs	\$1,950.00
TURF/FLOTATION					
AMR8567		F-TR 400/50-15.5 ALLIANCE I-2 FLOAT	K366M60	517 lbs	\$470.00
AMR8580	2	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	K877M50	517 lbs	\$1,125.00
INDUSTRIAL					<u> </u>
AMR8808		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K514M02	159 lbs	\$659.00
AMR8532		R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K836M94	304 lbs	\$1,073.00

^{*} Standard Tires

① Requires Rear Fender Kit M9469

① Requires Rear Fender Kit M9469

② Only 2 weights can be mounted per side.



M5L-111 Low Profile

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/	DRAWBAR			
HYDRAULIC REAR REMOTE	VALVES - 2ND AND 3RD POSITION			
M7610	SCD (Self Canceling Detent)	K540M54	13 lbs	\$693.00
M7611	FD (Float Detent)	K533M52	11 lbs	\$684.00
REMOTE VALVE LEVER KIT	S			
M7699	3rd Position Lever Kit	K109M20	5 lbs	\$140.00
FLOW CONTROL VALVES				
M9585	Flow Control Valve	K390M78	8 lbs	\$501.00
M9595	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K811M98	18 lbs	\$1,041.00
3-POINT LIFT ASSIST KIT M7651	High Capacity Lift Cylinders	K749M58	49 lbs	\$961.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K55M38	10 lbs	\$71.00
TRANSMISSION				
CREEP SPEED KIT M9131	Creep Speed Cassette Type	K753M48	22 lbs	\$966.00
DUAL SPEED PTO KITS M7623	540/1000 RPM PTO Kit- 1000@2389 RPM	K901M68	132 lbs	\$1,156.00
FRONT & REAR AXLE	■			
FRONT FENDER KIT (SWIVE	EL TYPE)			
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not Compatible with Loader Applications Not Compatible with AMR8567 Flotation Tires	K639M60	70 lbs	\$820.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders	K85M80	7 lbs	\$110.00
REAR AXLE SPACER KIT M7647	Rear Axle Spacer Kit adds 2 inches per side Provides 80" spacing with Ag Tires	K581M88	56 lbs	\$746.00
REAR FENDER KITS				
M9196	Replacement Steel Fenders (Complete Set) Order individual replacement components though parts	K1M326M00	160 lbs	\$1,700.00
M9469	Raises Steel Fender up 2 inches. Required if 26" wheel is used.	K30M42	4 lbs	\$39.00
M9194	8 Inch Steel extension. For use on AMR8580 or AMR8532 when full tire coverage is needed	K244M14	39 lbs	\$313.00

Page 9-50

Bid Term: 2/20/19 - 2/19/21

50



M5L-111 Low Profile

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
ROPS ACCESSOR	RIES			
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K301M86	63 lbs	\$387.00
E1136	Mounting Kit	K148M98	29 lbs	\$191.00
E1138	Work Light Set for Canopy (optional 2-lights)	K124A02	3 lbs	\$159.00
HIGH CAPACITY ALTER M9133	NATOR KIT 80 Amp High Capacity Alternator Kit for ROPS	K374M40	10 lbs	\$480.00
REAR WORK LIGHT M7672	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K79M56	4 lbs	\$102.00

Bid Term: 2/20/19 - 2/19/21



M5L-111 Low Profile

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BRACKETS				
M8075	Front Weight Bracket (230 lbs. each) Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader	K308M10	223 lbs	\$395.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached, not compatible with grill guard	K164M58	63 lbs	\$211.00
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT/BAR I	KITS			
M8076	Front Bumper Bolt Kit for M8075	K44M46	4 lbs	\$57.00
M8073A	Bolt/Bar Kit for M8075	K50M70	10 lbs	\$65.00
M8074A	Bolt/Bar Kit for M1875A	K48M36	8 lbs	\$62.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit Use with 24" or 26" Wheels	K217M62	206 lbs	\$279.00
REAR WHEEL WEIGHT BOLT	r Kits			
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K23M40	8 lbs	\$30.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-73274	Block Heater (Order from the Parts Depar				
REPLACEMENT ROPS SFM-T95L	Replacement ROPS	K700M44 300 lbs \$898.00			
GRILL GUARD M6909	Grill Guard Kit	K167M70 62 lbs \$215.00			



M5 SERIES

M5L-111 Low Profile

F	R	O	N٦	ГΕ	NΓ) I	O	Δ	ח	F	R
		v			116	, _	v	_	ı		

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
FRONT END LO	ADER			
LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separ	K4M310M28 ately	1859 lbs	\$5,526.00
VALVE KITS				
M6931	Standard Valve Kit for ROPS	K816M66	75 lbs	\$1,047.00
M6932	Hydraulic Self-Leveling Valve Kit for ROPS	K1M499M94	101 lbs	\$1,923.00
LOADER ACCES	SSORY KITS			
THIRD FUNCTION VAI M6905	LVES Standard 3rd Function Valve Kit for ROPS Requires Add-on Kit	K928M20	61 lbs	\$1,190.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS	K954M72	61 lbs	\$1,224.00
M6933	Add-on Kit for 3rd Function Valve	K150M54	61 lbs	\$193.00
LOADER ACCESSORI M6910	IES KITS KSR (Kubota Shockless Ride) Accumulator	K517M92	33 lbs	\$664.00
M6911	Hydraulic Quick Connect Single Lever	K617M76	22 lbs	\$792.00
QA BUCKETS &	ACCESSORIES			
M1811	72" Round Back Bucket	K535M08	400 lbs	\$686.00

WA DOONLIO & AC	OLOGORILO			
M1811	72" Round Back Bucket	K535M08	400 lbs	\$686.00
M1815	84" Round Back High Capacity, Light Material Bucket	K714M48	400 lbs	\$916.00
M1816	84" Round Back Bucket	K680M94	400 lbs	\$873.00
BUCKET ACCESSORIES M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K212M16	79 lbs	\$272.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K340M08	90 lbs	\$436.00
BALE SPEARS M1804	Bale Spear 2 Lever Type QA	K581M88	195 lbs	\$746.00

PALLET FORK FRAME / PALLET FORKS

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00



M5 SERIES	M5L-111 Low Profile	е						
FRONT END LOADER								
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST FACT. NO.				
EURO COUPLEI	R							
M1803	Euro Type Coupler	K320M58	210 lbs	\$411.00				
	EURO COUPLER TYPE							
EURO BUCKET	/ BUCKET TINE KITS / GRAPPLE BUCKETS							
M1816E	84" Euro QA Bucket	K795M60	400 lbs	\$1,020.00				
M1285	84" Bucket Tine Kit	K340M08	90 lbs	\$436.00				
EURO BALE SP	EARS							
M1817E	Bale Spear Quick Coupler, Euro QA	K640M38	200 lbs	\$821.00				
EURO PALLET I	FORK FRAME / PALLET FORKS							
M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K591M24	200 lbs	\$758.00				
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00				
K9059	48" Pallet Forks	K399K36	218 lbs	\$512.00				

54



M5L-111 Low Profile

Approved Attachments

Land Pride Rotary Cutters

RCR1860 RCR1884

RCF2060 RCF2084

RCR2660

RCR2672 RCR2684

RCF2760 RCF2772

RCF2784 RCF2784 (Pull Type) RCF3010 (Pull Type)

RCF3010 (Semi-Mount)

RCF3010

RCF3610

RCF3610 (Pull Type) RCF3610 (Semi-Mount) RCF3696 (Pull Type) RCF3696 (Semi-Mount)

RCF3696

RC3620 (Pull Type) RC4015 (Pull Type) Land Pride Box Blades

BB4596 (Pull Type) BB4510 (Pull Type) BB4512 (Pull Type)

Land Pride Dish Harrows

DH2572 DH2596

Land Pride Quick Hitches

QH15 (Cat. I) QH20 (Cat. II)

Land Pride Powered Ditcher

DT55

Land Pride Hydraulic Reservoir System

HRS18 HRS23 HSR3025

Land Pride Grapple Bucket

GB2590 GBE2590



M4N-071/M5N-091/M5N-111 Narrow

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
100/80 Amp Alternator - M4N/M5N
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System M5 only

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed

M4N: 2400 RPM M5N - ROPS/Cab: 2400/2600 RPM

Power Steering:

M4N/M5N ROPS: 6.3 gpm M5N Cab: 6.8 gpm

Impl. Flow-M4N: 16.7 gpm M4N/M5N ROPS: 16.7 gpm M5N Cab: 18.1 gpm

Total Flow-M4N 23.0 gpm M4N/M5N ROPS: 23.0 gpm

M5N Cab: 24.9 gpm

REMOTE VALVES

(2) SCD (Self Canceling Detent) w/ flow control Optional FD (Float Detent) w/ flow control Max 5 valves

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 5071 lbs (ASAE)@ 24" Behind: 3307 lbs

2 External Lift Cylinders Telescoping Lower Links Easy Adjust Stabilizers

Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2385 Eng. RPM 540E* @ 1735 Eng. RPM

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes 24F/24R Two Range, 6-Speed with HiLo Declutch button on Shift knob

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Bi Speed Turn Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 20.1 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 gal Crankcase: 11.3 qts Hydraulics/Trans: 13.7 gal Hydraulics/Front Axle 2.1 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 8.0 x 16 R1 Rear 12.4 x 24 R1

CAB FEATURES

Integral Factory ROPS Certified Flat Deck Mechanical Suspension Seat, Vinyl Retractable Seat belt Tinted Glass Dual Level Air Conditioning & Heater

Front Wiper w/ Washer – 2 Speed Radio Ready, includes 2-speakers, antenna, and wiring harness.

Left and Right Side Exterior Mirror

2 - Front Halogen Work Lights2 - Rear Halogen Work Lights

2 Doors, Frameless all glass

Left Side Step Tilt Steering Wheel Interior Dome Light

Accessory Plug 12V - 15 Amp and 12 Volt 3-Pin 30-amp coupler

12 Volt - Outlet

Hard Mount location right center post Horn

Cup Holder

ROPS FEATURES

Mid Mount Foldable ROPS Mechanical Suspension Seat Retractable Seat Belt Tilt Steering

LIGHTING

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off PTO OFF Shuttle Lever Neutral Parking Brake Turn Signals SMV Sign

7-Pin Electrical Trailer Connector

Model Specifications

M5N-091 M5N-111 M4N-071 SAE Gross HP: 94 SAE Gross HP: SAE Gross HP: 73 107 Engine Net HP: 70 Engine Net HP: 87 Engine Net HP: 100 Max . PTO HP: 61 Max . PTO HP: 78-12 speed Max . PTO HP: 91-12 speed 75-24 speed 88-24 speed



M5N Series

M4N-071/M5N-091/M5N-111 ROPS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE				
	STANDARD TRACTOR WITH STANDARD TIRES							
M4N-071HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K36M652M20	5038 lbs	\$46,990.00				
M5N-091HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K42M900M00	5346 lbs	\$55,000.00				
M5N-091HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K44M499M78	5346 lbs	\$57,051.00				
M5N-111HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K48M434M10	5346 lbs	\$62,095.00				
M5N-111HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K50M033M88	5346 lbs	\$64,146.00				

M4	4N/M5N Narrow				
TIRES AND WHEELS [†]			Additio	nal Price \	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR					
AMR8539A* AMR8975D*	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 12.4-24 R1W GY OPTITRAC TL	60 lbs 171 lbs	In Base Price		In Base Price
AMR8539A MR8918	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 18.4-16.1 R1 Goodyear TSG	60 lbs 189 lbs	K497M64	Add	\$638.00
AG - RADIAL REAR					
AMR8539A AMR8503B	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 320/85R24 R1W GDYR Optitrac	60 lbs 206 lbs	M308M88	Add	\$396.00
AMR8534A AMR8504A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud R-TIRE 380/85R24 R1W Optitrac DT806	77 lbs 288 lbs	K1K262M04	Add	\$1,618.00
AMR8534A AMR8505A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud R-TIRE 380/85R24 R1W Optitrac DT806 Cast	77 lbs 621 lbs	K2M226M12	Add	\$2,854.00
AMR8543 AMR8506	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 R-TIRE 480/65R24 R1W Radial 9000 Cast	126 lbs 664 lbs	K2K775M24	Add	\$3,558.00
INDUSTRIAL					
AMR8542A AMR8584	F-TIRE 27-8.50-15 Titan Trac Loader R-TIRE 320/85R20 R1W Kleber Traker	51 lbs 169 lbs	M340M08	Add	\$436.00

TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED
ORBER GOBE	DEGGINI HON	NUMBER	NUMBER EACH	LIST PRICE
AG - BIAS REAR				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	K180M18	60 lbs	\$231.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	K450M06	171 lbs	\$577.00
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K180M18	60 lbs	\$231.00
MR8918	R-TIRE 18.4-16.1 R1 Goodyear TSG	K698M88	189 lbs	\$896.00
AG - RADIAL REAR				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K180M18	60 lbs	\$231.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	K604M50	206 lbs	\$775.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K294M06	77 lbs	\$377.00
AMR8504A	R-TIRE 380/85R24 R1W Optitrac DT806	K967M20	288 lbs	\$1,240.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K294M06	77 lbs	\$377.00
AMR8505A	R-TIRE 380/85R24 R1W Optitrac DT806 Cast	K1M449M24	621 lbs	\$1,858.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K540M54	126 lbs	\$693.00
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M477M32	664 lbs	\$1,894.00
INDUSTRIAL				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	K195M78	51 lbs	\$251.00
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	K604M50	169 lbs	\$775.00

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① Requires 16 Lug nuts part #35707-49170 for field installation.



M5N Series

M4N-071/M5N-091/M5N-111 ROPS

ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	STANDARD TRACTOR WITH STAND	OARD TIRES			
M4N-071HDC12	4WD Narrow Specialty Cab Tractor 12 Speed		K46M088M64	6900 lbs	\$59,088.00
M5N-091HDC12	4WD Narrow Specialty Cab Tractor 12 Speed		K51M088M44	6900 lbs	\$65,498.00
M5N-091HDC24	4WD Narrow Specialty Cab Tractor 24 Speed		K52M688M22	7033 lbs	\$67,549.00
M5N-111HDC12	4WD Narrow Specialty Cab Tractor 12 Speed		K54M436M20	7033 lbs	\$69,790.00
M5N-111HDC24	4WD Narrow Specialty Cab Tractor 24 Speed		K56M035M98	7033 lbs	\$71,841.00
M4N	M5N Narrow				
TIRES AND WHEELS [†]				itional Price	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR				<u> </u>	
AMR8539A* AMR8975D*	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 12.4-24 R1W GY OPTITRAC TL	60 lbs 171 lbs	In Base Price		In Base Price
AG - RADIAL REAR					
AMR8539A AMR8503B	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 320/85R24 R1W GDYR Optitrac	60 lbs 206 lbs	K308M88	Add	\$396.00
AMR8534A AMR8504A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud R-TIRE 380/85R24 R1W Optitrac DT806	77 lbs 288 lbs	K1M262M04	Add	\$1,618.00
AMR8534A AMR8505A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud R-TIRE 380/85R24 R1W Optitrac DT806 Cast	77 lbs 621 lbs	K2M226M12	Add	\$2,854.00
AMR8543 AMR8506	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 R-TIRE 480/65R24 R1W Radial 9000 Cast	126 lbs 664 lbs	K2M775M24	Add	\$3,558.00
INDUSTRIAL					
AMR8542A AMR8584	F-TIRE 27-8.50-15 Titan Trac Loader R-TIRE 320/85R20 R1W Kleber Traker	51 lbs 169 lbs	K340M08	Add	\$436.00

TIRES AND WHEELS	(priced	per piece)			
ORDER CODE	•	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				-	
AMR8539A*		F-TIRE 8-16 R1 Titan Hi Traction Lug	K180M18	60 lbs	\$231.00
AMR8975D*		R-TIRE 12.4-24 R1W GY OPTITRAC TL	K450M06	171 lbs	\$577.00
AG - RADIAL REAR					
AMR8539A		F-TIRE 8-16 R1 Titan Hi Traction Lug	K180M18	60 lbs	\$231.00
AMR8503B		R-TIRE 320/85R24 R1W GDYR Optitrac	K604M50	206 lbs	\$775.00
AMR8534A		F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K294M06	77 lbs	\$377.00
AMR8504A		R-TIRE 380/85R24 R1W Optitrac DT806	K967M20	288 lbs	\$1,240.00
AMR8534A		F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K294M06	77 lbs	\$377.00
AMR8505A	1	R-TIRE 380/85R24 R1W Optitrac DT806 Cast	K1M449M24	621 lbs	\$1,858.00
AMR8543		F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K540M54	126 lbs	\$693.00
AMR8506		R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M477M32	664 lbs	\$1,894.00
INDUSTRIAL				-	
AMR8542A		F-TIRE 27-8.50-15 Titan Trac Loader	K195M78	51 lbs	\$251.00
AMR8584		R-TIRE 320/85R20 R1W Kleber Traker	K604M50	169 lbs	\$775.00

[†] See Tire Section for Individual Tire Pricing and Information

Bid Term: 2/20/19 - 2/19/21

^{*} Standard Tires

 $^{\, \}oplus \,$ Requires 16 Lug nuts part #35707-49170 for field installation.



M9564

M4N-071/M5N-091/M5N-111 Narrow

ORDER CODE	ALLED ACCESSORIES DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED
HYDRAULICS/HIT	CCH/DRAWBAR	NUMBER	EACH	LIST PRICE
	MOTE VALVES - 3RD, 4TH, AND 5TH POSITION			
M8136	SCD (Self Canceling Detent) w/ Flow Control	K811M98	22 lbs	\$1,041.00
M8137	FD (Float Detent) w/ Flow Control	K811M98	22 lbs	\$1,041.00
M8138	Single Double Valve w/ Flow Control	K975M00	13 lbs	\$1,250.00
REMOTE VALVE LEVE				0.450.00
M8139	3rd Position Lever Kit Cab	K117M00	5 lbs	\$150.00
M8232	3rd Position Lever Kit ROPS	K117M00	5 lbs	\$150.00
M8149	4th Position Lever Kit Cab	K117M00	5 lbs	\$150.00
M8233	4th Position Lever Kit ROPS	K117M00	5 lbs	\$150.00
M8150	5th Position Lever Kit Cab	K117M00	5 lbs	\$150.00
M8234	5th Position Lever Kit ROPS	K117M00	5 lbs	\$150.00
FRONT HYDRAULIC CO M8151	DUPLERS 1st Position Front Hydraulic Coupler Kit Cab	K541M32	71 lbs	\$694.00
M8235	1st Position Front Hydraulic Coupler Kit ROPS	K541M32	9 lbs	\$694.00
M8152	2nd Position Front Hydraulic Coupler Kit Cab	K279M24	20 lbs	\$358.00
M8236	2nd Position Front Hydraulic Coupler Kit ROPS	K279M24	9 lbs	\$358.00
M8153	3rd Position Front Hydraulic Coupler Kit Cab	K279M24	20 lbs	\$358.00
M8237	3rd Position Front Hydraulic Coupler Kit ROPS	K279M24	9 lbs	\$358.00
M8154	4th Position Front Hydraulic Coupler Kit Cab	K279M24	20 lbs	\$358.00
M8157	5th Position Front Hydraulic Coupler Kit Cab	K279M24	20 lbs	\$358.00
OTHER HYDRAULIC AC	, , ,	N21 91VI24	20 105	φ330.00
M8158	Front Case Drain Coupler Kit Cab Requires 1st Position Front Hydraulic Coupler Kit	K90M48	5 lbs	\$116.00
M8238	Front Case Drain Coupler Kit ROPS Requires 1st Position Front Hydraulic Coupler Kit	K90M48	9 lbs	\$116.00
M8159	Rear Case Drain Coupler Kit	K90M48	1 lbs	\$116.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K55M38	10 lbs	\$71.00
TRANSMISSION				
CREEP SPEED KIT M9131	Creep Speed Cassette Type	K753M48	22 lbs	\$966.00
FRONT & REAR A	AXLE			

Page 9-59

\$860.00

59

Rear Axle Spacer Kit

K670M80

52 lbs



M4N-071/M5N-091/M5N-111 Narrow

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
CAB ACCESSORIES				
REAR WIPER AND DEFOG	GER			
M8167	Rear Window Defogger Kit	K413M40	46 lbs	\$530.00
M6944	Rear Wiper and Washer Kit	K111M54	4 lbs	\$143.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)	(Order f	rom Parts De	partment)
HIGH CAPACITY ALTERNA	TOR KIT			
M8168	130 Amp High Capacity Alternator Kit for M4N Cab Model	K608M40	10 lbs	\$780.00
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K608M40	10 lbs	\$780.00
AIR RIDE SEAT				
M9154	Air Ride Seat for Cab models only	K682M50	75 lbs	\$875.00
JENSEN RADIO OPTIONS				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-05298	Radio Bracket for L40 and narrow series tractor	(Order f	rom Parts De	partment)

ROPS ACCESSORIES

REAR WORK LIGHT KIT

M9543	One Light (Maximum 1 Light/Tractor) - ROPS	K84M24	3 lbs	\$108.00



M4N-071/M5N-091/M5N-111 Narrow

		ACCESSORIES
		VCC FZZUBIEZ
ULALLI	INDIALLED	ACCESSONIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BRACKETS				
M1839	Front Weight Bracket	K327M60	92 lbs	\$420.00
	Standard on 2WD Models			
	Requires Front Bumper Bolt Kit			
	Up to 10 Front Suitcase Weights			
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight	K78M00	102 lbs	\$100.00
	Requires Front Weight Bumper and Bolt/Bar Kit			
FRONT WEIGHT BOLT/BAR	KITS			
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K50M70	10 lbs	\$65.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight Kit (103 lbs. each)	K217M62	206 lbs	\$279.00
	Set of 2 Weights, Maximum of 3 Sets			
	Requires Rear Wheel Bolt Kit			
	Use with 24", 26", or 28" Wheels			
REAR WHEEL WEIGHT BOLT	I KITS			
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights	K23M40	8 lbs	\$30.00
	One Bolt Kit per Weight Set			

ADDITIONAL ACCESSORIES

Block Heater	(Order from the Parts Department)			
M4N Replacement ROPS	TBD	TBD	TBD	
M5N Replacement ROPS	TBD	TBD	TBD	
Grill Guard Kit for M5N Cab models only	K167M70	62 lbs	\$215.00	
Grill Guard Kit for M4N Cab Models only Both Grill Guards interfere with Foldable ROPS models.	K152M88	57 lbs	\$196.00	
	M4N Replacement ROPS M5N Replacement ROPS Grill Guard Kit for M5N Cab models only Grill Guard Kit for M4N Cab Models only	M4N Replacement ROPS M5N Replacement ROPS TBD TBD TBD Grill Guard Kit for M5N Cab models only Grill Guard Kit for M4N Cab Models only K167M70 K152M88	M4N Replacement ROPS TBD TBD M5N Replacement ROPS TBD TBD TBD Grill Guard Kit for M5N Cab models only Grill Guard Kit for M4N Cab Models only K167M70 K152M88 57 lbs	



M5N-091HDC12PC Narrow Power Krawler

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
80 Amp Alternator - Cab
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System M5 only

HYDRAULICS / HITCH / DRAWBAR

Max. Flow @ Rated Engine Speed

Open Center Gear Pump

M5 Cab: 2600 RPM Power Steering: M5 - 6.8 Impl. Flow: 18.1 M4N/M5N ROPS: 16.7 gpm Total Flow: 24.9

REMOTE VALVES

(2) SCD (Self Canceling Detent) w/ flow control Optional FD (Float Detent) w/ flow control Max 5 valves

3 Point Hitch & Drawbar

Cat II 3-Point Hitch

@ Lift Points: 5071 lbs (ASAE)@ 24" Behind: 3307 lbs 2 External Lift Cylinders Telescoping Lower Links Easy Adjust Stabilizers Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2385 Eng. RPM 540E* @ 1735 Eng. RPM

Model Specifications

M5N-091HDC12PC SAE Gross HP: 94 Engine Net HP: ->88 Max . PTO HP: 78

Complete revision September 17, 2018.

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Planetary Final Drives Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 20.1 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 13.7 gal Hydraulics/Front Axle 2.1 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 8.0 x 16 R1 Track

CAB FEATURES

Integral Factory ROPS Certified Flat Deck Mechanical Suspension Seat, Vinyl Retractable Seat belt Tinted Glass Dual Level Air Conditioning & Heater Front Wiper w/ Washer - 2 Speed Radio Ready, includes 2-speakers, antenna, and wiring harness. Left and Right Side Exterior Mirror 2 - Front Halogen Work Lights 2 - Rear Halogen Work Lights 2 Doors, Frameless all glass Left Side Step Tilt Steering Wheel Interior Dome Light Accessory Plug 12V - 15 Amp and 12 Volt 3-Pin 30-amp coupler 12 Volt - Outlet Hard Mount location right center post

LIGHTING

Cup Holder

2 Headlights - Tail lights4 Hazard Flasher Lights w/ Turn Signals2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
PTO OFF
Shuttle Lever Neutral
Parking Brake
Turn Signals
SMV Sign
7-Pin Electrical Trailer Connector

62



M5 Series

M5N-091HDC12PC Narrow Power Krawler

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	STANDARD TRACTOR WITH STANDARD TIRES			
M5N-091HDC12PC	4WD Narrow Specialty Cab Tractor 12 Speed	K57M330M00	6900 lbs	\$73,500.00

M5N Narrow Power Krawler					
TIRES AND WHEELS [†]			Additiona	l Price \	Nith Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGG. LIST PRICE
AG - BIAS REAR					
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	77 lbs	In Base Price		In Base Price
AG - RADIAL REAR					
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	126 lbs	K492M96	Add	\$632.00

TIRES AND WHEELS (p	priced per piece)			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
AG - BIAS REAR				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K294M06	77 lbs	\$377.00
	Rear Power Krawler Track System 11.8" Track	0		\$
AG - RADIAL REAR			-	
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K540M54	126 lbs	\$693.00
	Rear Power Krawler Track System 11.8" Track	0		\$



M5N-091HDC12PC Narrow Power Krawler

		ACCESSORIES
DEALER	IIIOTALLED	AUGEGGURIEG

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HI7	TCH/DRAWBAR			
HYDRAULIC REAR RE I M8136	MOTE VALVES - 3RD, 4TH, AND 5TH POSITION SCD (Self Canceling Detent) w/ Flow Control	K811M98	22 lbs	\$1,041.00
M8137	FD (Float Detent) w/ Flow Control	K811M98	22 lbs	\$1,041.00
M8138	Single Double Valve w/ Flow Control	K975M00	13 lbs	\$1,250.00
REMOTE VALVE LEVE M8139	R KITS 3rd Position Lever Kit	K117M00	5 lbs	\$150.00
M8149	4th Position Lever Kit	K117M00	5 lbs	\$150.00
M8150	5th Position Lever Kit	K117M00	5 lbs	\$150.00
FRONT HYDRAULIC CO M8151	OUPLERS 1st Position Front Hydraulic Coupler Kit	K541M32	71 lbs	\$694.00
M8152	2nd Position Front Hydraulic Coupler Kit	K279M24	20 lbs	\$358.00
M8153	3rd Position Front Hydraulic Coupler Kit	K279M24	20 lbs	\$358.00
M8154	4th Position Front Hydraulic Coupler Kit	K279M24	20 lbs	\$358.00
M8157	5th Position Front Hydraulic Coupler Kit	K279M24	20 lbs	\$358.00
OTHER HYDRAULIC A M8158	CCESSORIES Front Case Drain Coupler Kit Requires 1st Position Front Hydraulic Coupler Kit	K90M48	5 lbs	\$116.00
M8159	Rear Case Drain Coupler Kit	K90M48	1 lbs	\$116.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K55M38	10 lbs	\$71.00

TRANSMISSION

CREEP SPEED KIT				
M9131	Creep Speed Cassette Type	K753M48	22 lbs	\$966.00



M5N-091HDC12PC Narrow Power Krawler

DEALER INSTALLED ACCESSORI	IES	OR	SC	ΞS	ÌΕ	С	С	Α	D	LE	L	ΓΑ	S	IN'	₹	_EF	Αl	DE
----------------------------	-----	----	----	----	----	---	---	---	---	----	---	----	---	-----	---	-----	----	----

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
CAB ACCESSORIES				
REAR WIPER AND DEFOGO	GER			
M8167	Rear Window Defogger Kit	K413M40	46 lbs	\$530.00
M6944	Rear Wiper and Washer Kit	K111M54	4 lbs	\$143.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)	(Order f	rom Parts De	partment)
HIGH CAPACITY ALTERNAT	TOR KIT			
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K608M40	10 lbs	\$780.00
AIR RIDE SEAT				
M9154	Air Ride Seat for Cab models only	K682M50	75 lbs	\$875.00
JENSEN RADIO OPTIONS				
77700-04753	Radio, AM/FM/WB/AUX	(Order f	rom Parts De _l	partment)
	(Also Requires 77700-05298 radio bracket)			
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order f	rom Parts De	partment)
	(Also Requires 77700-05298 radio bracket)			
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth	(Order f	rom Parts De	partment)
	(Also Requires 77700-05298 radio bracket)	•	·	,
77700-05298	Radio Bracket for L40 and narrow series tractor	(Order f	rom Parts De	partment)

BALLAST

FRONT WEIGHT BRACKETS				
M1839	Front Weight Bracket (230 lbs. each)	K327M60	92 lbs	\$420.00
	Standard on 2WD Models			
	Requires Front Bumper Bolt Kit			
	Up to 10 Front Suitcase Weights			
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight	K78M00	102 lbs	\$100.00
	Requires Front Weight Bumper and Bolt/Bar Kit			
FRONT WEIGHT BOLT/BAR K	KITS			
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K50M70	10 lbs	\$65.00

ADDITIONAL ACCESSORIES

BLOCK HEATER			
70000-73274	Block Heater	(Order from the Parts Department)	
GRILL GUARD			
M6909	Grill Guard Kit	K167M70 62 lbs \$215.00)

Page 9-65



M6 SERIES

M6-101/M6-111

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. In.) 4 Cyl **EPA Tier 4 Final Compliant** Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled Fuel Tank Capacity: 50.2 Gal 130 Amp Alternator 12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

DEF Tank Capacity: 4.2 Gal

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: 16.1 gpm Implement Flow: 18.7 gpm Total Flow: 34.8 gpm

REMOTE VALVES

Remote Valves w/Individual Flow Control (1) SCD (Self Canceling Detent) (1) FD (Float Detent) In-Cab Flow Control Adjustment

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch

@ Lift Points: 8598 lbs @ 24" Behind: 6834 lbs 2 External Lift Cylinders Electronic Position and Draft Control Telescoping Lower Links

Stabilizers

Swinging Drawbar - Straight

POWER TAKE OFF (540/1000)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 2405 Eng. rpm SAE 1 3/8" Twenty-One Spline 1000 rpm @ 2389 Eng. rpm

TRANSMISSION

24F/24R Intelli-Shift Three Range, 8-Speed Semi-Powershift Auto Shift Mode - Field & Road Auto 4WD Function Electro-Hydraulic Shuttle Shift Electro-Hydraulic Front & Rear Diff. Lock Clutch - Multi Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear Type Bi-Speed Turn Feature Planetary Final Drives Adj. (Rim) Tread Spacing

FLUID CAPACITY

Cooling System: 11.3 qts Crankcase: 10.5 qts Hydraulics/Trans: 17.2 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm 26 Mode LCD Readout Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 12.4R24 Radial / Steel Waffle Rear 18.4R30 Radial/Cast Iron

GRAND-X CAB

4-post, ROPS Certified RH & LH Doors Tinted Glass Doors and Windows In-roof window/vent Tilt and Telescoping Steering Wheel Deluxe Air Ride Seat Dual Level Air Conditioning & Heater Front and Rear Wiper/Washer Front Sun Visor Rear View Mirror LH & RH Telescoping Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V - 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder Instructor Seat Ready Horn

LIGHTING

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

2 Grille Mounted Worklights

2 Front Cab Halogen Worklights

2 Rear Halogen Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

Model Specifications

M6-101DTC-F SAE Gross HP: 104.5 HP Engine Net HP: 97.1 HP Max . PTO HP: 82.0 HP @ 2600 Engine RPM

Complete revision September 17, 2018.

M6-111DTC-F SAE Gross HP: 114.1 HP Engine Net HP: 106.8 HP Max . PTO HP: 92.0 HP @ 2600 Engine RPM

Bid Term: 2/20/19 - 2/19/21



M6 Series

M6-101/M6-111

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	***STANDARD TRACTOR WITH STANDARD TIRES**	•		
M6-101DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K62M804M04	9601 lbs	\$80,518.00
M6-111DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K65M563M68	9789 lbs	\$84,056.00

M6-101DT	C-F/M6-111DTC-F				
TIRES AND WHEELS [†]			Additi	onal Price \	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
Standard Tires					
AMR8557A** AMR8514B**	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	220 lbs 1027 lbs	In Base Price		In Base Price
AG - BIAS REAR					
AMR8558C AMR9246C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	206 lbs 1000 lbs	K59M28	Less	(\$76.00)
AMR8558C AMR9244D	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	206 lbs 441 lbs	K1K210M56	Less	(\$1,552.00)
AG - RADIAL REAR					
AMR8557A AMR8531A	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC	220 lbs 429 lbs	K920M40	Less	(\$1,180.00)
AMR8559A AMR9256C	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC CAST	290 lbs 1020 lbs	K585M00	Add	\$750.00
AMR8559A AMR9254D	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC	290 lbs 513 lbs	K375M96	Less	(\$482.00)
AMR8556B AMR9257B	F-TIRE 12.4-24 R1W GDYR OPTITRAC R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	193 lbs 380 lbs	K762M84	Less	(\$978.00)
AMR8556B AMR9258A	F-TIRE 12.4-24 R1W GDYR OPTITRAC R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	193 lbs 910 lbs	K31M20	Add	\$40.00
AG - RADIAL R14 Tires					
AMR9304 AMR9308	F-TIRE LSW 340/70R28 GY R14 R-TIRE LSW 460/75R38 GY R14 CAST	260 lbs 1072 lbs	K2K177M76	Add	\$2,792.00

[†] See Tire Section for Individual Tire Pricing and Information ** Standard Tires for M6-101DTC-F & M6-111DTC-F

^{*} Available only on M6-101DTC-F



M6 Series

M6-101/M6-111

Individual Tire Pricing

M6-101	DTC-F/M6-111DTC-F		
TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	FACTORY WEIGH NUMBER EACH	
Standard Tires			
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48 220 lb	s \$816.00
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64 1027 II	s \$2,088.00
AG - BIAS REAR			
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K545M22 206 lb	s \$699.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M690M26 1000 II	os \$2,167.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K545M22 206 lb	s \$699.00
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M114M62 441 lb	s \$1,429.00
AG - RADIAL REAR			
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48 220 lb	s \$816.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M168M44 429 lb	s \$1,498.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K739M44 290 lb	s \$948.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M818M18 1020 II	os \$2,331.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K739M44 290 lb	s \$948.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M337M70 513 lb	s \$1,715.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K483M60 193 lb	s \$620.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M400M10 380 lb	s \$1,795.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K483M60 193 lb	s \$620.00
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M797M12 910 lb	s \$2,304.00
AG - RADIAL R14 Tires	5		
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M053M00 260 lb	s \$1,350.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M301M00 1072 II	s \$2,950.00

[†] See Tire Section for Individual Tire Pricing and Information

^{**} Standard Tires for M6-101DTC-F & M6-111DTC-F

^{*} Available only on M6-101DTC-F



K954M72

76 lbs

\$1,224.00

M6 SERIES

M6-101/M6-111

DEALER INSTAI	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITC	CH/DRAWBAR			
HYDRAULIC REAR REMO M7683A	OTE VALVES - 3RD POSITION SCD Valve with Built-In Flow Control	K636M48	22 lbs	\$816.00
M7684A	FD Valve with Built-In Flow Control	K643M50	20 lbs	\$825.00
REMOTE VALVE LEVER M7629	KITS FOR DELUXE VALVES 3rd Position Lever Kit	K169M26	5 lbs	\$217.00
M7686	4th Position Lever Kit	K169M26	3 lbs	\$217.00
3-POINT LIFT ASSIST KIT M9122	F High Capacity Lift Cylinders Provides 9,447 Lbs. lift capacity	K780M00	55 lbs	\$1,000.00
3-POINT FENDER SWITC M9237	H Right hand fender switch for 3-point hitch	K35M10	1 lbs	\$45.00
DROP DRAWBAR M9227	Drop Drawbar - 4.5" Drop	K156M00	55 lbs	\$200.00
DRAWBAR CLEVIS M9289	Drawbar Clevis for standard Flat Drawbar	K172M38	13 lbs	\$221.00
M9217	Drawbar Clevis for M9227 Drop Drawbar	K172M38	20 lbs	\$221.00
TRANSMISSION				
CREEP SPEED KIT M9127	One kit, Cassette type Requires dealer installation.	K753M48	39 lbs	\$966.00
FRONT AXLE				
FRONT FENDER KIT (Sw M9290	ivel Type) Fender Mounting Kit, (Requires M9208) Not compatible with Loader Applications	K639M60	70 lbs	\$820.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide	K85M80	7 lbs	\$110.00

AUDIO ACCESSORIES

WIDE ROW FRONT AXLE KIT

Jensen Radio options

M9282

77700-04753	RADIO, AM/FM/WB/AUX	(Order from Parts Department)
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth	(Order from Parts Department)

*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.

80" Wide Row Front Axle Kit

Not compatible with Loader Applications



M6 SERIES

M6-101/M6-111

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
CAB ACCESSORIES					
M1145	Retractable Rear Sunshade	K175M50	5 lbs	\$225.00	
M9118	Rear Defogger Kit	K303M42	46 lbs	\$389.00	
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K361M92	14 lbs	\$464.00	
M9144	Monitor Bracket	K93M60	4 lbs	\$120.00	
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order fro	(Order from Parts Department)		
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle.	K113M10	4 lbs	\$145.00	
M1352	Rear Mount Work Light Kit (Two Lights)	K124M02	5 lbs	\$159.00	
REPLACEMENT CAB M6937	Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K12M828M66	1000 lbs	\$16,447.00	

RALLAST

DALLASI				
FRONT SUITCASE WEI M9126	GHTS Weight Bracket	K327M60	96 lbs	\$420.00
M8079	One Weight Requires M9126 Bracket and M9275 Bolt Kit. Maximum 12 Weights.	K78M00	102 lbs	\$100.00
M9275	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K40M56		\$52.00
REAR WHEEL WEIGHT	S			
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Iron Wheels	K241M80	328 lbs	\$310.00
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K21M06	6 lbs	\$27.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K19M50	6 lbs	\$25.00



M6 SERIES

M6-101/M6-111

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
ADDITIONAL ACCE	SSORIES				
FUEL TANK GUARD KIT M6913	Heavy Duty Metal Fuel Tank Guard Kit	K235M56	14 lbs	\$302.00	
BLOCK HEATER 70000-73274	Block Heater	(Order fror	(Order from the Parts Department)		
FUEL CAP 77700-06358	Locking Fuel Cap	(Order fror	(Order from the Parts Department)		

Bid Term: 2/20/19 - 2/19/21



M6 SERIES M6-101/M6-111 FRONT END LOADER **FACTORY** WEIGHT **SUGGESTED** ORDER CODE **DESCRIPTION** NUMBER **EACH** LIST PRICE LA1955 LOADER - For M6-101/M6-111 FRONT LOADER (QA) LA1955 K4M814M94 1859 lbs \$6,173.00 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grille guard, or bucket. VALVE KITS K919M62 75 lbs M6916 Loader Valve Kit (Standard) \$1,179.00 M6928 Loader Valve Kit (Hydraulic Self Leveling) K1M570M92 101 lbs \$2.014.00 M6921 3rd Function Valve Kit for Standard Loader Valve K998M40 61 lbs \$1,280.00 M6923 3rd Function Valve Kit for Hyd Self Leveling Loader Valve K998M40 61 lbs \$1,280.00 LOADER ACCESSORIES KITS M6919 KSR Accumulator K544M44 36 lbs \$698.00 M6927 Hydraulic Quick Connect Single Lever K640M38 22 lbs \$821.00 GRILLE GUARD K216M84 M6934 **Grill Guard** 108 lbs \$278.00 BUCKETS / BUCKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA) M1815 84" Rd Back High Capacity, Light Material Bucket K714M48 400 lbs \$916.00 M1816 84" Rd Back Bucket K680M94 400 lbs \$873.00 84" Bucket Tine Kit (includes 9 Tines and hardware) M1285 K340M08 90 lbs \$436.00 M1886 K755M82 610 lbs 96" Bucket \$969.00 M1287 96" Bucket Tine Kit (includes 10 Tines and hardware) K377M52 200 lbs \$484.00 M1896 96" Sq Back, High Capacity, Light Material Bucket K833M04 610 lbs \$1,068.00 84" HAY GRAPPLE BUCKET M9248 K3M003M00 1240 lbs \$3,850.00 Four tine 2-cylinder grapple

	i our tine, z-cylinder grappie			
	2-Lever QA coupler			
	Requires M6920 for M6916 Valve			
	Requires M6922 for M6928 Valve			
	Requires two Hyd. 1/2" quick couplers w/0.375" fittings			
M9249	90" HAY GRAPPLE BUCKET	K3M184M74	1500 lbs	\$4,083.00
	Four tine, 2-cylinder grapple			
	2-Lever QA coupler			
	Requires M6920 for M6916 Valve			
	Requires M6922 for M6928 Valve			

BALE SPEARS

M1804	Bale Spear 2-Lever Type QA	K5811V188	195 IDS	\$746.00
PALLET FOR	RK FRAME / PALLET FORKS			
M1809	Pallet Fork Frame 2-Lever Type QA	K538M20	200 lbs	\$690.00

M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K399K36	218 lbs	\$512.00

Requires two Hyd. 1/2" quick couplers w/0.375" fittings

Page 9-72

72



M6 SERIES M6-101/M6-111

Requires M6920 for M6916 Valve Requires M6922 for M6928 Valve

Requires M6920 for M6916 Valve Requires M6922 for M6928 Valve

Four tine, 2-cylinder grapple 2-Lever QA coupler

96" EURO QA type Bale Grapple Bucket

Requires two Hyd. 1/2" quick couplers w/0.375" fittings

Requires two Hyd. 1/2" quick couplers w/0.375" fittings

FRU		LUI	ADER

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
LA1955E EURO	LOADER - For M6-101/M6-111			
LA1955E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K4M814M94	1859 lbs	\$6,173.00
VALVE KITS				
M6916	Loader Valve kit (Standard)	K919M62	75 lbs	\$1,179.00
M6928	Loader Valve kit (Hydraulic Self Leveling)	K1M570M92	101 lbs	\$2,014.00
M692 <mark>1</mark>	3rd Function Valve Kit for Standard Loader Valve Requires M1967E	K998M40	61 lbs	\$1,280.00
M692 <mark>3</mark>	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1967E	K998M40	61 lbs	\$1,280.00
M1967E	Hose Extension Kit, required for M6921 or M6923	K178M62	13 lbs	\$229.00
LOADER ACCES	SORIES KITS			
M6919	KSR (Kubota Shockless Ride) Accumulator	K544M44	36 lbs	\$698.00
M6927	Hydraulic Quick Connect Single Lever	K640M38	22 lbs	\$821.00
GRILL GUARD K	KITS			
M6934	Grill Guard	K216M84	108 lbs	\$278.00
BUCKET / BUCK	ET TINE KITS / GRAPPLE BUCKETS			
M1816E	84" EURO QA Bucket	K795M60	400 lbs	\$1,020.00
M1285	84" Bucket Tine Kit	K340M08	90 lbs	\$436.00
M1886E	96" EURO QA Bucket	K1M151M28	610 lbs	\$1,476.00
M1287	96" Bucket Tine Kit	K377M52	200 lbs	\$484.00
M1896E	96" EURO QA Light Material Bucket	K1M246M44	610 lbs	\$1,598.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler	K3M205M80	1235 lbs	\$4,110.00

BALE SPEARS

M9223E

M1817E Bale Spear Quick Coupler, Euro QA K640M38 200 lbs	\$821.00
--	----------

PALLET FORK FRAME / PALLET FORKS

Complete revision September 17, 2018.

M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K591M24	200 lbs	\$758.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K399K36	218 lbs	\$512.00

K3M455M40

1300 lbs

\$4,430.00

Bid Term: 2/20/19 - 2/19/21



M6 SERIES

M6-101/M6-111

Additional Approved Attachments

Land Pride Rotary Cutters

RCR2684

RCF2784

RCF3096 (pull-type)

RCF3096 (semi-mount)

RCF3096

RCFM3096 (pull-type)

RCFM3096 (semi-mount)

RCFM3096

RCF3010 (pull-type)

RCF3010 (semi-mount)

RCF3010

RCFM3010 (pull-type)

RCFM3010 (semi-mount)

RCFM3010

RCF3610 (pull-type)

RCF3610 (semi-mount)

RCF3610

RCFM3610 (pull-type)

RCFM3610 (semi-mount)

RCFM3610

RCF3696 (pull-type)

RCF3696 (semi-mount)

RCF3696

RCFM3696 (pull-type)

RCFM3696 (semi-mount)

RCFM3696

RC3620 (pull-type)

RCM3620 (pull-type)

RC4015 (pull-type) RCM4015 (pull-type) **Land Pride Box Blades**

BB4596 (pull-type)

BB4510 (pull-type)

BB4512 (pull-type)

Land Pride Disc Harrows

DH2596

Land Pride Quick Hitch

QH20 (cat. II)

Land Pride Power Ditcher

DT55

DTM55

Land Pride Hydraulic Reservoir

HRS18

HRS23

HRS3025

Land Pride Snowblower

SBD3596



M6S SERIES

M6S-111 Midsize Utility Tractors

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. in.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled 12V 900 CCA Battery Charging Output 80 amps Cab

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed Cab: 2600 RPM Power Steering: 12.9 gpm

Impl. Flow - Cab: 17.6 gpm Total Flow - Cab: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

(1) FD (Float Detent)

3 Point Hitch & Drawbar

Cat II 3-Point Hitch

@ Lift Points: 4960 lbs (ASAE)@ 24" Behind: 3858 lbs Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2405 Eng. RPM SAE 1-38" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM Optional 540/1000 standard on 2 speed PTO Model

Model Specifications

M6S-111

SAE Gross HP: 114 Engine Net HP: 105 Max . PTO HP: 95

Transmission

16F/16R or 32F/32R Swing Shift Plus Shuttle Shift: Electric Hydraulic Main Shift: 8-Speed synchronized w/swing shift

Range Shift: 2-Speed Constant Mesh Dual Speed: 2-Speed power shift

Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Dish Brakes

FRONT AXLE

Hydrostatic Power Steering 2WD: Steel Adjustable 4WD: Cast Iron, Bevel Gear 55 Deg Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 46.2 gal DEF Tank Capacity: 3.2 gal Cooling System: 2.5 gal Crankcase: 2.8 gal Hydraulics/Trans: 15.8 gal

Front Axle case: 1.9 gal Bevel Gear case: 0.9 gal

INSTRUMENTS

LCD Display:

Shuttle position, DEF gauge, Clock, Travel Speed, PTO RPM, Hour Meter, Trip Meter, Fuel Consumption, PM Level, RPM Memory Oil Pressure Fuel Gauge Coolant Temperature

Swing Shift H/L Digital Light Indicator 4WD Indicator Water Separator Light

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard

Cab Features

Tilt Steering Wheel Retractable Seat belt 12V - Outlet Cup Holder

Cloth Suspension Seat Side view mirrors Front wiper and washer

LIGHTING

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

2 Grill Mounted Worklights

2 Cab Mounted Worklights

2 Rear Cab Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign

7-Pin Electrical Trailer Connector



M6S Series

M6S-111 Midsize Utility Tractors

1027 lbs

ORDER CODE		DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
		STANDARD TRACTOR WITH STAND	ARD TIRES			
M6S-111SHF		2WD Farm Tractor ROPS		K42M756M48	6834 lbs	\$54,816.00
M6S-111SHC		2WD Farm Tractor w/Factory Cab (A/C)		K50M220M30	9789 lbs	\$64,385.00
M6S-111 2WD		1				
TIRES AND WHEELS [†]				Addi	itional Price \	With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR						
AMR8980B*		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	1 D D:		
AMR9244D*		R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs	In Base Price		In Base Price
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	1/41/45/41/400	A -1 -1	£4.470.00
AMR9246C	1	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs	K1M151M28	Add	\$1,476.00
AG - RADIAL REAR						
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K446M16	٨٨٨	¢572.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	513 lbs	N440W10	Add	\$572.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	1/41/4071/40		04.004.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs	K1M407M12	Add	\$1,804.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	1/5171100		0004.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs	K517M92	Add	\$664.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs			A 4 A AA A AA
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	910 lbs	K1M311M96	Add	\$1,682.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K4K020M24	A et -t	£4.246.00
AMR8514B	\bigcirc	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs	K1K028M04	Add	\$1,318.00

TIRES	AND WHEE	I S (priced	ner niece)

TIRES AND WHELES	(prioda)	per piece,		1	T
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED
ONDER CODE		DESCRIPTION	NUMBER	EACH	LIST PRICE
AG - BIAS REAR					
AMR8980B*		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR9244D*		R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M114M62	441 lbs	\$1,429.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR9246C	1	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M690M26	1000 lbs	\$2,167.00
AG - RADIAL REAR					
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	K1M337M70	513 lbs	\$1,715.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M818M18	1020 lbs	\$2,331.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K228M54	75 lbs	\$293.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M400M10	380 lbs	\$1,795.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K228M54	75 lbs	\$293.00
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M797M12	910 lbs	\$2,304.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K255M06	91 lbs	\$327.00
AMR8514B	①	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64	1027 lbs	\$2,088.00

^{*} Standard Tires

AMR8514B

R-TIRE 460/85R30 R1W GDYR OPTRAC CAST

① Recommended for loader applications, increases base weight by approximately 600 lbs.



M6S-111 Midsize Utility Tractors

ORDER CODE		DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
		STANDARD TRACTOR WITH STAND	ARD TIRES			
M6S-111SHD		4WD Farm Tractor ROPS 540 PTO		K48M956M70	8466 lbs	\$62,765.00
M6S-111SDS2		4WD Farm Tractor ROPS 540/1000 PTO With Swing Shft Plus		K51M355M98	8466 lbs	\$65,841.00
M6S-111SHDC		4WD Farm Tractor w/Factory Cab (A/C)		K55M321M50	9789 lbs	\$70,925.00
M6S-111SHDC2		4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO		K55M750M50	9789 lbs	\$71,475.00
M6S-111SDSC		4WD Farm Tractor w/Factory Cab (A/C) With Swing Shift Plus		K57M193M50	9789 lbs	\$73,325.00
M6S-111SDSC2		4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO with Swing Shift Plus		K57M622M50	9789 lbs	\$73,875.00
M6S-111 4WD						
TIRES AND WHEELS [†]			WEIGHT	FACTORY	tional Price	With Tire Option SUGGESTED
ORDER CODE		DESCRIPTION	EACH	NUMBER		LIST PRICE
AG - BIAS REAR						
AMR8558C* AMR9246C*	1	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	206 lbs 1000 lbs	In Base Price		In Base Price
AMR8558C AMR9244D		F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	206 lbs 441 lbs	K1M151M28	Less	(\$1,476.00)
AMR8556B AMR8530B		F-TIRE 12.4-24 R1W GDYR OPTITRAC R-TIRE 18.4-30 R1W GDYR OPTITRAC	193 lbs 393 lbs	K1M536M60	Less	(\$1,970.00)
AG - RADIAL REAR						
AMR8559A AMR9254D		F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC	290 lbs 513 lbs	K316M68	Less	(\$406.00
AMR8559A AMR9256C	①	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC CAST	290 lbs 1020 lbs	K644M28	Add	\$826.00
AMR8557A AMR8514B	①	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	220 lbs 1027 lbs	K59M28	Add	\$76.00
AMR8557A AMR9257B		F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	220 lbs 380 lbs	K397M80	Less	(\$510.00)
AMR8557A AMR9258A	1	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	220 lbs 910 lbs	K396M24	Add	\$508.00
AG - RADIAL R14						
Tires AMR9304 AMR9308		F-TIRE LSW 340/70R28 GY R14 R-TIRE LSW 460/75R38 GY R14 CAST	260 lbs 1072 lbs	K2K237M04	Add	\$2,868.00

^{*} Standard Tires

 $[\]odot$ Recommended for loader applications, increases base weight by approximately 600 lbs.



M6S-111 Midsize Utility Tractors

Me	6S-11	1 4WD			
TIRES AND WHEELS (p	riced	per piece)			
ORDER CODE		DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
AG - BIAS REAR				-	
AMR8558C*		F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K545M22	206 lbs	\$699.00
AMR9246C*		R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M690M26	1000 lbs	\$2,167.00
AMR8558C		F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K545M22	206 lbs	\$699.00
AMR9244D	1	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M114M62	441 lbs	\$1,429.00
AMR8556B		F-TIRE 12.4-24 R1W GDYR OPTITRAC	K483M60	193 lbs	\$620.00
AMR8530B		R-TIRE 18.4-30 R1W GDYR OPTITRAC	K983M58	393 lbs	\$1,261.00
AG - RADIAL REAR					
AMR8559A		F-TIRE 340/85R24 R1W GY OPTITRAC	K739M44	290 lbs	\$948.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	K1M337M70	513 lbs	\$1,715.00
AMR8559A		F-TIRE 340/85R24 R1W GY OPTITRAC	K739M44	290 lbs	\$948.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M818M18	1020 lbs	\$2,331.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00
AMR8514B		R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M628M64	1027 lbs	\$2,088.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M400M10	380 lbs	\$1,795.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K636M48	220 lbs	\$816.00
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M797M12	910 lbs	\$2,304.00
AG - RADIAL R14 Tires					
AMR9304		F-TIRE LSW 340/70R28 GY R14	K1M053M00	260 lbs	\$1,350.00
AMR9308		R-TIRE LSW 460/75R38 GY R14 CAST	K2M301M00	1072 lbs	\$2,950.00

^{*} Standard Tires

① Recommended for loader applications, increases base weight by approximately 600 lbs.



M6S SERIES

M9282

M6S-111 Midsize Utility Tractors

WIOS SLIVIES		Tilly Hack	ЛЭ	
DEALER INSTA	ALLED ACCESSORIES			0110050755
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HIT				
HYDRAULIC REAR REN M9517A	MOTE VALVES - 3RD POSITION SCD (Self Canceling Detent)	K540M54	14 lbs	\$693.00
M9669A	FD (Float Detent)	K533M52	12 lbs	\$684.00
REMOTE VALVE LEVER	RKITS			
M7653A	3rd Position Lever Kit - ROPS Only	K109M20	5 lbs	\$140.00
M7659A	3rd Position Lever Kit - Cab Only	K109M20	3 lbs	\$140.00
FLOW CONTROL VALV	ES			
M9585	Flow Control Valve	K390M78	8 lbs	\$501.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K811M98	20 lbs	\$1,041.00
3-POINT LIFT ASSIST K				
M9269B	High Capacity Lift Cylinders	K726M18	194 lbs	\$931.00
DROP DRAWBAR				
M9227	Drop Drawbar 4" drop	K156M00	55 lbs	\$200.00
DRAWBAR CLEVIS	Drawb or Classic for Elet Drawb or	1/4701100	40 lba	#224.00
M9289 M9217	Drawbar Clevis for Flat Drawbar Drawbar Clevis for Drop Drawbar	K172M38 K172M38	13 lbs 20 lbs	\$221.00 \$221.00
TRANSMISSION				
CREEP SPEED KIT M9293B	Creep Speed Cassette Type	K579M54	43 lbs	\$743.00
DUAL SPEED PTO KITS M6951	540/1000 RPM PTO Kit- 1000@2389 RPM 1-3/8" 21 Spline Shaft included *Not applicable for M6S-111SDS2 Models	K779M22	103 lbs	\$999.00
FRONT & REAR A				
FRONT FENDER KIT (S' M9290	WIVEL TYPE) Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not compatible with Loader Applications Not compatible with AMR8567 Flotation Tires	K639M60	70 lbs	\$820.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders	K85M80	7 lbs	\$110.00
Wide Axle Kit	OOU ANAID NAIde Front Ande Kit	1/05/11/70	70 lb a	£4.224.00

Page 9-79

Bid Term: 2/20/19 - 2/19/21

\$1,224.00

79

80" 4WD Wide Front Axle Kit

Not approved for loader applications

K954M72

76 lbs



M6S SERIES

M6S-111 Midsize Utility Tractors

DEALER	INSTALLE	D ACCES	SSORIES
--------	-----------------	---------	---------

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
ROPS ACCESSOR	RIES			
E1134	Deluxe Fibertglass Canopy for ROPS	K301M86	63 lbs	\$387.00
E1136	Mounting Bracket Kit for E1134	K148M98	29 lbs	\$191.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K124A02	3 lbs	\$159.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K66M30	3 lbs	\$85.00
Replacement ROPS				
SFM-FM6S111	Replacement ROPS for M6S-111/M6H-111	TBD	TBD	TBD

CAB ACCESSORIES

OAD ACCEDECITIES					
M7661	Rear Window Wiper Kit	K181M74	4 lbs	\$233.00	
M1476	Elec-Defogger Kit and 100 Amp Alternator	K444M60	63 lbs	\$570.00	
M9270	Air Ride Seat Suspension Kit Requires Wire Harness	K429M00	49 lbs	\$550.00	
M9205	Air Ride Seat Wire Harness	K16M38	1 lbs	\$21.00	
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order fr	(Order from Parts Department)		
HIGH CAPACITY ALTERNAT M6950	OR KIT 100 Amp High Capacity Alternator Kit for Cab	TBD	10 lbs	TBD	
JENSEN RADIO OPTIONS 77700-04753	Radio, AM/FM/WB/AUX	(Order fr	om Parts Dep	artment)	
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)			
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth	(Order from Parts Department)			

BALLAST

FRONT SUITCASE WEIGHTS M8079	Suitcase Weight 12 Max	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT/BAR	KITS			
M9275	Bolt/Bar Kit	K40M56		\$52.00
REAR WHEEL WEIGHTS				
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit	K241M80	328 lbs	\$310.00
REAR WHEEL WEIGHT BOLT	KITS			
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K21M06	6 lbs	\$27.00
M8127A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K15M60	6 lbs	\$20.00
REAR 3-POINT BALLAST				
M8180	Ballast Box	K492M96	220 lbs	\$632.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-73274	Block Heater	(Order from Parts Department)		
FUEL TANK GUARD M6942	Heavy Duty Fuel Tank Guard Kit for ROPS	K217M62	18 lbs	\$279.00
M6952	Heavy Duty Fuel Tank Guard Kit for Cab	K217M62	18 lbs	\$279.00
GRILL GUARD M8147	Grill Guard Kit	K187M20	61 lbs	\$240.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point. Partial revision December 18, 2018.



M6S SERIES M6S-111 Midsize Utility Tractors FRONT END LOADER **ORDER FACTORY** WEIGHT SUGGESTED **DESCRIPTION** CODE NUMBER **EACH** LIST PRICE FRONT END LOADER LA1944A K4M450M68 Front End Loader (2 Lever Type Quick Coupler) 1859 lbs \$5,706.00 Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately **VALVE KITS** M6955 Standard Valve Kit - ROPS K807M30 75 lbs \$1,035.00 M6953 Hydraulic Self-Leveling Valve Kit - ROPS K1M637M22 111 lbs \$2,099.00 M8143 Standard Valve Kit - Cab K943M80 75 lbs \$1,210.00 M8144 Hydraulic Self-Leveling Valve Kit - Cab K1M637M22 101 lbs \$2,099.00 LOADER ACCESSORY KITS THIRD FUNCTION VALVES M6954 Standard 3rd Function Valve Kit - ROPS K976M56 56 lbs \$1,252.00 M8146 Standard 3rd Function Valve Kit - Cab K976M56 62 lbs \$1,252.00 LOADER ACCESSORIES KITS M8145 KSR (Kubota Shockless Ride) Accumulator K524M16 38 lbs \$672.00 M1553A Hydraulic Quick Connect Single Lever K640M38 21 lbs \$821.00 **QA BUCKETS & ACCESSORIES** M1811 72" Round Back Bucket K535M08 400 lbs \$686.00 M1815 84" Round Back High Capacity, Light Material Bucket K714M48 400 lbs \$916.00 M1816 400 lbs 84" Round Back Bucket K680M94 \$873.00 M1886 K755M82 610 lbs 96" Square Back Bucket \$969.00 M1896 K833M04 610 lbs 96" Square Back High Capacity Bucket \$1,068.00 **BUCKET ACCESSORIES** M1057 Bucket Tine Kit for 72" Bucket K212M16 79 lbs \$272.00 M1285 Bucket Tine Kit for 84" Bucket K340M08 90 lbs \$436.00 M1287 Bucket Tine Kit for 96" Bucket K377M52 200 lbs \$484.00 **BALE SPEARS** 195 lbs M1804 Bale Spear 2 Lever Type QA K581M88 \$746.00

M1	809	Pallet Fork Frame 2 Lever QA	K538M20	200 lbs	\$690.00
		Requires 42" or 48" Forks			
K9	058	42" Pallet Forks	K371L28	196 lbs	\$476.00
K9	059	48" Pallet Forks	K399K36	218 lbs	\$512.00



M6S SERIES

M6S-111 Midsize Utility Tractors

Approved Attachments

Land Pride Rotary Cutters RCR1860 RCR1884

RCF2060

RCF2084 RCR2660

RCR2672 RCR2684

RCF2760 RCF2772

RCF2784 RCF2784 (Pull Type) RCF3010 (Pull Type) RCF3010 (Semi-Mount)

RCF3010

RCF3610

RCF3610 (Pull Type) RCF3610 (Semi-Mount) RCF3696 (Pull Type) RCF3696 (Semi-Mount)

RCF3696

RC3620 (Pull Type) RC4015 (Pull Type)

Land Pride Box Blades

BB4596 (Pull Type) BB4510 (Pull Type) BB4512 (Pull Type)

Land Pride Dish Harrows

DH2572 DH2596

Land Pride Quick Hitches

QH15 (Cat. I) QH20 (Cat. II)

Land Pride Powered Ditcher

Land Pride Hydraulic Reservoir System

HRS18 HRS23 HSR3025

Land Pride Grapple Bucket

GB2590

GBE2590



M6 SERIES

M6-131/M6-141

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V6108 Direct Injection
6.1L (374 cu. In.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
Fuel Tank Capacity: 50.2 Gal
130 Amp Alternator
12V 1090 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

DEF Tank Capacity: 4.2 Gal

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed
Power Steering: 14.6 gpm
Implement Flow: 20.4 gpm
Total Flow: 35.0 gpm

REMOTE VALVES

Remote Valves w/Individual Flow Control
(1) SCD (Self Canceling Detent)
(1) FD (Float Detent)
In-Cab Flow Control Adjustment

@ Lift Points: 8598 lbs

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch

@ 24" Behind: 6834 lbs 2 External Lift Cylinders Electronic Position and Draft Control Telescoping Lower Links

Stabilizers

Swinging Drawbar - 4.5" Drop

POWER TAKE OFF (540/1000)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 1994 Eng. rpm SAE 1 3/8" Twenty-One Spline 1000 rpm @ 2050 Eng. rpm

TRANSMISSION

24F/24R Intelli-Shift
Three Range, 8-Speed Semi-Powershift
Auto Shift Mode - Field & Road
Auto 4WD Function
Electro-Hydraulic Shuttle Shift
Electro-Hydraulic Front & Rear Diff. Lock
Clutch - Multi Plate Wet
Planetary Final Drives
Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear Type Bi-Speed Turn Feature Planetary Final Drives Adj. (Rim) Tread Spacing

M6-141DTSC-F

Electronic Controlled Hydraulic Front Axle Suspension System

FLUID CAPACITY

Cooling System: 15.4 qts Crankcase: 14.6 qts Hydraulics/Trans: 17.2 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm 26 Mode LCD Readout Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 14.9R24 Radial / Steel Waffle Rear 480/80R38 Radial/Cast Iron

GRAND-X CAB

4-post, ROPS Certified RH & LH Doors Tinted Glass Doors and Windows In-roof window/vent Tilt and Telescoping Steering Wheel Deluxe Air Ride Seat Dual Level Air Conditioning & Heater Front and Rear Wiper/Washer Front Sun Visor Rear View Mirror LH & RH Telescoping Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V - 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder Instructor Seat Ready

LIGHTING

Horn

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

2 Grill Mounted Worklights

2 Front Cab Halogen Worklights

2 Rear Halogen Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign

7-Pin Electrical Trailer Connector

Model S	pecifications
<u>M6-131</u>	<u>M6-141</u>
SAE Gross HP: 131.6 HP	SAE Gross HP: 141.4 HP
Engine Net HP: 123.2 HP	Engine Net HP: 133.0 HP
Max . PTO HP: 104.0 HP	Max . PTO HP: 114.0 HP
@ 2200 Engine RPM	@ 2200 Engine RPM



M6-131/M6-141

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	STANDARD TRACTOR WITH STANDARD TIRES			
M6-131DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K72M296M64	10945 lbs	\$92,688.00
M6-141DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K76M854M96	10945 lbs	\$98,532.00
M6-141DTSC-F	4WD Farm Tractor w/Factory Cab (A/C) With Suspended Front Axle	K83M133M96	11387 lbs	\$106,582.00

M6-131	DTC-F/M6-141DTC-F				
TIRES AND WHEELS [†]			Additio	nal Price \	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - RADIAL REAR					
AMR8560A* AMR8571A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF R-TIRE 460/85R38 R1W GY OPTITRAC CAST	300 lbs 1080 lbs	In Base Price		In Base Price
AMR8547 AMR9225	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812 R-TIRE 520/70R38 R1W OptracDT812 CastRC	220 lbs 965 lbs	K759M72	Add	\$974.00
AMR8560A AMR8989A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF R-TIRE 460/85R38 R1W GY OPT PAVT CAST	300 lbs 1015 lbs	K9M36	Add	\$12.00
AG - BIAS REAR					
AMR8558C AMR8512A	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 16.9-38 R1 Ttn Hi TracLug TL Cast	206 lbs 775 lbs	K1M332M24	Less	(\$1,708.00)

Individual Tire Pricing

N	16-131/M6-141		
TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	171010111	SUGGESTED
ONDER GODE	DESCRIPTION	NUMBER E	ACH LIST PRICE
AG - RADIAL REAR			
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	K783M90 30	00 lbs \$1,005.00
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	K2M062M32 10	80 lbs \$2,644.00
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	K982M80 22	20 lbs \$1,260.00
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	K2M243M28 96	35 lbs \$2,876.00
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	K783M90 30	00 lbs \$1,005.00
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	K2M067M00 10	15 lbs \$2,650.00
AG - BIAS REAR			
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K545M22 20	06 lbs \$699.00
AMR8512A	R-TIRE 16.9-38 R1 Ttn Hi TracLug TL Cast	K1M634M88 77	75 lbs \$2,096.00

^{*} Standard Tires



M6-131/M6-141

DEALER	INTPIN	ED	ACCESSORIES
DEALER	IIIOIALL	_匚レ	ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
HYDRAULICS/HIT	CH/DRAWBAR				
_	OTE VALVES - 3RD and 4th Position				
M7683A	SCD Valve with Built-In Flow Control	K636M48	22 lbs	\$816.00	
M7684A	FD Valve with Built-In Flow Control	K643M50	20 lbs	\$825.00	
REMOTE VALVE LEVER M7629	R KITS FOR DELUXE VALVES 3rd Position Lever Kit	K169M26	5 lbs	\$217.00	
M7686	4th Position Lever Kit	K169M26	3 lbs	\$217.00	
3-POINT LIFT ASSIST K I M9122	High Capacity Lift Cylinder Kit Provides 9,447 Lbs. lift capacity	K780M00	55 lbs	\$1,000.00	
3-POINT FENDER SWIT 0 M9237	CH Right hand fender switch for 3-point hitch	K35M10	1 lbs	\$45.00	
DROP DRAWBAR 3F440-89120	Flat Drawbar	(Order f	rom Parts De	partment)	
DRAWBAR CLEVIS M9289	Drawbar Clevis for Flat Drawbar	K172M38	13 lbs	¢224.00	
M9217	Drawbar Clevis for Drop Drawbar	K172M38	20 lbs	\$221.00 \$221.00	
	Diawbai Cievis ioi Diop Diawbai	K I / ZIVISO	20 105	φ221.00	
TRANSMISSION					
CREEP SPEED KIT M9127	One kit, Cassette type Requires dealer installation.	K753M48	39 lbs	\$966.00	
FRONT AXLE					
FRONT FENDER KIT (SV	- · ·				
M9290	Fender Mounting Kit, (Requires M9208 or M9209)	K639M60	70 lbs	\$820.00	
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide For 13.6" or 14.9" Width Front Tires	K85M80	7 lbs	\$110.00	
M9209	Plastic Fenders (Includes 2 Fenders) 17.3" wide For 420mm Width Front Tires	K101M40	9 lbs	\$130.00	
FRONT FENDER KIT (Ri					
M9298A	Fender Mounting Kit	K320M58	92 lbs	\$411.00	
М9297А	Plastic Fender Kit (Includes 2 Fenders) Requires M9298A Bracket Kit	K82M68	11 lbs	\$106.00	
60" FRONT AXLE KIT M6930	60" Tread Front Axle Conversion Kit	K354M12	102 lbs	\$454.00	
WIDE ROW FRONT AXL					
M9783	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K988M26	102 lbs	\$1,267.00	
Jensen Radio options					
77700-04753	RADIO, AM/FM/WB/AUX	(Order f	rom Parts De	partment)	
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT	(Order f	(Order from Parts Department)		
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order f	rom Parts De	partment)	
	ped with the tractor in the cab, black pouch. The plastic cover plate that is , and reinstall the cover ring.	removed becomes the	radio cover r	ing, remove the	



M6-131/M6-141

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB ACCESSORIES				
M1145	Retractable Rear Sunshade	K175M50	5 lbs	\$225.00
M9118	Rear Defogger Kit	K303M42	46 lbs	\$389.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K361M92	14 lbs	\$464.00
M9144	Monitor Bracket	K93M60	4 lbs	\$120.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order fr	om Parts De _l	partment)
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle	K113M10	4 lbs	\$145.00
M1352	Rear Mount Work Light Kit (Two Lights)	K124M02	5 lbs	\$159.00
REPLACEMENT CAB				
M6935	Standard Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K12M828M66	1000 lbs	\$16,447.00
M6936	Front Suspension Model Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K12M828M66	1000 lbs	\$16,447.00

BALLAST

BALLAST				
FRONT WEIGHT BRACK	KETS			
M9126	Weight Bracket - 12 Weight Bracket Requires M9275 Bolt/Bar Kit	K327M60	96 lbs	\$420.00
M6914	Weight Bracket - 16 Weight Bracket Requires M6915 Bolt/Bar kit	K421M20	95 lbs	\$540.00
FRONT SUITCASE WEIG	GHTS			
M8079	One Weight	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT/I	BAR KITS			
M9275	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K40M56		\$52.00
M6915	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-16 M8079 Weights	K62M40	12 lbs	\$80.00
REAR WHEEL WEIGHTS	s			
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Iron Wheels ** Not Compatible with AMR8989 PAVT wheels	K241M80	328 lbs	\$310.00
REAR WHEEL WEIGHT	BOLT KITS			
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K21M06	6 lbs	\$27.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K19M50	6 lbs	\$25.00

86

Page 9-86

Bid Term: 2/20/19 - 2/19/21



M6 Series M6-131/M6-141

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCES	SSORIES	NOMBER	OTHE WIT.	LIST FIXIOL
GRILL GUARD M6934	Grill Guard - Compatible with M9126 Weight Bracket	K216M84	108 lbs	\$278.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K279M24	61 lbs	\$358.00
FUEL TANK GUARD KIT M6913	Heavy Duty Metal Fuel Tank Guard Kit	K235M56	14 lbs	\$302.00
BLOCK HEATER 70000-73274	Block Heater	(Order fro	m the Parts D	epartment)
FUEL CAP 77700-06358	Locking Fuel Cap	(Order fro	m the Parts D	epartment)

Bid Term: 2/20/19 - 2/19/21



M6 Series M6-131/M6-141

WO OCITES	10-101/10-141			
Front End	Loaders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA2255 LOADE	ER - For M6-131/M6-141			
LA2255	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K5M857M02	1859 lbs	\$7,509.00
VALVE KITS				
M6917	Loader Valve Kit (Standard)	K919M62	75 lbs	\$1,179.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M613M04	117 lbs	\$2,068.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K998M40	61 lbs	\$1,280.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K998M40	61 lbs	\$1,280.00
LOADER ACCE	SSORIES KITS			
M6919	KSR Accumulator	K544M44	36 lbs	\$698.00
M6927	Hydraulic Quick Connect Single Lever	K640M38	22 lbs	\$821.00
GRILL GUARD				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K216M84	108 lbs	\$278.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K279M24	61 lbs	\$358.00
BUCKETS / BU	CKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type	pe QA)		
M1815	84" Rd Back High Capacity, Light Material Bucket	K714M48	400 lbs	\$916.00
M1816	84" Rd Back Bucket	K680M94	400 lbs	\$873.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K340M08	90 lbs	\$436.00
M1886	96" Bucket	K755M82	610 lbs	\$969.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K377M52	200 lbs	\$484.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K833M04	610 lbs	\$1,068.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for M6916 Valve Requires M6923 for M6928 Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M003M00	1240 lbs	\$3,850.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for M6916 Valve Requires M6922 for M6928 Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M184M74	1500 lbs	\$4,083.00
BALE SPEARS				
M1804	Bale Spear 2-Lever Type QA	K581M88	195 lbs	\$746.00
	FRAME / PALLET FORKS			
M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks, 2750 lb @ 24"	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks, 2750 lb @ 24"	K399K36	218 lbs	\$512.00



M6 Series	M6-131/M6-141			
Front End L	oaders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA2255E EURO I	LOADER - For M6-131/M6-141			
LA2255E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grill guard, or bucket.	K5M857M02	1859 lbs	\$7,509.00
VALVE KITS				
M6917	Loader Valve Kit (Standard)	K919M62	75 lbs	\$1,179.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M613M04	117 lbs	\$2,068.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1997E	K998M40	61 lbs	\$1,280.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1997E	K998M40	61 lbs	\$1,280.00
M1997E	Hose Extension Kit, required for M6921 or M6923	K178M62	13 lbs	\$229.00
LOADER ACCES	SORIES KITS			
M6919	KSR (Kubota Shockless Ride) Accumulator	K544M44	36 lbs	\$698.00
M6927	Hydraulic Quick Connect Single Lever	K640M38	22 lbs	\$821.00
GRILL GUARD K	ITS			
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K216M84	108 lbs	\$278.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K279M24	61 lbs	\$358.00
	ET TINE KITS / GRAPPLE BUCKETS			
M1816E	84" EURO QA Bucket	K795M60	400 lbs	\$1,020.00
M1285	84" Bucket Tine Kit	K340M08	90 lbs	\$436.00
M1886E	96" EURO QA Bucket	K1M151M28	610 lbs	\$1,476.00
M1287	96" Bucket Tine Kit	K377M52	200 lbs	\$484.00
M1896E	96" EURO QA Light Material Bucket	K1M246M44	610 lbs	\$1,598.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for M6916 Valve Requires M6923 for M6928 Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M205M80	1235 lbs	\$4,110.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for M6916 Valve Requires M6923 for M6928 Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M455M40	1300 lbs	\$4,430.00
BALE SPEARS				
M1817E	Bale Spear Quick Coupler, Euro QA	K640M38	200 lbs	\$821.00
	RAME / PALLET FORKS			
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K591M24	200 lbs	\$758.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K371L28	196 lbs	\$476.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K399K36	218 lbs	\$512.00



M6-131/M6-141

Additional Approved Attachments

Land Pride Rotary Cutters

RCR2684	(M6-131 Only)
RCF2784	(M6-131 Only)
RCF3610 (pull-type)	(M6-131 Only)
RCF3610 (semi-mount)	(M6-131 Only)
RCF3610	(M6-131 Only)
RCFM3610 (pull-type)	(M6-131 Only)
RCFM3610 (semi-mount)	(M6-131 Only)
RCFM3610	(M6-131 Only)
RCF3696 (pull-type)	(M6-131 Only)
RCF3696 (semi-mount)	(M6-131 Only)
RCF3696	(M6-131 Only)
RCFM3696 (pull-type)	(M6-131 Only)
RCFM3696 (semi-mount)	(M6-131 Only)
RCFM3696	(M6-131 Only)

RC3620 (pull-type) RCM3620 (pull-type) RC4015 (pull-type) RCM4015 (pull-type)

Land Pride Box Blades

BB4596 (pull-type) (M6-131 Only) BB4510 (pull-type) (M6-131 Only) BB4512 (pull-type) (M6-131 Only)

Land Pride Quick Hitch

QH20 (cat. II)

Land Pride Hydraulic Reservoir

HRS18 HRS23 HRS3025

Land Pride Snowblower

SBD3596



M6 SERIES M6H-101 High Clearance ROPS Tractor

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
12V 900 CCA Battery
80 Amp Alternator

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed
Power Steering: |2.9 gpm
Impl. Flow: 17.6 gpm
Total Flow: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)(1) FD (Float Detent)

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 4960 lbs @ 24" Behind: 3858 lbs Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1-3/8" Six Spline 540 RPM @ 2405 Eng. RPM

Model Specifications

M6H-101

SAE Gross HP: 104 Engine Net HP: 97 Max . PTO HP: 84

TRANSMISSION

24F/24R Swing Shift w/creep Electro-Hydraulic Shuttle Shift 4 Speed Synchronized Gears 3 Speed Hi/Lo/Creep Main Range Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD Models: Cast Iron, Bevel Gear Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 3.2 gal DEF Tank Capacity: 3.2 gal Cooling System: 2.8 gal Crankcase: 2.8 gal Hydraulics/Trans: 16.6 gal Front Axle Case: 1.9 gal Bevel Gear Case: 0.9 gal

SAFETY EQUIPMENT

ROPS FEATURES

2-Post Foldable ROPS

2 Headlights - Tail lights

2 Grill Mounted Worklights

2 Hazard Flasher Lights w/ Turn Signals

Retractable Seat belt

Tilt Steering Wheel

Cup Holder

LIGHTING

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

INSTRUMENTS

LCD Display:

Shuttle Position, DEF gauge,
Clock, Travel Speed, PTO RPM,
Hour Meter, Trip Meter,
Fuel Consumption, PM Level, RPM Memory
Oil Pressure
Fuel Gauge
Coolant Temperature
Swing Shift H/L Digital Light Indicator
4WD Indicator
Water Separator Light

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard



M6 Series M6H-101 High Clearance ROPS Tractor

ORDER DESCRIPTION FACTORY APPROX. SUGGESTED NUMBER SHIP WT. LIST PRICE

HIGH CLEARANCE TRACTOR WITH STANDARD TIRES

M6H-101SHD 4WD Farm Tractor ROPS K51M194M52 9789 lbs \$65,634.00

	M6H-101				
TIRES AND WHEELS [†]			Additio	nal Price \	With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR					
AMR8793* AMR8793*	R-TIRE 13.6-38 R1 Alliance 304 R-TIRE 13.6-38 R1 Alliance 304	128 lbs 128 lbs	In Base Price		In Base Price
AMR8796 AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs 232 lbs	K2K889M12	Add	\$3,704.00
AMR9487 AMR9493	F-TIRE M6H 230/95R48 R1W R-TIRE M6H 230/95R48 R1W	517 lbs 517 lbs	K2K592M72	Add	\$3,324.00
AMR8794 AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350 R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs 424 lbs	K2K389M92	Add	\$3,064.00

^{*} Standard tires.

Individual Tire Pricing

TIDES AND WHEELS	M6H-101		
TIRES AND WHEELS (ORDER CODE	DESCRIPTION	FACTORY WEIGH NUMBER EACH	SUGGESTED LIST PRICE
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	K876M72 128 lbs	7 ., . =
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	K876M72 128 lbs	
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	K1M599M00 232 lbs	, ,
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	K1M599M00 232 lbs	
AMR9487	F-TIRE M6H 230/95R48 R1W	K1M524M90 517 lbs	7 .,
AMR9493	R-TIRE M6H 230/95R48 R1W	K1M524M90 517 lbs	
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	K1M474M20 424 lbs	, ,
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	K1M474M20 424 lbs	

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires



M6 Series M6H-101 High Clearance ROPS Tractor

DEALER INSTALLED ACCESSORIES

M9669A FD (FI REMOTE VALVE LEVER KITS M7653A 3rd Po FLOW CONTROL VALVES M9585 Flow (For Si Replace	S - 3RD POSITION (Self Canceling Detent) (loat Detent) (position Lever Kit) (Control Valve) (Control Valve with SCD Valve)	K540M54 K533M52 K109M20 K390M78	14 lbs 12 lbs 5 lbs	\$693.00 \$684.00 \$140.00
M9517A SCD (M9669A FD (FI REMOTE VALVE LEVER KITS M7653A 3rd Po FLOW CONTROL VALVES M9585 Flow (For Si Replace	(Self Canceling Detent) Ioat Detent) Distribution Lever Kit Control Valve Control Valve with SCD Valve	K533M52 K109M20	12 lbs 5 lbs	\$684.00
M9669A FD (FI REMOTE VALVE LEVER KITS M7653A 3rd Po FLOW CONTROL VALVES M9585 Flow (M9587 Flow (For Si Replace	loat Detent) Distribution Lever Kit Control Valve Control Valve with SCD Valve	K533M52 K109M20	12 lbs 5 lbs	\$684.00
REMOTE VALVE LEVER KITS M7653A 3rd Po FLOW CONTROL VALVES M9585 Flow 0 For Si Repla	osition Lever Kit Control Valve Control Valve with SCD Valve	K109M20	5 lbs	
M7653A 3rd Po FLOW CONTROL VALVES M9585 Flow (M9587 Flow (For Si Repla	Control Valve Control Valve with SCD Valve			\$140.00
FLOW CONTROL VALVES M9585 Flow 0 M9587 Flow 0 For Si Replace	Control Valve Control Valve with SCD Valve			\$140.00
M9585 Flow 0 M9587 Flow 0 For Si Repla	Control Valve with SCD Valve	K390M78		
M9587 Flow C For Si Repla	Control Valve with SCD Valve	K390M78		
For Si Repla			8 lbs	\$501.00
•	multaneous Valve Operation	K811M98	20 lbs	\$1,041.00
M9269B 3-pt Li	ces 1st SCD valve must be removed from tractor.			
	ift Assist Kit - Dual Cylinder	K726M18	194 lbs	\$931.00
DROP DRAWBAR				
TBD Drop [Drawbar 4" Drop	TBD	TBD	TBD
DRAWBAR CLEVIS				
M9289 Drawb	par Clevis for Flat Drawbar	K172M38	13 lbs	\$221.00
M9217 Drawb	par Clevis for Drop Drawbar	K172M38	20 lbs	\$221.00
TRANSMISSION & PTO				
DUAL SPEED PTO KITS				
M6951 540/10	000 RPM PTO Kit	K779M22	103 lbs	\$999.00
	I-3/8" Twenty-One Spline			
1000 I	RPM @ 2389 Eng. RPM			

Wide Axle Kit				
M9698	80" 4WD Wide Front & Rear Axle Kit	K876M72	225 lbs	\$1,124.00



M6H-101 High Clearance ROPS Tractor **M6 Series**

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OPERATORS S	STATION ACCESSORIES			
E1134	Deluxe Fiberglass Canopy for ROPS	K301M86	63 lbs	\$387.00
E1136	Mounting Bracket Kit for E1134	K148M98	29 lbs	\$191.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K124A02	3 lbs	\$159.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K66M30	3 lbs	\$85.00

FRONT SUITCASE WEI M8079	GHTS Suitcase Weight (105 lbs. each) 10 Max. Requires M8073A Bolt/Bar Kit	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT	/BAR KIT Bolt/Bar Kit	K50M70	10 lbs	\$65.00

ADDITIONAL ACCESSORIES

BLOCK HEATER				
70000-73274	Block Heater	(Order from the	ne Parts Depar	tment)
FUEL TANK GUARD				
M6942	Heavy Duty Fuel Tank Guard Kit	K217M62	18 lbs	\$279.00



M6L-111 Low Profile ROPS Tractor **M6 SERIES**

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. in.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled 12V 900 CCA Battery Charging Output 80 amps

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: 12.9 gpm Impl. Flow: 17.6 gpm Total Flow: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent) (1) FD (Float Detent)

3 Point Hitch & Drawbar

Cat II 3-Point Hitch

@ Lift Points: 4960 lbs @ 24" Behind: 3858 lbs Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1-3/8" Six Spline 540 RPM @ 2405 Eng. RPM SAE 1-3/8" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM 540/1000 Standard on M6L-111SDS2 model

Model Specifications

M6L-111

SAE Gross HP: 114 Engine Net HP: 105 Max. PTO HP: 95

TRANSMISSION

32F/32R Swing Shift Plus Electro-Hydraulic Shuttle Shift 4 Speed Synchronized Gears w/Hi/Lo- Swing Shift Plus 2 Speed Hi/Lo Main Range Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD Models: Cast Iron, Bevel Gear Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 46.2 gal DEF Tank Capacity: 3.2 gal Cooling System: 2.8 gal Crankcase: 2.8 gal Hydraulics/Trans: 15.8 gal Front Axle Case: 1.9 gal Bevel Gear Case: 0.9 gal

ROPS FEATURES

2-Post Foldable ROPS Retractable Seat belt Tilt Steering Wheel Cup Holder Steel Rear Fenders Steel RH Operators Station Guard

LIGHTING

2 Headlights - Tail lights 2 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

INSTRUMENTS LCD Display: Shuttle Position, DEF gauge, Clock, Travel Speed, PTO RPM, Hour Meter, Trip Meter, Fuel Consumption, PM Level, RPM Memory Oil Pressure Fuel Gauge Coolant Temperature Swing Shift H/L Digital Light Indicator 4WD Indicator Water Separator Light

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard



M6L-111 Low Profile ROPS Tractor M6 Series

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE			
LOW PROFILE TRACTOR WITH STANDARD TIRES							
M6L-111SDS	4WD Farm Tractor ROPS With Swing Shift Plus with 540 PTO	K47M034M00	9789 lbs	\$60,300.00			
M6L-111SDS2	4WD Farm Tractor ROPS With Swing Shift Plus & 540/1000 PTO	K47M583M90	9789 lbs	\$61,005.00			

M6L-111						
TIRES AND WHEELS [†]			Additio	nal Price \	Nith Tire Optio	
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE	
AG - BIAS						
MR8956* AMR8523A*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	98 lbs 265 lbs	In Base Price		In Base Price	
AMR8538 AMR8523A	F-TIRE 12.5/80-18 Titan Trac Impl 422 R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	147 lbs 265 lbs	K251M16	Add	\$322.00	
AMR8955C AMR8522A	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 18.4-26 R1 ALLIANCE 324	130 lbs 346 lbs	K502M32	Add	\$644.00	
AG - Radials						
AMR8643 AMR8661	F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB	169 lbs 169 lbs	K1K285M44	Add	\$1,648.00	
AMR8643 AMR8690	F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	169 lbs 1015 lbs	K2K260M44	Add	\$2,898.00	
Floatation Tires						
AMR8567 AMR8580	F-TR 400/50-15.5 ALLIANCE I-2 FLOAT R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	517 lbs 517 lbs	K536M64	Add	\$688.00	
Industrial Tires						
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs 304 lbs	K750M36	Add	\$962.00	
AMR8532 * Standard tires.	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 IDS				

Individual Tire Pricing

M6L-111						
TIRES AND WHEELS (priced per piece)					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE		
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K268M32	98 lbs	\$344.00		
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00		
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K393M90	147 lbs	\$505.00		
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K707M46	265 lbs	\$907.00		
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K358M02	130 lbs	\$459.00		
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K868M92	346 lbs	\$1,114.00		
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K585M00	169 lbs	\$750.00		
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	K1M033M50	169 lbs	\$1,325.00		
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K585M00	169 lbs	\$750.00		
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	K1M521M00	1015 lbs	\$1,950.00		
AMR8567	F-TR 400/50-15.5 ALLIANCE I-2 FLOAT	K366M60	517 lbs	\$470.00		
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	K877M50	517 lbs	\$1,125.00		
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K514M02	168 lbs	\$659.00		
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K836M94	304 lbs	\$1,073.00		

[†] See Tire Section for Individual Tire Pricing and Information

Bid Term: 2/20/19 - 2/19/21

^{*} Standard Tires



M6 Series M6L-111 Low Profile ROPS Tractor

	INICTALLED	ACCESSORIES
DEALER	INSTALLED	AUUEGGURIEG

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITC	H/DRAWBAR			
	TE VALVES - 3RD POSITION			
M9517A	SCD (Self Canceling Detent)	K540M54	14 lbs	\$693.00
M9669A	FD (Float Detent)	K533M52	12 lbs	\$684.00
REMOTE VALVE LEVER M M7653A	Srd Position Lever Kit	K109M20	5 lbs	\$140.00
		K109W20	2 102	φ140.00
FLOW CONTROL VALVES M9585	Flow Control Valve	K390M78	8 lbs	\$501.00
M9587	Flow Control Valve with SCD Valve For Simultanious Valve Operation Replaces 1st SCD valve must be removed from tractor.	K811M98	20 lbs	\$1,041.00
3-POINT LIFT ASSIST KIT M7660A	High Capacity Lift Assist Cylinder	K363M48	90 lbs	\$466.00
DROP DRAWBAR M9227	Drop Drawbar 4" drop	K156M00	55 lbs	\$200.00
DRAWBAR CLEVIS				
M9289	Drawbar Clevis for Flat Drawbar	K172M38	13 lbs	\$221.00
M9217	Drawbar Clevis for Drop Drawbar	K172M38	20 lbs	\$221.00
TRANSMISSION & I	РТО			
CREEP SPEED KIT				
M9293B	Creep Speed Cassette Type	K579M54	43 lbs	\$743.00
M6951	540/1000 RPM PTO Kit 1-3/8" 21 Spline Shaft Included *Not applicable for M6L-111SDS2 Models	K779M22	103 lbs	\$999.00
FRONT & REAR AX	(LE			
Wide Axle Kit M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K954M72	76 lbs	\$1,224.00
REAR FENDER KITS M9169	Steel Fender Extension Kit, 6" per fender	K251M94	45 lbs	\$323.00
M9488	Steel Fender Spacer Kit - Required with AMR8522A Tires	K69M42	10 lbs	\$89.00



M6L-111 Low Profile ROPS Tractor M6 Series

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OPERATORS	STATION ACCESSORIES			
E1134	Deluxe Fiberglass Canopy for ROPS	K301M86	63 lbs	\$387.00
E1136	Mounting Bracket Kit for E1134	K148M98	29 lbs	\$191.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K124A02	3 lbs	\$159.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K66M30	3 lbs	\$85.00

BALLAST				
FRONT SUITCASE WEIGHTS M8079	Suitcase Weight 12 Max. Requires Front Weight Bumper and Bolt/Bar Kit	K78M00	102 lbs	\$100.00
FRONT WEIGHT BOLT/BAR M M9275	KITS Bolt/Bar Kit	K40M56		\$52.00
REAR WHEEL WEIGHTS LM8124	Rear Wheel Weight Kit (164 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Rear Wheel Bolt Kit	K217M62	206 lbs	\$279.00
REAR WHEEL WEIGHT BOLT	KITS			
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K52M26	5 lbs	\$67.00
M8121A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K23M40	8 lbs	\$30.00
REAR 3-POINT BALLAST M8180	Ballast Box	K492M96	220 lbs	\$632.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-73274	Block Heater	(Order from	(Order from the Parts Department)		
FUEL TANK GUARD M6942	Heavy Duty Fuel Tank Guard Kit	K217M62	18 lbs	\$279.00	
Replacement ROPS SFM-FM6L111	Replacement ROPS for M6L-111	TBD	TBD	TBD	
GRILL GUARD M8147	Grill Guard Kit	K187M20	61 lbs	\$240.00	

K9059



M6 Series M6L-111 Low Profile ROPS Tractor

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOAD	ER			
LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K4M450M68	1859 lbs	\$5,706.00
VALVE KITS				
M6955	Standard Valve Kit for ROPS	K807M30	75 lbs	\$1,035.00
M6953	Hydraulic Self-Leveling Valve Kit for ROPS	K1M637M22	111 lbs	\$2,099.00
LOADER ACCESS	ORY KITS			
THIRD FUNCTION VALVE M6954	S 3rd Function Valve Kit for ROPS	K976M56	56 lbs	\$1,252.00
LOADER ACCESSORIES M8145	KITS KSR (Kubota Shockless Ride) Accumulator	K524M16	38 lbs	\$672.00
M1553A	Hydraulic Quick Connect Single Lever	K640M38	21 lbs	\$821.00
QA BUCKETS & AC	CCESSORIES			
M1811	72" Round Back Bucket	K535M08	400 lbs	\$686.00
M1815	84" Round Back High Capacity, Light Material Bucket	K714M48	400 lbs	\$916.00
M1816	84" Round Back Bucket	K680M94	400 lbs	\$873.00
M1886	96" Square Back Bucket	K755M82	610 lbs	\$969.00
M1896	96" Square Back High Capacity Bucket	K833M04	610 lbs	\$1,068.00
BUCKET ACCESSORIES M1057	Bucket Tine Kit for 72" Bucket	K212M16	79 lbs	\$272.00
M1285	Bucket Tine Kit for 84" Bucket	K340M08	90 lbs	\$436.00
M1287	Bucket Tine Kit for 96" Bucket	K377M52	200 lbs	\$484.00
BALE SPEARS				
M1804	Bale Spear 2 Lever Type QA	K581M88	195 lbs	\$746.00
PALLET FORK FRA	AME / PALLET FORKS			
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K538M20	200 lbs	\$690.00
K9058	42" Pallet Forks	K371L28	196 lbs	\$476.00

\$512.00

48" Pallet Forks

K399K36

218 lbs



SNOWBLOWERS

TRACTOR SNOWBLOWER MATCHING CHART

SNOWBLOWER	BLMX3164	LMX3174	M2684	M2892	M2992
TRACTOR					
All MX Series	х	Х			
All M60 Series			Х		
All M5 & M8560/M9960			Х	Х	Х
Al M6S and M108S			Х	Х	Х
All M6 and M-GX			Х	Х	Х

Page 9-100

100



Snowblowers

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
THREE POINT M	IOUNTED SN	OWBLOWER			
BLMX3164		SNOWBLOWER 3-Point 64" cutting width dedicated 2 stage, 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 30.5" cutting height. Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit.	K2B268B24	681 lbs	\$2,908.00
BL2665		MANUAL CRANK ROTATION KIT Includes crank, hardware and instructions.	K134B16	11 lbs	\$172.00
BL2666A	①	HYDRAULIC CHUTE DEFLECTOR for BLMX3164 and LMX3174 with Electric Selector Valve Kit	K750B36	22 lbs	\$962.00
BL6399		HYDRAULIC CRANK ROTATION KIT Includes Hydraulic orbital motor, hoses, couplers and instructions.	K613B86	20 lbs	\$787.00
L2177		SIDE EXTENSION KIT (Optional for BLMX3164 and LMX3174) Includes 2, Bolt on Side Extensions, hardware and Instructions Cutting width is increased by 5", to 79".	K89L70	27 lbs	\$115.00
LMX3174		SNOWBLOWER 3-Point 74" cutting width 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 26:" cutting height Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit. Maximum 55 PTO Horsepower	K2L861L04	760 lbs	\$3,668.00
B2516A		ELECTRIC CHUTE DEFLECTOR KIT. for BLMX3164 and LMX3174 Includes Electric chute deflector, hardware, wire harness and instructions.	K496B08	9 lbs	\$636.00
M Series					
M2892	23	92" Commercial 3-Point Hitch Snowblower requires additional additional purchase of either a 2-Part Chute with Manual Deflection (M2893) or a 3-Part Chute with Hydraulic Deflection (M2894).	K6M856M20	2145 lbs	\$8,790.00
M2992	23	92" commercial 3-Point Hitch Snowblower with rotation drum, requires additional purchase of either a 2-Part Chute with Manual Deflection (M2893) or a 3-Part Chute with Hydraulic Deflection (M2894).	K7M963M80	2420 lbs	\$10,210.00
M2684	1	SNOWBLOWER 3-Point 84" cutting width, 540 rpm PTO, 2 stage with 27.25" Impeller, 20" diameter Auger, 35" cutting height. Hydraulic chute rotation is standard.	K4M315M74	890 lbs	\$5,533.00

① Requires single section rear hydraulic remote valve on tractor.

Bid Term: 2/20/19 - 2/19/21

② Requires two (2) auxiliary remote valves when equipped with the 3-Part Chute with Hydraulic Deflection (M2894).

③ Requires two (2) auxiliary remote valves when equipped with the 2-Part Chute (M2893 and Hydraulic Deflectio for 2-Part Chute.



Snowblowers

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ACCESSORIES				
M2686	HYDRAULIC CHUTE DEFLECTOR KIT (Requires 2nd rear remote Hyd. outlet)	K284M70	21 lbs	\$365.00
M2893	Two-Part chute with Manual Deflection	K402M48	139 lbs	\$516.00
M2894	Three-Part Chute with Hydraulic Deflection ***Requires one additional auxiliary remote valve***			
M2895	Drift Cutters	K229M32	50 lbs	\$294.00
M2896	Heavy Duty Cutting Edge	K177M06	60 lbs	\$227.00
M2897	Heavy Duty Skid Shoes	K215M28	52 lbs	\$276.00
M2898	Second Auger Kit	K756M60	208 lbs	\$970.00
M2899	Hydraulic Chute Deflector Kit for 2-Part Chute Application: M2892/M2992 equipped with 2-Part Chute (M2893) ***Requires one additional auxiliary remote valve***	K214M50	21 lbs	\$275.00

102