

# KUBOTA

---

## SKID STEER LOADERS

---

### WHOLEGOODS PRICE LIST EFFECTIVE OCTOBER 13, 2017

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of November 7, 2017.

- 8/29/2017 Added notation to 14-Pin Connector to satisfy ISO Pilot Control Models. Updated Cab Adoption lists to include ISO Pilot Control Models
- 10/13/2017 Corrected definitions and conditions on the use of 14-Pin Harnesses, MF Grips, and Adapters  
Compatibility Matrix Added
- 11/07/2017 Added H-Pattern Conversion Kits, Rotating Light, and Strobe Light.
- 2/14/2018 Consolidated 14-Pin Harnesses for both H&F and Pilot Control Models. Updated Parts Pricing. See pages 18-10, 18-11, 18-19, and 18-20.
- 5/2/2018 Removed Beacon and Strobe light kits pending Wiring Harnesses' Releases. See pages 18-11 and 18-20.

# KUBOTA

---

## SKID STEER LOADERS

---

This page intentionally left blank.

# KUBOTA

## SKID STEER LOADERS

PAGE	DESCRIPTION	GROSS HP	FACTORY NUMBER	SUGGESTED LIST PRICE
18-5	SSV65	64.0	S31K589A40	\$41,565.00
18-15	SSV75	74.3	S36K195A00	\$47,625.00
18-24	Replacement Engines			

# KUBOTA

---

## SKID STEER LOADERS

---

This page intentionally left blank.

# KUBOTA

## SSV65

### SSV65 Skid Steer Loader

#### FEATURES

Vertical Lift Path Loader Frame  
Standard Front Quick Coupler, Float Standard  
Hydraulic Quick Coupler Option  
One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option  
Loader Boom Lock  
Open ROPS & Air Conditioned ROPS/FOPS Cab Models  
Adjustable, Vinyl, Suspension Seat  
2" Retractable Seat Belt and 2-Piece Seat Bar  
12V Electric Outlet  
18 gpm Auxiliary Hydraulics, 28 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler  
Direct To Tank Return Line  
10x16.5, 8PR Heavy-Duty Tires  
Two Speed Travel System  
Spring Applied Hydraulically Released (SAHR) Brakes  
Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped)  
Mechanical Hand & Foot Controls  
Electronic Dial Throttle  
Automatic Glow Plugs  
Key Switch Stop/Start System  
Self-Bleed Fuel System  
2 Front and 2 Rear Working Lights  
2 Front Corner Lights & 2 Rear Red Tail Lights  
Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights  
Horn and Backup Alarm  
Lockable Fuel Cap Door  
Bolt On Grab Handles to enter machine

#### ENGINE

V2607 Kubota CR-TE4, Tier 4 Diesel Engine  
4-Cylinder, 4 Cycle, Turbo Charged  
64 Gross HP @ 2700 rpm  
2.6 L Displacement  
166 lbf-ft Peak Torque

#### DIMENSIONS

Cab Height .....79.9"  
Width over wheels.....66.5"  
Width with 68" standard bucket .....69.0"  
Length without bucket .....106.3"  
Length with standard bucket .....135.4"

#### OPERATIONAL DIMENSIONS

Operating Weight\*, SSV65\*, Open ROPS/FOPS Cab, Mechanical Quick Coupler.....6,790 lbs.  
Rated Operating Capacity (ROC) @ 50% of Tipping Load .....1,950 lbs.  
Tipping Load .....3,900 lbs.  
Auxiliary Hydraulics Flow .....18.0 / 28.0 gpm  
Travel Speed (Low / High) .....6.9 / 11.1 mph  
Reach @ Maximum Height .....32.7"  
Height to Hinge Pin .....121.5"  
Ground Clearance .....7.6".  
Traction Force .....7,339 lbf.

\* Includes operator's weight, 175 lbs.

#### BASIC UNITS (HAND & FOOT CONTROLS)

SSV65, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
SSV65F, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
SSV65FR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV65H, Open ROPS/FOPS Hydraulic Quick Coupler  
SSV65HF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
SSV65HFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65HR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65R, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV65HC, AC Enclosed Cab, Hydraulic Quick Coupler  
SSV65HFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
SSV65HFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65HRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

#### ISO-PILOT CONTROL UNITS

SSV65P, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
SSV65PF, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
SSV65PFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV65PH, Open ROPS/FOPS Hydraulic Quick Coupler  
SSV65PHF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
SSV65PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65PHR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65PR, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV65PHC, AC Enclosed Cab, Hydraulic Quick Coupler  
SSV65PHFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
SSV65PHFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV65PHRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

# KUBOTA

## SSV65

### HOW TO SELECT AN SSV65 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV65 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2, 3, & 4 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV65 or SSV65H or SSV65HRC
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>STANDARD UNIT SSV65 COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV65</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S31K589A40	6290	\$41,565.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL68SLC	68" low profile standard floor bucket with bolt-on cutting edge	S1K024A48	541	\$1,348.00
				\$42,913.00
<b>STANDARD UNIT SSV65HRC COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV65HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S35K986A00	6555	\$47,350.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL68SLT	68" low profile standard floor bucket with teeth	K1K024A48	541	\$1,348.00
				\$48,698.00

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL SSV65 BASIC UNITS (HAND &amp; FOOT CONTROLS)</b>			
<b>SSV65</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab Mechanical Quick Coupler	S31K589A40	6290	\$41,565.00
<b>SSV65F</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S32K752A20	6290	\$43,095.00
<b>SSV65FR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S33K770A60	6290	\$44,435.00
<b>SSV65H</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab Hydraulic Quick Coupler	S31K984A60	6290	\$42,085.00
<b>SSV65HF</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S33K147A40	6290	\$43,615.00
<b>SSV65HFR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S34K165A80	6290	\$44,955.00
<b>SSV65HR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S33K003A00	6290	\$43,425.00
<b>SSV65R</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler	S32K607A80	6290	\$42,905.00
<b>SSV65HC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab Hydraulic Quick Coupler	S34K967A60	6555	\$46,010.00
<b>SSV65HFC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S36K130A40	6555	\$47,540.00
<b>SSV65HFRC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S37K148A80	6555	\$48,880.00
<b>SSV65HRC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S35K986A00	6555	\$47,350.00

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 2</b>	<b>MODEL SSV65 ISO-PILOT CONTROL UNITS</b>			
<b>SSV65P</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab Mechanical Quick Coupler	S33K257A60	6290	\$43,760.00
<b>SSV65PF</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S34K416A60	6290	\$45,285.00
<b>SSV65PFR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S35K431A20	6290	\$46,620.00
<b>SSV65PH</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab Hydraulic Quick Coupler	S33K652A80	6290	\$44,280.00
<b>SSV65PHF</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S34K811A80	6290	\$45,805.00
<b>SSV65PHFR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S35K826A40	6290	\$47,140.00
<b>SSV65PHR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S34K667A40	6290	\$45,615.00
<b>SSV65PR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler	S34K272A20	6290	\$45,095.00
<b>SSV65PHC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab Hydraulic Quick Coupler	S36K635A80	6555	\$48,205.00
<b>SSV65PHFC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S37K794A80	6555	\$49,730.00
<b>SSV65PHFRC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S38K813A20	6555	\$51,070.00
<b>SSV65PHRC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S37K654A20	6555	\$49,545.00
<b>PART 3</b>	<b>BUCKETS</b>			
	<b>QUICK ATTACH BUCKETS (standard duty)</b>			
AP-SL68SLT	68" Low Profile, Standard Floor, Teeth, Side Cutter, 14.5 cu-ft heaped capacity	K1K024A48	485	\$1,348.00
AP-SL68SLC	68" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 14.5 cu-ft heaped capacity	S1K024A48	538	\$1,348.00
AP-SL68SLLT	68" Low Profile, Long Floor, Teeth, Side Cutter 18.0 cu-ft heaped capacity	S1K064A76	520	\$1,401.00
AP-SL68SLLC	68" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 18.0 cu-ft heaped capacity	K1K065A52	572	\$1,402.00
AP-SL74SLT	74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity	K1K143A80	516	\$1,505.00



# KUBOTA

## SSV65



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 3</b>	<b>QUICK ATTACH BUCKETS (standard duty) <i>continued</i></b>			
AP-SL74SLC	74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity	S1K187A12	571	\$1,562.00
AP-SL74SLLT	74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity	S1K225A12	552	\$1,612.00
AP-SL74SLLC	74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity	K1K269A20	607	\$1,670.00
	<b>QUICK ATTACH BUCKETS (heavy duty)</b>			
AP-HD68LT	68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity	K1K138A48	545	\$1,498.00
AP-HD68LC	68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity	K1K138A48	598	\$1,498.00
AP-HD68LLT	68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity	K1K183A32	588	\$1,557.00
AP-HD68LLC	68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity	K1K184A08	641	\$1,558.00
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity	K1K270A72	581	\$1,672.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity	K1K319A36	636	\$1,736.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity	K1K361A16	626	\$1,791.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity	K1K409A80	680	\$1,855.00

*Refer to Service Parts for replacement side cutters, cutting edges, and teeth on AP Buckets*

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 4</b>	<b>ACCESSORIES</b>			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K62A32	3	\$82.00
S6650	14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration.	K236A36	1	\$311.00
S6651	8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector.	K222A68	1	\$293.00

SSV Grips, Harnesses, and Adapters					
GRIP STYLE	MODEL(s)	<b>14-PIN HARNESS</b> <i>(order from parts)</i> <i>Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</i>	<b>MULTIFUNCTION GRIP KIT DIA</b> <i>(order from parts)</i> <i>Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</i>	<b>14-PIN TO 14-PIN ADAPTER</b> <i>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</i>	<b>8-PIN TO 14-PIN ADAPTER</b> <i>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</i>
 C SSV Hand & Foot	SSV65 Hand & Foot Controls	<b>V1311-97101</b>	V1311-96301	S6650	S6651
	SSV75 Hand & Foot Controls	<b>V1411-97101</b>			
 D SSV ISO Pilot Controls Standard Grips	SSV65 ISO Pilot Controls	<b>V1311-97101</b>	V1311-97301		
	SSV75 ISO Pilot Controls	<b>V1411-97101</b>			

KXB560Q	HYDRAULIC BREAKER Includes manual, side plates, onemoil point and one chisel point. Requires a S6693A hose kit, S6692A mount bracket, and Special Application Door	S9K554A72	820	\$12,572.00
S6693A	HYDRAULIC BREAKER HOSE KIT	K481A84	7	\$634.00
S6692A	HYDRAULIC BREAKER BRACKET Required for KXB560Q Hydraulic Breakers	S1K045A00	175	\$1,375.00

**REPLACEMENT CAB/ROPS FOR SSV65**  
Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.

SL6660	Replacement Open ROPS /SSV65 (Hand & Foot Ctl Units Only)	S5K510A00	992	\$7,250.00
SL6661	Replacement Closed Cab/SSV65 (Hand & Foot Ctl Units Only)	S7K980A00	992	\$10,500.00
SL6664	Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only)	S5K510A00	948	\$7,250.00
SL6665	Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only)	S7K980A00	948	\$10,500.00

SEE REPLACEMENT CAB & ROPS ADOPTION LIST

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 5</b>	<b>ACCESSORIES Available from Parts</b>			
V1311-96611	H-Pattern Conversion Kit (For Cab Models Only) <i>(Beginning with SN 50210 Refer to PIB-2017-034)</i>	K676A40		\$890.00
V1311-96501	Hydraulic Quick Coupler Conversion Kit	K731A73		\$962.80
V1311-96601	Self-Leveling	K489A30		\$643.81
V1311-96701	Ride Control (KSR)	K821A64		\$1,081.11
V1311-96201	Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit)	K163A10		\$214.60
V1311-96401	Bonnet (Rear Door) Lock Kit	K35A27		\$46.41
V1311-97101	14 Pin Coupler Harness	K243A20		\$320.00
V1311-96301	Multi-Function Lever Kit (for Hand & Foot Control Models Only)	K440A80		\$580.00
V1311-97301	Multi-Function Lever Kit (for ISO Pilot Controls Only)	K494A00		\$650.00
77700-06360	Wiring Harness, Airsus	K40A28		\$53.00
77700-06361	Air Ride Seat, requires Airsus Wiring Harness 7770-06360	K615A60		\$810.00
V1311-96821	SSV Special Application Door Door Completion Kit required for ROPS units	K2X362A68		\$3,108.79
V1311-96801	SSV Front Glass Kit	K881A60		\$1,160.00
<b>PART 5</b>	<b>ACCESSORIES Available from Parts (continued)</b>			
V1311-96811	SSV ROPS Door Completion Kit (needed to install any door on ROPs units)	K220A40		\$290.00
V1311-96841	Single Point Lift Kit	K1X860A18		\$2,447.61
<b>PART 6</b>	<b>OTHER ACCESSORIES - (Refer to PARTS for Pricing)</b>			
77700-08974	<b>Rear View Observation Camera Kit</b>			
70000-73274	Engine Block Heater			
77700-04752	Radio AM / FM / WB / MP3			
77700-04757	Radio AM / FM / WB / Bluetooth			
70090-40007	Counterweight (order 4) with the following hardware			
	01176-51675 Bolt, M16-1x75mm (order 4)			
	04512-70160 Washer, Lock (order 4)			
	RD451-19180 Washer (order 4)			
77700-07225	Hose Stay			
V1311-28310	10x16.5 Tire Assy (L,8PR) Over the Tire Width = 66.5"			
V1311-28410	10x16.5 Tire Assy (R,8PR) Over the Tire Width = 66.5"			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			
V1311-28910	30x6x10 Brawler Tire Assy (L) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1311-28920	30x6x10 Brawler Tire Assy (R) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1411-28910	33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1411-28920	33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1311-28710	12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5"			

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 6</b>	<b>OTHER ACCESSORIES - (Refer to PARTS for Pricing) (Continued)</b>			
V1311-28310	10x16.5 Tire Assy (L,8PR) Over the Tire Width = 66.5"			
V1311-28410	10x16.5 Tire Assy (R,8PR) Over the Tire Width = 66.5"			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			
V1311-28910	30x6x10 Brawler Tire Assy (L) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1311-28920	30x6x10 Brawler Tire Assy (R) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1411-28910	33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1411-28920	33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1311-28710	12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5"			

# KUBOTA

## SSV65

### REPLACEMENT CAB & ROPS ADOPTION LISTS

SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV65HC	Cab	SL6661A	none	none
SSV65HFC	Cab	SL6661A	1,2,3,4	7,8,9
SSV65HFRC	Cab	SL6661A	1,2,3,4,5	7,8,9,10
SSV65HRC	Cab	SL6661A	5	10
SSV65	ROPS	SL6660A	none	none
SSV65F	ROPS	SL6660A	1,2,3,4	7,8,9
SSV65FR	ROPS	SL6660A	1,2,3,4,5	7,8,9,10
SSV65H	ROPS	SL6660A	6	10
SSV65HF	ROPS	SL6660A	1,2,3,4,6	7,8,9,10
SSV65HFR	ROPS	SL6660A	1,2,3,4,5,6	7,8,9,10
SSV65HR	ROPS	SL6660A	5,6	10
SSV65R	ROPS	SL6660A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57810	Label (OPERATION LH MULTI)	1	
3	V1311-57820	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57510	Label (OPERATION LH)	1	
9	V1311-57520	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV65

### REPLACEMENT CAB & ROPS ADOPTION LISTS

SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST ISO PILOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV65PHC	Cab	SL6665A	none	none
SSV65PHFC	Cab	SL6665A	1,2,3,4	7,8,9
SSV65PHFRC	Cab	SL6665A	1,2,3,4,5	7,8,9,10
SSV65PHRC	Cab	SL6665A	5	10
SSV65P	ROPS	SL6664A	none	none
SSV65PF	ROPS	SL6664A	1,2,3,4	7,8,9
SSV65PFR	ROPS	SL6664A	1,2,3,4,5	7,8,9,10
SSV65PH	ROPS	SL6664A	6	10
SSV65PHF	ROPS	SL6664A	1,2,3,4,6	7,8,9,10
SSV65PHFR	ROPS	SL6664A	1,2,3,4,5,6	7,8,9,10
SSV65PHR	ROPS	SL6664A	5,6	10
SSV65PR	ROPS	SL6664A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57910	Label (OPERATION LH MULTI)	1	
3	V1311-57920	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57930	Label (OPERATION LH)	1	
9	V1311-57940	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV75

### SSV75 Skid Steer Loader

#### FEATURES

Vertical Lift Path Loader Frame  
Standard Front Quick Coupler, Float Standard  
Hydraulic Quick Coupler Option  
One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option  
Loader Boom Lock  
Open ROPS & Air Conditioned ROPS/FOPS Cab Models  
Adjustable, Vinyl, Suspension Seat  
2" Retractable Seat Belt and 2-Piece Seat Bar  
12V Electric Outlet  
20.9 gpm Auxiliary Hydraulics, 30.4 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler  
Direct To Tank Return Line  
12x16.5, 10PR Heavy-Duty Tires  
Two Speed Travel System  
Spring Applied Hydraulically Released (SAHR) Brakes  
Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped)  
Mechanical Hand & Foot Controls  
Electronic Dial Throttle  
Automatic Glow Plugs  
Key Switch Stop/Start System  
Self-Bleed Fuel System  
2 Front and 2 Rear Working Lights  
2 Front Corner Lights & 2 Rear Red Tail Lights  
Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights  
Horn and Backup Alarm  
Lockable Fuel Cap Door  
Bolt On Grab Handles to enter machine

#### ENGINE

V3307 Kubota CR-TE4, Tier 4 Diesel Engine  
4-Cylinder, 4 Cycle, Turbo Charged  
74.3 Gross HP @ 2600 rpm  
3.3 L Displacement  
196 lbf-ft Peak Torque

#### DIMENSIONS

Cab Height .....81.3"  
Width over wheels.....71.8"  
Width with standard bucket .....75.0"  
Length without bucket .....115.0"  
Length with 74" standard bucket .....144.1"

#### OPERATIONAL DIMENSIONS

Operating Weight\*, SSV75\*, Open ROPS/FOPS Cab, Mechanical Quick Coupler .....8,157 lbs.  
Rated Operating Capacity (ROC) @ 50% of Tipping Load .....2,690 lbs.  
Tipping Load .....5,380 lbs.  
Auxiliary Hydraulics Flow .....20.9 / 30.4 gpm  
Travel Speed (Low / High) .....7.4 / 11.8 mph  
Reach @ Maximum Height .....36.9"  
Height to Hinge Pin .....128.3"  
Ground Clearance .....8.1".  
Traction Force .....8,494 lbf.

#### BASIC UNITS (HAND & FOOT CONTROLS)

SSV75, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
SSV75F, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
SSV75FR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV75H, Open ROPS/FOPS Hydraulic Quick Coupler  
SSV75HF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
SSV75HFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75HR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75R, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV75HC, AC Enclosed Cab, Hydraulic Quick Coupler  
SSV75HFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
SSV75HFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75HRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

#### ISO-PILOT CONTROL UNITS

SSV75P, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
SSV75PF, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
SSV75PFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV75PH, Open ROPS/FOPS Hydraulic Quick Coupler  
SSV75PHF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
SSV75PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75PHR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75PR, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
SSV75PHC, AC Enclosed Cab, Hydraulic Quick Coupler  
SSV75PHFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
SSV75PHFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
SSV75PHRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

\* Includes operator's weight, 175 lbs.

# KUBOTA

## SSV75

### HOW TO SELECT AN SSV75 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV75 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV75 or SSV75H or SSV75HRC
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>STANDARD UNIT SSV75 COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV75</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S36K195A00	7500	\$47,625.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL74SLC	74" low profile standard floor bucket with bolt-on cutting edge	S1K187A12	541	\$1,562.00
				\$49,187.00
<b>STANDARD UNIT SSV75HRC COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV75HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S40K679A00	7750	\$53,525.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL74SLT	74" low profile standard floor bucket with teeth	K1K143A80	541	\$1,505.00
				\$55,030.00



# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL SSV75 BASIC UNITS (HAND &amp; FOOT CONTROLS)</b>			
<b>SSV75</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab Mechanical Quick Coupler	S36K195A00	7500	\$47,625.00
<b>SSV75F</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S37K585A80	7500	\$49,455.00
<b>SSV75FR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S38K604A20	7500	\$50,795.00
<b>SSV75H</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab Hydraulic Quick Coupler	S36K601A60	7500	\$48,160.00
<b>SSV75HF</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S37K992A40	7500	\$49,990.00
<b>SSV75HFR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S39K010A80	7500	\$51,330.00
<b>SSV75HR</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S37K620A00	7500	\$49,500.00
<b>SSV75R</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler	S37K213A40	7500	\$48,965.00
<b>SSV75HC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab Hydraulic Quick Coupler	S39K660A60	7750	\$52,185.00
<b>SSV75HFC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S41K051A40	7750	\$54,015.00
<b>SSV75HFRC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S42K069A80	7750	\$55,355.00
<b>SSV75HRC</b> With:	<b>SKID STEER LOADER BASIC UNIT</b> AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S40K679A00	7750	\$53,525.00

# KUBOTA



## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 2</b>	<b>MODEL SSV75 ISO-PILOT CONTROL UNITS</b>			
<b>SSV75P</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab Mechanical Quick Coupler	S38K015A20	7500	\$50,020.00
<b>SSV75PF</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S39K402A20	7500	\$51,845.00
<b>SSV75PFR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler	S40K416A80	7500	\$53,180.00
<b>SSV75PH</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab Hydraulic Quick Coupler	S38K421A80	7500	\$50,555.00
<b>SSV75PHF</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S39K808A80	7500	\$52,380.00
<b>SSV75PHFR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S40K823A40	7500	\$53,715.00
<b>SSV75PHR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S39K436A40	7500	\$51,890.00
<b>SSV75PR</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler	S39K029A80	7500	\$51,355.00
<b>SSV75PHC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab Hydraulic Quick Coupler	S41K480A80	7750	\$54,580.00
<b>SSV75PHFC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S42K871A60	7750	\$56,410.00
<b>SSV75PHFRC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler	S43K886A20	7750	\$57,745.00
<b>SSV75PHRC</b> With:	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b> AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler	S42K495A40	7750	\$55,915.00
<b>PART 3</b>	<b>BUCKETS</b>			
	<b>QUICK ATTACH BUCKETS (standard duty)</b>			
AP-SL74SLT	74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity	K1K143A80	516	\$1,505.00
AP-SL74SLC	74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity	S1K187A12	571	\$1,562.00
AP-SL74SLLT	74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity	S1K225A12	552	\$1,612.00
AP-SL74SLLC	74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity	K1K269A20	607	\$1,670.00

# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 3</b>	<b>BUCKETS (Continued)</b>			
	<b>QUICK ATTACH BUCKETS (heavy duty)</b>			
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity	K1K270A72	581	\$1,672.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity	K1K319A36	636	\$1,736.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity	K1K361A16	626	\$1,791.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity	K1K409A80	680	\$1,855.00
	<i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i>			
<b>PART 4</b>	<b>ACCESSORIES</b>			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K62A32	3	\$82.00
S6650	14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration.	K236A36	1	\$311.00
S6651	8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector.	K222A68	1	\$293.00

SSV Grips, Harnesses, and Adapters					
GRIP STYLE	MODEL(s)	14-PIN HARNESS (order from parts) <i>Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</i>	MULTIFUNCTION GRIP KIT DIA (order from parts) <i>Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</i>	14-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</i>	8-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</i>
 C SSV Hand & Foot	SSV65 Hand & Foot Controls	V1311-97101	V1311-96301	S6650	S6651
	SSV75 Hand & Foot Controls	V1411-97101			
 D SSV ISO Pilot Controls Standard Grips	SSV65 ISO Pilot Controls	V1311-97101	V1311-97301		
	SSV75 ISO Pilot Controls	V1411-97101			

KXB560Q	HYDRAULIC BREAKER Includes manual, side plates, one moil point and one chisel point. Requires a S6693A hose kit, S6692A mount bracket, and Special Application Door	S9K554A72	820	\$12,572.00
S6693A	HYDRAULIC BREAKER HOSE KIT	K481A84	7	\$634.00
S6692A	HYDRAULIC BREAKER BRACKET Required for KXB560Q Hydraulic Breakers	S1K045A00	175	\$1,375.00

# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
	<b>REPLACEMENT CAB/ROPS FOR SSV65</b> Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.			
SL6660	REPLACEMENT OPEN ROPS /SSV75 (Hand & Foot Ctl Units Only)	S5K510A00	992	\$7,250.00
SL6661	REPLACEMENT CLOSED CAB/SSV75 (Hand & Foot Ctl Units Only)	S7K980A00	992	\$10,500.00
SL6664	Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only)	S5K510A00	948	\$7,250.00
SL6665	Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only)	S7K980A00	948	\$10,500.00
	SEE REPLACEMENT CAB & ROPS ADOPTION LIST			
	<b>PART 6 ACCESSORIES - (available from PARTS)</b>			
V1411-96611	H-Pattern Conversion Kit (For Cab Models Only) <i>(Beginning with SNs 50070 and 23041 - Refer to PIB-2017-034)</i>	K644A88		\$848.00
V1311-96501	Hydraulic Quick Coupler Conversion Kit	K731A73		\$962.80
V1411-96601	Self-Leveling	K501A94		\$660.45
V1311-96701	Ride Control (KSR)	K821A64		\$1,081.11
V1311-96201	Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit)	K163A10		\$214.60
V1311-96401	Bonnet (Rear Door) Lock Kit	K35A27		\$46.41
V1411-97101	14 Pin Coupler Harness	K243A20		\$320.00
V1311-96301	Multi-Function Lever Kit (for Hand & Foot Control Models Only)	K440A80		\$580.00
V1311-97301	Multi-Function Lever Kit (for ISO Pilot Controls Only)	K494A00		\$650.00
77700-06360	Wiring Harness, Airsus	K40A28		\$53.00
77700-06361	Air Ride Seat, requires Airsus Wiring Harness 7770-06360	K615A60		\$810.00
V1311-96821	SSV Special Application Door Door Completion Kit required for ROPS units	K2X362A68		\$3,108.79
V1311-96801	SSV Front Glass Kit	K881A60		\$1,160.00
V1311-96811	SSV ROPS Door Completion Kit (needed to install any door on ROPs units)	K220A40		\$290.00
V1311-96841	Single Point Lift Kit	K1X86A18		\$2,447.61
	<b>PART 7 OTHER ACCESSORIES - (Refer to PARTS for Pricing)</b>			
77700-08974	Rear View Observation Camera Kit			
70000-73274	Engine Block Heater			
77700-04752	Radio AM / FM / WB / MP3			
77700-04757	Radio AM / FM / WB / Bluetooth			
70090-40007	Counterweight (order 6 with the following hardware) RD451-42190 Bolt, M16-1x110mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4)			
77700-07225	Hose Stay			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			

# KUBOTA

## SSV75

<b>PART 7</b>	<b>OTHER ACCESSORIES - ( Continued; Refer to PARTS for Pricing)</b>
V1411-28910	33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"
V1411-28920	33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"
V1411-29310	14x17.5 Tire Assy (L, 14PR) Over the Tire Width = 73.3"
V1411-29410	14x17.5 Tire Assy (R, 14PR) Over the Tire Width = 73.3"
V1311-28710	12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5"

# KUBOTA

## SSV75

### REPLACEMENT CAB & ROPS ADOPTION LIST

SSV75 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV75HC	Cab	SL6661A	none	none
SSF75HFC	Cab	SL6661A	1,2,3,4	7,8,9
SSV75HFRC	Cab	SL6661A	1,2,3,4,5	7,8,9,10
SSV75HRC	Cab	SL6661A	5	10
SSV75	ROPS	SL6660A	none	none
SSV75F	ROPS	SL6660A	1,2,3,4	7,8,9
SSV75FR	ROPS	SL6660A	1,2,3,4,5	7,8,9,10
SSV75H	ROPS	SL6660A	6	10
SSV75HF	ROPS	SL6660A	1,2,3,4,6	7,8,9,10
SSV75HFR	ROPS	SL6660A	1,2,3,4,5,6	7,8,9,10
SSV75HR	ROPS	SL6660A	5,6	10
SSV75R	ROPS	SL6660A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57810	Label (OPERATION LH MULTI)	1	
3	V1311-57820	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57510	Label (OPERATION LH)	1	
9	V1311-57520	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV75

### REPLACEMENT CAB & ROPS ADOPTION LIST

SSV75 REPLACEMENT CAB & ROPS ADOPTION LIST ISO PILOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV75PHC	Cab	SL6665A	none	none
SSV75PHFC	Cab	SL6665A	1,2,3,4	7,8,9
SSV75PHFRC	Cab	SL6665A	1,2,3,4,5	7,8,9,10
SSV75PHRC	Cab	SL6665A	5	10
SSV75P	ROPS	SL6664A	none	none
SSV75PF	ROPS	SL6664A	1,2,3,4	7,8,9
SSV75PFR	ROPS	SL6664A	1,2,3,4,5	7,8,9,10
SSV75PH	ROPS	SL6664A	6	10
SSV75PHF	ROPS	SL6664A	1,2,3,4,6	7,8,9,10
SSV75PHFR	ROPS	SL6664A	1,2,3,4,5,6	7,8,9,10
SSV75PHR	ROPS	SL6664A	5,6	10
SSV75PR	ROPS	SL6664A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57910	Label (OPERATION LH MULTI)	1	
3	V1311-57920	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57930	Label (OPERATION LH)	1	
9	V1311-57940	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SKID STEER LOADERS

### REPLACEMENT ENGINES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
---------------	-------------	-------------------	-------------------	-------------------------

**All replacement engines must be ordered through the Parts Department.  
See Parts Bulletin DPB-2014-011 R2**