

KUBOTA

WHEEL LOADERS

WHOLEGOODS PRICE LIST EFFECTIVE DECEMBER 3, 2018

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of December 3, 2018

12/3/2018 R430 Loader replaces the R420s
Backhoe attachment RBK4009S is Compatible
with New R430
The RBK4009SA backhoe has the new color scheme

KUBOTA

WHEEL LOADERS

This page intentionally left blank.

KUBOTA

WHEEL LOADERS

PAGE NUMBER	ORDER CODE		BUCKET CAPACITY	FACTORY NUMBER	SUGGESTED LIST PRICE
16-5	R430R1		0.5 yd ³	K36K682A92	\$48,267.00
16-11	R530R41		0.85 yd ³	K48K750A20	\$64,145.00
16-15	R630R41		1.0 yd ³	K59K911A56	\$78,831.00
16-25	Wheel Loader replacement engines				

KUBOTA

This page intentionally left blank.

KUBOTA

R430

R430 Articulated Wheel Loader

ENGINE

D1803-CR-TIE4-WL5 Tier 4 Kubota Diesel Engine
3 Cylinder, 4 Cycle
44.5. Net HP @ 2600 rpm (SAE J1349)

FEATURES:

Turbocharged
5 Second Pre Heat System
Auto Air Bleed Fuel System
E-TVCS - Low Emissions Design

SAMPLE R430R1 LOADER

EQUIPPED WITH:

K9716 Hydraulic Quick Coupler
K9163A General Purpose Bucket 0.5 cu yd
K9931A - 1,500 lbs Counter Weight

DIMENSIONS:

Operating Weight	7,758 lbs
Overall Length (w/Bucket & Weight)	171.0"
Overall Height (W/ 2 - Post ROPS/FOPS)	99"
Overall Width (w/o Bucket)	60"

SAMPLE R430R1 LOADER & BACKHOE

EQUIPPED WITH:

K9715 Mechanical Quick Coupler
K9163A General Purpose Bucket 0.5 cu yd
RBK4009SA 9' Maximum Digging Depth Backhoe
K7861A 18 inch Backhoe Bucket

DIMENSIONS:

Operating Weight	9,363 lbs
Overall Length (w/Bucket & Backhoe)	187.8"
Overall Height (w/o Bucket)	99"
Overall Width (W/ 2 - Post ROPS/FOPS)	60"

FEATURES

One Speed Transmission
Push Button Travel Speed Limiter Switch in Loader Lever
"LST"- Load Sensing Transmission
Articulated Steering, Frame Oscillation
Quick Attaching System Front and Rear, Standard
Weight Adjustable Suspension Seat, Standard
Limited Slip Differential (Front), Standard

BASIC UNITS

R430R1 with:
2-Post ROPS/FOPS
Limited Slip Differential
without:
Quick Coupler
Buckets
Rear Counter Weight

OPERATIONAL DIMENSIONS

Bucket Capacity (SAE J742)	0.5 cu yd
Tipping Load Straight w/Bucket and 1,500 lbs Counter Weight (SAE Rating)	5,335 lbs
Tipping Load Straight w/Pallet Forks and 1,500 lbs Counter Weight (SAE Rating)	3,008 lbs
Hinge Pin Height	9' 2"
Dump Height at Fully Raised Position	7' 2"
Maximum Dump Angle	44°
Reach Fully Raised at Maximum Dump Angle	33.0"
Loader Bucket Breakout Force	5215 lbs
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	12.5/70-16 8 ply
Draw Bar Pull	5,485 lbs
Auxiliary Hydraulic Flow	11.1 GPM

KUBOTA

R430

HOW TO SELECT A R430 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R430 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 7.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
For Example, Choose An R430 And Get: Base Model ROPS/FOPS Canopy, and Limited Slip Differential.
- STEP 2) Select from Part 2 thru 7 the optional attachments necessary to make the unit a complete machine. Add the Quick Coupler and Counterweight; choose a Loader Bucket, Pallet Forks or Backhoe and Buckets.

SPECIAL NOTE: Quick Coupler must be ordered to connect all R430 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R430, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R430R1	WHEEL LOADER WITH: • ROPS/FOPS Canopy • Limited Slip Differential	K36K682A92	7758	\$48,267.00
R430R3	WHEEL LOADER WITH: • ROPS/FOPS Cab WITH heat and A/C • Limited Slip Differential	K41K084A84	8232	\$54,059.00
ATTACHMENTS:				
K9716	• Hydraulic Quick Coupler	K1K798A16	255	\$2,366.00
K9163A	• General Purpose Bucket	K1K435A64	415	\$1,889.00
K9931A	• 1,500 lbs. Counter Weight	K2K052A00	1500	\$2,700.00
				<u>\$55,222.00</u>
SAMPLE UNIT R430 WITH BACKHOE, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R430R1	WHEEL LOADER WITH: • ROPS/FOPS Canopy • Limited Slip Differential	K36K682A92	7275	\$48,267.00
ATTACHMENTS:				
K9715	• Mechanical Quick Coupler	K1K436A40	245	\$1,890.00
K9163A	• General Purpose Bucket	K1K435A64	415	\$1,889.00
RBK4009SA	• 9 ft. Digging Depth Backhoe (Side Shift Type)	K13K524A96	1605	\$17,796.00
K7861A	• 18" Backhoe Bucket.	K854A24	159	\$1,124.00
				<u>\$70,966.00</u>

KUBOTA

R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R430R1 BASIC UNIT			
R430R1	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Canopy • Limited Slip Differential	K36K682A92	7275	\$48,267.00
R430R3	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Cab with Heat and Air • Limited Slip Differential	K41K084A84	7825	\$54,059.00
PART 2	QUICK COUPLER			
	SPECIAL NOTES: A quick coupler must be ordered to connect all R430 attachments. The mounting pins and retaining plates included with the wheel loader are required to install the quick couplers.			
K9715	MECHANICAL QUICK COUPLER Skid Steer Loader Style.	K1K436A40	245	\$1,890.00
K9716	HYDRAULIC QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses.	K1K798A16	255	\$2,366.00
PART 3	COUNTER WEIGHT			
K9931A	1,500 lbs. COUNTER WEIGHT Quick Attach With: 70090-33605 Counter Weight Retaining Pins, 2 pcs. 70090-33607 Eye Bolt 70090-33606 Hitch Pin	K2K052A00	1500	\$2,700.00
PART 4	LOADER BUCKETS			
K9163A	GENERAL PURPOSE BUCKET 62.0 inch 0.50 cu. yd. Quick Attach	K1K435A64	415	\$1,889.00
K9723	BOLT-ON CUTTING EDGE 62" for K9163A	K456A00	75	\$600.00
K9164	LIGHT MATERIAL BUCKET 68.0 inch 0.75 cu. yd. Quick Attach	K1K480A48	541	\$1,948.00

KUBOTA

R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 5 Attachments				
K9719	Loader Bucket "auto" leveler kit Provides a return to dig function	K547A20	1.4	\$720.00
K9795	CCV Heater Kit	TBD		TBD
K9796	Pre-Cleaner Kit Air Filter Pre-Cleaner kit for enhanced <u>engine</u> air filtering	TBD		TBD
K9731	(LED) Work Light Package Provides increased lighting over standard Halogen	K174A80	8.82	\$ 230.00
PART 6 BACKHOE				
RBK4009S	BACKHOE w/ (SIDE SHIFT TYPE) Without Bucket. Quick Attach. Seat Turntable Kit And Remote Throttle Included. Compatible With 2-Post Canopy Or Cab. Cab Installation Requires K4009 Kit. (previous R420s color scheme) Subject to availability 9' 3" Maximum Digging Depth And 4,100 Lbs. Bucket Breakout Force. 2755 lbs Dipper Stick Breakout Force, 986 lbs Boom Cylinder Lift Capacity, 1,015 lbs Dipper Stick Lift Capacity, 180° Swing Angle.	K13K259A72	1605	\$17,447.00
RBK4009SA	Same specifications as listed above (only slight color variation for new R430 application)	K13K524A96	1605	\$17,796.00
K4009	Backhoe Cab Conversion Kit (previous R420s color scheme) Subject to availability	K1K349A76	200	\$1,776.00
K4009A	Same as K4009 (only slight color variation for new R430 application)	K2K128A00	200	\$2,800.00
BACKHOE BUCKETS FOR RBK4009S & RBK4009SA				
K7710A	12 inch 1.34 cu. ft. BUCKET	K715A92	130	\$942.00
K7711A	16 inch 1.98 cu. ft. BUCKET	K768A36	153	\$1,011.00
K7861A	18 inch 2.30 cu. ft. 3 HOLE, H.D. BUCKET	K854A24	159	\$1,124.00
K7713A	24 inch 3.29 cu. ft. BUCKET	K865A64	192	\$1,139.00
BUCKET PARTS INFORMATION FOR K7710A, K7711A, K7712A & K7713A				
PART NO.	DESCRIPTION			
70090-32082	Adaptor (230 x 156) (Standard)			
70090-32083	Tooth (X156) (Standard)			
70090-32084	Tooth Pin (P156) (Standard)			

KUBOTA

R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 7	TIRES (replacement)			
K9793LA	STANDARD TIRE — Left Bridgestone, 12.5/70-16 8-ply with Rim. In base price of all R430 Models. (Replacement only) Not needed for initial machine order	K604A96	100	\$796.00
K9793RA	STANDARD TIRE — Right Bridgestone, 12.5/70-16 8-ply with Rim. In base price of all R430 Models. (Replacement only) Not needed for initial machine order	K604A96	100	\$796.00
PART 8	ROPS / FOPS			
K9718	Replacement 2-POST ROPS/FOPS Canopy For both Loader and Backhoe.	K767A60	242	\$1,010.00
K9728	Replacement ROPS / FOPS Cab with A/C For both Loader and Backhoe.	K4K761A40	704	\$6,265.00

PART 09 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00297	Block heater

KUBOTA

R530

R530 Articulated Wheel Loader

ENGINE

V2607 Tier 4 Final Kubota Diesel Engine
4 Cylinders, 4 Cycle
47.9 Net HP @ 2400 rpm (SAE J1349)

FEATURES:

5 Second Quick Preheat System
Automatic Regeneration
Dual Element Air Cleaner
Fuel / Water Separator
Refueling Assistant
Self-Bleed Fuel System

BASIC UNITS

R530R41 with:

4-Post ROPS/FOPS Canopy
100% On-Demand Differential Lock
Rear Counter Weight

Without:

Quick Coupler
Buckets
Options

R530R43 with:

ROPS/FOPS A/C Cab
100% On-Demand Differential Lock
Rear Counter Weight

Without:

Quick Coupler
Buckets
Options

FEATURES

±40° Articulated Steering, 8° Frame Oscillation
2 Head Lights, Front and Rear Signal Lights
Articulation Transport Lock
Auxiliary Hydraulics @ 14.2 gpm. Single Lever
Digital Control Panel w/ Diagnostics
FOPS (Falling Object Protective Structure, Level 1, ISO 3449)
Grease Gun Holder
Hybrid Link Loader System, Loader Arm Support
Hydraulic Quick Coupler In-Cab Control
Hydrostatic Transmission w/ Two Speeds
Inching and brake pedal, Left Side
Maintenance Free Battery
Multifunction Operating Lever w/ Lockouts, Float, Mechanical Linkage, Direction and speed control
On Demand, 100% Differential Lock
Parking Brake, Spring Applied, Hydraulic Release
Power Steering, Tilt Steering Wheel w/ Steering Knob
Radio Ready (Cab Model Only)
Retractable Seat Belt
ROPS (Roll-over Protective Structure, ISO 3471)
Service Brakes, Wet Type Disk Brakes, Enclosed
Side Mirrors, 12V Power Outlet
SSL Type or Euro Type Quick Couplers
Suspension Seat w/ Headrest
Cup Holder
Towing Pin

OPERATIONAL DIMENSIONS w/ SSL Coupler

Bucket Capacity (SAE J742)	0.85 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	6,041 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	4,674 lbs
Hinge Pin Height	10' 7"
Dump Height at Fully Raised Position	8' 0"
Maximum Dump Angle	44°
Reach Fully Raised at Maximum Dump Angle	2' 9"
Loader Bucket Breakout Force	7,761 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	365/70 R18 8 ply
Traction Force	6,540 lbs
Auxiliary Hydraulic Flow	14.2 gpm @ 2,700 psi

KUBOTA

R530

HOW TO SELECT AN R530 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R530 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
For Example, choose an R530R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine. Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

SPECIAL NOTE: A Quick Coupler must be ordered to connect all R530 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R530R41, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R530R41	WHEEL LOADER WITH: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K48K750A20	9128	\$64,145.00
ATTACHMENTS:				
K7171	• Hydraulic SSL Quick Coupler	K2K519A40	256	\$3,315.00
K7172	• 72" General Purpose Bucket (0.85 cu. yd.)	K1K951A68	610	\$2,568.00
				<u>\$70,028.00</u>
SAMPLE UNIT R530R43, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R530R43	WHEEL LOADER WITH: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K55K177A52	9128	\$72,602.00
ATTACHMENTS:				
K7170	• Mechanical SSL Quick Coupler	K1K887A84	96	\$2,484.00
K7173	• 74" Light Material Bucket (1.0 cu. yd.)	K1K774A60	610	\$2,335.00
				<u>\$77,421.00</u>

KUBOTA

R530

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R530 BASIC UNIT			
R530R41	WHEEL LOADER BASIC UNIT With: <ul style="list-style-type: none"> • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight 	K48K750A20	9128	\$64,145.00
R530R43	WHEEL LOADER BASIC UNIT With: <ul style="list-style-type: none"> • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight 	K55K177A52	9128	\$72,602.00
PART 2	QUICK COUPLERS			
	A quick coupler must be ordered to connect all R530 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.			
K7170	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K1K887A84	96	\$2,484.00
K7171	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K519A40	256	\$3,315.00
K7181	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K223A00	172	\$2,925.00
PART 3	LOADER ATTACHMENTS / ACCESSORIES			
	SSL QUICK COUPLER ATTACHMENTS			
K7172	72" GENERAL PURPOSE BKT. (0.85 yd ³) for SSL QC	K1K951A68	610	\$2,568.00
K7173	74" LIGHT MATERIAL BKT. (1.0 yd ³) for SSL QC	K1K774A60	610	\$2,335.00
K7177	48" Pallet Forks for SSL QC	K1K388A52	446	\$1,827.00
K7178	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K483A36	21	\$636.00
K7179	Hydraulic Conversion Kit for Mechanical Coupler Converts Mechanical coupler to Hydraulic Coupler	K1K121A55	96	\$1,475.72

KUBOTA

R530

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
LOADER ATTACHMENTS / ACCESSORIES (Cont.)				
EURO QUICK COUPLER ATTACHMENTS				
K7182	72" GENERAL PURPOSE BKT. (0.85 yd ³) for EURO QC *Euro QC not compatible with older 510 model	K1K951A68	610	\$2,568.00
K7183	74" LIGHT MATERIAL BKT. (1.0 yd ³) for EURO QC *Euro QC not compatible with older 510 model	K1K774A60	610	\$2,335.00
K7186	48" PALLET FORKS for EURO QC	K1K388A52	473	\$1,827.00
K9724	BOLT-ON CUTTING EDGE for 72" Bucket	K230A28	90	\$303.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K236A36	75	\$311.00
K7196	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR)	K1K900A00	97	\$2,500.00
PART 4 TIRES				
R5511-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 365/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R530 Models.	K850A19	186	\$1,119.00
PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES				
K7190	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K1K856A68	242	\$2,443.00
K7191	REPLACEMENT ROPS / FOPS CAB Filtered and Pressurized. The K7191 cab is configured as a replacement for damaged factory mounted cabs. It does not include tractor mounted components. Refer to illustrated parts list to order these components	K4K718A84	704	\$6,209.00
K7192	INCHING PEDAL, RIGHT SIDE For Serial # 10168 and below	K136A80	17.6	\$180.00
K7199	INCHING PEDAL, RIGHT SIDE For Serial # 10169 and above	K136A80	6.6	\$180.00
K7160	BUCKET POSITION INDICATOR KIT / R530	K128A44	6.6	\$169.00
K7193	REAR WORKING LIGHT FOR CAB MODELS	K237A88	8.8	\$313.00
K7194	REAR WORKING LIGHT FOR CANOPY MODELS	K175A56	8.8	\$231.00
K7195	TOOL BOX FOR CAB MODELS	K292A60	10	\$385.00
K7197	RIGHT SIDE WRIST REST FOR CANOPY MODELS	K167A96	3	\$221.00
K7198	RIGHT SIDE WRIST REST FOR CAB MODELS	K167A96	3	\$221.00
K9926	3" Seat Belt Kit	K62A32	3	\$82.00
PART 6 OPTIONAL PARTS				

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount

KUBOTA

R630

R630 Articulated Wheel Loader

ENGINE

V2607 Tier 4 Final Kubota Diesel Engine
4 Cylinders, 4 Cycle, Turbocharged
61.2 Net HP @ 2400 rpm (SAE J1349)

FEATURES:

5 Second Quick Preheat System
Automatic Regeneration
Dual Element Air Cleaner
Fuel / Water Separator
Refueling Assistant
Self-Bleed Fuel System

BASIC UNITS

R630R41 with:

4-Post ROPS/FOPS Canopy
100% On-Demand Differential Lock
Rear Counter Weight

Without:

Quick Coupler
Buckets
Options

R630R43 with:

ROPS/FOPS A/C Cab
100% On-Demand Differential Lock
Rear Counter Weight

Without:

Quick Coupler
Buckets
Options

FEATURES

±40° Articulated Steering, 8° Frame Oscillation
2 Head Lights, Front and Rear Signal Lights
Articulation Transport Lock
Auxiliary Hydraulics @ 17.8 gpm.
Auxiliary Flow Control for Attachment Mode
Digital Control Panel w/ Diagnostics
FOPS (Falling Object Protective Structure, Level 1, ISO 3449)
Grease Gun Holder
Hybrid Link Loader System, Loader Arm Support
Hydraulic Quick Coupler In-Cab Control
Hydrostatic Transmission w/ Five Speeds, Four Modes
Inching and Brake Pedal, Left Side
Maintenance Free Battery
Multifunction Controller w/ Lockouts, Float, Direction and Speed Control, Auxiliary Hydraulics Proportional Control, Pilot operated
On Demand, 100% Differential Lock
Parking Brake, Spring Applied, Hydraulic Release
Power Steering, Tilt Steering w/ Steering Knob
Radio Ready (Cab Model Only)
Retractable Seat Belt
ROPS (Roll-over Protective Structure, ISO 3471)
Side Mirrors, 12V Power Outlet
Service Brakes, Wet Type Disk Brakes, Enclosed SSL Type or Euro Type Quick Couplers
Suspension Seat w/ Headrest, Left Arm Rest
Cup Holder
Towing Pin
Wrist Rest, Right Side, Adjustable

OPERATIONAL DIMENSIONS w/ Euro Coupler

Bucket Capacity (SAE J742)	1.0 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	7,606 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	5,842 lbs
Hinge Pin Height	10' 8"
Dump Height at Fully Raised Position	8' 3"
Maximum Dump Angle	45°
Reach Fully Raised at Maximum Dump Angle	2' 6"
Loader Bucket Breakout Force	10,415 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	405/70 R18 8 ply
Traction Force	8,593 lbs
Auxiliary Hydraulic Flow	17.8 gpm @ 3,000 psi

KUBOTA

R630

HOW TO SELECT AN R630 WHEEL LOADER

(Sample Order Information Page)

Below are samples of a complete R630 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
For Example, choose an R630R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine. Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

SPECIAL NOTE: A Quick Coupler must be ordered to connect all R630 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R630R41, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R630R41	WHEEL LOADER WITH: <ul style="list-style-type: none"> • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight 	K59K911A56	10054	\$78,831.00
ATTACHMENTS:				
K7181	<ul style="list-style-type: none"> • Hydraulic Euro Quick Coupler 	K2K223A00	172	\$2,925.00
K7184	<ul style="list-style-type: none"> • 74" General Purpose Bucket (1.0 cu. yd.) for Euro QC 	K2K172A84	610	\$2,859.00
				\$84,615.00
SAMPLE UNIT R630R43, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R630R43	WHEEL LOADER WITH: <ul style="list-style-type: none"> • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight 	K66K338A88	10054	\$87,288.00
ATTACHMENTS:				
K7181	<ul style="list-style-type: none"> • Hydraulic Euro Quick Coupler 	K2K223A00	172	\$2,925.00
K7185	<ul style="list-style-type: none"> • 74" Light Material Bucket (1.5 cu. yd.) for Euro QC 	K2K172A84	610	\$2,859.00
				\$93,072.00

KUBOTA

R630

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R630 BASIC UNIT			
R630R41	WHEEL LOADER BASIC UNIT With: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K59K911A56	10054	\$78,831.00
R630R43	WHEEL LOADER BASIC UNIT With: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K66K338A88	10054	\$87,288.00
PART 2	QUICK COUPLERS			
	A quick coupler must be ordered to connect all R630 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.			
K7170	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K1K887A84	96	\$2,484.00
K7171	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K519A40	256	\$3,315.00
K7181	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K223A00	172	\$2,925.00
PART 3	LOADER ATTACHMENTS / ACCESSORIES			
	SSL QUICK COUPLER ATTACHMENTS			
K7174	74" General Purpose Bucket (1.0 yd ³) for SSL QC	K2K172A84	610	\$2,859.00
K7175	74" Light Material Bucket (1.5 yd ³) for SSL QC	K2K172A84	610	\$2,859.00
K7177	48" Pallet Forks for SSL QC	K1K388A52	446	\$1,827.00
K7178	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K483A36	21	\$636.00
K7179	Hydraulic Conversion Kit for Mechanical Coupler Converts Mechanical coupler to Hydraulic Coupler	K1K121A55	96	\$1,475.72

KUBOTA

R630

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
LOADER ATTACHMENTS / ACCESSORIES (Cont.)				
EURO QUICK COUPLER ATTACHMENTS				
K7184	74" GENERAL PURPOSE BKT. (1.0 yd ³) for EURO QC	K2K172A84	610	\$2,859.00
K7185	74" LIGHT MATERIAL BKT. (1.5 yd ³) for EURO QC	K2K172A84	610	\$2,859.00
K7186	48" PALLET FORKS for EURO QC	K1K388A52	473	\$1,827.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K236A36	75	\$311.00
K7196	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR)	K1K900A00	97	\$2,500.00
PART 4 TIRES				
R5611-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 405/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R630 Models.	1K014K00	205	\$1,334.00
PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES				
K7190	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K1K856A68	242	\$2,443.00
K7191	REPLACEMENT ROPS / FOPS CAB Filtered and Pressurized. The K7191 cab is configured as a replacement for damaged factory mounted cabs. It does not include tractor mounted components. Refer to illustrated parts list to order these components	K4K718A84	704	\$6,209.00
K7192	INCHING PEDAL, RIGHT SIDE For Serial # 10214 and Below	K136A80	17.6	\$180.00
K7199	INCHING PEDAL, RIGHT SIDE For Serial # 10215 and Above	K136A80	6.61	\$180.00
K7161	BUCKET POSITION INDICATOR / R630	K128A44	6.61	\$169.00
K7193	REAR WORKING LIGHT FOR CAB MODELS	K237A88	8.8	\$313.00
K7194	REAR WORKING LIGHT FOR CANOPY MODELS	K175A56	8.82	\$231.00
K7195	TOOL BOX FOR CAB MODELS	K292A60	10	\$385.00
K9926	3" Seat Belt Kit	K62A32	3	\$82.00

PART 6 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount

KUBOTA

R-Series Replacement Engines

REPLACEMENT ENGINES FOR R - SERIES WHEEL LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
---------------	-------------	-------------------	-------------------	-------------------------

**Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.
See Parts Bulletin DPB-2014-011 R01.**