

## BOBCAT COMPANY PRICE PAGES NA UTILITY WORK MACHINES-TOOLCAT™



**Please note the following when using Bobcat Price Pages:**

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the model and serial number and check with Dealer Parts Department.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

**THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:**

Date	Description of Change
3/23/2018	Removal of Bobcat Safety Training Video
3/1/2017	Effective March ,1, 2017 Bobcat Company has updated power unit options.
01/01/2016	Effective Friday, January 1 <sup>st</sup> , 2016 Bobcat Company has adjusted the SLP of select options and power units.
01/01/2018	Added extended warranty for Bobcat engine machines
01/01/2018	Updated SLP for select machines for January 1 <sup>st</sup> 2018
05/01/2018	Effective Tuesday, May 1, 2018 Bobcat Company has adjusted the SLP of select options and power units.
01/01/2019	Updated SLPs for January 1 <sup>st</sup> 2019

# 5600T G-SERIES WORK MACHINE



## STANDARD EQUIPMENT

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>Adjustable Vinyl Seats</li> <li>All-Wheel Steer</li> <li>Automatically Activated Glow Plugs</li> <li>Auxiliary Hydraulics: Variable Flow with dual direction detent</li> <li>Beverage Holders</li> <li>Bob-Tach™</li> <li>Boom Float</li> <li>Cargo Box Support</li> <li>Cruise Control</li> <li>Dome Light</li> <li>Horsepower Management</li> <li>*Deluxe Operator Canopy includes: Front Window, Rear Window, Front Wipers, and Electrical Power Port</li> <li>Limited Slip Transaxle</li> <li>Engine and Hydraulic Monitor with Shutdown</li> <li>Front Work Lights</li> <li>Full-time Four-Wheel Drive</li> <li>Hydraulic Dump Box</li> </ul> | <ul style="list-style-type: none"> <li>Instrumentation: Hourmeter, Job Hours, Speedometer, Tachometer, Fuel Gauge, Engine Temperature Gauge, and Warning Lights</li> <li>Joystick, Manually Controlled with Lift Arm Float</li> <li>Lift Arm Support</li> <li>Parking Brake, automatic</li> <li>Power Steering with Tilt Steering Wheel</li> <li>Radiator Screen</li> <li>Lower Engine Cover</li> <li>Rear Receiver Hitch</li> <li>Seat Belts, Shoulder Harness</li> <li>Spark Arrestor Muffler</li> <li>Suspension, 4-wheel independent</li> <li>Tires: 27 x 10.5-15 (8 ply), Lug Tread</li> <li>Toolcat Interlock Control System (TICS)™</li> <li>Two-Speed Transmission</li> <li>Machine Warranty: 12 Months, Unlimited Hours</li> <li>Bobcat Engine Warranty: Additional 12 months or total of 2000 hours after initial 12 month warranty</li> </ul> |
|---|--|

- \* **Roll Over Protective Structure (ROPS) – Meets Requirements of SAE-J1040 & ISO 3471**
- \* **Falling Object Protective Structure (FOPS) – Meets Requirements of SAE-J1043 & ISO3449, Level I**

## QUICK SPECS

Engine Model.....	2.4L Bobcat Engine
Horsepower .....	61
Engine Fuel/Cooling .....	Diesel/Liquid
Hydraulic Flow-Attachment.....	18.9 GPM
Hydraulic Flow-Attachment/High Flow.....	27.9 GPM
Hydraulic Pressure .....	3000 PSI
Travel Speed (Low).....	0-8 MPH
Travel Speed (High).....	0-17 MPH
Travel Speed (Reverse) .....	0-8 MPH
Operating Weight .....	5685 lbs.
Fuel Capacity .....	20 gal.
Dimensions (Length x Width x Height)-27 in. Tires.....	144.5 in. x 60 in. x 81 in.
Dimensions (Length x Width x Height)- 29 in. Tires.....	144.5 in. x 64 in. x 82 in.
Ground Clearance – with 27 in. tires.....	8.25 in.
Ground Clearance – with 29 in. tires.....	9.2 in.
<b>Cargo Box Specifications</b>	
Inside Dimensions (Length x Width x Height).....	56 in. x 51 in. x 10 in.
Bed Height from Ground.....	38 in.
Cargo Box Maximum Load.....	2000 lbs.
Turning Diameter-outside in AWS mode.....	17.5 ft.
Lift Height.....	84 in.
Maximum Reach .....	35 in.
Rated Operating Capacity .....	1500 lbs.
Tow Rating.....	4000 lbs.
Machine Rated Capacity	
(combined weight of load on lift-arm, cargo box load, operator and passenger).....	2200 lbs.
Total Rated Capacity	
(combined weight of load on lift-arm, cargo box load, operator and passenger and tow weight) .....	4200 lbs.

# 5600T G-SERIES WORK MACHINE

PART NUMBER	DESCRIPTION	UTILITY WORK MACHINE	SLP IN US \$
-------------	-------------	----------------------	--------------

M1221	5600 TURBO UTILITY WORK MACHINE .....		\$53,404
-------	---------------------------------------	--	----------

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
-------------	-------------	---------------------------	--------------

### Individual Options

M1221-R08-C02	ATTACHMENT CONTROL.....		\$236
M1221-R02-C03	CAB ENCLOSURE WITH HEATER & AIR CONDITIONING .....		\$4,864
Includes doors, floor mats, cab foam, heater and air conditioning unit, three-piece headliner with radio pocket, location for speakers, and storage behind seats for a clip board, owner's manual, etc.			
M1221-P01-C01	DELUXE ROAD PACKAGE .....		\$2,322
Must also order Cab Enclosure with Heater and Air Conditioning; Includes back-up alarm, turn signals, flashers, tail lights, brake lights, rear view mirror, side mirrors, horn, rear work light, and headlights <i>Allows Work Machine to meet most regulations for driving on local roadways. Check with local DMV to confirm all requirements for off-highway machinery on your local roads. Toolcat machines are not "automobiles" and thus do not need to be licensed to drive on local roads, but usually require lighting and mirrors included in this package.</i>			
M1221-R07-C02	HEAVY DUTY BATTERY.....		\$97
M1221-R03-C02	HIGH FLOW PACKAGE .....		\$1,736
Includes high flow valve, larger auxiliary hoses, and high flow switch in cab; Provides 27.9 GPM for attachment operation; Must also order 7-Pin Attachment Control			
M1221-A01-C05	INTERIOR TRIM .....		\$205
Insulation for left and right side panels of center console			
M1221-R06-C02	KEYLESS IGNITION SYSTEM.....		\$336
M1221-R12-C02	POWER BOB-TACH .....		\$1,099
M1221-R15-C02	RADIO OPTION.....		\$533
Features Aux mini jack for MP-3, Weatherproof design, NOAA Weather Bands, 6 AM & 5 FM presets, Time & Date, Job Clock, Backlit display, 3.5 mm headphone jack, 12volt DC power outlet			
M1221-R16-C02	TRACTION CONTROL.....		\$545
Senses wheel speed variation during limited traction, applies braking to increase torque to wheels in traction, Includes switch in cab for system deactivation			

### Tire Options

*Set of 4 Tires- In Place of Base Equipment*

M1221-R05-C04	29 x 10.5, 8 PR, TRAC TIRES .....		\$546
Work Machine Width - 60"			
M1221-R05-C05	29 x 12.5, 8 PR, TURF TIRES .....		\$786
Work Machine Width - 64"; Includes wide fenders			

PART NUMBER	DESCRIPTION	DEALER INSTALLED ACCESSORIES - ORDER FROM SALES	SLP IN US \$
-------------	-------------	---	--------------

### These Spare Wheel and Tires Assemblies do NOT fit A, B or C-Series Work Machines

7121766	27 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - LEFT .....		\$351
Spare Wheel and Tire Assembly			
7121765	27 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - RIGHT.....		\$351
Spare Wheel and Tire Assembly			
7115152	29 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - LEFT .....		\$411
Spare Wheel and Tire Assembly			
7115156	29 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - RIGHT.....		\$411
Spare Wheel and Tire Assembly			

# 5600T G-SERIES

## WORK MACHINE

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES CONT. DESCRIPTION	SLP IN US \$
-------------	--	--------------

7115156	29 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - RIGHT..... Spare Wheel and Tire Assembly	\$411
7115158	29 x 12.5-15, 8 PR, TURF TIRE ASSEMBLY ..... Spare Wheel and Tire Assembly; 5600 must be equipped with wide fenders	\$438

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	SLP IN US \$
-------------	--	--------------

***For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.***

7133350	ATTACHMENT CONTROL KIT, 7-PIN..... Controls 7-Pin Attachments only; Includes 3 switches mounted in center console Estimated Install Time 1 hour	\$ _____
7120242	ATTACHMENT CONTROL KIT, 14-PIN..... Controls 14-Pin Attachments only Estimated Install Time .5 hours	\$ _____
7133349	BACKUP ALARM..... Estimated Install Time 1 hour	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD ..... Includes both English and Spanish versions on one DVD	\$ _____
7166194	CENTER INSULATION KIT..... Estimated Install Time .5 hours	\$ _____
7239665	ENGINE BLOCK HEATER KIT ..... Estimated Install Time 1 hour	\$ _____
7135306	FIRE EXTINGUISHER KIT..... Estimated Install Time .5 hours	\$ _____
7139070	FLOORBOARD RISER ..... Raises floorboard for operator comfort and pedal accessibility Estimated Install Time 1 hour	\$ _____
7114297	HORN KIT”..... Includes Horn, rocker switch, harness, and hardware Estimated Install Time .1 hours	\$ _____
7118026	HOSE GUIDE KIT ..... Guide installed on left side of Bob-Tach to keep attachment hoses away from the front tire Estimated Install Time .5 hours	\$ _____
7134838	KEYLESS IGNITION KIT ..... Estimated Install Time 1.5 hours	\$ _____
7134486	LOWER DEBRIS GUARD ..... Protects engine and fuel tank section under cab from mud and other debris Estimated Install Time 1.25 hours	\$ _____
6817260	MIRROR KIT, REAR VIEW..... Includes mirror, mounting puck, and epoxy to attach to front window Estimated Install Time .5 h our	\$ _____
7115060	MIRROR KIT, SIDE..... Includes left and right mirrors, mounting brackets and break-away mounts Estimated Install Time 1 hour	\$ _____
7027140	RADIO, AM/FM/WEATHER BAND/AUX-IN JACK ..... Must also order installation kit P/N 7223953 Estimated Install Time 1 hour	\$ _____
7223953	RADIO INSTALLATION KIT ..... Must be used with P/N 7027140	\$ _____

# 5600T G-SERIES

## WORK MACHINE

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS CONT. DESCRIPTION	SLP IN US \$
-------------	---	--------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

<b>7150926</b>	<b>REAR WINDOW GUARD</b> ..... For 5600 s/n A0W111661 and above Estimated Install Time .5 hour	\$ _____
<b>6815257</b>	<b>REAR WORK LIGHTS</b> ..... Estimated Install Time 2 hours	\$ _____
<b>7122379</b>	<b>REMOTE REAR HYDRAULICS KIT, 2.5 GPM</b> ..... For 5600 s/n A0W111001 and above; diverts hydraulic flow from the cargo box hydraulic system to rear poppet-style couplers. The cargo box and the remote rear hydraulics cannot be operated at the same time. Distributes a momentary flow rate of 2.5 GPM. Estimated Install Time 2 hours	\$ _____
<b>7242743</b>	<b>REMOTE REAR AUX HYDRAULICS KIT, 18 GPM</b> ..... For 5600 s/n AHG811001 and above; diverts hydraulic flow from the front auxiliary hydraulic system to rear flush face couplers. Front and Rear Auxiliary Hydraulics cannot be operated at the same time. Distributes continuous flow up to 18 GPM Estimated Install Time 6 hours	\$ _____
<b>7135380</b>	<b>ROAD LIGHT KIT</b> ..... Includes blinkers, 4-way flashers, headlights, taillights, brake lights, mounting brackets, wire harnesses, blinker switch and flasher switch Estimated Install Time 6 hours	\$ _____
<b>6815258</b>	<b>ROTATING BEACON</b> ..... Estimated Install Time 1 hour	\$ _____
<b>7199661</b>	<b>SIDE SCREEN KIT</b> ..... Estimated Install Time .5 hour	\$ _____
<b>7135575</b>	<b>STEP KIT</b> .....	\$ _____
<b>6815259</b>	<b>STROBE LIGHT</b> ..... Estimated Install Time 1 hour	\$ _____
<b>7137285</b>	<b>SUSPENSION SEAT, DRIVER SIDE</b> ..... Estimated Install Time 1 hour	\$ _____

## 5610T G-SERIES WORK MACHINE



### STANDARD EQUIPMENT

Adjustable Vinyl Seats	Traction Control System
All-Wheel Steer	Interior Trim
Automatically Activated Glow Plugs	Joystick, Manually Controlled with Lift Arm Float
Auxiliary Hydraulics:	Keyless Ignition System
Variable Flow with dual direction detent	Lift Arm Support
Beverage Holders	Limited Slip Transaxle
Boom Float	Parking Brake, automatic
Cab Enclosure with Heater and Air Conditioning	Power Bob-Tach™
Cowl and Cowl Support	Power Steering with Tilt Steering Wheel
Cruise Control	PTO Package: Rear PTO-540 RPM, PTO Shield, PTO
Deluxe Operator Canopy*:	Tachometer
Front Window, Rear Window	Radiator Screen
Front Wipers, and Electrical Power Port	Radio W/Aux Input & Headphone Jacks
Deluxe Road Package:	Lower Engine Cover
Backup alarm, turn signals, flashers, tail lights, brake lights,	Receiver Hitch
Rear	Rear Remote Package: One sets of poppet-style couplers, (for use
Rear view mirror, side mirrors, horn, rear work lights &	with implement hydraulics)
headlights	Seat Belts, Shoulder Harness
Dome Light	Storage Bins
Engine and Hydraulic Monitor with Shutdown	Suspension, 4-wheel independent
Front Work Lights	Three-Point Hitch Package: Three-Point, Depth Position
Full-time Four-Wheel Drive	Gauge
Heavy Duty Battery	Tires: 27 x 10.5-15 (8 ply), Lug Tread
High Flow Hydraulics and Attachment Control Kit	Toolcat Interlock Control System (TICS)™
Horsepower Management	Two-Speed Transmission
Instrumentation:	Machine Warranty: 12 Months, Unlimited Hours
Hourmeter, Job Hours, Speedometer, Tachometer,	Bobcat Engine Warranty: Additional 12 months or total of 2000
Fuel Gauge, Engine Temperature Gauge, and Warning Lights	hours after initial 12 month warranty

- \* **Roll Over Protective Structure (ROPS) – Meets Requirements of SAE-J1040 & ISO 3471**
- \* **Falling Object Protective Structure (FOPS) – Meets Requirements of SAE-J1043 & ISO3449, Level I**

# 5610T G-SERIES

## WORK MACHINE

### QUICK SPECS

Engine Model.....	D24NAP Turbo
Horsepower .....	61
Engine Fuel/Cooling .....	Diesel/Liquid
Hydraulic Flow-Attachment.....	18.9 GPM
Hydraulic Flow-Attachment/High Flow.....	27.9 GPM
Hydraulic Pressure .....	3000 PSI
PTO Horsepower.....	25 HP
PTO RPM.....	540
Travel Speed (Low).....	0-8 MPH
Travel Speed (High).....	0-17 MPH
Travel Speed (Reverse).....	0-8 MPH
Operating Weight .....	5835 lbs.
Fuel Capacity .....	20 gal.
Dimensions (Length x Width x Height)-27 in. Tires.....	144.5 in. x 60 in. x 81 in.
Dimensions (Length x Width x Height)- 29 in. Tires.....	144.5 in. x 64 in. x 82 in.
Ground Clearance – with 27 in. tires.....	8.25 in.
Ground Clearance – with 29 in. tires.....	9.2 in.
Turning Diameter-outside in AWS mode.....	17.5 ft.
Lift Height.....	84 in.
Maximum Reach .....	35 in.
Rated Operating Capacity with Three-Point Hitch.....	1500 lbs.
Three-Point Hitch Lift Capacity at 24 inches behind lift point with loader.....	1775 lbs.
Tow Rating.....	4000 lbs.
Machine Rated Capacity (combined weight of load on lift-arm, three-point, operator and passenger, and storage bins) .....	2200 lbs.
Total Rated Capacity (combined weight of load on lift-arm, three-point, operator and passenger, storage bins and tow weight).	4200 lbs.

PART		SLP IN US \$
NUMBER	DESCRIPTION	

<b>M1223</b>	<b>5610 TURBO UTILITY WORK MACHINE .....</b>	<b>\$67,554</b>
--------------	--	-----------------

PART		SLP IN US \$
NUMBER	DESCRIPTION	

**Tire Options**

*Set of 4 Tires– In Place of Base Equipment*

<b>M1223-R05-C04</b>	<b>29 x 10.5, 8 PR, TRAC TIRES.....</b>	<b>\$546</b>
	Work Machine Width – 60"	
<b>M1223-R05-C05</b>	<b>29 x 12.5, 8 PR, TURF TIRES .....</b>	<b>\$786</b>
	Work Machine Width – 64"; Includes wide fenders	

# 5610T G-SERIES WORK MACHINE

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
7121766	<b>27 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - LEFT</b> ..... Spare Wheel and Tire Assembly	\$351
7121765	<b>27 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - RIGHT</b> ..... Spare Wheel and Tire Assembly	\$351
7115152	<b>29 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - LEFT</b> ..... Spare Wheel and Tire Assembly	\$411
7115156	<b>29 x 10.5-15, 8 PR, TRAC TIRE ASSEMBLY - RIGHT</b> ..... Spare Wheel and Tire Assembly	\$411
7115158	<b>29 x 12.5-15, 8 PR, TURF TIRE ASSEMBLY</b> ..... Spare Wheel and Tire Assembly; 5610 must be equipped with wide fenders	\$438

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	SLP IN US \$
-------------	--	--------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7120242	<b>ATTACHMENT CONTROL KIT, 14-PIN</b> ..... Controls 14-Pin Attachments only Estimated Install Time .5 hours	\$ _____
6904762	<b>BOBCAT OPERATOR SAFETY DVD</b> ..... Includes both English and Spanish versions on one DVD	\$ _____
7135306	<b>FIRE EXTINGUISHER KIT</b> ..... Estimated Install Time .5 hours	\$ _____
7139070	<b>FLOORBOARD RISER</b> ..... Raises floorboard for operator comfort and pedal accessibility Estimated Install Time 1 hour	\$ _____
7118026	<b>HOSE GUIDE KIT</b> ..... Guide installed on left side of Bob-Tach to keep attachment hoses away from the front tire Estimated Install Time .5 hours	\$ _____
7134486	<b>LOWER DEBRIS GUARD</b> ..... Protects engine and fuel tank section under cab from mud and other debris	\$ _____
7174730	<b>REAR AUX ORIFICE KIT</b> ..... Includes 1.5, 3.0, 7.0 gpm orifices Estimated Install Time .75 hours	\$ _____
7257423	<b>REAR RH REMOTE HYD KIT</b> ..... Right Rear Poppet Style Hydraulic connectors For use on Serial number B2LH1101 & Above Estimated Install Time 1.0 hours	\$ _____
6815258	<b>ROTATING BEACON</b> ..... Estimated Install Time 1 hour	\$ _____
7199661	<b>SIDE SCREEN KIT</b> ..... Estimated Install Time .5 hours	\$ _____
7135575	<b>STEP KIT</b> ..... Includes one step for installation to right or left side Estimated Install Time 1.5 hours	\$ _____
6815259	<b>STROBE LIGHT</b> ..... Estimated Install Time 1 hour	\$ _____
7137285	<b>SUSPENSION SEAT, DRIVER SIDE</b> ..... Estimated Install Time 1 hour	\$ _____