



July 2, 2018

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 18-23A

NEW HOLLAND DEALERS WITH MRT AGREEMENT

SUBJECT: AG TELEHANDLERS: COMPLETE REVISION – EFFECTIVE 10/1/2018

Attached, please find complete price and data revisions regarding the Large Frame Ag Telehandlers, and reflects a general economic increase for units invoiced 10/1/2018 and beyond.



Model Year 2019 product offerings for the Large Frame Ag Telehandlers remain the same as Model Year 2018.

We continue the development process of providing you with an improved compact telehandler lineup that drives efficiency, meets on-the-job requirements and is fully compliant with Tier 4B emissions. We anticipate an on-time release of this product in Q4 of 2018.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "Telehandlers." The latest published items will appear at the top of the list.

Please replace your current P&D pages with those attached to this bulletin.

Christine Chleboun
Director, Commercial Marketing
New Holland, North America

Dan Valen
Director, Product Marketing
New Holland, North America

Attachment



Telehandlers Index

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
Index	10/01/18	1
<u>Models</u>		
Large Frame Telehandlers		
LM6.32, LM7.42 Classic, LM9.35	10/01/18	2
LM7.42 Elite	10/01/18	5



**LM6.32, LM7.42 CLASSIC & LM9.35 TIER 4B
US PRICE LIST**

Standard Equipment

LM6.32, LM7.42 CLASSIC & LM9.35
LARGE FRAME TELEHANDLERS

LM6.32, LM7.42 Classic & LM9.35
119 hp (89 kW) Rated
128 hp (96 kW) Max

ALL MODELS:

Tier 4B Emissionized
ECO Blue HI-eSCR
Turbocharged/Aftercooled
4 Cylinder Parent-Bore Block
274 cu. in (4.5L) Displacement
Common Rail Electronic Fuel Injection
Dry Dual Element Air Cleaner
Cyclonic Precleaner
Reversing Engine Fan
Paper Element Fuel Filtering
Key Operated Fuel Shutoff
36.9 Gallon (140L) Fuel Capacity
7.1 Gallon (27L) Ad Blue (DEF) Capacity

TRANSMISSION

Powershift - 22.9 mph (37 kph)
4 Forward/3 Reverse Speeds
Left-Hand Shuttle Lever
Gear Change Buttons on Joystick
11 in. Torque Converter
Transmission De-Clutch on Joystick

TELESCOPIC BOOM

LM6.32
2-Section Low Profile Boom
7055 lbs. Max. Lift Capacity (3200 kg)
20.6 ft. Lift Height (6.3 M)
142 Degree Carrier Tilt Angle
Dust protection

LM7.42 Classic
2-Section Low Profile Boom
9259 lbs. Max. Lift Capacity (4200 kg)
22.9 ft. Lift Height (7.0 M)
142 Degree Carrier Tilt Angle
Dust Protection

LM9.35
3-Section Low Profile Boom
7716 lbs. Max. Lift Capacity (3500 kg)
29.8 ft. Lift Height (9.1 M)
142 Degree Carrier Tilt Angle
Dust protection

HYDRAULIC SYSTEM

Closed Center Load-Sensing Design
with 36.9 gpm Variable Displacement
Piston Pump
Single Boom Auxiliary Hydraulic Circuit
1/2 in. Flat Face Couplers for
Auxiliary Circuit
Hydraulic Attachment Lock for coupler
Auxiliary Pressure Release Switch

OPERATOR'S STATION

Fully Enclosed Cab
Air Conditioner and Heater
Cloth Air Suspension Seat with
2 in. retractable seat belt
Short Windshield Guard
Tilt Steering Wheel
Front and Rear Wipers
Roof Window Wiper
Roof Window Sun Shade
Opening Door Window
Opening Rear Window
Foot Throttle
Dome Light
12-volt Power Outlet
Radio Ready
Internal Rearview Mirror
External Right-Hand and Left-Hand
Mirrors



**LM6.32, LM7.42 CLASSIC & LM9.35 TIER 4B
US PRICE LIST**

Standard Equipment

INSTRUMENTATION

Digital / Analog LCD Display

Gauges

Engine Coolant Temperature

Fuel Level

Longitudinal Load moment

Speedometer/Tachometer

Hour Meter

Ad Blue (DEF) Level

Warning Lights

Low Fuel Level

Parking Lights On

Lights - Main Beam

Engine Oil Pressure

Transmission Oil Temperature

Transmission Oil Pressure

Alternator Charge

Grid Heater

Parking Brake

Brake Oil Fluid

Brake System Pressure

Hazard Flashers/Turn Indicators

Anti-Overload 1-2

LIGHTING

Dual Beam Headlights

Stop and Taillights

Turn Signals/4-Way Flashers

Trailer Light Socket

(2) Front Cab Worklights

(2) Rear Cab Worklights

(2) Boom Worklights

HYDRAULIC CONTROLS

Right-Hand Console-Mounted Joystick

"Loader Pattern" 4-Function Joystick

with Servo Control of:

Boom Lift

Attachment Tilt

Thumbwheel/Pushbutton Control of:

Boom Telescoping (proportional)

Boom Auxiliary Circuit

Transmission Direction Change

Attachment self-levels during raise

and lower

FRONT/REAR AXLES

Full-Time Four Wheel Drive

Steerable Axles Front and Rear

3 Electrically Selectable Steering Modes:

Front Axle (2 wheel)

Front/Rear Opposed (4 wheel)

Front/Rear Same (crab)

Integrated Steering Cylinders

Front and Rear Fenders

Limited Slip Differential on Front Axle

ELECTRICAL

12-volt System

155 AH Battery

120 AMP Alternator

BRAKES

Inboard Wet Discs on All Four Wheels

Self-Adjusting, Self-Equalizing

Spring Applied Hydraulic Release (SAHR)

parking brake

SAFETY AND SECURITY

4-Post ROPS/FOPS

Load Indicator System including:

Boom Angle Indicator

Boom Extension Indicator

Load Charts in Cab

Lockable Compartments for:

Engine Hood/Cooling System

Battery Compartment/Tool Storage

Fuel Cap

Horn

Reverse Alarm

ATTACHMENT QUICK COUPLER

"Manitou" Style Attachment Coupler

Hydraulic Attachment Lock

WARRANTY

Standard New Holland Warranty Applies



**LM6.32, LM7.42 CLASSIC & LM9.35 TIER 4B
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
LM6.32 T4B	697045603	17,637 LB	9095719P47	\$124,311.00
Includes the following Equipment 460/70R24 XMCL AG/UTIL MIC (8571326) \$4,461.00				
LM7.42 CLASSIC T4B	697045705	17,637 LB	9102552P45	\$133,185.00
Includes the following Equipment 460/70R24 XMCL AG/UTIL MIC (8571326) \$4,461.00				
LM9.35 T4B	697045903	17,637 LB	9112488P53	\$146,089.00
Includes the following Equipment 460/70R24 XMCL AG/UTIL MIC (8571326) \$4,461.00				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRE COMPLETING PACKAGES

TELEHANDLER TIRES

SD_16066 WHEELS AND TIRES

	8571326	460/70R24 XMCL AG/UTIL MICH		9003434P97	\$4,461.00
	8574070	500/70-R24 Michelin		9004188P80	\$5,440.00

TELEHANDLER FACTORY INSTALLED OPTIONS

HYDRAULIC GROUP

SD_20048 CONTIN.FLOW-AUX BOO

	749300	Continuous Flow for Aux Hyd		9000534P38	\$694.00
--	--------	-----------------------------	--	------------	----------

SD_20050 BOOM CONTROL VALVES

	749745	SMOOTH RIDE CONTROL Smooth Ride Boom Suspension for: LM6.32, LM7.42 Classic and LM9.35		9002462P46	\$3,198.00
--	--------	--	--	------------	------------

SD_20161 PUMP GEARS 130 L/MI

	749766	GEAR PUMP 749766 31.7 gpm Gear Pump for LM6.32 & LM9.35		(900392P70)	(\$510.00)
--	--------	--	--	-------------	------------



**LM6.32, LM7.42 CLASSIC & LM9.35 TIER 4B
US PRICE LIST**

SD_20201 EXTRA AUXILIARY CIRCUIT

	749379	4th/5th aux circuit on boom		9001781P78	\$2,314.00
--	--------	-----------------------------	--	------------	------------

SD_20250 AUXILIARY LINES

	749748	REAR & FRONT AUX Rear hydraulic valve with couplers		9000923P23	\$1,199.00
--	--------	---	--	------------	------------

SD_A5401 KINEMATICS

	749768	128DEG KINEMATIC Carrier with 128 degree tilt angle for LM6.32 & LM9.35		(900196P35)	(\$255.00)
--	--------	---	--	-------------	------------

FORK GROUP - FORK FRAME OPTION INCLUDES A PAIR OF 48" FORKS

SD_A5108 FORKS

	749025	Fixed forks 100X50X1200 Manitou Style Fork Frame with 2 hook-style forks 48"x4"x2" Similar to SSL frame/forks - spacing can be adjusted in/out		9002116P73	\$2,749.00
--	--------	--	--	------------	------------

CAB GROUP

SD_06078 WORKING LIGHT LED

	749735	LED CAB FR WORK LGHT LED Front, Rear and Boom Worklights for LM6.32, LM7.42 Classic & LM9.35		9001178P10	\$1,530.00
--	--------	--	--	------------	------------

SD_43024 TOOL BOX

	749732	EXT. TOOL BOXES 2 Additional toolboxes (1 rear and 1 front) for: LM6.32, LM7.42 Classic and LM9.35		9000223P30	\$290.00
--	--------	--	--	------------	----------

OPERATORS MANUALS

SD_32003 DECALS & LITERATURE

	749729	DECAL&LIT-FRENCH-NA French Operators Manual			No Charge
	749730	DECAL&LIT-SPANISH-LA Spanish Operators Manual			No Charge



**LM6.32, LM7.42 CLASSIC & LM9.35 TIER 4B
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Adapter

	87649867	ADAPTER - MANITOU/JD-MATBRO	312 LB	9001423P73	\$1,849.00
	87649866	SKID STEER ATTACH. ADAPTER	350 LB	9001419P88	\$1,844.00

Buckets

	87649853	"2.25 CUBIC YARD BUCKET 96" WID"	1,450 LB	9003025P33	\$3,929.00
	87649862	"3.25 CUBIC YARD BUCKET 96" WID"	1,775 LB	9003914P68	\$5,084.00

Bucket Attachments

	87649854	"96" WIDE BOLT-ON CUTTING EDGE"	210 LB	9000363P44	\$472.00
	87649861	UNIVERSAL MOUNTING PLATE	225 LB	9000530P53	\$689.00

Bale Handling

	84564671	ATTACHMENT, BALE SPIKE, R	340 LB	9001163P47	\$1,511.00
	87649858	DOUBLE SPIKE ROUND BALE SPEAR	425 LB	9001489P18	\$1,934.00
	87649860	LARGE SQUARE BALE FORK	950 LB	9001964P27	\$2,551.00
	87649865	LARGE SQUARE BALE GRAB HYDRAUL	1,200 LB	9005509P35	\$7,155.00
	87649863	2.5 CU YD HAY GRAPPLE BUCKET L	2,300 LB	9006300P14	\$8,182.00

Pallet Forks

	87649855	PALLET FORK FRAME QUICK ATTACH	600 LB	9001663P20	\$2,160.00
	87620138	FORK		9001078P00	\$1,400.00
	87716394	"60" PALLET FORKS"	350 LB	9001252P79	\$1,627.00

Truss Boom

	87649859	"12" TRUSS BOOM W/LIFTING HOOK"	625 LB	9001811P04	\$2,352.00
--	----------	---------------------------------	--------	------------	------------

Silage

	87649864	SILAGE BUNKER DE-FACER	900 LB	9004870P25	\$6,325.00
--	----------	------------------------	--------	------------	------------

NOTE: These attachments are manufactured by Paladin, and are shipped freight collect from their factories in Delhi, IA and Dexter, MI. Attachments are ordered through your normal New Holland contacts, and will usually be shipped within three to four weeks. Attachment orders should be linked to telehandler orders to help all items arrive together.

Attachments are eligible for the same incentive programs and bid, fleet and rental discounts as the telehandler base unit ONLY IF sold and settled with a telehandler.

All repair parts are supplied by the manufacturer, not New Holland. For parts support, please call 1-800-899-7505.

Paladin also offers specialty attachments to fit the LM Large Frame Telehandlers: Contact them directly for availability and pricing.

LM Large Frame Telehandler attachments listed above will also fit the LM6.28 model.



**LM7.42 ELITE TIER 4B
US PRICE LIST**

Standard Equipment

LM7.42 ELITE

LARGE FRAME TELEHANDLERS

LM7.42 Elite

129 hp (96 kW) Rated

143 hp (105 kW) Max

ALL MODELS:

Tier 4B Emissionized

ECO Blue HI-eSCR

Turbocharged/Aftercooled

4 Cylinder Parent-Bore Block

274 cu. in (4.5L) Displacement

Common Rail Electronic Fuel Injection

Dry Dual Element Air Cleaner

Cyclonic Precleaner

Reversing Engine Fan

Paper Element Fuel Filtering

Key Operated Fuel Shutoff

36.9 Gallon (140L) Fuel Capacity

7.1 Gallon (27L) Ad Blue (DEF) Capacity

TRANSMISSION

Powershift - 23.7 mph (38 kph)

6 Forward/3 Reverse Speeds

Left-Hand Shuttle Lever

Direction Change Buttons on Joystick

Powershift Buttons on Joystick

Auto Mode

11 in. Torque Converter

Transmission De-Clutch on Joystick

TELESCOPIC BOOM

2-Section Low Profile Boom

9259 lbs. Max. Lift Capacity (4200 kg)

22.9 ft. Lift Height (7.0 M)

142 Degree Carrier Tilt Angle

Soft Ride Boom Suspension

Dust Protection

HYDRAULIC SYSTEM

Closed Center Load-Sensing Design

with 36.9 gpm Variable Displacement

Piston Pump

Single Boom Auxiliary Hydraulic Circuit

1/2 in. Flat Face Couplers for

Auxiliary Circuit

Hydraulic Attachment Lock for coupler

Auxiliary Pressure Release Switch

OPERATOR'S STATION

Fully Enclosed Cab

Air Conditioner and Heater

Cloth Air Suspension Seat with

2 in. retractable seat belt

Short Windshield Guard

Tilt Steering Wheel

Front and Rear Wipers

Roof Window Wiper

Roof Window Sun Shade

Opening Door Window

Opening Rear Window

Foot Throttle

Dome Light

12-volt Power Outlet

Radio Ready

Internal Rearview Mirror

External Right-Hand and Left-Hand

Mirrors

HYDRAULIC CONTROLS

Right-Hand Seat-Mounted Joystick

"Loader Pattern" 4-Function Joystick
with

Proportional Control of:

Boom Lift

Boom Telescoping

Boom Auxiliary Circuit

Attachment Tilt

Pushbutton control of:

Transmission Direction Change

Transmission Powershifts

Attachment self-Levels during raise
and lower



**LM7.42 ELITE TIER 4B
US PRICE LIST**

Standard Equipment

INSTRUMENTATION

Digital / Analog LCD Display

Gauges

Engine Coolant Temperature

Fuel Level

Longitudinal Load moment

Speedometer/Tachometer

Hour Meter

Ad Blue (DEF) Level

Warning Lights

Low Fuel Level

Parking Lights On

Lights - Main Beam

Engine Oil Pressure

Transmission Oil Temperature

Transmission Oil Pressure

Alternator Charge

Grid Heater

Parking Brake

Brake Oil Fluid

Brake System Pressure

Hazard Flashers/Turn Indicators

Anti-Overload 1-2

FRONT/REAR AXLES

Full-Time Four Wheel Drive

Steerable Axles Front and Rear

3 Electrically Selectable Steering Modes:

Front Axle (2 wheel)

Front/Rear Opposed (4 wheel)

Front/Rear Same (crab)

Auto Wheel Alignment when switching

between steering modes

Integrated Steering Cylinders

Front and Rear Fenders

Limited Slip Differential on Front and

Rear Axle

ELECTRICAL

12-volt System

155 AH Battery

120 AMP Alternator

LIGHTING

Dual Beam Headlights

Stop and Taillights

Turn Signals/4-Way Flashers

Trailer Light Socket

(2) LED Front Cab Worklights

(2) LED Side Worklights

(2) LED Rear Worklights

(2) LED Boom Worklights

BRAKES

Inboard Wet Discs on All Four Wheels

Self-Adjusting, Self-Equalizing

Spring Applied Hydraulic Release (SAHR)

parking brake

SAFETY AND SECURITY

4-Post ROPS/FOPS

Load Indicator System including:

Boom Angle Indicator

Boom Extension Indicator

Load Charts in Cab

Lockable Compartments for:

Engine Hood/Cooling System

Battery Compartment/Tool Storage

Fuel Cap

Horn

Reverse Alarm

ATTACHMENT QUICK COUPLER

"Manitou" Style Attachment Coupler

Hydraulic Attachment Lock

WARRANTY

Standard New Holland Warranty Applies



**LM7.42 ELITE TIER 4B
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
LM7.42 ELITE T4B	697045704	17,637 LB	9120160P81	\$156,053.00
Includes the following Equipment				
460/70R24 XMCL AG/UTIL MIC (8571326)		\$4,461.00		
EXT. TOOL BOXES (749732)		\$290.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRE COMPLETING PACKAGES

TELEHANDLER TIRES

SD_16066 WHEELS AND TIRES

8571326	460/70R24 XMCL AG/UTIL MICH		9003434P97	\$4,461.00
8574070	500/70-R24 Michelin		9004188P80	\$5,440.00

TELEHANDLER FACTORY INSTALLED OPTIONS

HYDRAULIC GROUP

SD_20048 CONTIN.FLOW-AUX BOO

749300	Continuous Flow for Aux Hyd		9000534P38	\$694.00
--------	-----------------------------	--	------------	----------

SD_20201 EXTRA AUXILIARY CIRCUIT

749379	4th/5th aux circuit on boom		9001781P78	\$2,314.00
--------	-----------------------------	--	------------	------------

SD_20250 AUXILIARY LINES

749748	REAR & FRONT AUX Rear hydraulic valve with couplers		9000923P23	\$1,199.00
--------	--	--	------------	------------

FORK GROUP - FORK FRAME OPTION INCLUDES A PAIR OF 48" FORKS

SD_A5108 FORKS

749025	Fixed forks 100X50X1200 Manitou Style Fork Frame with 2 hook-style forks 48"x4"x2" Similar to SSL frame/forks - spacing can be adjusted in/out		9002116P73	\$2,749.00
--------	--	--	------------	------------



**LM7.42 ELITE TIER 4B
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Adapter

87649867	ADAPTER - MANITOU/JD-MATBRO	312 LB	9001423P73	\$1,849.00
87649866	SKID STEER ATTACH. ADAPTER	350 LB	9001419P88	\$1,844.00

Buckets

87649853	"2.25 CUBIC YARD BUCKET 96" WID"	1,450 LB	9003025P33	\$3,929.00
87649862	"3.25 CUBIC YARD BUCKET 96" WID"	1,775 LB	9003914P68	\$5,084.00

Bucket Attachments

87649854	"96" WIDE BOLT-ON CUTTING EDGE"	210 LB	9000363P44	\$472.00
87649861	UNIVERSAL MOUNTING PLATE	225 LB	9000530P53	\$689.00

Bale Handling

84564671	ATTACHMENT, BALE SPIKE, R	340 LB	9001163P47	\$1,511.00
87649858	DOUBLE SPIKE ROUND BALE SPEAR	425 LB	9001489P18	\$1,934.00
87649860	LARGE SQUARE BALE FORK	950 LB	9001964P27	\$2,551.00
87649865	LARGE SQUARE BALE GRAB HYDRAUL	1,200 LB	9005509P35	\$7,155.00
87649863	2.5 CU YD HAY GRAPPLE BUCKET L	2,300 LB	9006300P14	\$8,182.00

Pallet Forks

87649855	PALLET FORK FRAME QUICK ATTACH	600 LB	9001663P20	\$2,160.00
87620138	FORK		9001078P00	\$1,400.00
87716394	"60" PALLET FORKS"	350 LB	9001252P79	\$1,627.00

Truss Boom

87649859	"12" TRUSS BOOM W/LIFTING HOOK"	625 LB	9001811P04	\$2,352.00
----------	---------------------------------	--------	------------	------------

Silage

87649864	SILAGE BUNKER DE-FACER	900 LB	9004870P25	\$6,325.00
----------	------------------------	--------	------------	------------

NOTE: These attachments are manufactured by Paladin, and are shipped freight collect from their factories in Delhi, IA and Dexter, MI. Attachments are ordered through your normal New Holland contacts, and will usually be shipped within three to four weeks. Attachment orders should be linked to telehandler orders to help all items arrive together.

Attachments are eligible for the same incentive programs and bid, fleet and rental discounts as the telehandler base unit ONLY IF sold and settled with a telehandler.

All repair parts are supplied by the manufacturer, not New Holland. For parts support, please call 1-800-899-7505.

Paladin also offers specialty attachments to fit the LM Large Frame Telehandlers: Contact them directly for availability and pricing. LM Large Frame Telehandler attachments listed above will also fit the LM6.28 model.