



July 2, 2018

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S NO. 18-32A

NEW HOLLAND AG DEALERS WITH CPT AGREEMENT

SUBJECT: IMPLEMENTS: COMPLETE REVISION EFFECTIVE 10/1/2018

Attached please find a complete revision of the Implement Price and Data pages which reflect a general economic price increase for units invoiced 10/1/2018 and beyond.

Please take advantage of Fast Pick configurations of select Compact Tractor Implements and Attachments. These Fast Pick Implements and Attachments are the perfect match for Fast Pick tractor configurations.

Select Compact Loader Fast Pick packages are also available.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the CPT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Loaders and Tractor Implements," and then click on "Implements." The latest published items will appear at the top of the list.

Please replace your current P&D pages with those attached to this bulletin.

Christine Chleboun
Director, Commercial Marketing
New Holland, North America

Dan Valen
Director, Product Marketing
New Holland, North America

Attachment





Implement Index (Page 1)

<u>Equipment Description</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
Index	10/01/18	1
Implement Compatibility Chart	10/01/18	3
<u>Backhoe</u> Models: 905GBL / 910GBL / 915GBH / 925GBH / 935GBH	10/01/18	4
<u>Blade</u> (Front Mount) Models: 60RBHB / 60CBHA / 72CBHA	10/01/18	28
<u>Broom</u> (Front Mount) Models: 526GR / 60COBB / 72COBA / 72COBE	10/01/18	39
<u>Snow Blower</u> Models: Front-Mount 50RSHB / 836GS / 63CSHB / 74CSHA / 74CSHB	10/01/18	51
<u>Rotary Finish Mower</u> Models: Mid-Mount 160GMS / 260GMS / (New) 266WMM / 272GMS / 366GMS 372GMS Rear 310GM - 60" / 320GM - 72" / 330GM - 90"	10/01/18	77
<u>700 Series Rotary Cutter</u> Models: Value 714 / 716 / 717 Medium Duty 736 / 737 / 738 Heavy Duty 757 / 758 Heavy Duty - Pull Type 780	10/01/18	90



Implement Index (Page 2)

<u>Equipment Description</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
<u>Tiller Models:</u> 105A 60" / 72"	10/01/18	100
<u>Work EZ™ Implement Models:</u> Work EZ™ EZ Match™ Quick Hitch	10/01/18	102
Work EZ™ Series Light Duty Box Blades EZ48BL / EZ60BL	10/01/18	103
Work EZ™ Series Standard Duty Box Blades 60BM / 72BM / 84BM	10/01/18	105
Work EZ™ Series Light & Medium Duty Rear Blades EZ60SM / EZ72SM / EZ84SM	10/01/18	107
Work EZ™ Series Heavy & Heavy Duty Plus Rear Blades 84SH / 96SH	10/01/18	109
Work EZ™ Disk Harrow EZ78DC	10/01/18	111
Work EZ™ Series Landscape Rakes EZ72LR	10/01/18	112
Work EZ™ Bale Carriers Bale Carrier Bale Spear	10/01/18	113
Work EZ™ Hay Spears Single Bale Quick Attach Double Bale Quick Attach	10/01/18	114

IMPLEMENT COMPATIBILITY CHART

Boomer 24	235TL Loader	915GBH Backhoe	260GMS Mid Mount Mower	836GS Snow Blower	526GR Broom	60CBH Blade
235TL Loader		C	C	LC	LC	LC
915GBH Backhoe	C		LC	NC	LC	LC
260GMS Mid Mount Mower	C	LC		NC	NC	NC
836GS Snow Blower	LC	NC	NC		QC	QC
526GR Broom	LC	LC	NC	QC		QC
60CBH Blade	LC	LC	NC	QC	QC	
Boomer 33/37 (T4B)	250TLA1 Loader	925GBH 935GBH Backhoe	366GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
250TLA1 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 41/47 (T4B)	260TLA1 Loader	925GBH 935GBH Backhoe	372GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
260TLA1 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
372GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 35/40 (T4B)	250TLA2 Loader	925GBH 935GBH Backhoe	366GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
250TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 45/50/55 (T4B)	260TLA2 Loader	925GBH 935GBH Backhoe	372GMS Mid Mount Mower (ROPS Only)	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBHA Blade
260TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
372GMS Mid Mount Mower (ROPS Only)	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Boomer 46D/54D (T4B)	250TL IV250TLA (New Axle) Loader	925GBH 935GBH Backhoe	272GMS Mid Mount Mower	74CSHB Snow Blower	72COBA Broom	72CBHA Blade
250TL IV250TLA (New Axle) Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		LC	NC	LC	LC
272GMS Mid Mount Mower	C	LC		NC	NC	NC
74CSHB Snow Blower	LC	NC	NC		QC	QC
72COBA Broom	LC	LC	NC	QC		QC
72CBHA Blade	LC	LC	NC	QC	QC	
Workmaster 25S	100LC Loader	905GBL Backhoe	160 Mid Mount Mower	50RSHB Snow Blower	60COBB Broom	60RBHB Blade
100LC Loader		C	C	LC	LC	LC
905GBL Backhoe	C		C	LC	LC	LC
160GMS Mid Mount Mower	C	C		NC	NC	NC
50RSHB Snow Blower	LC	LC	NC		QC	QC
60COBB Broom	LC	LC	NC	QC		QC
60RBHB Blade	LC	LC	NC	QC	QC	
Workmaster 25 (T4B)	200LC Loader	910GBL Backhoe	266WMM Mid Deck	63CSHB Snow Blower	72COBB Broom	72CBH Blade
200LC Loader		C	C	LC	TBD	TBD
910GBL Backhoe	C		NC	NC	NC	NC
266WMM Mid Deck	C	NC		NC	NC	NC
63CSHB Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	NC	NC	NC	QC		QC
72CBH Blade	NC	NC	NC	QC	QC	
Workmaster 33/37 (T4B)	140TL Loader	925GBH 935GBH Backhoe	366GMS Mid Deck	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBH Blade
140TL Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Deck	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBH Blade	LC	LC	NC	QC	QC	
Workmaster 35/40 (T4B)	140TLA2 Loader	925GBH 935GBH Backhoe	366GMS Mid Deck	63CSHB 74CSHA Snow Blower	72COBB Broom	72CBH Blade
140TLA2 Loader		C	C	LC	LC	LC
925GBH 935GBH Backhoe	C		NC	NC	LC	LC
366GMS Mid Deck	C	NC		NC	NC	NC
63CSHB 74CSHA Snow Blower	LC	NC	NC		QC	QC
72COBB Broom	LC	LC	NC	QC		QC
72CBH Blade	LC	LC	NC	QC	QC	

Legend C: Compatible NC: Not Compatible *LC: Limited Compatibility QC: Quick Connect
 *LC: Attachment mount brackets are compatible, the attachment itself is NC. I.e.: The implement must be removed in order to attach the other implement. However, both implements mounting brackets can stay on the tractor
 QC- These attachments share a common quick connector and cannot be used at the same time



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Standard Equipment

BACKHOE MODEL: 905GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

NOTE: 905GBL is only compatible with
the WORKMASTER 25S Subcompact

905GBL backhoe package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25S)
- 9" Bucket

Specifications:

Transport Height (in.): 74.7
 Loading Height (in.): 59.6
 Overall Width (in.): 45.3
 Ground Clearance (in.): 12.8
 Maximum Digging Depth (in.): 79.4
 Reach from Centerline of Swing Pivot
 (in.): 114.9
 Swing Arc (deg.): 135
 Bucket Rotating (deg.): 169.4
 Stabilizer Spread (Down) (in.): 78.6
 Stabilizer Spread (Up) (in.): 53.2
 Bucket Digging Force per SAEJ49 (lbs.)
 w/Bucket Cylinder: 2,194
 w/Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707

IMPORTANT INFORMATION

The tractor must be equipped with a
100LC front end loader when installing
a 905GBL Backhoe.

Note: Mid-mount mower is
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
905GBL	877 LB	9003766P26	\$4,593.00



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439323006	TRENCHING 9IN 3 TEETH BUCKET	46 LB	9000175P48	\$214.00
439324006	TRENCHING 12IN 3 TEETH BUCKET	56 LB	9000196P80	\$240.00
439325006	TRENCHING 16IN 3 TEETH BUCKET	64 LB	9000217P30	\$265.00
439326006	TRENCHING 18IN 3 TEETH	75 LB	9000242P72	\$296.00



**910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST**

Standard Equipment

BACKHOE MODEL: 910GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

NOTE: 910GBL is only compatible with
the WORKMASTER 25 compact

910GBL backhoe Package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- 12" Bucket

Specifications:

Transport Height (in.): 77.2
 Loading Height (in.): 63.6
 Overall Width (in.): 53.3
 Ground Clearance (in.): 14.4
 Maximum Digging Depth (in.): 76.4
 Reach from Centerline of Swing Pivot
 (in.): 113.2
 Swing Arc (deg.): 180
 Bucket Rotating (deg.): 180
 Stabilizer Spread (Down) (in.): 68.7
 Stabilizer Spread (Up) (in.): 46.5
 Bucket Digging Force per SAEJ49 (lbs.)
 w/Bucket Cylinder: 2817
 w/Dipperstick Cylinder: 1748

Shipping Weight (lbs.): 1092

IMPORTANT INFORMATION

The tractor must be equipped with a
200LC front end loader when installing
a 910GBL Backhoe.

Note: Mid-mount mower is NOT
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
910GBL	1,203 LB	9006159P84	\$7,512.00



**910GBL BACHHOE FOR WM25 ONLY
 US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439323006	TRENCHING 9IN 3 TEETH BUCKET	46 LB	9000175P48	\$214.00
439324006	TRENCHING 12IN 3 TEETH BUCKET	56 LB	9000196P80	\$240.00
439325006	TRENCHING 16IN 3 TEETH BUCKET	64 LB	9000217P30	\$265.00
439326006	TRENCHING 18IN 3 TEETH	75 LB	9000242P72	\$296.00



**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 915GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
 - Boomer™ 24
- Prior New Holland Compact Models
 - Boomer™ 20 / 25

- The following items are required to make up a complete backhoe:
- Basic Packaged Backhoe
 - Subframe (one required)
 - Hydraulic Kit (one required)
 - Bucket (one required)
 - Optional Equipment

*SPECIFICATIONS:

- Digging Depth - 80.0 (in.)
- Reach from Swing Pivot - 108 (in.)
- Transport Height - 70 (in.)
- Bucket Rotation - 178°
- Stabilizer Spread:
 - Transport - 44 (in.)
 - Operating - 72 (in.)
- Loading Height 66 (in.)
- Swing Arc - 150°
- Bucket Digging Forces - 2480 (lbs.)
- Dipper Stick Digging Forces- 1750 (lbs.)
- Operating Pressure - 2175 psi
- Shipping Weight - 650 (lbs.)

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a 900 Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

*Specifications vary with tractor model, hydraulic system, tire size, etc.



**915GBH BACKHOE
 US PRICE LIST**

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
915GBH	1,065 LB	9006191P00	\$7,550.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BACKHOE OPTIONS

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

	439030	Subframe Cls 1 20/25 For Boomer 20/25 & 24 (439030016)		No Charge
--	--------	---	--	-----------

HYDRAULICS

SD_20102 HYDRAULIC KIT

	716964	Hyd Kit 716964 For Boomer 20/25 & 24 (716964016)		No Charge
--	--------	---	--	-----------

BUCKETS

SD_N5403 12 IN STD BUCKET

BUCKETS				
	716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)	9000359P98	\$439.00

SD_N5405 16 IN STD BUCKET

	716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)	9000405P08	\$494.00
--	--------	--	------------	----------



**915GBH BACKHOE
 US PRICE LIST**

(Telford, TN)

SD_N5412 10 IN STD BUCKET

	439036	10 In. Standard Bucket (439036006 - 915GBH)		9000292P74	\$357.00
--	--------	---	--	------------	----------

OTHER

SD_50092 RUBBER STREET PADS

	716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)		9000145P14	\$177.00
--	--------	--	--	------------	----------

SD_N6413 MECH THUMB

	717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)		9000427P22	\$521.00
--	--------	--	--	------------	----------



**915GBH BACKHOE
 US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

439036006	10IN STD BCKT 2 TEETH	46 LB	9000292P74	\$357.00
716399046	12IN STD BCKT 3 TEETH	75 LB	9000359P98	\$439.00
716400036	16IN STD BCKT 3 TEETH	77 LB	9000405P08	\$494.00
717916026	MECHANICAL THUMB 915GB	30 LB	9000427P22	\$521.00
439030016	S-FRM CLS1 Subframe for Boomer 20/25 & 24	181 LB	9000592P86	\$723.00
716964016	HYD KIT CLS1 LS J SER B-HOE Hydraulic kit for Boomer 20/25 & 24	8 LB	9000279P62	\$341.00

716410056	Rubber Street Pads	4 LB	9000145P14	\$177.00
-----------	--------------------	------	------------	----------



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 925GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)

- Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

- The following items are required to make up a complete backhoe:
- Basic Packaged Backhoe
 - Subframe (one required)
 - Hydraulic Kit (one required)
 - Bucket (one required)
 - Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a 900 Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

*SPECIFICATIONS:

- Digging Depth - 92 (in.)
- Reach from Swing Pivot - 120 (in.)
- Transport Height - 77 (in.)
- Bucket Rotation - 174°
- Stabilizer Spread:
 - Transport - 49 (in.)
 - Operating - 100 (in.)
- Loading Height 70 (in.)
- Swing Arc - 175°
- Bucket Digging Forces - 3151 (lbs.)
- Dipper Stick Digging Forces- 2059 (lbs.)
- Operating Pressure - 2175 psi
- Shipping Weight - 722 (lbs.)

WARRANTY

New Holland Standard Warranty Applies

*Specifications may vary with tractor model, hydraulic system, tire size, etc.



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
925GBH	1,065 LB	9006742P86	\$8,223.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)		(900152P52)	(\$186.00)
	X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)		(900152P52)	(\$186.00)



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 40 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 40 Cab (T4B) Package Contains: - 439203 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 50 ROPS (T4B) Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 50 Cab T4B Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0279XX	WRKMSTR 33 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 33 Package Contains: - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)



**925GBH BACKHOE
 US PRICE LIST**

(Telford, TN)

X0280XX	WRKMSTR 37 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 37 Package Contains: - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0275XX	BMR 37 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 37 Cab Package Contains: - 439141 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0282XX	BMR 47 Rops Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 ROPs Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0276XX	BMR 47 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 Cab Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)
X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 54D CVT Cab Package Contains: - 717751 (Subframe) - 439069 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)	(900152P52)	(\$186.00)



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

BACKHOE OPTIONS

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

	439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
	439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
	439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
	439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
	717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
	717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
	439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge

HYDRAULICS

SD_20102 HYDRAULIC KIT

	439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
	439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
	439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
	439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
	439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

	717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge
--	--------	---	--	--	-----------

BUCKETS

SD_N5403 12 IN STD BUCKET

	716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)		9000359P98	\$439.00
--	--------	---	--	------------	----------

SD_N5405 16 IN STD BUCKET

	716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)		9000405P08	\$494.00
--	--------	--	--	------------	----------

SD_N5407 18 IN STD BUCKET

	716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)		9000423P12	\$516.00
--	--------	--	--	------------	----------

SD_N5409 24 IN STD BUCKET

	716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)		9000449P36	\$548.00
--	--------	---	--	------------	----------

OTHER

SD_50005 BIG FOOT DIRT PADS

	716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)		9000213P20	\$260.00
--	--------	---	--	------------	----------

SD_50092 RUBBER STREET PADS

	716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)		9000145P14	\$177.00
--	--------	--	--	------------	----------

SD_N5702 FRONT BRACKETS

	439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)		9000043P46	\$53.00
	439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)		9000043P46	\$53.00

SD_N6413 MECH THUMB

	717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)		9000427P22	\$521.00
--	--------	--	--	------------	----------



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000359P98	\$439.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000405P08	\$494.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000423P12	\$516.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000449P36	\$548.00
716525046	Big Foot Dirt Pads	52 LB	9000213P20	\$260.00
717916036	Mechanical Thumb Class 2 7.5 Ft	90 LB	9000427P22	\$521.00

439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB	9000707P66	\$863.00
439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB	9000296P84	\$362.00
439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB	9000296P84	\$362.00
439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB	9000296P84	\$362.00
439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB	9000707P66	\$863.00
439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB	9000707P66	\$863.00
439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB	9000296P84	\$362.00
439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB	9000707P66	\$863.00
439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB	9000707P66	\$863.00
439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB	9000707P66	\$863.00
716410056	Rubber Street Pads	4 LB	9000145P14	\$177.00
717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB	9000707P66	\$863.00
717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB	9000707P66	\$863.00
717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB	9000707P66	\$863.00



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB	9000296P84	\$362.00
--	-----------	--	-------	------------	----------



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 935GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATION:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)
- WORKMASTER 50/60/70 (T4B)

- Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a 900 Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies

*SPECIFICATIONS:

- Digging Depth - 100 (in.)
- Reach from Swing Pivot - 130 (in.)
- Transport Height - 88 (in.)
- Bucket Rotation - 180°
- Stabilizer Spread:
 - Transport - 56 (in.)
 - Operating - 119 (in.)
- Loading Height 76.0 (in.)
- Swing Arc - 175°
- Bucket Digging Forces - 4480 (lbs.)
- Dipper Stick Digging Forces- 2533 (lbs.)
- Operating Pressure - 2500 psi
- Shipping Weight - 854 (lbs).

*Specifications vary with tractor model, hydraulic system, tire size, etc.



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
935GBH	1,065 LB	9007292P26	\$8,893.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

439111	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70 (439111006)			No Charge
439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

HYDRAULICS

SD_20102 HYDRAULIC KIT

	439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
	439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
	439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
	717914	Hyd Kit WM/FA For WORKMASTER 45/50/55/60/70 (717914016)			No Charge
	439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
	439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge
	717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge

BUCKETS

SD_N5403 12 IN STD BUCKET

	716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)		9000359P98	\$439.00
--	--------	---	--	------------	----------

SD_N5405 16 IN STD BUCKET

	716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)		9000405P08	\$494.00
--	--------	--	--	------------	----------

SD_N5407 18 IN STD BUCKET

	716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)		9000423P12	\$516.00
--	--------	--	--	------------	----------

SD_N5409 24 IN STD BUCKET

	716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)		9000449P36	\$548.00
--	--------	---	--	------------	----------



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

OTHER

SD_50005 BIG FOOT DIRT PADS

	716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)		9000213P20	\$260.00
--	--------	---	--	------------	----------

SD_50092 RUBBER STREET PADS

	716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)		9000145P14	\$177.00
--	--------	--	--	------------	----------

SD_N5702 FRONT BRACKETS

	439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)		9000043P46	\$53.00
	439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)		9000043P46	\$53.00

SD_N6413 MECH THUMB

	439122	Mechanical Thumb Class 3 (439122006 - 935GBH)		9000427P22	\$521.00
--	--------	---	--	------------	----------



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000359P98	\$439.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000405P08	\$494.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000423P12	\$516.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000449P36	\$548.00
716525046	Big Foot Dirt Pads	52 LB	9000213P20	\$260.00

439122006	Mechanical Thumb Class 3 8.5 Ft	90 LB	9000427P22	\$521.00
439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB	9000707P66	\$863.00
439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB	9000296P84	\$362.00
439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB	9000296P84	\$362.00
439111006	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	95 LB	9000707P66	\$863.00
439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB	9000296P84	\$362.00
439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB	9000707P66	\$863.00
439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB	9000707P66	\$863.00
439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB	9000296P84	\$362.00
439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB	9000707P66	\$863.00
439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB	9000707P66	\$863.00
439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB	9000707P66	\$863.00
716410056	Rubber Street Pads	4 LB	9000145P14	\$177.00
717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB	9000707P66	\$863.00
717914016	HYD KIT F/WORKMASTER 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	15 LB	9000707P66	\$863.00



**935GBH BACKHOE
 US PRICE LIST**

(Telford, TN)

	717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB	9000707P66	\$863.00
	717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB	9000707P66	\$863.00
	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB	9000296P84	\$362.00



**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

60RBHB Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

The following items are required to
make up a complete front mount blade:
- Packaged Front Mount Blade
- Hitch and Subframe

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S (Subcompact)

NOTE: The WORKMASTER 25S comes
standard with a mid-mount valve.

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 18 5/8 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees

Note: Only One
- Quick Hitch/Subframe
- Mid PTO Drive kit
per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**60RBH FRONT MOUNT BLADES (FOR WM25S)
 US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60RBHB	311 LB	9001046P32	\$1,276.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_N5701 HITCH AND SUBFRAME

	439330	SUBFRAME LS For WORKMASTER 25S (439330006)		9000534P64	\$652.00
--	--------	---	--	------------	----------



**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

	Order Code	Description	Weight	Factory Data	List Price
	439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB	9000534P64	\$652.00



**60CBH FRONT MOUNT BLADES
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

60CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe
- Mid-Mount Valve for tractor
- Optional Equipment can be added
as desired.

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 22 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees
Adjustable Skid Shoes - Standard

NOTE: If tractor does not have a mid-
mount valve, see tractor DIA pages to
order mid-mount valve.

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**60CBH FRONT MOUNT BLADES
 US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60CBHA	311 LB	9001807P28	\$2,204.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25		9001360P38	\$1,659.00



**60CBH FRONT MOUNT BLADES
 US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25	218 LB	9001360P38	\$1,659.00
-----------	---	--------	------------	------------

Ballast Box

717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB	9000244P36	\$298.00
-----------	--	--------	------------	----------



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

72CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
 - Boomer 40/45/50/55 Cab (T4B)
 - Boomer 46D/54D CVT
 - Boomer 45D/50D CVT (Canada Only)
 - WORKMASTER 25/35/40 (T4B)

- Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
 - Boomer 37/41/47 Cab (T4B)
 - Boomer CVT 3040/3045/3050
 - WORKMASTER 35/40 (T3)
 - WORKMASTER 33/37 (T4B)
 - Boomer 30/35/40/50 (T3)

SPECIFICATIONS:

- Moldboard Width - 72 (in.)
- Moldboard Height - 22 (in.)
- Reversible Cutting Edge - Standard
- Cutting Edge Thickness - 1/2 (in.)
- Manual Angling - N/A
- Hydraulic Angling - Standard
- Angling Range - 0 to 30 degrees
- Adjustable Skid Shoes - Standard

The following items are required to make up a complete front mount blade:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Mid-mount valve for tractor
- Optional Equipment can be added as desired.

Hydraulic Valve Kit Shipping Point Service Parts

Boomer 35/40/45/50/55 (T4B) and 33/37/41/47 (T4B)

NOTE: If tractor does not have couplers (ordered without loader), Coupler Kit # 47608158 must be ordered

NOTE: A cross-over relief valve is required to operate the 72CBHA front blade on a Boomer 30, 35, 40, or 50 (T3) and WORKMASTER 35, 40 (T3)

(Order through Service Parts)
BERBER0076 - Cross-over relief valve kit

New Holland recommends the use of a ballasting box when installing front mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72CBHA	535 LB	9002396P86	\$2,923.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered		9001630P98	\$1,989.00
439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)		9001630P98	\$1,989.00
717989	Front Quick Hitch 30/35/40/50 For Boomer 30/35/40/50 (T3 ONLY) (717989006) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts) Does Not fit: Boomer 33/37/41/47		9001630P98	\$1,989.00
717751	Front Quick Hitch - Class 3 For Boomer™ EasyDrive™ CVT Models (717751006) Conventional Axle Only: Serial ZDMB11924 and below		9001741P68	\$2,124.00
439068	S-Frame CLS3AT MY14 For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV		9001741P68	\$2,124.00



**72CBH FRONT MOUNT BLADES
 US PRICE LIST**

(Thetford Mines, Quebec)

	439055	Subframe Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)		9001630P98	\$1,989.00
--	--------	---	--	------------	------------

SD_N5702 FRONT BRACKETS

	439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--------	--	--	--	-----------



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP For Boomer 30/35/40/50 (T3 ONLY) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	325 KG	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 For Boomer™ EasyDrive™ CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB	9001741P68	\$2,124.00
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB	9001630P98	\$1,989.00
439055006	Subframe 35/40 HP Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	363 LB	9001630P98	\$1,989.00
439068006	Hitch and Sub Frame For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV	510 KG	9001741P68	\$2,124.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB	9001630P98	\$1,989.00



**72CBH FRONT MOUNT BLADES
 US PRICE LIST**

(Thetford Mines, Quebec)

Ballast Box

		717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB	9000333P74	\$407.00
		439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB	9000085P28	\$104.00



**MODEL 526GR FRONT MOUNT ROTARY BROOM
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

526GR(B) FRONT MOUNT BROOM
(Reverse Drive Rotation)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

Note: 526GR previously ordered for
T1110 / Boomer 1030 will not work
on the Boomer 20/25 & 24 because the
mid-PTO turns in the opposite direction.

SPECIFICATIONS:

Sweeping Width - 55 (in.)
Sweeping Width @ 25 ° - 49 (in.)
Broom Diameter - 18 (in.)
Bristle Material - Polypropylene
Brush Type - Wafer
Manual Angling - Standard
Angling Range - 0 to 25 °
Drive System - PTO/ Gearbox
#40 Chain
Storage Stand - Standard

The following items are required to
make up a complete front mount rotary
broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Valve Kit for tractor
(See Tractor Service Part pages)
- Optional Equipment can be added as
desired

Note: Only One

- Quick Hitch/Subframe
- Mid PTO Drive kit
- Hydraulic Valve Kit
per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

SHIPPING POINT:

Thetford Mines, Quebec, Canada

WARRANTY:

New Holland Standard Warranty Applies



**MODEL 526GR FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
526GR	425 LB	9003485P00	\$4,250.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY BROOM OPTIONS

SD_03007 MID PTO DRIVE KIT

	439031	Mid PTO CLS 1 20/25 For Boomer 24 & Boomer 20/25 (439031006)		9000706P84	\$862.00
--	--------	--	--	------------	----------

SD_N5701 HITCH AND SUBFRAME

Hitch and Subframe					
	439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25 (439030006)		9001360P38	\$1,659.00

OPTIONAL EQUIPMENT

ROTARY BROOM OPTIONS

SD_20087 HYDRAULIC FRAME ANGLING KIT

	439044	HYD ANGLE CLS1 20/25 For Boomer 24 & Boomer 20/25 (439044006)		9000508P40	\$620.00
--	--------	---	--	------------	----------

SD_29035 SIDE CASTER WHEEL KIT

	717231	Side Casterwheels Kit (717231006) - 526GR (717231016) - 72CO	47 LB	9000273P06	\$333.00
--	--------	--	-------	------------	----------



**MODEL 526GR FRONT MOUNT ROTARY BROOM
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25 (439030006)	218 LB	9001360P38	\$1,659.00
-----------	---	--------	------------	------------

439031006	MidPTO Drive Kit Boomer 20/25 For Boomer 24 & Boomer 20/25 (439031006)	18 LB	9000706P84	\$862.00
-----------	---	-------	------------	----------

Optional Equipment

717231006	2"X6" SIDE CASTER WHL KIT 6" X 3" on 526GR	30 LB	9000481P34	\$587.00
-----------	---	-------	------------	----------

439044006	Hydraulic Angling Kit Boomer 20/25 For Boomer 24 & Boomer 20/25. For 526GR	5 LB	9000508P40	\$620.00
-----------	---	------	------------	----------

Ballast Box

717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB	9000244P36	\$298.00
-----------	---	--------	------------	----------



**60COBB FRONT MOUNT ROTARY BROOM (WM25S)
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Standard Equipment

60COBB FRONT MOUNT BROOM

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- WORKMASTER™ 25S (subcompact)

SPECIFICATIONS:

- Sweeping Width - 57 (in.)
- Sweeping Width @ 25 ° - 52 (in.)
- Broom Diameter - 18 (in.)
- Bristle Material - Nylon
- Brush Type - Wafer
- Hydraulic Angling - Standard
- Angling Range - 0 to 25 °
- Drive System - PTO/ Gearbox
- #40 Chain
- Storage Stand - Standard

The following items are required to make up a complete front mount rotary broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
 - Mid PTO Drive kit
- per tractor needed for Blade, Broom, and/or Blower head units

New Holland recommends the use of a ballasting box when installing front mounted implements.

SHIPPING POINT:

Thetford Mines, Quebec, Canada

WARRANTY:

New Holland Standard Warranty Applies



**60COBB FRONT MOUNT ROTARY BROOM (WM25S)
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60COBB	425 LB	9001854P02	\$2,261.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY BROOM OPTIONS

SD_03007 MID PTO DRIVE KIT

	439331	MID PTO DRIVE KIT LS For WORKMASTER 25S (439331006)		9000534P64	\$652.00
--	--------	--	--	------------	----------

SD_N5701 HITCH AND SUBFRAME

	439330	SUBFRAME LS For WORKMASTER 25S (439330006)		9000534P64	\$652.00
--	--------	---	--	------------	----------

SD_N5702 FRONT BRACKETS

	XN5702X	No Front Brackets			No Charge
--	---------	-------------------	--	--	-----------



**60COBB FRONT MOUNT ROTARY BROOM (WM25S)
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB	9000534P64	\$652.00
439331006	PTO KIT For WORKMASTER 25S (439331006)	25 LB	9000534P64	\$652.00



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

72COBA Front Mount Broom - QA
72COBB Front Mount Broom - QA

Drive System - PTO/ Gearbox
Storage Stand - Standard

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

The following items are required to
make up a complete front mount rotary
broom:

TRACTOR APPLICATIONS: 72COBA
Current New Holland Compact Models
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
Requires Factory installed Mid PTO

- Packaged Front Mount Rotary Broom
- Quick Hitch and Subframe
- Mid-PTO Drive Kit
- Hydraulic Valve Kit for tractor
- Optional Equipment can be added as desired

Prior New Holland Compact Models
- Boomer CVT 3040/3045/3050
Requires Factory installed Mid PTO

Note: Only One
- Quick Hitch/Subframe
- Mid PTO Drive kit
- Hydraulic Valve Kit
per tractor needed for Blade, Broom,
and/or Blower head units

TRACTOR APPLICATIONS: 72COBB
Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 25/35/40 (T4B)

Boomer 35/40/45/50/55 (T4B)
33/37/41/47 (T4B)

Prior New Holland Compact Models
- WORKMASTER 35/40 (T3)
- WORKMASTER 33/37 (T4B)
- Boomer 30/35/40/50 (T3)
- Boomer 33/37/41/47 (T4B)

NOTE: If tractor does not have couplers
(ordered without loader), Coupler Kit #
47608158 must be ordered

SPECIFICATIONS:
Sweeping Width - 68 (in.)
Sweeping Width @ 25 ° - 61 (in.)
Broom Diameter - 22 (in.)
Bristle Material - Polypropylene
Brush Type - Wafer
Hydraulic Angling - Standard
Angling Range - 0 to 25 °

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

SHIPPING POINT
Thetford Mines, Quebec, Canada

WARRANTY
New Holland Standard Warranty Applies



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72COBA	575 LB	9004396P02	\$5,361.00
72COBB	450 LB	9004396P02	\$5,361.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

SD_03007 MID PTO DRIVE KIT

439116	Mid PTO Tier 4 41/47 For Boomer (439116006) - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B)		9000858P54	\$1,047.00
439124	Mid PTO 32/36 HP T3 For Boomer (439124006) - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)		9000858P54	\$1,047.00
439238	MID PTO CLS2 439238 For Boomer (439124006) - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B)		9000858P54	\$1,047.00
439448	MID PTO LS EC 25 For WORKMASTER 25 (439448006)		9000858P54	\$1,047.00
717990	Mid PTO 30/35/40/50 Mid PTO for Boomer 30/35/40/50 (T3 ONLY) (717990006)		9000858P54	\$1,047.00
439057	Mid PTO Economy Mid PTO for WORKMASTER 35/40 (T3 ONLY) (439057006)		9000858P54	\$1,047.00
717761	Mid PTO Drive Kit-III AT Mid PTO for Boomer EasyDrive CVT Models (717761006) Note: For Conventional Axle Only		9000702P74	\$857.00



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

SD_N5701 HITCH AND SUBFRAME

	439068	S-Frame CLS3AT MY14 For Boomer EasyDrive CVT Models (439068006) New Axle Only: Serial ZDMB11925 and above & Tier IV		9001741P68	\$2,124.00
	439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered		9001630P98	\$1,989.00
	439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)		9001630P98	\$1,989.00
	717989	Front Quick Hitch 30/35/40/50 For Boomer 30/35/40/50 (T3 ONLY) (717989006)		9001630P98	\$1,989.00
	439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)		9001630P98	\$1,989.00
	717751	Front Quick Hitch - Class 3 For Boomer 3040/3045/3050 (717751006) Conventional Axle Only: Serial ZDMB11924 and below		9001741P68	\$2,124.00

OPTIONAL EQUIPMENT

ROTARY BROOM OPTIONS

SD_20087 HYDRAULIC FRAME ANGLING KIT

	715677	Hydraulic Angling Kit For 72CO Broom (715677016)	26 LB	9000565P80	\$690.00
--	--------	--	-------	------------	----------

SD_29035 SIDE CASTER WHEEL KIT

	717231	Side Casterwheels Kit (717231006) - 526GR (717231016) - 72CO	47 LB	9000481P34	\$587.00
--	--------	--	-------	------------	----------



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

SD_N5702 FRONT BRACKETS

	439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--------	---	--	--	-----------



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB	9001630P98	\$1,989.00
717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG	9001630P98	\$1,989.00
439055006	Subframe 35/40 HP Economy For WORKMASTER COMPACT 35/40 (T3 ONLY)	363 LB	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 For Boomer EasyDrive CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB	9001741P68	\$2,124.00
439068006	Hitch and Sub Frame For Boomer EasyDrive CVT Models New Axle Only: Serial ZDMB11925 and above	510 KG	9001741P68	\$2,124.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB	9001630P98	\$1,989.00
439238006	MID PTO CLS2 T4 LS ENG For Boomer (439124006) - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B)	25 LB	9000858P54	\$1,047.00

Mid PTO Drive

439448006	MID PTO - LS ECONOMY WM25 For WORKMASTER 25 (439448006)	25 LB	9000858P54	\$1,047.00
717990006	MID PTO 30/35/40/50 HP Mid-PTO for Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 KG	9000858P54	\$1,047.00
439057006	MID PTO 35/40 HP WORKMASTER, FARMALL A Mid-PTO for WORKMASTER COMPACT 35/40 (T3 ONLY)	25 LB	9000858P54	\$1,047.00
717761006	MID PTO Drive Kit Cls 3 AT Mid-PTO for Boomer EasyDrive CVT Models Note: Conventional FWD Axle Only	30 KG	9000702P74	\$857.00



**MODELS 72CO FRONT MOUNT ROTARY BROOM
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

	439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B)	25 LB	9000858P54	\$1,047.00
	439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB	9000858P54	\$1,047.00

Optional Equipment

	715677016	HYD ANGLING 60&72"(2.0,3.0) Fits 72CO	10 KG	9000565P80	\$690.00
	717231016	2 X 6 side caster w/Wheel kit 6" x 2" on 72COBA, 72COBB	47 LB	9000481P34	\$587.00

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB	9000244P36	\$298.00
	717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB	9000333P74	\$407.00

	439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB	9000085P28	\$104.00
--	-----------	--	-------	------------	----------



**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

836GSA FRONT MOUNT SNOW BLOWER
(Reverse Drive Rotation)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
 - Boomer™ 24
- Prior New Holland Compact Models
 - Boomer™ 20 / 25

SPECIFICATIONS:

- Overall Width - 60 (in.)
- Cutting Width - 60 (in.)
- Cutting Height - 20 (in.)
- Number of Fan Blades - 3
- Fan Diameter - 16 (in.)
- Auger Diameter - 13 (in.)
- Fan Drive - #40 HD Chain
- Auger Drive: Mechanical Gearbox with shear pin protection
- Two-Part Chute with:
 - Manual Chute Rotation - Standard
- Shearbolt Protection - Standard
- Skid Shoe-Std. Adjustment - Standard

The following items are required to make up a complete front mount snow blower:

- Packaged Front Mount Snow Blower
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Valve Kit for Tractor (See Tractor Service Part pages)
- Optional equipment can be added as desired

Note: 836GS previously ordered for T1110 / Boomer 1030 will not work on the Boomer 20/25 because the mid-PTO turns in the opposite direction.

New Holland recommends the use of a ballasting box when installing front mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
836GS	308 LB	9002267P30	\$2,765.00



**836GS FRONT MOUNT SNOW BLOWER
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config Less Fast Pick Option		No Charge
		X0283XX	BMR 24 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 836GS Package for Boomer 24 ROPS Packages Contains: - 716098 (836GA Front Mount Snow Blower) - 439030 (Subframe for Boomer 24 ROPS) - 439031 (Mid-PTO Kit)	(900086P92)	(\$106.00)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

		439031	Mid PTO CLS 1 20/25 For Boomer 24 & Boomer 20/25 (439031006)	9000706P84	\$862.00
--	--	--------	--	------------	----------

SD_N5701 HITCH AND SUBFRAME

		439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25 (439030006)	9001360P38	\$1,659.00
--	--	--------	---	------------	------------



**836GS FRONT MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Mid PTO Kit				
439031006	MidPTO Drive Kit Boomer 20/25 For Boomer 24 & Boomer 20/25	18 LB	9000706P84	\$862.00
Hitch and Subframe				
439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25	218 LB	9001360P38	\$1,659.00
Ballast Box				
717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB	9000244P36	\$298.00
Optional Equipment				
439043006	Hydraulic Chute Rotation Boomer 20/25 Hyd Chute Rotation for 836GS Snow Blower For Boomer 24 & Boomer 20/25	5 LB	9000693P72	\$846.00



**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

50RSHB FRONT MOUNT SNOW BLOWER
(Reverse Drive Rotation)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

SPECIFICATIONS:

Overall Width - 50 (in.)
Cutting Width - 50 (in.)
Cutting Height - 20 (in.)
Number of Fan Blades - 4
Fan Diameter - 15.75 (in.)
Auger Diameter - 12.75 (in.)
Fan Drive - #40 HD Chain
Auger Drive: Mechanical Gearbox with
shear pin protection
Two-Part Chute with:
- Manual Chute Rotation - Standard

Shearbolt Protection - Standard
Skid Shoe-Std. Adjustment - Standard

The following items are required to
make up a complete front mount snow
blower:

- Packaged Front Mount Snow Blower
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Kit for Tractor
- Optional equipment can be added
as desired

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
50RSHB	450 LB	9001570P30	\$1,915.00



**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_03007 MID PTO DRIVE KIT

439331	MID PTO DRIVE KIT LS For WORKMASTER 25S (439331006)	22 LB	9000534P64	\$652.00
--------	---	-------	------------	----------

SD_N5701 HITCH AND SUBFRAME

Hitch and Subframe				
439330	SUBFRAME LS For WORKMASTER 25S (439330006)	90 LB	9000534P64	\$652.00



**50RSHB FRONT MOUNT SNOW BLOWER FOR WM25S
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB	9000534P64	\$652.00
439331006	PTO KIT For WORKMASTER 25S (439331006)	25 LB	9000534P64	\$652.00



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

63CSHB FRONT MOUNT SNOW BLOWER

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 25/35/40 (T4B)

- Prior New Holland Compact Models
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

The following items are required to make up a complete front mount snow blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Mid-mount valve for Tractor (See Tractor Service Parts pages)
- Optional equipment can be added as desired

SPECIFICATIONS:

- Overall Width - 63 (in.)
- Cutting Width - 63 (in.)
- Cutting Height - 22 1/2 (in.)
- Number of Fan Blades - 4
- Fan Diameter - 17 3/4 (in.)
- Auger Diameter - 13 3/4 (in.)
- Fan Drive - Gear box reduction
- Two-Part Chute with
 - Hydraulic Chute Rotation - Standard
- Shearbolt Protection - Standard
- Skid Shoe-Std. Adj. - Standard
- Note: The 63CSHB input rotation (from the driver's seat) is clockwise.

NOTE: If tractor does not have couplers (ordered without loader), Coupler Kit # 47608158 must be ordered

New Holland recommends the use of a ballasting box when installing front mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
63CSHB	1,005 LB	9004437P02	\$5,411.00



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

XT9981X	Less Fast Pick Config Less Fast Pick Option			No Charge
X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (*Mid-PTO Kit) * Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO		(900138P58)	(\$169.00)
X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 35 (G) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (*Mid-PTO Kit) * Note: The WORKMASTER 35/40 T4B Gear must be equipped with a Mid-Mount PTO		(900138P58)	(\$169.00)
X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for WORKMASTER 40 (H) ROPS (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for WORKMASTER 35/40 ROPS T4B) - 439238 (Mid-PTO Kit)		(900138P58)	(\$169.00)
X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 63CSHB Package for Boomer 40 Cab (T4B) Packages Contains: - 717151 (63CSHB Front Mount Snow Blower) - 439205 (Subframe for Boomer 40 Cab T4B) - 439238 (Mid-PTO Kit)		(900138P58)	(\$169.00)



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

Mid PTO Kit					
	717990	Mid PTO 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)		9000858P54	\$1,047.00
	439116	Mid PTO Tier 4 41/47 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B) For 63CSHB and 74CSHA (439116006)		9000858P54	\$1,047.00
	439124	Mid PTO 32/36 HP T3 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B) For 63CSHB and 74CSHA (439124006)		9000858P54	\$1,047.00
	439238	MID PTO CLS2 439238 For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)		9000858P54	\$1,047.00
	439448	MID PTO LS EC 25 For WORKMASTER 25 (439448006)		9000858P54	\$1,047.00
	439057	Mid PTO Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439057006)		9000858P54	\$1,047.00

SD_29042 SNOW BLR CONFIG PKG

	717156	Finishing Package (51CS/63CS)	120 LB		No Charge
--	--------	-------------------------------	--------	--	-----------

SD_N5701 HITCH AND SUBFRAME

	717989	Front Quick Hitch 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)		9001630P98	\$1,989.00
	439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)		9001630P98	\$1,989.00



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Hitch and Subframe					
	439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered		9001630P98	\$1,989.00
	439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)		9001630P98	\$1,989.00

OPTIONAL EQUIPMENT

SD_20101 HYDRAULIC CHUTE DEF					
	716864	Hydraulic Chute Deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB (716864026)	16 LB	9000386P22	\$471.00
SD_29036 3 PART CHUTE					
	715345	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB (715345006)	49 LB	9000371P46	\$453.00
SD_N5702 FRONT BRACKETS					
	439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG	9001630P98	\$1,989.00
439055006	Subframe 35/40 HP Economy For WORKMASTER COMPACT 35/40 (T3 ONLY)	363 LB	9001630P98	\$1,989.00
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB	9001630P98	\$1,989.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB	9001630P98	\$1,989.00

Mid PTO Drive

439448006	MID PTO - LS ECONOMY WM25 For WORKMASTER 25 (439448006)	25 LB	9000858P54	\$1,047.00
717990006	MID PTO 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 KG	9000858P54	\$1,047.00
439057006	MID PTO 35/40 HP WORKMASTER, FARMALL A For WORKMASTER COMPACT 35/40 (T3 ONLY)	25 LB	9000858P54	\$1,047.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B ONLY)	25 LB	9000858P54	\$1,047.00
439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB	9000858P54	\$1,047.00

Optional Equipment

715345006	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB	45 LB	9000371P46	\$453.00
716864026	Hyd chute deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB	15 LB	9000386P22	\$471.00



**63CSHB FRONT MOUNT 2 STAGE SNOW BLOWER
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB	9000244P36	\$298.00
--	-----------	---	--------	------------	----------

	439238006	MID PTO CLS2 T4 LS ENG For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)	25 LB	9000858P54	\$1,047.00
--	-----------	--	-------	------------	------------

	439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB	9000085P28	\$104.00
--	-----------	--	-------	------------	----------



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

74CSHA FRONT MOUNT SNOW BLOWER
74CSHB FRONT MOUNT SNOW BLOWER

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS: 74CSHA
Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 35/40 (T4B)
Prior New Holland Compact Models
- Boomer 30/35/40/50 (T3)
- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- WORKMASTER 33/37 (T4B)

TRACTOR APPLICATIONS: 74CSHB
Current New Holland Compact Models
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
Prior New Holland Compact Models
- Boomer CVT 3040/3045/3050

SPECIFICATIONS:
Overall Width - 74 (in.)
Cutting Width - 74 (in.)
Cutting Height - 26 (in.)
Number of Fan Blades - 4
Fan Diameter - 24 (in.)
Auger Diameter - 15 (in.)

Fan Drive - Gear box reduction
Auger Drive - #60 HD chain
Two-Part Chute with
- Hydraulic Chute Rotation - Standard
Shearbolt Protection - Standard
Skid Shoe-Std. Adj. - Standard
Note: The 74CSHA/B input rotation
(from the driver's seat) is clockwise.

The following items are required
to make up a complete front mount
snow blower:
- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Hydraulic Valve Kit for Tractor
(See Tractor Service Parts pages)
- Optional equipment can be added
as desired

NOTE: If tractor does not have couplers
(ordered without loader), Coupler Kit #
47608158 must be ordered

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY
New Holland Standard Warranty Applies

SHIPPING POINT:
Thetford Mines, Quebec, Canada



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
74CSHA	1,005 LB	9005832P66	\$7,113.00
74CSHB	450 LB	9005900P72	\$7,196.00



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

XT9981X	Less Fast Pick Config Less Fast Pick Option			No Charge
X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 74CSHA Package for Boomer 50 ROPS (T4B) Packages Contains: - 715347 (74CSHA Front Mount Snow Blower) - 439205 (Subframe for Boomer 50 ROPS) - 439116 (Mid-PTO Kit)		(900166P46)	(\$203.00)
X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 74CSHA Package for Boomer 50 Cab (T4B) Packages Contains: - 715347 (74CSHA Front Mount Snow Blower) - 439205 (Subframe for Boomer 50 Cab T4B) - 439116 (Mid-PTO Kit)		(900166P46)	(\$203.00)
X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 74CSHB Package for Boomer 54C Cab Packages Contains: - 715347 (74CSHB Front Mount Snow Blower) - 439068 (Subframe for Boomer 54D Cab) - 717761 (Mid-PTO Kit)		(900166P46)	(\$203.00)

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT

Mid PTO Kit				
717990	Mid PTO 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717990006)		9000858P54	\$1,047.00
717761	Mid PTO Drive Kit-III AT For Boomer EasyDrive CVT models (717761006) Conventional FWD axle ONLY For 74CSHB ONLY		9000702P74	\$857.00



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

439116	Mid PTO Tier 4 41/47 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B) For 63CSHB and 74CSHA (439116006)	9000858P54	\$1,047.00
439124	Mid PTO 32/36 HP T3 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B) For 63CSHB and 74CSHA (439124006)	9000858P54	\$1,047.00
439238	MID PTO CLS2 439238 For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)	9000858P54	\$1,047.00

SD_N5701 HITCH AND SUBFRAME

717989	Front Quick Hitch 30/35/40/50 For Boomer COMPACT 30/35/40/50 (T3 ONLY) (717989006)	9001630P98	\$1,989.00
717751	Front Quick Hitch - Class 3 For Boomer EasyDrive CVT Models (717751006) Conventional Axle Only: Serial #ZDMB11924 and below	9001741P68	\$2,124.00
439068	S-Frame CLS3AT MY14 For Boomer EasyDrive CVT Models (439068006) Conventional Axle Only: Serial #ZDMB11925 and above	9001741P68	\$2,124.00
Hitch and Subframe			
439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	9001630P98	\$1,989.00



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

OPTIONAL EQUIPMENT

SD_20101 HYDRAULIC CHUTE DEF

	716864	Hydraulic Chute Deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB (716864026)	16 LB	9000386P22	\$471.00
--	--------	--	-------	------------	----------

SD_29036 3 PART CHUTE

	715345	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB (715345006)	49 LB	9000371P46	\$453.00
--	--------	---	-------	------------	----------

SD_N5702 FRONT BRACKETS

	439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--------	---	--	--	-----------



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG	9001630P98	\$1,989.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 For Boomer EasyDrive CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB	9001741P68	\$2,124.00
439068006	Hitch and Sub Frame For Boomer EasyDrive CVT Models Conventional Axle Only: Serial #ZDMB11925 and above	510 KG	9001741P68	\$2,124.00

Mid PTO Drive

717990006	MID PTO 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 KG	9000858P54	\$1,047.00
717761006	MID PTO Drive Kit Cls 3 AT For Boomer EasyDrive CVT Models - Conventional Axle Only	30 KG	9000702P74	\$857.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B ONLY)	25 LB	9000858P54	\$1,047.00
439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB	9000858P54	\$1,047.00

Optional Equipment

715345006	3 Part Chute Replaces 2-part chute for additional adjustment. For 63CSH, 72CSH, 74CSHA & 74CSHB	45 LB	9000371P46	\$453.00
716864026	Hyd chute deflector Includes one cylinder, brackets and mounting hardware. For 63CSH, 72CSH, 74CSHA & 74CSHB	15 LB	9000386P22	\$471.00



**74CSHA/74CSHB FRNT MNT 2 STAGE SNOW BLR
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Ballast Box

	717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB	9000333P74	\$407.00
	439238006	MID PTO CLS2 T4 LS ENG For Boomer - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B) For 63CSHB and 74CSHA (439238006)	25 LB	9000858P54	\$1,047.00
	439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB	9000085P28	\$104.00



**64CSRA REAR MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Standard Equipment

CURRENT INVENTORY ONLY

64CSRA REAR MOUNT
2-STAGE SNOW BLOWER

TRACTOR APPLICATIONS:

Current New Holland Compact Models

- Boomer 33/37/41/47 ROPS
- Boomer 37/41/47 Cab
- Boomer 46D/54D
- Boomer 45D/50D (Canada Only)

Prior New Holland Compact Models

- Boomer 30/35/40/50
- Boomer CVT 3040/3045/3050

SPECIFICATIONS:

- Overall Width - 64 (in.)
- Cutting Width - 64 (in.)
- Cutting Height - 26 (in.)
- Number of Fan Blades - 4
- Fan Diameter - 24 (in.)
- Auger Diameter - 15 (in.)
- Auger Drive - #60 Chain
- Two-Part Chute:
 - Manual Rotation* - Optional
 - Hydraulic Rotation** - Optional
- Shearbolt Protection - Standard
- Adjustable Skid Shoes - Standard
- Hitch, Driveline, Chute (less rotation) -
Yes

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**64CSRA REAR MOUNT SNOW BLOWER
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
64CS	455 LB	9002767P50	\$3,375.00



**64CSRA REAR MOUNT SNOW BLOWER
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_29042 SNOW BLR CONFIG PKG

		715342	Hydraulic Chute Rotation Kit Required if manual chute rotation is not selected. Includes hydraulic cylinder. Hoses not included. *one tractor rear remote valve is required for operation. for 64CSR (715342036)	80 LB	9000438P70	\$535.00
--	--	--------	---	-------	------------	----------



**64CSRA REAR MOUNT SNOW BLOWER
 US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Required Options

	715342036	Hydraulic Rotation 64IN Required if manual chute rotation is not selected. Includes hydraulic cylinder. Hoses not included. *one tractor rear remote valve is required for operation.	52 LB	9000438P70	\$535.00
--	-----------	---	-------	------------	----------



**160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST**

Standard Equipment

160GMS Side Discharge (717966306)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

160GMS is only compatible with the
WORKMASTER 25S

Specifications

Cutting Width (in.): 60
Overall Width (in.): 75.6
Cutting Height Range (in.): 1 to 4
Deck Shell Thickness (in.): 0.126
Spindle Speed at 3000 RPM: 2,640
Blade Tip Speed (ft./min.): 14,144
Number of Blades: 3
Blade Length (in.): 20.5
Blade Width (in.): 2.48
Blade Thickness (in.): 0.236
Weight of Base 60" Deck (lbs.): 285

WARRANTY:

New Holland Standard Warranty Applies



**160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
160GMS	293 LB	9001645P74	\$2,007.00



**266WMM FOR WORKMASTER 25
US PRICE LIST**

Standard Equipment

266WMM Side Discharge (717966336)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard

Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 14255 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 3x6 (2) 2x6 (2)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

NOTE: the mower linkage supplied with
the 266WMM mower is designed to
work on WORKMASTER 25 compacts
equipped with 200LC Loaders. If a
200LC loader is not installed you must
order linkage completion kit 439054016
to complete mower installation.



**266WMM FOR WORKMASTER 25
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
266WMM FOR WM25	450	9002802P03	\$3,639.00



**266WMM FOR WORKMASTER 25
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_H5801 COMPLETING PACKAGES

Mid PTO Drive				
	439054	Linkage CLS 2 Econ 439054 MUST BE ORDERED IF THE WORKMASTER 25 THE 266WMM IS BEING INSTALLED ON DOES NOT HAVE A 200LC LOADER INSTALLED. IF THE UNIT DOES HAVE A LOADER INSTALLED 439054 IS NOT REQUIRED		No Charge



**260-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Standard Equipment

260GMS Side Discharge (717966166)

272GMS Side Discharge (717966146)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)

Prior New Holland Compact Models
- Boomer CVT 3040, 3045, & 3050

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 60
Cutting Height (in.) - 1.75-4.5
- 0.5 inch increments
Overall width (in.) - discharge chute
- down 74
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 21 L x 2.5 W
Blade Tip Speed (in feet per minute)
- Less than 18000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 5 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) -25 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

260GMS Tire Compatibility: BMR 20/25
- Industrial (R4) - Yes
- Turf (R3) - Yes

272GMS Tire Compatibility: BMR 3000
Cab & Boomer 45D/50D/54D
Agricultural (R1) - NO (24" Rear Rim)
Industrial (R4) - YES limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees
Galaxy Turf - NO

Serial # YDWWH0259 and higher will fit
the Boomer 24 and the Boomer 20/25

NOTE: Steering Adjustments required
when using 272GMS with Ind (R4) tires
or Turf (R3) tires. Refer to ASIST.

Serial # YDWWH0258 and below must
order "right-hand lift link" AME451673B
to fit the Boomer 24



**260-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Standard Equipment

366GMS Side Discharge
(717966196 for BMR 33/37 ROPS T4B)
(717966266 for BMR 35/40 ROPS T4B)

366GMS Side Discharge
(717966246 for WM 33/37 T4B)
(717966266 for WM 35/40 T4B)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:
Current New Holland Compact Models
- Boomer 33/37 ROPS (T4B)
- Boomer 35/40 ROPS (T4B)

TRACTOR APPLICATIONS:
Current New Holland Compact Models
- WORKMASTER 35 & 40 (T4B)
- WORKMASTER 33 & 37 (T4B)

SPECIFICATIONS:
"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

SPECIFICATIONS:
"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - chute down 79
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

366GMS Tire Compatibility: BMR 33/37
(T4B) & BMR 35/40 (T4B)
Agricultural (R1) - No
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees
Left Hand - 37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees
Left Hand - 37 degrees

366GMS Tire Compatibility: WM 33/37
(T4B), WM 35/40 (T4B) & WM25
Agricultural (R1) - No
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees
Left Hand - 37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees
Left Hand - 37 degrees



**260-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Standard Equipment

372GMS Side Discharge
(717966216 for BMR 41/47 ROPS T4B)
(717966286 for BMR 45-55 ROPS T4B)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:
Current New Holland Compact Models
- Boomer 41/47 ROPS (T4B)
- Boomer 45/50/55 Rops (T4B)

SPECIFICATIONS:
"Drive-over" design for installation
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.)- 25 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, 1/4" spindle reinforcement pads

372GMS Tire Compatibility: BMR 41/47
(T4B) & BMR 45/50/55 (T4B)
Agricultural (R1) - NO
Industrial (R4) - NO
Turf (R3) - Yes, limited turn angle:
Right Hand - 34 degrees
Left Hand - 35 degrees
Galaxy Turf - NO

NOTE: Steering Adjustments need to
be made when using 372GMS with
Turf (R3) tires.
Refer to ASIST.

WARRANTY:
260/272/366/372GMS
New Holland Standard Warranty Applies

Service Parts:
260GMS - Mulch Kit - AMENHM652
366GMS - Mulch Kit - AMENHM628
Serial # YEWWB0001 & higher
366GMS - Mulch Kit - AMENHM673
Serial # YEWWA9999 & lower
272/372GMS - Mulch Kit - AMENHM728
366GMS - Ramp Kit - AMENHM613
272/372GMS - Ramp Kit - AMENHM747



**260-372GMS MID-MOUNT ROTARY MOWERS
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
366GMS BMR/WM ROPS 35/40	443 LB	9003088P94	\$3,767.00
372GMS BMR45/50/55 ROPS	443 LB	9003181P60	\$3,880.00
260GMS	538	9002996P28	\$3,654.00
272GMS	592 LB	9003181P60	\$3,880.00
272GMS FOR CVT	623 LB	9003181P60	\$3,880.00
366GMS	443 LB	9003088P94	\$3,767.00
366GMS FOR WM33/37	443 LB	9003088P94	\$3,767.00
372GMS	567 LB	9003181P60	\$3,880.00



**260-372GMS MID-MOUNT ROTARY MOWERS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

Order Code	Description	Weight	Factory Data	List Price
XT9981X	Less Fast Pick Config			No Charge
X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B) Package Contains: - *717966266 (366GMS 66" Side Discharge Deck) *Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO		(900062P32)	(\$76.00)
X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 35 (G) ROPS (T4B) Package Contains: - *717966266 (366GMS 66" Side Discharge Deck) *Note: The WORKMASTER 35 ROPS (T4B) Gear must be equipped with a Mid-Mount PTO		(900062P32)	(\$76.00)
X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 40 (H) ROPS (T4B) Package Contains: - 717966266 (366GMS 66" Side Discharge Deck)		(900062P32)	(\$76.00)
X0283XX	BMR 24 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 260GMS for Boomer 24 ROPS Package Contains: - 717966116 (260GMS 60" Side Discharge Deck)		(900059P86)	(\$73.00)
X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 372GMS for Boomer 50 ROPS Package Contains: - 717966286 (372GMS 72" Side Discharge Deck)		(900063P96)	(\$78.00)
X0279XX	WRKMSTR 33 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 33 ROPS Package Contains: - *717966246 (366GMS 66" Side Discharge Deck) *Note: The WORKMASTER 33 ROPS must be equipped with a Mid-Mount PTO MT20129402 (order through parts)		(900062P32)	(\$76.00)



**260-372GMS MID-MOUNT ROTARY MOWERS
 US PRICE LIST**

		X0280XX	WRKMSTR 37 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 366GMS for WORKMASTER 37 ROPS Package Contains: - *717966246 (366GMS 66" Side Dischage Deck) *Note: The WORKMASTER 37 ROPS must be equipped with a Mid-Mount PTO MT20129402 (order through parts)		(900062P32)	(\$76.00)
		X0282XX	BMR 47 Rops Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 372GMS for Boomer 47 ROPS Package Contains: - *717966116 (372GMS 72" Side Dischage Deck) *Note: The Boomer 47 ROPS must be equipped with a Mid-Mount PTO MT20131515 (order through parts)		(900063P96)	(\$78.00)
		X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 272GMS for Boomer 54D Cab Package Contains: - 717966146 (272GMS 72" Side Dischage Deck)		(900063P96)	(\$78.00)



**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST**

**(Shipment from Depots)
Standard Equipment**

The 300 series are 3-pt. mounted finishing mowers for use on tractors equipped with 540 rpm PTO. Prices include solid rubber gauge wheels.

Number of Blades
310GM - 3
320GM - 3
330GM - 5

MODEL:
310GM / 320GM / 330GM

Blade Speed (RPM)
310GM - 2,630
320GM - 2,230
330GM - 2,630

SIZE:
310GM - 60" (717676006)
320GM - 72" (717676026)
330GM - 90" (717676046)

Weight (lbs)
310GM - 435
320GM - 500
330GM - 683

SPECIFICATIONS:
Cutting Height Range 1 to 4"
3 Pt Mounted (floating hitch) Cat. 1
Rear Discharge
Discharge Safety Chain Standard
V Belt Drive Standard
Solid Rubber Gauge Wheels (fully rotating) 4
Standard PTO (RPM) 540

ACCESSORIES
(Order through Service Parts)

Mulching Kits:
SIT110283 72" Rear Discharge
SIT110284 60" Rear Discharge
SIT110285 90" Rear Discharge

PTO HP Rating up to:
310GM - 30
320GM - 40
330GM - 60

Anti-Scalp Kit (front adjustable roler):
SIT00364 60" & 72"
SIT00503 90"

Pneumatic Tire Kit:
SIT110318 60" Set of 4
SIT110319 72" Set of 4
SIT110320 90" Set of 4

Note: All Pneumatic Tire Kits Include
Wheels and Forks



**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST**

(Shipment from Depots)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
310GM	435 LB	9002106P58	\$2,569.00
320GM	500 LB	9002287P80	\$2,790.00
330GM	683 LB	9003577P66	\$4,363.00



**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

"Value" Series

Designed to compliment Compact and Utility tractors equipped with 3-point hitch and 540 rpm PTO.

Models:

714 / 716 / 717

Size (inches):

714 - 48
716 - 60
717 - 72

SPECIFICATIONS

Tractor Horsepower (max.) - 48

Cutting Width (inches):

714 - 48
716 - 60
717 - 72

Overall Width (inches):

714 - 53
716 - 65
717 - 75

Overall Length (inches):

714 - 83
716 - 100
717 - 106

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 48

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Shear Bolt

Deck Gauge (gauge):

714 - 10
716 & 717 - 7

Side Panel Depth - 8 in. x 7 gauge

Blade Carrier - Pan

Blade Size - 3/8 in. x 3 in. Updraft

Blade Tip Speed (540):

714 - 13,215 fpm
716 - 16,519 fpm
717 - 14,995 fpm

Minimum Cutting Height (inch) - 1

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

714 - 538
716 - 728
717 - 882

VALUE SERIES ACCESSORIES

(Order through Service Parts)

MAG010D3590 4 ft. Front Chain Guards

MAG010D3591 4 ft. Rear Chain Guards

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG125D801D01 Slip Clutch



**700 "VALUE" SERIES ROTARY CUTTERS
 US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
714GCA	519 LB	9001334P14	\$1,627.00
716GCA	781 LB	9001544P88	\$1,884.00
717GCA	885 LB	9001886P82	\$2,301.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_N6428 FRONT SAFETY CHAINS

717979	Front Safety Chains 714GCA - 48" (717979006) 716GCA - 60" (717979016) 717GCA - 72" (717979026)		9000164P82	\$201.00
--------	--	--	------------	----------

SD_N6429 REAR SAFETY CHAINS

717980	Rear Safety Chains 714GCA - 48" (717980006) 716GCA - 60" (717980016) 717GCA - 72" (717980026)		9000164P82	\$201.00
--------	---	--	------------	----------

SD_N6430 SLIP CLUTCH

717981	Slip Clutch		9000197P62	\$241.00
--------	-------------	--	------------	----------

SD_N6433 COATING

717991	Galvanized		9000094P30	\$115.00
--------	------------	--	------------	----------



**700 "VALUE" SERIES ROTARY CUTTERS
 US PRICE LIST**

(Distribution Center)

SD_N6436 QUICK ATTACH HITCH

	439026	Quick Attach Hitch Value - 714GCA, 716GCA, 717GCA Medium-Duty - 736GCA, 737GCA (439026006) Medium-Duty - 738GCA Heavy-Duty - 757GCA, 758GCA (439026016)		9000070P52	\$86.00
--	--------	---	--	------------	---------



**700 "VALUE" SERIES ROTARY CUTTERS
 US PRICE LIST**

(Distribution Center)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

714GCA ONLY

717979006	48" Front Safety Chains	27 LB	9000164P82	\$201.00
717980006	48" Rear Safety Chains	42 LB	9000164P82	\$201.00

716GCA ONLY

717979016	60" Front Safety Chains	29 LB	9000164P82	\$201.00
717980016	60" Rear Safety Chains	44 LB	9000164P82	\$201.00

717GCA ONLY

717979026	72" Front Safety Chains	33 LB	9000164P82	\$201.00
717980026	72" Rear Safety Chains	48 LB	9000164P82	\$201.00



**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment

Standard "Medium-Duty" Series

Designed to compliment Compact and Utility tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance to maintain larger acreages and estates.

Models:

736 / 737 / 738

Size (inches):

736 - 60

737 - 72

738 - 84

SPECIFICATIONS

Tractor Horsepower (max.):

736 - 60

737 - 65

738 - 65

Cutting Width (inches):

736 - 60

737 - 72

738 - 84

Overall Width (inches):

736 - 65

737 - 75

738 - 90

Overall Length (inches):

736 - 100

737 - 106

738 - 122

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 65

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

736 & 737 - 8 in. x 7 gauge

738 - 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size:

736 - 3/8 in. x 3 in. Updraft

737 & 738 - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

736 - 16,519 fpm

737 - 14,995 fpm

738 - 17,300 fpm

Minimum Cutting Height (inch) - 2

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

736 - 731

737 - 907

738 - 1,189

STANDARD "MEDIUM" DUTY

ACCESSORIES

(Order through Service Parts)

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG010D3990 7 ft. Front Chain Guards

MAG010D3991 7 ft. Rear Chain Guards

MAG401DSKID8HWY Skid Shoes



**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
 US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
736GCA	985 LB	9002223P02	\$2,711.00
737GCA	1,005 LB	9002505P10	\$3,055.00
738GCA	1,305 LB	9002889P68	\$3,524.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD_N6431 DUAL TAIL WHEEL				
717982	Dual Tail Wheel		9000473P96	\$578.00
SD_N6433 COATING				
717991	Galvanized		9000235P34	\$287.00
SD_N6436 QUICK ATTACH HITCH				
439026	Quick Attach Hitch Value - 714GCA, 716GCA, 717GCA Medium-Duty - 736GCA, 737GCA (439026006) Medium-Duty - 738GCA Heavy-Duty - 757GCA, 758GCA (439026016)		9000109P88	\$134.00



**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment

"Heavy-Duty" Series

Designed for Utility and Mid-Range tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance for maintenance of large farms or ranch operations.

Models:
757 / 758

Size (inches):
757 - 72
758 - 84

SPECIFICATIONS

Tractor Horsepower (max.):
757 & 758 - 95
Cutting Width (inches):
757 - 72
758 - 84
Overall Width (inches):
757 - 79
758 - 90
Overall Length (inches):
757 - 106
758 - 122

Hitch - 3-point
Driveline Category:
757 & 758 - Cat. I
Gearbox Rating (horsepower):
757 & 758 - 95
Gearbox Warranty (years) - 5
Galvanized Warranty (years) - 12
Slip Protection - Slip Clutch
Deck Gauge (gauge) - 7
Side Panel Depth - 8 in. x 1/4 in.
Blade Carrier - Pan
Output Shaft Diameter (inches) - 2
Blade Size - 1/2 in. x 4 in. Updraft
Blade Tip Speed (540):
757 - 14,995 fpm
758 - 17,495 fpm
Minimum Cutting Height (inch) - 2
Tail Wheel:
757, 758, & - Single Spindle
Tire & Wheel - Laminated
Safety Deflectors - Front/Rear Chains
Weight (pounds):
757 - 1,284
758 - 1,599

HEAVY DUTY ACCESSORIES
(Order through Service Parts)
MAG010d3992B 7 ft. (758GC) Dual
Spindle Tail Wheel



**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
 US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
757GCA	1,153 LB	9003146P34	\$3,837.00
758GCA	1,604 LB	9004308P28	\$5,254.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_N6431 DUAL TAIL WHEEL

717982	Dual Tail Wheel		9000473P96	\$578.00
--------	-----------------	--	------------	----------

SD_N6433 COATING

717991	Galvanized		9000235P34	\$287.00
--------	------------	--	------------	----------

SD_N6436 QUICK ATTACH HITCH

439026	Quick Attach Hitch Value - 714GCA, 716GCA, 717GCA Medium-Duty - 736GCA, 737GCA (439026006) Medium-Duty - 738GCA Heavy-Duty - 757GCA, 758GCA (439026016)		9000070P52	\$86.00
	if MODEL is 757GCA 72in RR3 Rot		9000109P88	\$134.00
	if MODEL is 758GCA 84in HD Rotary C		9000109P88	\$134.00



**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST**

(Distribution Center)

Standard Equipment

780GCC - 10.5 in. x 1/4 in.

"Heavy-Duty" Pull-Type Series

Blade Carrier - Pan
Output Shaft Diameter (inches):

Designed for Mid-Range and High-
Horsepower tractors providing rugged
performance for maintenance of large
farms or ranch operations.

780GCA - 2 or 2-3/8
780GCB - 2 or 2-3/8
780GCC - 2 or 2 3/8

Size:

780GCA - 15 ft. Triple Flex
780GCB - 15 ft. Triple Flex
780GCC - 15 ft. Triple Flex

Blade Size:

780GCA - 1/2 in. x 4 in. Updraft
780GCB - 1/2 in. x 4 in. Updraft
780GCC - 1/2 in. x 4 in. Updraft

Blade Tip Speed (center/out):

780GCA - 15,238/14,821
780GCB - 15,238/14,821
780GCC - 15,238/14,821

SPECIFICATIONS

Tractor Horsepower (max.):

780GCA - 210
780GCB - 210
780GCC - 210

Minimum Cutting Height (inch) - 2

Cutting Width (inches):

780GCA - 180
780GCB - 180
780GCC - 180

Tail Wheel:

780GCA - 3 Spindle
780GCB - 3 Spindle
780GCC - 3 Spindle

Overall Width (inches):

780GCA - 187
780GCB - 187
780GCC - 187

Tire & Wheel:

780GCA - Laminated
780GCB - 6 tires -25.75 x 6.75 x 14
(used Aircraft tires)
780GCC - 6 tires - 25.75 x 6.75 x14
(used Aircraft tires)

Overall Length (inches):

780GCA - 180
780GCB - 180
780GCC - 180

Hydraulic Level Lift:

780GCA - Optional
780GCB - Standard
780GCC - Standard

Hitch - Pull-Type

Driveline Category - PT/CV Joint

Gearbox Rating (horsepower):

780GCA - 255/210
780GCB - 255/210
780GCC - 255/210

Safety Deflectors - Front/Rear Chains

Weight (pounds):

780GCA - 5,397
780GCB - 5,500
780GCC - 5,500

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

780GCA - 10.5 in. x 1/4 in.
780GCB - 10.5 in. x 1/4 in.

PULL TYPE ACCESSORIES

(Order through Service Parts)

MAG415D0060 15 ft. Hydraulic Level
Lift



**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
780GCA	5,894 LB	9016809P18	\$20,499.00
780GCB	1,749 LB	9019256P06	\$23,483.00
780GCC	5,594 LB	9019256P06	\$23,483.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_16049 EXTRA WHEELS, TIRES AND RIMS

780GCA ONLY				
	717985	Aircraft Tires (6) Set of 6 Used Aircraft Tires		9001169P32 \$1,426.00
	717986	Aircraft Tires (8) Set of 8 Used Aircraft Tires		9001565P38 \$1,909.00
780GCB & 780GCC ONLY				
	717984	Aircraft Tires (2) Additional set of 2 Used Aircraft tires for a total of 8 Used Aircraft Tires		9000390P32 \$476.00
780GCA, 780GCB, & 780GCC ONLY				
	717987	Foam Filled P Tire 6 Set of 6 Foam Filled Tires		9001565P38 \$1,909.00
	717988	Foam Filled P Tire 8 Set of 8 Foam Filled Tires		9001975P38 \$2,409.00

SD_N6431 DUAL TAIL WHEEL

	717982	Dual Tail Wheel		9000473P96 \$578.00
--	--------	-----------------	--	---------------------

SD_N6432 HYD LIFT

780GCA ONLY				
	717983	Hyd Lift Hydraulic Level Lift		9001145P54 \$1,397.00

SD_N6433 COATING

	717991	Galvanized		9000094P30 \$115.00
		if MODEL is 780GCA 180in Pt Flex Rot C		9000708P48 \$864.00
		if MODEL is 780GCB 780GCB		9000708P48 \$864.00
		if MODEL is 780GCC		9000708P48 \$864.00



**MODEL 105A ROTARY TILLER
US PRICE LIST**

**(Shipment from Depots)
Standard Equipment**

3-point hitch mounted, 540 rpm PTO
driven tiller, available in operating widths
of 60 in. and 72 in.

No. of Blades
60 inch - 28
72 inch - 36
Blade Tip Speed (fpm) @ 540 rpm
60 inch & 72 inch - 1063

SPECIFICATIONS:

Approximate Working Width (inches) -

60 inch - 60 (in.)

72 inch - 72 (in.)

Tilling Depth Adjustment with

Guide Shoe - 0-4.5 (in.)

Maximum Tilling Depth without

Guide Shoes - 7.25 (in.)

Hitch - Cat. I

Offset Adjustment to Right - 11 (in.)

PTO hp Rating - 45

Rotor Drive Type - Chain

Drive Protection - Slip Clutch

Rotor Speed @ 540 rpm PTO -

60 inch & 72 inch - 236

A complete rotary tiller includes the
following:

- Basic Tiller
- Category 1 Hitch
- PTO with Slip Clutch

WARRANTY

New Holland Standard Warranty Applies

Dealer pickup permitted



**MODEL 105A ROTARY TILLER
 US PRICE LIST**

(Shipment from Depots)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
105A	1,000 LB	9002468P20	\$3,010.00
Includes the following Equipment			
60 in. Rotary Tiller (715416)	\$515.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY TILLER WORKING WIDTH

SD_01001 BASE UNIT

	715416	60 in. Rotary Tiller (715416006)		9000422P30	\$515.00
	716729	72 in. Hvy Duty Rotary Tiller (716729006) remove		9001114P38	\$1,359.00



**WORK EZ® EZ MATCH™
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Many other New Holland products are quick hitch compatible - rear blades, box blades, landscape rakes, 6 ft Disc and 90" rear finishing mower.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB	9000277P98	\$339.00



**LIGHT DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Standard Equipment

Work EZ® Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. The Light Duty Box Blades are also Work EZ® - EZ Match™ compatible. These box blades are offered as Light Duty for the estate and homeowner.

WARRANTY

New Holland Standard Warranty Applies

MODEL: EZ48BL

Application - Light Duty
Working Width - 48 (in.)
Overall Height - 35-1/2 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 30
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 4
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - n/a
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 313 (lbs.)

MODEL: EZ60BL

Application - Light Duty
Working Width - 60 (in.)
Overall Height - 35-1/2 (in.)
Box Depth- 17 (in.)
Tractor Horsepower (Max.) - 35
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 387 (lbs.)



**LIGHT DUTY WORK EZ® BOX BLADES
 US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ48BL	363 LB	9000792P94	\$967.00
EZ60BL	437 LB	9000885P60	\$1,080.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_N6433 COATING

	717991 Galvanized		9000082P82	\$101.00
--	-------------------	--	------------	----------



**STANDARD DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ™ Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. These box blades are offered Standard Duty for the landscaper.

WARRANTY

New Holland Standard Warranty Applies

MODEL: 60BM

Application - Standard Duty
Working Width - 60 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 484 (lbs.)

MODEL: 72BM

Application - Standard Duty
Working Width - 72 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 543 (lbs.)

MODEL: 84BM

Application - Standard Duty
Working Width - 84 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 60
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/Cutting Edge - N/A
Weight - 603 (lbs.)



**STANDARD DUTY WORK EZ® BOX BLADES
 US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60BM	534 LB	9001078P30	\$1,315.00
72BM	643 LB	9001155P38	\$1,409.00
84BM	703 LB	9001319P38	\$1,609.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
717991	Galvanized		9000082P82	\$101.00



**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3-point hitch. The Medium Duty Rear Blades are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MEDIUM DUTY

MODEL: EZ60SM

Application - Medium Duty
Moldboard Width - 60 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 256 (lbs.)

MODEL: EZ72SM

Application - Medium Duty
Moldboard Width - 72 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 278 (lbs.)

MODEL: EZ84SM

Application - Medium Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. 9in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 297 (lbs.)



**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ60SM	256 LB	9000803P60	\$980.00
EZ72SM	328 LB	9000918P40	\$1,120.00
EZ84SM	297 LB	9001028P28	\$1,254.00



**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3- point hitch. These rear blades are offered as Heavy Duty, Heavy Duty Plus for the contractor or high horsepower owner/operator.

WARRANTY

New Holland Standard Warranty Applies

HEAVY DUTY

MODEL: 84SH

Application - Heavy Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 584 (lbs.)

MODEL: 96SH

Application - Heavy Duty
Moldboard Width - 96 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 679 (lbs.)



**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
84SH	684 LB	9001157P84	\$1,412.00
96SH	679 LB	9001262P80	\$1,540.00



**WORK EZ® DISK HARROW
 US PRICE LIST**

**(Distribution Center)
 Standard Equipment**

WORK EZ® Disk Harrow is designed to compliment compact and utility tractors equipped with 3-point hitch and is Work EZ® - EZ Match™ compatible. This disk harrow combines overall weight and notched blades (front and rear) to aggressively cut and turn the soil, regardless of residue conditions.

MODEL: EZ78DC
 Size - 78 (in.)

SPECIFICATIONS:
 Cutting Width - 70 (in.)
 Tractor Horsepower (max.) - 70
 Hitch - Cat. I
 Overall Length - 60 (in.)
 Overall Width - 79 (in.)
 Maximum Cutting Depth - 6 (in.)
 Number of Disk Blades - 20 Notched
 Blade (front and rear)
 Disk Blade Size - 18 (in.) diameter
 Disk Blade Spacing -
 5 1/2" F, 6 1/2", 7 1/2" R
 Bearing Lubrication -Sealed Bearings
 Weight - 679 (lbs.)

WARRANTY
 New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ78DC	678 LB	9001999P16	\$2,438.00



**WORK EZ® LANDSCAPE RAKES
 US PRICE LIST**

**(Distribution Center)
 Standard Equipment**

WORK EZ® Landscape Rakes are designed to compliment compact and utility tractors equipped with 3-point hitch and are also Work EZ® - EZ Match™ compatible. These basic units offer a choice of angle selection and provide 1 inch tine spacing for precision soil preparation and leveling.

MODEL SPECIFICATIONS:

- EZ72LR
- Rake Width - 72 (in.)
- Rake Height - 15 (in.)
- Hitch - Cat. I
- Tractor Horsepower (max.) - 50
- Rake Pivot (degrees) - 360°
- Angle - 5 Forward/3 Reverse
- Pivot King Pin - 1-1/4 (in.)
- Tine Spacing - 1 (in.)
- Tine Size - 5/16 x 1 (in.)
- Tine Material - High Carbon Spring Steel
- Weight - 219 (lbs.)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ72LR	269 LB	9000878P22	\$1,071.00



**WORK EZ® BALE CARRIERS
US PRICE LIST**

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Bale Carrier
Application - Standard duty
Weight - 155 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB	9000372P28	\$454.00
WORK EZ BALE SPEAR	155 LB	9000410P00	\$500.00



**WORK EZ® HAY SPEARS
US PRICE LIST**

Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ DBL BALE QA	153 LB	9000769P16	\$938.00
WORK EZ SNGL BALE QA	168 LB	9000669P12	\$816.00