

CATERPILLAR MACHINE PRICE LIST

**PM622**

PM622 COLD PLANER  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT C18 diesel, ACERT, 8-cylinder, turbocharged, aftercooled 630 HP (470 kW)  
Power and torque curve optimized for fuel efficiency  
Engine diagnostic connector (for CAT ET)  
Air cleaner, dry type dual element with integral precleaner  
Belt, automatic tensioner  
Fuel filter/water separator  
Hydrostatic transmission  
Computerized load control  
Four tracks each 1640 mm x300 mm (64.5" x 12") with polyurethane track pads  
Dual pump propel system with opposite track traction control  
Alignment controlled steering system with four steering mode  
-front, rear and crab steer  
-coordinated steer  
Alignment is optimized for selected mode  
Auto tensioning track

Digital graphic display for diagnostic and operating instructions  
LED wake-up mode with floor light  
Integrated grade control  
Silver-class touch screen display  
Ramp-in, ramp-out function  
Digital moldboard control  
3 rotor speed selectable on control panels  
Two level warning system with action light and horn (warning, critical warning)  
Quick detach fuse/relay/controller/  
Automatic throttle control  
Camera ready display

**APPLICATION SPECIFIC COMPONENTS**

**ROTOR AND CHAMBER SYSTEM**  
Caterpillar patented tool holder with easy extraction feature  
External floating side plates  
Dry clutch, belt transmission and automatic tensioner  
Three selectable rotor speeds  
Tool water cooling with dedicated spray system  
Curb clearance right side plate  
Moldboard with floating, locked or service height levels and adjustable pressure  
Hydraulic raiseable and floating anti-slab  
**CONVEYORS**  
Front loading  
850 mm (33.5") belt width collecting conveyor  
850 mm (33.5") belt width discharge conveyor  
Dual stage, infinitely variable speed, with independent reversing  
60-degree swing either side of center for discharging conveyor  
Conveyor boost function

**ELECTRICAL**

Backup alarm  
Alternator, 100-amp  
Batteries, two maintenance free  
Horn, forward warning  
Ground located horn, operator warning  
Electrical system, 24-volt  
Remote jump start receptacle  
Halogen work lights (7),  
4 fixed locations  
Machine diagnostic connector (for CAT ET)  
Self diagnostic system  
Product Link ready

**OPERATOR ENVIRONMENT**

Dual operating positions, on the left and right of the operators platform  
Operator platform with visibility to both crawlers of the machine  
Machine monitoring system  
Lockable vandalism guards for all control panels  
Platform handrails/guardrails  
Control and propel console with LED backlit panels and joystick  
propel and steering  
Electronic machine management system

**FLUIDS**

Extended life coolant with protection to -34C (-29F)

**OTHER STANDARD EQUIPMENT**

Doors, service access, hinged, locking  
Fuel tank 1200 L (317 gal)  
Pressure test ports with quick connect  
Water tank 3400 L (898 gal)  
Sound suppression insulation kit  
Sight gauges (water, hydraulic oil,

CATERPILLAR MACHINE PRICE LIST

# PM622

---

PM622 COLD PLANER  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

## OTHER STANDARD EQUIPMENT (CONT.)

filter restriction)  
Steering guide  
Mirrors  
Rear water fill  
12-volt ports at operator station  
Air system  
S.O.S. sampling ports  
Auxiliary electro-hydraulic power  
package for operational and emergency  
functions  
Operational functions:  
-canopy and/or engine hood unlift  
Emergency functions:  
-spring applied brakes releasing  
-auxiliary services  
Air filter restriction electric indicator  
Compressed air lubricator and pressure  
regulator unit  
On board winterization system

CATERPILLAR MACHINE PRICE LIST

# PM622

---

PM622 COLD PLANER  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base  
Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

**PM622**

PM622 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

<b>524-9711</b>	<b>PM622 COLD PLANER DCA1</b> . . . . . 0	<b>\$764,230</b>
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 374-1263 PM622 COLD PLANER
  - 374-1279 TANK, FUEL STANDARD
  - 374-1366 FILM, NACD
  - 374-1367 DISCHARGE CONVEYOR, FOLDING
  - 374-1378 ENGINE, CAT C18 ACERT
  - 374-1405 CHAMBER AR (2.2M/88")
  - 374-1432 HYDR. OIL HYDO ADVANCED 10W
  - 374-1436 LIGHTS, HALOGEN
  - 374-1439 SIDE FILL VALVE & PORT
  - 374-1443 CANOPY, FOLDING, HYDRAULIC
  - 374-6811 PUMP, WASHING, HIGH PRESSURE
  - 376-4111 SEAT FULL SIZE SUSPENSION
  - 376-4112 DUST REDUCTION ADD. (2.2M/88")
  - 376-4123 CAMERA, AUX
  - 376-4129 LIGHT, TRUCK SIGNAL
  - 376-4130 CUTTING BIT TRAY
  - 376-4134 PNEUMATIC BIT REMOVAL TOOL
  - 377-2969 VENTILATION SYSTEM
  - 380-3868 INBOARD SKI
  - 380-3870 CONTROL, CAT G&S SYSTEM
  - 387-9467 CONVEYOR CAMERA
  - 387-9552 REAR CAMERA
  - 388-1047 ROTOR TURNING DEVICE
  - 393-6394 DOUBLE CENTER DISPLAY
  - 394-0410 LIGHT, HAZARD
  - 394-9642 LAMP, HALOGEN (MAGNETIC)
  - 396-4803 PLUG, NO WATER FILL PUMP
  - 399-5658 TENSIONER, GREASE
  - 399-5678 ROTOR, G-20 SYSTEM, STD
  - 418-2294 NO CONVEYOR SWING VALVE
  - 468-9504 PRODUCT LINK, CELLULAR PLE641
  - 504-6604 TOOL HOLDER EXTRACTION
  - 387-4320 (2) PORT, FILLING, WATER TANK
  - 387-9468 (2) DISPLAY, OPTIONAL

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

**PM622**

PM622 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

<b>556-9062</b>	<b>PM622 COLD PLANER DCA2</b> . . . . . 0	<b>\$703,180</b>
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 374-1263 PM622 COLD PLANER
  - 374-1279 TANK, FUEL STANDARD
  - 374-1366 FILM, NACD
  - 374-1367 DISCHARGE CONVEYOR, FOLDING
  - 374-1378 ENGINE, CAT C18 ACERT
  - 374-1405 CHAMBER AR (2.2M/88")
  - 374-1432 HYDR. OIL HYDO ADVANCED 10W
  - 374-1436 LIGHTS, HALOGEN
  - 374-1439 SIDE FILL VALVE & PORT
  - 374-1443 CANOPY, FOLDING, HYDRAULIC
  - 374-6811 PUMP, WASHING, HIGH PRESSURE
  - 376-4111 SEAT FULL SIZE SUSPENSION
  - 376-4123 CAMERA, AUX
  - 376-4129 LIGHT, TRUCK SIGNAL
  - 376-4130 CUTTING BIT TRAY
  - 376-4112 DUST REDUCTION ADDIT. (2.2M/88")
  - 376-4134 PNEUMATIC BIT REMOVAL KIT
  - 377-2969 VENTILATION SYSTEM
  - 380-3868 INBOARD SKI
  - 380-3870 CONTROL, CAT G&S SYSTEM
  - 387-9467 CONVEYOR CAMERA
  - 387-9552 REAR CAMERA
  - 388-1047 ROTOR TURNING DEVICE
  - 393-6394 DOUBLE CENTER DISPLAY
  - 394-0410 LIGHT, HAZARD
  - 394-9642 LAMP, HALOGEN (MAGNETIC)
  - 396-4803 PLUG, NO WATER FILL PUMP
  - 399-5658 TENSIONER, GREASE
  - 418-2294 NO CONVEYOR SWING VALVE
  - 468-9504 PRODUCT LINK, CELLULAR PLE641
  - 504-6604 TOOL HOLDER EXTRACTION
  - 387-4320 (2) PORT, FILLING, WATER TANK
  - 387-9468 (2) DISPLAY, OPTIONAL

NOTE: Please refer to the Lane 1 section to complete your order.

<b>374-1263</b>	<b>PM622 COLD PLANER</b> . . . . . 0	<b>\$534,950</b>
	LANE 2 - AVAILABLE FROM MINERBIO FACTORY for AM-N	
	LANE 3 - AVAILABLE FROM MINERBIO FACTORY	

Top level T4 Final arrangement

<b>0G-0527</b>	<b>PM622 MISC MATL</b> . . . . . 0	<b>NC</b>
	AVAILABLE FROM MINERBIO FACTORY	

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**STEERING GUIDE**

P	397-8284	GUIDE, TELESCOPING STEERING . . . . .	0	NC
		Provides two telescoping steering guides with multi point adjustment for advanced steering marker placement.	0	\$640 NI
P	501-0412	GUIDE, STANDARD STEERING . . . . .	0	NC
		Provides two standard steering guides with lateral adjustment of pendulum markers.	0	\$590 NI

**COMMISSIONING**

L	OP-2586	COMMISSIONING, NEEDED . . . . .	0	\$6,330 NET
		Commissioning Needed, trained personnel are required to properly commission the machine.		
L	OP-2587	COMMISSIONING, NOT NEEDED . . . . .	0	NC
		Commissioning, Not Needed, necessary dealer resource are available to properly commission the machine.		

**PACKING**

OG-0044	ROLL ON-ROLL OFF . . . . .	0	NC
OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**DOCUMENTATION**

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC . . . . .	0	NC
		REQUIRED BY: Canada		

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

0P-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN**

L	374-1378	ENGINE, CAT C18 ACERT . . . . .	0	NC
		EPA Tier 4F / EU stage IV emissions certified		
		ONLY FOR USE WITH: 374-1263 PM622 COLD PLANER		

**HYDRAULICS**

**WATER FILL PUMP**

L	396-4803	PLUG, NO WATER FILL PUMP . . . . .	0	NC
L	374-6812	PUMP,WATER FILL, HIGH CAPACITY . . . . .	0	\$2,690
		Line connected to the water tank allowing pressurized water filling from certain water systems.		

**DUST EXTRACTION**

L	377-2969	VENTILATION SYSTEM . . . . .	0	\$9,880
		Dust and particles from operations are collected in multiple areas by hydraulically driven fan and discharged into secondary conveyor.		

**HIGH PRESSURE WASHDOWN**

P	396-4801	NO HIGH PRESSURE CLEANER . . . . .	0	NC
L	374-6811	PUMP, WASHING, HIGH PRESSURE . . . . .	0	\$5,340
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$5,340 NI
		High pressure washdown water pump, including (1) wand with 15 m (50 ft) of hose on reel.		

**ELECTRICAL**

**LIGHTING**

L	374-1436	LIGHTS, HALOGEN . . . . .	0	\$1,060
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$1,060 NI
		Includes 14 halogen lights: 1 light facing each of the 4 tracks, 2 lights facing the rear of the cutter box, 2 lights mounted on the top front end of the discharge conveyor, 2 lights on the top rear face of the machine and 4 lights on the rear face of the machine.		

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHTING (Cont.)**

L	477-9167	LIGHTS, LED . . . . .	0	\$7,680
			0	\$7,680 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 14 LED lights: 1 light facing each of the 4 tracks, 2 lights facing the rear of the cutter box, 2 lights mounted on the top front end of the discharge conveyor, 2 lights on the top rear face of the machine and 4 lights on the rear face of the machine.		

**OPERATOR ENVIRONMENT**

**OPERATOR STATION**

L	378-8243	NO CANOPY . . . . .	0	NC
L	374-1443	CANOPY, FOLDING, HYDRAULIC . . . . .	0	\$10,140
			0	\$10,140 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulically folding canopy with extendible side wings		

**SEATS**

L	376-4122	PLATFORM, NO SEATS . . . . .	0	NC
L	376-4111	SEAT FULL SIZE SUSPENSION . . . . .	0	\$4,235
		Includes suspension seat with adjustable operator position		

**OPERATOR FIXED DISPLAY**

L	393-6393	SINGLE CENTER DISPLAY . . . . .	0	NC
		Includes one (1) center mounted display for machine operation, system diagnostic and grade and slope control. Also includes brackets.		
L	393-6394	DOUBLE CENTER DISPLAY . . . . .	0	\$4,245
		Includes two (2) center mounted displays for machine operation, system diagnostic and grade and slope control. Also includes brackets.		

**GRADE AND SLOPE CONTROLS**

L	501-3599	PLUG, NO INBOARD SKI . . . . .	0	NC
P	380-3868	INBOARD SKI . . . . .	0	\$3,005
			0	\$3,005 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Inboard ski bracket assembly for both left and right side of machine, reading position from position sensing cylinder. Includes bracket, ski and sensor		



CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	472-2959	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0 FOR USE IN LANE 3 ONLY Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432
L	472-2960	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0 FOR USE IN LANE 3 ONLY Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$799
L	468-9668	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	468-9504	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$367

**FUEL SYSTEMS**

**FUEL TANK**

L	374-1279	<b>TANK, FUEL STANDARD</b> . . . . . 0		NC
L	374-1280	<b>TANK, FUEL FAST FILL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Allows for transfer of fuel from pressurized fill systems.		\$3,565

**OTHER ATTACHMENTS**

**ROTOR HOUSING**

L	374-1405	<b>CHAMBER AR (2.2M/88")</b> . . . . . 0		\$59,420
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MILL ROTORS**

L	517-1708	<b>ROTOR, K SYSTEM - STD</b> . . . . . 0 Latest Design tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 185 Bits		\$42,590
C	399-5678	<b>ROTOR, G SYSTEM - STD</b> . . . . . 0 FOR USE IN LANE 3 ONLY CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Three-piece conical tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 193 Bits		\$61,050
C	517-2515	<b>ROTOR, J SYSTEM - STD</b> . . . . . 0 FOR USE IN LANE 3 ONLY CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY. Taper-fitted tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, with tooth spacing 15 mm. Includes: 187 Bits		\$64,370
C	515-2923	<b>ROTOR, G SYSTEM - FINE</b> . . . . . 0 FOR USE IN LANE 3 ONLY CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY. Three-piece conical tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 308 Bits		\$89,240
C	511-5049	<b>ROTOR, H SYSTEM - MICRO</b> . . . . . 0 FOR USE IN LANE 3 ONLY CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY. Weld on tool holders for micro milling with 2235 mm (88") cut width. Advanced design of weld on bit blocks to allow micro finish with a tooth spacing 6X2 mm. Includes: 748 Bits		\$110,850
L	0F-5136	<b>OMISSION, ROTOR</b> . . . . . 0 FOR USE IN LANE 3 ONLY		NC

**DISCHARGE CONVEYOR**

L	374-1368	<b>DISCHARGE CONVEYOR NON-FOLDING</b> . . . . . 0 FOR USE IN LANE 3 ONLY		\$39,720
L	374-1367	<b>DISCHARGE CONVEYOR, FOLDING</b> . . . . . 0 Hydraulically downward folding discharge conveyor		\$47,640

**CONVEYOR TENSIONER**

L	399-5656	<b>TENSIONER, MECHANICAL</b> . . . . . 0 Controls the tension of the primary conveyor through mechanical adjustment		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**CONVEYOR TENSIONER (Cont.)**

L	399-5658	TENSIONER, GREASE . . . . .	0	\$1,095
		Controls the tension of the primary conveyor through belt grease system maintaining even pressure		

**CONVEYOR SWING RELEASE**

L	418-2294	NO CONVEYOR SWING VALVE . . . . .	0	NC
L	377-9877	CONVEYOR SWING VALVE . . . . .	0	\$1,020
		Valve actuation allows conveyor to swing free when connect to certain transport fixtures for turning.		

**ADDITIONAL WATER SPRAYING SYSTEM**

L	519-7352	COVER, NO ADDITIONAL SPRAY . . . . .	0	NC
P	376-4112	DUST REDUCTION ADD. (2.2M/88") . . . . .	0	\$2,485
			0	\$2,485 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional water spraying system for dust reduction, including additional spraying bars located inside the rotor housing and the conveyors.		

**WATER TANK GROUND LEVEL FILLING PORT**

L	387-4320	PORT, FILLING, WATER TANK . . . . .	0	NC
		Water tank ground level Filling Port, US Standard only		

**WATER SIDE FILL**

L	396-4805	PLUG, NO SIDE FILL . . . . .	0	NC
L	374-1439	SIDE FILL VALVE & PORT . . . . .	0	\$447
		Line connected to the water tank, providing addition location for water fill.		

**STEERING GUIDE**

P	397-8284	GUIDE, TELESCOPING STEERING . . . . .	0	NC
		Provides two telescoping steering guides with multi point adjustment for advanced steering marker placement.		
P	501-0412	GUIDE, STANDARD STEERING . . . . .	0	NC
		Provides two standard steering guides with lateral adjustment of pendulum markers.		

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**COMMISSIONING**

NOTE: It is recommended that startup and commissioning of machines be included as part of the machine sale. The net charge covers a three day commissioning event. Trained personnel cover proper machine setup, basic maintenance, operation and application on a customer's jobsite. To request and schedule a machine commissioning event, dealers will need to contact the Caterpillar Paving Technical Training group by filling out the online request form.

URL: <https://dealer.cat.com/PavingOnDemand>

L	OP-2586	COMMISSIONING, NEEDED . . . . .	0	\$6,330 NET
			0	\$6,330 NI
				NET
		Commissioning Needed, trained personnel are required to properly commission the machine.		
L	OP-2587	COMMISSIONING, NOT NEEDED . . . . .	0	NC
		Commissioning, Not Needed, necessary dealer resource are available to properly commission the machine.		

**FLUIDS**

**HYDRAULIC OIL**

L	374-1432	HYDR. OIL HYDO ADVANCED 10W . . . . .	0	NC
		CAT standard hydraulic oil		
L	374-1433	HYDRAULIC OIL, BIODEGRADABLE . . . . .	0	\$6,040
		FOR USE IN LANE 3 ONLY		
		Hydraulic environmental ester synthetic oil is recommended when environmental compliance is required or desired.		
L	374-1434	HYDRAULIC OIL, HIGH AMBIENT . . . . .	0	\$2,325
		FOR USE IN LANE 3 ONLY		
		Hydraulic synthetic oil is recommended when high ambient operation is typical for machine.		

**INSTRUCTIONS**

**DECAL PACKAGES**

L	374-1366	FILM, NACD . . . . .	0	NC
---	----------	----------------------	---	----

**SERVICE INSTRUCTIONS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		

Any additional media or translations not included in the kit, should be ordered through [publications.cat.com](http://publications.cat.com)

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
<b>ELECTRICAL</b>				
P	363-7444	<b>LIGHT, HAZARD, CANOPY</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two rotating amber beacon lights, magnetically mounted.		\$339 NI
P	394-0410	<b>LIGHT, HAZARD</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two rotating amber beacon lights mounted to the conveyor and rear of the machine.		\$705 NI
P	374-1437	<b>LAMP, LED (FIXED)</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single LED Lamp with integrated bracket for fixed mounting. To serve as a replacement lamp or reserve stock.	0	\$500 \$500 NI
P	398-7378	<b>LAMP, LED (POLE MOUNT)</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single LED Lamp with integrated bracket for pole mounting. To serve as a replacement lamp or reserve stock.		\$650 NI
P	394-9642	<b>LAMP, HALOGEN (MAGNETIC)</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single Halogen Lamp with magnetic mounting.		\$311 NI
P	376-4129	<b>LIGHT, TRUCK SIGNAL</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Red / Green light to communicate with truck driver		\$545 NI
<b>OPERATOR ENVIRONMENT</b>				
P	374-1445	<b>UMBRELLA</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two umbrellas to provide operator or ground crew protection from sun and rain. Single umbrella measures 1352 mm (54"x54") and is collapsible. Includes support shaft and mounting hardware to be installed on machine at customer direction.		\$690 NI
P	532-7658	<b>WINDSCREEN</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Collapsible windscreens mount to and move with the canopy. Rear windscreen can fold up into canopy cavity when not in use. ONLY FOR USE WITH: 374-1443 CANOPY, FOLDING, HYDRAULIC	0	\$6,980 \$5,200 NI

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**GRADE AND SLOPE CONTROLS**

P	380-3870	CONTROL, CAT G&S SYSTEM . . . . .	0 0	\$7,470 \$7,470 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Measures grade from position of side plates, using position sensing cylinders. Provides information to machine displays for operations of grade control		
P	376-4136	SENSOR, SONIC, AVERAGING . . . . .	0	\$10,080 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Sonic Averaging Ski for mounting on the RH and LH side, consisting of two Sonic Sensors (in addition to the machine Grade Control Base system or the Optional Inboard consisting of two Sonic sensors (in addition to the base system) with adjustable mounting arms. REQUIRES: 380-3870 CONTROL, CAT G&S SYSTEM		
P	416-2036	SENSOR, SONIC, FOR STRING LINE . . . . .	0	\$4,050 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Include bracket, (1) ultrasonic sensor and cables for mounting at the center of the machine REQUIRES: 380-3870 CONTROL, CAT G&S SYSTEM		
P	387-9468	DISPLAY, OPTIONAL . . . . .	0	\$2,810 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional display (1) with mounting bracket for ground/operator station Order qty 3 maximum		

**VISIBILITY ENHANCEMENTS**

L	387-9552	REAR CAMERA. . . . .	0 0	\$880 \$880 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's rear visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top rear end of the machine REQUIRED BY: EU DEALERS		
L	387-9467	CONVEYOR CAMERA. . . . .	0 0	\$1,085 \$1,085 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's forward visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top front end of the discharge conveyor		
P	376-4123	CAMERA, AUX. . . . .	0	\$740 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Camera with cable and magnetic mount. Can be placed anywhere within cable length.		

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**ROTOR SERVICING TOOLS**

P	376-4134	<b>PNEUMATIC BIT REMOVAL TOOL</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes pneumatic hammer, punch tools, coil hose and fittings.		\$620 NI
P	388-1047	<b>ROTOR TURNING DEVICE</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER		\$3,005 NI

**MISC ATTACHMENTS**

P	376-4130	<b>CUTTING BIT TRAY</b> . . . . . 0 Two additional trays between rear crawlers for bit storage		\$428 NI
P	376-4126	<b>PUMP, FUEL TRANSFER</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Allows for transfer of fuel from non-pump container		\$1,620 NI
P	376-4132	<b>LOW PRESSURE WASH DOWN</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Low pressure washdown system, including (1) wand with 1 m (50 ft) of hose on reel		\$1,445 NI
P	504-6604	<b>TOOL HOLDER EXTRACTION</b> . . . . . 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hand tool for extracting specifically cutter bit tool holders which have broken at the shank inside the weld on block. Tool is engaged to broken shank via a threaded pulling bolt.		\$274 \$274 NI

**FIELD INSTALLED ATTACHMENTS**

The following field attachments can be ordered through Machine Order as a miscellaneous order.

C	396-2202	<b>ROTOR, G SYSTEM - STD, FLD</b> . . . . . 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Three-piece conical tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 193 Bits		\$61,050 NI
C	517-2516	<b>ROTOR, J SYSTEM - STD, FLD</b> . . . . . 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Taper-fitted tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, with tooth spacing 15 mm. Includes: 187 Bits		\$64,370 NI

CATERPILLAR MACHINE PRICE LIST

**PM622**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

C	516-7998	<b>ROTOR, G SYSTEM - FINE, FLD</b> ..... 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Three-piece conical tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 308 Bits		<b>\$89,240 NI</b>
C	511-5050	<b>ROTOR, H SYSTEM - MICRO, FLD</b> ..... 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Weld on tool holders for micro milling with 2235 mm (88") cut width. Advanced design of weld on bit blocks to allow micro finish with a tooth spacing 6X2 mm. Includes: 748 Bits		<b>\$109,530 NI</b>
C	517-1709	<b>ROTOR, K SYSTEM - STD, FLD</b> ..... 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 2235 mm (88") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 185 Bits		<b>\$42,590 NI</b>

**DOCUMENTATION**

OF-5109	<b>CERTIFICATE OF ORIGIN</b> ..... 0	<b>\$88 NET</b>
---------	--------------------------------------	-----------------

**PACKING**

*(Must Select One)*

OG-0044	<b>ROLL ON-ROLL OFF</b> ..... 0	<b>NC</b>
OG-0068	<b>PACK, MISCELLANEOUS MATERIAL</b> ..... 0	<b>NC</b>