

CATERPILLAR MACHINE PRICE LIST

PM825

PM825 COLD PLANER
 MINERBIO, ITALY

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

CAT C18 diesel, 6-cylinder, twin turbocharged, aftercooled 755 HP (563 kW)
 Power and torque curve optimized for fuel efficiency
 Engine diagnostic connector (for CAT ET)
 Air cleaner, dry type dual element with integral precleaner
 Belt, automatic tensioner
 Fuel filter/water separator
 Hydrostatic transmission
 Computerized load control
 Four tracks each 1640 mm x 300 mm (64.5" x 12") with polyurethane track pads
 Dual pump propel system with opposite track traction control
 Alignment controlled steering system with four steering mode
 -front, rear and crab steer
 -coordinated steer
 Alignment is optimized for selected mode
 Auto tensioning track

and operating instructions
 LED wake-up model with floor light
 Integrated grade control
 Silver-class touch screen display
 Ramp-in, ramp-out function
 Digital moldboard control
 3 rotor speed selectable on control panels
 Two level warning system with action light and horn (warning, critical warning)
 Quick detach fuse/relay/controller
 Automatic throttle control
 Camera ready display

APPLICATION SPECIFIC COMPONENTS

ROTOR AND CHAMBER SYSTEM
 Caterpillar patented tool holder with easy extraction feature
 External floating side plates
 Dry clutch, belt transmission and automatic tensioner
 Tool water cooling with dedicated spray system
 Curb clearance right side plate
 Moldboard with floating, locked or service height levels and adjustable down pressure
 Hydraulic raiseable and floating anti-slab
CONVEYORS
 Front loading
 850 mm (33.5") belt width collecting conveyor
 850 mm (33.5") belt width discharge conveyor
 Dual stage, infinitely variable speed, with independent reversing
 60-degree swing either side of center for discharging conveyor
 Conveyor boost function

ELECTRICAL

Backup alarm
 Alternator, 100-amp
 Batteries, two maintenance free, 1400 CCA each
 Horn, forward warning
 Ground located horn, operator warning
 Electrical system, 24-volt
 Work lights (4 fixed, 10 pole mount)
 Machine diagnostic connector (for CAT ET)
 Self diagnostic system
 Product Link equipped

OPERATOR ENVIRONMENT

Dual operator positions, on the left and right of the operators platform
 Operator platform with visibility to both crawlers of the machine
 Machine monitoring system
 Lockable vandalism guards for all control panels
 Platform handrails/guardrails
 Control and propel console with LED backlit panels and joystick propel and steering
 Electronic machine management system
 Digital graphic display for diagnostics

FLUIDS

Extended life coolant with protection to -34C (-29F)

OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking
 Fuel tank 1200 L (317 gal)
 Pressure test ports with quick connect
 Water tank 3400 L (898 gal)
 Sound suppression insulation kit
 Sight gauges (water, hydraulic oil, filter restriction)
 Steering guide

CATERPILLAR MACHINE PRICE LIST

PM825

PM825 COLD PLANER
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

Mirrors
Rear water fill
12-volt ports at operator station
Air system
Pressure test ports with quick connect
S.O.S. sampling ports
Auxiliary electro-hydraulic power
package for operational and emergency
functions
Operational functions:
-electro-hydraulic powered canopy and
engine hood lift
Emergency functions:
-spring applied brakes releasing
-auxiliary services
Air filter restriction electric
indicator
Compressed air lubricator and pressure
regulator unit
On board winterization system

CATERPILLAR MACHINE PRICE LIST

PM825

PM825 COLD PLANER
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the
Base Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

PM825

PM825 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

548-7927	PM825 COLD PLANER DCA1 0	\$937,560
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 518-4824 PM825 COLD PLANER
 - 374-1279 TANK, FUEL STANDARD
 - 374-1367 DISCHARGE CONVEYOR, FOLDING
 - 374-1432 HYDR. OIL HYDO ADVANCED 10W
 - 374-1436 LIGHTS, HALOGEN
 - 374-1439 SIDE FILL VALVE & PORT
 - 374-1443 CANOPY, FOLDING, HYDRAULIC
 - 374-6811 PUMP, WASHING HIGH PRESSURE
 - 376-4111 SEAT FULL SIZE SUSPENSION
 - 376-4130 CUTTING BIT TRAY
 - 376-4134 PNEUMATIC BIT REMOVAL TOOL
 - 377-2969 VENTILATION SYSTEM
 - 380-3868 INBOARD SKI
 - 380-3870 CONTROL, CAT G&S SYSTEM
 - 387-9467 CONVEYOR CAMERA
 - 387-9552 REAR CAMERA
 - 393-6394 DOUBLE CENTER DISPLAY
 - 394-0410 LIGHT, HAZARD
 - 394-9642 LAMP, HALOGEN (MAGNETIC)
 - 396-4803 PLUG, NO WATER FILL PUMP
 - 399-5658 TENSIONER, GREASE
 - 418-2294 NO CONVEYOR SWING VALVE
 - 468-9504 PRODUCT LINK, CELLULAR PLE641
 - 496-4982 ENGINE, CAT C18 ACERT
 - 517-1089 CHAMBER, MILLING (2.5M/98")
 - 518-0989 DUST REDUCTION ADD. (2.5M/98")
 - 504-6604 TOOL HOLDER EXTRACTION
 - 520-4383 FILM, NORTH AMERICA
 - 523-7587 ROTOR TURNING DEVICE
 - 544-3680 ROTOR, G SYSTEM - STD
 - 387-4320 (2) PORT, FILLING, WATER TANK
 - 387-9468 (2) DISPLAY, OPTIONAL

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

PM825

PM825 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

556-9067	PM825 COLD PLANER DCA2 0 LANE 1 AVAILABLE FROM BALTIMORE PDC	\$872,240
-----------------	--	------------------

- INCLUDES:
 518-4824 PM825 COLD PLANER
 374-1279 TANK, FUEL STANDARD
 374-1367 DISCHARGE CONVEYOR, FOLDING
 374-1432 HYDR. OIL HYDO ADVANCED 10W
 374-1436 LIGHTS, HALOGEN
 374-1439 SIDE FILL VALVE & PORT
 374-1443 CANOPY, FOLDING, HYDRAULIC
 374-6811 PUMP, WASHING HIGH PRESSURE
 376-4111 SEAT FULL SIZE SUSPENSION
 376-4130 CUTTING BIT TRAY
 376-4134 PNEUMATIC BIT REMOVAL TOOL
 377-2969 VENTILATION SYSTEM
 380-3868 INBOARD SKI
 380-3870 CONTROL, CAT G&S SYSTEM
 387-9467 CONVEYOR CAMERA
 387-9552 REAR CAMERA
 393-6394 DOUBLE CENTER DISPLAY
 394-0410 LIGHT, HAZARD
 394-9642 LAMP, HALOGEN (MAGNETIC)
 396-4803 PLUG, NO WATER FILL PUMP
 399-5658 TENSIONER, GREASE
 418-2294 NO CONVEYOR SWING VALVE
 468-9504 PRODUCT LINK, CELLULAR PLE641
 496-4982 ENGINE, CAT C18 ACERT
 517-1089 CHAMBER, MILLING (2.5M/98")
 518-0989 DUST REDUCTION ADD. (2.5M/98")
 504-6604 TOOL HOLDER EXTRACTION
 520-4383 FILM, NORTH AMERICA
 523-7587 ROTOR TURNING DEVICE
 387-4320 (2) PORT, FILLING, WATER TANK
 387-9468 (2) DISPLAY, OPTIONAL

NOTE: Please refer to the Lane 1 section to complete your order.

518-4824	PM825 COLD PLANER 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$702,870
-----------------	--	------------------

AVAILABLE FOR: AM-N, Puerto Rico, Europe, Israel, South Korea,
Taiwan, ANZ and Pacific Dealers

0G-0714	PM825 MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

STEERING GUIDE

P	397-8284	GUIDE, TELESCOPING STEERING Provides two telescoping steering guides with multi point adjustment for advanced steering marker placement.	0	NC
P	501-0412	GUIDE, STANDARD STEERING Provides two standard steering guides with lateral adjustment of pendulum markers.	0	NC

COMMISSIONING

L	0P-2586	COMMISSIONING, NEEDED Commissioning Needed, trained personnel are required to properly commission the machine.	0	\$6,330 NET
L	0P-2587	COMMISSIONING, NOT NEEDED Commissioning, Not Needed, necessary dealer resource are available to properly commission the machine.	0	NC

PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC 0 REQUIRED BY: Canada		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	496-4982	ENGINE, CAT C18 ACERT U.S. EPA Tier 4 Final and EU Stage IV Compliant engine with aftertreatment ONLY FOR USE WITH: 518-4824 PM825 COLD PLANER	0	NC
---	----------	---	---	----

HYDRAULICS

WATER FILL PUMP

L	396-4803	PLUG, NO WATER FILL PUMP	0	NC
L	374-6812	PUMP,WATER FILL, HIGH CAPACITY Line connected to the water tank allowing pressurized water filling from certain water systems.	0	\$2,690

DUST EXTRACTION

L	377-2969	VENTILATION SYSTEM Dust and particles from operations are collected in multiple areas by hydraulically driven fan and discharged into secondary conveyor.	0	\$9,880
---	----------	--	---	---------

HIGH PRESSURE WASHDOWN

P	396-4801	NO HIGH PRESSURE CLEANER	0	NC
L	374-6811	PUMP, WASHING, HIGH PRESSURE ALSO AVAILABLE ON A MISCELLANEOUS ORDER High pressure washdown water pump, including (1) wand with 15 m (50 ft) of hose on reel.	0 0	\$5,340 \$5,340 NI

ELECTRICAL

LIGHTING

L	374-1436	LIGHTS, HALOGEN ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 14 halogen lights: 1 light facing each of the 4 tracks, 2 lights facing the rear of the cutter box, 2 lights mounted on the top front end of the discharge conveyor, 2 lights on the top rear face of the machine and 4 lights on the rear face of the machine.	0 0	\$1,060 \$1,060 NI
---	----------	--	--------	-----------------------

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTING (Cont.)

L	477-9167	LIGHTS, LED	0	\$7,680
			0	\$7,680 NI
<p>ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 14 LED lights: 1 light facing each of the 4 tracks, 2 lights facing the rear of the cutter box, 2 lights mounted on the top front end of the discharge conveyor, 2 lights on the top rear face of the machine and 4 lights on the rear face of the machine.</p>				

OPERATOR ENVIRONMENT

OPERATOR STATION

L	378-8243	NO CANOPY	0	NC
L	374-1443	CANOPY, FOLDING, HYDRAULIC	0	\$10,140
			0	\$10,140 NI
<p>ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulically folding canopy with extendible side wings</p>				

SEATS

L	376-4122	PLATFORM, NO SEATS	0	NC
L	376-4111	SEAT FULL SIZE SUSPENSION	0	\$4,235
<p>Includes suspension seat with adjustable operator position</p>				

OPERATOR FIXED DISPLAY

L	393-6393	SINGLE CENTER DISPLAY	0	NC
<p>Includes one (1) center mounted display for machine operation, system diagnostic and grade and slope control. Also includes brackets.</p>				
L	393-6394	DOUBLE CENTER DISPLAY	0	\$4,245
<p>Includes two (2) center mounted displays for machine operation, system diagnostic and grade and slope control. Also includes brackets.</p>				

GRADE AND SLOPE CONTROLS

L	501-3599	PLUG, NO INBOARD SKI	0	NC
P	380-3868	INBOARD SKI	0	\$3,005
			0	\$3,005 NI
<p>ALSO AVAILABLE ON A MISCELLANEOUS ORDER Inboard ski bracket assembly for both left and right side of machine, reading position from position sensing cylinder. Includes bracket, ski and sensor.</p>				

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	472-2959	PRODUCT LINK, SATELLITE PL631 0		\$432
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	472-2960	PRODUCT LINK, SATELLITE PLE631 0		\$799
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	468-9668	PRODUCT LINK, CELLULAR PL641 0		NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	468-9504	PRODUCT LINK, CELLULAR PLE641 0		\$367
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

FUEL SYSTEMS

FUEL TANK

L	374-1279	TANK, FUEL STANDARD 0		NC
L	374-1280	TANK, FUEL FAST FILL 0		\$3,565
		FOR USE IN LANE 3 ONLY Allows for transfer of fuel from pressurized fill systems.		

OTHER ATTACHMENTS

ROTOR HOUSING

L	517-1089	CHAMBER, MILLING (2.5M/98") 0		\$61,790
---	----------	--	--	-----------------

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OTHER ATTACHMENTS (CONT.)				
MILL ROTORS				
L	517-0841	ROTOR, K SYSTEM - STD 0 Latest Design tool holder system with 2505 mm (98.6") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15mm. Includes: 203 Bits		\$45,990
C	544-3680	ROTOR, G SYSTEM - STD 0 FOR USE IN LANE 3 ONLY CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Three-piece conical tool holder system with 2505 mm (98.6") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 211 Bits		\$65,320
L	0F-5136	OMISSION, ROTOR 0 FOR USE IN LANE 3 ONLY		NC
DISCHARGE CONVEYOR				
L	374-1368	DISCHARGE CONVEYOR NON-FOLDING 0 FOR USE IN LANE 3 ONLY		\$39,720
L	374-1367	DISCHARGE CONVEYOR, FOLDING 0 Hydraulically downward folding discharge conveyor		\$47,640
CONVEYOR TENSIONER				
L	399-5656	TENSIONER, MECHANICAL 0 Controls the tension of the primary conveyor through mechanical adjustment		NC
L	399-5658	TENSIONER, GREASE 0 Controls the tension of the primary conveyor through grease system maintaining even pressure		\$1,095
CONVEYOR SWING RELEASE				
L	418-2294	NO CONVEYOR SWING VALVE 0		NC
L	377-9877	CONVEYOR SWING VALVE 0 Valve actuation allows conveyor to swing free when connect to certain transport fixtures for turning.		\$1,020
COMMISSIONING				
L	0P-2586	COMMISSIONING, NEEDED 0 Commissioning Needed, trained personnel are required to properly commission the machine.	0	\$6,330 NET \$6,330 NI NET
L	0P-2587	COMMISSIONING, NOT NEEDED 0 Commissioning, Not Needed, necessary dealer resource are available to properly commission the machine.		NC

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

ADDITIONAL WATER SPRAYING SYSTEM

L	519-5762	COVER, NO ADDITIONAL SPRAY	0	NC
L	518-0989	DUST REDUCTION ADD. (2.5M/98")	0	\$2,535
			0	\$2,535 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
Additional water spraying system for dust reduction, including additional spraying bars located inside the rotor housing and the conveyors.

WATER TANK GROUND LEVEL FILLING PORT

L	387-4320	PORT, FILLING, WATER TANK	0	NC
		Water tank ground level Filling Port, US Standard only		

WATER SIDE FILL

L	396-4805	PLUG, NO SIDE FILL	0	NC
L	374-1439	SIDE FILL VALVE & PORT	0	\$447
		Line connected to the water tank, providing addition location for water fill.		

STEERING GUIDE

P	397-8284	GUIDE, TELESCOPING STEERING	0	NC
		Provides two telescoping steering guides with multi point adjustment for advanced steering marker placement.	0	\$640 NI
P	501-0412	GUIDE, STANDARD STEERING	0	NC
		Provides two standard steering guides with lateral adjustment of pendulum markers.	0	\$590 NI

FLUIDS

HYDRAULIC OIL

L	374-1432	HYDR. OIL HYDO ADVANCED 10W	0	NC
		CAT standard hydraulic oil		
L	374-1433	HYDRAULIC OIL, BIODEGRADABLE	0	\$6,040
		FOR USE IN LANE 3 ONLY Hydraulic environmental ester synthetic oil is recommended when environmental compliance is required or desired.		
L	374-1434	HYDRAULIC OIL, HIGH AMBIENT	0	\$2,325
		FOR USE IN LANE 3 ONLY Hydraulic synthetic oil is recommended when high ambient operation is typical for machine.		

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

DECAL PACKAGES

L	520-4383	FILM, NORTH AMERICA 0 ONLY FOR USE WITH: AM-N dealers only		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		NC
--	----------	--	--	----

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
P	363-7444	LIGHT, HAZARD, CANOPY 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights, magnetically mounted.		\$339 NI
P	394-0410	LIGHT, HAZARD 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights mounted to the conveyor and rear of the machine.		\$705 NI
P	374-1437	LAMP, LED (FIXED) 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single LED Lamp with integrated bracket for fixed mounting. To serve as a replacement lamp or reserve stock.		\$500 \$500 NI
P	398-7378	LAMP, LED (POLE MOUNT) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single LED Lamp with integrated bracket for pole mounting. To serve as a replacement lamp or reserve stock.		\$650 NI
P	394-9642	LAMP, HALOGEN (MAGNETIC) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single halogen lamp with magnetic mounting.		\$311 NI
P	376-4129	LIGHT, TRUCK SIGNAL 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Red / Green light to communicate with truck driver		\$545 NI

OPERATOR ENVIRONMENT

P	374-1445	UMBRELLA 0 FOR USE IN LANE 3 ONLY Includes two umbrellas to provide operator or ground crew protection from sun and rain. Single umbrella measures 1372 mm (54"x54") and is collapsible. Includes support shaft and mounting hardware to be installed on machine at customer direction.		\$690 NI
P	532-7658	WINDSCREEN 0 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Collapsible windscreens mount to and move with the canopy. Rear windscreen can fold up into canopy cavity when not in use. ONLY FOR USE WITH: 374-1443 CANOPY, FOLDING, HYDRAULIC		\$6,980 \$5,200 NI

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

GRADE AND SLOPE CONTROLS

P	380-3870	CONTROL, CAT G&S SYSTEM	0 0	\$7,470 \$7,470 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Measures grade from the position of side plates, using position sensing cylinders. Provides information to machine displays for operation of grade control.		
P	376-4136	SENSOR, SONIC, AVERAGING	0	\$10,080 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Sonic averaging ski for mounting on the LH or RH side, consisting of two sonic sensors (in addition to the machine grade control base system or the optional inboard consisting of two sonic sensors (in addition to the base system) with adjustable mounting arms REQUIRES: 380-3870 CONTROL, CAT G&S SYSTEM		
P	416-2036	SENSOR, SONIC, FOR STRING LINE	0	\$4,050 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Include bracket, (1) ultrasonic sensor and cables for mounting at the center of the machine REQUIRES: 380-3870 CONTROL, CAT G&S SYSTEM		
P	387-9468	DISPLAY, OPTIONAL	0	\$2,810 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional display (1) with mounting bracket for ground/operator station Order qty 3 maximum		

VISIBILITY ENHANCEMENTS

L	387-9552	REAR CAMERA.	0 0	\$880 \$880 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's rear visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top rear end of the machine REQUIRED BY: EU DEALERS		
L	387-9467	CONVEYOR CAMERA.	0 0	\$1,085 \$1,085 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's forward visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top front end of the discharge conveyor		
P	376-4123	CAMERA, AUX.	0	\$740 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Camera with cable and magnetic mount. Can be placed anywhere within cable length.		

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

ROTOR SERVICING TOOLS

P	376-4134	PNEUMATIC BIT REMOVAL TOOL 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes pneumatic hammer, punch tools, coil hose and fittings.		\$620 NI
P	523-7587	ROTOR TURNING DEVICE 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes control device and electrical motor for powered rotational assist when servicing the rotor.		\$3,005 NI

MISC ATTACHMENTS

P	376-4130	CUTTING BIT TRAY 0 Two trays between rear crawlers for bit storage		\$428 NI
P	376-4126	PUMP, FUEL TRANSFER 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Allows for transfer of fuel from non-pump container		\$1,620 NI
P	376-4132	LOW PRESSURE WASH DOWN 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Low pressure washdown system, including (1) wand with 1 m (50 ft) of hose on reel		\$1,445 NI
P	504-6604	TOOL HOLDER EXTRACTION 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hand tool for extracting specifically cutter bit tool holders which have broken at the shank inside the weld on block. Tool is engaged to broken shank via a threaded pulling bolt.	0	\$274 \$274 NI

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

C	517-0842	ROTOR, K SYSTEM - STD, FLD 0 CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 2505 mm (98.6") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15mm. Includes: 203 Bits		\$45,990 NI
---	----------	--	--	-------------

DOCUMENTATION

	OF-5109	CERTIFICATE OF ORIGIN 0		\$88 NET
--	---------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

PM825

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

PACKING

(Must Select One)

0G-0044	ROLL ON-ROLL OFF		0	NC
0G-0068	PACK, MISCELLANEOUS MATERIAL		0	NC