

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**180SL PrecisionCut Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
18 In. (45.7 cm) 11 Blade Reel
5 In. Reel Diameter
2.0 mm Ultra Low BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5512M		180SL PrecisionCut Walk Greens Mower	507K164	10,235.00
-------	--	--------------------------------------	---------	-----------

DESTINATION

001A	US/Canada			In Base Price
001B	Europe			No Added Cost
001C	Australia/New Zealand			No Added Cost
001D	All Other Countries			No Added Cost
0195	Mexico			No Added Cost

REEL FRONT ROLLERS

1308	(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps			In Base Price
1309	(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	501K7		-25.00
1321	(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	105K1		-73.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
1390		Less Front Rollers	401K34	-192.00
REEL CUTTING UNITS				
9781		180SL Rotary Brush <i>Can not be used with GTC. Also need order Gear Drive</i>	201K79	256.00
9783		Push Brush Kit <i>For mowing this brush is lowered in front of grass catcher</i>	803K80	544.00
9801		180SL DT Rotary Turf Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	201K79	256.00
9780		Rotary Brush/Greens Tender Conditioner Drive <i>Rotary Brush or Greens Tender Conditioner Not Included</i>	009K10	1,300.00
9782		Greens Tender Conditioner	203K47	496.00
MISCELLANEOUS				
9766		Light Kit	702K80	401.00
9779		Transport Wheels and Stand	803K59	514.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	722K6	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	675K1	82.02
Front Turf Brushes				
BM24731		45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	741K91	273.91
BM20569		45.7 cm (18-in.) Rotary Brush for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	741K91	273.91
BM25531		Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	464K07	582.09

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Greens Tender Conditioner		
BM20568		45.7 cm (18-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	503K71	530.71
BM23443		Rotary Brush and Greens Tender Conditioner Drive for Fixed Head Walk Greens Mowers <i>Requires GTC or Rotary Brush.</i>	709K73	1,391.00
		Lighting		
BM20579		Light Kit for Fixed Head Walk Greens Mowers	353K00	429.07
		Miscellaneous		
AMT2865		Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	059K6	152.46
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	721K19	178.69
BM20578		Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99
		Reel Cutting Units		
TCA23624		14 Blade Reel for 45.7 cm (18-in.) Fixed Head Walk Greens Mowers	502K60	347.33
		Rollers		
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	291K84	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	392K73	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	081K25	178.69
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20562		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	811K43	205.44
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM24203	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
	BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	132K80	400.19

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**180 E-Cut Hybrid Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Gas Engine
Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
Operator Presence System
Enclosed Roller Drive Differential
Foam Wrapped, 4-position Adjustable Handle Bar
Meets CARB Standards
Electric Drive Motor for Cutting Unit
On Board Backlapping

On Board Electrical Diagnostic Light
Adjustable Frequency of Clip

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5542M		180 E-Cut Hybrid Walk Greens Mower	007K007	10,010.00
-------	--	------------------------------------	---------	-----------

DESTINATION

001A		US and Canada		In Base Price
------	--	---------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

REEL CUTTING UNITS

*12.7 cm (5-in.) Diameter Cutting Units
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments*

1202		Quick Adjust 5 (QA5) Eleven Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Bedknife <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and Counter Weight</i>	401K996	2,852.00
1213		Quick Adjust 5 (QA5) Fourteen Blade 18 In. (55.9 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and Counter Weight</i>	402K080	2,972.00
1293		Quick Adjust 5 (QA5) Eleven Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	601K993	2,848.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1294		Quick Adjust 5 (QA5) Fourteen Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	602K077	2,968.00
1290		Less Cutting Unit		In Base Price
REEL FRONT ROLLERS				
1308		45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Cap	401K34	192.00
1309		45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	901K16	167.00
1321		45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	308K3	119.00
1390		Less Front Roller		In Base Price
REEL REAR ROLLERS				
1622		45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	308K3	119.00
1690		Less Rear Roller		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		QA5 Cutting Unit ONLY Counterweight <i>Select if NOT installing GTC or Rotary Brush on cutting unit</i>	204K6	66.00
1407		QA5 Cutting Unit and GTC / Rotary Brush ONLY Counterweight <i>Select if ONLY installing GTC or Rotary Brush on cutting unit</i>	204K6	66.00
1490		Less Counterweight <i>Select if ordering LESS cutting unit</i>		In Base Price
FRONT TURF BRUSHES				
9783		Push Brush <i>During operation brush is lowered in front of grass catcher</i>	803K80	544.00
9819		45.7 cm (18-in.) QA5 Front Rotary Turf Brush	901K51	217.00
9823		45.7 cm (18-in.) QA5 Front Rotary DT Turf Brush	901K51	217.00

GRASS CATCHERS

**JOHN DEERE GOLF PRODUCTS
 REEL MOWERS**

180 E-Cut Hybrid Walk Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9812		QA5 Grass Catcher with Large Paddle Clip	001K40	200.00
9813		QA5 Grass Catcher Side Plate Insert	003K5	50.00
GREENS TENDER CONDITIONER				
9742		QA5 Greens Tender Conditioner Shaft and Blades	901K93	277.00
9743		QA5 GTC / Front Rotary Brush Gear Drive	109K33	1,333.00
REEL CUTTING UNITS				
9803		QA5 11-Blade Cutting Unit <i>Less Front and Rear Rollers, Motor, and Counterweight</i>	601K818	2,598.00
9818		QA5 14-Blade Cutting Unit <i>Less Front and Rear Rollers, Motor, and Counterweight</i>	601K902	2,718.00
LIGHTING				
9766		Light Kit	702K80	401.00
MISCELLANEOUS				
9779		Transport Wheels and Stand	803K59	514.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**220SL PrecisionCut Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
22 In. (55.9 cm) 11 Blade Reel
5 In. Reel Diameter
2.5mm Tournament BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5522M		220SL PrecisionCut Walk Greens Mower	506K912	9,875.00
-------	--	--------------------------------------	---------	----------

DESTINATION

001A	US/Canada			In Base Price
001B	Europe			No Added Cost
001C	Australia/New Zealand			No Added Cost
001D	All Other Countries			No Added Cost
0195	Mexico			No Added Cost

REEL FRONT ROLLERS

1300	(1) 22 In. 2 In. (5 cm) Diameter Machined GroovedSolid Roller with Solid End Caps			In Base Price
1301	(1) 22 In. 2 In. (5 cm) Diameter Machined SmoothSolid Roller	904K		-7.00
1302	(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	503K8		-55.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

220SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
1390		Less Front Rollers	801K21	-174.00
REEL CUTTING UNITS				
9780		Rotary Brush/Greens Tender Conditioner Drive <i>Rotary Brush or Greens Tender Conditioner Not Included</i>	009K10	1,300.00
9820		220SL Rotary Brush <i>Cannot be used with GTC. Requires GTC drive kit.</i>	201K79	256.00
9824		220SL DT Front Rotary Turf Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	201K79	256.00
9783		Push Brush Kit <i>For mowing this brush is lowered in front of grass catcher</i>	803K80	544.00
9782		Greens Tender Conditioner	003K64	520.00
MISCELLANEOUS				
9766		Light Kit	702K80	401.00
9779		Transport Wheels and Stand	803K59	514.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Front Turf Brushes				
BM24729		55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles. Can not be used with GTC. Also need to order Gear Drive.</i>	741K91	273.91

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

220SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM20567	55.9 cm (22-in.) Rotary Brush for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	741K91	273.91
	BM25531	Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	464K07	582.09
		Greens Tender Conditioner		
	BM20566	55.9 cm (22-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	483K89	556.40
	BM23443	Rotary Brush and Greens Tender Conditioner Drive for Fixed Head Walk Greens Mowers <i>Requires GTC or Rotary Brush.</i>	709K73	1,391.00
		Lighting		
	BM20579	Light Kit for Fixed Head Walk Greens Mowers	353K00	429.07
		Miscellaneous		
	AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	059K6	152.46
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
	AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
	TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	721K19	178.69
	BM20578	Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99
		Reel Cutting Units		
	TCA23623	14 Blade Reel for 55.9 cm (22-in.) Fixed Head Walk Greens Mowers	702K80	374.27
		Rollers		
	BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
	BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
	BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
	BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19

JOHN DEERE GOLF PRODUCTS
 REEL MOWERS

220SL PrecisionCut Walk Greens Mower
 Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
	BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**220 E-Cut Hybrid Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 22 In. (55.9 cm) 11
Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5504M		220 E-Cut Hybrid Walk Greens Mower	509K201	13,145.00
-------	--	------------------------------------	---------	-----------

DESTINATION

001A		US/Canada		In Base Price
001B		Europe	001K26	180.00
001C		Australia/New Zealand		No Added Cost
001D		All Other Countries		No Added Cost
0195		Mexico		No Added Cost

REEL FRONT ROLLERS

1390		Less Front Rollers	801K21	-174.00
1300		(1) 22 In. 2 In. (5 cm) Diameter Machined GroovedSolid Roller with Solid End Caps		In Base Price
1301		(1) 22 In. 2 In. (5 cm) Diameter Machined SmoothSolid Roller	904K	-7.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS				
1602		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers		In Base Price
1690		Less Rear Rollers	308K3	-119.00
REEL CUTTING UNITS				
1201		(1) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm)Cutting Units with Adjustable 4.8mm Bedknife <i>5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>	706K3	-91.00
1203		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm)Cutting Units with Adjustable 2.0mm Bedknife <i>5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>		In Base Price
1214		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In.(55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife <i>5 In. (12.7 cm) Diameter Reel and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>	301K67	239.00
1215		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. Cutting Units with 2.0mm bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	701K4	-21.00
1216		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	601K52	218.00
1290		Less Cutting Unit	101K913	-2,733.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>		In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>		No Added Cost
1490		Less Counter Weight Kit	204K6	-66.00
GRASS CATCHERS				
9812		(1) Grass Catcher with large paddle clip	101K28	183.00
9813		(1) QA5 Grass Catcher Side Plate Insert	003K5	50.00

REEL CUTTING UNITS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9782		Greens Tender Conditioner	002K10	300.00
9743		Brush / GTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	208K93	1,276.00
9783		Push Brush Kit <i>During operation brush is lowered in front of grass catcher</i>	803K80	544.00
9821		(1) QA5 22 In. Rotary Turf Brush	901K51	217.00
9825		(1) QA5 22In. DT Front Rotary Turf Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC. also need to order Gear Drive</i>	901K51	217.00
9803		QA5 Eleven Blade Cutting Unit <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	301K735	2,479.00
9818		QA5 Fourteen Blade Cutting Unit <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	601K902	2,718.00
MISCELLANEOUS				
9766		Light Kit	702K80	401.00
9779		Transport Wheels and Stand	803K59	514.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
BUC10283		Fairway Tender Conditioner (1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
BTC10773		Front Turf Brushes (1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BM25531		Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	464K07	582.09
BTC10718		Grass Catchers (1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>Requires BM24900 Direct Mount Grass Catcher Bracket Kit.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>Required when using BTC10718 Grass Catcher with Large Paddle Clip on 220 E-Cut Hybrid.</i>	453K7	53.50
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BM22615		Lighting Light Kit for E-Cut Hybrid Walk Greens Mowers	353K00	429.07

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
Miscellaneous				
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	721K19	178.69
BM22616		Transport Wheels and Stand for E-Cut Hybrid Walk Greens Mowers	993K84	549.99
Reel Cutting Unit Counter Weights				
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC / FTC / Rotary Brush Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
Reel Cutting Units				
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
TCA23621		14 Blade Reel for 55.9 cm (22-in.) QA5 Cutting Units	623K09	412.83
Roller Scrapers				
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
Rollers				
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
	BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**260SL PrecisionCut Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.286 (7.26mm) Frequency of Clip (7-Blade)
26 In. (66.0 cm) 7 Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller with Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5532M		260SL PrecisionCut Walk Greens Mower	307K881	11,259.00
-------	--	--------------------------------------	---------	-----------

DESTINATION

001A	US/Canada			In Base Price
001B	Europe			No Added Cost
001C	Australia/New Zealand			No Added Cost
001D	All Other Countries			No Added Cost
0195	Mexico			No Added Cost

REEL FRONT ROLLERS

1313	(1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps			In Base Price
1314	(1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	501K0		-15.00
1390	Less Front Rollers	901K44		-207.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

260SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS				
1211		(1) 26 In. 7-Blade Reel		In Base Price
1210		(1) 26 In. 11-Blade Reel		No Added Cost

REEL CUTTING UNITS

9780		Rotary Brush/Greens Tender conditioner Drive <i>Rotary Brush or GTC not included</i>	009K10	1,300.00
9822		260SL Rotary Brush	201K79	256.00
9782		Greens Tender Conditioner (GTC)	803K80	544.00

MISCELLANEOUS

9779		Transport Wheels and Stand	803K59	514.00
9766		Light Kit	702K80	401.00

ATTACHMENTS FOR FIELD CONVERSION

	Bedknives			
TCU31428	Bedknife, 2.5 mm Tournament		785K0	80.60
MT6947	Bedknife, 3.2 mm Standard		683K3	44.91
MT6946	Bedknife, 4.8 mm Fairway		353K4	45.80
	Front Turf Brushes			
BM20571	66 cm (26-in.) Rotary Brush for Fixed Head Walk Greens Mowers		741K91	273.91
	Greens Tender Conditioner			
BM23443	Rotary Brush and Greens Tender Conditioner Drive for Fixed Head Walk Greens Mowers <i>Requires GTC or Rotary Brush.</i>		709K73	1,391.00
	Lighting			
BM20579	Light Kit for Fixed Head Walk Greens Mowers		353K00	429.07
	Miscellaneous			
AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>		059K6	152.46
BM20570	Greens Tender Conditioner		464K07	582.09

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

260SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
	AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
	BM20578	Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99
		Rollers		
	BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
	BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
	BM20564	(1) 660.4-mm (26-in.) x 50.8-mm (2 In.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	041K55	221.49
	BM20563	(1) 660.4-mm (26-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	811K43	205.44
	BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99

**JOHN DEERE GOLF PRODUCTS
GREENSMOWER TRAILER**

22B Walk Greens Mower Trailer
Equipment for Base Machine

Carries 2 Walk Greens Mowers
Compatible with A, B, C and SL
Models 180 and 220 E-Cut Hybrid
Walk Greens Mower
Multiple angle location ramp
with stainless steel latch
system
Spray-On Bedliner on floor
of trailer bed and ramp
Welded storage holders for
retaining bar when not in
use
Box Capacity: 12.7 Cu. Ft.
(0.36 cu. m)

Maximum Load: 1000 Lbs.
(454 kg)
Maximum Payload: 700 Lbs.
(318 kg)
Pneumatic Turf Tires 2 Ply
22.5x10.00-8
Ball Bearing, Double Sealed
Wheel Bearings
1-7/8 In. Dia. (4.8 cm)
Hitch Coupler
Inside Box 60"L X 40"W
Outside Box 62"L x46"W
Box Side Panels 8.5" Tall
Front Wall 13" Tall

Outside to Outside Tire is 66"
Ramp Down Position 27" L X 46"
W down
Trailer Tongue 43" L

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0521TC		22B Walk Greens Mower Trailer <i>Must be Ordered in Quantities of Two. Requires Utility Vehicles to be Equipment With 1-7/8 In. (4.8cm) Ball Hitch.</i>	001K869	2,670.00
--------	--	--	---------	----------

EUROPEAN CE KIT

9100		European CE Conversion Kit for 22B Greensmower Trailer <i>Must Be Ordered to Receive a 22B Walk Greensmower Trailer Which Meets CE Mark Requirements. Kit Includes Pictorial Decals and Operator's Manual in English, French, German, Spanish and Italian.</i>		No Charge
------	--	---	--	-----------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2500B PrecisionCut Gas Riding Greens Mower
Equipment for Base Machine**

ENGINE:
21.0 HP (15.7 kW). Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
Twin cylinder Gas with Overhead Valves
Full Pressure Lubrication
Liquid Cooled
Single Fuel Tank with 7.9 US gallon (30 L) capacity
CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat belts
Double Upstops for Front Cutting Units
Storage Compartment behind

Operator
HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
Single reel pump
Quik-Tatch Hydraulic reel motors
Micro-Lap backlapping valve with reel speed control and pressure compensation
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler
ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
BCI Group 40 Maintenance Free Battery
OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift / Lower Joystick
Four Function LED Warning

Monitor with Hour Meter
Hand Operated Mow / Transport Lever
Hand Operated Engine Throttle Lever
Dual Traction Pedals
Foot actuated 5-Position Adjustable Tilt Steering Column
Integrated Cup Holder and Radio Holder
STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1208TC		2500B PrecisionCut Gas Riding Greens Mower	501K8812	26,875.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	603K48	498.00
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	703K71	531.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	703K71	531.00
1149		Less Wheels and Tires		In Base Price
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	601K825	2,608.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	201K901	2,716.00
REEL CUTTING UNITS				
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	805K014	7,164.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	905K205	7,437.00
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	305K151	7,359.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	805K707	8,154.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units		In Base Price
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	403K65	522.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	902K49	357.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	703K50	501.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	408K69	1,242.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	807K51	1,074.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	807K51	1,074.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	505K14	735.00
1390		Less Front Rollers		In Base Price
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	703K50	501.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	902K49	357.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	807K51	1,074.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	807K51	1,074.00
1690		Less Rear Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	601K38	198.00
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	703K08	441.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	401K079	1,542.00
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	301K672	2,389.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	009K94	1,420.00
3210		Less Cutting Unit Yokes and Grass Catchers		In Base Price
SEAT				
2009		Standard Seat	603K27	468.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	005K95	850.00
2090		Less Seat		In Base Price

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	905K205	7,437.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	805K014	7,164.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	805K707	8,154.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	305K151	7,359.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	801K087	1,554.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	302K799	3,999.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	006K30	900.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	108K63	1,233.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	003K15	450.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	603K3	48.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	707K7	111.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	705K6	81.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	006K3	90.00
MISCELLANEOUS				
9770		Hydraulic Oil Leak Detector	001K036	1,480.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
	BTC11007	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
	TCB11167	Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Fairway Tender Conditioner		
	BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
	BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
		Front Turf Brushes		
	BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
	BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM25128	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
	BM25127	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
	BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
	BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
	BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
	BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Equipment for Base Machine**

ENGINE:
3-cylinder Diesel
Liquid Cooled
Single Fuel Tank with 7.9 US
gallon (30 L) capacity

CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat
belts
Double Upstops for Front Cutting
Units

HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
Single reel pump
Quik-Tatch Hydraulic reel motors
Micro-Lap backlapping valve with
reel speed control and pressure

compensation
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
BCI Group 40 Maintenance Free
Battery

OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift /
Lower Joystick
Four Function LED Warning
Monitor with Hour Meter
Hand Operated Mow / Transport
Lever
Hand Operated Engine Throttle
Lever
Dual Traction Pedals

Foot actuated 5-Position
Adjustable Tilt Steering Column
Integrated Cup Holder and Radio
Holder
Storage Compartment built into
Fuel tank

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1188TC		2500B PrecisionCut Diesel Riding Greens Mower (MY 19) <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> <i>EPA Tier 4 Compliant</i>	502K3586	33,695.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	603K48	498.00
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	703K71	531.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	703K71	531.00
1149		Less Wheels and Tires		In Base Price
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns Parallel circuit design Dealer installed</i>	601K825	2,608.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system Series Parallel Circuit design Dealer installed</i>	201K901	2,716.00
REEL CUTTING UNITS				
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K014	7,164.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	905K205	7,437.00
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	305K151	7,359.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K707	8,154.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units		In Base Price
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	403K65	522.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	902K49	357.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	703K50	501.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	408K69	1,242.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	807K51	1,074.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	807K51	1,074.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	505K14	735.00
1390		Less Front Rollers		In Base Price
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	703K50	501.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	902K49	357.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	807K51	1,074.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	807K51	1,074.00
1690		Less Rear Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	601K38	198.00
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	703K08	441.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	401K079	1,542.00
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	301K672	2,389.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	009K94	1,420.00
3210		Less Cutting Unit Yokes and Grass Catchers		In Base Price
SEAT				
2009		Standard Seat	603K27	468.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	005K95	850.00
2090		Less Seat		In Base Price

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	905K205	7,437.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	805K014	7,164.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	805K707	8,154.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	305K151	7,359.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	801K087	1,554.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	302K799	3,999.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	006K30	900.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	108K63	1,233.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	003K15	450.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	603K3	48.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	707K7	111.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	705K6	81.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	006K3	90.00
MISCELLANEOUS				
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	505K9	85.00
9770		Hydraulic Oil Leak Detector	001K036	1,480.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET17534	Bedknife, 2.5mm Tournament	712K6	35.61
	ET17533	Bedknife, 3.2 mm Standard	062K6	34.75
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
	BTC11007	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
	TCB11167	Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Engine		
	TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	191K56	233.12
		Fairway Tender Conditioner		
	BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
	BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	676K3	90.96
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
	BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
	BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
	BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Gas Riding Greens Mower
Equipment for Base Machine**

ENGINE:
21.0 HP (15.7 kW). Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
Twin cylinder Gas with Overhead Valves
Full Pressure Lubrication
Liquid Cooled
Single Fuel Tank with 7.9 US gallon (30 L) capacity
Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)

CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat belts
Double Upstops for Front Cutting

Units
Storage Compartment behind Operator

HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
On-Board Reel Circuit Diagnostics
BCI Group 40 Maintenance Free Battery
Brushless Electric Reel Motors
48-Volt, 100-amp Alternator
Reel Switch Box for Reel Speed and Direction Control

OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift / Lower Joystick

Four Function LED Warning Monitor with Hour Meter
Hand Operated Mow / Transport Lever
Hand Operated Engine Throttle Lever
Reduced Engine RPM notch
Dual Traction Pedals
Foot actuated 5-Position Adjustable Tilt Steering Column
Integrated Cup Holder and Radio Holder

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1218TC		2500E E-Cut Hybrid Gas Riding Greens Mower	302K0271	28,959.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	603K48	498.00
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	703K71	531.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	703K71	531.00
1149		Less Wheels and Tires		In Base Price
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns Parallel circuit design Dealer installed</i>	601K825	2,608.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system Series Parallel Circuit design Dealer installed</i>	201K901	2,716.00
REEL CUTTING UNITS				
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K014	7,164.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	905K205	7,437.00
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	305K151	7,359.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K707	8,154.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units		In Base Price
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	403K65	522.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	902K49	357.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	703K50	501.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	408K69	1,242.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	807K51	1,074.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	807K51	1,074.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	505K14	735.00
1390		Less Front Rollers		In Base Price
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	703K50	501.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	902K49	357.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	807K51	1,074.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	807K51	1,074.00
1690		Less Rear Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	601K38	198.00
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	703K08	441.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	401K079	1,542.00
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	301K672	2,389.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	009K94	1,420.00
3210		Less Cutting Unit Yokes and Grass Catchers		In Base Price
SEAT				
2009		Standard Seat	603K27	468.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	005K95	850.00
2090		Less Seat		In Base Price

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	905K205	7,437.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3</i> <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	805K014	7,164.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	805K707	8,154.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less Motors and Counterweights.</i>	305K151	7,359.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers.</i> <i>Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	801K087	1,554.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	302K799	3,999.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	006K30	900.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	108K63	1,233.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	003K15	450.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	603K3	48.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	707K7	111.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	705K6	81.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	006K3	90.00
MISCELLANEOUS				
9770		Hydraulic Oil Leak Detector	001K036	1,480.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
	BTC11007	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
	TCB11167	Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Fairway Tender Conditioner		
	BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
	BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
		Front Turf Brushes		
	BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
	BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
Grass Catchers				
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
Greens Tender Conditioner				
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
Lighting				
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91
Miscellaneous				
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM25128	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
	BM25127	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
	BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
	BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
	BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
	BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Equipment for Base Machine**

<p>ENGINE: 3-cylinder Diesel Liquid Cooled Single Fuel Tank with 7.9 US gallon (30 L) capacity Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL:</p>	<p>White Box controller Sit-on-Seat Diagnostics On-Board Reel Circuit Diagnostics BCI Group 40 Maintenance Free Battery Brushless Electric Reel Motors 48-Volt, 100-amp Alternator Reel Switch Box for Reel Speed and Direction Control</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Reduced Engine RPM notch</p>	<p>Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake</p>
--	--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1198TC		2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19) <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> EPA Tier 4 Compliant	302K5038	35,769.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	603K48	498.00
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	703K71	531.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	603K48	498.00
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	703K71	531.00
1149		Less Wheels and Tires		In Base Price
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns Parallel circuit design Dealer installed</i>	601K825	2,608.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system Series Parallel Circuit design Dealer installed</i>	201K901	2,716.00
REEL CUTTING UNITS				
<p>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K014	7,164.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	905K205	7,437.00
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	305K151	7,359.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	805K707	8,154.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units		In Base Price
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	403K65	522.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	902K49	357.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	703K50	501.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	408K69	1,242.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	807K51	1,074.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	807K51	1,074.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	505K14	735.00
1390		Less Front Rollers		In Base Price
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	703K50	501.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	902K49	357.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	807K51	1,074.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	807K51	1,074.00
1690		Less Rear Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	601K38	198.00
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	703K08	441.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	401K079	1,542.00
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	301K672	2,389.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	009K94	1,420.00
3210		Less Cutting Unit Yokes and Grass Catchers		In Base Price
SEAT				
2009		Standard Seat	603K27	468.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	005K95	850.00
2090		Less Seat		In Base Price

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	905K205	7,437.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3</i> <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	805K014	7,164.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	805K707	8,154.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less Motors and Counterweights.</i>	305K151	7,359.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers.</i> <i>Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	801K087	1,554.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	302K799	3,999.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	006K30	900.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	704K55	651.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	108K63	1,233.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	003K15	450.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	603K3	48.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	707K7	111.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	705K6	81.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	006K3	90.00
MISCELLANEOUS				
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	505K9	85.00
9770		Hydraulic Oil Leak Detector	001K036	1,480.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET17534	Bedknife, 2.5mm Tournament	712K6	35.61
	ET17533	Bedknife, 3.2 mm Standard	062K6	34.75
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Engine		
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	191K56	233.12
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	676K3	90.96
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower (MY 19)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
	BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
	BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
	BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine**

ENGINE:
19.6 HP (14.6 kW) per SAE J1995
- Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
3-cylinder IDI Diesel Engine
Liquid Cooled
7.4 US Gallon (28 L) Fuel Capacity
CHASSIS:
2-post SAE J21294 ROPS with Seat Belts
HYDRAULICS:
U-shaped Hydraulic Reservoir
Hydrostatic Traction Drive

Hydraulic Reel Motors
Single Reel Pump
Micro-lap Backlapping Valves with Reel Speed Control and Pressure Compensation
Oil Cooler
GRIP All-Wheel Drive Traction System
ELECTRICAL:
White Box controller with On Board Diagnostics
Sit-On-Seat Diagnostics
BCI Group 40 Maintenance Free Battery
OPERATOR STATION:
Dual traction pedals
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Operated Lift /

Lower Joystick
Hand Operated Engine Throttle Lever
Hand Operated Mow / Transport Lever
STEERING AND BRAKES:
Hydrostatic Power Steering
Hand Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1226TC		2653B PrecisionCut Trim and Surrounds Mower	501K9589	27,985.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1145		20x12-10 Turf Trac Front Tires with 20x10-8 Turf Trac Rear Tire	501K92	275.00
1146		20x10-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	502K62	375.00
1147		20x10-10 Ribbed Front Tires with 20x10-8 Turf Trac Rear Tire	502K62	375.00
1149		Less Front Wheels and Tires <i>20x10-8 Turf Trac Rear Tire will still be included in crate with machine.</i>		In Base Price

REEL CUTTING UNITS

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
26 Inch QA7 Cutting Units				
<i>66 cm (26-in.) Width per cutting unit</i>				
<i>182.9 cm (72-in.) Total Width of Cut</i>				
<i>17.8 cm (7-in.) Diameter Cutting Units</i>				
<i>6.3 mm (0.248-in.) Tournament Bedknife</i>				
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>				
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>				
<i>Includes Lift Arms and Yokes</i>				
1204		Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	405K755	8,222.00
1206		Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	706K097	8,711.00
1218		Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	706K097	8,711.00
30 Inch QA7 Cutting Units				
<i>76.2 cm (30-in.) Width per cutting unit</i>				
<i>213.4 cm (84-in.) Total Width of Cut</i>				
<i>17.8 cm (7-in.) Diameter Cutting Units</i>				
<i>15.8 mm (0.622-in.) Standard Bedknife</i>				
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>				
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>				
<i>Includes Lift Arms and Yokes</i>				
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	506K695	9,565.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	007K126	10,180.00
1290		Less Cutting Units, Front Lift Arms, and Yokes		In Base Price

REEL FRONT ROLLERS

26 Inch Front Rollers				
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	804K15	594.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	505K35	765.00
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	709K59	1,371.00
30 Inch Front Rollers				
1318		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	904K38	627.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	505K56	795.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
1320		REEL FRONT ROLLERS Continued... 76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	901K257	1,797.00
1390		Less Front Rollers		In Base Price

REEL CUTTING UNIT COUNTER WEIGHTS

1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i> <i>Required for all 76.2 cm (30-in.) cutting units.</i>	601K38	198.00
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	703K08	441.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>		In Base Price

SEAT

2009		Standard Seat	603K27	468.00
2010		Deluxe Suspension Seat with Armrest	005K95	850.00
2090		Less Seat		In Base Price

GRASS CATCHERS

9736		Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit.</i> <i>Not compatible with Rear Roller Power Brush.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	109K33	1,333.00
------	--	--	--------	----------

FAIRWAY TENDER CONDITIONER

9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 3. Requires code 9744 (FTC Gear Drive).</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	401K163	1,662.00
------	--	--	---------	----------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		FTC Gear Drive <i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i>	602K679	3,828.00
REAR ROLLER POWER BRUSHES				
9747		Rear Roller Power Brushes <i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	703K92	561.00
9749		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	108K63	1,233.00
ROLLER SCRAPERS				
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with Rear Roller Power Brushes.</i>	001K05	150.00
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	603K27	468.00
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	303K00	429.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	501K36	195.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	302K58	369.00
REEL CUTTING UNITS				
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	105K357	7,653.00
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	906K150	8,787.00
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 3. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	504K672	6,675.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	105K357	7,653.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**6080A PrecisionCut Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System</p> <p>Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt</p>	<p>TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires</p>
--	---	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1560TC		6080A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i>	602K5457	36,368.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit 203.2 cm (80-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1200		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	008K148	11,640.00
1202		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	009K093	12,990.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers				
1309		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	505K84	835.00
1310		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	505K84	835.00
1311		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	001K309	1,870.00
1312		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	501K277	1,825.00
1321		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1621) on the rear of the cutting unit.</i>	001K309	1,870.00
1322		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	504K16	595.00
1326		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1619) on the rear of the cutting unit.</i>	001K043	1,490.00
REEL REAR ROLLERS				
1690		Less Rear Rollers		In Base Price

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1619		45.7 cm (18-in.) Rear Rollers 50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1326) on the front of the cutting unit.</i>	001K043	1,490.00
1621		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1321) on the front of the cutting unit.</i>	001K309	1,870.00
1622		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	504K16	595.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	002K31	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	505K14	735.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	002K31	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
FAIRWAY TENDER CONDITIONER				
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	001K813	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	504K665	6,665.00
GRASS CATCHERS				
9834		(3) FRONT Latch Style Grass Catchers and Mounting Brackets and (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	301K315	1,879.00
9847		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System <i>Reduced catcher clearance for removal and installation compared to Bail System.</i>	901K257	1,797.00
REAR ROLLER POWER BRUSHES				

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REAR ROLLER POWER BRUSHES Continued...				
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K25	750.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K438	2,055.00
ROLLER SCRAPERS				
9755		(5) 18 In. Smooth Roller Scrapers	005K6	80.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	504K79	685.00
9848		(5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	009K093	12,990.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	008K148	11,640.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	722K6	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	675K1	82.02
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BTC10780		(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10774		(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10776		(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10406		(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	091K19	170.13
BTC11039		(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	061K40	200.09
BTC10717		(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip <i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	801K49	214.00
BTC10405		(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	001K88	268.57
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations. 3 required.</i>	453K7	53.50
BTC10783		Greens Tender Conditioner (1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	472K07	296.39
BTC10338		Miscellaneous Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
TCU25388		UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	622K58	410.51
BTC10833		Rear Roller Power Brushes (1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	901K945	2,779.86
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	671K743	2,490.96
		Roller Scrapers		
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BM23015		(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	981K1	17.11
TCA19585		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	696K	11.95
BM23014		(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	611K02	146.59
		Rollers		
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	291K84	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	392K73	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	081K25	178.69
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10281	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	132K80	400.19
	BM23567	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	202K23	318.86
	BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	132K80	400.19

JOHN DEERE GOLF PRODUCTS REEL MOWERS

6500A PrecisionCut Fairway Mower Equipment for Base Machine

<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt</p>	<p>TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire</p>
--	---	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1570TC	6500A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information</i>	403K0157	43,082.00
--------	--	----------	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units	In Base Price
------	--------------------	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	008K358	11,940.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	508K676	12,395.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	505K91	845.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	501K088	1,555.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	505K84	835.00
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	508K92	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	001K449	2,070.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	001K253	1,790.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	001K253	1,790.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	508K57	1,225.00

REEL REAR ROLLERS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**6500A PrecisionCut Fairway Mower
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1690		Less Rear Rollers		In Base Price
1602		55.9 cm (22-in.) Rear Rollers 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	505K91	845.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	001K253	1,790.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	001K253	1,790.00

REEL CUTTING UNIT COUNTER WEIGHTS

1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	002K31	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	505K14	735.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	002K31	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>		In Base Price

FAIRWAY TENDER CONDITIONER

9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	001K813	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	504K665	6,665.00

GRASS CATCHERS

9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	307K41	1,059.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	204K94	706.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	804K85	694.00
REAR ROLLER POWER BRUSHES				
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K438	2,055.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K25	750.00
FRONT TURF BRUSHES				
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	507K59	1,085.00
MISCELLANEOUS				
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	106K88	983.00
ROLLER SCRAPERS				
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K29	185.00
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	508K676	12,395.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	008K358	11,940.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	005K74	820.00
ATTACHMENTS FOR FIELD CONVERSION				

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10346		Hydraulic Down Pressure Kit	277K36	1,051.81
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Units		
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

JOHN DEERE GOLF PRODUCTS REEL MOWERS

6700A PrecisionCut Fairway Mower Equipment for Base Machine

<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System</p> <p>Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt</p>	<p>TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes WHEELS AND TIRES: Three Wheel Configuration 26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire</p>
--	---	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1580TC		6700A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information</i>	503K3428	47,755.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

6700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller				
1208		Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	501K0153	14,505.00
1209		Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	001K0353	14,790.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	508K92	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	001K449	2,070.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1401		QA7 Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.	002K31	330.00
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brush on cutting units.	505K14	735.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTC on cutting units.	002K31	330.00
1408		Less Cutting Unit Counterweights Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.		In Base Price
FAIRWAY TENDER CONDITIONER				
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades Requires QA7 FTC Gear Drive.	001K974	2,820.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

6700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	504K665	6,665.00
GRASS CATCHERS				
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	309K72	1,389.00
9852		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	501K235	1,765.00
REAR ROLLER POWER BRUSHES				
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	005K25	750.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	501K438	2,055.00
ROLLER SCRAPERS				
9754		(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	005K46	780.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Spring-loaded scraper design. Requires (5) TCA19587 from parts.</i>	501K57	225.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	501K29	185.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	002K17	310.00
REEL CUTTING UNITS				
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	001K0353	14,790.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	501K0153	14,505.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS Continued...				
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	005K74	820.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31
Grass Catchers				
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
MT3983		Bedknife, 6.3 mm Low-Cut	213K3	44.28
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Units		
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99

JOHN DEERE GOLF PRODUCTS REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower Equipment for Base Machine

ENGINE:
24.7 HP (18.4 kw) per SAE J1995
- Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
3-cylinder Diesel Engine
Liquid Cooled
12 gal. Fuel Capacity
CHASSIS:
2-Post Roll Over Protection Structure
HYDRAULICS:
eHydro Electronic Controlled Hydrostatic Drive

Three Independent Wheel Motors
GRIP All-Wheel Drive (AWD)
Three Hydraulic Reel Motors
Micro-lap Backlapping Valve with Reel Speed Control and Pressure Compensation
CUTTING SYSTEM:
Width On Demand
Reach Trimming System
OPERATOR STATION:
Command Arm Operator Controls
TechControl Display with built in Machine Settings Controls and Electrical Diagnostics
One-Touch Lift and Lower
Joystick Control
Foot Activated Tilt Steering Column

STEERING AND BRAKES:
Power Steering with Double Acting Steering Cylinder
Internal Wet Disc Brakes
WHEELS AND TIRES:
Two 24x12-12 Turf Trac Front Drive Tires
One 24x12-12 Multi Trac Rear Drive Tire

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1762TC	7200A PrecisionCut Trim and Surrounds Mower	502K3208	33,155.00
--------	---	----------	-----------

DESTINATION

001A	United States and Canada		In Base Price
------	--------------------------	--	---------------

OPERATOR'S MANUAL

0443	All Other Countries		In Base Price
------	---------------------	--	---------------

REEL CUTTING UNITS

26 Inch QA7 Cutting Units
66 cm (26-in.) Width per cutting unit
172.7 cm (68-in.) to 182.9 cm (72-in.) Total Width of Cut
17.8 cm (7-in.) Diameter Cutting Units
6.3 mm (0.248-in.) Tournament Bedknife
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments
Maximum 14 in. (38 cm) Shift Outside Front Tire using Reach Trimming System
Includes Lift Arms and Yokes

1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	505K827	8,325.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	806K169	8,814.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
1218		REEL CUTTING UNITS Continued... Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	806K169	8,814.00
		30 Inch QA7 Cutting Units <i>76.2 cm (30-in.) Width per cutting unit</i> <i>203.2 cm (80-in.) to 213.4 cm (84-in.) Total Width of Cut</i> <i>17.8 cm (7-in.) Diameter Cutting Units</i> <i>15.8 mm (0.622-in.) Standard Bedknife</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Maximum 20 in. (50.8 cm) Shift Outside Front Tire using Reach Trimming System</i> <i>Includes Lift Arms and Yokes</i>		
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	206K780	9,686.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	707K210	10,301.00
1290		Less Cutting Units, Front Lift Arms, and Yokes		In Base Price

REEL FRONT ROLLERS

1315		26 Inch Front Rollers 66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	804K15	594.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	505K35	765.00
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	709K59	1,371.00
1318		30 Inch Front Rollers 76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	904K38	627.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	505K56	795.00
1320		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	901K257	1,797.00
1390		Less Front Rollers		In Base Price

REEL CUTTING UNIT COUNTER WEIGHTS

1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i> <i>Required for all 76.2 cm (30-in.) cutting units.</i>	601K38	198.00
------	--	---	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...				
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	703K08	441.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	601K38	198.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>		In Base Price

GRASS CATCHERS

9736		Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit. Not compatible with Rear Roller Power Brush. Not compatible with 76.2 cm (30-in.) cutting units.</i>	809K05	1,294.00
------	--	--	--------	----------

FAIRWAY TENDER CONDITIONER

9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 3. Requires code 9744 (FTC Gear Drive). Not compatible with 76.2 cm (30-in.) cutting units.</i>	401K163	1,662.00
9744		FTC Gear Drive <i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i>	602K679	3,828.00

REAR ROLLER POWER BRUSHES

9747		Rear Roller Power Brushes <i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	703K92	561.00
9749		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	108K63	1,233.00

ROLLER SCRAPERS

9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with Rear Roller Power Brushes.</i>	001K05	150.00
------	--	---	--------	--------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...				
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	603K27	468.00
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	303K00	429.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	501K36	195.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	302K58	369.00
REEL CUTTING UNITS				
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	105K357	7,653.00
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	906K150	8,787.00
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 3. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	504K672	6,675.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	105K357	7,653.00
LIGHTING				
9766		Light Kit	502K13	305.00
MISCELLANEOUS				
9767		Joystick Kit <i>Single lever multi function JoyStick Control replaces lift lower with 4 function lever WOD is still on switch.</i>	507K59	1,085.00
9764		Canopy	604K18	598.00
ATTACHMENTS FOR FIELD CONVERSION				
ET17752		Bedknives Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03
Fairway Tender Conditioner				
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes.</i>	162K56	365.94
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	732K00	286.76
		Lighting		
BTC10347		Light Kit	452K28	326.36
		Miscellaneous		
BTC10338		Canopy	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10393		Joystick Kit	678K12	1,160.96
		Rear Roller Power Brushes		
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	061K40	200.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
TCB11476		(2) Front Lift Arms for 660.4 mm (26-in.) QA7 Cutting Units	973K99	571.39
TCB11477		(2) Front Lift Arms for 762 mm (30-in.) QA7 Cutting Units	285K39	770.40
TCB11374		(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	624K69	670.89
TCB11373		(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	715K94	849.59

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
BUC10110		(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	194K7	67.41
BM23005		(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91
BM17683		660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A PrecisionCut Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built</p>	<p>in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
--	--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1514TC		7500A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i>	303K8947	55,639.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	008K358	11,940.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	508K676	12,395.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	505K91	845.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	501K088	1,555.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	505K84	835.00
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	508K92	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	001K449	2,070.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.	001K253	1,790.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.	001K253	1,790.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.	508K57	1,225.00

REEL REAR ROLLERS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A PrecisionCut Fairway Mower
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1690		Less Rear Rollers		In Base Price
1602		55.9 cm (22-in.) Rear Rollers 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	505K91	845.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	001K253	1,790.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	001K253	1,790.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	002K31	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	505K14	735.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	002K31	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
FAIRWAY TENDER CONDITIONER				
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	001K813	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	504K665	6,665.00
GRASS CATCHERS				
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	307K41	1,059.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	204K94	706.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A PrecisionCut Fairway Mower
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	804K85	694.00
REAR ROLLER POWER BRUSHES				
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K438	2,055.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K25	750.00
FRONT TURF BRUSHES				
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	507K59	1,085.00
MISCELLANEOUS				
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	106K88	983.00
ROLLER SCRAPERS				
9756		(5) 22 In. Smooth Roller Scrapers <i>Adjustable cable design.</i>	501K57	225.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K29	185.00
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00
VERTICAL CUTTING UNITS				
9122		(5) Vertical Cutting Units with Front and Rear Rollers Less Motors	508K585	12,265.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	508K676	12,395.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	008K358	11,940.00
TRACTION DRIVE UNIT				

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT Continued...				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	303K359	4,799.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	005K74	820.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit <i>Install harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986 for E-Cut Hybrid ONLY Serial numbers below 1TC750AUTTEE010120 or 1TC750AVTEE0101260.</i>	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
	BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
	BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
	BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
	BTC10501	(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
	BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
	BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
	BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
	BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
	BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
	BTC10194	Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
	BM23910	Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10346		Hydraulic Down Pressure Kit	277K36	1,051.81
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
	BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Vertical Cutting Units		
	BM25129	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A E-Cut Hybrid Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights On-Board Electric Backlapping with Adjustable Reel Speed control Five Electric Reel Motors CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In.(55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1783TC	7500A E-Cut Hybrid Fairway Mower	304K8985	69,979.00
--------	----------------------------------	----------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units	507K997	-11,425.00
------	--------------------	---------	------------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers		In Base Price
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	503K04	435.00
REEL FRONT ROLLERS				
1390		Less Front Rollers	508K29	-1,185.00
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	002K38	-340.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	502K13	305.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers		In Base Price
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	003K64	520.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	506K19	885.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	504K23	605.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	504K23	605.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	002K8	40.00

REEL REAR ROLLERS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7500A E-Cut Hybrid Fairway Mower
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1690		Less Rear Rollers	505K91	-845.00
1602		55.9 cm (22-in.) Rear Rollers 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers		In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	506K61	945.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	506K61	945.00

REEL CUTTING UNIT COUNTER WEIGHTS

1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>		In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	002K73	390.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>		No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	502K20	-315.00

FAIRWAY TENDER CONDITIONER

9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	001K736	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	004K466	6,380.00

GRASS CATCHERS

9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	807K09	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	204K73	676.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	804K57	654.00
REAR ROLLER POWER BRUSHES				
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K375	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K04	720.00
FRONT TURF BRUSHES				
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	007K28	1,040.00
MISCELLANEOUS				
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	706K58	941.00
ROLLER SCRAPERS				
9756		(5) 22 In. Smooth Roller Scrapers	505K2	75.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K22	175.00
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	009K1	130.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	008K302	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	507K997	11,425.00
TRACTION DRIVE UNIT				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit. E-Cut Hybrid ONLY Serial numbers below 010126 order and install Harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986.</i>	903K294	4,707.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	505K49	785.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	333K684	5,263.33
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
	BM24199	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50
		Greens Tender Conditioner		
	BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Miscellaneous		
	BTC10924	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
	BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
	BTC10346	Hydraulic Down Pressure Kit	277K36	1,051.81
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
	BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
		Rear Roller Power Brushes		
	BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
	BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69

JOHN DEERE GOLF PRODUCTS
 REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
 Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
	BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**7700A PrecisionCut Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built</p>	<p>in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
--	---	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1424TC		7700A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i>	504K0162	57,375.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller				
1208		Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	501K0153	14,505.00
1209		Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	001K0353	14,790.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	508K92	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	001K449	2,070.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1401		QA7 Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.	002K31	330.00
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brush on cutting units.	505K14	735.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTC on cutting units.	002K31	330.00
1408		Less Cutting Unit Counterweights Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.		In Base Price
TRACTION DRIVE UNIT				
1190		2WD Traction Unit		In Base Price
1191		Factory Installed 4WD Traction Unit	303K359	4,799.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER				
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	001K974	2,820.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	504K665	6,665.00
GRASS CATCHERS				
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	309K72	1,389.00
9852		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	501K235	1,765.00
REAR ROLLER POWER BRUSHES				
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	005K25	750.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	501K438	2,055.00
ROLLER SCRAPERS				
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	005K46	780.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Spring-loaded scraper design. Requires (5) TCA19587 from parts.</i>	501K57	225.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	501K29	185.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	002K17	310.00
VERTICAL CUTTING UNITS				
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	507K038	10,055.00
REEL CUTTING UNITS				
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	001K0353	14,790.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	501K0153	14,505.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	303K359	4,799.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	005K74	820.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31
		Miscellaneous		
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
MT3983		Bedknife, 6.3 mm Low-Cut	213K3	44.28
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Vertical Cutting Units		
	BM22461	(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	241K506	2,151.77

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8000A E-Cut Hybrid Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive 1 Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls,</p>	<p>and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 3 Front Work Lights 12-volt Power Port Five Brushless Electric Reel Motors Independent Electric Reel Motor Controllers 48-volt, 180-amp Alternator</p>	<p>On-Board Electric Backlapping with Adjustable Reel Speed control</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires</p>
---	--	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1774TC		8000A E-Cut Hybrid Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i>	503K7236	53,195.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit 203.2 cm (80-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1200		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	008K148	11,640.00
1202		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	009K093	12,990.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers				
1309		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	505K84	835.00
1310		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	505K84	835.00
1311		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	001K309	1,870.00
1312		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	501K277	1,825.00
1321		50.8 mm (2-in.) Diameter MT Grooved Rollers For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1621) on the rear of the cutting unit.	001K309	1,870.00
1322		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	504K16	595.00
1326		50.8 mm (2-in.) Diameter MT Spiral Rollers For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1619) on the rear of the cutting unit.	001K043	1,490.00
REEL REAR ROLLERS				
1690		Less Rear Rollers		In Base Price

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1619		45.7 cm (18-in.) Rear Rollers 50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1326) on the front of the cutting unit.</i>	001K043	1,490.00
1621		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1321) on the front of the cutting unit.</i>	001K309	1,870.00
1622		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	504K16	595.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	002K31	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	505K14	735.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	002K31	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>		In Base Price
FAIRWAY TENDER CONDITIONER				
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	001K813	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	504K665	6,665.00
GRASS CATCHERS				
9834		(3) FRONT Latch Style Grass Catchers and Mounting Brackets and (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	301K315	1,879.00
9847		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System <i>Reduced catcher clearance for removal and installation compared to Bail System.</i>	901K257	1,797.00
REAR ROLLER POWER BRUSHES				

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REAR ROLLER POWER BRUSHES Continued...				
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K25	750.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K438	2,055.00
ROLLER SCRAPERS				
9755		(5) 18 In. Smooth Roller Scrapers	005K6	80.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	504K79	685.00
9848		(5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	508K676	12,395.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	008K358	11,940.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	722K6	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	675K1	82.02
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BTC10780		(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10774		(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10776		(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10406		(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	091K19	170.13
BTC11039		(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	061K40	200.09
BTC10717		(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip <i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	801K49	214.00
BTC10405		(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	001K88	268.57
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations. 3 required.</i>	453K7	53.50
BTC10783		Greens Tender Conditioner (1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	472K07	296.39
BTC10338		Miscellaneous Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
TCU25388		UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	622K58	410.51
BTC10833		Rear Roller Power Brushes (1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	901K945	2,779.86
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	671K743	2,490.96
		Roller Scrapers		
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BM23015		(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	981K1	17.11
TCA19585		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	696K	11.95
BM23014		(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	611K02	146.59
		Rollers		
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	291K84	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	392K73	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	081K25	178.69
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10281	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	132K80	400.19
	BM23567	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	202K23	318.86
	BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	132K80	400.19

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8700A PrecisionCut Fairway Mower
Equipment for Base Machine**

<p>ENGINE: Four Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built</p>	<p>in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	---	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1525TC		8700A PrecisionCut Fairway Mower EPA Final Tier 4 Compliant B20 Compatible 55.1 HP (41.1 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.	504K4061	62,945.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units		In Base Price
------	--	--------------------	--	---------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller				
1208		Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	501K0153	14,505.00
1209		Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	001K0353	14,790.00
REEL FRONT ROLLERS				
1390		Less Front Rollers		In Base Price
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	508K92	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	001K449	2,070.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1401		QA7 Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.	002K31	330.00
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brush on cutting units.	505K14	735.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTC on cutting units.	002K31	330.00
1408		Less Cutting Unit Counterweights Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.		In Base Price
FAIRWAY TENDER CONDITIONER				
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades Requires QA7 FTC Gear Drive.	001K974	2,820.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	504K665	6,665.00
GRASS CATCHERS				
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	309K72	1,389.00
9852		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	501K235	1,765.00
REAR ROLLER POWER BRUSHES				
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	005K25	750.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	501K438	2,055.00
ROLLER SCRAPERS				
9754		(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	005K46	780.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Spring-loaded scraper design. Requires (5) TCA19587 from parts.</i>	501K57	225.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	501K29	185.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	002K17	310.00
VERTICAL CUTTING UNITS				
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	507K038	10,055.00
REEL CUTTING UNITS				
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	001K0353	14,790.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	501K0153	14,505.00
TRACTION DRIVE UNIT				

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT Continued...				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	303K359	4,799.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	604K18	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	005K74	820.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31
		Miscellaneous		
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
MT3983		Bedknife, 6.3 mm Low-Cut	213K3	44.28
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM24122	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
	BM24121	(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
	BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
	BM17684	(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76
		Rollers		
	BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
	BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Vertical Cutting Units		
BM22461		(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	241K506	2,151.77

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)
Equipment for Base Machine**

ENGINE:
55.6 HP (41.6 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.
Four Cylinder, Turbo-Charged Diesel Engine
EPA Tier 4 Compliant
B20 Compatible

CHASSIS:
2-Post SAE J21294 ROPS with seat belts
Rear Cutting Unit Attaching Point

HYDRAULICS:
eHydro Electronic controlled Servo Hydrostatic Drive with

AutoPedal
GRIP All-Wheel Drive Traction System (4WD)
Five Hydraulic Reel Motors with Quick Removal Feature
On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control

OPERATOR STATION:
Command Arm with Operator Controls with Power Charging Port
TechControl Display with built in Machine Setting Controls and Electrical Diagnostics
Foot Activated Tilt Steering Column
One-Touch Lift/Lower cutting unit Joystick control
Air Ride Suspension Seat with Armrest and Retractable Seat

Belt
3 Front Work Lights
STEERING AND BRAKES:
Power Steering with Double acting steering cylinder
Internal Wet Disc Brakes
Electronically Actuated Parking Brake

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1556TC		8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)	506K7896	96,995.00
--------	--	---	----------	-----------

DESTINATION

001A		United States/Canada		In Base Price
------	--	----------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units and Rear Yokes <i>Includes Yokes for Front 3 Cutting Units</i>	501K0041	-14,345.00
------	--	--	----------	------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
30 Inch QA7 Cutting Units 76.2 cm (30-in.) Width per Cutting Unit 3.3 m (130-in.) Width of Cut 17.8 cm (7-in.) Diameter Cutting Units 15.8 mm (0.622-in.) Tournament Bedknife Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments Includes Cutting Unit Yokes				
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	006K86	-980.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units		In Base Price
REEL FRONT ROLLERS				
1390		Less Front Rollers	001K855	-2,650.00
1318		30 Inch Front Rollers 76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	001K82	-260.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers		In Base Price
1329		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	502K41	345.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.		In Base Price
REEL CUTTING UNITS				
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.	509K810	14,015.00
ROLLER SCRAPERS				
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers Set of 5. Requires (5) TCA19587 from parts.	505K21	745.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers Provides 2 of kit BM18440 (sets of 3) scraper for a total of 6. Requires TCA19587 from parts for each scraper.	002K73	390.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS				
9833		76.2 cm (30-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 5. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	008K330	11,900.00
9836		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	004K55	650.00
MISCELLANEOUS				
9764		Canopy	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
Cutting Units				
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03
Miscellaneous				
BTC10338		Canopy	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
Reel Cutting Unit Counter Weights				
BM22762		(1) Cutting Unit ONLY Counter Weight Kit	434K9	70.61
Roller Scrapers				
BUC10077		(1) 762 mm (30-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	935K0	72.76
BUC10111		(1) 762 mm (30-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	935K0	72.76
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91

JOHN DEERE GOLF PRODUCTS
 REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)
 Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3, will require 2 sets for a complete machine. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93
		Vertical Cutting Units		
BUC10073		(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	941K733	2,477.06

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Equipment for Base Machine**

ENGINE:
55.6 HP (41.6 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.
Four Cylinder, Turbo-Charged Diesel Engine
EPA Tier 4 Compliant
B20 Compatible

CHASSIS:
2-Post SAE J21294 ROPS with seat belts
Rear Cutting Unit Attaching Point

HYDRAULICS:
eHydro Electronic controlled Servo Hydrostatic Drive with

AutoPedal
GRIP All-Wheel Drive Traction System (4WD)
Five Hydraulic Reel Motors with Quick Removal Feature
On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control

OPERATOR STATION:
Command Arm with Operator Controls with Power Charging Port
TechControl Display with built in Machine Setting Controls and Electrical Diagnostics
Foot Activated Tilt Steering Column
One-Touch Lift/Lower cutting unit Joystick control
Air Ride Suspension Seat with Armrest and Retractable Seat

Belt
3 Front Work Lights
STEERING AND BRAKES:
Power Steering with Double acting steering cylinder
Internal Wet Disc Brakes
Electronically Actuated Parking Brake

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1555TC		8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)	506K6370	94,815.00
--------	--	---	----------	-----------

DESTINATION

001A		United States/Canada		In Base Price
------	--	----------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units and Rear Yokes <i>Includes Yokes for Front 3 Cutting Units</i>	508K739	-12,485.00
------	--	--	---------	------------

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
26 Inch QA7 Cutting Units 66 cm (26-in.) Width per Cutting Unit 2.9 m (114-in.) Width of Cut 17.8 cm (7-in.) Diameter Cutting Units 6.3 mm (0.248-in.) Tournament Bedknife Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments Includes Cutting Unit Yokes				
1204		Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	005K46	-780.00
1206		Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units		In Base Price
1218		Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	501K92	275.00
REEL FRONT ROLLERS				
1390		Less Front Rollers	001K358	-1,940.00
1315		26 Inch Front Rollers 66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	001K82	-260.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers		In Base Price
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	502K41	345.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.		In Base Price
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brushes on 66 cm (26-in.) cutting units.	002K73	390.00
1409		Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTCs on 66 cm (26-in.) cutting units.		No Added Cost
1490		Less Cutting Unit Counterweights Select if installing BOTH FTCs and Rear Roller Power Brushes on 66 cm (26-in.) cutting units.	502K20	-315.00
FAIRWAY TENDER CONDITIONER				
9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) Set of 5. Requires code 9744 (FTC Gear Drive).	001K855	2,650.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		FTC Gear Drive <i>Set of 5. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades).</i>	004K466	6,380.00
GRASS CATCHERS				
9736		Grass Catchers with Mounting Hardware for QA7 26 In. (66.04 cm) Cutting Units <i>Includes Grass catchers, mounting hardware and wing latch kit</i>	601K202	1,718.00
REAR ROLLER POWER BRUSHES				
9747		Rear Roller Power Brushes <i>Set of 5. Requires Code 9749 (Rear Roller Power Brush Drive).</i>	506K26	895.00
9749		Rear Roller Power Brush Drive <i>Set of 5. Requires Code 9747 (Rear Roller Power Brushes).</i>	501K375	1,965.00
REEL CUTTING UNITS				
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	508K543	12,205.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	008K736	12,480.00
ROLLER SCRAPERS				
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts. Not compatible with FTCs.</i>	504K79	685.00
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM17383 (sets of 3 scrapers) for a total of 6. Requires TCA19587 from parts for each individual scraper. Not compatible with Rear Roller Power Brush installed.</i>	602K01	288.00
MISCELLANEOUS				
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 5. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	507K241	10,345.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	004K20	600.00

MISCELLANEOUS

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS Continued...				
9764		Canopy	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less Yoke, Motor, and Counterweight</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
Fairway Tender Conditioner				
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31
Grass Catchers				
BUC10106		(1) 660.4 mm (26-in.) Grass Catcher with Paddle Clip and Mounting Hardware <i>5 required for complete machine. Also requires TCB11414 QA7 Wing Latch Kit to secure grass catchers to wing cutting units when raised in transport position.</i>	692K33	333.84

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Secures grass catchers to wing cutting units when raised into the transport position.</i>	521K74	249.31
		Miscellaneous		
	BTC10338	Canopy	904K47	639.86
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
		Rear Roller Power Brushes		
	BTC10836	(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	061K40	200.09
	BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
	BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	194K7	67.41
	BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
	BM17683	660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3, will need 2 sets for a complete machine. Requires (5) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rollers		
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 5 Cutting Units for 6500A and 7500A PrecisionCut and 7500A E-Cut
Hybrid Fairway Mowers
Equipment for Base Machine**

55.9 cm (22-in.) Width per cutting unit (0.0254 mm) per revolution
254 cm (100-in.) Total Width of Cut Dual Point Notch System
12.7 cm (5-in.) Diameter Bedknife to Reel Adjustment in increments 0.0005-in. (0.0127 mm)
Cutting Units Complete Set of 5 Cutting Units
Speed Link Height of Cut System, adjusts 0.001-in.

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5000TC		Quick-Adjust 5 Cutting Units for 6500A and 7500A PrecisionCut and 7500A E-Cut Hybrid Fairway Mowers	508K676	12,395.00
--------	--	---	---------	-----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL BLADE COUNT

1220		7-Blade Cutting Unit	503K18	-455.00
1223		11-Blade Cutting Unit		In Base Price
1225		Verticutter <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Select Codes 1390 and 1690 unless wanting to order additional rollers. Maximum operating depth 0.125-in. (3.2 mm). Less motors and counterweights.</i>	009K1	-130.00

FRONT ROLLERS

1302		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Roller	505K91	845.00
1303		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Spiral Grooved Roller	501K088	1,555.00
1304		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Wide Solid Roller	505K84	835.00
1305		3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Grooved Disc Roller	508K92	1,275.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 5 Cutting Units for 6500A and 7500A PrecisionCut and 7500A E-Cut
Hybrid Fairway Mowers**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT ROLLERS Continued...				
1307		3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	001K449	2,070.00
1324		2 In. (5 cm) x 22 In. (55.9 cm) MT Spiral Roller	001K253	1,790.00
1325		2 In. (5 cm) x 22 In. (55.9 cm) MT Grooved Roller	001K253	1,790.00
1327		2.5 In. (6.4 cm) Heavy Duty Grooved Disc Roller	508K57	1,225.00
1390		Less Front Rollers		In Base Price
REAR ROLLERS				
1602		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	505K91	845.00
1618		2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Spiral Roller	001K253	1,790.00
1620		2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Grooved Roller	001K253	1,790.00
1690		Less Rear Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1400		QA5 Cutting Unit Only Counterweight	002K31	330.00
1403		QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	505K14	735.00
1408		QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	002K31	330.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9737		55.9 cm (22-in.) QA5 Fairway Tender Conditioner Shaft and Blades	001K813	2,590.00
9743		QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	504K665	6,665.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

**Quick-Adjust 5 Cutting Units for 6500A and 7500A PrecisionCut and 7500A E-Cut
Hybrid Fairway Mowers**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT BRUSHES				
9821		55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	507K59	1,085.00
REAR ROLLER POWER BRUSHES				
9748		Rear Roller Power Brush Drive for QA5 Cutting Units	501K438	2,055.00
9791		55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	005K25	750.00
GRASS CATCHERS				
9827		Front Grass Catchers with Latch Style Mounting Brackets	307K41	1,059.00
9828		Rear Grass Catchers with Latch Style Mounting Brackets	204K94	706.00
9829		Rear Grass Catchers with Bail System	804K85	694.00
SCRAPERS				
9756		22 In. (55.9 cm) Smooth Roller Scrapers	005K6	80.00
9849		55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K29	185.00
9850		55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 8000A E-Cut Hybrid Fairway Mowers

Equipment for Base Machine

45.7 cm (18-in.) Width per cutting unit	(0.0254 mm) per revolution
203.2 cm (80-in.) Total Width of Cut	Dual Point Notch System
12.7 cm (5-in.) Diameter Cutting Units	Bedknife to Reel Adjustment in increments
Speed Link Height of Cut System, adjusts 0.001-in.	Complete Set of 5 Cutting Units

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5001TC		Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 8000A E-Cut Hybrid Fairway Mowers	009K093	12,990.00
--------	--	---	---------	-----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL BLADE COUNT

1220		7-Blade Cutting Unit	009K45	-1,350.00
1223		11-Blade Cutting Unit		In Base Price

FRONT ROLLERS

1309		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machined Smooth Solid Roller	505K84	835.00
1310		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machine Grooved Roller	505K84	835.00
1311		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Spiral Grooved Roller	001K309	1,870.00
1312		3 In. (7.6 cm) x 18 In. (45.7 cm) Diameter Heavy Duty Grooved Disc Roller	501K277	1,825.00
1321		2 In. (5 cm) x 18 In. (45.7 cm) MT Grooved Roller	001K309	1,870.00
1322		2 In. (5 cm) x 18 In. (45.7 cm) Hollow Smooth Roller	504K16	595.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 8000A E-Cut Hybrid Fairway
Mowers
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT ROLLERS Continued...				
1326		2 In. (5 cm) x 18 In. (45.7 cm) MT Spiral Roller	001K043	1,490.00
1390		Less Front Rollers		In Base Price
REAR ROLLERS				
1619		2 In. (5 cm) x 18 In. (45.7 cm) Diameter MT Spiral Roller	001K043	1,490.00
1621		2 In. (5 cm) x 18 In. (45.7 cm) Diameter MT Grooved Roller	001K309	1,870.00
1622		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Wide Tube / Hollow Smooth Rollers	504K16	595.00
1690		Less Rear Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1400		QA5 Cutting Unit Only Counterweight	002K31	330.00
1403		QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	505K14	735.00
1408		QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	002K31	330.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9740		45.7 cm (18-in.) QA5 Fairway Tender Conditioner Shaft and Blades	001K813	2,590.00
9743		QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	504K665	6,665.00
REAR ROLLER POWER BRUSHES				
9745		45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units	005K25	750.00
9748		Rear Roller Power Brush Drive for QA5 Cutting Units	501K438	2,055.00
GRASS CATCHERS				

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 8000A E-Cut Hybrid Fairway Mowers
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9834		Front Grass Catchers with Latch Style Mounting Brackets and Rear Grass Catchers with Bail System	301K315	1,879.00
9847		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System	901K257	1,797.00
SCRAPERS				
9755		18 In. (45.7 cm) Smooth Roller Scrapers	005K6	80.00
9758		18 In. (45.7 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	504K79	685.00
9848		45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	509K4	135.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 5 Cutting Units for 2500B PrecisionCut and 2500E E-Cut Hybrid Riding
Greens Mowers
Equipment for Base Machine**

22-in. (55.9 cm) Cutting Width
per Cutting Unit
62-in. (157.5 cm) Total Width
of Cut
Speed Link Height of Cut
System, adjusts 0.001-in.
(0.0254 mm) per revolution

Dual Point Notch System
Bedknife to Reel Adjustment in
0.0005-in. (0.0127 mm)
increments
Complete Set of 3 Cutting Units

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5002TC		Quick-Adjust 5 Cutting Units for 2500B PrecisionCut and 2500E E-Cut Hybrid Riding Greens Mowers	905K205	7,437.00
--------	--	---	---------	----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL BLADE COUNT

1220		7-Blade Cutting Unit	101K91	-273.00
1223		11-Blade Cutting Unit		In Base Price
1224		14-Blade Cutting Unit	905K01	717.00
1225		Verticutter 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Select Codes 1390 and 1690 unless wanting to order additional rollers. Maximum operating depth 0.125-in. (3.2 mm). Less motors and counterweights.	605K4	-78.00

FRONT ROLLERS

1300		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Roller with Solid End Caps	403K65	522.00
1301		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	703K50	501.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

Quick-Adjust 5 Cutting Units for 2500B PrecisionCut and 2500E E-Cut Hybrid Riding Greens Mowers

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT ROLLERS Continued...				
1302		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Roller	902K49	357.00
1304		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Wide Solid Roller	703K50	501.00
1307		3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	408K69	1,242.00
1324		2 In. (5 cm) x 22 In. (55.9 cm) MT Spiral Roller	807K51	1,074.00
1325		2 In. (5 cm) x 22 In. (55.9 cm) MT Grooved Roller	807K51	1,074.00
1327		2.5 In. (6.4 cm) Heavy Duty Grooved Disc Roller	505K14	735.00
1390		Less Front Rollers		In Base Price
REAR ROLLERS				
1601		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	703K50	501.00
1602		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	902K49	357.00
1618		2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Spiral Roller	807K51	1,074.00
1620		2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Grooved Roller	807K51	1,074.00
1690		Less Rear Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1400		QA5 Cutting Unit Only Counterweight	601K38	198.00
1403		QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	703K08	441.00
1408		QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	601K38	198.00
1490		Less Counterweight Kit		In Base Price

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 5 Cutting Units for 2500B PrecisionCut and 2500E E-Cut Hybrid Riding
Greens Mowers**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNIT YOKES AND GRASS CATCHERS				
3200		22 In. (55.9 cm) Cutting Unit Attaching Yokes and Molded One Piece Grass Catchers	401K079	1,542.00
3201		22 In. (55.9 cm) Cutting Unit Rear Attaching Yokes for FAIRWAYS and Molded One Piece Grass Catchers	301K672	2,389.00
3202		22 In. (55.9 cm) Cutting Unit Attaching Yokes and Bullhorn Direct Mounted One Piece Grass Catchers	009K94	1,420.00
3210		Less Cutting Unit Yokes and Grass Catchers		In Base Price
FAIRWAY TENDER CONDITIONER				
9737		55.9 cm (22-in.) QA5 Fairway Tender Conditioner Shaft and Blades	801K087	1,554.00
9743		QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	302K799	3,999.00
GREENS TENDER CONDITIONER				
9742		55.9 cm (22-in.) QA5 Greens Tender Conditioner Shaft and Blades	006K30	900.00
FRONT BRUSHES				
9821		55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	704K55	651.00
9825		55.9 cm (22-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	704K55	651.00
REAR ROLLER POWER BRUSHES				
9748		Rear Roller Power Brush Drive for QA5 Cutting Units	108K63	1,233.00
9791		55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	003K15	450.00
SCRAPERS				
9849		55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	707K7	111.00
9850		55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	705K6	81.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

**Quick-Adjust 5 Cutting Units for 2500B PrecisionCut and 2500E E-Cut Hybrid Riding
Greens Mowers**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions	006K3	90.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers

Equipment for Base Machine

55.9 cm (22-in.) Width per cutting unit	Dual Point Notch System Reel to Bedknife Adjustment in
254 cm (100-in.) Total Width of Cut	0.0005-in. (0.0127 mm) increments
17.8 cm (7-in.) Diameter Cutting Units	76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution	Complete Set of 5 Cutting Units

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5010TC		Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers	501K0153	14,505.00
--------	--	--	----------	-----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL BLADE COUNT

1221		8-Blade Cutting Unit		In Base Price
1222		10-Blade Cutting Unit	501K99	285.00
1225		Verticutter <i>Includes Front and Rear Rollers and Counterweights. Less Yokes and Motors. Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	003K115	-4,450.00

FRONT ROLLERS

1305		3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Grooved Disc Roller	508K92	1,275.00
1307		3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	001K449	2,070.00
1390		Less Front Rollers		In Base Price

CUTTING UNIT COUNTERWEIGHTS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway
Mowers
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
CUTTING UNIT COUNTERWEIGHTS Continued...				
1402		QA7 Cutting Unit Only Counterweight	002K31	330.00
1404		QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	505K14	735.00
1406		QA7 Cutting Unit FTC Only Counterweight	002K31	330.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9739		55.9 cm (22-in.) QA7 Fairway Tender Conditioner Shaft and Blades	001K974	2,820.00
9744		QA7 FTC Drive	504K665	6,665.00
REAR ROLLER POWER BRUSHES				
9746		55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units	005K25	750.00
9749		Rear Roller Power Brush Drive for QA7 Cutting Units	501K438	2,055.00
GRASS CATCHERS				
9734		Grass Catchers with Large Paddle Clip, Mounting Hardware, and Wing Latches for 22 In. (55.9 cm) QA7 Cutting Units	309K72	1,389.00
9852		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	501K235	1,765.00
SCRAPERS				
9754		22 In. (55.9 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	005K46	780.00
9756		22 In. (55.9 cm) Smooth Roller Scrapers	501K57	225.00
9849		55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K29	185.00
9851		55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	002K17	310.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers
Equipment for Base Machine

17.8 cm (7-in.) Diameter Cutting Units	increments
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution	76.2 cm (3-in.) Diameter Hollow Smooth Rear Rollers
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm)	Includes Rear Yokes
	Complete Set of 5 Cutting Units

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5011TC		Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers	509K138	13,055.00
--------	--	--	---------	-----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL WIDTH

1204		5-blade 66 cm (26-in.) Cutting Units <i>Includes Rear Yokes</i>	505K70	-815.00
1205		5-blade 76.2 cm (30-in.) Cutting Units <i>Includes Rear Yokes</i>	706K37	911.00
1206		8-blade 66 cm (26-in.) Cutting Units <i>Includes Rear Yokes</i>		In Base Price
1207		8-blade 76.2 cm (30-in.) Cutting Units <i>Includes Rear Yokes</i>	201K355	1,936.00
1218		10-blade 66 cm (26-in.) Cutting Units <i>Includes Rear Yokes</i>		No Added Cost
1227		66 cm (26-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	502K082	-2,975.00
1228		76.2 cm (30-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers. Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	004K27	-610.00

FRONT ROLLERS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT ROLLERS Continued...				
1315		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Smooth Solid Roller	006K93	990.00
1316		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Grooved Disc Roller	508K92	1,275.00
1317		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	501K599	2,285.00
1318		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Smooth Solid Roller	507K31	1,045.00
1319		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Grooved Disc Roller	509K27	1,325.00
1320		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	502K096	2,995.00
1390		Less Front Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1402		QA7 Cutting Unit Only Counterweight	002K31	330.00
1404		QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	505K14	735.00
1406		QA7 Cutting Unit FTC Only Counterweight	002K31	330.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9741		66 cm (26-in.) QA7 Fairway Tender Conditioner Shaft and Blades	001K939	2,770.00
9744		QA7 FTC Drive	504K665	6,665.00
REAR ROLLER POWER BRUSHES				
9747		66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units	506K54	935.00
9749		Rear Roller Power Brush Drive for QA7 Cutting Units	501K438	2,055.00
GRASS CATCHERS				

JOHN DEERE GOLF PRODUCTS
 REEL MOWERS

Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9736		Grass Catchers with Mounting Hardware for 26 In. (66 cm) QA7 Cutting Units	101K255	1,793.00
SCRAPERS				
9757		26 In. (66 cm) Smooth Roller Scrapers	002K10	300.00
9759		30 In. (76.2 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	005K46	780.00
9760		26 In. (66 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	505K00	715.00
9762		30 In. (76.2 cm) Smooth Roller Scrapers	002K73	390.00
9835		26 In. (66 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	504K30	615.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 7 Cutting Units for 2653B and 7200A PrecisionCut Trim and Surrounds
Mowers**

Equipment for Base Machine

17.8 cm (7-in.) Diameter Cutting Units
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments
7.6 cm (3-in.) Diameter Hollow Smooth Rear Rollers
Includes Lift Arms and Yokes
Complete Set of 3 Cutting Units

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5012TC		Quick-Adjust 7 Cutting Units for 2653B and 7200A PrecisionCut Trim and Surrounds Mowers	706K097	8,711.00
--------	--	---	---------	----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL WIDTH

1204		5-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	303K42	-489.00
1205		5-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	805K97	854.00
1206		8-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>		In Base Price
1207		8-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	301K028	1,469.00
1218		10-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>		No Added Cost
1227		66 cm (26-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	201K425	-2,036.00
1228		76.2 cm (30-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers. Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	203K40	-486.00

FRONT ROLLERS

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

**Quick-Adjust 7 Cutting Units for 2653B and 7200A PrecisionCut Trim and Surrounds
Mowers
Continued**

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT ROLLERS Continued...				
1315		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Smooth Solid Roller	804K15	594.00
1316		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Grooved Disc Roller	505K35	765.00
1317		3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	709K59	1,371.00
1318		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Smooth Solid Roller	904K38	627.00
1319		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Grooved Disc Roller	505K56	795.00
1320		3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	901K257	1,797.00
1390		Less Front Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1402		QA7 Cutting Unit Only Counterweight	601K38	198.00
1404		QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	703K08	441.00
1406		QA7 Cutting Unit FTC Only Counterweight	601K38	198.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9741		66 cm (26-in.) QA7 Fairway Tender Conditioner Shaft and Blades	401K163	1,662.00
9744		QA7 FTC Drive	302K799	3,999.00
REAR ROLLER POWER BRUSHES				
9747		66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units	703K92	561.00
9749		Rear Roller Power Brush Drive for QA7 Cutting Units	108K63	1,233.00

JOHN DEERE GOLF PRODUCTS
REEL MOWERS

Quick-Adjust 7 Cutting Units for 2653B and 7200A PrecisionCut Trim and Surrounds
Mowers
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS				
9736		Grass Catchers with Mounting Hardware for 26 In. (66 cm) QA7 Cutting Units	109K33	1,333.00
SCRAPERS				
9757		26 In. (66 cm) Smooth Roller Scrapers	001K05	150.00
9759		30 In. (76.2 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	603K27	468.00
9760		26 In. (66 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	303K00	429.00
9762		30 In. (76.2 cm) Smooth Roller Scrapers	501K36	195.00
9835		26 In. (66 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	302K58	369.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers
Equipment for Base Machine

Speed Link Height of Cut System, Single Cutting Unit Only
adjusts 0.001-in. (0.0254 mm)
per revolution
Dual Point Notch System Bedknife
to Reel Adjustment in 0.0005-in.
(0.0127 mm) increments

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

55A0M		Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers	401K996	2,852.00
-------	--	--	---------	----------

DESTINATION

001A		US / Canada		In Base Price
------	--	-------------	--	---------------

REEL WIDTH

1201		7-Blade 22 In. (55.9 cm) Cutting Unit with 4.8mm Bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and counter weight.</i>	001K47	-210.00
1202		11-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and Counter Weight</i>		In Base Price
1203		11-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm Bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and counter weight.</i>	308K3	-119.00
1213		14-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm tool steel bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor, and Counter Weight</i>	008K4	120.00
1214		14-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm tool steel Bedknife and Direct Mount Catcher <i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and counter weight.</i>	008K4	120.00
1215		11-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor, and Counter Weight</i>	009K8	-140.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL WIDTH Continued...				
1216		14-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm tool steel bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	306K9	99.00
1293		11-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	802K	-4.00
1294		14-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm tool steel bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	208K1	116.00
FRONT ROLLERS				
1300		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Roller with Solid End Caps	801K21	174.00
1301		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	901K16	167.00
1308		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machine Grooved Roller with Solid End Caps	401K34	192.00
1309		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machined Smooth Solid Roller	901K16	167.00
1322		2 In. (5 cm) x 18 In. (45.7 cm) Hollow Smooth Roller	308K3	119.00
1390		Less Front Rollers		In Base Price
REAR ROLLERS				
1602		2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	308K3	119.00
1622		2 In. (5 cm) x 18 In. (45.7 cm) Diameter Wide Tube / Hollow Smooth Rollers	308K3	119.00
1690		Less Rear Rollers		In Base Price
CUTTING UNIT COUNTERWEIGHTS				
1400		QA5 Cutting Unit Only Counterweight	204K6	66.00

**JOHN DEERE GOLF PRODUCTS
REEL MOWERS**

Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
CUTTING UNIT COUNTERWEIGHTS Continued...				
1408		QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	204K6	66.00
1490		Less Counterweight Kit		In Base Price
FAIRWAY TENDER CONDITIONER				
9743		QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	109K33	1,333.00
GREENS TENDER CONDITIONER				
9742		55.9 cm (22-in.) QA5 Greens Tender Conditioner Shaft and Blades	901K93	277.00
9782		45.7 cm (18-in.) QA5 Greens Tender Conditioner Shaft and Blades	002K10	300.00
FRONT BRUSHES				
9819		45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units	901K51	217.00
9821		55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	901K51	217.00
9823		45.7 cm (18-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	901K51	217.00
9825		55.9 cm (22-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	901K51	217.00
MISCELLANEOUS				
9783		Push Brush Kit	803K80	544.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180SL PrecisionCut Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
18 In. (45.7 cm) 11 Blade Reel
5 In. Reel Diameter
2.0 mm Ultra Low BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5511M		180SL PrecisionCut Walk Greens Mower	606K249	8,928.00
-------	--	--------------------------------------	---------	----------

DESTINATION

0202	US/Canada			In Base Price
0230	Australia/New Zealand			No Added Cost
0179	Europe			No Added Cost
0195	Mexico			No Added Cost
0250	All Other Countries			No Added Cost

REEL FRONT ROLLERS

1010	(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps			In Base Price
1030	(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	201K1		-16.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
1040		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	303K4	-49.00
1090		Less Front Rollers	301K46	-209.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:				
9010		Transport Wheels and Stand	803K24	464.00
9020		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	208K37	1,196.00
9030		Rotary Brush	501K64	235.00
9801		Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	501K64	235.00
9040		Greens Tender Conditioner	303K21	459.00
9050		Light Kit	402K53	362.00
9060		Push Brush	003K43	490.00

ATTACHMENTS FOR FIELD CONVERSION

Bedknives				
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
Front Turf Brushes				
BM24731		45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	741K91	273.91
BM20569		45.7 cm (18-in.) Rotary Brush for Fixed Head Walk Greens Mowers	741K91	273.91
Greens Tender Conditioner				
BM20568		45.7 cm (18-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers	503K71	530.71
Lighting				
BM20579		Light Kit for Fixed Head Walk Greens Mowers	353K00	429.07

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
AMT2865		Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	059K6	152.46
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
BM20578		Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99
		Reel Cutting Units		
TCA23624		14 Blade Reel for 45.7 cm (18-in.) Fixed Head Walk Greens Mowers	502K60	347.33
		Rollers		
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20562		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	811K43	205.44
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69
BM24203		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 18 In. (45.7 cm) 11
Blade Reel
5 In. Reel Diameter
2.0 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5541M		180 E-Cut Hybrid Walk Greens Mower	309K267	13,239.00
-------	--	------------------------------------	---------	-----------

DESTINATION

001A		US/Canada		In Base Price
001B		Europe	001K26	180.00
001C		Australia/New Zealand		No Added Cost
001D		All Other Countries		No Added Cost

REEL CUTTING UNITS

1200		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8 mm bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weights</i>	001K89	-270.00
1202		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight</i>		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1213		(1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight</i>	008K4	120.00
1293		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	802K	-4.00
1294		(1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	208K1	116.00
1290		Less Cutting Unit	401K996	-2,852.00
REEL FRONT ROLLERS				
1308		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps		In Base Price
1309		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	501K7	-25.00
1321		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	105K1	-73.00
1390		Less Front Rollers	401K34	-192.00
REEL REAR ROLLERS				
1622		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers		In Base Price
1690		Less Rear Rollers	308K3	-119.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>		In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>		No Added Cost
1490		Less Counter Weight Kit	204K6	-66.00
GRASS CATCHERS				
9812		(1) Grass Catcher with large paddle clip	001K40	200.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9813		(1) QA5 Grass Catcher Side Plate Insert	003K5	50.00
REEL CUTTING UNITS				
9819		(1) QA5 18 In. Rotary Turf Brush	601K45	208.00
9823		(1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC. also need to order Gear Drive</i>	901K51	217.00
9783		Push Brush Kit <i>During operation brush is lowered in front of grass catcher</i>	803K80	544.00
9782		Greens Tender Conditioner	901K93	277.00
9743		GTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	208K93	1,276.00
9803		QA5 11 Blade cutting unit less rollers <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	601K818	2,598.00
9818		QA5 14 blade cutting unit less rollers <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	601K902	2,718.00
MISCELLANEOUS				
9766		Light Kit	702K80	401.00
9779		Transport Wheels and Stand	803K59	514.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	722K6	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	675K1	82.02

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10774		(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10776		(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BM25531		Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	464K07	582.09
		Grass Catchers		
BTC10716		(1) 457.2-mm (18-in.) Grass Catcher with large paddle clip	801K49	214.00
BTC10629		45.7 cm (18-in.) Direct Mount Grass Catcher <i>Requires BM24900 Direct Mount Grass Catcher Bracket Kit.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>Required when using BTC10716 Grass Catcher with Large Paddle Clip on 180 E-Cut Hybrid.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	472K07	296.39
		Lighting		
BM22615		Light Kit for E-Cut Hybrid Walk Greens Mowers	353K00	429.07

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
Miscellaneous				
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	721K19	178.69
BM22616		Transport Wheels and Stand for E-Cut Hybrid Walk Greens Mowers	993K84	549.99
Reel Cutting Unit Counter Weights				
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC / FTC / Rotary Brush Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
Reel Cutting Units				
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	901K945	2,779.86
BM25337		(1) Quick Adjust 5 (QA5) 14-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	671K743	2,490.96
TCA23622		14 Blade Reel for 45.7 cm (18-in.) QA5 Cutting Units	803K05	407.73
Roller Scrapers				
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
Rollers				
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	291K84	292.53
BM25316		(1) 45.72 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	392K73	390.56
BM22868		(1) 45.72-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	081K25	178.69
BM24204		(1) 45.72-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20562		(1) 45.72-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	811K43	205.44

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69
	BM24203	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
	BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	132K80	400.19

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

220SL PrecisionCut Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
22 In. (55.9 cm) 11 Blade Reel
5 In. Reel Diameter
2.5mm Tournament BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5521M		220SL PrecisionCut Walk Greens Mower	906K213	8,877.00
-------	--	--------------------------------------	---------	----------

DESTINATION

0202	US/Canada			In Base Price
0230	Australia/New Zealand			No Added Cost
0179	Europe			No Added Cost
0195	Mexico			No Added Cost
0250	All Other Countries			No Added Cost

REEL FRONT ROLLERS

1010	(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps			In Base Price
1030	(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	201K1		-16.00
1040	(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	604K7		-68.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

220SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
1090		Less Front Rollers	601K59	-228.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:				
9010		Transport Wheels and Stand	803K24	464.00
9020		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	208K37	1,196.00
9030		Rotary Brush	501K64	235.00
9801		Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	501K64	235.00
9040		Greens Tender Conditioner	703K36	481.00
9050		Light Kit	402K53	362.00
9060		Push Brush	003K43	490.00

ATTACHMENTS FOR FIELD CONVERSION

Bedknives				
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
Front Turf Brushes				
BM24729		55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	741K91	273.91
BM20567		55.9 cm (22-in.) Rotary Brush for Fixed Head Walk Greens Mowers	741K91	273.91
Greens Tender Conditioner				
BM20566		55.9 cm (22-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers	483K89	556.40
BM23443		Rotary Brush and Greens Tender Conditioner Drive for Fixed Head Walk Greens Mowers	709K73	1,391.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

220SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Lighting		
BM20579		Light Kit for Fixed Head Walk Greens Mowers	353K00	429.07
		Miscellaneous		
AMT2865		Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	059K6	152.46
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	721K19	178.69
BM20578		Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99
		Reel Cutting Units		
TCA23623		14 Blade Reel for 55.9 cm (22-in.) Fixed Head Walk Greens Mowers	702K80	374.27
		Rollers		
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller <i>For use on Greens.</i>	138K9	127.33

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

260SL PrecisionCut Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.286 (7.26mm) Frequency of Clip (7-Blade)
26 In. (66.0 cm) 7 Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller with Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5531M		260SL PrecisionCut Walk Greens Mower	107K072	10,103.00
-------	--	--------------------------------------	---------	-----------

DESTINATION

0202	US/Canada			In Base Price
0230	Australia/New Zealand			No Added Cost
0179	Europe			No Added Cost
0195	Mexico			No Added Cost
0250	All Other Countries			No Added Cost

REEL FRONT ROLLERS

1010	(1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps			In Base Price
1030	(1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	809K		-14.00
1090	Less Front Rollers	601K73		-248.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

260SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS				
2000		(1) 26 In. 11-Blade Cutting Unit		No Added Cost

ATTACHMENTS - ORDER AS DESIRED

European CE Kit:

Miscellaneous:				
9010		Transport Wheels and Stand	803K24	464.00
9020		Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included)	208K37	1,196.00
9030		Rotary Brush	201K72	246.00
9040		Greens Tender Conditioner	103K52	503.00
9050		Light Kit	402K53	362.00

ATTACHMENTS FOR FIELD CONVERSION

Bedknives				
MT6947		Bedknife, 3.2 mm Standard	683K3	44.91
MT6946		Bedknife, 4.8 mm Fairway	353K4	45.80
Front Turf Brushes				
BM20571		66 cm (26-in.) Rotary Brush for Fixed Head Walk Greens Mowers	741K91	273.91
Lighting				
BM20579		Light Kit for Fixed Head Walk Greens Mowers	353K00	429.07
Miscellaneous				
AMT2865		Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	059K6	152.46
BM20570		Greens Tender Conditioner	464K07	582.09
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	272K29	363.92
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	721K19	178.69
BM20578		Transport Wheels and Stand for Fixed Head Walk Greens Mowers	993K84	549.99

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

260SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rollers		
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM20564		(1) 660.4-mm (26-in.) x 50.8-mm (2 In.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	041K55	221.49
BM20563		(1) 660.4-mm (26-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	811K43	205.44
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm, Engine Manufacturer Gross Power, Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Foot Actuated Adjustable Tilt Steering Wheel
2-Post SAE J21294 Roll Over Protection Structure with Seat

Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes

Hydraulic Oil Cooler
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video DVD Set

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1207TC		2500B PrecisionCut Riding Greens Mower - Gas	302K5066	35,809.00
--------	--	--	----------	-----------

DESTINATION

001A	North America US/Canada			In Base Price
001C	Oceania Aust/NZ			No Added Cost
0212	South America Brazil			No Added Cost

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1212		(3) Vertical Cutting Units With Front AND Rear Rollers	505K2	-75.00
1201		(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8 mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers.	701K82	-261.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1203		(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers		In Base Price
1214		(3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers	904K80	687.00
1290		Less Cutting Units	204K981	-7,116.00
REEL FRONT ROLLERS				
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	801K42	-204.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps		In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	703K71	531.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers		No Added Cost
1324		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	102K54	363.00
1325		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	102K54	363.00
1327		(3) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Front Rollers <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	801K6	24.00
1390		Less Front Rollers	704K97	-711.00
REEL REAR ROLLERS				
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers		In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	903K96	567.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	903K96	567.00
1690		Less Rear Rollers	903K54	-507.00

REEL CUTTING UNIT COUNTER WEIGHTS

1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price
1403		(3) QA5 Cutting Unit Brush Only <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	801K63	234.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	301K32	-189.00

REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS

3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system.</i>		In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system. These yokes attach at the rear of the cutting unit like a fairway mower and are recommended for use in fairways, surrounds or tees. Not recommended for greens.</i>	005K67	810.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Rear grass catcher and bail system. These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	908K1	-117.00
3210		Less Cutting Yokes and Grass Catchers	501K032	-1,475.00

WHEELS AND TIRES

1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply		In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10) 2 ply	408K	12.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply	103K0	43.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	408K	12.00
1040		(3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	408K	12.00
1149		Less Wheels with Tires	503K25	-465.00
SEAT				
2010		Deluxe Suspension Seat with Armrest	105K69	813.00
2009		Standard Seat	603K13	448.00
2090		Less Seat		In Base Price
REEL CUTTING UNITS				
9121		(3) QA5 22 In. Vertical Cutting Unit With FrontRoller Less Motor	704K928	7,041.00
9818		(3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	105K462	7,803.00
9803		(3) Quick Adjust 5 (QA5) Eleven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	204K981	7,116.00
9804		(3) Quick Adjust 5 (QA5) Seven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	504K798	6,855.00
MISCELLANEOUS				
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	601K041	1,488.00
9743		(3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i>	602K679	3,828.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	403K02	432.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	308K25	1,179.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS Continued...				
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	804K36	624.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	706K02	861.00
9756		(3) Smooth Roller Scrapers	503K1	45.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	209K91	1,416.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	804K36	624.00
9805		Cutting Unit Top Shield Extension (Set of 3)	206K0	86.00
9840		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than traditional TCB11167 Parallel Third Wheel Assist Kit.</i>	301K819	2,599.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Drive System				
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BM19746		Lighting Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91
BM23080		Miscellaneous Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
BUC10484		Reel Cutting Unit Attaching Yokes and Grass Catchers Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	TCB11356	Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
	BUC10223	Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
	BUC10224	Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
	BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM25338	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
	BM25128	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
	BM25127	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
	BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Equipment for Base Machine

ENGINE:
3-cylinder Diesel
Liquid Cooled
Single Fuel Tank with 7.9 US
gallon (30 L) capacity

CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat
belts
Double Upstops for Front Cutting
Units

HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
Single reel pump
Quik-Tatch Hydraulic reel motors
Micro-Lap backlapping valve with
reel speed control and pressure

compensation
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
BCI Group 40 Maintenance Free
Battery

OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift /
Lower Joystick
Four Function LED Warning
Monitor with Hour Meter
Hand Operated Mow / Transport
Lever
Hand Operated Engine Throttle
Lever
Dual Traction Pedals

Foot actuated 5-Position
Adjustable Tilt Steering Column
Integrated Cup Holder and Radio
Holder
Storage Compartment built into
Fuel tank

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1187TC		2500B PrecisionCut Diesel Riding Greens Mower <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> <i>EPA Tier 4 Compliant</i>	302K9952	42,789.00
--------	--	--	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)		No Added Cost
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	702K1	31.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>		No Added Cost
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	702K1	31.00
1149		Less Wheels and Tires	903K33	-477.00
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	201K747	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	301K819	2,599.00
REEL CUTTING UNITS				
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	701K82	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>		In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	505K2	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	904K80	687.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units	204K981	-7,116.00
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps		In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	801K42	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers		No Added Cost
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	703K71	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	102K54	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	102K54	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	801K6	24.00
1390		Less Front Rollers	704K97	-711.00
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	501K15	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers		In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	903K96	567.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	903K96	567.00
1690		Less Rear Rollers	903K54	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>		In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	801K63	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>		No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	301K32	-189.00
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>		In Base Price
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	005K67	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	908K1	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	501K032	-1,475.00
SEAT				
2009		Standard Seat		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	502K55	365.00
2090		Less Seat	603K13	-448.00

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	204K981	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3</i> <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	504K798	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	105K462	7,803.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less Motors and Counterweights.</i>	704K928	7,041.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers.</i> <i>Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	601K041	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	602K679	3,828.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	706K02	861.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	804K36	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	804K36	624.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	308K25	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	403K02	432.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	503K1	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	507K3	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	605K4	78.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	206K0	86.00
MISCELLANEOUS				
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	705K6	81.00
9770		Hydraulic Oil Leak Detector	209K91	1,416.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET17534	Bedknife, 2.5mm Tournament	712K6	35.61
	ET17533	Bedknife, 3.2 mm Standard	062K6	34.75
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
	BTC11007	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
	TCB11167	Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Engine		
	TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	191K56	233.12
		Fairway Tender Conditioner		
	BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
	BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	185K0	71.69
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	676K3	90.96
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 55.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 55.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 55.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm,
Engine Manufacturer Gross
Power,
Tested in accordance with SAE
J1995. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used
for comparison purposes only.
Actual operating horsepower and
torque will be less. Refer to
the engine manufacturers web
site for additional
information.
Foot Actuated Adjustable Tilt
Steering Wheel
2-Post SAE J21294 Roll Over
Protection Structure with Seat

Belts
Command Arm Operator Controls
Four Function LED Warning
Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Electric Reel Motors
Offset Reel Design
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and
Reel Speed Control
Disk Brakes

Hydraulic Oil Cooler
Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1217TC		2500E E-Cut Hybrid Riding Greens Mower - Gas	202K6072	37,246.00
--------	--	--	----------	-----------

DESTINATION

001A	North America US/Canada			In Base Price
001C	Oceania Aust/NZ			No Added Cost
0212	South America Brazil			No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)			In Base Price
------	---------------------------------------	--	--	---------------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With Front AND Rear Rollers		505K2	-75.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8 mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers.		701K82	-261.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1203		(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers		In Base Price
1214		(3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers	904K80	687.00
1290		Less Cutting Units	204K981	-7,116.00
REEL FRONT ROLLERS				
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	801K42	-204.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps		In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	703K71	531.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers		No Added Cost
1324		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	102K54	363.00
1325		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	102K54	363.00
1327		(3) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Front Rollers <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	801K6	24.00
1390		Less Front Rollers	704K97	-711.00
REEL REAR ROLLERS				
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers		In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	903K96	567.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	903K96	567.00
1690		Less Rear Rollers	903K54	-507.00

REEL CUTTING UNIT COUNTER WEIGHTS

1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price
1403		(3) QA5 Cutting Unit Brush Only <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	801K63	234.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	301K32	-189.00

REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS

3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system.</i>		In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system. These yokes attach at the rear of the cutting unit like a fairway mower and are recommended for use in fairways, surrounds or tees. Not recommended for greens.</i>	005K67	810.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Rear grass catcher and bail system. These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	908K1	-117.00
3210		Less Cutting Yokes and Grass Catchers	501K032	-1,475.00

WHEELS AND TIRES

1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply		In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10) 2 ply	408K	12.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply	103K0	43.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	408K	12.00
1040		(3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	408K	12.00
1149		Less Wheels with Tires	503K25	-465.00
SEAT				
2010		Deluxe Suspension Seat with Armrest	105K69	813.00
2009		Standard Seat	603K13	448.00
2090		Less Seat		In Base Price
REEL CUTTING UNITS				
9121		(3) QA5 22 In. Vertical Cutting Unit With FrontRoller Less Motor	704K928	7,041.00
9818		(3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	105K462	7,803.00
9803		(3) Quick Adjust 5 (QA5) Eleven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	204K981	7,116.00
9804		(3) Quick Adjust 5 (QA5) Seven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	504K798	6,855.00
MISCELLANEOUS				
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	601K041	1,488.00
9743		(3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i>	602K679	3,828.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	403K02	432.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	308K25	1,179.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS Continued...				
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	804K36	624.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	706K02	861.00
9756		(3) Smooth Roller Scrapers	503K1	45.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	209K91	1,416.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	804K36	624.00
9805		Cutting Unit Top Shield Extension (Set of 3)	206K0	86.00
9840		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than traditional TCB11167 Parallel Third Wheel Assist Kit.</i>	301K819	2,599.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Drive System				
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	TCB11356	Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
	BUC10223	Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56
	BUC10224	Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
	BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM25338	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
	BM25128	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
	BM25127	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
	BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Equipment for Base Machine

<p>ENGINE: 3-cylinder Diesel Liquid Cooled Single Fuel Tank with 7.9 US gallon (30 L) capacity Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL:</p>	<p>White Box controller Sit-on-Seat Diagnostics On-Board Reel Circuit Diagnostics BCI Group 40 Maintenance Free Battery Brushless Electric Reel Motors 48-Volt, 100-amp Alternator Reel Switch Box for Reel Speed and Direction Control</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Reduced Engine RPM notch Dual Traction Pedals</p>	<p>Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake</p>
--	---	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1197TC		2500E E-Cut Hybrid Diesel Riding Greens Mower <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> EPA Tier 4 Compliant	503K1342	44,775.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)		No Added Cost
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	702K1	31.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...				
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>		No Added Cost
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	702K1	31.00
1149		Less Wheels and Tires	903K33	-477.00
DRIVE SYSTEM				
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>		In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	201K747	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	301K819	2,599.00
REEL CUTTING UNITS				
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	701K82	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>		In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	505K2	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	904K80	687.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
1290		Less Cutting Units	204K981	-7,116.00
REEL FRONT ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps		In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	801K42	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers		No Added Cost
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	703K71	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	102K54	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	102K54	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	801K6	24.00
1390		Less Front Rollers	704K97	-711.00
REEL REAR ROLLERS				
<i>55.9 cm (22-in.) Standard Width Rollers</i>				
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	501K15	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers		In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	903K96	567.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	903K96	567.00
1690		Less Rear Rollers	903K54	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>		In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	801K63	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>		No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	301K32	-189.00
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS				
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>		In Base Price
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	005K67	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	908K1	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	501K032	-1,475.00
SEAT				
2009		Standard Seat		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Left Side Armrest	502K55	365.00
2090		Less Seat	603K13	-448.00

REEL CUTTING UNITS

9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	204K981	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3</i> <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	504K798	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	105K462	7,803.00

VERTICAL CUTTING UNITS

9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less Motors and Counterweights.</i>	704K928	7,041.00
------	--	---	---------	----------

FAIRWAY TENDER CONDITIONER

9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers.</i> <i>Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	601K041	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	602K679	3,828.00

GREENS TENDER CONDITIONER

9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	706K02	861.00
------	--	--	--------	--------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES				
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	804K36	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	804K36	624.00
REAR ROLLER POWER BRUSHES				
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	308K25	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	403K02	432.00
ROLLER SCRAPERS				
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	503K1	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	507K3	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	605K4	78.00
MISCELLANEOUS				
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	206K0	86.00
MISCELLANEOUS				
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	705K6	81.00
9770		Hydraulic Oil Leak Detector	209K91	1,416.00
ATTACHMENTS FOR FIELD CONVERSION				
		Bedknives		
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	ET17534	Bedknife, 2.5mm Tournament	712K6	35.61
	ET17533	Bedknife, 3.2 mm Standard	062K6	34.75
	ET11066	Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
	ET17532	Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
	ET17767	Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Drive System		
	BTC11007	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	282K034	2,906.11
	BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
	TCB11167	Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	391K953	2,790.56
		Engine		
	TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	191K56	233.12
		Fairway Tender Conditioner		
	BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
	BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	071K37	195.81
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	071K37	195.81
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	185K3	75.97
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	746K	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	091K22	174.41
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	601K14	163.71
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	453K7	53.50
		Greens Tender Conditioner		
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
		Lighting		
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	741K94	278.20
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	944K1	59.91

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	416K7	96.30
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	185K0	71.69
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	861K04	149.80
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	676K3	90.96
AMT2978		Height of Cut Gauge Bar	224K5	90.44
BUC10429		Hydraulic Leak Detector Kit	521K108	1,583.60
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes and Grass Catchers		
BUC10484		Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	801K089	1,556.86
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	136K50	928.76
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	394K55	650.56

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	154K47	638.79
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	782K035	2,908.26
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	841K16	166.91

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	331K30	186.19
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	081K25	178.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	138K9	127.33
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Seat		
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	109K2	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71

JOHN DEERE GOLF PRODUCTS
 AVAILABILITY LIMITED TO DEALER INVENTORY

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Wheels and Tires		
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	013K64	520.01
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	723K97	568.17
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	003K73	532.86
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	003K73	532.86
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	003K73	532.86
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	723K97	568.17

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

19.6 HP (14.6 kW) Gross per Society of Automotive Engineers J1995 at 3000 RPM (19.1, 14.2 kW)	Oil Cooler	Battery
Liquid Cooled Three Cylinder IDI Diesel Engine	Three-Wheel Drive (3WD) GRIP All-Wheel Drive (AWD) Traction System	John Deere Golf Operator Videos and All Products Safety Video DVD Set
2-Post SAE J21294 Roll-Over Protection Structure with Seat Belts	Power Steering	
Two Pedal Foot Controlled Hydrostatic Drive	20 by 10-10.00 Front Turf Tires	
Hydraulic Reel Motors	20 by 10-8.00 Rear Turf Tires	
Single Reel Pump	Hour Meter	
Micro-Lap Backlapping Valve	On Board Diagnostic White Box Controller	
	Four Function LED Warning Monitor	
	28 L (7.4 gal.) Fuel Capacity	
	BCI Group 40 Maintenance Free	

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1224TC		2653B PrecisionCut Trim and Surrounds Mower	001K8487	26,410.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

0195		Mexico		No Added Cost
------	--	--------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries		In Base Price
------	--	---------------------	--	---------------

REEL CUTTING UNITS

26 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1204		(3) QA7 Five Blade 26 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.	905K506	7,867.00
------	--	--	---------	----------

1206		(3) QA7 Eight Blade 26 in. Cutting Units with 6.3 mm bedknife QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.	505K834	8,335.00
------	--	--	---------	----------

1218		(3) QA7 Ten Blade 26 In. Cutting Units with 6.3 mm bedknife QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes	005K950	8,500.00
------	--	---	---------	----------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
30 Inch QA7 Cutting Units <i>Includes Front Lift Arms and Yokes.</i>				
1205		(3) QA7 Five Blade 30 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.	806K407	9,154.00
1207		(3) QA7 Eight Blade 30 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.	406K819	9,742.00
1290		Less Cutting Units, Front Lift Arms, and Yokes		In Base Price
REEL FRONT ROLLERS				
26 Inch Front Rollers				
1315		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	607K05	1,008.00
1316		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	808K14	1,164.00
1317		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	709K59	1,371.00
30 Inch Front Rollers				
1318		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	801K003	1,434.00
1319		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	001K113	1,590.00
1329		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	901K257	1,797.00
1390		Less Front Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		(3) Cutting Unit only Counter Weight Kit <i>Needed for all 30 in. Cutting units and if not installing Rear Roller Power Brush or Greens Tender Conditioner (GTC) Kits on 26 in. Cutting Unit.</i>		In Base Price
1404		(3) Cutting Unit Brush only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26 in. Cutting Unit.</i>	801K63	234.00
1409		(3) Fairway Tender Conditioner (FTC) and Greens Tender Conditioner (GTC) only Counter Weight Kit <i>Needed if only installing FTC on 26 in. Cutting Unit.</i>		No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and Fairway Tender Conditioner (FTC) Kit installed on 26 in. Cutting Unit.</i>	301K32	-189.00
SEAT				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
SEAT Continued...				
2010		Deluxe Suspension Seat with Armrest	105K69	813.00
2009		Standard Seat	603K13	448.00
2090		Less Seat		In Base Price

GRASS CATCHERS

9736		Grass Catchers with Mounting Hardware for 26 in. Cutting Unit (Set of Three) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	808K91	1,274.00
------	--	---	--------	----------

FAIRWAY TENDER CONDITIONER

9741		(3) QA7 26 in. Fairway Tender Conditioner Shaft and Blades <i>Requires FTC gear drive.</i>	001K113	1,590.00
------	--	---	---------	----------

9744		(3) QA7 FTC Gear Drive <i>Requires FTC shaft and blades</i>	602K679	3,828.00
------	--	--	---------	----------

REAR ROLLER POWER BRUSHES

9747		(3) QA7 26 in. Rear Roller Power Brush <i>Requires order rear roller power brush drive. Not Compatible with Grass Catchers.</i>	903K75	537.00
------	--	--	--------	--------

9749		(3) QA7 26 in. Rear Roller Power Brush Drive <i>Requires order Rear roller Power Brush. Not compatible with Grass Catchers.</i>	308K25	1,179.00
------	--	--	--------	----------

ROLLER SCRAPERS

9759		(3) 30 in. 3 in. Diameter Heavy-Duty Grooved Roller Scrapers	903K12	447.00
------	--	--	--------	--------

9757		26 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	801K00	144.00
------	--	---	--------	--------

9760		(3) 26 in. 3 in. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	702K87	411.00
------	--	--	--------	--------

9762		30 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from Parts.</i>	501K36	195.00
------	--	--	--------	--------

9835		26 In. (66 cm) Smooth Roller Scrapers for Vertical Cutting Units (Set of Three, Front and Rear)	002K52	360.00
------	--	---	--------	--------

REEL CUTTING UNITS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9807		(3) 26 in. 8 Blade QA7 less front rollers	105K126	7,323.00
9808		(3) 30 in. 8 Blade QA7 less front rollers	305K886	8,409.00
9832		(3) 26 In. (66 cm) Vertical Cutting Units with Front Rollers, Rear Rollers and Yokes, Less Motor	904K470	6,387.00
9844		(3) 26 in. 10 Blade QA7 less front rollers	605K241	7,488.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31
		Grass Catchers		
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes. Requires BM18185 Orifice Kit.</i>	162K56	365.94
BM18185		Grass Catcher Orifice <i>1 Kit Required for installation of Grass Catchers on 2653B. Not required on 7200/7200A.</i>	212K9	41.73
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	732K00	286.76
		Lighting		
TCB11065		Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	417K0	100.59
BM19746		Light Kit, Front <i>Wiring with Two Front Mounted Lights. Requires TCB11065 Light Bracket Kit.</i>	741K94	278.20
		Miscellaneous		
TCU13823		Height of Cut Gauge Bar	724K8	97.44
		Rear Roller Power Brushes		
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	061K40	200.09

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
TCB11353		(2) Front Lift Arms for 2653B PrecisionCut with 660.4 mm (26-in.) QA7 Cutting Units	823K22	461.17
TCB11355		(2) Front Lift Arms for 2653B PrecisionCut with 762 mm (30-in.) QA7 Cutting Units	654K48	640.93
TCB11374		(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	624K69	670.89
TCB11373		(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	715K94	849.59
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
BUC10110		(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	194K7	67.41
BM23005		(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM17683		660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93
		Seat		
AM117680		Arm Rest Kit	771K55	278.16
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

ENGINE:
19.6 HP (14.6 kW) per SAE J1995
- Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
3-cylinder IDI Diesel Engine
Liquid Cooled
7.4 US Gallon (28 L) Fuel Capacity

CHASSIS:
2-post SAE J21294 ROPS with Seat Belts

HYDRAULICS:
U-shaped Hydraulic Reservoir

Hydrostatic Traction Drive
Hydraulic Reel Motors
Single Reel Pump
Micro-lap Backlapping Valves with Reel Speed Control and Pressure Compensation
Oil Cooler
GRIP All-Wheel Drive Traction System

ELECTRICAL:
White Box controller with On Board Diagnostics
Sit-On-Seat Diagnostics
BCI Group 40 Maintenance Free Battery

OPERATOR STATION:
Dual traction pedals
Four Function LED Warning

Monitor with Hour Meter
One Touch Hand Operated Lift / Lower Joystick
Hand Operated Engine Throttle Lever
Hand Operated Mow / Transport Lever

STEERING AND BRAKES:
Hydrostatic Power Steering
Hand Operated Parking Brake

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1225TC		2653B PrecisionCut Trim and Surrounds Mower	501K8434	26,335.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)		In Base Price
------	--	---	--	---------------

WHEELS AND TIRES

1145		20x12-10 Turf Trac Front Tires with 20x10-8 Turf Trac Rear Tire	501K92	275.00
1146		20x10-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	502K62	375.00
1147		20x10-10 Ribbed Front Tires with 20x10-8 Turf Trac Rear Tire	502K62	375.00
1149		Less Front Wheels and Tires <i>20x10-8 Turf Trac Rear Tire will still be included in crate with machine.</i>		In Base Price

REEL CUTTING UNITS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
26 Inch QA7 Cutting Units				
<i>66 cm (26-in.) Width per cutting unit</i>				
<i>182.9 cm (72-in.) Total Width of Cut</i>				
<i>17.8 cm (7-in.) Diameter Cutting Units</i>				
<i>6.3 mm (0.248-in.) Tournament Bedknife</i>				
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>				
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>				
<i>Includes Lift Arms and Yokes</i>				
1204		Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	905K506	7,867.00
1206		Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	505K834	8,335.00
1218		Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	005K950	8,500.00
30 Inch QA7 Cutting Units				
<i>76.2 cm (30-in.) Width per cutting unit</i>				
<i>213.4 cm (84-in.) Total Width of Cut</i>				
<i>17.8 cm (7-in.) Diameter Cutting Units</i>				
<i>15.8 mm (0.622-in.) Standard Bedknife</i>				
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>				
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>				
<i>Includes Lift Arms and Yokes</i>				
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	806K407	9,154.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	406K819	9,742.00
1290		Less Cutting Units, Front Lift Arms, and Yokes		In Base Price
REEL FRONT ROLLERS				
26 Inch Front Rollers				
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	607K05	1,008.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	808K14	1,164.00
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	709K59	1,371.00
30 Inch Front Rollers				
1318		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	801K003	1,434.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	001K113	1,590.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
1320		REEL FRONT ROLLERS Continued... 76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	901K257	1,797.00
1390		Less Front Rollers		In Base Price

REEL CUTTING UNIT COUNTER WEIGHTS

1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i> <i>Required for all 76.2 cm (30-in.) cutting units.</i>	301K32	189.00
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	102K96	423.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	301K32	189.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>		In Base Price

SEAT

2009		Standard Seat	603K13	448.00
2010		Deluxe Suspension Seat with Armrest	105K69	813.00
2090		Less Seat		In Base Price

GRASS CATCHERS

9736		Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit.</i> <i>Not compatible with Rear Roller Power Brush.</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	808K91	1,274.00
------	--	--	--------	----------

FAIRWAY TENDER CONDITIONER

9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 3. Requires code 9744 (FTC Gear Drive).</i> <i>Not compatible with 76.2 cm (30-in.) cutting units.</i>	001K113	1,590.00
------	--	--	---------	----------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		FTC Gear Drive <i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i>	602K679	3,828.00
REAR ROLLER POWER BRUSHES				
9747		Rear Roller Power Brushes <i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	903K75	537.00
9749		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	308K25	1,179.00
ROLLER SCRAPERS				
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with Rear Roller Power Brushes.</i>	801K00	144.00
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	903K12	447.00
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	702K87	411.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	501K36	195.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	002K52	360.00
REEL CUTTING UNITS				
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	105K126	7,323.00
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	305K886	8,409.00
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 3. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	904K470	6,387.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	605K241	7,488.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03
Fairway Tender Conditioner				
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31
		Grass Catchers		
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes. Requires BM18185 Orifice Kit.</i>	162K56	365.94
BM18185		Grass Catcher Orifice <i>1 Kit Required for installation of Grass Catchers on 2653B. Not required on 7200/7200A.</i>	212K9	41.73
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	732K00	286.76
		Lighting		
TCB11065		Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	417K0	100.59
BM19746		Light Kit, Front <i>Wiring with Two Front Mounted Lights. Requires TCB11065 Light Bracket Kit.</i>	741K94	278.20
		Miscellaneous		
TCU13823		Height of Cut Gauge Bar	724K8	97.44
		Rear Roller Power Brushes		
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	061K40	200.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
	BM22764	(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11
	BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
	TCB11353	(2) Front Lift Arms for 2653B PrecisionCut with 660.4 mm (26-in.) QA7 Cutting Units	823K22	461.17
	TCB11355	(2) Front Lift Arms for 2653B PrecisionCut with 762 mm (30-in.) QA7 Cutting Units	654K48	640.93
	TCB11374	(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	624K69	670.89
	TCB11373	(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	715K94	849.59
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
	BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	194K7	67.41
	BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
	BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91
	BM17683	660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93
		Seat		
AM117680		Arm Rest Kit	771K55	278.16
BTC10758		Seat, Deluxe Suspension with Armrests	656K36	909.50
BTC10757		Seat, Standard	533K50	500.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

3-Cylinder 21.2 HP (15.8 kw)
Diesel Engine eHydro Electronic
Controlled Hydrostatic Drive
(Three) Independent Wheel Motors
GRIP All-Wheel Drive (AWD) Width
On Demand 68-in (173 cm) ; 72-In
(183 cm) Reach Trimming System
with Maximum 14 in. (38 cm) or
20 in. (50.8 cm) Shift Outside
Front Tire with 26 in. (66 cm)
or 30 in. (76 cm) Power Steering
with Straight Track Steering
Cylinder Internal Wet Disc

Brakes (Two) 24x12-12 Turf Trac
Front Drive Tires (One) 24x12-12
Multi Trac Rear Drive Tire
Deluxe Suspension Seat with
Retractable Seatbelt TechControl
Display with built in Machine
Settings Controls and Electrical
Diagnostics One-Touch Lift and
Lower Joystick Control Foot
Activated Tilt Steering Column
(Three) Hydraulic Motors (Three)
QA7 26 in. Cutting Units 2-Post
Roll Over Protection Structure

Command Arm Operator Controls 12
gal. Fuel Capacity John Deere
Golf Operator Videos and All
Products Safety Video DVD Set

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1761TC		7200A PrecisionCut Trim and Surrounds Mower	502K8626	40,895.00
--------	--	---	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
0195		Mexico		No Added Cost

OPERATOR'S MANUAL

0443		All Other Countries		In Base Price
------	--	---------------------	--	---------------

REEL CUTTING UNITS

26 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1204		(3) QA7 Five Blade 26 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.	603K27	-468.00
1206		(3) QA7 Eight Blade 26 in. Cutting Units with 6.3 mm bedknife QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.		In Base Price
1218		(3) QA7 Ten Blade 26 In. Cutting Units with 6.3 mm bedknife QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes	501K15	165.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
30 Inch QA7 Cutting Units <i>Includes Front Lift Arms and Yokes.</i>				
1205		(3) QA7 Five Blade 30 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.	205K85	836.00
1207		(3) QA7 Eight Blade 30 in. Cutting Units QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.	809K96	1,424.00
1290		Less Cutting Units, Front Lift Arms, and Yokes	805K903	-8,434.00
REEL FRONT ROLLERS				
26 Inch Front Rollers				
1315		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	201K09	-156.00
1316		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers		In Base Price
1317		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	901K44	207.00
30 Inch Front Rollers				
1318		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	001K89	270.00
1319		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	202K98	426.00
1390		Less Front Rollers	808K14	-1,164.00
1320		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End	104K43	633.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		(3) Cutting Unit only Counter Weight Kit <i>Needed for all 30 in. Cutting units and if not installing Rear Roller Power Brush or Greens Tender Conditioner (GTC) Kits on 26 in. Cutting Unit.</i>		In Base Price
1404		(3) Cutting Unit Brush only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26 in. Cutting Unit.</i>	801K63	234.00
1409		(3) Fairway Tender Conditioner (FTC) and Greens Tender Conditioner (GTC) only Counter Weight Kit <i>Needed if only installing FTC on 26 in. Cutting Unit.</i>		No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and Fairway Tender Conditioner (FTC) Kit installed on 26 in. Cutting Unit.</i>	301K32	-189.00

GRASS CATCHERS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9736		Grass Catchers with Mounting Hardware for 26 in. Cutting Unit (Set of Three) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	908K65	1,237.00
FAIRWAY TENDER CONDITIONER				
9741		(3) QA7 26 in. Fairway Tender Conditioner Shaft and Blades <i>Requires FTC gear drive.</i>	001K113	1,590.00
9744		(3) QA7 FTC Gear Drive <i>Requires FTC shaft and blades</i>	602K679	3,828.00
REAR ROLLER POWER BRUSHES				
9747		(3) QA7 26 in. Rear Roller Power Brush <i>Requires order rear roller power brush drive. Not Compatible with Grass Catchers.</i>	903K75	537.00
9749		(3) QA7 26 in. Rear Roller Power Brush Drive <i>Requires order Rear roller Power Brush. Not compatible with Grass Catchers.</i>	308K25	1,179.00
ROLLER SCRAPERS				
9759		(3) 30 in. 3 in. Diameter Heavy-Duty Grooved Roller Scrapers	903K12	447.00
9757		26 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	801K00	144.00
9760		(3) 26 in. 3 in. Diameter Heavy Duty Grooved Roller Scrapper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	702K87	411.00
9762		30 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from Parts.</i>	501K36	195.00
9835		26 In. (66 cm) Smooth Roller Scrapers for Vertical Cutting Units (Set of Three, Front and Rear)	002K52	360.00
REEL CUTTING UNITS				
9807		(3) 26 in. 8 Blade QA7 less front rollers	105K126	7,323.00
9808		(3) 30 in. 8 Blade QA7 less front rollers	305K886	8,409.00
9832		(3) 26 In. (66 cm) Vertical Cutting Units with Front Rollers, Rear Rollers and Yokes, Less Motor	904K470	6,387.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9844		(3) 26 in. 10 Blade QA7 less front rollers	605K241	7,488.00
LIGHTING				
9766		Light Kit	402K04	292.00
MISCELLANEOUS				
9767		Joystick Kit	607K26	1,038.00
9764		Canopy	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31
		Grass Catchers		
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes.</i>	162K56	365.94
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	732K00	286.76
		Lighting		
BTC10347		Light Kit	452K28	326.36
		Miscellaneous		
BTC10338		Canopy	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10393		Joystick Kit	678K12	1,160.96
		Rear Roller Power Brushes		
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	061K40	200.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
	TCB11476	(2) Front Lift Arms for 660.4 mm (26-in.) QA7 Cutting Units	973K99	571.39
	TCB11477	(2) Front Lift Arms for 762 mm (30-in.) QA7 Cutting Units	285K39	770.40
	TCB11374	(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	624K69	670.89
	TCB11373	(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	715K94	849.59
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
	BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	194K7	67.41
	BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
	BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91
	BM17683	660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50
	BM18440	762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
	BUC10076	(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In.(55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	---	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1513TC		7500A PrecisionCut Fairway Mower	504K6616	66,595.00
--------	--	----------------------------------	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

001D		Other Countries		No Added Cost
------	--	-----------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units	507K997	-11,425.00
------	--	--------------------	---------	------------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers		In Base Price
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers	503K04	435.00
REEL FRONT ROLLERS				
1390		Less Front Rollers	508K29	-1,185.00
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	002K38	-340.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	502K13	305.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers		In Base Price
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	003K64	520.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	506K19	885.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	504K23	605.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	504K23	605.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	002K8	40.00

REEL REAR ROLLERS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1690		Less Rear Rollers	505K91	-845.00
1602		55.9 cm (22-in.) Rear Rollers 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers		In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	506K61	945.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	506K61	945.00

REEL CUTTING UNIT COUNTER WEIGHTS

1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>		In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	002K73	390.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>		No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	502K20	-315.00

FAIRWAY TENDER CONDITIONER

9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	001K736	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	004K466	6,380.00

GRASS CATCHERS

9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	807K09	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	204K73	676.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GRASS CATCHERS Continued...				
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	804K57	654.00
REAR ROLLER POWER BRUSHES				
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K375	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K04	720.00
FRONT TURF BRUSHES				
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	007K28	1,040.00
MISCELLANEOUS				
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	706K58	941.00
ROLLER SCRAPERS				
9756		(5) 22 In. Smooth Roller Scrapers	505K2	75.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	501K22	175.00
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	009K1	130.00
VERTICAL CUTTING UNITS				
9122		(5) Vertical Cutting Units with Front and Rear Rollers Less Motors	508K214	11,735.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	008K302	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	507K997	11,425.00
TRACTION DRIVE UNIT				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT Continued...				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	903K294	4,707.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	505K49	785.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit <i>Install harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986 for E-Cut Hybrid ONLY Serial numbers below 1TC750AUTEE010120 or 1TC750AVTEE0101260.</i>	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
	BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
	BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
	BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
	BTC10501	(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
	BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
	BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
	BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
	BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
	BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
	BTC10194	Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
	BM23910	Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10346		Hydraulic Down Pressure Kit	277K36	1,051.81
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
	BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Vertical Cutting Units		
	BM25129	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo
Tier 4 Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Two Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
100 In. (2.54 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Full Suspension Seat
with Armrest and Retractable
Seat Belt
TechControl Display with built

in Machine Settings Controls and
Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt
Steering Column
On-Board Electric Backlapping
with Adjustable Reel Speed
Control
Five Electric Reel Motors
Quick-Tatch Cutting Units
Adjustable Hydraulic
Hydraulic Down Pressure with
mechanical On/Off adjustability
(5) QA5 7 Blade 22 In.(55.9 cm)
Cutting Units with SpeedLink

Height of Cut Adjustment System
5 In. (12.7 cm) Diameter Reels
with Heavy Section Reel Blades
Adjustable Bedknife with Notch
System
2 In. Diameter
Machined Grooved Solid Front
rollers

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1781TC		7500A E-Cut Hybrid Fairway Mower	904K8262	68,947.00
--------	--	----------------------------------	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
001D		Other Countries		No Added Cost

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1201		(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers</i>		In Base Price
1203		(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers</i>	503K04	435.00
1290		Less Cutting Units	507K997	-11,425.00

REEL FRONT ROLLERS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
1302		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	002K38	-340.00
1303		(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	502K13	305.00
1304		(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers		In Base Price
1305		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	003K64	520.00
1307		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	506K19	885.00
1318		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	504K23	605.00
1320		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	504K23	605.00
1390		Less Front Rollers	508K29	-1,185.00
REEL REAR ROLLERS				
1602		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller		In Base Price
1618		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	506K61	945.00
1620		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	506K61	945.00
1690		Less Rear Rollers	505K91	-845.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...				
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	002K73	390.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	502K20	-315.00
FAIRWAY TENDER CONDITIONER				
9737		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	001K736	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	004K466	6,380.00
GRASS CATCHERS				
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	807K09	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	204K73	676.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	804K64	664.00
REAR ROLLER POWER BRUSHES				
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K375	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K04	720.00
FRONT TURF BRUSHES				
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	007K28	1,040.00
MISCELLANEOUS				
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	706K58	941.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ROLLER SCRAPERS				
9756		(5) 22 In. Smooth Roller Scrapers	505K2	75.00
ROLLERS				
9803		(5) 11 blade QA5 cutting units less front and rear rollers	008K302	11,860.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	507K997	11,425.00
TRACTION DRIVE UNIT				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit. E-Cut Hybrid ONLY Serial numbers below 010126 order and install Harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986.</i>	903K294	4,707.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	505K49	785.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit <i>Install harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986 for E-Cut Hybrid ONLY Serial numbers below 1TC750AUTEE010120 or 1TC750AVTEE0101260.</i>	333K684	5,263.33

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
BTC10346		Hydraulic Down Pressure Kit	277K36	1,051.81
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
		Rear Roller Power Brushes		
	BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
	BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
	BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM25128	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
	BM25127	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
	BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1423TC		7700A PrecisionCut Fairway Mower	304K9223	70,319.00
--------	--	----------------------------------	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
001D		Other Countries		No Added Cost

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units	009K716	-13,880.00
------	--	--------------------	---------	------------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller				
1208		Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers		In Base Price
1209		Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	501K92	275.00
REEL FRONT ROLLERS				
1390		Less Front Rollers	501K193	-1,705.00
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers		In Base Price
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	502K55	365.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1401		QA7 Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.		In Base Price
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brush on cutting units.	002K73	390.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTC on cutting units.		No Added Cost
1408		Less Cutting Unit Counterweights Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.	502K20	-315.00
TRACTION DRIVE UNIT				
1190		2WD Traction Unit		In Base Price
1191		Factory Installed 4WD Traction Unit	403K214	4,592.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER				
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	001K890	2,700.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	004K466	6,380.00
GRASS CATCHERS				
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	009K31	1,330.00
REAR ROLLER POWER BRUSHES				
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	005K04	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	501K375	1,965.00
ROLLER SCRAPERS				
9754		(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	505K21	745.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	501K50	215.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	501K22	175.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	502K06	295.00
VERTICAL CUTTING UNITS				
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	006K734	9,620.00
REEL CUTTING UNITS				
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	509K908	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	009K716	13,880.00
TRACTION DRIVE UNIT				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT Continued...				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	903K294	4,707.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	505K49	785.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Grass Catchers		
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31
		Miscellaneous		
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM24122	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
	BM24121	(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
	BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
	BM17684	(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76
		Rollers		
	BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
	BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Vertical Cutting Units		
	BM22461	(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	241K506	2,151.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

ENGINE:
Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo Tier 4
Diesel Engine
B20 Compatible
TRANSMISSION:
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Three Wheel Drive
Internal Wet Disc Brakes
OPERATOR STATION:
Command Arm with Operator
Controls
Full Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings, Controls,
and Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching

Point
Foot Activated Tilt Steering
Column
2-Post Roll Over Protection
Structure
HYDRAULICS:
Power Steering with Double
acting steering cylinder
Hydraulic Down Pressure with
mechanical On/Off adjustability
CUTTING UNITS:
80 In. (2.03 m) Cutting Width
(5) QA5 11 Blade 18 In. (45.7
cm) Cutting Units with SpeedLink
Height of Cut Adjustment System
5 In. (12.7 cm) Diameter Reels
with Heavy Section Reel Blades
Adjustable Bedknife with Notch
System
2 In. (5.1 cm) Diameter Machined
Grooved Solid Front Rollers
2 In. (5.1 cm) Diameter Hollow
Smooth Rear Rollers

Quick-Tatch Cutting Units
ELECTRICAL:
3 Front Work Lights
On-Board Electric Backlapping
with Adjustable Reel Speed
control
Five Electric Reel Motors

WHEELS AND TIRES:
24x13 -12 Smooth Front Drive
Tires
24x13 -12 Smooth Rear Steer Tire

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1773TC		8000A E-Cut Hybrid Fairway Mower	304K5513	65,019.00
--------	--	----------------------------------	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

001D		Other Countries		No Added Cost
------	--	-----------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units	008K701	-12,430.00
------	--	--------------------	---------	------------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit 203.2 cm (80-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments				
1200		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	009K03	-1,290.00
1202		Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers		In Base Price
REEL FRONT ROLLERS				
1390		Less Front Rollers	507K17	-1,025.00
45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers				
1309		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers		No Added Cost
1310		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers		In Base Price
1311		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	505K91	845.00
1312		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	505K91	845.00
1321		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1621) on the rear of the cutting unit.</i>	505K91	845.00
1322		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	001K26	-180.00
1326		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1619) on the rear of the cutting unit.</i>	503K25	465.00
REEL REAR ROLLERS				
1690		Less Rear Rollers	505K91	-845.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL REAR ROLLERS Continued...				
1619		45.7 cm (18-in.) Rear Rollers 50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1326) on the front of the cutting unit.</i>	504K51	645.00
1621		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1321) on the front of the cutting unit.</i>	507K17	1,025.00
1622		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers		In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS				
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>		In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	002K73	390.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>		No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	502K20	-315.00
FAIRWAY TENDER CONDITIONER				
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	001K736	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	004K466	6,380.00
GRASS CATCHERS				
9834		(3) FRONT Grass Catchers and Mounting Brackets (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	601K258	1,798.00
REAR ROLLER POWER BRUSHES				
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	005K04	720.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	501K375	1,965.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ROLLER SCRAPERS				
9755		(5) 18 In. Smooth Roller Scrapers	505K2	75.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	504K58	655.00
9848		(5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	009K1	130.00
REEL CUTTING UNITS				
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	008K701	12,430.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	007K798	11,140.00
MISCELLANEOUS				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	782K9	39.71
MT4846		Bedknife, 2.5 mm Tournament	942K9	39.92
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	722K6	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	675K1	82.02
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10780		(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
	BTC10774	(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
	BTC10776	(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
	BTC10406	(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	091K19	170.13
	BTC11039	(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	061K40	200.09
	BTC10717	(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip <i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	801K49	214.00
	BTC10405	(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	001K88	268.57
	BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
	BM23910	Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
	BTC11011	Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
	BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	331K24	177.61
	BM24199	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations. 3 required.</i>	453K7	53.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Greens Tender Conditioner		
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	472K07	296.39
		Miscellaneous		
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76
TCU25388		UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	622K58	410.51
		Rear Roller Power Brushes		
BTC10833		(1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8000A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
Reel Cutting Units				
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	901K945	2,779.86
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	671K743	2,490.96
Roller Scrapers				
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BM23015		(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	981K1	17.11
TCA19585		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	696K	11.95
BM23014		(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	611K02	146.59
Rollers				
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	291K84	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	392K73	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	081K25	178.69
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	138K9	127.33
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	081K25	178.69
BTC10281		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	132K80	400.19
BM23567		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	202K23	318.86
BM22879		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	132K80	400.19

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Equipment for Base Machine

Gross Engine HP 43.1 (32.2 kW)
Net Engine HP 41.7 (31.1 kW)
@ 2600 rpm
Three Cylinder Turbo
Diesel Engine
Servo Controlled Hydrostatic
Drive
Two Wheel Drive
Power Steering with Straight
Track Steering Cylinder
Dual Disc Brakes
100 In. (2.54 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Deluxe Suspension Seat with
Armrests and Retractable
Seatbelt
White Box Controller with
On-Board Diagnostics
One-Touch Lift/Lower Reel Lever
Electric Over Hydraulic

Reel Lift
Rear Cutting Unit
Attaching Point
Foot Activated Tilt Steering
Column
On-Board Backlapping with
Adjustable Reel Speed Control
Five Standard Hydraulic Reel
Motors
Quick-Tatch Cutting Units
Adjustable Hydraulic
Down Pressure
(5) QA5 7 Blade 22 In.
(55.9 cm)Cutting Units
with Speed Link Height of
Cut System
5 In. (12.7 cm) Diameter Reels
Heavy Section Reel Blades with
Adjustable Bedknife with Notch
Adjustments
2 In. Diameter Machined Grooved

Solid Front Rollers
2-Post Roll Over Protection
Structure
6 LED Warning Light Instrument
Cluster with Hour Meter
Removable Rear Cutting Unit
Upstops
3 Front Work Lights
Command Arm Operator Controls
18 U.S. Gallon Fuel Capacity

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1473TC		8500 PrecisionCut Fairway Mower	304K2209	60,299.00
--------	--	---------------------------------	----------	-----------

REEL CUTTING UNITS

1004		(5) Quick Adjust 5 (QA5) Seven Blade 22 In.Heavy Section Standard Cutting Units		In Base Price
1005		(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm)Cutting Units	002K94	420.00
1010		Less Cutting Units	007K686	-10,980.00

REEL FRONT ROLLERS

2001		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	003K50	500.00
2002		(5) 22 In. 2 In. (5cm) Diameter Machined GroovedSolid Front Rollers		In Base Price
2003		(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	502K06	295.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
2004		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	005K95	850.00
2005		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	004K06	580.00
2006		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	004K06	580.00
2007		(5) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	502K27	-325.00
2010		Less Front Rollers, Roller Adjusters and Skid Shoes	007K98	-1,140.00
REEL REAR ROLLERS				
2501		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller		In Base Price
2502		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	506K33	905.00
2503		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	506K33	905.00
2510		Less Rear Rollers	505K70	-815.00
REEL CUTTING UNIT COUNTER WEIGHTS				
4001		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price
4002		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	002K66	380.00
4003		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
4010		Less Counter Weight kit	502K06	-295.00

CE KIT

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
CE KIT Continued...				
9330		Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>		No Charge
EUROPEAN CE KIT				
9100		European CE Conversion Kit, 8500 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	502K4	35.00
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	509K4	135.00
DECAL KIT				
9102		European CE Reel Decal Kit for Seven Blade Standard Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) Seven Blade Standard Cutting Units to Meet CE Mark Requirements.</i>		No Charge
FAIRWAY TENDER CONDITIONER				
9015		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	501K669	2,385.00
9016		(5) QA5 GTC/FTC Gear Drive <i>Requires order code 9015 (BM22670). 3" roller when used on the QA5 is not compatible with the FTC.</i>	504K294	6,135.00
GRASS CATCHERS				
9733		(5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers <i>With handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. Note: Cutting unit shield extensions should only be used in dry conditions.</i>	401K114	1,592.00
9070		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	503K1	45.00
REAR ROLLER POWER BRUSHES				
9017		(5) 22 In. Rear Roller Power Brushes <i>Requires order code 9018 (BM22527).</i>	004K83	690.00
9018		(5) Rear Roller Power Brush Drive <i>Requires order code 9017 (BM22668).</i>	501K319	1,885.00
FRONT TURF BRUSHES				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FRONT TURF BRUSHES Continued...				
9019		(5) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9015. Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	007K00	1,000.00
VERTICAL CUTTING UNITS				
9010		(5) Vertical Cutting Units with Front Rollers Less Motors	007K896	11,280.00
ROLLERS				
9803		(5) 11 blade QA5 cutting units less front and rear rollers	007K980	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	007K686	10,980.00
TRACTION DRIVE UNIT				
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	803K166	4,524.00
MISCELLANEOUS				
9020		Hydraulic Down Pressure Kit	806K32	904.00
9400		Canopy	003K85	550.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	117K8	104.15
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Fairway Tender Conditioner		
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	983K87	554.26
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	429K98	1,426.31
		Front Turf Brushes		
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	531K62	232.19
		Grass Catchers		
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	061K46	208.66
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	061K40	200.09
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	888K6	124.11
	BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
	BTC10194	Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	702K24	321.00
	BM23910	Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
	BTC11011	Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
	BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	331K24	177.61
	BM24199	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	453K7	53.50
	BTC10778	Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	702K24	321.00
	BTC10924	Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
	TCB11126	Canopy <i>For non-A Model PrecisionCut and E-Cut Hybrid Fairway Mowers Only.</i>	293K48	497.56
	TCB11460	Electronic Cruise Control Kit <i>For non-A model PrecisionCut and E-Cut Hybrid Fairway Mowers Only.</i>	001K91	272.86
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
	BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	935K0	72.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rear Roller Power Brushes		
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Counter Weights		
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	771K856	2,652.53
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16
		Roller Scrapers		
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	222K0	28.89
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	712K7	39.59
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	981K1	17.11
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	001K91	272.86
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99
		Vertical Cutting Units		
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	301K837	2,624.71

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel
Equipment for Base Machine

Gross Engine HP* 43.1 (32.2 kW)	Reel Lift	smooth rear rollers
Net Engine HP 41.7 (31.1 kW)	Patented Rear Cutting Unit	2-Post Roll Over Protection
@ 2600 rpm	Attaching Point	Structure
Three Cylinder Turbo	Foot Activated Tilt Steering	6 LED Warning Light Instrument
Diesel Engine	Column	Cluster with Hour Meter
Servo Controlled Hydrostatic	On-Board Backlapping with	Removable Rear Cutting Unit
Drive	Adjustabel Reel Speed Control	Upstops
Two Wheel Drive	Five Electric Reel Motors	3 Front Work Lights
Power Steering with Straight	Quick-Tatch Cutting Units	Command Arm Operator Controls
Track Steering Cylinder	Adjustable Hydraulic	18 U.S. Gallon Fuel Capacity
Dual Disc Brakes	Down Pressure	
100 In. (2.54 m) Cutting Width	(5) QA5 7 Blade 22 In.	
26.5x14-12 Turf Drive Tires	(55.9 cm)Cutting Units	
20x10-8 Turf Steer Tires	with Speed Link Height of	
Deluxe Suspension Seat with	Cut System	
Armrests and Retractable	5 In. (12.7 cm) Diameter Reels	
Seatbelt	Heavy Section Reel Blades with	
White Box Controller with	Adjustable Bedknife with Notch	
On-Board Diagnostics	Adjustments	
One-Touch Lift/Lower Reel Lever	2 In. Diameter Machined Grooved	
Electric Over Hydraulic	Solid Front Rollers and hollow	

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1752TC		8500 E-Cut Hybrid Fairway Mower -Diesel	504K4236	63,195.00
--------	--	---	----------	-----------

REEL CUTTING UNITS

1004		(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers		In Base Price
1005		(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels, Less Front Rollers	002K94	420.00
1010		Less Cutting Units	007K686	-10,980.00

REEL FRONT ROLLERS

2001		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.	003K29	470.00
2002		(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers		In Base Price

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
2003		(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	501K85	265.00
2004		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	005K67	810.00
2005		(5) 22 In. 2 In. (5cm) MT Spiral Roller	004K06	580.00
2006		(5) 22 In. 2 In. (5cm) MT Grooved Roller	004K06	580.00
2007		(5) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	002K38	-340.00
2010		Less Front Rollers, Roller Adjusters and Skid Shoes	007K98	-1,140.00
REEL REAR ROLLERS				
2501		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller		In Base Price
2502		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	006K44	920.00
2503		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	006K44	920.00
2510		Less Rear Rollers	005K60	-800.00
REEL CUTTING UNIT COUNTER WEIGHTS				
4001		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price
4002		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	002K59	370.00
4003		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
4010		Less Counter Weight kit	502K06	-295.00

ATTACHMENTS - ORDER AS DESIRED

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...				
9330		CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>		No Charge
9100		European CE Kit European CE Conversion Kit, 8500 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	502K4	35.00
9102		European CE Reel Decal Kit for Seven Blade Standard Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) Seven Blade Standard Cutting Units to Meet CE Mark Requirements.</i>		No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	509K4	135.00
9733		Miscellaneous: (5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers w/handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	701K092	1,561.00
9015		(5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	501K669	2,385.00
9016		(5) QA5 GTC/FTC Gear Drive <i>Requires order code 9015 (BM22670). 3" roller when used on the QA5 is not compatible with the FTC.</i>	504K294	6,135.00
9017		(5) 22 In. Rear Roller Power Brushes <i>Requires order code 9018 (BM22527).</i>	504K72	675.00
9018		(5) Rear Roller Power Brush Drive <i>Requires order code 9017 (BM22668).</i>	001K295	1,850.00
9019		(5) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9015. Requires order code 9016. 3" roller when used on the QA5 is not compatible with the FTC.</i>	006K86	980.00
9020		Hydraulic Down Pressure Kit	806K32	904.00
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	503K104	4,435.00
9025		(5) 22 In. Smooth Roller Scrapers	505K2	75.00
9070		(5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	503K1	45.00
9400		Canopy	203K05	436.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...		
9803		(5) 11 blade QA5 cutting units less front and rear rollers	007K980	11,400.00
9804		(5) 7 blade QA5 cutting units less front and rear rollers	007K497	10,710.00
		ATTACHMENTS FOR FIELD CONVERSION		
		Bedknives		
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	203K0	40.27
ET17534		Bedknife, 2.5mm Tournament	712K6	35.61
ET17533		Bedknife, 3.2 mm Standard	062K6	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	592K6	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	122K6	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	312K7	36.41
		Engine		
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
		European CE Kit		
TCB11727		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	861K04	149.80
		Grass Catchers		
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i>	061K46	208.66
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	851K13	162.64
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3)	888K6	124.11
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	702K24	321.00
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	746K	9.63
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	453K7	53.50

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous		
	TCB11460	Electronic Cruise Control Kit	001K91	272.86
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
	BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 per cutting unit.</i>	935K0	72.76
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
	BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Roller Scrapers		
	BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units	981K1	17.11
	TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	321K9	34.50
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	841K16	166.91
		Rollers		
	BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	581K26	180.83
	BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	081K25	178.69
	BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	081K25	178.69
	BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	942K32	332.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8500 E-Cut Hybrid Fairway Mower -Diesel

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	142K68	383.06
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	093K10	442.99

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 55.6 (41.6 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1523TC		8700A PrecisionCut Fairway Mower	305K2954	75,649.00
--------	--	----------------------------------	----------	-----------

DESTINATION

001A		United States and Canada		In Base Price
------	--	--------------------------	--	---------------

001D		Other Countries		No Added Cost
------	--	-----------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units	009K716	-13,880.00
------	--	--------------------	---------	------------

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller				
1208		Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers		In Base Price
1209		Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers	501K92	275.00
REEL FRONT ROLLERS				
1390		Less Front Rollers	501K193	-1,705.00
55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers				
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers		In Base Price
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	502K55	365.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1401		QA7 Cutting Unit ONLY Counterweights Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.		In Base Price
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights Select if ONLY installing Rear Roller Power Brush on cutting units.	002K73	390.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights Select if ONLY installing FTC on cutting units.		No Added Cost
1408		Less Cutting Unit Counterweights Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.	502K20	-315.00
FAIRWAY TENDER CONDITIONER				
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades Requires QA7 FTC Gear Drive.	001K890	2,700.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...				
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	004K466	6,380.00
GRASS CATCHERS				
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	009K31	1,330.00
REAR ROLLER POWER BRUSHES				
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	005K04	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	501K375	1,965.00
ROLLER SCRAPERS				
9754		(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	505K21	745.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	501K50	215.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	501K22	175.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	502K06	295.00
VERTICAL CUTTING UNITS				
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	006K734	9,620.00
REEL CUTTING UNITS				
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	509K908	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	009K716	13,880.00
TRACTION DRIVE UNIT				
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	903K294	4,707.00
MISCELLANEOUS				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
MISCELLANEOUS Continued...				
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Drive System				
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	333K684	5,263.33
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31
Grass Catchers				
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31
		Miscellaneous		
	BTC10924	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
	BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	904K47	639.86
	BM22756	Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
	BTC10835	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
	BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
	BM22764	(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11
	BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99
		Vertical Cutting Units		
BM22461		(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	241K506	2,151.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Equipment for Base Machine

Gross Engine HP 43.1 (32.2 kW)	Electric Over Hydraulic	2-Post Roll Over Protection
Net Engine HP 41.7 (31.1 kW	Reel Lift	Structure
@ 2600 rpm	Rear Cutting Unit	6 LED Warning Light Instrument
Three Cylinder Turbo	Attaching Point	Cluster with Hour Meter
Diesel Engine	Foot Activated Tilt Steering	Removable Rear Cutting Unit
Servo Controlled Hydrostatic	Column	Upstops
Drive	On-Board Backlapping with	3 Front Work Lights
Two Wheel Drive	Adjustable Reel Speed Control	Command Arm Operator Controls
Power Steering with Straight	Five Hydraulic Quick-Tatch Reel	18 U.S. Gallon Fuel Capacity
Track Steering Cylinder	Motors	
Dual Disc Brakes	Quick-Tatch Cutting Units	
100 In. (2.54 m) Cutting Width	Adjustable Hydraulic	
26.5x14-12 Turf Drive Tires	Down Pressure	
20x10-8 Turf Steer Tires	(5) QA7 22 In. (55.9 cm) Cutting	
Deluxe Suspension Seat with	Units (Eight Blade)	
Armrests and Retractable	7 In. (17.8 cm) Diameter	
Seatbelt	Reels with Reel to Bedknife	
White Box Controller with	with Notch Adjustments	
On-Board Diagnostics	2 In. Diameter Machined Grooved	
One-Touch Lift/Lower Reel Lever	Solid Front Rollers	

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1482TC		8700 PrecisionCut Fairway Mower	104K4452	63,503.00
--------	--	---------------------------------	----------	-----------

REEL CUTTING UNITS

1004		(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight		In Base Price
1005		(5) Quick Adjust 7 (QA7) Ten Blade 22 In. E.S.P. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	501K85	265.00
1010		Less Cutting Units	009K338	-13,340.00

REEL FRONT ROLLERS

2001		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc		In Base Price
2002		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	002K45	350.00
2010		Less Front Rollers, Roller Adjusters and Skid Shoes	001K148	-1,640.00

TRACTION DRIVE UNIT

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TRACTION DRIVE UNIT Continued...				
3000		2WD Traction Unit		In Base Price
3001		Factory Installed 4WD Traction Unit	203K196	4,566.00
REEL CUTTING UNIT COUNTER WEIGHTS				
4001		(5) QA7 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>		In Base Price
4002		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	002K66	380.00
4003		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>		No Added Cost
4010		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	502K06	-295.00
ATTACHMENTS - ORDER AS DESIRED				
9330		CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i>		No Charge
9010		Cutting Units: (5) QA7 Vertical Cutting Units with Front Rollers Less Motors	506K471	9,245.00
9100		European CE Kit European CE Conversion Kit, 7700 PrecisionCut Fairway Mower <i>Must be Ordered to Receive a PrecisionCut Fairway Mower Which Meets CE Requirements. Kit Includes Electric Hood Switch, Pictorial Decals and Operator's Manuals in English, French, German, Spanish and Italian.</i>	502K4	35.00
9102		European CE Reel Decal Kit for E.S.P. Cutting Units <i>Must be Ordered to Receive Decals that Converts (5) E.S.P. Cutting Units to Meet CE Mark Requirements.</i>		No Charge
9350		Compliance Kit <i>This kit must be ordered to meet the EU country of France shielding regulations.</i>	509K4	135.00
9000		Miscellaneous: (5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	308K95	1,279.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...				
9015		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i>	501K816	2,595.00
9016		(5) QA5 GTC/FTC Gear Drive <i>Requires order code 9015.</i> <i>3" roller when used on the QA5 is not compatible with the FTC.</i>	504K294	6,135.00
9017		(5) QA7 22" Rear Roller Power Brushes <i>Requires order code 9018.</i>	004K83	690.00
9018		(5) QA7 Rear Roller Power Brush Drive <i>Requires order code 9017.</i>	501K319	1,885.00
9021		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	803K166	4,524.00
9022		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	505K00	715.00
9025		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	901K44	207.00
9400		Canopy	003K85	550.00
9806		(5) 10 Blade QA7 cutting units less front roller	509K523	13,605.00
9807		(5) 8 Blade QA7 cutting units less front roller	009K338	13,340.00

ATTACHMENTS FOR FIELD CONVERSION

Bedknives				
ET17751		Bedknife, 12 mm Fairway High Cut	303K0	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	277K1	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	043K1	41.39
Engine				
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	391K31	196.10
Fairway Tender Conditioner				
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit.</i> <i>Not compatible with previous FTC Drive Kits.</i>	444K22	603.49
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design.</i> <i>Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft.</i> <i>Includes parts to update one cutting unit.</i>	176K2	88.81

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	429K98	1,426.31
		Grass Catchers		
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	071K37	195.81
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	061K43	204.37
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	521K74	249.31
		Miscellaneous		
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	186K14	877.40
AMT663		Bar Gauge Kit	253K3	59.37
TCB11126		Canopy <i>For non-A Model PrecisionCut and E-Cut Hybrid Fairway Mowers Only.</i>	293K48	497.56
TCB11460		Electronic Cruise Control Kit <i>For non-A model PrecisionCut and E-Cut Hybrid Fairway Mowers Only.</i>	001K91	272.86
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	531K62	232.19
TCU13823		Height of Cut Gauge Bar	724K8	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	003K5	50.00
		Rear Roller Power Brushes		
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	351K12	160.50
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
		Reel Cutting Unit Attaching Yokes		
	BM22764	(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	685K4	78.11
	BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	185K6	80.26
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	101K10	157.29
		Reel Cutting Units		
	BM24122	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	542K215	3,165.06
	BM24121	(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	852K172	3,104.07
		Roller Scrapers		
	BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	444K6	66.34
	BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	712K7	39.59
	BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	841K16	166.91
	BM17684	(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	531K68	240.76

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8700 PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Rollers		
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	511K83	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	001K91	272.86
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	093K10	442.99
		Vertical Cutting Units		
BM22461		(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	241K506	2,151.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Equipment for Base Machine

Gross Engine HP 55.6 (41.6 kW)
Four Cylinder
Tier 4 Turbo Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Grip Traction 4WD Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
114 In. (2.90 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Air Ride Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings Controls and

Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt Steering
Column
On-Board Backlapping with
Adjustable Reel Speed control
Five Hydraulic Reel Motors with
Quick Removal Feature
(5) QA7 30 In. (76 cm) Eight
Blade Cutting Units 7 In. (17.8
cm) Diameter
Reel to Bedknife with Notch
Adjustments and SpeedLink Hieght
of Cut System
30 In. (76 cm) 3 In. (7.6 cm)
Diameter Heavy Duty Grooved Disc

Roller
30 In. (76 cm) 3 In. (7.6 cm)
Diameter Smooth Rear Roller
2-Post Roll Over Protection
Structure
3 Front Work Lights
Command Arm with Operator
Controls with Power Charging
Port

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1551TC		8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)	506K7896	96,995.00
--------	--	---	----------	-----------

DESTINATION

001A		United States/Canada		In Base Price
------	--	----------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1205		30 Inch QA7 Cutting Units (5) QA7 Five Blade 30 In. (76.2 cm) Cutting Units <i>Includes cutting unit yokes</i>	006K86	-980.00
1207		(5) QA7 Eight Blade 30 In. (76.2 cm) Cutting Units <i>Includes cutting unit yokes</i>		In Base Price
1290		Less Cutting Units <i>Less cutting units and rear yokes. Includes yokes for front 3 cutting units</i>	501K0041	-14,345.00

REEL FRONT ROLLERS

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...				
		30 Inch Front Rollers		
1318		(5) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	001K82	-260.00
1319		(5) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers		In Base Price
1329		(5) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	502K41	345.00
1390		Less Front Rollers	001K855	-2,650.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		(5) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" (76.2 cm) Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" (66.04 cm) Cutting Unit.</i>		In Base Price
REEL CUTTING UNITS				
9808		(5) 30 In. (76.2 cm) 8 Blade QA7 less front rollers	509K810	14,015.00
ROLLER SCRAPERS				
9759		(5) 30 In. (76.2 cm) 3 In. Diameter Heavy Duty Grooved Roller Scrapers	505K21	745.00
9762		(6) 30 In. (76.2 cm) Smooth Roller Scrapers <i>Compatible with QA7 Reel. Common kit with 7200A and 2653B. This code provides 2 of kit BM18440 (sets of 3) scraper for a total of 6. Requires TCA19587 from parts for each scraper.</i>	002K73	390.00
MISCELLANEOUS				
9833		(5) 30 Inch (76.2 cm) Vertical Cutting Units with Front and Rear Rollers and Cutting Unit Yokes Less Motors	008K330	11,900.00
9836		(5) 30 In. (76.2 cm) Smooth Roller Scrapers for Verticut <i>Compatible with 30 In. (76.2 cm) Verticut Only</i>	004K55	650.00
MISCELLANEOUS				
9764		(1) Canopy	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
MT1973		Bedknives Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	183K6	48.24

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	UC11472	Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	666K7	107.40
		Cutting Units		
	BM24125	(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	282K040	2,914.69
	BM24126	(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	822K193	3,134.03
		Miscellaneous		
	BTC10338	Canopy	904K47	639.86
	TCU13823	Height of Cut Gauge Bar	724K8	97.44
		Reel Cutting Unit Counter Weights		
	BM22762	(1) Cutting Unit ONLY Counter Weight Kit	434K9	70.61
		Roller Scrapers		
	BUC10077	(1) 762 mm (30-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	935K0	72.76
	BUC10111	(1) 762 mm (30-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	935K0	72.76
	BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	841K16	166.91
	BM18440	762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3, will require 2 sets for a complete machine. Requires (3) TCA19587 from parts.</i>	061K46	208.66
		Rollers		
	BM25319	(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	491K98	283.56
	BM18439	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	541K56	223.63
	BM19819	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	654K48	640.93
		Vertical Cutting Units		
	BUC10073	(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	941K733	2,477.06

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

**8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) -
Availability Limited to Dealer Inventory**
Equipment for Base Machine

Gross Engine HP 55.6 (41.6 kW)
Four Cylinder
Tier 4 Turbo Diesel Engine
B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Grip Traction 4WD Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes
114 In. (2.90 m) Cutting Width
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires
Air Ride Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings Controls and

Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching
Point
Foot Activated Tilt Steering
Column
On-Board Backlapping with
Adjustable Reel Speed control
Five Hydraulic Reel Motors with
Quick Removal Feature
(5) QA7 26 In. (66.04 cm) Eight
Blade Cutting Units 7 In. (17.8
cm) Diameter
Reel to Bedknife with Notch
Adjustments and SpeedLink Hieght
of Cut System
26 In. 3 In. (7.6 cm) Diameter
Heavy Duty Grooved Disc Roller

26 In. 3 In. (7.6 cm) Diameter
Smooth Rear Roller
2-Post Roll Over Protection
Structure
3 Front Work Lights
Command Arm with Operator
Controls with Power Charging
Port

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1550TC		8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) - Availability Limited to Dealer Inventory	506K5390	93,415.00
--------	--	--	----------	-----------

DESTINATION

001A		United States/Canada		In Base Price
------	--	----------------------	--	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)		In Base Price
------	--	---------------------------------------	--	---------------

REEL CUTTING UNITS

1290		Less Cutting Units <i>Less cutting units and rear yokes. Includes yokes for front 3 cutting units</i>	508K739	-12,485.00
1204		26 Inch QA7 Cutting Units (5) QA7 Five Blade 26 In. (66.04 cm) Cutting Units <i>Includes cutting unit yokes</i>	005K46	-780.00
1206		(5) QA7 Eight Blade 26 In. (66.04 cm) Cutting Units with 6.3 mm bedknife <i>Includes cutting unit yokes</i>		In Base Price
1218		(5) QA7 Ten Blade 26 In. (66.04 cm) Cutting Units with 6.3 mm bedknife <i>Includes cutting unit yokes</i>	501K92	275.00

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

**8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) -
Availability Limited to Dealer Inventory**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL FRONT ROLLERS				
1315		26 Inch Front Rollers (5) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	001K82	-260.00
1316		(5) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers		In Base Price
1317		(5) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	502K41	345.00
REEL CUTTING UNIT COUNTER WEIGHTS				
1402		(5) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" (76.2 cm) Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" (66.04 cm) Cutting Unit.</i>		In Base Price
1404		(5) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" (66.04 cm) Cutting Unit.</i>	002K73	390.00
1409		(5) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" (66.04 cm) cutting unit.</i>		No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" (66.04 cm) Cutting Unit.</i>	502K20	-315.00
FAIRWAY TENDER CONDITIONER				
9741		(5) QA7 26 In.(66.04 cm) Fairway Tender Conditioners Shaft and Blades <i>requires ftc gear drive</i>	001K855	2,650.00
9744		(5) QA7 FTC Gear Drive <i>Requires Fairway Tender Conditioners Shaft and Blades</i>	004K466	6,380.00
GRASS CATCHERS				
9736		(5) Grass Catchers with Mounting Hardware for QA7 26 In. (66.04 cm) Cutting Unit <i>Includes Grass catchers,mounting hardware and wing latch kit</i>	601K202	1,718.00
REAR ROLLER POWER BRUSHES				
9747		(5) QA7 26 In.(66.04 cm) Rear Roller Power Brush <i>Requires Brush Drive</i>	506K26	895.00
9749		(5) QA7 26 In.(66.04 cm) Rear Roller Power Brush Drive <i>Requires Rear Roller Power Brush</i>	501K375	1,965.00
REEL CUTTING UNITS				

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

**8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) -
Availability Limited to Dealer Inventory**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...				
9807		(5) 26 Inch (66.04 cm) 8 Blade QA7 less front rollers	508K543	12,205.00
9844		(5) 26 Inch (66.04 cm) 10 Blade QA7 less front rollers	008K736	12,480.00
ROLLER SCRAPERS				
9760		(5) 26 In. (66.04 cm) 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with FTC installed</i>	504K79	685.00
9757		26 In. (66.04 cm) Smooth Roller Scrapers <i>Compatible with QA7 Reel and Common kit with 7200A and 2653B. This code provides 2 of kit BM17383 (sets of 3 scrapers) for a total of 6. Requires TCA19587 from parts for each individual scraper. Not compatible with Rear Roller Power Brush installed.</i>	602K01	288.00
MISCELLANEOUS				
9832		(5) 26 Inch (66.04 cm) Vertical Cutting Units with Front and Rear Rollers and Cutting unit Yokes Less Motors	507K241	10,345.00
9835		(5) 26 In. (66.04 cm) Smooth Roller Scrapers for Verticut <i>Compatible with 26 In. (66.04 cm) Verticut only</i>	004K20	600.00
MISCELLANEOUS				
9764		(1) Canopy	404K00	572.00
ATTACHMENTS FOR FIELD CONVERSION				
Bedknives				
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	123K0	40.16
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	333K5	47.11
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	001K14	152.00
Cutting Units				
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	611K788	2,555.16

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

**8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) -
Availability Limited to Dealer Inventory**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less Yoke, Motor, and Counterweight</i>	981K509	2,157.11
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	701K910	2,729.57
		Fairway Tender Conditioner		
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	954K14	592.79
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	176K2	88.81
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	429K98	1,426.31
		Grass Catchers		
BUC10106		(1) 660.4 mm (26-in.) Grass Catcher with Paddle Clip and Mounting Hardware <i>5 required for complete machine. Also requires TCB11414 QA7 Wing Latch Kit to secure grass catchers to wing cutting units when raised in transport position.</i>	692K33	333.84
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Secures grass catchers to wing cutting units when raised into the transport position.</i>	521K74	249.31
		Miscellaneous		
BTC10338		Canopy	904K47	639.86
TCU13823		Height of Cut Gauge Bar	724K8	97.44
		Rear Roller Power Brushes		
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	061K40	200.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	843K07	439.77

JOHN DEERE GOLF PRODUCTS
AVAILABILITY LIMITED TO DEALER INVENTORY

**8900A PrecisionCut Large Area Reel Mower (US/Canada) 114 Inch (2.9 m) -
Availability Limited to Dealer Inventory**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	176K2	88.81
	BM22762	Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	434K9	70.61
	BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	434K9	70.61
	BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	101K10	157.29
		Roller Scrapers		
	BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	194K7	67.41
	BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	111K07	153.01
	BM17683	660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3, will need 2 sets for a complete machine. Requires (5) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	351K12	160.50
		Rollers		
	BUC10076	(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	944K4	64.20
	BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	001K91	272.86
	BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	301K48	211.86
	BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	293K42	488.99