

CATERPILLAR MACHINE PRICE LIST

# TH255C

TH255C TELEHANDLER  
MCCONNELLSBURG, PA, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

### BOOMS, STICKS, AND LINKAGES

Two section boom  
with non-metallic wear pads  
Coupler tilt angle maintained auto-  
matically throughout boom lift range  
by a compensation cylinder

### POWERTRAIN

Deutz TD 2.9L engine 55kW / 74hp  
Meets T4Final(SIIIB) emissions standards  
Hydrostatic transmission  
Hydraulically driven fan  
Engine coolant  
Hydraulic oil  
Water separator  
Dual element air filter  
Spin on engine oil filter  
Spin on Hydraulic oil filter  
Planetary drive axles with full time  
four wheel drive  
Limited slip differential on front axle  
Service brakes on front axle  
SAHR handbrake works service brakes on  
front axle

### HYDRAULICS

Gear pump  
Max flow 72 L/min (20 gpm)  
Max pressure 241 bar  
Load hold check valves on all load  
carrying cylinders  
One auxiliary hydraulic service on the  
boom head

### ELECTRICAL

12 volt electrical system  
75 ampere alternator  
1000 CCA maintenance free battery  
Audible back-up alarm

### OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station  
isolated on rubber mounts  
Single lever electro-hydraulic control  
joystick  
Heater  
Seat belt & document pouch  
Sunshade  
Left & right-side rear-view mirror  
Power steering with steering wheel  
Load charts  
Floor mat  
Fuse panel

### FLUIDS

Extended life Antifreeze

### OTHER STANDARD EQUIPMENT

Integral lift and tie-down points

### INSTRUCTIONS

Operation and maintenance manual  
Parts manual on CD

<b>561-7233</b>	<b>TH255C TELEHANDLER CFG1</b> ..... 0 LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY DEDICATED TO HIGHER REGULATED COUNTRIES (HRC) AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers	<b>\$91,130</b>
-----------------	--	-----------------

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

OP-9003	LANE 3 ORDER . . . . .	0	NC
---------	------------------------	---	----

**REGIONAL PACKAGES**

**REGIONAL ARRANGEMENTS**

Pre-selects various regionally specific items such as load sensors and sound insulation.

L	566-2930	PREPARATION PACK, AM-N . . . . .	0	NC
---	----------	----------------------------------	---	----

**POWERTRAIN**

**ENGINE COOLING FAN**

L	471-9829	FAN, ENGINE, VARIABLE . . . . .	0	NC
L	509-1891	FAN, ENGINE, VARIABLE/REVERSING . . . . .	0	\$680

**ENGINE AIR INTAKE**

L	509-4918	PRECLEANER, ENGINE BREATHER. . . . .	0	\$51
L	509-4919	RAIN CAP, ENGINE BREATHER . . . . .	0	NC

**HYDRAULICS**

**REAR AUXILIARY**

Please note: rear aux lines are required if a hitch is to be selected

L	506-9925	LINES, REAR AUX, NONE . . . . .	0	NC
		CANNOT BE USED WITH: ANY HITCH		
L	509-2124	LINES, REAR AUX, FLAT FACED . . . . .	0	NC
		REQUIRES: ANY HITCH		

**ELECTRICAL**

**ELECTRICAL CONFIGURATION**

L	444-3405	ELECTRICAL CONFIG, ADSD-N . . . . .	0	NC
L	446-9669	ELECTRICAL CONFIG, ADSD-N PLUS . . . . .	0	NC
		Required if roading or working lights are required.		

**ROADING LIGHTS**

Must select for all regions outside USA.  
This is an Optional Selection within the USA.

L	472-1142	LIGHTS, ROADING, RH DIP . . . . .	0	\$1,025
		Requires: 446-9669 ELECTRICAL CONFIG, ADSD-N PLUS		

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

***CABS/ CANOPIES***

L	566-6676	CANOPY, FIXED STEERING COLUMN . . . . .	0	NC
L	566-6677	CANOPY, TILT STEERING COLUMN . . . . .	0	\$398
L	566-6679	CAB, ENCLOSED WITH HEAT . . . . .	0	\$4,585
L	566-6680	CAB, ENCLOSED WITH HEAT + AC . . . . .	0	\$8,220

***SEATING***

L	509-2139	SEAT, FABRIC . . . . . Mechanical suspension seat, includes 2" (51mm) seat belt. FOR USE WITH MACHINES WITH AN ENCLOSED CAB	0	\$306
L	509-2140	SEAT, VINYL . . . . . Includes 2" (51mm) seat belt. For use within a Canopy in USA & Canada. FOR USE WITH MACHINES WITH AN OPEN CANOPY	0	NC

***SEAT BELTS***

Select if required

L	470-0859	BELT, SEAT, 3" . . . . . Select to upgrade to a 3" seat belt. Please note: This is mandatory in some areas.	0	\$102
---	----------	---	---	-------

***CAB HEADLINER***

Mandatory selection with enclosed cabs

L	527-8588	HEADLINER, RADIO READY . . . . . ONLY FOR USE WITH: AN ENCLOSED CAB	0	\$680
L	527-8592	HEADLINER, STANDARD . . . . . ONLY FOR USE WITH: AN ENCLOSED CAB	0	NC

**TIRES, RIMS, AND WHEELS**

Please select one

**Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.**

P	471-9830	TIRES, 14 X 17.5, PNEUMATIC . . . . .	0	\$1,075
P	471-9833	TIRES, 14 X 17.5, FOAM . . . . .	0	\$2,605
P	471-9835	TIRES, 33 X 22-20 SOLID . . . . . For use in USA and Canada only	0	\$4,125

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

P	565-7819	TIRES, 12 X 16.5, PNEUMATIC . . . . . 0 Not available for ANZ		NC
P	565-7823	TIRES, 12 X 16.5, FOAM . . . . . 0 Not available for ANZ		\$1,985
P	565-7829	TIRES, 10.5-18, PNEUMATIC . . . . . 0 Not available for ANZ		\$970

**OTHER ATTACHMENTS**

**ADDITIONAL COUNTERWEIGHT**

P	508-8764	COUNTERWEIGHT. . . . . 0		NC
---	----------	--------------------------	--	----

**COUPLER**

L	566-3081	COUPLER, MANUAL, UNIVERSAL . . . . . 0		NC
L	566-3083	COUPLER, HYDRAULIC, UNIVERSAL . . . . . 0		\$2,195
L	566-2934	COUPLER, MANUAL, STANDARD JLG . . . . . 0		\$1,705
L	566-3082	COUPLER, HYDRAULIC, STANDARD JLG . . . . . 0		\$1,990

**HITCHES**

P	508-8783	HITCH, NONE . . . . . 0 ONLY FOR USE WITH: 506-9925 LINES, REAR AUX, NONE		NC
P	508-8787	HITCH, RETRIEVAL . . . . . 0 ONLY FOR USE WITH: 509-2124 LINES, REAR AUX, FLAT FACED		\$279
P	508-8786	HITCH, MANUAL . . . . . 0		\$206
P	508-8789	HITCH, MANUAL, ADJUSTABLE . . . . . 0 ONLY FOR USE WITH: 509-2124 LINES, REAR AUX, FLAT FACED		\$336
P	508-8788	HITCH, AUTOMATIC, ADJUSTABLE . . . . . 0 ONLY FOR USE WITH: 509-2124 LINES, REAR AUX, FLAT FACED		\$1,480

**FENDERS**

Please select

L	565-7339	FENDERS, SET OF FOUR . . . . . 0		\$740
L	317-3317	FENDER, CAB, SINGLE . . . . . 0 Available in USA/ Canada only		NC

**EXTERNAL MIRROR**

L	506-9926	MIRROR, EXTERNAL. . . . . 0		NC
---	----------	-----------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**DOCUMENTATION**

**LOADCHART**

L	446-5255	LOADCHART, UNI CPLR, USA . . . . .	0	NC
		ONLY FOR USE WITH: UNIVERSAL COUPLERS		
L	483-1343	LOADCHART, STD CPLR, USA . . . . .	0	NC
		ONLY FOR USE WITH: JLG COUPLERS		

**REGIONAL REFERENCE**

Please select

	0G-0469	TH255C NORTH AMERICAN ORDER . . . . .	0	NC
--	---------	---------------------------------------	---	----

**INSTRUCTIONS**

**INSTRUCTION DECAL SETS**

L	508-6207	INSTRUCTIONS, ANSI . . . . .	0	NC
---	----------	------------------------------	---	----

**OPERATION AND MAINTENANCE MANUAL**

	471-6261	MANUAL, OPER. MAINT. ENGLISH . . . . .	0	NC
	471-6282	MANUAL, OPER. MAINT. SPANISH . . . . .	0	NC

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**NOTE**

**LANE 3 OPTIONAL SELECTIONS**

**ELECTRICAL**

**ROTATING BEACON**

P	353-8465	BEACON, ROTATING, CANOPY . . . . . 0		\$228
		This is included in the worklight groups below.		
P	331-0090	BEACON, ROTATING, CAB . . . . . 0		\$228
		This is included in the worklight groups below.		

**WORKING LIGHTS**

P	472-1129	WORKLIGHTS, CANOPY MOUNTED . . . . . 0		\$850
		Includes Rotating Beacon Within USA/Canada with requires 446-9669 ELECTRICAL CONFG,ADSD-N PLUS		
P	472-1130	WORKLIGHTS, CAB MOUNTED . . . . . 0		\$850
		Includes Rotating Beacon Within USA/Canada with requires 446-9669 ELECTRICAL CONFG,ADSD-N PLUS		

**WIPERS**

L	527-8700	WASHER/WIPER, ROOF AND REAR . . . . . 0		\$560
		ONLY FOR USE WITH: ENCLOSED CABS		

**BATTERY DISCONNECT**

L	508-8780	BATTERY, DISCONNECT SWITCH . . . . . 0		\$311
---	----------	--	--	-------

**ENGINE BLOCK HEATER**

L	444-7951	ENGINE BLOCK HEATER, 110V . . . . . 0		\$209
---	----------	---------------------------------------	--	-------

**OPERATOR ENVIRONMENT**

**REAR WINDOW RELEASE**

L	478-0225	WINDOW, REAR,EXTL RELEASE, USA . . . . . 0		\$113
---	----------	--	--	-------

**SAFETY AND SECURITY**

**LOCKS**

P	479-6044	LOCKS, SET OF FOUR . . . . . 0		\$142
---	----------	--------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**GUARDS**

P	331-6272	GUARD, FRONT SCREEN . . . . .	0	\$1,095
P	331-6271	GUARD, ROOF . . . . .	0	\$825

**OTHER ATTACHMENTS**

**TRAILER ELECTRICS**

L	508-8781	TRAILER, ELECTRICS, 7 PIN . . . . . ONLY FOR USE WITH: ANY HITCH AND ROADING LIGHTS	0	\$223
---	----------	--	---	-------

**BOOM BRUSH**

L	448-8563	BOOM BRUSH . . . . . Prevents debris from entering between boom sections, recommended in Agricultural and Waste applications.	0	\$218
---	----------	---	---	-------

**GREASING SYSTEM**

L	565-7210	REMOTE GREASE SYSTEM . . . . .	0	\$51
---	----------	--------------------------------	---	------

**WHEEL CHOCKS**

P	508-8767	WHEEL CHOCK . . . . .	0	\$174
---	----------	-----------------------	---	-------

**BOOM BRACE**

L	508-8769	BOOM, SAFETY PROP . . . . .	0	\$91
---	----------	-----------------------------	---	------

**REVERSING SENSOR**

L	565-5725	REVERSING SENSOR . . . . .	0	\$2,000
---	----------	----------------------------	---	---------

**WORK TOOLS**

**CARRIAGES**

Please order as 'installed'.

W	350-9099	CARRIAGE, STANDARD 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: UNIVERSAL COUPLER	526	\$1,622
W	336-3523	CARRIAGE, STANDARD 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: STANDARD JLG STYLE COUPLER	461	\$1,621
W	331-3251	CARRIAGE, ROTATE/SIDE TILT 48" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft FOR USE WITH UNIVERSAL COUPLER	817	\$4,590
W	330-4243	CARRIAGE, ROTATE/SIDE TILT 48" . . . . . 48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: STANDARD JLG STYLE COUPLER	660	\$4,590

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

***CARRIAGES (Cont.)***

W	331-3252	CARRIAGE, SIDE SHIFT 48" . . . . . 825 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: UNIVERSAL COUPLER		\$2,479
---	----------	--	--	---------

***FORKS***

Single forks - please order two for a pair

W	323-5738	FORK, PALLET 2" X 4" X 48" . . . . . 150		\$638
W	301-9752	FORK, CUBING 2" X 2" X 48" . . . . . 76		\$404
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" . . . . . 245		\$1,250



CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

## FIELD INSTALLED ATTACHMENTS

PLEASE NOTE: THESE ARE ONLY AVAILABLE THROUGH PARTS ORDERING AND CANNOT BE ADDED TO A MACHINE ORDER.

W	509-3693	<b>BUCKET, GP 0.98 YD3</b> Overall width 1890mm (74"), Capacity 0.75m3 (0.98yd3), incl BOCE FOR USE WITH: Skid Steer coupler		
W	509-3697	<b>BUCKET, GP, 1.2 YD3</b> Overall width 1890mm (74"), Capacity 0.9m3 (1.2yd3), incl BOCE FOR USE WITH: Skid Steer Coupler		
W	509-3698	<b>BUCKET, LM, 2.0 YD3</b> Overall width 2080mm (82"), Capacity 1.5m3 (2.0yd3), incl BOCE FOR USE WITH: Skid Steer Coupler		
W	509-3695	<b>BUCKET, MP, 72", SG, BOCE</b> Width 1830mm (72") INCLUDES: Bolt-On Cutting Edge FOR USE WITH: Skid Steer Coupler		
W	330-4240	<b>BUCKET, UTILITY GRAPPLE 72"</b> Width 1854mm (73") Includes bolt-on cutting edge and two heavy duty grapple assemblies For use with IT style coupler		
W	509-3696	<b>BUCKET, IND. GRAP, 72" BOCE</b> Width 1830mm (72") INCLUDES: 1 Piece Bolt-On Cutting Edge, 2 Cylinders and 2 heavy duty grapple assemblies FOR USE WITH: Skid Steer Coupler		
W	321-0556	<b>LIFTING HOOK</b> Length 31.5" (800mm) Includes swivel hook and slips onto forks.		
W	509-3694	<b>ARM, MATERIAL HANDLING</b> Lift Capacity : Maximum 2000 lbs. ( not to exceed rated load capacity of machine ) Overall Width, with step 52" (1319mm) Single bent boom design with heavy duty clasped hook Two hook locations and easy access load tie down points FOR USE WITH: Skid Steer Coupler		
W	330-4244	<b>ADAPTOR, TH STYLE TO UNIVERSAL</b>		

CATERPILLAR MACHINE PRICE LIST

# TH255C

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

ATTACHMENT	PART NO.	APPLICABLE STANDARD	QUICK COUPLER TYPE
CARRIAGE, 48" (1220MM)	331-6310	ANSI	UQC
CARRIAGE, 48" (1220MM)	330-4234	ANSI	STD
CARRIAGE, 1200MM	330-4242	CE	UQC
FORK, PALLET, 45X100X1070mm	252-1454	CE	UQC/STD
BUCKET, LIGHT MATERIAL 1.0YD3 (0.8M3)	330-4237 350-0505	ANSI CE	STD STD
BUCKET, LIGHT MATERIAL 1.7YD3 (1.3M3)	330-4236 350-0508	ANSI CE	STD STD
BUCKET, GRAPPLE 1.0YD3 (0.8M3)	330-4240 350-0509	ANSI CE	STD STD

**PACKING**

**MACHINE PACKING**

Please select

0G-0465 PACKING TH, COMPLETE MACHINE ..... 0

**\$259 NET**