

CATERPILLAR MACHINE PRICE LIST

TH408D

TH408D TELEHANDLER
MEDIAS, ROMANIA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Two section boom
with non-metallic wear pads
Coupler tilt angle maintained auto-
matically throughout boom range
by a compensation cylinder

POWERTRAIN

4 section cooling pack
Air to air charge cooler
Engine coolant
Hydraulic and transmission oil
Spin on fuel/water separator
Dual element air filter
with condition indicator
Powershift transmission
Spin on engine oil filter
Hydraulic filter
Spin on transmission filter
Planetary drive axles with permanent,
mechanical four-wheel drive
Power-assisted, hydraulic braking system
Enclosed oil disc brakes on front
and rear axles
Limited slip differential on front axle
Parking brake with manual lever
Transmission inching on brake pedal
Steer cylinders protected above axles
Three steering modes: circle, crab and
two-wheel front steer with automatic
wheel alignment

HYDRAULICS

Gear pump with steering priority
Variable displacement piston pump
Max flow 140L/min
Max pressure 260 bar
Electronic joystick, simultaneous and
proportional control to all four boom
functions
Twin auxiliary hydraulic service with
continuous flow facility
Lock valves on all load carrying
cylinders
On demand hydraulic reverse fan
Hydraulic pattern changer switch

ELECTRICAL

12 volt electrical system
150 amp alternator (92.6/106kW engines)
120 amp alternator (83kW HRC/all LRC)
1000 CCA maintenance-free battery
Anti-restart key switch
Horn
Audible back-up alarm
12 volt internal power socket
2 x USB charging sockets
Cat comms adapter3 connector

OPERATOR ENVIRONMENT

Multi function joystick
Left and right side rear view mirrors
Interior mirror
Windscreen wiper washer
Rear and roof window wiper
Floor mat
Power steering
Steering wheel with spinner knob
Load charts
Fuse panel
Adjustable arm rest
Tilt steering column

FLUIDS

Extended life Antifreeze -16.6F / -29C

OTHER STANDARD EQUIPMENT

Integral lift and tie-down points
Rear counterweight (fitted unless rear
hydraulic pick-up hitch selected)

INSTRUCTIONS

Parts manual on CD-ROM

CATERPILLAR MACHINE PRICE LIST

TH408D

TH408D TELEHANDLER MEDIAS, ROMANIA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

567-5082	TH408D AG HANDLER CFG1 0 LANE 3 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY DEDICATED TO HIGHER REGULATED COUNTRIES (HRC) AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers	\$110,980
-----------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

REGIONAL PACKAGES

PREPARATION PACKAGES

L	523-1883	PREPARATION PACK, USA	0	NC
---	----------	---------------------------------	---	----

POWERTRAIN

ENGINES(Engine, Cooler, Filters, Lines & Mtg)

L	520-9600	ENGINE 83KW, HRC 83KW Stage IV (Tier 4f) engine with 6 speed transmission ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$870
L	520-9601	ENGINE 92.6KW, HRC 92.6KW Stage IV (Tier 4f) engine with 6 speed transmission ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$4,115
L	523-1976	ENGINE 106KW, HRC 106KW Stage IV (Tier 4f) engine with 6 speed transmission ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$7,380
L	550-0081	ENGINE, 92.6KW, HRC, TLU 6 speed engine with Torque Lock-up ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$7,830
L	550-0083	ENGINE, 106KW, HRC, TLU 6 speed engine with Torque Lock-up ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$12,100

AIR FILTER

L	558-7153	PRECLEANER, ENGINE BREATHER	0	\$212
L	558-7237	RAIN CAP, ENGINE BREATHER	0	NC

AXLE

L	517-9299	AXLE ARRANGEMENT, STANDARD	0	NC
---	----------	--------------------------------------	---	----

HYDRAULICS

RIDE CONTROL

L	497-9608	RIDE CONTROL, NONE	0	NC
L	550-7931	RIDE CONTROL Intelligent boom suspension, includes float position.	0	\$3,720

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
TH408D-003

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FRONT AUXILIARY LINES

L	492-3922	LINES,FRONT HYD, SGL, MAN CPLR 0 Select this for a SINGLE auxiliary service. REQUIRES: 517-6763 COUPLER, MANUAL, IT		NC
L	495-7651	LINES,FRONT HYD, SGL, HYD CPLR 0 Select this for a SINGLE auxiliary service. REQUIRES: ANY HYDRAULIC COUPLER		NC
L	492-3925	LINES,FRONT HYD, DBL, MAN CPLR 0 Select this for a DOUBLE auxiliary service. REQUIRES: 517-6763 COUPLER, MANUAL, IT		\$520
L	495-7652	LINES,FRONT HYD, DBL, HYD CPLR 0 Select this for a DOUBLE auxiliary service. REQUIRES: ANY HYDRAULIC COUPLER		\$520

COUPLER

L	517-6763	COUPLER, MANUAL, IT 0 ONLY FOR USE WITH: FRONT HYDRAULIC LINES 492-3922 or 492-3925		NC
L	506-3031	COUPLER, HYDRAULIC, IT 0 ONLY FOR USE WITH: FRONT HYDRAULIC LINES 495-7651 or 495-7652		\$2,660

REAR HYDRAULIC LINES

L	506-3317	LINES, REAR AUX, NONE 0		NC
L	506-3318	LINES, REAR AUX, SGL, 2 WAY 0		\$1,160
L	506-3319	LINES, REAR AUX, DBL, 2 WAY 0		\$1,595

STARTERS, BATTERIES, & ALTERNATORS

BATTERY ARRANGEMENT

L	513-4292	BATTERY, SINGLE 0		NC
L	513-4299	BATTERY, DUAL 0		\$660

ELECTRICAL

ROADING LIGHTS

L	508-7894	LIGHTS, ROADING, NONE 0 AVAILABLE FOR: USA and Canada dealers		NC
L	515-0963	LIGHTS, ROADING, AG, RH DIP 0		\$1,350

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT

CABS

All cabs include: adjustable steering column, opening side(left) and rear windows, multi function joystick, interactive LCD monitor, interior mirror, left hand side mirror, floor mat and key pad (for entering anti theft code, operator preferences and changing steering modes).

L	517-9179	CAB, ENCLOSED, AG, HRC	0	\$5,270
		ONLY FOR USE WITH: 518-0078 TH408D AG HANDLER CFG1		

AIR CONDITIONING AND HEATING

Please note: The options are dependent on the selected engine

L	520-8643	HEATER + AIR CONDITIONER, HRC1	0	\$5,020
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	508-7851	HEATER ONLY, HRC 1	0	NC
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	508-7849	HEATER + AIR CONDITIONER, HRC2	0	\$5,020
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE		
L	508-7852	HEATER ONLY, HRC 2	0	NC
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

PRODUCT LINK READY

This selection provides all the connections required to add Product Link to the machine.
Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.
Availability of the Product Link equipment varies by country, please contact your Cat marketing representative with any questions.

Please note this is dependent on the engine selected and whether Air Conditioning + Heating or Heating only has been added.

L	523-8303	PRODUCT LINK READY, AC 1 0 ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC and 520-8643 HEATER + AIR CONDITIONER 1		\$352
L	523-8305	PRODUCT LINK READY 1 0 ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC and 508-7851 HEATER ONLY 1		\$352
L	523-8304	PRODUCT LINK READY, AC 2 0 ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE 508-7849 HEATER + AIR CONDITIONER 2		\$352
L	523-8306	PRODUCT LINK READY 2 0 ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE 508-7852 HEATER ONLY 2		\$352

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WORKLIGHTS

L	495-3015	WORKLIGHTS, CAB MOUNTED, AC 0		\$600
		ONLY FOR USE WITH: WITH MACHINES WITH HEATING AND AIR CONDITIONING		
L	515-1886	WORKLIGHTS, LED, AC 0		\$815
		ONLY FOR USE WITH: WITH MACHINES WITH HEATING AND AIR CONDITIONING		
L	495-3014	WORKLIGHTS, CAB MOUNTED 0		\$600
		ONLY FOR USE WITH: MACHINES WITH HEATING ONLY		
L	515-1885	WORKLIGHTS, LED 0		\$815
		ONLY FOR USE WITH: MACHINES WITH HEATING ONLY		

SEATING

L	503-1691	SEAT, FABRIC 0		NC
		Mechanical suspension seat. CURRENTLY NOT AVAILABLE TO EU DEALERS		
L	476-8930	SEAT, FABRIC, PREMIUM 0		\$600
		Air suspension seat.		
L	503-1690	SEAT, FABRIC, PREMIUM PLUS 0		\$1,420
		Air suspension, heated seat with deluxe fabric and seven way adjustment.		

SEAT BELT

L	229-0582	BELT, SEAT, 2" RETRACTABLE 0		NC
L	229-0583	BELT, SEAT, 3" RETRACTABLE 0		\$100
		REQUIRED BY: dealers from California, Oregon & British Columbia.		

ADDITIONAL MANUAL FORWARD/NEUTRAL/REVERSE/HORN CONTROL

This selection allows for an additional control lever which is only available in an enclosed cab.

L	492-3940	FNR, JOYSTICK ONLY 0		NC
L	492-4839	FNR,JOYSTICK + STEERING COLUMN. 0		\$252

ADDITIONAL IN CAB DISPLAY

L	476-5226	MONITOR, NONE 0		NC
L	546-5767	MONITOR, ADVANCED DISPLAY 0		\$2,350
		This display includes integrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. REQUIRED BY: 528-2072 REVERSING CAMERA 1 or 499-5902 REVERSING CAMERA 2		

CAB HEADLINER

L	513-4180	HEADLINER, STANDARD 0		NC
---	----------	---------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB HEADLINER (Cont.)

L	513-4181	HEADLINER, RADIO READY 0 Currently, 'Radio Ready' provides wiring only, the radio and speaker units should be sourced from alternative suppliers. We plan to include the speakers in this arrangement at a later date.		\$191
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM MICHELIN

P	512-4767	TIRES, 500/70 R24, MX, XMCL	0	\$6,130
		Michelin, 500/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		
P	512-4763	TIRES, 15.5 R25, MX, XHA	0	\$8,030
		Michelin, 15.5 R25, XHA radial tire with wide tread and robust shoulders providing good resistance to damage. CURRENTLY NOT AVAILABLE TO EU DEALERS		
P	512-4765	TIRES, 460/70 R24, MX, XMCL	0	\$2,765
		Michelin, 460/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		
P	512-4768	TIRES, 440/80-24, MX, POWER CL	0	\$2,660
		Michelin Power CL 440/80 24. Directional tires providing wide lugs protection, for long life and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing.		
P	512-4769	TIRES, 400/80-24, MX, POWER CL	0	\$1,760
		Michelin Power CL 400/80 24. Directional tires providing wide lugs protection, for long life and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing		
P	512-4766	TIRES, 460/70 R24, MX, BIBLOAD	0	\$3,110

TIRES AVAILABLE FROM MITAS

P	512-4764	TIRES, 15.5/80-24, MT	0	NC
		Mitas 15.5/80-24 16ply. Directional tires for good grip in soft ground and good wear resistance in hard ground.		

OTHER ATTACHMENTS

TRAILER SERVICES

Within the EU all roading hitches require trailer services

L	506-7647	TRAILER SERVICES, NONE	0	NC
L	521-6813	TRAILER, ELECTRICS, 7 PIN	0	\$282
L	553-5769	TRAILER, BRAKE VALVE	0	\$1,980
L	553-5770	TRAILER, ELECTRICS & BRAKE	0	\$2,265

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

HITCH

Within the EU all roading hitches require trailer services

L	506-7531	HITCH, RETRIEVAL, NON-ROAD 0 NOT AVAILABLE WITHIN THE EU ONLY FOR USE WITH: 506-7630 TRAILER SERVICES, NONE or 521-6813 TRAILER ELECTRICS, 7 PIN		\$356
L	506-7536	HITCH, PITON FRAME, AUTOMATIC 0		\$1,980
L	506-7538	HITCH, HYDRAULIC, ROADING 0		\$3,015
L	506-7532	HITCH, TOWING, AUTOMATIC 0		\$1,760
L	506-7533	HITCH, MANUAL, ROADING 0		\$1,355
L	506-7537	HITCH, FIXED, 12T 0		\$477

FENDERS

L	508-7895	FENDERS, NONE 0 AVAILABLE FOR: USA and CANADA		NC
L	514-4638	FENDERS, SET OF FOUR, STD 0 ONLY FOR USE WITH: TIRES UNDER 440MM (17") WIDE		\$2,765
L	514-4640	FENDERS, SET OF FOUR, WIDE 0 ONLY FOR USE WITH: TIRES 440MM (17") WIDE AND WIDER		\$2,765

DOCUMENTATION

REGIONAL REFERENCE

	0G-0651	TH408 NORTH AMERICAN ORDER 0		NC
--	---------	--	--	----

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	500-6394	MANUAL, OPER. MAINT. ENGLISH 0		NC
	500-6424	MANUAL, OPER. MAINT. SPANISH 0		NC

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

MISCELLANEOUS ORDERS

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

ELECTRICAL

ROTATING BEACON

P	495-7659	BEACON, ROTATING	0	\$276
		REQUIRED BY: UK/IRELAND PREPARATION PACK.		

BLOCK HEATERS FOR USE WITH 110V POWER SUPPLY

L	453-7296	HEATER,ENGINE BLOCK, 110V,75KW	0	\$234
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	389-3543	HEATER,ENGINE BLOCK,110V,92KW+.	0	\$234
		ONLY FOR USE WITH: 520-9601 ENGINE 92.6KW, HRC or 523-1976 ENGINE 106KW, HRC		

OPERATOR ENVIRONMENT

ADDITIONAL MIRRORS

P	497-9575	MIRROR, TOW HITCH	0	\$182
P	497-9576	MIRROR, CONVEX, TOW HITCH	0	\$462

REVERSING AIDS

L	497-9632	REVERSING SENSOR.	0	\$1,960
		CANNOT BE USED WITH: HITCH, HYDRAULIC, ROADING		
L	492-5086	REVERSING, SENSOR.	0	\$1,960
		ONLY FOR USE WITH: HITCH, HYDRAULIC, ROADING		
L	528-2072	REVERSING CAMERA 1.	0	\$408
		ONLY FOR USE WITH: 546-5767 MONITOR, ADVANCED DISPLAY CANNOT BE USED WITH: TRAILER SERVICES WHICH INCLUDE THE BRAKE OPTION		
L	499-5902	REVERSING CAMERA 2.	0	\$408
		ONLY FOR USE WITH: 546-5767 MONITOR, ADVANCED DISPLAY and TRAILER SERVICES WHICH INCLUDE THE BRAKE OPTION		

REAR WINDOW

L	496-6529	WINDOW, REAR, EXT RELEASE	0	\$111
---	----------	-------------------------------------	---	-------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

SPARE TIRES

Please order as 'Not-Installed'

P	526-5728	SPARE TIRE, 460/70 R24,MX,XMCL	0	\$2,625 NI
P	526-6913	SPARE TIRE, 500/70 R24,MX,XMCL	0	\$7,090 NI
P	526-9591	SPARE TIRE,400/80 24,MX,PWR CL	0	\$3,435 NI
P	526-7162	SPARE TIRE,440/80 24,MX,PWRCL	0	\$4,175 NI
P	526-9593	SPARE TIRE, 15.5/80-24,MT,16PL	0	\$1,255 NI
P	526-5726	SPARE TIRE, 460/70 R24, MX, BL	0	\$2,785 NI
P	526-0580	SPARE TIRE, 15.5 R25, MX, XHA CANNOT BE USED WITH: EU DEALERS	0	\$4,545 NI

GUARDS

P	471-9523	BRICK GUARD, FRONT SCREEN	0	\$1,385
P	472-0940	BRICK GUARD, ROOF	0	\$1,450

OTHER ATTACHMENTS

LOCKS

P	503-6003	LOCKS, SET OF FOUR Set of four, Caterpillar padlocks and keys ONLY FOR USE WITH: 518-0078 TH408D AG HANDLER CFG1	0	\$131
---	----------	--	---	-------

TOOL BOX

P	541-9094	TOOL BOX CANNOT BE USED WITH: 497-9589 WHEEL CHOCK	0	\$240
---	----------	---	---	-------

WORK TOOLS

CARRIAGES

FOR USE WITH CATERPILLAR IT COUPLERS ONLY
Please order as 'installed'.

W	301-9757	CARRIAGE, STANDARD 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,697
W	500-4475	CARRIAGE, STANDARD, 60" 60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,849
W	301-9758	CARRIAGE, STANDARD 72" 72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,861
W	375-6292	CARRIAGE, SIDE TILT, 50"	0	\$4,026

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS (CONT.)

CARRIAGES (Cont.)

W	375-6293	CARRIAGE, SIDE TILT, 72"	0	\$4,349
W	474-0141	CARRIAGE, SIDE SHIFT, 48"	0	\$6,772

PALLET FORKS

Please order as 'installed'.
Attaches to a carriage which must also be selected.
Except for 364-5356 the order must specify '2' forks.
Order '1' of reference 364-5356 for a pair of forks.

W	301-9755	FORK, PALLET 2.36" X 4" X 48" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.	0	\$568
W	301-9753	FORK, PALLET 2.36" X 5" X 48" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.	0	\$665
W	301-9752	FORK, CUBING 2" X 2" X 48"	76	\$404
W	311-2854	FORK, DUAL TAPER 2" X 6" X 72" One fork only, specify qty of 2 for a pair. For use with 57mm (2.25") bar.	0	\$992
W	301-9754	FORK, PALLET 2.36" X 6" X 60" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar	0	\$942

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

WORKTOOLS AVAILABLE THROUGH PARTS ORDERING

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

CARRIAGES AND FORKS

W	397-6838	CARRIAGE, HYD FORK POSN 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48") AVAILABLE FOR: USA & CANADA ONLY		
W	474-0135	CARRIAGE, STANDARD 60" NOT AVAILABLE IN USA & CANADA		
W	474-0136	CARRIAGE, STANDARD 72" NOT AVAILABLE IN USA & CANADA		
W	517-6817	CARRIAGE, BALE, DUAL TINE, 50"		
W	456-0454	CARRIAGE, ROTATING + FORKS Allows 360 degree rotation and includes 1200MM (48") forks		
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" One fork only, order 2 for a pair For use with 2.25" (57mm) bar AVAILABLE IN USA & CANADA ONLY		
W	497-6985	FORK, LUMBER 1.5" X 6" X 60" NOT AVAILABLE IN USA & CANADA		
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar. AVAILABLE IN USA & CANADA ONLY		
W	485-7238	FORK, EXTENSION, 75" (2") One fork only, specify qty of 2 for a pair. NOT AVAILABLE IN USA, CANADA & ANZ		
W	397-6114	FORK, EXTENSION, 90" One fork only, specify qty of 2 for a pair. AVAILABLE IN USA & CANADA ONLY		
W	509-4663	FORK, MANURE & GRAB, 90" NOT AVAILABLE TO ANZ DEALERS		

BUCKETS

W	163-4261	BUCKET, GP 1.31 CYD Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard		
W	186-5838	BUCKET-MH, 1.95 YD3 Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on edge		
W	220-4759	BUCKET, LIGHT MATERIAL 2.6 CYD Rated Capacity 2.6 cyd, Width 98" Includes bolt-on cutting edge		
W	220-4760	BUCKET, LIGHT MATERIAL 3.25CYD Rated Capacity 3.25 cyd, Width 98" Includes bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

WORKTOOLS AVAILABLE THROUGH PARTS ORDERING (Cont.)

W	220-4761	BUCKET, LIGHT MATERIAL, 3.9CYD Rated Capacity 3.9 cyd, Width 106" Includes bolt-on cutting edge		
W	474-2537	BUCKET-LP, 1.3 YD3		
W	163-4265	BUCKET-MP, 1.3 CYD Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		
W	509-4662	FORK, MANURE & GRAB, 96"		
W	509-4664	BUCKET, GRAPPLE, 90" NOT AVAILABLE IN USA AND CANADA		

OTHER WORKTOOLS

W	229-9714	ARM, MATERIAL HANDLING For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE FOR ANZ DEALERS		
W	491-9892	AUGER, X1975		
W	479-0239	TRUSS BOOM, 6' 10", 8800LB		
W	474-0144	TRUSS BOOM, 12', 2000LB		
W	456-0473	TRUSS BOOM, 13' 1", 1100LB		
W	491-9893	TRUSS BOOM, 3' WITH WINCH NOT AVAILABLE TO ANZ DEALERS		
W	483-9533	GRAPPLE, BALE HANDLER, 52" Suitable for large round/ square bales (including plastic wrapped) REQUIRES: Auxiliary hydraulics for operation		
W	456-0465	LIFTING HOOK		
W	321-0556	LIFTING HOOK Length 31.5" (800mm) Includes swivel hook and slips onto forks. AVAILABLE FOR USA AND CANADA ONLY.		
W	486-0529	HOPPER, TIPPING		
W	474-2534	MIXER, CONCRETE, 0.65 YD3		
W	343-9736	PLATFORM,FORK MOUNTED4'X8'ANSI Requires a selection of 48" Pallet Forks Includes English decals and manual AVAILABLE FOR: USA AND CANADA ONLY		
W	343-9737	PLATFORM,FORK MOUNTED 4'X8'ISO Requires a selection of 48" Pallet Forks Includes Spanish and Portuguese decals and manuals AVAILABLE FOR: USA AND CANADA ONLY		
W	343-9738	PLATFORM,FORK MOUNTED 4'X8'ISO Requires a selection of 48" Pallet Forks Includes French decals and manual AVAILABLE FOR: USA AND CANADA ONLY		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER WORKTOOLS (Cont.)

W 486-0528 BROOM, PICK UP, WIDTH 102"

PACKING

MACHINE PACKING

Must select

OG-0356	PACKING TH, COMPLETE MACHINE	0	\$388
---------	------------------------------------	---	-------