

CATERPILLAR MACHINE PRICE LIST

# TH514D

TH514D TELEHANDLER  
MEDIAS, ROMANIA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## BOOMS, STICKS, AND LINKAGES

Three section boom  
with non-metallic wear pads  
Coupler tilt angle maintained  
automatically throughout boom  
range by a compensation cylinder

## POWERTRAIN

Four section cooling pack  
Air to air charge cooler  
Engine coolant  
Hydraulic oil  
Transmission oil  
Fuel cooler  
Water separator  
Dual element air filter  
with condition indicator  
CAT powershift transmission  
Four forward, three reverse gears  
F-N-R and gear change on joystick  
Spin on engine oil filter  
Spin on hydraulic filter  
Spin on transmission filter  
Planetary drive axles with full-time,  
mechanical four-wheel drive  
Power-assisted, hydraulic braking system  
Enclosed oil disc brakes on front axle  
and rear axles  
SAHR brakes  
Limited slip differential on front axle  
Steer cylinders protected above axles  
Three steering modes: circle, crab and  
two-wheel front steer with automatic  
alignment

## HYDRAULICS

Load sensing, torque regulated variable  
flow piston pump  
Max flow 138L/min  
Max pressure 260 bar  
Electronic joystick, simultaneous and  
proportional control to all four boom  
functions  
One auxiliary hydraulic service with  
continuous flow facility  
Lock valves on all load carrying  
cylinders

## ELECTRICAL

12 volt electrical system  
120 ampere alternator  
1000 CCA maintenance-free battery  
Anti-restart key switch  
Horn  
Electronic control module  
12 volt internal power sockets  
USB charging socket  
Electronic Technician diagnostic  
connector

## OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station  
isolated on rubber mounts  
Multi function joystick  
Interactive LCD monitor  
Left and right side rear view mirrors  
Windscreen wiper washer  
Floor mat  
Steering wheel with spinner knob  
Load charts  
Fuse panel

## FLUIDS

Extended life Antifreeze -34F / -37C

## OTHER STANDARD EQUIPMENT

Stabilizer legs.  
Frame levelling.  
Integral lift and tie-down points  
Manual IT interface quick coupler  
Rear counterweight with retrieval pin

## INSTRUCTIONS

Operation and maintenance manual  
Parts manual on CD-ROM

CATERPILLAR MACHINE PRICE LIST

# TH514D

TH514D TELEHANDLER MEDIAS, ROMANIA		Ship Weight lbs	LIST PRICE AT DEALER
<b>511-4749</b>	<b>TH514D TELEHANDLER CFG1</b> . . . . . 0 LANE 3 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers		<b>\$199,510</b>

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

Currently this model is not included in the Base Order Management Program, please select Lane 3 for all orders.

0P-9003	LANE 3 ORDER . . . . .	0	NC
	Lane 3 is reserved for non-Base Orders Program		

**REGIONAL PACKAGES**

**REGIONAL PREPARATION PACKAGES**

L	515-1739 PREPARATION PACK, USA . . . . .	0	NC
---	--	---	----

**BOOMS, STICKS, AND LINKAGES**

**BOOM ARRANGEMENT**

Only available in some regions. Please select 'PLATFORM PACKAGE,NONE' if only option visible.

L	513-0826 PLATFORM PACKAGE, NONE . . . . .	0	NC
---	---	---	----

**POWERTRAIN**

**ENGINES(Engine, Cooler, Filters, Lines & Mtg)**

L	511-4816 ENGINE, TH514D, HRC . . . . .	0	NC
	Stage IV (Tier 4f) compliant		

**SECONDARY STEERING**

Only available in some regions. Please select 'STEERING, STANDARD' if only option visible.

L	560-1376 STEERING, SECONDARY . . . . .	0	\$337
	Hydraulic steering assistance in case of engine power loss		
L	560-1378 STEERING, STANDARD . . . . .	0	NC

**HYDRAULICS**

**RIDE CONTROL**

L	485-7252 RIDE CONTROL, NONE . . . . .	0	NC
L	515-3621 RIDE CONTROL . . . . .	0	\$3,265

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC LINES**

L	476-9925	<b>LINES,FRONT HYD, SGL, MAN CPLR</b> ..... 0 Select this for a SINGLE auxiliary service. An Electrical Harness can be ordered from the Lane 3 Optional section to facilitate an upgrade to a hydraulic coupler at a later date. REQUIRED BY: 515-1750 COUPLER, MANUAL, IT		NC
L	528-0163	<b>LINES,FRONT HYD, SGL, HYD CPLR</b> ..... 0 Select this for a SINGLE auxiliary service. Please note this now includes the electrical harness REQUIRED BY: 515-1751 COUPLER, HYDRAULIC, IT		\$660
L	528-0164	<b>LINES,FRONT HYD,DBLE, MAN CPLR</b> ..... 0 Select this for a DOUBLE auxiliary service. Please note this now includes the electrical harness REQUIRED BY: 515-1750 COUPLER, MANUAL, IT		\$660
L	528-0165	<b>LINES,FRONT HYD,DBLE, HYD CPLR</b> ..... 0 Select this for a DOUBLE auxiliary service. Please note this now includes the electrical harness REQUIRED BY: 515-1751 COUPLER, HYDRAULIC, IT		\$660

**COUPLERS**

L	515-1750	<b>COUPLER, MANUAL, IT</b> ..... 0 ONLY FOR USE WITH: 476-9925 LINES,FRONT HYD, SGL, MAN CPLR or 528-0164 LINES,FRONT HYD,DBLE, MAN CPLR		NC
L	515-1751	<b>COUPLER, HYDRAULIC, IT</b> ..... 0 ONLY FOR USE WITH: 528-0163 LINES,FRONT HYD, SGL, HYD CPLR or 528-0165 LINES,FRONT HYD,DBLE, HYD CPLR REQUIRED BY: PLATFORM READY PACKAGES		\$4,500

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERY ARRANGEMENT**

L	477-2597	<b>BATTERY, SINGLE, HRC</b> ..... 0		NC
L	488-9823	<b>BATTERY, DUAL</b> ..... 0		\$660
L	487-3246	<b>CLIMATE PACK, ARCTIC,110V, HRC</b> ..... 0 Includes engine block heater and dual batteries.		\$7,170

**ELECTRICAL**

**ROADING LIGHTS**

L	498-7646	<b>LIGHTS, ROADING, RH DIP</b> ..... 0 AVAILABLE FOR: USA & CANADA		\$1,000
L	508-7894	<b>LIGHTS, ROADING, NONE</b> ..... 0 AVAILABLE FOR: USA & CANADA		NC

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**AUDIBLE BACKUP ALARM**

L	485-3311	ALARM, BACK-UP, STANDARD . . . . .	0	NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE . . . . .	0	\$128

**OPERATOR ENVIRONMENT**

**CABS/ CANOPIES**

L	511-4971	CANOPY, OPEN . . . . . All canopies include: adjustable steering column, multi function joystick, interactive LCD monitor, left hand side mirror, and floor mat.	0	NC
L	511-4969	CAB, ENCLOSED . . . . . All cabs include: adjustable steering column, opening side(left) and rear windows, radio ready package, multi function joystick, interactive LCD monitor, left hand side mirror and floor mat. ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG1	0	\$4, 855

**HEATING/ AIR CONDITIONING**

Required selection for enclosed cabs only

L	523-8207	HEATER + AIR CONDITIONER . . . . . ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG1	0	\$5, 320
L	523-8209	HEATER ONLY . . . . . ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG1	0	NC

**SEATING**

L	515-1984	SEAT,FABRIC, PREMIUM . . . . . Air suspension fabric seat. ONLY FOR USE WITH: ENCLOSED CABS	0	\$690
L	476-7796	SEAT, VINYL . . . . . ONLY FOR USE WITH: OPEN CANOPY MACHINES	0	NC
L	476-7798	SEAT, FABRIC . . . . . Mechanical suspension, fabric seat. ONLY FOR USE WITH: ENCLOSED CABS	0	\$152

**SEAT BELTS**

L	229-0582	BELT, SEAT, 2" RETRACTABLE . . . . .	0	NC
L	229-0583	BELT, SEAT, 3" RETRACTABLE . . . . . REQUIRED BY: dealers from California, Oregon & British Columbia.	0	\$100

**ADDITIONAL IN CAB DISPLAY**

THE 515-1856 MONITOR MUST BE SELECTED ON MACHINES FITTED WITH LMIS OR IF A PARKING CAMERA IS REQUIRED

L	515-1856	MONITOR, ADVANCED DISPLAY . . . . . REQUIRED BY MACHINES FITTED WITH LMIS AS SELECTED FROM RIDE CONTROL/ LMIS SECTION OR IF A PARKING CAMERA IS TO BE SELECTED.	0	\$2, 395
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**ADDITIONAL IN CAB DISPLAY (Cont.)**

L	476-5226	MONITOR, NONE	0	NC
---	----------	---------------	---	----

**STEERING COLUMN CONTROLS**

This selection allows for additional FORWARD/NEUTRAL/REVERSE (FNR) controls on the steering column and/or a wiper/indicator stalk

L	516-6947	FNR NONE, WITH WIPERS/IND	0	NC
L	487-3911	FNR, STICK + COLUMN + WIPERS/IND	0	\$252
L	487-3910	FNR, STICK + COLUMN NO WIPERS/IND	0	\$252
L	515-3508	FNR NONE, WITHOUT WIPERS/IND	0	NC

ONLY FOR USE WITH: OPEN CANOPY WITHOUT ROADING LIGHTS

**ROOF SUN SCREEN**

The Roof Sun Screen is only available on machines with an enclosed cab

L	477-1403	SUN SCREEN, ROOF	0	\$133
L	515-9736	SUN SCREEN, ROOF, NONE	0	NC

CANNOT BE USED WITH: OPEN CANOPY MACHINES  
REQUIRED BY: OPEN CANOPY MACHINES

**CAB HEADLINER**

Radio Ready is only available on machines with an enclosed cab

L	487-3924	HEADLINER, RADIO READY	0	\$191
L	473-6844	HEADLINER, STANDARD	0	NC

CANNOT BE USED WITH: OPEN CANOPY MACHINES  
REQUIRED BY: OPEN CANOPY MACHINES

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK PREPARATION**

This selection provides all the connections required to add Product Link to the machine.

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions.

L	501-3002	PRODUCT LINK READY, A/C	0	\$268
L	501-3003	PRODUCT LINK READY	0	\$268

ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1 and CAB WITH HEATING AND AIR CONDITIONING  
ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1 and OPEN CANOPY OR CAB WITH HEATING ONLY

CATERPILLAR MACHINE PRICE LIST

**TH514D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

Please select one

**Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.**

**TIRES AVAILABLE FROM GOODYEAR**

P	523-8905	TIRES, 14.00-24, GY, SGG-2A,FF . . . . . 0		\$5,490
		Goodyear Sure Grip Grader (SGG) 14.00x24, 16 ply rating. A biased tire with directional tread, having precision angled bars for longer wear and maximum traction in soft soils. With foam fill for puncture protection		
P	453-5950	TIRES, 14.00X25, 16PLY, GY, SGG . . . . . 0		\$2,750
		Goodyear Sure Grip Grader (SGG) 14.00x25, 16 ply rating. A biased tire with directional tread, having precision angled bars for longer wear and maximum traction in soft soils.		

**TIRES AVAILABLE FROM MITAS**

P	514-4879	TIRES, 14.00-24, MT, TG02 . . . . . 0		NC
		Mitas 14.00-24 16ply. Directional tires for good grip in soft ground and good wear resistance in hard ground.		

**OTHER ATTACHMENTS**

**FENDERS**

Must select for all regions outside USA.  
This is an Optional Selection within the USA.

L	515-1904	FENDERS, CANOPY, SET OF FOUR . . . . . 0		\$2,105
L	515-1905	FENDERS, CAB, SET OF FOUR . . . . . 0		\$2,105
L	486-3475	FENDER, CANOPY, SINGLE . . . . . 0		NC
L	486-3476	FENDER, CAB, SINGLE . . . . . 0		NC

**CAB WORKLIGHTS**

Must select for all regions outside the USA & Canada  
This is an Optional Selection within the USA and Canada  
PLEASE NOTE: IF REQUIRED, A ROTATING/STROBE BEACON MUST BE SELECTED FROM THE 'LANE 3 OPTIONAL' SECTION

L	516-7806	WORKLIGHTS, NO A/C . . . . . 0		\$1,005
		ONLY FOR USE WITH: OPEN CANOPY MACHINES OR CABS WITH HEATING ONLY		
L	566-6870	WORKLIGHTS, LED, NO A/C . . . . . 0		\$1,220
		ONLY FOR USE WITH: OPEN CANOPY MACHINES OR CABS WITH HEATING ONLY		

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

***CAB WORKLIGHTS (Cont.)***

L	516-7805	WORKLIGHTS, A/C COMPATIBLE . . . . .	0	\$1,005
		ONLY FOR USE WITH: CABS WITH AIR CONDITIONING		
L	566-6864	WORKLIGHTS,LED, A/C COMPATIBLE . . . . .	0	\$1,220
		ONLY FOR USE WITH: CABS WITH AIR CONDITIONING		

***ROOF WIPER***

Must select for all regions outside USA/CANADA

L	503-1675	WASHER/WIPER, ROOF . . . . .	0	\$595
---	----------	------------------------------	---	-------

**DOCUMENTATION**

***REGIONAL REFERENCE***

	0G-0632	TH514D NORTH AMERICAN ORDER . . . . .	0	NC
--	---------	---------------------------------------	---	----

**INSTRUCTIONS**

***OPERATION AND MAINTENANCE MANUAL***

	500-6394	MANUAL, OPER. MAINT. ENGLISH . . . . .	0	NC
	500-6424	MANUAL, OPER. MAINT. SPANISH . . . . .	0	NC



CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**NOTE**

**MISCELLANEOUS ORDERS**

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

**ELECTRICAL**

**ROTATING BEACON**

P	495-7659	BEACON, ROTATING . . . . .	0	\$276
		REQUIRED BY: ITALIAN DEALERS. UK/IRELAND DEALERS		

P	566-6781	BEACON, LED STROBE . . . . .	0	\$359
---	----------	------------------------------	---	-------

**SEPARATE FOGLIGHT SWITCH**

When roading lights have been selected, this permits independant control of the fog lights

L	519-3824	FOGLIGHTS, SEPARATE SWITCH . . . . .	0	\$19
---	----------	--------------------------------------	---	------

**BLOCK HEATERS**

Please note, these are included in all Climate Packs

L	476-9802	HEATER,ENGINE BLOCK, 110V . . . . .	0	\$223
		Engine block heater for additional cold weather startability. ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1		

**OPERATOR ENVIRONMENT**

**ADDITIONAL CAB OPTIONS**

L	477-3290	WINDOW, REAR, EXT RELEASE . . . . .	0	\$111
---	----------	-------------------------------------	---	-------

L	551-5223	SUN VISOR, FRONT SCREEN . . . . .	0	\$133
---	----------	-----------------------------------	---	-------

**REVERSING AIDS**

L	477-0639	REVERSING, SENSOR . . . . .	0	\$1,960
---	----------	-----------------------------	---	---------

L	477-0671	REVERSING, CAMERA . . . . .	0	\$408
		REQUIRES: HIGH END DISPLAY MONITOR		

**SAFETY AND SECURITY**

**LOCKS**

P	503-6003	LOCKS, SET OF FOUR . . . . .	0	\$131
		Set of three, Caterpillar padlocks and keys		

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

**SPARE TIRES**

Please order as 'Not-Installed'

P	311-8250	TIRE, SPARE, 14.0X24 TG02,MTS . . . . . 0		\$1,705 NI
		ONLY FOR USE WITH: 514-4879 TIRES, 14.00-24, MT, TG02		
P	311-8253	TIRE, SPARE, 14.0X24 SGG, GY . . . . . 0		\$2,430 NI
		ONLY FOR USE WITH: 453-5950 TIRES,14.00X25, 16PLY, GY, SGG		
P	388-7686	TIRE, SPARE, 14.0X24 SGG, FOAM . . . . . 0		\$5,490 NI
		ONLY FOR USE WITH: 523-8905 TIRES, 14.00-24, GY, SGG-2A,FF		

**GUARDS**

P	471-9523	BRICK GUARD, FRONT SCREEN . . . . . 0		\$1,385
P	472-0940	BRICK GUARD, ROOF . . . . . 0		\$1,450

**OTHER ATTACHMENTS**

**TOOL BOX**

P	477-0025	TOOLBOX . . . . . 0		\$240
---	----------	---------------------	--	-------

**BOOM BRUSH**

L	485-7254	BOOM BRUSH . . . . . 0		\$720
---	----------	------------------------	--	-------

**ELECTRICAL HARNESS**

Can be ordered with a manual coupler and single aux lines to facilitate an upgrade to a hydraulic coupler at a later date

L	487-4978	ELECTRICAL HARNESS, COUPLER. . . . . 0		\$660
---	----------	--	--	-------

**REMOTE GREASING**

Required within the EU, optional outside the EU

L	524-6107	REMOTE GREASE SYSTEM . . . . . 0		\$50
---	----------	----------------------------------	--	------

**FRONT LICENSE PLATE**

L	518-2673	LICENSE PLATE, FRONT, GUARD . . . . . 0		NC
		ONLY FOR USE WITH: 471-9523 BRICK GUARD, FRONT SCREEN or 472-0940 BRICK GUARD, ROOF		
L	518-2674	LICENSE PLATE, FRONT, NO GUARD . . . . . 0		NC
		CANNOT BE USED WITH: ANY BRICK GUARD		

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

## WORK TOOLS

### CARRIAGES AND PLATFORMS

FOR USE WITH CATERPILLAR IT COUPLERS ONLY  
Carriages must be ordered as 'installed' unless a platform is also required.

W	301-9757	CARRIAGE, STANDARD 50" . . . . .	0	\$1,697
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,697 NI
W	500-4475	CARRIAGE, STANDARD, 60" . . . . .	0	\$1,849
		60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,849 NI
W	301-9758	CARRIAGE, STANDARD 72" . . . . .	0	\$1,861
		72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$1,861 NI
W	341-3590	CARRIAGE, SIDE TILT 48" . . . . .	1,040	\$5,432
		48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft	1,040	\$5,432 NI
		4" (102mm) travel to each side of center		
W	474-0140	CARRIAGE, SIDE TILT/ROTATE 72" . . . . .	984	\$5,694
		72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	984	\$5,694 NI
W	474-0141	CARRIAGE, SIDE SHIFT, 48" . . . . .	0	\$6,772
		48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$6,772 NI
		Maximum side shift of carriage is 4" (100mm) each way for a total of 8"		
W	375-6292	CARRIAGE, SIDE TILT, 50" . . . . .	0	\$4,026
			0	\$4,026 NI
W	375-6293	CARRIAGE, SIDE TILT, 72" . . . . .	0	\$4,349
			0	\$4,349 NI

### PALLET FORKS

Order as 'installed'  
Attaches to a carriage which must also be selected.

W	311-2854	FORK, DUAL TAPER 2" X 6" X 72" . . . . .	0	\$992
		One fork only, specify qty of 2 for a pair.		
		For use with 2.25" (57mm) bar.		
W	301-9755	FORK, PALLET 2.36" X 4" X 48" . . . . .	0	\$568
		One fork only, specify qty of 2 for a pair.		
		For use with 2.25" (57mm) bar.		
W	301-9753	FORK, PALLET 2.36" X 5" X 48" . . . . .	0	\$665
		One fork only, specify qty of 2 for a pair.		
		For use with 2.25" (57mm) bar.		
W	301-9754	FORK, PALLET 2.36" X 6" X 60" . . . . .	0	\$942
		One fork only, specify qty of 2 for a pair.		
		For use with 2.25" (57mm) bar		

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

**WORKTOOLS AND KITS AVAILABLE THROUGH PARTS ORDERING**

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

**CARRIAGES AND FORKS**

W	397-6838	<b>CARRIAGE, HYD FORK POSN 50"</b> 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")		
W	456-0454	<b>CARRIAGE, ROTATING + FORKS</b>		
W	318-9222	<b>CARRIAGE, SWING 100 DEGREES</b> 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft		
W	341-3591	<b>CARRIAGE, SWING 180 DEGREES</b> . . . . . 2,068 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft 180 degree of travel side to side		\$17,931
W	323-5737	<b>FORK, LUMBER 1.5" X 6" X 60"</b> One fork only, order 2 for a pair For use with 2.25" (57mm) bar AVAILABLE FOR: USA and Canada only		
W	301-9756	<b>FORK, LUMBER 1.75 X 7 X 60"</b> One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar. AVAILABLE FOR: USA and Canada only		
W	301-9752	<b>FORK, CUBING 2" X 2" X 48"</b>		
W	397-6114	<b>FORK, EXTENSION, 90"</b> One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: FORK, LUMBER 1.75" X 7" X 60" or FORK, PALLET 2.36" X 6" X 60" or FORK, DUAL TAPER 2" X 6" X 72" AVAILABLE FOR: USA and Canada only		

**BUCKETS**

W	503-0261	<b>BUCKET-GP, 1.3 YD3</b>		
W	474-0148	<b>BUCKET-GP, 2.0 YD3</b>		
W	220-4759	<b>BUCKET, LIGHT MATERIAL 2.6 CYD</b> Rated Capacity 2.6 cyd, Width 98" Includes bolt-on cutting edge		
W	474-2537	<b>BUCKET-LP, 1.3 YD3</b> Low profile, dirt bucket		
W	474-0142	<b>BUCKET-GP, GRAPPLE, 1.7 YD3</b> AVAILABLE FOR: USA and Canada only		

**OTHER WORKTOOLS**

CATERPILLAR MACHINE PRICE LIST

# TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

***WORKTOOLS AND KITS AVAILABLE THROUGH PARTS ORDERING (Cont.)***

W	343-9736	<b>PLATFORM,FORK MOUNTED4'X8'ANSI</b> Requires a selection of 48" Pallet Forks Includes English Decals AVAILABLE FOR: USA ONLY		
W	343-9737	<b>PLATFORM,FORK MOUNTED 4'X8'ISO</b> Requires a selection of 48" Pallet Forks AVAILABLE FOR: DEALERS OUTSIDE USA AND CANADA		
W	343-9738	<b>PLATFORM,FORK MOUNTED 4'X8'ISO</b> Requires a selection of 48" Pallet Forks Includes English/ Fench Decals AVAILABLE FOR: CANADA ONLY		
W	229-9714	<b>ARM, MATERIAL HANDLING</b> For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE TO ANZ DEALERS		
W	474-0144	<b>TRUSS BOOM, 12', 2000LB</b>		
W	456-0473	<b>TRUSS BOOM, 13'1", 1100LB</b>		
W	474-0145	<b>TRUSS BOOM, 15', 2000LB</b>		
W	474-2534	<b>MIXER, CONCRETE, 0.65 YD3</b>		
W	486-0528	<b>BROOM, PICK UP, WIDTH 102"</b>		
W	486-0529	<b>HOPPER, TIPPING</b>		
W	456-0465	<b>LIFTING HOOK</b>		
W	491-9893	<b>TRUSS BOOM, 3' WITH WINCH</b> NOT AVAILABLE TO ANZ DEALERS		
W	474-0147	<b>TRUSS BOOM,12', 2000LB, WINCH</b> NOT AVAILABLE TO ANZ DEALERS		
W	491-9892	<b>AUGER, X1975</b>		
W	513-5013	<b>BIT, AUGER, 6"</b>		
W	513-5014	<b>BIT, AUGER, 9"</b>		
W	513-5015	<b>BIT, AUGER, 12"</b>		
W	513-5016	<b>BIT, AUGER, 15"</b>		
W	513-5017	<b>BIT, AUGER, 18"</b>		
W	513-5018	<b>BIT, AUGER, 24"</b>		
W	513-5019	<b>BIT, AUGER, 36"</b>		

CATERPILLAR MACHINE PRICE LIST

# TH514D

---

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

---

**PACKING**

***MACHINE PACKING***

Please select

OG-0356	PACKING TH, COMPLETE MACHINE .....	0	\$388
---------	------------------------------------	---	-------