

CATERPILLAR MACHINE PRICE LIST

# TL1055D

TL1055D TELEHANDLER  
MCCONNELLSBURG, PA, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## BOOMS, STICKS, AND LINKAGES

Four section boom  
with non-metallic wear pads  
Automatic vertical lift

## POWERTRAIN

4 Speed Powershift Transmission  
Hydraulically driven fan  
Radiator Cores  
Side by side engine air  
Engine oil  
Hydraulic oil and coolant  
Water separator  
Dual element air filter  
Spin on engine oil filter  
Spin on Hydraulic oil filter  
Planetary drive axles with full time  
four wheel drive  
Limited slip differential  
Wet disc service brakes  
Spring Applied Hydraulic Release (SAHR)  
park brake w/indicator light  
Thermal starting aid

## HYDRAULICS

Variable Displacement Piston Pump  
Max auxiliary flow 95 L/min (25 gpm)  
Max pressure 260 bar  
Load hold check valves on all load  
carrying cylinders  
Auxiliary hydraulic service on the  
boom head - single function  
CAT XT3 hoses, couplings

## ELECTRICAL

12 volt electrical socket  
75 ampere alternator  
1000 CCA maintenance-free battery  
Horn

## OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station  
isolated on rubber mounts  
Boom joystick  
Stabilizer levers  
Frame level switch  
Fully adjustable vinyl suspension seat  
Seat belt & document pouch  
Left & right-side rear-view mirror  
Power steering with steering wheel  
Load charts  
Heavy duty floor mat  
Fuse panel

## OTHER STANDARD EQUIPMENT

Stabilizer legs  
Integral lift and tie-down points  
Stabilizers/ Outriggers

## INSTRUCTIONS

Operation and maintenance manual



CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9003	LANE 3 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**REGIONAL PACKAGES**

***REGIONAL PREPARATION PACKAGES***

L	568-7354	PREPARATION PACK, AM-N . . . . .	0	NC
---	----------	----------------------------------	---	----

**SPECIAL ARRANGEMENTS**

***AXLES***

L	474-7325	AXLE, STANDARD . . . . .	0	NC
---	----------	--------------------------	---	----

***STEERING***

L	487-9823	STEERING, SECONDARY . . . . .	0	\$447
		Hydraulic steering assistance in case of engine power loss		
L	487-9822	STEERING, STANDARD . . . . .	0	NC

**HYDRAULICS**

***RIDE CONTROL***

W	561-9276	RIDE CONTROL . . . . .	0	\$2,935
		Intelligent boom suspension, includes float position.		
L	474-6085	RIDE CONTROL, NONE . . . . .	0	NC

**STARTERS, BATTERIES, & ALTERNATORS**

***CLIMATE PACK - Includes battery selection***

L	474-9111	CLIMATE PACK, STANDARD . . . . .	0	NC
		For use with 488-1398 TL1055D HRC		
L	474-9112	CLIMATE PACK, COLD WEATHER . . . . .	0	\$7,230
		Includes: Artic hydraulic and engine oils, dual heavy duty battery case insulation and heating components for the oil pan, batteries, OCV and hydraulic tank.		
		REQUIRES: Heater, Engine Block		
		ONLY FOR USE WITH: 488-1398 TL1055D HRC		

***ENGINE BLOCK HEATER***

Required only if Cold Weather Climate Pack selected above, optional on all other machines.

L	472-2400	HEATER, ENGINE BLOCK, 110V . . . . .	0	\$227
		ONLY FOR USE WITH: 488-1398 TL1055D HRC		

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CANOPY/CAB**

L	477-0003	CANOPY, OPEN . . . . .	0	NC
		ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC		
L	477-0002	CAB, ENCLOSED . . . . .	0	\$4,620
		ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC		

**WINDOWS**

Please select one with an enclosed cab  
NOTE: The open canopy option includes a standard rear window

L	473-8558	WINDOW, REAR, STANDARD . . . . .	0	NC
L	553-9349	WINDOW,REAR, EXT RELEASE, ANSI . . . . .	0	\$115

**HEATER AND AIR CONDITIONER**

Please select one with an enclosed cab  
Cannot be used on machines with an open canopy

L	474-7332	ENVIRONMENTAL CONTROL,AIR CON . . . . .	0	\$5,530
		Provides heating and air conditioning for an enclosed cab ONLY FOR USE WITH: 488-1398 TL1055D HRC		
L	474-7333	ENVIRONMENTAL CONTROL, HEATER . . . . .	0	NC
		Provides heating only for an enclosed cab ONLY FOR USE WITH: 488-1398 TL1055D HRC		

**SEAT BELT**

Select if required

L	229-0583	BELT, SEAT, 3" RETRACTABLE . . . . .	0	\$100
		Select to upgrade to a 3" seat belt.		

**ADDITIONAL IN CAB DISPLAY**

L	476-5226	MONITOR, NONE . . . . .	0	NC
L	479-4531	MONITOR, ADVANCED DISPLAY . . . . .	0	\$2,395
		This display includes inegrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. Please order this if REVERSING, CAMERA is required		

**ROADING LIGHTS - Select if required**

Package includes front headlights (right hand dip), rear taillights,  
turn and hazard signals.

L	474-9146	LIGHTS, ROADING, RH . . . . .	0	\$1,770
---	----------	-------------------------------	---	---------

**MANUAL FORWARD/NEUTRAL/REVERSE CONTROLS**

L	472-7834	LEVER, MANUAL, FNR . . . . .	0	NC
		For use ON machines with an OPEN CANOPY but without ROADING LIGHTS ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC		

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**MANUAL FORWARD/NEUTRAL/REVERSE CONTROLS (Cont.)**

L	472-7832	LEVER, MANUAL, FNR/WIPERS/IND . . . . . 0		NC
		For use on machines with an OPEN CANOPY plus ROADING LIGHTS Required with all ENCLOSED CABS ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC		

**BACKUP ALARM**

L	485-3311	ALARM, BACK-UP, STANDARD . . . . . 0		NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE . . . . . 0		\$128
		White noise alarm, 97dB		

**ROOF SUN BLIND**

L	477-1403	SUN SCREEN, ROOF . . . . . 0		\$133
L	515-9736	SUN SCREEN, ROOF, NONE . . . . . 0		NC

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

**TIRES AVAILABLE FROM CONTINENTAL**

P	559-6978	TIRES, 360/85-28, CT, SOLID . . . . . 0		\$12,740
		Solid tires for flat free operation, rigidity and durability		

**TIRES AVAILABLE FROM FIRESTONE**

P	464-8002	TIRES, 400/75-28, FS, MT, FOAM . . . . . 0		\$6,010
		Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces. With foam fill for puncture protection		
P	464-8004	TIRES, 14.00-24, FS, G2, FOAM . . . . . 0		\$6,010
		Tires are 12-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing. With foam fill for puncture protection		

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

***TIRES AVAILABLE FROM FIRESTONE (Cont.)***

P	464-7016	TIRES, 400/75-28, FS, MT . . . . . 0		NC
		Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.		
P	486-8860	TIRES, 14.00-24, FS, G2 . . . . . 0		\$-1,160
		Tires are 16-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.		

**OTHER ATTACHMENTS**

***FENDERS***

L	474-6064	FENDER, FRONT . . . . . 0		NC
L	506-6192	FENDERS, SET OF FOUR . . . . . 0		\$2,230

**QUICK COUPLERS**

L	474-7326	COUPLER, MANUAL, IT . . . . . 0		NC
L	474-7327	COUPLER, HYDRAULIC, IT . . . . . 0		\$4,680

***ELECTRICAL HARNESS***

This is required with a hydraulic coupler but optional with a manual coupler.

L	474-4122	ELECTRICAL HARNESS, COUPLER. . . . . 0		\$685
		REQUIRED BY: HYDRAULIC COUPLER		

**DOCUMENTATION**

***LOADCHARTS***

Please select one unless ordering a Display Monitor

L	510-4037	LOADCHART, NACD, TL1055D . . . . . 0		NC
		This information is included with the Display Monitor		

***REGIONAL REFERENCE***

	0G-0507	TL1055D NORTH AMERICAN ORDER . . . . . 0		NC
--	---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**INSTRUCTIONS**

**INSTRUCTION DECAL SETS**

SELECT ONE

L	472-7789	INSTRUCTIONS, ANSI .....	0	NC
---	----------	--------------------------	---	----

**OPERATION AND MAINTENANCE MANUAL**

SELECT ONE

	478-8639	MANUAL, OPER. MAINT. ENGLISH .....	0	NC
--	----------	------------------------------------	---	----

	478-8642	MANUAL, OPER. MAINT. SPANISH .....	0	NC
--	----------	------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**NOTE**

**LANE 3 OPTIONAL SELECTIONS**

**MISCELLANEOUS ORDERS**

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

**ELECTRICAL**

**WORK LIGHTS**

L	479-2701	<b>WORKLIGHTS, NO A/C</b> . . . . . 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,635
L	566-6817	<b>WORKLIGHTS, LED, NO A/C</b> . . . . . 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,600
L	479-2700	<b>WORKLIGHTS, A/C COMPATIBLE</b> . . . . . 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. ONLY FOR USE WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,635
L	566-6803	<b>WORKLIGHTS,LED, A/C COMPATIBLE</b> . . . . . 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING		\$1,600
L	472-7841	<b>BEACON, ROTATING</b> . . . . . 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$287
L	566-6781	<b>BEACON, LED STROBE</b> . . . . . 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$359

**OPERATOR ENVIRONMENT**

**USB CHARGING POINT**

L	500-4484	<b>USB CHARGING POINT</b> . . . . . 0		\$62
---	----------	---------------------------------------	--	------



CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK READY ARRANGEMENT**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions. These packages contain everything necessary to connect Product Link equipment to this machine. The equipment itself is available from Parts Ordering.

L	501-3004	PRODUCT LINK READY, A/C . . . . . 0		\$274
		ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC and 474-7332 ENVIRONMENTAL CONTROL,AIR CON		
L	501-3005	PRODUCT LINK READY . . . . . 0		\$274
		REQUIRES: 474-6078 ROOF CAP ONLY FOR USE WITH: 488-1398 TL1055D TELEHANDLER HRC and 477-0003 CANOPY, OPEN or 474-7333 ENV CNTRL, HEATER		

**GUARDS**

**ROOF CAP**

L	474-6078	ROOF CAP . . . . . 0		\$183
		REQUIRED BY: 479-2701 WORKLIGHTS, NO A/C 566-6817 WORKLIGHTS, LED, NO A/C 501-3005 PRODUCT LINK READY 501-3007 PRODUCT LINK READY, LRC		

**BRICK GUARDS**

P	471-9523	BRICK GUARD, FRONT SCREEN . . . . . 0		\$1,385
P	472-0940	BRICK GUARD, ROOF . . . . . 0		\$1,450

**OTHER ATTACHMENTS**

**WASHER/WIPER SYSTEM**

Only available on enclosed cabs.  
Please note, while the rear washer/wiper may be ordered alone, the roof washer wiper can only be ordered together with the rear washer/wiper.

L	471-6158	WASHER/WIPER, REAR . . . . . 0		\$428
L	497-5480	WASHER/WIPER, ROOF . . . . . 0		\$745
		REQUIRES: 471-6158 WASHER/WIPER, REAR		

**BOOM BRUSH**

L	474-6070	BOOM BRUSH . . . . . 0		\$1,115
---	----------	------------------------	--	---------

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REVERSING AIDS**

L	510-4756	REVERSING, SENSOR, USA . . . . .	0	\$1,960
L	474-9845	REVERSING, CAMERA. . . . . REQUIRES: MONITOR, ADVANCED DISPLAY	0	\$424

**LOCKS**

P	479-6044	LOCKS, SET OF FOUR . . . . .	0	\$142
---	----------	------------------------------	---	-------

**WHEEL CHOCK**

P	550-9000	WHEEL CHOCK . . . . . CANNOT BE USED WITH: 550-9102 TOOL BOX	0	\$225
---	----------	---	---	-------

**TOOL BOX**

P	550-9102	TOOL BOX . . . . . CANNOT BE USED WITH: 550-9000 WHEEL CHOCK	0	\$398
---	----------	---	---	-------

**WORK TOOLS**

**CARRIAGES**

Please order as installed

W	474-2531	CARRIAGE, STANDARD 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,040
W	474-2532	CARRIAGE, STANDARD 72" . . . . . 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,239
W	474-0141	CARRIAGE, SIDE SHIFT, 48" . . . . . 48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$6,772
W	309-4315	CARRIAGE, SIDE TILT/ROTATE 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	838	\$3,825
W	309-4316	CARRIAGE, SIDE TILT/ROTATE 72" . . . . . 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	984	\$5,208
W	318-9222	CARRIAGE, SWING 100 DEGREES . . . . . 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft	1,995	\$8,008
W	341-3591	CARRIAGE, SWING 180 DEGREES . . . . . 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft 180 degree of travel side to side	2,068	\$17,931
W	397-6838	CARRIAGE, HYD FORK POSN 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM(2.36"X5"X60")or 567-1247 FORK, PALLET,60x125x1829mm (2.36"X5"X72")	0	\$9,078
W	555-1350	CARRIAGE, HYD FRK POSN, 50" . . . . . Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM(2.36"X5"X60")or 567-1247 FORK, PALLET,60x125x1829mm (2.36"X5"X72")	0	\$7,239

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**CARRIAGES (Cont.)**

W	555-1351	CARRIAGE, HYD FRK POSN, 72" . . . . . 0		\$8,260
		Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM(2.36"X5"X60")or 567-1247 FORK, PALLET,60x125x1829mm (2.36"X5"X72")		

**PLATFORM, FORK MOUNTED**

Attaches to a carriage which must also be selected

W	343-9736	PLATFORM,FORK MOUNTED4'X8'ANSI . . . . . 0		\$3,432
		Requires a selection of 48" Pallet Forks Includes English Decals		

**FORKS**

Please order as "installed".  
Attaches to a carriage which must also be selected.  
Unless stated, order must specify a quantity of 2 forks

W	301-9752	FORK, CUBING 2" X 2" X 48" . . . . . 76		\$404
		One fork only, specify qty of 2 for a pair. This fork is also available in a quantity of six.		
W	301-9755	FORK, PALLET 2.36" X 4" X 48" . . . . . 0		\$568
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9753	FORK, PALLET 2.36" X 5" X 48" . . . . . 0		\$665
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9754	FORK, PALLET 2.36" X 6" X 60" . . . . . 0		\$942
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" . . . . . 262		\$1,240
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	311-2854	FORK, DUAL TAPER 2" X 6" X 72" . . . . . 0		\$992
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	550-9930	FORK, PALLET, 2.36 X 5 X 60 . . . . . 0		\$772
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: 397-6838 CARRIAGE, HYD FORK POSN 50" or 555-1350 CARRIAGE, HYD FORK POSN, 50" or 555-1351 CARRIAGE, HYD FORK POSN, 72"		
W	567-1247	FORK, PALLET 2.36" X 5" X 72" . . . . . 0		\$1,119
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: 397-6838 CARRIAGE, HYD FORK POSN 50" or 555-1350 CARRIAGE, HYD FORK POSN, 50" or 555-1351 CARRIAGE, HYD FORK POSN, 72"		
W	397-6114	FORK, EXTENSION, 90" . . . . . 0		\$849
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: FORK, LUMBER 1.75" X 7" X 60" or FORK, PALLET 2.36" X 6" X 60" or FORK, DUAL TAPER 2" X 6" X 72"		

CATERPILLAR MACHINE PRICE LIST

**TL1055D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

**ATTACHMENTS AND WORKTOOLS AVAILABLE THROUGH PARTS ORDERING**

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER

W	169-3945	<b>TRUSS BOOM</b> Length 13'2" (4 meters) Rated Capacity 1100lb (500kg) Includes swivel hook		
W	474-0144	<b>TRUSS BOOM, 12', 2000LB</b>		
W	474-0145	<b>TRUSS BOOM, 15', 2000LB</b>		
W	491-9893	<b>TRUSS BOOM, 3' WITH WINCH</b>		
W	474-0147	<b>TRUSS BOOM, 12', 2000LB, WINCH</b>		
W	229-9714	<b>ARM, MATERIAL HANDLING</b> For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE FOR ANZ DEALERS		
W	169-6460	<b>HOOK, LIFTING</b> Length 19.7 in (500mm) Includes swivel hook		
W	486-0529	<b>HOPPER, TIPPING</b>		
W	486-0528	<b>BROOM, PICK UP, WIDTH 102"</b>		
W	486-0526	<b>CARRIAGE, PIPE AND POLE, IT</b>		
W	474-0139	<b>CARRIAGE, STANDARD, 60"</b>		
W	474-0148	<b>BUCKET-GP, 2.0 YD3</b>		
W	474-0142	<b>BUCKET-GP, GRAPPLE, 1.7 YD3</b>		
W	163-4261	<b>BUCKET, GP 1.31 CYD</b> Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard		
W	186-5838	<b>BUCKET-MH, 1.95 YD3</b> Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on edge		
W	163-4265	<b>BUCKET-MP, 1.3 CYD</b> Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		

**PACKING**

**MACHINE PACKING**

Must Select

OP-3714	PACK, ROLL ON/ROLL OFF, TL	0	NC
---------	----------------------------	---	----