

CATERPILLAR MACHINE PRICE LIST

TL1255D

TL1255D TELEHANDLER
MCCONNELLSBURG, PA, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Four section boom
with non-metallic wear pads
Automatic vertical lift

POWERTRAIN

4 Speed Powershift Transmission
Hydraulically driven fan
Radiator Cores
Side by side engine air
Engine oil
Hydraulic oil and coolant
Water separator
Dual element air filter
Spin on engine oil filter
Spin on Hydraulic oil filter
Planetary drive axles with full time
four wheel drive
Limited slip differential
Wet disc service brakes
Spring Applied Hydraulic Release (SAHR)
park brake w/indicator light
Thermal starting aid

HYDRAULICS

Variable Displacement Piston Pump
Max auxiliary flow 95 L/min (25 gpm)
Max pressure 260 bar
Load hold check valves on all load
carrying cylinders
Auxiliary hydraulic service on the
boom head - single function
CAT XT3 hoses, couplings

ELECTRICAL

12 volt electrical socket
75 ampere alternator
1000 CCA maintenance-free battery
Horn

OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station
isolated on rubber mounts
Boom joystick
Stabilizer levers
Frame level switch
Fully adjustable vinyl suspension seat
Seat belt & document pouch
Left & right-side rear-view mirror
Power steering with steering wheel
Load charts
Heavy duty floor mat
Fuse panel

OTHER STANDARD EQUIPMENT

Stabilizer legs
Integral lift and tie-down points
Stabilizers/ Outriggers

INSTRUCTIONS

Operation and maintenance manual

CATERPILLAR MACHINE PRICE LIST

TL1255D

TL1255D TELEHANDLER
MCCONNELLSBURG, PA, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

488-1400 **TL1255D TELEHANDLER HRC** 0 **\$232,010**
LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY
Available for ADSD-N and ADSD-S (Puerto Rico only)
Includes: CAT C4.4,106kW (142.1 hp) Tier 4f Engine

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	0P-9003	LANE 3 ORDER	0	NC
--	---------	------------------------	---	----

REGIONAL PACKAGES

REGIONAL PREPARATION PACKAGES

L	568-7356	PREPARATION PACK, AM-N	0	NC
---	----------	----------------------------------	---	----

SPECIAL ARRANGEMENTS

AXLES

L	474-7325	AXLE, STANDARD	0	NC
---	----------	--------------------------	---	----

STEERING

L	487-9823	STEERING, SECONDARY	0	\$447
		Hydraulic steering assistance in case of engine power loss		
L	487-9822	STEERING, STANDARD	0	NC

HYDRAULICS

RIDE CONTROL

W	561-9295	RIDE CONTROL	0	\$2,935
		Intelligent boom suspension, includes float position.		
L	474-6085	RIDE CONTROL, NONE	0	NC

STARTERS, BATTERIES, & ALTERNATORS

CLIMATE PACK - Includes battery selection

L	474-9111	CLIMATE PACK, STANDARD	0	NC
		ONLY FOR USE WITH: 488-1400 TL1255D HRC		
L	474-9112	CLIMATE PACK, COLD WEATHER	0	\$7,230
		Includes: Artic hydraulic and engine oils, dual heavy duty battery case insulation and heating components for the oil pan, batteries, OCV and hydraulic tank.		
		REQUIRES: HEATER, ENGINE BLOCK		
		ONLY FOR USE WITH: 488-1400 TL1255D HRC		

ENGINE BLOCK HEATER

Required only if Cold Weather Climate Pack selected above, optional on all other machines.

L	472-2400	HEATER, ENGINE BLOCK, 110V	0	\$227
		ONLY FOR USE WITH: 488-1400 TL1255D HRC		

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CANOPY/CAB

L	477-0003	CANOPY, OPEN	0	NC
		ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC		
L	477-0002	CAB, ENCLOSED	0	\$4,620
		ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC		

WINDOWS

Please select one with an enclosed cab
NOTE: The open canopy option includes a standard rear window

L	473-8558	WINDOW, REAR, STANDARD	0	NC
L	553-9349	WINDOW, REAR, EXT RELEASE, ANSI	0	\$115

HEATER AND AIR CONDITIONER

Please select one with an enclosed cab
Cannot be used on machines with an open canopy

L	474-7332	ENVIRONMENTAL CONTROL, AIR CON	0	\$5,530
		Provides heating and air conditioning for an enclosed cab ONLY FOR USE WITH: 488-1400 TL1255D HRC		
L	474-7333	ENVIRONMENTAL CONTROL, HEATER	0	NC
		Provides heating only for an enclosed cab ONLY FOR USE WITH: 488-1400 TL1255D HRC		

SEAT BELT

Select if required

L	229-0583	BELT, SEAT, 3" RETRACTABLE	0	\$100
		Select to upgrade to a 3" seat belt.		

ADDITIONAL IN CAB DISPLAY

L	476-5226	MONITOR, NONE	0	NC
L	479-4531	MONITOR, ADVANCED DISPLAY	0	\$2,395
		This display includes integrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. REQUIRED BY: 474-9845 REVERSING, CAMERA		

ROADING LIGHTS - Select if required

Package includes front headlights (right hand dip), rear taillights, turn and hazard signals.

L	474-9146	LIGHTS, ROADING, RH	0	\$1,770
---	----------	-------------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

MANUAL FORWARD/NEUTRAL/REVERSE CONTROLS

L	472-7834	LEVER, MANUAL, FNR 0		NC
		For use with OPEN CANOPY without ROADING LIGHTS		
		ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC		
L	472-7832	LEVER, MANUAL, FNR/WIPERS/IND 0		NC
		ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC with		
		AN ENCLOSED CAB or		
		AN OPEN CANOPY plus ROADING LIGHTS		

BACK-UP ALARM

L	485-3311	ALARM, BACK-UP, STANDARD 0		NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE 0		\$128
		White noise alarm, 97dB		

ROOF SUN BLIND

L	477-1403	SUN SCREEN, ROOF 0		\$133
L	515-9736	SUN SCREEN, ROOF, NONE 0		NC

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM CONTINENTAL

P	559-6978	TIRES, 360/85-28, CT, SOLID 0		\$12,740
		Solid tires for flat free operation, rigidity and durability		

TIRES AVAILABLE FROM FIRESTONE

P	464-7036	TIRES, 17.50-25, FS, G2, FOAM 0		\$7,700
		Tires are 12-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.		
		With foam fill for puncture protection		

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM FIRESTONE (Cont.)

P	464-8002	TIRES, 400/75-28, FS, MT, FOAM 0		\$6,010
		Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.		
		With foam fill for puncture protection		
P	464-7016	TIRES, 400/75-28, FS, MT 0		NC
		Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.		
P	464-6360	TIRES, 17.50-25, FS, G2 0		\$-1,540
		Tires are 16-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.		

OTHER ATTACHMENTS

FENDERS

L	474-6064	FENDER, FRONT 0		NC
L	506-6192	FENDERS, SET OF FOUR 0		\$2,230

QUICK COUPLERS

L	474-7326	COUPLER, MANUAL, IT 0		NC
L	474-7327	COUPLER, HYDRAULIC, IT 0		\$4,680

ELECTRICAL HARNESS

This is required with a hydraulic coupler but optional with a manual coupler.

L	474-4122	ELECTRICAL HARNESS, COUPLER. 0		\$685
		REQUIRED BY: ANY HYDRAULIC COUPLER		

DOCUMENTATION

LOADCHARTS

Please select one unless ordering a Display Monitor

L	510-4035	LOADCHART, NACD, TL1255D 0		NC
		This information is included with the Display Monitor		

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

DOCUMENTATION (CONT.)

REGIONAL REFERENCE

0G-0510	TL1255D NORTH AMERICAN ORDER	0	NC
---------	--	---	----

INSTRUCTIONS

INSTRUCTION DECAL SETS

L	472-7789 INSTRUCTIONS, ANSI	0	NC
---	---------------------------------------	---	----

OPERATION AND MAINTENANCE MANUAL

478-8639	MANUAL, OPER. MAINT. ENGLISH	0	NC
----------	--	---	----

478-8642	MANUAL, OPER. MAINT. SPANISH	0	NC
----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

LANE 3 OPTIONAL SELECTIONS

MISCELLANEOUS ORDERS

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

ELECTRICAL

WORK LIGHTS

L	479-2701	WORKLIGHTS, NO A/C 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,635
L	479-2700	WORKLIGHTS, A/C COMPATIBLE 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. ONLY FOR USE WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,635
L	566-6817	WORKLIGHTS, LED, NO A/C 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: MACHINES FITTED WITH AIR CONDITIONING		\$1,600
L	566-6803	WORKLIGHTS,LED, A/C COMPATIBLE 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING		\$1,600
L	472-7841	BEACON, ROTATING 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$287
L	566-6781	BEACON, LED STROBE 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$359

OPERATOR ENVIRONMENT

USB CHARGING POINT

L	500-4484	USB CHARGING POINT 0		\$62
---	----------	---------------------------------------	--	------

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK READY ARRANGEMENT

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions. These packages contain everything necessary to connect Product Link equipment to this machine. The equipment itself is available from Parts Ordering.

L	501-3004	PRODUCT LINK READY, A/C 0		\$274
		ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC and 474-7332 ENVIRONMENTAL CONTROL,AIR CON		
L	501-3005	PRODUCT LINK READY 0		\$274
		REQUIRES: 474-6078 ROOF CAP ONLY FOR USE WITH: 488-1400 TL1255D TELEHANDLER HRC and 477-0003 CANOPY, OPEN or 474-7333 ENV CNTRL, HEATER		

GUARDS

ROOF CAP

L	474-6078	ROOF CAP 0		\$183
		REQUIRED BY: 479-2701 WORKLIGHTS, NO A/C 566-6817 WORKLIGHTS, LED, NO A/C 501-3005 PRODUCT LINK READY 501-3007 PRODUCT LINK READY, LRC		

BRICK GUARDS

P	471-9523	BRICK GUARD, FRONT SCREEN 0		\$1,385
P	472-0940	BRICK GUARD, ROOF 0		\$1,450

OTHER ATTACHMENTS

WASHER/WIPER SYSTEM

Only available on enclosed cabs.
Please note, while the rear washer/wiper may be ordered alone, the roof washer wiper can only be ordered together with the rear washer/wiper.

L	471-6158	WASHER/WIPER, REAR 0		\$428
L	497-5480	WASHER/WIPER, ROOF 0		\$745
		REQUIRES: 471-6158 WASHER/WIPER, REAR		

BOOM BRUSH

L	474-6070	BOOM BRUSH 0		\$1,115
---	----------	------------------------	--	---------

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REVERSING AIDS

L	510-4756	REVERSING, SENSOR, USA	0	\$1,960
L	474-9845	REVERSING, CAMERA. REQUIRES: 479-4531 MONITOR, ADVANCED DISPLAY	0	\$424

LOCKS

P	479-6044	LOCKS, SET OF FOUR	0	\$142
---	----------	------------------------------	---	-------

WHEEL CHOCK

P	550-9000	WHEEL CHOCK CANNOT BE USED WITH: 550-9102 TOOL BOX	0	\$225
---	----------	---	---	-------

TOOL BOX

P	550-9102	TOOL BOX CANNOT BE USED WITH: 550-9000 WHEEL CHOCK	0	\$398
---	----------	---	---	-------

WORK TOOLS

CARRIAGES

Please order as installed

W	474-2531	CARRIAGE, STANDARD 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,040
W	474-2532	CARRIAGE, STANDARD 72" 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,239
W	474-0140	CARRIAGE, SIDE TILT/ROTATE 72" 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	984	\$5,694
W	474-0141	CARRIAGE, SIDE SHIFT, 48" 48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$6,772
W	318-9222	CARRIAGE, SWING 100 DEGREES 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft	1,995	\$8,008
W	341-3591	CARRIAGE, SWING 180 DEGREES 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft 180 degree of travel side to side	2,068	\$17,931
W	397-6838	CARRIAGE, HYD FORK POSN 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60")	0	\$9,078
W	341-3590	CARRIAGE, SIDE TILT 48" 48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft 4" (102mm) travel to each side of center	1,040	\$5,432
W	555-1350	CARRIAGE, HYD FRK POSN, 50" Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM(2.36"X5"X60")or 567-1247 FORK, PALLET,60x125x1829mm (2.36"X5"X72")	0	\$7,239

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS (CONT.)

CARRIAGES (Cont.)

W	555-1351	CARRIAGE, HYD FRK POSN, 72"	0	\$8,260
		Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM(2.36"X5"X60")or 567-1247 FORK, PALLET,60x125x1829mm (2.36"X5"X72")		

PLATFORM, FORK MOUNTED

Attaches to a carriage which must also be selected

W	343-9736	PLATFORM,FORK MOUNTED4'X8'ANSI	0	\$3,432
		Requires a selection of 48" Pallet Forks Includes English Decals		

FORKS

Please order as "installed".
Attaches to a carriage which must also be selected.
Unless stated, order must specify a quantity of 2 forks

W	301-9752	FORK, CUBING 2" X 2" X 48"	76	\$404
		One fork only, specify qty of 2 for a pair. This fork is also available in a quantity of six.		
W	301-9753	FORK, PALLET 2.36" X 5" X 48"	0	\$665
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9754	FORK, PALLET 2.36" X 6" X 60"	0	\$942
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		
W	550-9930	FORK, PALLET, 2.36 X 5 X 60	0	\$772
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: 397-6838 CARRIAGE, HYD FORK POSN 50" or 555-1350 CARRIAGE, HYD FORK POSN, 50" or 555-1351 CARRIAGE, HYD FORK POSN, 72"		
W	567-1247	FORK, PALLET 2.36" X 5" X 72"	0	\$1,119
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: 397-6838 CARRIAGE, HYD FORK POSN 50" or 555-1350 CARRIAGE, HYD FORK POSN, 50" or 555-1351 CARRIAGE, HYD FORK POSN, 72"		
W	311-2854	FORK, DUAL TAPER 2" X 6" X 72"	0	\$992
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	397-6114	FORK, EXTENSION, 90"	0	\$849
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: FORK, LUMBER 1.75" X 7" X 60" or FORK, PALLET 2.36" X 6" X 60" or FORK, DUAL TAPER 2" X 6" X 72"		

CATERPILLAR MACHINE PRICE LIST

TL1255D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

ATTACHMENTS AND WORKTOOLS AVAILABLE THROUGH PARTS ORDERING

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER

W	169-3945	TRUSS BOOM Length 13'2" (4 meters) Rated Capacity 1100lb (500kg) Includes swivel hook		
W	474-0144	TRUSS BOOM, 12', 2000LB		
W	474-0145	TRUSS BOOM, 15', 2000LB		
W	491-9893	TRUSS BOOM, 3' WITH WINCH		
W	474-0147	TRUSS BOOM, 12', 2000LB, WINCH		
W	229-9714	ARM, MATERIAL HANDLING For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE FOR ANZ DEALERS		
W	169-6460	HOOK, LIFTING Length 19.7 in (500mm) Includes swivel hook REQUIRES: 195-5196 Loadchart		
W	486-0529	HOPPER, TIPPING		
W	486-0528	BROOM, PICK UP, WIDTH 102"		
W	486-0526	CARRIAGE, PIPE AND POLE, IT		
W	474-0139	CARRIAGE, STANDARD, 60"		
W	474-0148	BUCKET-GP, 2.0 YD3		
W	474-0142	BUCKET-GP, GRAPPLE, 1.7 YD3		
W	163-4261	BUCKET, GP 1.31 CYD Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard		
W	186-5838	BUCKET-MH, 1.95 YD3 Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on edge		
W	163-4265	BUCKET-MP, 1.3 CYD Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		

PACKING

MACHINE PACKING

Must Select

0P-3714	PACK, ROLL ON/ROLL OFF, TL	0	NC
---------	----------------------------	---	----