

CATERPILLAR MACHINE PRICE LIST

# TL642D

TL642D TELEHANDLER  
MCCONNELLSBURG, PA, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

### BOOMS, STICKS, AND LINKAGES

Three section boom  
with non-metallic wear pads  
Automatic vertical lift

### OTHER STANDARD EQUIPMENT

Integral lift and tie-down points

### INSTRUCTIONS

Operation and maintenance manual

### POWERTRAIN

4 Speed Powershift Transmission  
Hydraulically driven fan  
Radiator Cores  
Side by side engine air  
Engine oil  
Hydraulic oil and coolant  
Water separator  
Dual element air filter  
Spin on engine oil filter  
Spin on Hydraulic oil filter  
Planetary drive axles with full time  
four wheel drive  
Limited slip differential  
Wet disc service brakes  
Spring Applied Hydraulic Release (SAHR)  
park brake w/indicator light  
Thermal starting aid

### HYDRAULICS

Gear pump  
- Max Auxiliary Flow: 18gpm  
- System Operating Pressure: 260 bar  
- Auxiliary Operating Pressure: 240 bar  
Load hold check valves on all load  
carrying cylinders  
Auxiliary hydraulic service on the  
boom head - single function  
CAT XT3 hoses, couplings

### ELECTRICAL

12 volt electrical socket  
75 ampere alternator  
1000 CCA maintenance-free battery  
Horn

### OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station  
isolated on rubber mounts  
Boom joystick  
Stabilizer levers  
Frame level switch  
Fully adjustable vinyl suspension seat  
Seat belt & document pouch  
Left & right-side rear-view mirror  
Power steering with steering wheel  
Load charts  
Heavy duty floor mat  
Fuse panel

CATERPILLAR MACHINE PRICE LIST

# TL642D

---

TL642D TELEHANDLER  
MCCONNELLSBURG, PA, USA

---

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

<b>483-9505</b>	<b>TL642D TELEHANDLER HRC</b> ..... 0 <b>\$143,930</b> LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY  Available for ADSD-N and ADSD-S (Puerto Rico only)  Includes: CAT C3.4B,75kW (100 hp) Tier 4f Engine
-----------------	--

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	0P-9003	LANE 3 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**REGIONAL PACKAGES**

**REGIONAL PREPARATION PACKAGES**

L	568-7349	PREPARATION PACK, AM-N . . . . .	0	NC
---	----------	----------------------------------	---	----

**SPECIAL ARRANGEMENTS**

**FRAME AND STABILIZER**

L	485-1070	FRAME, STABILIZER . . . . .	0	\$9,290
---	----------	-----------------------------	---	---------

L	485-1071	FRAME, STABILIZER, NONE . . . . .	0	NC
---	----------	-----------------------------------	---	----

**SECONDARY STEERING**

L	559-9834	STEERING, SECONDARY . . . . .	0	\$343
---	----------	-------------------------------	---	-------

L	559-9838	STEERING, STANDARD . . . . .	0	NC
---	----------	------------------------------	---	----

**HYDRAULICS**

**RIDE CONTROL**

L	565-5064	RIDE CONTROL . . . . .	0	\$2,935
---	----------	------------------------	---	---------

L	565-5007	RIDE CONTROL, NONE . . . . .	0	NC
---	----------	------------------------------	---	----

**STARTERS, BATTERIES, & ALTERNATORS**

**CLIMATE PACK - Includes battery selection**

L	486-3403	CLIMATE PACK, STANDARD . . . . .	0	NC
---	----------	----------------------------------	---	----

L	486-3405	CLIMATE PACK, COLD WEATHER . . . . .	0	\$5,650
---	----------	--------------------------------------	---	---------

ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC  
Includes: Artic hydraulic and engine oils, dual heavy duty battery case insulation and heating components for the oil pan, batteries, OCV and hydraulic tank.

REQUIRES: Heater, Engine Block  
ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC

**ENGINE BLOCK HEATER**

Required only if Cold Weather Climate Pack selected above, optional on all other machines.

L	481-1819	HEATER, ENGINE BLOCK, 110V . . . . .	0	\$243
---	----------	--------------------------------------	---	-------

ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CANOPY/CAB**

L	484-1909	CANOPY, OPEN . . . . .	0	NC
		ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC		
L	484-2360	CAB, ENCLOSED, HEAT ONLY . . . . .	0	\$4,405
		ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC		
L	484-1907	CAB, ENCLOSED, AC + HEAT. . . . .	0	\$9,120
		ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC		

**WINDOWS**

Please select one with an enclosed cab  
NOTE: The open canopy option includes a standard rear window

L	473-8558	WINDOW, REAR, STANDARD . . . . .	0	NC
L	553-9349	WINDOW,REAR, EXT RELEASE, ANSI . . . . .	0	\$115

**SEAT BELT**

Select if required

L	470-0859	BELT, SEAT, 3" . . . . .	0	\$102
		Select to upgrade to a 3" seat belt. Please note: This is mandatory in California.		

**ADDITIONAL IN CAB DISPLAY**

L	479-4531	MONITOR, ADVANCED DISPLAY . . . . .	0	\$2,395
		This display includes integrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. REQUIRED BY: 474-9845 REVERSING, CAMERA		
L	476-5226	MONITOR, NONE . . . . .	0	NC

**ROADING LIGHTS**

Select only if required  
Package includes front headlights (right hand dip), rear taillights, turn and hazard signals.

L	482-6420	LIGHTS,ROADING, RH, STABILIZER . . . . .	0	\$1,775
		ONLY FOR USE WITH: 485-1070 FRAME, STABILIZER		
L	482-6431	LIGHTS,ROADING,RH,N/STABILIZER . . . . .	0	\$1,775
		ONLY FOR USE WITH: 485-1071 FRAME, STABILIZER, NONE		

**MANUAL FORWARD/NEUTRAL/REVERSE CONTROLS**

L	472-7834	LEVER, MANUAL, FNR . . . . .	0	NC
		ONLY FOR USE WITH: OPEN CANOPY without ROADING LIGHTS		
L	472-7832	LEVER, MANUAL, FNR/WIPERS/IND . . . . .	0	NC
		ONLY FOR USE WITH: OPEN CANOPY with ROADING LIGHTS and ALL ENCLOSED CABS		

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**BACK-UP ALARM**

L	485-3311	ALARM, BACK-UP, STANDARD . . . . .	0	NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE . . . . . White noise alarm, 97dB	0	\$128

**ROOF SUN BLIND**

L	477-1403	SUN SCREEN, ROOF . . . . .	0	\$133
L	515-9736	SUN SCREEN, ROOF, NONE . . . . .	0	NC

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

**TIRES AVAILABLE FROM CATERPILLAR**

P	463-6856	TIRES, 13.00-24, CAT, G2, FOAM . . . . . Tires are 12-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing. With foam fill for puncture protection	0	\$5,360
P	487-7045	TIRES, 13.00-24, CAT, G2 . . . . . Tires are 16-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.	0	\$-590

**TIRES AVAILABLE FROM CONTINENTAL**

P	559-6975	TIRES, 315/95-28, CT, SOLID . . . . . Solid tires for flat free operation, rigidity and durability.	0	\$10,860
---	----------	--	---	----------

**TIRES AVAILABLE FROM FIRESTONE**

P	463-6858	TIRES, 370/75-28, FS, MT, FOAM . . . . . Tires are 14-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces. With foam fill for puncture protection	0	\$5,480
---	----------	---	---	---------

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM FIRESTONE (Cont.)**

P	464-3076	TIRES, 370/75-28, FS, MT . . . . . 0		NC
<p>Tires are 14-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.</p>				

**OTHER ATTACHMENTS**

**FENDERS**

L	486-3477	FENDERS, CANOPY, SET OF FOUR . . . . . 0		\$2,230
FOR USE WITH: OPEN CANOPY				
L	486-3478	FENDERS, CAB, SET OF FOUR . . . . . 0		\$2,230
FOR USE WITH: ENCLOSED CAB				
L	486-3475	FENDER, CANOPY, SINGLE . . . . . 0		NC
FOR USE WITH: OPEN CANOPY				
L	486-3476	FENDER, CAB, SINGLE . . . . . 0		NC
FOR USE WITH: ENCLOSED CAB				

**QUICK COUPLERS**

L	484-6334	COUPLER, MANUAL, IT . . . . . 0		NC
L	484-6336	COUPLER, HYDRAULIC, IT . . . . . 0		\$4,160

**ELECTRICAL HARNESS**

This is required with a hydraulic coupler but optional with a manual coupler.

L	481-2710	ELECTRICAL HARNESS, HYD QC . . . . . 0		\$685
REQUIRED BY: 484-6336 COUPLER, HYDRAULIC, IT				

**DOCUMENTATION**

**LOADCHARTS**

Please select one unless ordering a Display Monitor

P	512-0492	LOADCHART (AM-N), STANDARD . . . . . 0		NC
FOR USE WITH: MACHINES WITHOUT STABILIZER OUTRIGGERS				
P	512-0491	LOADCHART (AM-N), STABILIZERS . . . . . 0		NC
FOR USE WITH: MACHINES WITH STABILIZER OUTRIGGERS				

**REGIONAL REFERENCE**

	0P-3917	TL642D NORTH AMERICAN ORDER . . . . . 0		NC
--	---------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**TL642D**

---

USE	REF NO.	<b>LANE 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

---

**INSTRUCTIONS**

***INSTRUCTION DECAL SETS***

L	483-7766	INSTRUCTIONS, ANSI .....	0	NC
---	----------	--------------------------	---	----

***OPERATION AND MAINTENANCE MANUAL***

	487-7066	MANUAL, OPER. MAINT. ENGLISH .....	0	NC
--	----------	------------------------------------	---	----

	487-7074	MANUAL, OPER. MAINT. SPANISH .....	0	NC
--	----------	------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**NOTE**

**LANE 3 OPTIONAL SELECTIONS**

**MISCELLANEOUS ORDERS**

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

**ELECTRICAL**

**WORK LIGHTS**

L	485-0829	<b>WORKLIGHTS, NO A/C</b> . . . . . 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: AIR CONDITIONING		\$1,635
L	566-6817	<b>WORKLIGHTS, LED, NO A/C</b> . . . . . 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. REQUIRES: 474-6078 ROOF CAP CANNOT BE USED WITH: AIR CONDITIONING		\$1,600
L	485-0828	<b>WORKLIGHTS, A/C COMPATIBLE</b> . . . . . 0 Package includes cab lights (2 Front, 2 Rear), 2 boom work lights and rotating beacon. ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING		\$1,635
L	566-6803	<b>WORKLIGHTS,LED, A/C COMPATIBLE</b> . . . . . 0 Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon. ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING		\$1,600
L	472-7841	<b>BEACON, ROTATING</b> . . . . . 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$287
L	566-6781	<b>BEACON, LED STROBE</b> . . . . . 0 CANNOT BE USED WITH: ANY WORKLIGHT SELECTION		\$359

**REVERSING AIDS**

L	472-1027	<b>REVERSING, SENSOR</b> . . . . . 0		\$2,040
L	474-9845	<b>REVERSING, CAMERA</b> . . . . . 0 REQUIRES: 479-4531 MONITOR, ADVANCED DISPLAY		\$424

**OPERATOR ENVIRONMENT**

**USB CHARGING POINT**

L	500-4484	<b>USB CHARGING POINT</b> . . . . . 0		\$62
---	----------	---------------------------------------	--	------



CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK READY ARRANGEMENT**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions. These packages contain everything necessary to connect Product Link equipment to this machine. The equipment itself is available from Parts Ordering.

L	501-3002	PRODUCT LINK READY, A/C . . . . . 0		\$268
		ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC and 484-1907 CAB, ENCLOSED, AC+HEAT		
L	501-3003	PRODUCT LINK READY . . . . . 0		\$268
		REQUIRES: 474-6078 ROOF CAP ONLY FOR USE WITH: 483-9505 TL642D TELEHANDLER HRC and 484-1909 CANOPY, OPEN OR 484-2360 CAB, HEAT ONLY		

**GUARDS**

**ROOF CAP**

L	474-6078	ROOF CAP . . . . . 0		\$183
		REQUIRED BY: 479-2701 WORKLIGHTS, NO A/C or 566-6817 WORKLIGHTS, LED, NO A/C 501-3005 PRODUCT LINK READY 501-3007 PRODUCT LINK READY, LRC		

**BRICK GUARDS**

P	471-9523	BRICK GUARD, FRONT SCREEN . . . . . 0		\$1,385
P	472-0940	BRICK GUARD, ROOF . . . . . 0		\$1,450

**OTHER ATTACHMENTS**

**WASHER/WIPER SYSTEM**

Only available on enclosed cabs.  
Please note, while the rear washer/wiper may be ordered alone, the roof washer wiper can only be ordered together with the rear washer/wiper.

L	471-6158	WASHER/WIPER, REAR . . . . . 0		\$428
L	497-5480	WASHER/WIPER, ROOF . . . . . 0		\$745
		REQUIRES: 471-6158 WASHER/WIPER, REAR		

**LOCKS**

P	479-6044	LOCKS, SET OF FOUR . . . . . 0		\$142
---	----------	--------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**BOOM BRUSH**

L	481-2709	BOOM BRUSH . . . . .	0	\$750
---	----------	----------------------	---	-------

**WHEEL CHOCK**

P	550-9000	WHEEL CHOCK . . . . . CANNOT BE USED WITH: 550-9102 TOOL BOX	0	\$225
---	----------	---	---	-------

**TOOL BOX**

P	550-9102	TOOL BOX . . . . . CANNOT BE USED WITH: 550-9000 WHEEL CHOCK	0	\$398
---	----------	---	---	-------

**WORK TOOLS**

**CARRIAGES**

Please order as installed

W	474-2531	CARRIAGE, STANDARD 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,040
W	476-5227	CARRIAGE, STANDARD 60" . . . . . 60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,196
W	474-2532	CARRIAGE, STANDARD 72" . . . . . 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,239
W	474-0141	CARRIAGE, SIDE SHIFT, 48" . . . . .	0	\$6,772
W	309-4315	CARRIAGE, SIDE TILT/ROTATE 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	838	\$3,825
W	309-4316	CARRIAGE, SIDE TILT/ROTATE 72" . . . . . 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft.	984	\$5,208
W	318-9222	CARRIAGE, SWING 100 DEGREES . . . . . 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft	1,995	\$8,008
W	397-6838	CARRIAGE, HYD FORK POSN 50" . . . . . 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60")	0	\$9,078
W	555-1350	CARRIAGE, HYD FRK POSN, 50" . . . . . Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60")	0	\$7,239
W	555-1351	CARRIAGE, HYD FRK POSN, 72" . . . . . Carriage only. Please select forks: ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or 550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60")	0	\$8,260

**PLATFORM, FORK MOUNTED**

Attaches to a carriage which must also be selected

W	343-9736	PLATFORM,FORK MOUNTED4'X8'ANSI . . . . . Requires a selection of 48" Pallet Forks Includes English Decals	0	\$3,432
---	----------	---	---	---------

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

***FORKS***

Please order as "installed".  
Attaches to a carriage which must also be selected.  
Unless stated, order must specify a quantity of 2 forks

W	301-9752	<b>FORK, CUBING 2" X 2" X 48"</b> . . . . .	76	<b>\$404</b>
		One fork only, specify qty of 2 for a pair. This fork is also available in a quantity of six.		
W	301-9755	<b>FORK, PALLET 2.36" X 4" X 48"</b> . . . . .	0	<b>\$568</b>
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9753	<b>FORK, PALLET 2.36" X 5" X 48"</b> . . . . .	0	<b>\$665</b>
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9754	<b>FORK, PALLET 2.36" X 6" X 60"</b> . . . . .	0	<b>\$942</b>
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		
W	301-9756	<b>FORK, LUMBER 1.75 X 7 X 60"</b> . . . . .	262	<b>\$1,240</b>
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	311-2854	<b>FORK, DUAL TAPER 2" X 6" X 72"</b> . . . . .	0	<b>\$992</b>
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	323-5737	<b>FORK, LUMBER 1.5" X 6" X 60"</b> . . . . .	245	<b>\$1,250</b>
		For use with 2.25" (57mm) bar		
W	550-9930	<b>FORK, PALLET, 2.36 X 5 X 60</b> . . . . .	0	<b>\$772</b>
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: 397-6838 CARRIAGE, HYD FORK POSN 50"		

***FORK EXTENSION AND CLAMPS***

W	397-6114	<b>FORK, EXTENSION, 90"</b> . . . . .	0	<b>\$849</b>
		One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: FORK, LUMBER 1.75" X 7" X 60" or FORK, PALLET 2.36" X 6" X 60" or FORK, DUAL TAPER 2" X 6" X 72"		
W	310-6250	<b>CLAMPS, FORK</b> . . . . .	0	<b>\$44</b>

**FIELD INSTALLED ATTACHMENTS**

***WORKTOOLS***

THESE ARE AVAILABLE THROUGH THE TELEHANDLER WORKTOOL PRICE LIST  
PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

W	169-3945	<b>TRUSS BOOM</b> Length 13'2" (4 meters) Rated Capacity 1100lb (500kg) Includes swivel hook
W	169-6460	<b>HOOK, LIFTING</b> Length 19.7 in (500mm) Includes swivel hook

CATERPILLAR MACHINE PRICE LIST

**TL642D**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**WORKTOOLS (Cont.)**

W	163-4261	<b>BUCKET, GP 1.31 CYD</b> Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard		
W	186-5838	<b>BUCKET-MH, 1.95 YD3</b> Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on edge		
W	163-4265	<b>BUCKET-MP, 1.3 CYD</b> Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		
W	229-9714	<b>ARM, MATERIAL HANDLING</b> For handling of bulky objects. Manually adjustable to 3 positions Refer to the Operation Maintenance Manual or the Caterpillar Performance Handbook for applications and Loadchart.		

**WORKTOOLS (Continued)**

THESE ARE ONLY AVAILABLE THROUGH PARTS ORDERING.  
PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

W	474-0144	<b>TRUSS BOOM, 12', 2000LB</b>		
W	474-0145	<b>TRUSS BOOM, 15', 2000LB</b>		
W	474-0147	<b>TRUSS BOOM, 12', 2000LB, WINCH</b>		
W	491-9893	<b>TRUSS BOOM, 3' WITH WINCH</b>		
W	486-0529	<b>HOPPER, TIPPING</b>		
W	486-0528	<b>BROOM, PICK UP, WIDTH 102"</b>		
W	474-0139	<b>CARRIAGE, STANDARD, 60"</b>		
W	474-0148	<b>BUCKET-GP, 2.0 YD3</b>		
W	474-0142	<b>BUCKET-GP, GRAPPLE, 1.7 YD3</b>		

**PACKING**

**MACHINE PACKING**

Must Select

OP-3714	PACK, ROLL ON/ROLL OFF, TL .....	0	NC
---------	----------------------------------	---	----