



JCB ARTICULATED TELESCOPIC HANDLER

TM320 Construction

TIER 4 FINAL




**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 01, 2018

ISSUE 1.0


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

| | | | | |
|---|--|---|---|---|
|  | <p align="center">TM320C Tier 4 FINAL</p> | <p align="center">U.S. DOLLAR PRICE PAGES</p> | <p align="center">F.O.B. SAVANNAH, GA</p> | <p align="center">EFFECTIVE: JANUARY 01, 2018</p> |
|---|--|---|---|---|

STANDARD EQUIPMENT

| | |
|------------------------|---|
| GENERAL | Two piece unitized mainframe with rigid frame and componentized driveline. |
| ENGINE | TIER 4 FINAL JCB EcoMAX turbo intercooled, 125 hp. Dual element air cleaner, spin-on fuel filter, fuel/water separator, thermo start assist, anti-freeze protection to -35 deg F. |
| TRANSMISSION | JCB 4 speed autoshift transmission, Powershift direction change, 24 mph travel speed, 12 inch torque converter, transmission disconnect on foot brake. |
| BRAKES | Internal mounted inboard on front axle, multi disc, oil immersed, servo assisted hydraulic actuation, self adjusting, independent disc type parking brake with brake on alarm and transmission disconnect. |
| ELECTRICAL | 12 volt, Meets IP67 water ingress test standard, 110 amp alternator, 900 CCA, 92 AH low maintenance battery. |
| INSTRUMENTS | Audible and visual warning system, tachometer, hourmeter, fuel gauge, coolant temp gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp, trans oil pressure, parking brake, lift-extend and tilt on single lever control. |
| CAB UNIT | Meets SAE J231 FOPS/SAE J1040 ROPS requirements, air suspension seat with seat belt, tilt steering column, air conditioning and heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, front worklights, horn, in cab storage, backup alarm meets SAE J994, operators manual, deluxe mirrors |
| TIRES | Michelin 460/70 R24 Bibload Tires |
| TELESCOPIC BOOM | Two section, 17ft 1in lift height with hydraulic parallel lift, 6390 lbs maximum lift capacity. With hydraulic boom suspension |
| CARRIAGE | 48" wide, "Q-Fit" for easy attachment changes, includes 2" fork shaft. |
| HYDRAULICS | Cab Mounted Single lever Servo joystick with "loader" pattern control and proportional boom extend and auxiliary functions, Piston Pump load sensing system with 37 GPM, single auxiliary hydraulic service. Includes pressure release |


SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
Section 4 - OPTIONS - NEW FACTORY BUILT ORDERS

| | | | | |
|---|----------------------------|----------------------------|------------------------|-----------------------------|
|  | TM320C Tier 4 FINAL | U.S. DOLLAR PRICE PAGES | F.O.B. SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|----------------------------|------------------------|-----------------------------|

SECTION 1 - PACKAGE BUILD

Select one of the following machine **PACKAGE BUILD** codes and **ATTACHMENTS** as required from Section 3. Package build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

| SALES | | PACKAGE BUILD CODE: | <u>TM320C</u> | <u>TM320W</u> |
|-----------------------------|--|---------------------|-------------------|-------------------|
| CODE | ITEM | | | |
| 320C | TM320 articulated telescopic handler | | ✓ | |
| 320W | TM320 wastemaster articulated telescopic handler | | | ✓ |
| 406A172 | Michlen Bibload 460/70 R24 hard surface tire | | ✓ | |
| 406A182 | SG Revolution SE 13.0 R24 (Solid Cusion Tires | | | ✓ |
| 406B124 | Cab with left hand door - deluxe trim A/C and heater, mechanical suspension seat, full instrumenta 600 | | ✓ | ✓ |
| 406C004 | JCB Q-Fit carriage with fork shaft and hydraulic disconnect | | ✓ | ✓ |
| 406D200 | Axles - torque proportioning in the front and rear | | ✓ | ✓ |
| 406E001 | Hydraulics, single auxiliary circuit, with pressure release - Q-Fit | | ✓ | ✓ |
| 406F257 | Operators manual - American English Language | | ✓ | ✓ |
| 406P001 | SRS smoothride | | ✓ | ✓ |
| 406P145 | Block Heater 110V | | ✓ | ✓ |
| 406R222 | Removal - LH forward/reverse lever | | ✓ | ✓ |
| 406P004 | Hydraulic reversing fan | | | ✓ |
| SUGGESTED LIST PRICE | | | \$ 132,680 | \$ 161,745 |


| | | | | |
|---|----------------------------|----------------------------|------------------------|--------------------------------|
|  | TM320C Tier 4 FINAL | U.S. DOLLAR PRICE PAGES | F.O.B. SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|----------------------------|------------------------|--------------------------------|

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Attachments and/or Options from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


| SALES CODE | ITEM | U.S. LIST |
|------------------------------|--|--------------|
| BASE MACHINE | | |
| 320C | TM320 articulated telescopic handler | \$86,014 |
| 320W | TM320 wastemaster articulated telescopic handler | \$89,006 |
| TIRES | | |
| 406A172 | Michlen Bibload 460/70 R24 hard surface tire | \$6,400 |
| 406A175 | Michelin XHA 15.5 R25 | \$11,816 |
| 406A176 | Michelin XTLA 15.5 R25 | \$10,634 |
| 406A182 | SG Revolution SE 13.0 R24 (Solid Cushion Tires) | \$30,749 |
| OPERATOR'S AREA | | |
| 406B124 | Cab with left hand door - deluxe trim A/C and heater, mechanical suspension seat, full instrumentatior | \$15,755 |
| CARRIAGE | | |
| 406C004 | JCB Q-Fit carriage with fork shaft and hydraulic disconnect | \$3,446 |
| 406C007 | JCB Wheel Loader Quick hitch (ISO Volvo) | \$4,825 |
| 406C008 | No quick hitch | \$492 |
| AXLE AND DIFFERENTIAL | | |
| 406D200 | Axles - torque proportioning in the front and rear | \$10,093 |
| 406D202 | Axles - limited slip differential in the front axle and torque proportioning in the rear | \$10,585 |
| AUXILIARY HYDRAULICS | | |
| 406E001 | Hydraulics, single auxiliary circuit, with pressure release - Q-Fit | \$7,976 |
| 406E003 | Hydraulics, single auxiliary circuit, with pressure release - JCB Wheeled Loader quick hitch | \$7,976 |
| 406E004 | Hydraulics, single auxiliary circuit, with pressure release - NO QUICK HITCH | \$7,976 |
| 406E005 | Hydraulics, twin auxiliary circuit, with pressure release - Q-Fit | \$8,705 |
| 406E007 | Hydraulics, twin auxiliary circuit, with pressure release - JCB Wheeled Loader quick hitch | \$8,705 |
| 406E008 | Hydraulics, twin auxiliary circuit, with pressure release - NO QUICK HITCH | \$8,705 |
| OPERATORS MANUAL | | |
| 406F235 | Operators manual - French Canadian Language | \$0 |
| 406F257 | Operators manual - American English Language | \$0 |

| | | | | |
|---|----------------------------|----------------------------|------------------------|--------------------------------|
|  | TM320C Tier 4 FINAL | U.S. DOLLAR PRICE PAGES | F.O.B. SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|----------------------------|------------------------|--------------------------------|

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

| SALES CODE | ITEM | U.S. LIST |
|---------------------------------------|------------------------------------|--------------|
| OPERATOR'S COMPARTMENT OPTIONS | | |
| 406R002 | Air suspension seat | \$1,155 |
| 406R005 | Sliding door glass | \$609 |
| 406R008 | Rear view camera and in cab screen | \$1,859 |
| 406R222 | Removal - LH forward/reverse lever | -\$200 |
| 406R006 | Toolbox | \$335 |
| 406R201 | In cab storage box with padded lid | \$302 |
| ELECTRICAL OPTIONS | | |
| 406N001 | Amber beacon | \$126 |
| 406N006 | Boom work lights - 2 | \$345 |
| 406N008 | Work lights 4 front and rear | \$567 |
| 406P145 | Block Heater 110V | \$255 |
| GUARD OPTIONS | | |
| 406G001 | Belly guard Front | \$955 |
| 406G002 | Head light guard | \$285 |
| 406G004 | Front Chassis cover plate | \$168 |
| 406G005 | Screen and roof guard | \$1,869 |
| 406G007 | Front bumper | \$654 |
| HYDRAULIC OPTIONS | | |
| 406P001 | SRS smoothride | \$3,075 |
| 406P004 | Reversing fan | \$1,803 |

| | | | | |
|---|----------------------------|----------------------------|------------------------|--------------------------------|
|  | TM320C Tier 4 FINAL | U.S. DOLLAR PRICE PAGES | F.O.B. SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|----------------------------|------------------------|--------------------------------|

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

| SALES | | U.S. |
|--------------------|---|---------|
| CODE | ITEM | LIST |
| ATTACHMENTS | | |
| 406H015 | 1.3 cu yd bucket with BoCE 90" wide - Q-Fit mount | \$2,412 |
| 406H018 | 2.75 cu yd bucket with BoCE, 96" wide -Q-Fit mount (980/A9936) | \$3,938 |
| 406H019 | 1.90 cu yd Multi shovel with top grab 96" wide -Q-Fit mount (980/B0043) | \$6,647 |
| FORK SETS | | |
| 406H005 | 42" pallet forks - for Q-Fit carriage | \$1,040 |
| 406H006 | 48" pallet forks - for Q-Fit carriage | \$1,165 |
| 406H008 | ITA forks 42" and frame, for Q-Fit carriage | \$2,216 |
| 406H009 | ITA forks 48" and frame, for Q-Fit carriage | \$2,340 |