




**JCB LOADALL  
506-36**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control and componentized driveline
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 36' 4", hydraulic parallel lift, max lift capacity of 6,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
 Section 1 - PACKAGE BUILDS  
 Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
 Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS  
 Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
 DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAA	506-36, 4W Steer, Sway Control, 74HP Engine, Powershift Transmission	\$85,030
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A039	13.00-24/14PR Galaxy (Unballasted)	\$7,991
500A055	13.00 x 24 Semi-Solid, Airless Tires - Solideal	\$14,563
<b>CONTROLS (E)</b>		
500B064	Dual Joysticks - One Auxilliary Service	\$3,382
<b>OPERATORS AREA (E)</b>		
500C111	Canopy with right side and rear glass	\$2,510
500C045	Cab fully glazed with front, roof and rear wipers. Includes heater	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0


	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G018	Front and Rear Roadlights, includes turn signals, stop, tail and reverse Lights - Cab Builds	\$783
500G023	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$783
500G024	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$803
500G188	Work Lights - Front T4F	\$157
500G189	Work Lights - Front and Rear T4F	\$253
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K080	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K478	Face Level Fan	\$224
500T100	Foam Filled Tires 13.00x24	\$3,750

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M223	48" x 4" x 2" pallet forks (2) for 2-1/4" fork shaft	\$959
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052



**JCB LOADALL  
507-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 7,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------


## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAB	507-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$92,732
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A507	400/80-24 16 2A8 Michelin Power CL	\$9,001
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0



	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:**

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M230	60" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,059
500M231	72" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,697
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
509-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
  
- ENGINE**                        JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
  
- TRANSMISSION**                JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
  
- AXLES**                            Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
  
- BRAKES**                         Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
  
- ELECTRICAL**                    12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
  
- INSTRUMENTS**                 Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
  
- STEERING**                        Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
  
- CAB/CANOPY**                    Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
  
- CONTROLS**                        Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
  
- BOOM**                              3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
  
- HYDRAULICS**                    Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
  
- WARRANTY**                        2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
50AQ	509-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$93,527
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052



**JCB LOADALL  
509-42S**




**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**




	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
- ENGINE**                        JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
- TRANSMISSION**              JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
- AXLES**                         Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
- BRAKES**                        Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
- ELECTRICAL**                 12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
- INSTRUMENTS**                Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
- STEERING**                     Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
- CAB/CANOPY**                 Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
- CONTROLS**                     Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
- BOOM**                         3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
- HYDRAULICS**                 Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
- LIVELINK**                      2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
- WARRANTY**                    2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAC	509-42S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$98,691
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A509	400/80-24 16 2A8 Michelin Power CL (509 only)	\$11,367
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H091	Engine Block Heater	\$163
500H700	Fuel Tank Protection Kit T4F	\$503
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - For 509, 510	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K081	Air Conditioning	\$3,451
500k086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
 Section 1 - PACKAGE BUILDS  
 Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
 Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS  
 Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
 DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AGQ	510-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$120,463
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------


### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




# JCB LOADALL 510-42S



## JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AGS	510-42S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$124,066
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - For 509, 510	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-56**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**


	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
  
- ENGINE**                        JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
  
- TRANSMISSION**              JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
  
- AXLES**                          Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
  
- BRAKES**                        Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
  
- ELECTRICAL**                 12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
  
- INSTRUMENTS**                Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
  
- STEERING**                     Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
  
- CAB/CANOPY**                 Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
  
- CONTROLS**                     Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
  
- BOOM**                          4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
  
- HYDRAULICS**                 Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
  
- WARRANTY**                     2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**




	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
50AR	510-56, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$129,225
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
500A527	440/80-24 16 Michelin Power CL	\$11,367
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
500D111	Suspension seat: fabric adjustable back	\$752
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-56S**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAD	510-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$134,347
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
500A527	440/80-24 16 Michelin Power CL	\$11,367
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
500D111	Suspension seat: fabric adjustable back	\$752
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
\$0		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052





**JCB LOADALL  
512-56S**




**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

Issue 2


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
  
- ENGINE**                        JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
  
- TRANSMISSION**              JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
  
- AXLES**                         Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
  
- BRAKES**                        Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
  
- ELECTRICAL**                 12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
  
- INSTRUMENTS**                Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
  
- STEERING**                     Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
  
- CAB/CANOPY**                 Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
  
- CONTROLS**                     Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
  
- BOOM**                         4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
  
- HYDRAULICS**                 Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
  
- LIVELINK**                      2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
  
- WARRANTY**                     2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

**SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:**

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAE	512-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$145,460
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A026	17.5R25 16 Ply Galaxy NO BALLAST	\$11,123
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E023	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
514-56S**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
  
- ENGINE**                        JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
  
- TRANSMISSION**              JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
  
- AXLES**                         Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
  
- BRAKES**                        Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
  
- ELECTRICAL**                 12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
  
- INSTRUMENTS**                Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
  
- STEERING**                     Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
  
- CAB/CANOPY**                 Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
  
- CONTROLS**                     Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
  
- BOOM**                         4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 14,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
  
- HYDRAULICS**                 Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
  
- LIVELINK**                      2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
  
- WARRANTY**                     2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAF	514-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$176,006
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A042	17.5 x 25 Titan 20ply NO BALLAST	\$10,800
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E489	72" Side-Tilt Carriage	\$0
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K478	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

### SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

<b>FORKS</b>		
500M240	72" x 5" x 2" Pallet Forks (2) for 2-3/4" fork shaft	\$3,930

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



JAN 2018

JCB LOADALL  
**506-23TC**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>506-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control and componentized driveline
<b>ENGINE</b>	74 HP T4Final, dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 degrees F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 20 mph travel speed, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
<b>BRAKES</b>	Internal mounted inboard on front axle, multi disc, oil immersed, self adjusting, Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake. Lift extend and tilt on single lever control.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994. Operation and Parts manuals, operation video.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
<b>TIRES</b>	Choice of Options (none standard)
<b>TELESCOPIC BOOM</b>	Two section, 23' lift height with hydraulic parallel lift, 6000 lbs. maximum lift capacity.
<b>CARRIAGE</b>	Choice of Options (none standard)
<b>HYDRAULICS</b>	Single lever joystick with "Loader" pattern control. Open center system with 21.6 GPM. Single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>506-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKB	506-23TC, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$85,459
<b>TIRES (E)</b>		
500A419	15.5-25 Industrial traction (12 ply)	\$7,454
<b>AUXILIARY HYDRAULICS (E)</b>		
500B255	Two Lever with Single Auxiliary Hydraulic Service	\$1,275
500B258	Two Lever with Dual Auxiliary Hydraulic Service	\$1,896
<b>OPERATORS AREA (E)</b>		
500C117	Canopy with clear right hand side glass - 74 hp T4F	\$2,405
500C114	Cab with heater and tinted glass - 74 hp T4F	\$5,184
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D100	Grammer Heated Deluxe Air Suspension seat	\$1,689
<b>Q-FIT CARRIAGE (E)</b>		
500E411	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriag	\$2,131
<b>OPERATORS MANUAL (E)</b>		
500F606	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0

	<b>506-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.


SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K153	Deluxe Cab Trim only for Manual Steer 2 lever	\$1,290
500K181	Steering column tilt and telescope	\$235
500K227	Air Conditioning for 74hp Engine	\$4,051
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K534	Radio Kit - Radio not included	\$520
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G139	Work Lights - Boom Mounted	\$356
500G156	Work Lights - Front and Rear - LED	\$1,264
500G169	Work Lights - Front - LED	\$724
500G172	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G418	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,102
500G438	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,136
500H235	Electrical (2/4 WD) Disconnect	\$600
<b>HYDRAULIC OPTIONS</b>		
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H235	Electrical (2/4 WD) Disconnect	\$600
500H331	Auto Steer Mode	\$652
500H452	Engine block heater, 110-120 volt, 850 Watt	\$270
500H516	Limited Slip Differential (Front Axle only)	\$791
500H524	Servo Assisted Brakes	\$785
500R401	Mechanical Tow Hitch - 1Ton (No trailer electrics)	\$240
500T373	Arctic Diesel for cold climates	\$0

	<b>506-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500M410	60" wide ITA Class III industrial carriage, (Use with M413 forks)	\$2,997
500M411	Sideshift carriage (class III) requires M410 & M413	\$2,855
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M413	48" x 5" x 2" ITA class III forks	\$1,763
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558

	<b>506-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018

JCB LOADALL  
**506-23S TC**




JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES




	<b>506-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with rigid frame and componentized driveline
<b>ENGINE</b>	109 HP T4Final, dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 degrees F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 20 mph travel speed, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
<b>BRAKES</b>	Internal mounted inboard on front axle, multi disc, oil immersed, self adjusting, Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake. Lift extend and tilt on single lever control.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994. Operation and Parts manuals.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals.
<b>TIRES</b>	Choice of Options (none standard)
<b>TELESCOPIC BOOM</b>	Two section, 23' lift height with hydraulic parallel lift, 6000 lbs. maximum lift capacity.
<b>CARRIAGE</b>	Choice of Options (none standard)
<b>HYDRAULICS</b>	Single lever joystick with "Loader" pattern control. Open center system with 21.6 GPM. Single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>506-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKC	506-23S TC, 4WD, 4W Steer, Rigid Frame, RAS, 109HP, Powershift Transmission	\$91,452
<b>TIRES (E)</b>		
500A419	15.5-25 Industrial traction (12 ply)	\$7,454
500A521	15 5 R25 925 GPR L3 Alliance 20 outset	\$12,504
<b>AUXILIARY HYDRAULICS (E)</b>		
500B275	Single Lever with Single Auxiliary Hydraulic Service	\$1,275
500B278	Single Lever with Dual Auxiliary Hydraulic Service	\$1,954
<b>OPERATORS AREA (E)</b>		
500C072	Canopy with clear right hand side glass	\$2,288
500C065	Cab with heater, tinted glass, front and rear wiper	\$4,809
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D100	Grammer Heated Deluxe Air Suspension seat	\$1,689
<b>Q-FIT CARRIAGE (E)</b>		
500E411	48" wide Q-Fit carriage with 2" fork shaft (Required to install attachments including Q code carriages)	\$2,131
<b>OPERATORS MANUAL (E)</b>		
500F606	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0

	<b>506-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.


SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K148	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$549
500K181	Steering column tilt and telescope	\$235
500K187	Cab Air Filter - For use with Air Conditioning	\$413
500K231	Air Conditioning	\$3,852
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G139	Work Lights - Boom Mounted	\$356
500G156	Work Lights - Front and Rear - LED	\$1,264
500G169	Work Lights - Front - LED	\$724
500G172	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G422	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,104
500G438	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,136
500H235	Electrical (2/4 WD) Disconnect	\$600
<b>HYDRAULIC OPTIONS</b>		
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H349	Limited Slip Differential (Front Axle only)	\$791
500H452	Engine block heater, 110-120 volt, 850 Watt	\$270
500H702	Reversing engine cooling fan	\$724
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500T373	Arctic Diesel for cold climates	\$0
<b>TOW HITCH</b>		
500R401	Mechanical Tow Hitch - 1Ton (No trailer electrics)	\$240

	<b>506-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500M410	60" wide ITA Class III industrial carriage, (Use with M413 forks)	\$2,997
500M411	Sideshift carriage (class III) requires M410 & M413	\$2,855
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M413	48" x 5" x 2" ITA class III forks	\$1,763
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<b>506-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500L818	Large Square Bale Grab. Hydraulic - picks 3 bales, Q-Fit mount	\$7,994
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018


JCB LOADALL  
**508-66 TC**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>508-66 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, stabilizers and componentized driveline
  
- ENGINE**                        74 HP T4Final, Dual element air cleaner, spin-on fuel filter,  
Fuel/water separator, Anti-freeze protection to -35 deg. F.
  
- TRANSMISSION**              JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission  
disconnect on loader lever.
  
- AXLES**                         JCB MAX-TRAC with torque proportioning and outboard planetary drive
  
- BRAKES**                        Internal mounted multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting,  
Independent disc type parking brake with brake on alarm and transmission disconnect.
  
- ELECTRICAL**                 12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
  
- INSTRUMENTS**                Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge,  
Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp.,  
trans oil pressure, parking brake.
  
- CAB UNIT**                      Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt  
steering column, heater with defroster vent system, windshield wipers and washers for front/rear  
and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994,  
Operation and Parts manuals, operation video.
  
- TIRES**                         Choice of Options available (none standard)
  
- TELESCOPIC BOOM**            Five section, 66' lift height with hydraulic parallel lift, 8000 lbs. maximum lift capacity, 3000 lbs. to  
full height. Both boom sections extended by hydraulic cylinders.
  
- CARRIAGE**                      Choice of Options available (none standard)
  
- HYDRAULICS**                 Open center system with 29 GPM. Single auxiliary hydraulic service.
  
- LIVELINK**                        2 year subscription allows for enhanced machine security, improved service monitoring, and  
modernized fleet control.
  
- WARRANTY**                      2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>508-66 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------


**SECTION 1 - YELLOW SERIES**

**SALES**

CODE	ITEM	LIST PRICE
5AKO	508-66TC, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$ 133,083
500A491	17.25-25 (16 ply) Galaxy	\$ 8,775
500B495	One auxilliary circuit, single lever joystick, Pushbutton extend/retract	\$ 3,893
500C135	Cab fully glazed with front, roof and rear wipers. Includes heater	\$ 6,631
500D111	Suspension seat: fabric adjustable backrest weight, 2 in. seatbelt	\$ 752
500E419	Q-Fit Carriage - Clear View	\$ 2,078
500F548	Operators manual - English Language	\$ -
500G135	Work Lights - Front and Rear	\$ 164
500G401	Rotating Beacon, Magnetic Base	\$ 143
500K197	Air Conditioning for 74hp Engine	\$ 4,051
500K478	Face Level Fan	\$ 224
500M238	48" x 4" x 2" Side-shift forks (2) for 500M414 Only	\$ 1,403
500M414	Integral Side-Shift (Clear View) Carriage	\$ 1,550

**SUGGESTED LIST PRICE            \$ 162,747**




	<b>508-66TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKO	508-66TC, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$133,083
<b>TIRES (E)</b>		
500A435	17.5-25 (16 ply) Industrial Tread Bias ply, NO BALLAST	\$12,045
500A489	440/80-24 Michelin Power CL	\$8,538
500A491	17.25-25 (16 ply) Galaxy	\$8,775
<b>AUXILIARY HYDRAULICS (E)</b>		
500B495	One auxilliary circuit, single lever joystick, Pushbutton extend/retract	\$3,893
<b>OPERATORS AREA (E)</b>		
500C135	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,631
<b>SEATS (E)</b>		
500D111	Suspension seat: fabric adjustable backrest weight, 2 in. seatbelt	\$752
500D114	Grammer Heated Deluxe Air Suspension seat, 2 in. seatbelt	\$1,632
500D116	Vinyl, adjustable suspension seat, 2 in. seatbelt	\$538
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
<b>Q-FIT CARRIAGE (E)</b>		
500E419	Q-Fit Carriage - Clear View	\$2,078
<b>OPERATORS MANUAL (E)</b>		
500F855	Operators manual - English Language	\$0

	<b>508-66 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K197	Air Conditioning for 74hp Engine	\$4,051
500K237	Camera Kit - Level 1 (Rear only)	\$810
500K247	Camera Kit - Level 2 (Rear, side)	\$992
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K446	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K465	Steer Column: Adjustable Tilt and Slide	\$214
500K466	Sun Blind, Front Windshield and Roof	\$258
500K467	Radio Kit	490
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G135	Work Lights - Front and Rear	\$164
500G401	Rotating Beacon, Magnetic Base	\$143
<b>HYDRAULIC OPTIONS</b>		
500J405	Hydraulic Pin Locking	\$493

	<p align="center"><b>508-66 TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	--	---	---	--

**SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES	CODE	ITEM	U.S. LIST
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>			
	500M414	Integral Side-Shift (Clear View) Carriage	\$1,550
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>			
	500M237	48" x 5" x 2" pallet forks (2)	\$1,008
	500M238	48" x 4" x 2" Side-shift forks (2) for 500M414 Only	\$1,403
<b>OTHER ATTACHMENTS</b>			
	500L152	Q-Fit 1.2 cuy yd (0.9 cu m) Bucket with Toe Plate	\$4,597
	500L411	Load guard: For Clearview Carriage	\$572



JAN 2018


JCB LOADALL  
**509-23TC**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL** One piece unitized mainframe with rigid frame and componentized driveline
- ENGINE** 74HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Anti-freeze protection to -35 deg. F.
- TRANSMISSION** JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
- AXLES** JCB MAX-TRAC with torque proportioning and outboard planetary drive.
- BRAKES** Internal mounted inboard on front axle, multi disc, oil immersed, Servo assisted Hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
- ELECTRICAL** 12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm
- INSTRUMENTS** Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, lift extend and tilt on single lever control.
- CAB UNIT** Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994, Operation video.
- CANOPY UNIT** Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manual Operation video.
- TIRES** Choice of Options available (none standard)
- TELESCOPIC BOOM** Two section, 23' lift height with hydraulic parallel lift, 9,000 lbs. Maximum lift capacity.
- CARRIAGE** Choice of Options available (none standard)
- HYDRAULICS** Single lever joystick with "Loader" pattern control. Open center system with 23.2 GPM. Single auxiliary hydraulic service.
- LIVELINK** 2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
- WARRANTY** 2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKI	509-23 TC, 4WD, 4W Steer, Rigid Frame, RAS, 74HP, Powershift Transmission	\$104,445
<b>TIRES (E)</b>		
500A419	15.5-25 Industrial traction (12 ply)	\$7,454
500A521	15 5 R25 925 GPR L3 Alliance 20 outset	\$12,504
<b>AUXILIARY HYDRAULICS (E)</b>		
500B281	Single Lever with Single Auxiliary Hydraulic Service	\$1,274
500B284	Single Lever with Dual Auxiliary Hydraulic Service	\$2,933
<b>OPERATORS AREA (E)</b>		
500C072	Canopy with clear right hand side glass	\$2,288
500C065	Cab with heater, tinted glass, front and rear wiper	\$4,809
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D100	Grammer Heated Deluxe Air Suspension seat	\$1,689
<b>Q-FIT CARRIAGE (E)</b>		
500E415	48" wide Direct Mount Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$2,075
<b>OPERATORS MANUAL (E)</b>		
500F606	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0


	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K148	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$549
500K181	Steering column tilt and telescope	\$235
500K187	Cab Air Filter - For use with Air Conditioning	\$413
500K231	Air Conditioning	\$3,852
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G139	Work Lights - Boom Mounted	\$356
500G156	Work Lights - Front and Rear - LED	\$1,264
500G172	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G422	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,104
500G438	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,136
500H235	Electrical (2/4 WD) Disconnect	\$600
<b>HYDRAULIC OPTIONS</b>		
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H349	Limited Slip Differential (Front Axle only)	\$791
500H452	Engine block heater, 110-120 volt, 850 Watt	\$270
500H702	Reversing engine cooling fan	\$724
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500T373	Arctic Diesel for cold climates	\$0

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**


	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500M410	60" wide ITA Class III industrial carriage, (Use with M413 forks)	\$2,997
500M411	Sideshift carriage (class III) requires M410 & M413	\$2,855
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M413	48" x 5" x 2" ITA class III forks	\$1,763
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151



	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

### ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd3 Trash Clamp Bucket, Single full width Clamp	\$10,195
500L312	4 T Hook Crane	\$656
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018


JCB LOADALL  
**509-23S TC**  
RIGID FRAME



JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<p align="center"><b>509-23S TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with rigid frame and componentized driveline
<b>ENGINE</b>	109HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
<b>BRAKES</b>	Internal mounted inboard on front axle, multi disc, oil immersed, Servo assisted Hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, lift extend and tilt on single lever control.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994, Operation video.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manual Operation video.
<b>TIRES</b>	Choice of Options available (none standard)
<b>TELESCOPIC BOOM</b>	Two section, 23' lift height with hydraulic parallel lift, 9,000 lbs. Maximum lift capacity.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Single lever joystick with "Loader" pattern control. Open center system with 23.2 GPM. Single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKD	509-23S TC, 4WD, 4W Steer, Rigid Frame, RAS, 109HP, Powershift Transmission	\$108,175
<b>TIRES (E)</b>		
500A419	15.5-25 Industrial traction (12 ply)	\$7,454
500A521	15 5 R25 925 GPR L3 Alliance 20 outset	\$12,504
500A412	12.00 R 24 Michelin X-Mine D2	\$19,648
<b>AUXILIARY HYDRAULICS (E)</b>		
500B281	Single Lever with Single Auxiliary Hydraulic Service	\$1,274
500B284	Single Lever with Dual Auxiliary Hydraulic Service	\$2,933
<b>OPERATORS AREA (E)</b>		
500C072	Canopy with clear right hand side glass	\$2,288
500C065	Cab with heater, tinted glass, front and rear wiper	\$4,809
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D100	Grammer Heated Deluxe Air Suspension seat	\$1,689
<b>Q-FIT CARRIAGE (E)</b>		
500E415	48" wide Direct Mount Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$2,075
<b>OPERATORS MANUAL (E)</b>		
500F606	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K148	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$549
500K181	Steering column tilt and telescope	\$235
500K187	Cab Air Filter - For use with Air Conditioning	\$413
500K231	Air Conditioning	\$3,852
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G139	Work Lights - Boom Mounted	\$356
500G156	Work Lights - Front and Rear - LED	\$1,264
500G172	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G422	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,104
500G438	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,136
500H235	Electrical (2/4 WD) Disconnect	\$600
<b>HYDRAULIC OPTIONS</b>		
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H349	Limited Slip Differential (Front Axle only)	\$791
500H452	Engine block heater, 110-120 volt, 850 Watt	\$270
500H702	Reversing engine cooling fan	\$724
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500T373	Arctic Diesel for cold climates	\$0


**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500M410	60" wide ITA Class III industrial carriage, (Use with M413 forks)	\$2,997
500M411	Sideshift carriage (class III) requires M410 & M413	\$2,855
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M413	48" x 5" x 2" ITA class III forks	\$1,763
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd3 Trash Clamp Bucket, Single full width Clamp	\$10,195
500L312	4 T Hook Crane	\$656
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018

JCB LOADALL  
**509-23S TC**  
RIGID




JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES




	<p align="center"><b>509-23S TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with rigid frame and componentized driveline
<b>ENGINE</b>	109HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive.
<b>BRAKES</b>	Internal mounted inboard on front axle, multi disc, oil immersed, Servo assisted Hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery. Reverse alarm
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake, lift extend and tilt on single lever control.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view and external mirrors, horn, in-cab storage. Backup alarm meets SAE J994, Operation video.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manual Operation video.
<b>TIRES</b>	Choice of Options available (none standard)
<b>TELESCOPIC BOOM</b>	Two section, 23' lift height with hydraulic parallel lift, 9,000 lbs. Maximum lift capacity.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Single lever joystick with "Loader" pattern control. Open center system with 23.2 GPM. Single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1** - PACKAGE BUILDS  
**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS  
**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS  
**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS  
**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<p align="center"><b>509-23TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**SECTION 1 - YELLOW SERIES**

**SALES**

<b>CODE</b>	<b>ITEM</b>	<b>LIST PRICE</b>
5AKH	509-23S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$ 112,377
500A419	15.5-25 Industrial traction (12 ply)	\$ 7,454
500B284	Single Lever with Dual Auxiliary Hydraulic Service	\$ 2,933
500C065	Cab with heater, tinted glass, front and rear wiper	\$ 4,809
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$ 826
500E415	48" wide Direct Mount Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$ 2,075
500F606	Operators manual - English Language	\$ -
500G132	Work Lights - Front and Rear - Cab or Canopy	\$ 347
500G401	Rotating Beacon, Magnetic Base	\$ 143
500H331	Auto Steer Mode	\$ 652
500H452	Engine block heater, 110-120 volt, 850 Watt	\$ 270
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$ 493
500K231	Air Conditioning	\$ 3,852
500K478	Face Level Fan	\$ 224
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$ 1,531

**LIST PRICE      \$ 137,985**


	<b>509-23TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKH	509-23S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$112,377
<b>TIRES (E)</b>		
500A419	15.5-25 Industrial traction (12 ply)	\$7,454
500A521	15 5 R25 925 GPR L3 Alliance 20 outset	\$12,504
500A412	12.00 R 24 Michelin X-Mine D2	\$19,648
<b>AUXILIARY HYDRAULICS (E)</b>		
500B281	Single Lever with Single Auxiliary Hydraulic Service	\$1,274
500B284	Single Lever with Dual Auxiliary Hydraulic Service	\$2,933
<b>OPERATORS AREA (E)</b>		
500C072	Canopy with clear right hand side glass	\$2,288
500C065	Cab with heater, tinted glass, front and rear wiper	\$4,809
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D100	Grammer Heated Deluxe Air Suspension seat	\$1,689
<b>Q-FIT CARRIAGE (E)</b>		
500E415	48" wide Direct Mount Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$2,075
<b>OPERATORS MANUAL (E)</b>		
500F606	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.


SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K148	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$549
500K181	Steering column tilt and telescope	\$235
500K187	Cab Air Filter - For use with Air Conditioning	\$413
500K231	Air Conditioning	\$3,852
500K265	Camera Kit - Level 1 (Rear only)	\$810
500K266	Camera Kit - Level 2 (Rear, side)	\$992
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K534	Radio Kit - Radio not included	\$520
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G139	Work Lights - Boom Mounted	\$356
500G156	Work Lights - Front and Rear - LED	\$1,264
500G172	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G422	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,104
500G438	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,136
500H235	Electrical (2/4 WD) Disconnect	\$600
<b>HYDRAULIC OPTIONS</b>		
500J401	Hydraulic Locking Pins for Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H331	Auto Steer Mode	\$652
500H349	Limited Slip Differential (Front Axle only)	\$791
500H452	Engine block heater, 110-120 volt, 850 Watt	\$270
500H702	Reversing engine cooling fan	\$724
500T373	Arctic Diesel for cold climates	\$0
500R737	Mechanical Hitch - 1 Ton (No Trailer Electrics)	\$240

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500M410	60" wide ITA Class III industrial carriage, (Use with M413 forks)	\$2,997
500M411	Sideshift carriage (class III) requires M410 & M413	\$2,855
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M413	48" x 5" x 2" ITA class III forks	\$1,763
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<b>509-23S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd <sup>3</sup> Trash Clamp Bucket, Single full width Clamp	\$10,195
500L312	4 T Hook Crane	\$656
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



**JAN 2018**


**JCB LOADALL  
509-45S TC**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**


	<p align="center"><b>509-45TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**SECTION 1 - YELLOW SERIES**

**SALES**

CODE	ITEM	LIST PRICE
5AKQ	509-45S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$ 126,560
500A423	15.5-25 Industrial traction (12 ply)	\$ 5,442
500B065	Single Lever Servo Controls, Single Auxiliary	\$ 4,610
500C068	Canopy with clear right hand side glass	\$ 2,268
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$ 671
500E007	66" Wide Q-Fit Framers Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q code carriages) (Use L409 Load Guard)	\$ 2,649
500F855	Operators manual - English Language	\$ -
500G132	Work Lights - Front and Rear - Cab or Canopy	\$ 347
500G401	Rotating Beacon, Magnetic Base	\$ 143
500H337	Auto Steer Mode	\$ 652
500H450	Engine block heater, 110-120 volt, 850 Watt	\$ 245
500K478	Face Level Fan	\$ 224
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$ 1,434
<b>LIST PRICE</b>		<b>\$ 145,246</b>




	<b>509-45TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL** One piece unitized mainframe with sway control, stabilizers and componentized driveline
- ENGINE** 109HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 deg. F.
- TRANSMISSION** JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
- AXLES** JCB MAX-TRAC with torque proportioning and outboard planetary drive
- BRAKES** Internal mounted multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting, Independent disc type parking brake with brake on alarm and transmission disconnect.
- ELECTRICAL** 12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
- INSTRUMENTS** Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
- CAB UNIT** Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and Parts manuals, operation video.
- CANOPY UNIT** Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
- TIRES** Choice of Options available (none standard)
- TELESCOPIC BOOM** Three section, 45' 2" lift height with hydraulic parallel lift, 8000 lbs. maximum lift capacity, 2000 lbs. to full height. Both boom sections extended by hydraulic cylinders.
- CARRIAGE** Choice of Options available (none standard)
- HYDRAULICS** Open center system with 29 GPM. Single auxiliary hydraulic service.
- LIVELINK** 2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
- WARRANTY** 2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>509-45TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKQ	509-45S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$126,560
<b>TIRES (E)</b>		
500A410	15.5 R25 L2 Michelin XTLA Radial	\$8,290
500A413	15.5 R25 L3 XHA Radial without Lockstops	\$9,253
500A423	15.5-25 Industrial traction (12 ply)	\$5,442
<b>AUXILIARY HYDRAULICS (E)</b>		
500B065	Single Lever Servo Controls, Single Auxiliary	\$4,610
500B300	Two lever placing pattern with one Aux Service	\$4,446
<b>OPERATORS AREA (E)</b>		
500C068	Canopy with clear right hand side glass	\$2,268
500C082	Cab with heater, tinted glass, front and rear wiper	\$4,905
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D413	Air Suspension Seat - Deluxe Heated, 2 in. seatbelt - Cab Only	\$1,765
<b>Q-FIT CARRIAGE (E)</b>		
500E006	48" Wide Q-Fit Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q code carriages)	\$2,056
500E007	66" Wide Q-Fit Framers Carriage with 2 1/4" Fork Shaft (Required to install attachments including Q code carriages) (Use L409 Load Guard)	\$2,649
<b>OPERATORS MANUAL (E)</b>		
500F855	Operators manual - English Language	\$0
500F856	Operators manual - French Language	\$0

	<b>509-45TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.


SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K144	Deluxe Cab Trim for Manual Steer Mode T4F	\$508
500K181	Steering column tilt and telescope	\$235
500K250	Camera Kit - Level 1 (Rear only)	\$810
500K251	Camera Kit - Level 2 (Rear, side)	\$992
500K337	Air Conditioning	\$4,051
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K467	Radio Kit	\$490
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G150	Road Lights - Front and Rear (includes turn signals) - Cab	\$1,102
500G151	Road Lights - Front and Rear (includes turn signals) - Canopy	\$1,102
500G156	Work Lights - Front and Rear - LED	\$1,264
500G401	Rotating Beacon, Magnetic Base	\$143
500G402	Strobe Light	\$147
500H286	Electric 4WD Disconnect	\$615
<b>HYDRAULIC OPTIONS</b>		
500J404	Hydraulic Pin Locking - Q-Fit Carriages	\$493
500J415	Hydraulic Pin Locking - Clearview Q-Fit Carriage	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H026	Belly Guard Kit for 109HP Engine Options	\$577
500H337	Auto Steer Mode	\$652
500H450	Engine block heater, 110-120 volt, 850 Watt	\$245
500H709	Fuel Tank Protection Kit 109, 125, 145HP Only	\$539
500T373	Arctic Diesel for cold climates	\$0

	<b>509-45TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M512	60" x 4" x 2" pallet forks (2) for 2" fork shaft	\$1,347
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M805	48" x 4" x 2" pallet forks (2) for 2" fork shaft	\$505
500M806	72" x 5" x 2" pallet forks (2) for 2" fork shaft	\$2,198
500M807	48" x 2" x 1.5" block tines (6) for 2" fork shaft	\$2,710
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<p align="center"><b>509-45TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd <sup>3</sup> Trash Clamp Bucket, Single full width Clamp	\$10,195
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L818	Large Square Bale Grab. Hydraulic - picks 3 bales, Q-Fit mount	\$7,994
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018


JCB LOADALL  
**510-44S TC**



JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>510-44S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

- GENERAL**                      One piece unitized mainframe with sway control, stabilizers and componentized driveline
- ENGINE**                        109 HP T4Final, Dual element air cleaner, spin-on fuel filter, Fuel/water separator, Anti-freeze protection to -35 deg. F.
- TRANSMISSION**                JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
- AXLES**                            JCB MAX-TRAC with torque proportioning and outboard planetary drive
- BRAKES**                         Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
- ELECTRICAL**                    12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
- INSTRUMENTS**                 Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
- CAB UNIT**                        Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, front worklights, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video.
- CANOPY UNIT**                    Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tile steering, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
- TIRES**                              Choice of Options available (none standard)
- TELESCOPIC BOOM**             Three section, 44' 3" lift height with hydraulic parallel lift, 10,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
- CARRIAGE**                        Choice of Options available (none standard)
- HYDRAULICS**                    Open center system with 29 GPM, single auxiliary hydraulic service.
- LIVELINK**                         2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
- WARRANTY**                      2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>510-44S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------


## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKJ	510-44S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$135,282
<b>TIRES (E)</b>		
500A469	17.5-25 SGL(16 ply) Industrial tread bias ply, Calcium Chloride Ballast	\$8,931
500A473	17.5-25 SGL(12 ply) Industrial tread bias ply, NO BALLAST	\$7,355
<b>AUXILIARY HYDRAULICS (E)</b>		
500B466	Two lever placing pattern with One Aux service	\$4,446
<b>OPERATORS AREA (E)</b>		
500C073	Canopy with clear right hand side glass	\$2,268
500C080	Cab with heater, tinted glass, front and rear wiper	\$4,905
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D413	Air Suspension Seat - Deluxe Heated, 2 in. seatbelt - Cab Only	\$1,765
<b>Q-FIT CARRIAGE (E)</b>		
500E413	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$2,055
500E414	66" wide Q-Fit carriage with 2-1/4" fork shaft, (Required to install attachments including Q code carriages)	\$2,649
<b>OPERATORS MANUAL (E)</b>		
500F855	Operators manual - English Language	\$0
500F856	Operators manual - French Language	\$0



	<b>510-44S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K157	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$550
500K181	Steering column tilt and telescope	\$235
500K333	Air Conditioning	\$4,051
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K445	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K467	Radio Kit	\$490
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G156	Work Lights - Front and Rear - LED	\$1,264
500G401	Rotating Beacon, Magnetic Base	\$143
500G402	Strobe Light	\$147
500G410	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,103
500G429	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,103
<b>HYDRAULIC OPTIONS</b>		
500J404	Hydraulic Pin Locking - Q-Fit Carriages	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H450	Engine block heater, 110-120 volt, 850 Watt	\$245
500H704	Reversing Fan	\$724
500H709	Fuel Tank Protection Kit 109, 125, 145HP Only	\$539
500T373	Arctic Diesel for cold climates	\$0


A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.

	<b>510-44S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L118	1.1 cu. yd, 88" wide 6 in 1 Multipurpose bucket	\$9,048
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L130	1.75 cu. yd, 96" wide GP bucket with edge	\$4,072
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500L409	Loadguard (Use with Q-Fit carriage)	\$655
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<p align="center"><b>510-44S TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd3 Trash Clamp Bucket, Single full width Clamp	\$10,195
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L818	Large Square Bale Grab. Hydraulic - picks 3 bales, Q-Fit mount	\$7,994
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q807	Manure Fork and Grab, 65 cu.ft Includes Top Grab	\$7,700
500Q808	Angle broom, 96" wide	\$9,456



JAN 2018


JCB LOADALL  
**510-55 TC**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>510-55 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline
<b>ENGINE</b>	74 HP T4Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive
<b>BRAKES</b>	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tile steering, column, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
<b>TIRES</b>	17.5 - 25 (16 ply) Industrial Tread Bias Ply - NO BALLAST
<b>TELESCOPIC BOOM</b>	Three section, 54' 9" lift height with hydraulic parallel lift, 10,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Open center system with 42.8 GPM, single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>510-55 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKL	510-55S TC, 4WD, 4W Steer, Sway Control, RAS, 74HP, Powershift Transmission	\$133,255
<b>TIRES (E)</b>		
500A491	17.25-25 (16 ply) Galaxy	\$8,775
500A435	17.5-25 (16 ply) Industrial Tread Bias ply, NO BALLAST	\$12,045
<b>AUXILIARY HYDRAULICS (E)</b>		
500B655	Single Lever Joystick placing pattern with one Aux service	\$4,446
<b>OPERATORS AREA (E)</b>		
500C174	Canopy with clear right hand side glass	\$2,268
500C175	Cab with heater, tinted glass, front and rear wiper	\$4,905
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D413	Air Suspension Seat - Deluxe Heated, 2 in. seatbelt - Cab Only	\$1,765
<b>Q-FIT CARRIAGE (E)</b>		
500E425	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Use L409 Load Guard)	\$3,719
<b>OPERATORS MANUAL (E)</b>		
500K249	Operators manual - English Language	\$0
500K442	Operators manual - French Language	\$0

	<b>510-55 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K166	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$550
500K181	Steering column tilt and telescope	\$235
500K197	Air Conditioning for 74hp Engine	\$4,051
500K248	Camera Kit - Level 1 (Rear only)	\$810
500K249	Camera Kit - Level 2 (Rear, side)	\$992
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K446	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K467	Radio Kit	\$490
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G135	Work Lights - Front and Rear	\$164
500G401	Rotating Beacon, Magnetic Base	\$143
500G402	Strobe Light	\$147
500G434	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,103
500G471	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,103
<b>HYDRAULIC OPTIONS</b>		
500J405	Hydraulic Pin Locking	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H450	Engine block heater, 110-120 volt, 850 Watt	\$245
500H709	Fuel Tank Protection Kit 109, 125, 145HP Only	\$539
500T373	Arctic Diesel for cold climates	\$0


	<b>510-55 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L411	Load guard: For Clearview Carriage	\$572
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151



	<b>510-55 TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	--------------------------	----------------------------	------------------------	----------------------------

**ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd3 Trash Clamp Bucket, Single full width Clamp	\$10,195
500L312	4 T Hook Crane	\$656
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q807	Manure Fork and Grab, 65 cu.ft Includes Top Grab	\$7,700
500Q808	Angle broom, 96" wide	\$9,456
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052



JAN 2018


JCB LOADALL  
**510-55S TC**



JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES


	<p align="center"><b>510-55S TC LOADALL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**SECTION 1 - YELLOW SERIES**

**SALES**

CODE	ITEM	LIST PRICE
5AKK	510-55S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$ 138,377
500A491	17.25-25 (16 ply) Galaxy	\$ 8,775
500B655	Single Lever Joystick placing pattern with one Aux service	\$ 4,446
500C074	Canopy with clear right hand side glass	\$ 2,268
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$ 671
500E425	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Use L409 Load Guard)	\$ 3,719
500F855	Operators manual - English Language	\$ -
500G135	Work Lights - Front and Rear	\$ 164
500G401	Rotating Beacon, Magnetic Base	\$ 143
500H450	Engine block heater, 110-120 volt, 850 Watt	\$ 245
500K478	Face Level Fan	\$ 224
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$ 1,434


**SUGGESTED LIST PRICE            \$ 160,466**

	<b>510-55S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline
<b>ENGINE</b>	109 HP T4Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Powershuttle direction change, 2.2:1 ratio torque converter, transmission disconnect on loader lever.
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive
<b>BRAKES</b>	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video.
<b>CANOPY UNIT</b>	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, suspension seat with seat belt, tile steering, column, rear view mirror, horn, in-cab storage, backup alarm meets SAE J994, operation and parts manuals. Operation video.
<b>TIRES</b>	17.5 - 25 (16 ply) Industrial Tread Bias Ply - NO BALLAST
<b>TELESCOPIC BOOM</b>	Three section, 54' 9" lift height with hydraulic parallel lift, 10,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Open center system with 42.8 GPM, single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>510-55S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKK	510-55S TC, 4WD, 4W Steer, Sway Control, RAS, 109HP, Powershift Transmission	\$138,377
<b>TIRES (E)</b>		
500A491	17.25-25 (16 ply) Galaxy	\$8,775
500A435	17.5-25 (16 ply) Industrial Tread Bias ply, NO BALLAST	\$12,045
<b>AUXILIARY HYDRAULICS (E)</b>		
500B655	Single Lever Joystick placing pattern with one Aux service	\$4,446
<b>OPERATORS AREA (E)</b>		
500C074	Canopy with clear right hand side glass	\$2,268
500C079	Cab with heater, tinted glass, front and rear wiper	\$4,905
<b>SEATS (E)</b>		
500D410	Vinyl suspension seat, 2 in. seatbelt - Canopy Only	\$583
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
500D413	Air Suspension Seat - Deluxe Heated, 2 in. seatbelt - Cab Only	\$1,765
<b>Q-FIT CARRIAGE (E)</b>		
500E425	48" wide Q-Fit carriage with 2-1/4" fork shaft, (Use L409 Load Guard)	\$3,719
<b>OPERATORS MANUAL (E)</b>		
500F855	Operators manual - English Language	\$0
500F856	Operators manual - French Language	\$0

	<b>510-55S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.


SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K166	Deluxe Cab Trim including radio installation kit with manual steer mode selector	\$550
500K181	Steering column tilt and telescope	\$235
500K248	Camera Kit - Level 1 (Rear only)	\$810
500K249	Camera Kit - Level 2 (Rear, side)	\$992
500K334	Air Conditioning for 109hp Engine T4F only	\$4,051
500K442	Mirror - Rear, High Visibility, Convex	\$274
500K446	Mirror - Front, High Visibility, Convex	\$274
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K467	Radio Kit	\$490
500K470	Front Windshield Guard	\$527
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K551	12 V power supply socket	\$73
<b>ELECTRICAL OPTIONS</b>		
500G135	Work Lights - Front and Rear	\$164
500G136	Work Lights - Front and Rear - Cab or Canopy - AC	\$337
500G401	Rotating Beacon, Magnetic Base	\$143
500G402	Strobe Light	\$147
500G434	Road Lights - Front and Rear (includes turn signals) - Cab Only	\$1,103
500G471	Road Lights - Front and Rear (includes turn signals) - Canopy Only	\$1,103
<b>HYDRAULIC OPTIONS</b>		
500J405	Hydraulic Pin Locking	\$493
<b>OTHER BASE MACHINE OPTIONS</b>		
500H450	Engine block heater, 110-120 volt, 850 Watt	\$245
500H704	Reversing Fan	\$724
500H709	Fuel Tank Protection Kit 109, 125, 145HP Only	\$539
500T373	Arctic Diesel for cold climates	\$0

	<b>510-55S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L101	1.3 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$1,519
500L129	1.75 cu. yd, 96" wide GP bucket	\$3,647
500L132	1.5 cu yd 90" wide GP Bucket ( Bolt-on edge 547/37801 sold separately)	\$5,998
500L411	Load guard: For Clearview Carriage	\$572
500L803	1.0 cu. yd, 96" wide Utility bucket	\$2,394
500L804	2.5 cu. yd, 96" wide light material bucket	\$4,336
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L809	2.0 cu. yd, 96" wide GP bucket	\$4,367
500L810	96" wide cutting edge, for use on all 96" wide buckets	\$457
500L817	4.0 cu. yd. Light Material Bucket (Q-Fit Mount)	\$6,773
500P105	2.25 cu. yd, 96" wide light material bucket	\$3,465
<b>CARRIAGES (Q-Fit mounted. Also require E code Q-fit installed on machine)</b>		
500P803	66" wide Direct Mount Framers carriage with 2-1/4" fork shaft	\$6,666
500Q800	48" wide side tilt carriage, 2-1/4" fork shaft	\$5,235
500Q801	66" wide side tilt framers carriage with 2-1/4" fork shaft	\$5,430
500Q802	48" wide side shift carriage with 2-1/4" fork shaft	\$5,626
500Q803	66" wide side shift framers carriage with 2-1/4" fork shaft	\$5,862
500Q804	60" wide ITA Class III industrial carriage, (Use with M808 forks)	\$2,798
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M208	48" x 5" x 2" pallet forks (2) for 2 1/4" fork shaft	\$1,531
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
500M808	48" x 5" x 2" ITA class III forks	\$1,151

	<b>510-55S TC LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### ATTACHMENTS Continued - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OTHER ATTACHMENTS (May Require E code Q-fit installed on machine)</b>		
500E263	1.75 cu. yd, 96" wide scrap grapple, twin independent clamps	\$9,729
500E421	48" wide Boom Mounted Q-Fit Side Tilt Carriage w/2-1/4" fork shaft	\$5,460
500E422	96" wide, 2-1/4 yd3 Trash Clamp Bucket, Single full width Clamp	\$10,195
500L312	4 T Hook Crane	\$656
500L805	2.25 cu. yd, 96" wide scrap grapple, twin independent clamps	\$8,718
500L819	JCB Q-Fit to Universal Skid Steer Adaptor	\$1,715
500L820	3.0 cu. yd. Bucket and Grab - 96" Wide	\$12,297
500L821	3.0 cu. yd. Bucket - 96" with Grab Mounting Brackets	\$4,918
500L822	3.25 cu. yd. Bucket and Grab - 102" Wide	\$11,319
500L823	3.25 cu. yd. Bucket with Grab Mounting Brackets - 102" Wide	\$5,224
500L824	Cutting Edge - 102" Wide (3-piece)	\$741
500P817	Loadguard (Use with Side Tilt carriage)	\$509
500Q805	Truss Boom - 12ft, 1,400lbs Capacity. For Q-Fit Carriages	\$2,899
500Q807	Manure Fork and Grab, 65 cu.ft Includes Top Grab	\$7,700
500Q808	Angle broom, 96" wide	\$9,456
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052





**JAN 2018**


**JCB LOADALL  
512-26S INDUSTRIAL**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>512-26S INDUSTRIAL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with stabilizers and componentized driveline
<b>ENGINE</b>	125 HP T4Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Permanent 4WD, 2.2:1 ratio torque converter, transmission
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive
<b>BRAKES</b>	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video. Lower steel door with tinted glass. Front and roof guard standard, as well as, light guards.
<b>TIRES</b>	Choice of Options available (none standard)
<b>TELESCOPIC BOOM</b>	Two section, 12' 11" lift height with hydraulic parallel lift, 12,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Open center system with 37 GPM, single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**


	<b>512-26S INDUSTRIAL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKN	512-26S TC Industrial, 4WD, 4W Steer, Rigid Frame, RAS, 125HP Engine, Powershift Transmission	\$133,973
<b>TIRES (E)</b>		
500A506	480/80 R26 Michelin Bib Load	\$13,837
500A497	480/80 R26 Michelin XMCL	\$13,905
500A485	13.0-24 Semi-solid Tires	\$14,855
<b>AUXILIARY HYDRAULICS (E)</b>		
500B461	Single Joystick with One Auxiliary Hydraulic Service	\$2,134
500B463	Single Joystick with Dual Auxiliary Hydraulic Service	\$2,762
<b>OPERATORS AREA (E)</b>		
500C153	Cab with heater, tinted glass, front and rear wiper	\$6,732
<b>SEATS (E)</b>		
500D111	Suspension seat: fabric adjustable backrest weight, 2 in. seatbelt	\$752
500D119	Air suspension seat - Deluxe Heated	\$1,619
<b>Q-FIT CARRIAGE (E)</b>		
500E476	Q-Fit 48in. Carriage with 2-1/4" Fork Pin, Hydraulic Pin Lock, Single Auxiliary	\$2,538
500E477	Q-Fit 48in. Carriage with 2-1/4" Fork Pin, Hydraulic Pin Lock, Dual Auxiliary	\$2,538
<b>OPERATORS MANUAL (E)</b>		
500F611	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0

	<b>512-26S INDUSTRIAL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G116	Boom working light	\$338
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G156	Work Lights - Front and Rear - LED	\$1,264
500G169	Work Lights - Front - LED	\$724
500G187	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
<b>ENGINE OPTIONS</b>		
500H157	Fixed Axle Standard for 26 in. Wheel - 512-26 Only	\$1,015
500H287	Electric 4WD Disconnect	\$661
500H326	Auto Reverse Engine Cooling Fan - 109 or 125HP	\$248
500H709	Fuel Tank Protection Kit 109, 125, 145HP Only	\$539
<b>OPERATORS AREA OPTIONS</b>		
500K339	Air Conditioning for LED Work Lights, Rear Lights Included	\$4,051
500K464	2 Speed Intermittent wiper	\$171
500K471	Roof and Front Screen Guard	\$876
500K477	Fire Extinguisher	\$251
500K478	Face Level Fan	\$224
500K562	Remote grease point access	\$584

	<p align="center"><b>512-26S INDUSTRIAL</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L413	2.1 cu yd (1.6 m3) bucket - Q-fit mount	\$7,267
500L416	5 cu yd (4.0 m3) Light Material Bucket, Ni Cutting Edge	\$7,930
500L418	6.5 cu yd (5.0 cu m) Bucket	\$10,500
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M201	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,388



JAN 2018


JCB LOADALL  
**512-26S WASTE MASTER**



JCB, Inc. North American  
**MACHINE PRICE LIST**  
in U.S. Dollars

**EFFECTIVE: JANUARY 1, 2018**


CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>512-26S WASTE MASTER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------------	----------------------------	------------------------	----------------------------

**STANDARD EQUIPMENT**

<b>GENERAL</b>	One piece unitized mainframe with stabilizers and componentized driveline
<b>ENGINE</b>	125 HP T4Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator Thermostart assist, Anti-freeze protection to -35 deg. F.
<b>TRANSMISSION</b>	JCB 4x4 Powershift, Permanent 4WD, 2.2:1 ratio torque converter, transmission
<b>AXLES</b>	JCB MAX-TRAC with torque proportioning and outboard planetary drive
<b>BRAKES</b>	Internal mounted, multi-disc, oil immersed, Servo assisted hydraulic actuation, self adjusting. Independent disc type parking brake with brake on alarm and transmission disconnect.
<b>ELECTRICAL</b>	12 volt, Meets IP67 water ingress test standard, 95 amp alternator, 850 CCA low maintenance battery.
<b>INSTRUMENTS</b>	Audible and visual warning system, Tachometer, Hourmeter, Fuel Gauge, Coolant temp. gauge, Warning light for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp., trans oil pressure, parking brake.
<b>CAB UNIT</b>	Meets SAE J231 FOPS/ SAE J1040 ROPS requirements, suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, rear view mirror, horn, in-cab storage. Backup alarm meets SAE J994, Operation and part manuals, operation video. Lower steel door with tinted glass. Front and roof guard standard, as well as, light guards.
<b>TIRES</b>	13.00-24 Semi-Solid
<b>TELESCOPIC BOOM</b>	Two section, 12' 11" lift height with hydraulic parallel lift, 12,000 lbs. Maximum lift capacity. Boom sections extended by hydraulic cylinders.
<b>CARRIAGE</b>	Choice of Options available (none standard)
<b>HYDRAULICS</b>	Open center system with 37 GPM, single auxiliary hydraulic service.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

**SECTIONS ARE ORGANIZED AS FOLLOWS:**  
**Section 1 - PACKAGE BUILDS**  
**Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS**  
**Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS**  
**Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS**  
**DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)**

	<b>512-26S WASTE MASTER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------------	----------------------------	------------------------	----------------------------


## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AKM	512-26S TC WasteMaster, 4WD, 4W Steer, Rigid Frame, RAS, 125HP Engine, Powershift Transmission	\$139,938
<b>TIRES (E)</b>		
500A485	13.0-24 Semi-solid Tires	\$14,855
<b>AUXILIARY HYDRAULICS (E)</b>		
500B461	Single Joystick with One Auxiliary Hydraulic Service	\$2,134
500B463	Single Joystick with Dual Auxiliary Hydraulic Service	\$2,762
<b>OPERATORS AREA (E)</b>		
500C152	Cab fully glazed with front, roof and rear wipers. Lower steel door	\$6,241
<b>SEATS (E)</b>		
500D414	Vinyl suspension seat, 3 in. Seatbelt	\$671
500D411	Fabric suspension seat, 2 in. seatbelt - Cab Only	\$750
500D415	Fabric suspension seat, 3 in. Seatbelt - Cab Only	\$826
500D412	Deluxe fabric air suspension seat, 2 in. seatbelt	\$1,428
<b>Q-FIT CARRIAGE (E)</b>		
500E476	Q-Fit 48in. Carriage with 2-1/4" Fork Pin, Hydraulic Pin Lock, Single Auxiliary	\$2,538
500E477	Q-Fit 48in. Carriage with 2-1/4" Fork Pin, Hydraulic Pin Lock, Dual Auxiliary	\$2,538
<b>OPERATORS MANUAL (E)</b>		
500F611	Operators manual - English Language	\$0
500F019	Operators manual - French Language	\$0



	<b>512-26S WASTE MASTER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>OPERATORS COMPARTMENT OPTIONS</b>		
500K464	2 Speed Intermittent wiper	\$171
500K466	Sun Blind, Front Windshield and Roof	\$258
500K478	Face Level Fan	\$224
500K562	Remote grease point access	\$584
<b>ELECTRICAL OPTIONS</b>		
500G116	Boom working light	\$338
500G132	Work Lights - Front and Rear - Cab or Canopy	\$347
500G156	Work Lights - Front and Rear - LED	\$1,264
500G169	Work Lights - Front - LED	\$724
500G187	Work Lights - Boom Mounted - LED	\$713
500G401	Rotating Beacon, Magnetic Base	\$143
500G402	Strobe Light	\$147
<b>OTHER BASE MACHINE OPTIONS</b>		
500H110	Engine Block Heater	\$193
500H157	Fixed Axle Standard for 26 in. Wheel - 512-26 Only	\$1,015
500H326	Auto Reverse Engine Cooling Fan - 109 or 125HP	\$248

	<p align="center"><b>512-26S WASTE MASTER</b></p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: JANUARY 1, 2018</p>
---	---	---	---	--

**SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:**

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>BUCKETS (Q-Fit mounted. Require E code Q-fit installed on machine)</b>		
500L413	2.1 cu yd (1.6 m3) bucket - Q-fit mount	\$7,267
500L416	5 cu yd (4.0 m3) Light Material Bucket, Ni Cutting Edge	\$7,930
500L418	6.5 cu yd (5.0 cu m) Bucket	\$10,500
<b>FORK SETS (Mount to E code Q-fit and Q code Carriages)</b>		
500M201	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,388