

BOBCAT COMPANY PRICE PAGES

NA 3600 & 3650 UTILITY VEHICLES



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT,

Date	Description of Change
10/22/2017	Bobcat Company has updated the model year 2018 vehicles and accessories.

**Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

3600 BOBCAT UTILITY VEHICLE



STANDARD EQUIPMENT

- | | |
|---|---|
| <p>Engine</p> <ul style="list-style-type: none"> • Key Start • Liquid Cooled • Three Cylinder Diesel • Pressurized Oiling system with Spin-on Filter • Spark Arrestor Exhaust System <p>Drive System</p> <ul style="list-style-type: none"> • Hydrostatic • Four Wheel Drive - Lockable Rear Differential • Forward Travel, Two range (H/L) • CV Guard, Front & Rear • Gear Selector, P-N-L-H • Brakes - 4-Wheel, Hydraulic Disc with Dual-Bore Front Calipers <p>Suspension & Steering</p> <ul style="list-style-type: none"> • Front - Independent, Dual A-Arm • Rear- De Dion • Hydraulic Rack & Pinion Power Steering • Tilt Steering <p>Operator Compartment</p> <ul style="list-style-type: none"> • Beverage Holder (2) • Bench Seats (3 Occupants) with under seat storage • 3 Seat Belts with 3-Point Restraint, center occupant hand hold | <p>Tires/Wheels</p> <ul style="list-style-type: none"> • Front, 25x10-12 - 12x6 orange steel rim • Rear, 25x11-12 - 12x8 orange steel rim <p>Electrical</p> <ul style="list-style-type: none"> • Headlights, High & Low Beams • LED Tail & Brake Lights <p>Instrumentation Panel</p> <ul style="list-style-type: none"> • Indicator Lights: Glow Plug, Seat Belt Reminder, High Beam On, Engine Temp High, Hydraulic Oil Temp High, Hydraulic Oil Filter Plugged, and Service Engine. • Digital Display: Engine Temp, Engine RPM, Voltage Low, Voltage High, Trip, Hour Meter, Tachometer, Fuel Level, Clock, Drive Mode, Odometer and Gear Selector. • Analog Display: Speedometer <p>Cargo Box and Frame</p> <ul style="list-style-type: none"> • Cargo Box with Lift Gas Cylinder Assist • Quick Latch Tailgate • Rear Receiver Hitch - 2 in. • Skid Plates • ROPS (Roller Over Protective Structure) <p>Warranty, 12 months/1,000 hours</p> |
|---|---|

QUICK SPECS

Engine Displacement.....	1028 cc
Horsepower.....	24 HP
Engine Fuel/Cooling.....	Diesel/Liquid
Fuel Delivery	Indirect injection
Travel Speed (Forward-Low/High)	14 MPH / 30 Max. MPH
Shipping Weight	1938 lbs.
Dimensions (Length x Width x Height)	122.2 in. x 63.2 in. x 72.9 in.
Ground Clearance (Below Differential)	8.7 in.
Fuel Capacity	10.0 gal.
Cargo Box Specifications	
Load Capacity	1250 lbs.
Inside Dimensions (LxWxH)	43.5 in. x 54 in. x 11.5 in.
Load Height.....	33 in.
Vehicle Rated Capacity (combined weight of passengers, cargo box load and accessories on level ground).....	1600 lbs.
Towing Capacity	2000 lbs.

3600
BOBCAT UTILITY VEHICLE

PART NUMBER	DESCRIPTION	UTILITY VEHICLE	SLP IN US \$
-------------	-------------	-----------------	--------------

M1309-R01-C02	3600 Utility Vehicle—Diesel Deluxe*		\$ 22,049
---------------	---	--	-----------

***Deluxe Vehicle Includes: Windshield Wiper & Washer, Glass Windshield, Rear Glass Window, Sound Kit, Doors with hinged windows, Premium Roof, HVAC (Heating, Ventilation, and Air Conditioning), and Power Lift Box**

VEHICLE	DESTINATION CHARGE
---------	--------------------

3600 Utility Vehicle	\$ 835.00
----------------------------	-----------

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS

**Dealer Installed Accessories for the 3600 Utility Vehicle are located after the 3650 Utility Vehicle section*

3650

BOBCAT UTILITY VEHICLE



STANDARD EQUIPMENT

- | | |
|--|--|
| <p>Engine</p> <ul style="list-style-type: none"> • Key Start • Liquid Cooled • Three Cylinder Diesel • Pressurized Oiling system with Spin-on Filter • Spark Arrestor Exhaust System <p>Drive System</p> <ul style="list-style-type: none"> • Hydrostatic • Four Wheel Drive - Lockable Rear Differential • Forward Travel, Two range (H/L) • CV Guard, Front & Rear • Gear Selector, P-N-L-H • Mechanical Parking • Brakes - 4-Wheel, Hydraulic Disc with Dual-Bore Front Calipers <p>Suspension & Steering</p> <ul style="list-style-type: none"> • Front - Independent, Dual A-Arm • Rear- De Dion • Hydraulic Rack & Pinion Power Steering • Tilt Steering <p>Operator Compartment</p> <ul style="list-style-type: none"> • Beverage Holder (3) • Bucket Seats (2 Occupants) with under seat storage • 2 Seat Belts with 3-Point Restraint <p>Warranty, 12 months/1,000 hours</p> | <p>Tires/Wheels</p> <ul style="list-style-type: none"> • Front, 25x10-12 - 12x6 orange steel rim • Rear, 25x11-12 - 12x8 orange steel rim <p>Electrical</p> <ul style="list-style-type: none"> • Headlights, High & Low Beams • LED Tail & Brake Lights <p>Instrumentation Panel</p> <ul style="list-style-type: none"> • Indicator Lights: Glow Plug, Seat Belt Reminder, High Beam On, Engine Temp High, Hydraulic Oil Temp High, Hydraulic Oil Filter Plugged, and Service Engine. • Digital Display: Engine Temp, Engine RPM, Voltage Low, Voltage High, Trip, Hour Meter, Tachometer, Fuel Level, Clock, Drive Mode, Odometer and Gear Selector. • Analog Display: Speedometer <p>Cargo Box and Frame</p> <ul style="list-style-type: none"> • Cargo Box with Power Lift • Quick Latch Tailgate • Rear Receiver Hitch - 2 in. • Skid Plates • ROPS (Roller Over Protective Structure) <p>M.A.X. (Multi-Attachment X-change) System/PTO</p> <ul style="list-style-type: none"> • Front PTO Guard • Joystick Operation- Tilt, Raise/Lower, Float and Lockout Feature • RPM Regulator Lever • PTO Engage Button |
|--|--|

QUICK SPECS

Engine Displacement.....	1028 cc
Horsepower.....	24 HP
Engine Fuel/Cooling.....	Diesel/Liquid
Fuel Delivery.....	Indirect injection
Travel Speed (Forward-Low/High).....	14 MPH / 30 Max. MPH
Shipping Weight.....	2195 lbs.
Dimensions (Length x Width x Height).....	142.4 in x 63.2 in. x 72.9 in.
Ground Clearance (Below PTO Guard).....	7.2 in.
Fuel Capacity.....	10.0 gal.
Cargo Box Specifications	
Load Capacity.....	1250 lbs.
Inside Dimensions (LxWxH).....	43.5 in. x 54 in. x 11.5 in.
Load Height.....	33 in.

3650

BOBCAT UTILITY VEHICLE

QUICK SPECS - CONT.

Vehicle Rated Capacity (combined weight of passengers,
 cargo box load and accessories on level ground) 1600 lbs.
 Towing Capacity..... 2000 lbs.
 MAX Lift Capacity 500 lbs.
 MAX Lift Height 24 in.

PART NUMBER	DESCRIPTION	UTILITY VEHICLE	SLP IN US \$
-------------	-------------	-----------------	--------------

M1311-R01-C02	3650 Utility Vehicle—Diesel Deluxe*		\$ 25,786
---------------	---	--	-----------

***Deluxe Vehicle Includes: Windshield Wiper & Washer, Glass Windshield, Rear Glass Window, Sound Kit, Doors with hinged windows, Premium Roof, HVAC (Heating, Ventilation, and Air Conditioning)**

VEHICLE DESTINATION CHARGE

3650 Utility Vehicle		\$ 835.00
----------------------	-------	--	-----------

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS

**See Dealer Installed Accessory Section on the next page*

3600/3650

BOBCAT UTILITY VEHICLE

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

Individual Rims and Accessories

7027785	Rim 12x6, Orange	\$ _____
	For use with any tire – 25x9-12 Tire Mounts on front axle (<i>left or right</i>)	
7023517	Rim 12x8, Orange	\$ _____
	For use with any tire – 25x11-12 Tire Mounts on rear axle (<i>left or right</i>)	
7028398	Rim 12x6, Black	\$ _____
	For use with any tire – 25x9-12 Tire Mounts on front axle (<i>left or right</i>)	
7028397	Rim 12x8, Black	\$ _____
	For use with any tire – 25x11-12 Tire Mounts on rear axle (<i>left or right</i>)	

Individual Tires and Accessories

7027654	Front Tire – All Purpose – 25x10-12	\$ _____
	Mounts on 12x6 steel rims (<i>orange or black</i>) <i>*Factory Tire</i>	
7027655	Rear Tire – All Purpose – 25x11-12	\$ _____
	Mounts on 12x8 steel rims (<i>orange or black</i>) <i>*Factory Tire</i>	
7027146	Front Tire – Mud – 25x10-12	\$ _____
	Mounts on 12x6 steel rims (<i>orange or black</i>)	
7027147	Rear Tire – Mud – 25x11-12	\$ _____
	Mounts on 12x8 steel rims (<i>orange or black</i>)	
7027144	Front Tire – Hard Surface – 25x8.5-12	\$ _____
	Mounts on 12x6 steel rims (<i>orange or black</i>)	
7027145	Rear Tire – Hard Surface – 25x10.5-12	\$ _____
	Mounts on 12x8 steel rims (<i>orange or black</i>)	
6989065	Front Tire – Turf - 25x9-12	\$ _____
	Mounts on 12x6 steel rims (<i>orange or black</i>)	
6989066	Rear Tire - Turf - 25x11-12	\$ _____
	Mounts on 12x8 steel rims (<i>orange or black</i>)	

Cab Enclosures

(full enclosure requires top, front window, rear window, doors)

7227920	Roof, Canvas	\$ _____
	Includes flexible and mold resistant, heavy duty canvas cab top Estimated install time 0.5 hour	
7227927	Roof, Sport	\$ _____
	Includes lightweight and durable, hardened plastic cab top Estimated install time 0.25 hour	
7227953	Roof, Steel	\$ _____
	Includes 12 gauge steel cab top Estimated install time 0.25 hour	
7227936	Roof, Premium	\$ _____
	Includes sport roof and headliner (<i>included on deluxe model</i>) Model Year 2016 and older Estimated install time 0.25 hour	
7316769	Roof, Premium	\$ _____
	Includes sport roof and headliner (<i>included on deluxe model</i>) Model Year 2017 and newer Estimated install time 0.25 hour	
7259517	Windshield, Half Poly	\$ _____
	Includes half poly windshield w/tool-less installation Estimated install time 0.5 hour	

3600/3650

BOBCAT UTILITY VEHICLE

Cab Enclosures (Continued)
(full enclosure requires top, front window, rear window, doors)

7227932	Windshield, Poly Includes sealed fit, polycarbonate windshield Utilizes integrated accessory mounting system Estimated install time 0.25 hour	\$ _____
7227930	Windshield, Poly with Hard Coat Includes sealed fit, polycarbonate windshield with scratch resistant coating Utilizes integrated accessory mounting system Estimated install time 0.25 hour	\$ _____
7227963	Windshield, Glass Includes laminate glass windshield and accessory anchors Utilizes integrated accessory mounting system Estimated install time 0.25 hour	\$ _____
7227944	Windshield, Bolt-On Glass Includes laminate glass windshield and accessory anchors <i>(included on deluxe models)</i> Compatible with Windshield Wiper Kit (7246232) Estimated install time 0.25 hour	\$ _____
7227955	Windshield, Tip-Out Glass Includes laminate glass windshield, hand latch and mounting hardware Compatible with Windshield Wiper Kit (7246232) Estimated install time 0.5 hour	\$ _____
7227917	Rear Panel, Canvas Includes durable canvas rear panel with UV coated protection, and vinyl window Compatible only with canvas tops (7227920) Estimated install time 0.5 hour	\$ _____
7227942	Rear Panel, Poly Includes polycarbonate rear panel and accessory anchors Utilizes integrated accessory mounting system Estimated install time 0.5 hour	\$ _____
7227938	Rear Panel, Glass Includes tempered glass rear panel and accessory anchors Utilizes integrated accessory mounting system Estimated install time 0.5 hour	\$ _____
7227940	Rear Sliding Panel, Glass Includes tempered glass, rear panel with sliding windows and accessory anchors Utilizes integrated accessory mounting system Estimated install time 0.5 hours	\$ _____
7259514	Doors, Half..... Includes driver & passenger steel half doors w/hinges and latches Estimated install time 0.25 hour	\$ _____
7227915	Doors, Canvas Includes driver & passenger side heavy duty canvas with UV coated protection & vinyl windows with weather protection flap Estimated install time 1.0 hour	\$ _____
7227960	Doors, Premium Includes driver & passenger hardened plastic doors w/hinged windows and interior liner <i>(included on deluxe models)</i> Estimated install time 1.0 hour	\$ _____

Operator Comfort Accessories

7194742	Accessory Grab Handle..... Includes 1 handle Estimated install time .25 hour	\$ _____
7226521	Cab Insulation Sealing Kit Seals cab and reduce noise <i>(included on Deluxe models)</i> Estimated install time 2.0 hours	\$ _____
7265210	Cab Insulation NVH Kit Reduces noise in cab <i>(included on Deluxe models)</i> Estimated install time 0.0 hours	\$ _____

3600/3650

BOBCAT UTILITY VEHICLE

Operator Comfort Accessories (continued)

7228091	<p>Heated Seat.....</p> <p>Includes two heated panels and wiring installation for stock seats Requires Terminal Block Kit (7229408) Estimated install time 0.5 hour</p>	\$ _____
7261069	<p>Budget Heater</p> <p>Includes blower and hoses Requires Terminal Block Kit (7229408) Estimated install time 2.0 hours</p>	\$ _____
7273823	<p>Heater Deluxe Diesel Kit.....</p> <p>Models: 3400, 3400 XL (Diesel only) Includes 8 vents (2 floor, 2 defrost, 4 dash), heater core, controller, ducting and hardware <i>(included on deluxe models)</i> Estimated install time 3.0 hours</p>	\$ _____
7246232	<p>Windshield Wiper & Washer</p> <p>Includes washer fluid reservoir, wiper blade and mounting hardware Compatible with Bolt-On Windshield (7227944), <i>(included on deluxe model)</i> Estimated install time 0.75 hour</p>	\$ _____
7311256	<p>Mirror, Rear View.....</p> <p>Includes internal rear view mirror, hardware for mounting Mounts to ROP structure or Wiper Cover when used with wiper system Estimated install time 0.5 hour</p>	\$ _____
7204856	<p>Mirror Kit, Side.....</p> <p>Includes 2 external mirrors & mounting hardware to cab Estimated install time 0.5 hour</p>	\$ _____
7311707	<p>Seat Cover GreyBench, Carhartt (bench)</p> <p>Models: 3600 Includes 1 back cover and 2 base canvas covers to fit 40/60 bench seating configuration Estimated install time 0.25 hour</p>	\$ _____
7310883	<p>Seat Cover Grey, Carhartt (buckets).....</p> <p>Models: 3650 Includes 2 back and 2 base canvas covers to fits bucket seating configuration Estimated install time 0.25 hour</p>	\$ _____
7230442	<p>Travel Pedal Plate.....</p> <p>Includes travel pedal plate and mounting hardware Estimated install time 0.25 hour</p>	\$ _____

Electrical Accessories

7229408	<p>3600 Remote Terminal Block</p> <p>Includes wiring harness and mounting hardware Adds a front terminal location for additional electrical accessories Compatible with 3600 Standard <i>(pre-model year 15)</i> Unit Only Estimated install time 0.5 hour</p>	\$ _____
7300857	<p>Dome Light, Cab.....</p> <p>Include overhead light which mounts to the roof accessory Compatible only with; 7227927 <i>Sport Roof</i>, & 7227936 <i>Premium Roof</i> Estimated install time 2.0 hours</p>	\$ _____
7222651	<p>Back-up Alarm.....</p> <p>Includes beeper and wiring Estimated install time 0.5 hour</p>	\$ _____
7259511	<p>Block Heater.....</p> <p>Includes heater, adapter plate and power cord Estimated install time 0.75 hour</p>	\$ _____
7172026	<p>Heater Battery Blanket (Diesel Only).....</p> <p>Includes heater blanket Estimated install time .1 hour</p>	\$ _____
7227912	<p>Electric Cargo Box Lift</p> <p>Includes actuator and switch Compatible with 3600 model Cargo Box only, replaces lift assist shock <i>(included on deluxe models)</i> Estimated install time 0.25 hour</p>	\$ _____

3600/3650

BOBCAT UTILITY VEHICLE

Electrical Accessories (continued)

7228093	<p>Horn</p> <p>Includes horn and dash mounted button Estimated install time 0.75 hour</p>	\$ _____
7261325	<p>Light, Strobe.....</p> <p>Includes mounting bracket, strobe magnets and wiring for on/off switch Not compatible with Canvas Cab Estimated install time 0.75 hour</p>	\$ _____
7204859	<p>Lights, Work (Front)</p> <p>Includes two lights, wiring and mounting hardware Not compatible with Canvas Cab Estimated install time 0.75 hour</p>	\$ _____
7261327	<p>Lights, Work (Rear)</p> <p>Includes two lights, wiring and mounting hardware Not compatible with Canvas Cab Estimated install time 0.75 hour</p>	\$ _____
7257391	<p>Lights, LED Bar.....</p> <p>Includes two spot lights, and two flood lights, light bar and multiple mounting brackets Estimated install time 1.0 hour</p>	\$ _____
7223350	<p>Radio Kit.....</p> <p>Includes speakers, wiring harness, bracket & mounting hardware Requires FM/AM Stereo (7231683) Estimated install time 1.5 hours</p>	\$ _____
7028567	<p>Stereo, FM/AM</p> <p>Includes Weatherproof Radio & antenna Requires Radio Kit (7223350) See Radio Kit (7223350) for estimated install time</p>	\$ _____
7261845	<p>Turn Signal.....</p> <p>Includes front turn signal lights, harness and column mounted control switch Estimated install time 1 hour</p>	\$ _____
7226023	<p>Winch, Integrated 4500 lb.....</p> <p>Model: 3600 Model Only Includes winch, mounting bracket, harness and controller Estimated install time 1.5 hours</p>	\$ _____
7226025	<p>Winch, Multi Mount 4500 lb.....</p> <p>Mounts to front or rear receiver hitch on 3600 Model Mounts to rear receiver hitch only on 3650 Model Includes winch, mounting bracket, harness and controller Requires Front Receiver Hitch (7219862) Estimated install time 1.5 hours</p>	\$ _____

Protection Accessories

7219854	<p>Premium Front Brush Guard.....</p> <p>Model: 3600 Includes front brush guard and hardware Estimated install time 0.5 hour</p>	\$ _____
7227949	<p>Bars, Standard Nerf.....</p> <p>Includes two steel nerf bars with boot scraper Estimated install time 0.5 hour</p>	\$ _____
7265426	<p>Skid Plates</p> <p>Includes RH & LH plastic skid plates for added floorboard protection Estimated install time 0.5 hours</p>	\$ _____
7265900	<p>Side Net.....</p> <p>Includes 2 side nets, hardware and latches Estimated install time 0.5 hours</p>	\$ _____

3600/3650

BOBCAT UTILITY VEHICLE

Misc/Other

7327576	<p>Fire Extinguisher Kit..... \$ _____</p> <p>Models: 3600, 3650 Includes bracket and mounting hardware 3.25 in diameter fire extinguisher not included Estimated install time 0.5 hour</p>	
7219862	<p>Front Receiver Hitch..... \$ _____</p> <p>Model: 3600 Includes hitch and mounting hardware Use with any standard 2-inch drawbar Estimated install time 1.0 hour</p>	
7233193	<p>Kit Snow Plow..... \$ _____</p> <p>Models: 3600 Includes Mounting Frame, Angle Frame, (72" w x 26-16" h) Tapered Blade and Trip Springs Requires Integrated Front Winch (7226023) 3600 STD requires remote terminal block kit (7229408) Estimated Install Time 1.0 Hours</p>	
7230585	<p>Variable Speed Limit Kit..... \$ _____</p> <p>Limits maximum speed range between 20 to 25 mph Estimated install time 2.0 hours</p>	
7272643	<p>Purifier Muffler, Diesel only..... \$ _____</p> <p>Models: 3600 and 3650 Estimated install time .5 hours</p>	
7265423	<p>Hand Throttle Kit..... \$ _____</p> <p>Models: 3600 Includes cable and hardware to have fully adjustable engine idle Can be installed on Canopy or Cab vehicles Estimated install time 1.0 hours</p>	

Integrated Accessory System

7308875	<p>Bed Rails..... \$ _____</p> <p>Includes 2 box rails, box anchors, Utilizes integrated accessory mounting system; Not compatible with 7308874 Rear Window Guard & 7195887 Gun Scabbard Mount Estimated install time 0.5 hour</p>	
7198443	<p>Cargo Box Anchors..... \$ _____</p> <p>Two additional integrated accessory mounting system anchors Estimated install time 0.25 hour</p>	
7228798	<p>Cargo Box Extension/Divider..... \$ _____</p> <p>Includes divider and two accessory anchors Utilizes integrated accessory mounting system (can also extend end of cargo box) Estimated install time 0.5 hour</p>	
7269587	<p>Cargo Box Hold Down..... \$ _____</p> <p>Models: 3400, 3400 XL Includes latch, brackets, and hardware Manually lock connecting the cargo box to vehicle frame Estimated install time 0.5 hour</p>	
7228078	<p>Chainsaw Rack..... \$ _____</p> <p>Includes mount for any chainsaw and two accessory anchors Utilizes integrated accessory mounting system Estimated install time 0.25 hour</p>	
7195887	<p>Gun Scabbard Mount, Dual..... \$ _____</p> <p>Includes mount for two gun boots Utilizes integrated accessory mounting system Compatible with black (6988959) or camouflage (6988960) Estimated install time 1.0 hour</p>	
6988959	<p>Gun Boot, Black..... \$ _____</p> <p>For use with Dual Gun Scabbard Estimated install time 0.25 hours</p>	
6988960	<p>Gun Boot, Camouflage..... \$ _____</p> <p>For use with Dual Gun Scabbard Estimated install time 0.25 hours</p>	
7308874	<p>Rear Window Guard..... \$ _____</p> <p>Includes window guard, box anchors; guard has 2 positions, up for window guard & down for elevated rack storage Utilizes integrated accessory mounting system Estimated install time 0.5 hour</p>	

3600/3650

BOBCAT UTILITY VEHICLE

Hydraulic (3650 Model Only)

7236106	<p>Tool Box.....</p> <p>Tool box dimensions (L29.6" x W17.8" x H17.4") and includes two accessory anchors Cargo Box allows up to four tool boxes per vehicle Utilizes integrated accessory mounting system Estimated install time 0.5 hour</p>	\$ _____
7304151	<p>Attachment Control kit</p> <p>Includes pin connector, wire harness, joystick w/ 3 rocker switches & hardware Required for V-Blade attachment, works with all 3650 attachments Estimated install time 4 hour</p>	\$ _____
7025121	<p>Auxiliary Relief Valves.....</p> <p>Includes two relief valves for solenoid Recommended with Snow Blade and Angle Broom Estimated install time 0.5 hour</p>	\$ _____
7320166	<p>Debris Screen</p> <p>Includes screens, seals and latch hardware Protects radiator from debris with Mower and Angle Broom operation Estimated install time 1.0 hour</p>	\$ _____
7214976	<p>Tilt Cylinder Stow.....</p> <p>Includes bracket and mounting hardware Holds tilt cylinder securely in place when M.A.X. system is disconnected Estimated install time 0.25 hour</p>	\$ _____
7269428	<p>PTO Cover Kit</p> <p>Includes PTO cover and rivets for mounting Recommended with the Mower and Angle Broom Protects against debris from entering the outer PTO shaft and shaft bearing Estimated install time 0.5 hour</p>	\$ _____