

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

BACKHOE LOADER WORK TOOLS

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

This Price List consists of Work Tools for BHL-B, C, D, E, & F Series Machines.

The BHL-F Series Machine Price Lists include Work Tools available with the Machine. Use the Machine Price Lists when ordering tools with machines.

FOR NORTH AND SOUTH AMERICA  
Orders will automatically transfer from CMOPS to Antares Parts Ordering.

FOR THE REST OF THE WORLD  
THIS PRICE LIST IS FOR REFERENCE ONLY.  
Work Tool orders must be placed using Antares Parts Ordering.

FOR JAPAN  
Please access the usual regional resources to obtain pricing information.

This price list is divided into the following sections

- LOADER CURRENT PIN-ON
- LOADER CURRENT IT
- LOADER INDUSTRIAL CURRENT
- LOADER NON CURRENT PIN-ON
- BACKHOE CURRENT: 415-444
- BACKHOE CURRENT: 450
- BACKHOE NON CURRENT

Effective March 1, 2013, BCP Work Tools will be distributed using a new lane strategy. This lane strategy will ensure the quick delivery of high volume work tools while controlling inventory of work tools ordered less frequently.

For BCP Work Tool specific lanes, please visit the "Availability & Lane Information" section in Work Tool Central at [dealer.cat.com](http://dealer.cat.com).  
<<https://dealer.cat.com/products/wtc>>

BCP Work Tool Product Support  
1-800-566-7782, option 1, option 6  
Email: [bcp\\_work\\_tools@cat.com](mailto:bcp_work_tools@cat.com)

CATERPILLAR MACHINE PRICE LIST

# WT-BHL

---

BACKHOE LOADER WORK TOOLS

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**OP-0070**

**BACKHOE LOADER WORK TOOLS** ..... 0  
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.

**NC**

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT PIN-ON**

***PIN-ON HINGE CHANGE***

From the loader side the pin-on hinges have changed going to F series. F2 is equal to F series. New generation BHL after F2 (with no series letter) are equal to F/F2.

The attachments are grouped into following sections:

**SINGLE TILT PIN-ON (FRONT):**

415F2, 416F/F2, 420F/F2 ST, 422F/F2, 430F/F2 ST, 450F, 440, 450

**PARALLEL LIFT PIN-ON NON EST (FRONT):**

Fit on following machines (Non Equal size Tyres):

426F2, 427F2, 428F/F2 ST, 432F/F2

**PARALLEL LIFT PIN-ON EST (FRONT):**

Fit on following machines (Equal Size Tyres):

434F/F2 ST, 444F/F2

From F2 the quick disconnects have been changed into "Turn to Connect" F1 and earlier have "Push to Connect". If you have Aux on the front th are the correct Quick Disconnects:

<b>W</b>	<b>455-7380</b>	<b>KIT, LOADER, COUPLING QD</b> . . . . . 0		<b>\$368 NI</b>
		'Twist to Connect' hydr.QDs, incl 1x 439-1588 Fem.+ 1x 439-1589 Male		
		FOR USE WITH: F2 series		
		For pre F2 series, order: 1x 195-6525 Female QD + 1x 195-6527 Male QD		

***SINGLE TILT PIN-ON (FRONT): - General Purpose Buckets***

Fit on following machines:

415F2, 416F/F2, 420F/F2 ST, 422F/F2, 430F/F2 ST

<b>W</b>	<b>337-7382</b>	<b>BUCKET-GP, 1.0 YD3, PO</b> . . . . . 776		<b>\$2,753 NI</b>
		Cap 0.75m3 (1.0yd3), width 2262mm (89"), base edge		
		FOR USE WITH: 415F2, 416F/F2		
<b>W</b>	<b>337-7383</b>	<b>BUCKET-GP, 1.0 YD3, PO, BOCE</b> . . . . . 0		<b>\$3,086 NI</b>
		Cap 0.75m3 (1.0yd3), width 2262mm (89"), incl. Bolt on edge (9R-5321)		
		FOR USE WITH: 415F2, 416F/F2		
<b>W</b>	<b>337-7385</b>	<b>BUCKET-GP, 1.30 YD3, PO</b> . . . . . 965		<b>\$3,231 NI</b>
		Cap 0.96m3 (1.25yd3), width 2262mm (89"), base edge		
		FOR USE WITH: 420F/F2, 430F/F2 ST		
<b>W</b>	<b>337-7387</b>	<b>BUCKET-GP, 1.25 YD3, PO, BOT</b> . . . . . 966		<b>\$3,619 NI</b>
		Cap 0.96m3 (1.25yd3), width 2262mm (89"), incl Bolt-on Teeth (9R-5866)		
		FOR USE WITH: 420F/F2, 430F/F2 ST		
<b>W</b>	<b>337-7386</b>	<b>BUCKET-GP, 1.25 YD3, PO, BOCE</b> . . . . . 1,021		<b>\$3,561 NI</b>
		Cap 0.96m3 (1.25yd3), width 2262mm (89"), incl Bolt-on edge (9R-5321)		
		FOR USE WITH: 420F/F2, 430F/F2 ST		
<b>W</b>	<b>337-7396</b>	<b>BUCKET-GP, 1.3 YD3, PO</b> . . . . . 988		<b>\$3,417 NI</b>
		Cap 1.0m3 (1.3yd3), width 2406mm (95"), base edge		
		FOR USE WITH: 420F/F2, 430F/F2 ST		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT PIN-ON (CONT.)**

***SINGLE TILT PIN-ON (FRONT): - General Purpose Buckets (Cont.)***

W	337-7397	<b>BUCKET-GP, 1.3 YD3, PO, BOCE</b> ..... 1,179 Cap 1.0m3 (1.3yd3), width 2406mm (95"), incl Bolt-on edge (9R-5320) FOR USE WITH: 420F/F2, 430F/F2 ST		\$3,751 NI
W	337-7388	<b>BUCKET-GP, 1.4 YD3, PO</b> ..... 1,012 Cap 1.07m3 (1.4yd3), width 2262mm (89"), base edge FOR USE WITH: 420F/F2, 430F/F2 ST		\$3,418 NI
W	337-7389	<b>BUCKET-GP, 1.4 YD3, PO, BOCE</b> ..... 1,162 Cap 1.07m3 (1.4yd3), width 2262mm (89"), incl Bolt-on edge (9R-5321) FOR USE WITH: 420F/F2, 430F/F2 ST		\$3,751 NI
W	337-7390	<b>BUCKET-GP, 1.4 YD3, PO, BOT</b> ..... 1,063 Cap 1.07m3 (1.4yd3), width 2262mm (89"), incl Bolt-on Teeth (9R-5866) FOR USE WITH: 420F/F2, 430F/F2 ST		\$3,807 NI
W	337-7401	<b>BUCKET-GP, 1.5 YD3, PO</b> ..... 1,056 Cap 1.15m3 (1.5yd3), width 2406mm (95"), base edge FOR USE WITH: 420F/F2, 430F/F2 ST		\$4,142 NI
W	337-7402	<b>BUCKET-GP, 1.5 YD3, PO, BOCE</b> ..... 1,241 Cap 1.15m3 (1.5yd3), width 2406mm (95"), incl Bolt-on edge (9R-5320) FOR USE WITH: 420F/F2, 430F/F2 ST		\$4,606 NI
W	337-7403	<b>BUCKET-GP, 1.5 YD3, PO, BOT</b> ..... 1,107 Cap 1.15m3 (1.5yd3), width 2406mm (95"), incl Bolt-on Teeth (9R-5866) FOR USE WITH: 420F/F2, 430F/F2 ST		\$4,683 NI
W	270-9163	<b>BUCKET-GP, 1.75 YD3, PO, BOCE</b> ..... 1,473 Cap.1.34m3 (1.75yd3), width 2434mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 450E/F If ordering these as replacement buckets for 446D/446B, please order updated service brace 324-0720.		\$5,719 NI
W	521-6207	<b>BUCKET-GP, 1.75 YD3, PO, BOCE</b> ..... 2,226 Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 440, 450		\$5,765 NI
W	521-6208	<b>BUCKET-GP, 2.0 YD3, PO, BOCE</b> ..... 2,403 Cap.1.53m3 (2.0yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 440, 450		\$6,035 NI

***SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets***

W	337-7436	<b>BUCKET-MP, 1.3 YD3, PO, BRKTS</b> ..... 1,593 Cap 1.03m3 (1.3yd3), width 2279mm (90"), base edge. FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		\$6,911 NI
W	337-7437	<b>BUCKET-MP, 1.3 YD3, PO, BOT</b> ..... 1,642 Cap 1.03m3 (1.3yd3), width 2279mm (90"), incl Bolt-on Teeth (9R-5866) FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		\$7,301 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT PIN-ON (CONT.)**

***SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets (Cont.)***

W	337-7438	<b>BUCKET-MP, 1.3 YD3, PO, BOCE</b> ..... 1,742 Cap 1.03m3 (1.3yd3), width 2279mm (90"), incl Bolt-on edge (9R-5321) FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,244 NI</b>
W	337-7439	<b>BUCKET-MP, 1.3 YD3, PO, FORKS</b> ..... 1,819 Cap 1.03m3 (1.3yd3), width 2279mm (90"), base edge INCLUDES: fold over forks FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$8,989 NI</b>
W	337-7440	<b>BUCKET-MP, 1.3YD3, PO, FORKS, BOT</b> ..... 1,874 Cap 1.03m3 (1.3yd3), width 2279mm (90") INCLUDES: fold over forks and bolt-on teeth (9R-5866) FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$9,381 NI</b>
W	337-7441	<b>BUCKET-MP, 1.3YD3, PO, FORKS, BOCE</b> ..... 1,973 Cap 1.03m3 (1.3yd3), width 2279mm (90") INCLUDES: fold over forks and bolt-on cutting edge (9R-5321) FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$9,324 NI</b>
W	337-7442	<b>BUCKET-MP, 1.4 YD3, PO</b> ..... 1,655 Cap 1.1m3 1.4yd3, width 2425mm (95"), base edge FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,424 NI</b>
W	337-7443	<b>BUCKET-MP, 1.4 YD3, PO, BOT</b> ..... 1,722 Cap 1.1m3 1.4yd3, width 2425mm (95"), incl Bolt-on Teeth (9R-5866) FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,814 NI</b>
W	337-7444	<b>BUCKET-MP, 1.4 YD3, PO, BOCE</b> ..... 1,856 Cap 1.1m3 1.4yd3, width 2425mm (95"), incl Bolt-on edge (9R-5321) FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,757 NI</b>
W	337-7445	<b>BUCKET-MP, 1.4 YD3, PO, FORKS</b> ..... 2,003 Cap 1.1m3 1.4yd3, width 2425mm (95"), base edge INCLUDES: fold over forks FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$10,754 NI</b>
W	337-7446	<b>BUCKET-MP, 1.4YD3, PO, FORKS, BOT</b> ..... 1,944 Cap 1.1m3 1.4yd3, width 2425mm (95") INCLUDES: fold over forks and bolt-on teeth (9R-5866) FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$11,143 NI</b>
W	337-7447	<b>BUCKET-MP, 1.4YD3, PO, FORKS, BOCE</b> ..... 2,099 Cap 1.1m3 1.4yd3, width 2425mm (95") INCLUDES: fold over forks and bolt-on cutting edge (9R-5321) FOR USE WITH: 420F/F2, 430F/F2 ST REQUIRES: Hydraulics, Loader 3rd Valve If ordering these as replacement buckets for 446D/446B, please order updated service brace 324-0720.		<b>\$11,090 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT PIN-ON (CONT.)**

***SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets (Cont.)***

W	272-1701	<b>BUCKET-MP, 1.5YD3, PO, BRKTS, BOCE</b> . . . . . 2,105 Cap 1.15m3 (1.5yd3), width 2425mm (95") INCLUDES: fork mounting brackets & bolt-on cutting edge (2x 118-7110) REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 450E/F If ordering these as replacement buckets for 446D/446B, please order updated service brace 324-0720.		<b>\$12,113 NI</b>
W	272-1700	<b>BUCKET-MP, 1.5YD3, PO, FORKS, BOCE</b> . . . . . 2,456 Cap 1.15m3 (1.5yd3), width 2425mm (95") INCLUDES: Fold over forks & bolt-on cutting edge (2x 118-7110) REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 450E/F		<b>\$14,608 NI</b>
W	521-6205	<b>BUCKET-MP, HD, 1.75YD3, PO, BOCE</b> . . . . . 2,698 Heavy Duty MP, Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) on front of the clam, 1 piece bolt-on cutting edge on dozer front REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 440, 450		<b>\$11,674 NI</b>
W	521-6206	<b>BUCKET-MP, XD, 1.75YD3, PO, BOCE</b> . . . . . 2,866 Extreme Duty MP, Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) on front of the clam, 1 piece bolt-on cutting edge on back of the clam & dozer front REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 440, 450		<b>\$13,090 NI</b>

***SINGLE TILT PIN-ON (FRONT) - Forks***

W	461-0763	<b>FORK, PALLET 48" (PO)</b> . . . . . 0 60" pallet fork with tines 1219mm (48") long, 51mm (2") thick and 127mm (5") wide FOR USE WITH: 416F/F2, 420F/F2, 430F/F2 ST		<b>\$6,076 NI</b>
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT PIN-ON (CONT.)**

**SNOW PUSHES**

To use the straight pushes, you need to have a pin-on bucket with no GETs. The straight push will hook onto the base edge of the bucket and will kept in place with chains.  
Availability can be restricted due to North American snow season.  
Please contact your BCP Attachments contact.

W	479-8088	<b>SNOW PUSH, 10', BKT REC</b> ..... 1,990 3219mm (126") overall width, 3067mm (120") working width 906mm (36") moldboard height 2 trip edges 137 mm (5.4") height each with a 1 piece STEEL bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid shoes FOR USE WITH: any bucket with base edge with NO GETs		<b>\$6,757 NI</b>
W	479-8092	<b>SNOW PUSH, 12', BKT REC</b> ..... 2,180 3829mm (150") overall width, 3677mm (144") working width 906mm (36") moldboard height 2 trip edges 137 mm (5.4") height each with a 1 piece STEEL bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid shoes FOR USE WITH: any bucket with base edge with NO GETs		<b>\$7,424 NI</b>
W	508-8300	<b>SNOW PUSH, 10', REC, R.TRIP</b> ..... 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs.		<b>\$6,403 NI</b>
W	508-8305	<b>SNOW PUSH, 12', REC, R.TRIP</b> ..... 2,055 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs.		<b>\$6,993 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT**

**QUICK DISCONNECTS COMPATIBILITY**

From F2 the quick disconnects have been changed into "Turn to Connect"  
F1 and earlier have "Push to Connect". If you have Aux on the front  
these are the correct Quick Disconnects:

W	455-7380	<b>KIT, LOADER, COUPLING QD</b> . . . . . 0 Twist to Connect' hydr.QDs, incl 1x 439-1588 Fem.+ 1x 439-1589 Male FOR USE WITH: F2 series For pre F2 series, order: 1x 195-6525 Female QD + 1x 195-6527 Male QD		<b>\$368 NI</b>
---	----------	--	--	-----------------

**QUICK COUPLER IT for 415F2, 416F/F2, 420F/F2, 430F/F2 STL**

W	417-6878	<b>QUICK COUPLER, IT, BHL F</b> . . . . . 452 FOR USE WITH: 415F2, 416F, 416F2, 420F, 420F2, 430F, 430F2 STL BHL FOR USE WITH: IT Attachments REQUIRES: Supply group		<b>\$6,767 NI</b>
---	----------	---	--	-------------------

W	519-9196	<b>KIT, COUPLER HYDRAULIC SUPPLY</b> . . . . . 29 FOR USE WITH: 416F2, 420F2, 430F2 STL BHL coupler 417-6878 FOR USE WITH: 416F2 Serial Number prefix HWB 420F2 Serial Number prefix HWC 430F2 Serial Number prefix HWE		<b>\$1,626 NI</b>
---	----------	---	--	-------------------

W	418-9071	<b>KIT, COUPLER HYDRAULIC SUPPLY</b> . . . . . 33 FOR USE WITH: 416F, 420F and 430F STL BHL coupler 417-6878 FOR USE WITH: 415F2, 416F, 416F2, 420F, 420F2, 422F, 422F2, 430F, 430F, 430F2 FOR USE WITH: 416F2 Serial Number prefix LBF and LYA 420F2 Serial number prefix LBS and LYB 430F2 Serial number prefix LYD 415F2 Serial Number prefix HWA, PF4 416F Serial Number prefix KSF, LWT 420F Serial Number SKR, LTG 422F Serial Number LRH 422F2 Serial Number LYF 430F Serial Number RDF, LDY		<b>\$1,626 NI</b>
---	----------	---	--	-------------------

W	418-9078	<b>LINES, CONNECTOR</b> . . . . . 12 REQUIRES: 3rd valve FOR USE WITH: 415F2, 416F, 416F2, 420F, 420F2, 430F, 430F2 STL BHL coupler 417-6878		<b>\$381 NI</b>
---	----------	---	--	-----------------

**QUICK COUPLER IT for 450F**

W	465-7298	<b>QUICK COUPLER, IT, 450E/F</b> . . . . . 523 FOR USE WITH: 450E and 450F STL BHL FOR USE WITH: IT Attachments REQUIRES: Supply Group		<b>\$8,843 NI</b>
---	----------	---	--	-------------------

W	465-3300	<b>KIT, COUPLER HYDRAULIC SUPPLY</b> . . . . . 29 FOR USE WITH: 450F and BHL coupler 465-7298		<b>\$1,367 NI</b>
---	----------	--	--	-------------------

W	465-9168	<b>LINES, CONNECTOR</b> . . . . . 18 REQUIRES: 3rd valve FOR USE WITH: 450E/F and BHL coupler 465-7298		<b>\$900 NI</b>
---	----------	--	--	-----------------



CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

**COUPLER IT HOOKS**

W	109-6712	HOOK, BLANK (QC)-IT	356	\$1,258 NI
W	113-2677	HOOK, FLAT BACK (QC)-IT	155	\$975 NI

**BUCKETS for IT COUPLER - General Purpose - ALL 420 & 430 Models**

W	251-1797	BUCKET-GP, 1.25 YD3, IT Width 2262mm (89"), Capacity 0.96m3 (1.25yd3) Drilled to accept bolt-on teeth or cutting edge FOR USE WITH: All 420 & 430 Models	957	\$3,376 NI
W	251-1796	BUCKET-GP, 1.25 YD3, IT, BOT Width 2262mm (89"), Capacity 0.96m3 (1.25yd3) INCLUDES: bolt-on teeth (9R-5866) FOR USE WITH: All 420 & 430 Models	1,018	\$3,765 NI
W	251-1795	BUCKET-GP, 1.25 YD3, IT, BOCE Width 2262mm (89"), Capacity 0.96m3 (1.25yd3) INCLUDES: bolt-on cutting edge (9R-5321) FOR USE WITH: All 420 & 430 Models	1,111	\$3,708 NI
W	251-1800	BUCKET-GP, 1.31 YD3, IT Width 2406mm (95"), Capacity 1.0m3 (1.31yd3) Drilled to accept bolt-on teeth or cutting edge FOR USE WITH: All 420 & 430 Models	979	\$3,682 NI
W	251-1799	BUCKET-GP, 1.31 YD3, IT, BOT Width 2406mm (95"), Capacity 1.0m3 (1.31yd3) INCLUDES: bolt-on teeth (9R-5866) FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER	1,042	\$4,071 NI
W	251-1798	BUCKET-GP, 1.31 YD3, IT, BOCE Width 2406mm (95"), Capacity 1.0m3 (1.31yd3) INCLUDES: bolt-on cutting edge (9R-5320) FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER	1,169	\$4,017 NI
W	251-1794	BUCKET-GP, 1.5 YD3, IT Width 2406mm (95"), Capacity 1.15m3 (1.5yd3) Drilled to accept bolt-on teeth or cutting edge FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER	1,030	\$4,326 NI
W	251-1792	BUCKET-GP, 1.5 YD3, IT, BOCE Width 2406mm (95"), Capacity 1.15m3 (1.5yd3) INCLUDES: bolt-on cutting edge (9R-5320) FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER	1,184	\$4,660 NI

**BUCKETS for IT COUPLER - General Purpose - 446 & 450 Models**

W	242-1654	BUCKET-GP, 1.5 YD3, IT, BOCE INCLUDES: bolt-on cutting edge FOR USE WITH: All 446 & 450 Models	1,500	\$5,679 NI
---	----------	--	-------	------------

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

***BUCKETS for IT COUPLER - General Purpose - 446 & 450 Models (Cont.)***

W	242-1653	BUCKET-GP, 2.0 YD3, IT, BOCE . . . . .	1,645	\$6,013 NI
		INCLUDES: bolt-on cutting edge FOR USE WITH: All 446 & 450 Models		
W	502-1117	BUCKET-GP, 1.75 YD3, IT, BOCE . . . . .	18,970	\$5,765 NI
		Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 440, 450		
W	506-0984	BUCKET-GP, 2.0 YD3, IT, BOCE . . . . .	2,065	\$6,035 NI
		Cap.1.53m3 (2.0yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 440, 450		

***BUCKETS for IT COUPLER - Multi Purpose - All 420 & 430 Models***

W	216-8810	BUCKET-MP, 1.3 YD3, IT . . . . .	1,549	\$7,136 NI
		Width 2262mm (89"), Capacity 1.0m3 (1.3yd3) Drilled to accept bolt-on teeth or cutting edge FOR USE WITH: All Models Except 446 & 450 REQUIRES: 3rd valve		
W	232-2697	BUCKET-MP, 1.3 YD3, IT, BOT . . . . .	1,654	\$7,525 NI
		Width 2262mm (89"), Capacity 1.0m3 (1.3yd3) INCLUDES: bolt-on teeth (9R-5866) FOR USE WITH: All Models Except 446 & 450 REQUIRES: 3rd valve		
W	232-2696	BUCKET-MP 1.3 YD3, IT, BOCE . . . . .	1,677	\$7,467 NI
		Width 2262mm (89"), Capacity 1.0m3 (1.3yd3) INCLUDES: bolt-on cutting edge (9R-5321) FOR USE WITH: All Models Except 446 & 450 REQUIRES: 3rd valve		
W	216-8840	BUCKET-MP, 1.4 YD3, IT . . . . .	1,612	\$7,632 NI
		Width 95" (2425mm), Capacity 1.07m3 (1.4yd3) Drilled to accept bolt-on teeth or cutting edge FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER REQUIRES: 3rd valve		
W	232-2699	BUCKET-MP, 1.4 YD3, IT, BOT . . . . .	1,716	\$8,021 NI
		Width 95" (2425mm), Capacity 1.07m3 (1.4yd3) INCLUDES: bolt-on teeth (9R-5866) FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER REQUIRES: 3rd valve		
W	232-2698	BUCKET-MP 1.4 YD3, IT, BOCE . . . . .	1,748	\$7,965 NI
		Width 95" (2425mm), Capacity 1.07m3 (1.4yd3) Includes bolt-on cutting edge (9R-5320) FOR USE WITH: All 420 & 430 Models WIDE BUCKET - RECOMMENDED WITH ALL-WHEEL-STEER REQUIRES: 3rd valve		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

***BUCKETS for IT COUPLER - Multi Purpose - 440, 450***

W	506-1010	<b>BUCKET-MP, HD, 1.75YD3,IT,BOCE</b> ..... 2,414 Heavy Duty MP, Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) on front of the clam, 1 piece bolt-on cutting edge on dozer front REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 440, 450		\$11,674 NI
W	506-1011	<b>BUCKET-MP, XD, 1.75YD3,IT,BOCE</b> .....2,579 Extreme Duty MP, Cap.1.34m3 (1.75yd3), width 2438mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) on front of the clam, 1 piece bolt-on cutting edge on back of the clam & dozer front REQUIRES: Hydraulics, Loader 3rd Valve FOR USE WITH: 440, 450		\$13,090 NI

***BUCKETS for IT COUPLER - Side Dump - for All 420 & 430 Models***

W	264-2364	<b>BUCKET-SD, 1.25 YD3, IT, BOCE</b> ..... 2,061 109"(2769mm) wide INCLUDES: Bolt on cutting edge FOR USE WITH: All 420 & 430 Models REQUIRES: IT style quick coupler and 3rd valve NOTE: Machine return-to-dig (RTD) feature will not function with this bucket when used with Coupler 201-9575 on a 450E BHL		\$19,271 NI
---	----------	---	--	-------------

***BROOMS, BA25 - Angle***

W	487-8492	<b>BA25 ANGLE BROOM, MAN</b> ..... 992 Excluding hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4)-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$12,319 NI
W	164-8485	<b>BA25 ANGLE BROOM, MAN, IT</b> ..... 1,014 Includes IT hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4)-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$12,946 NI
W	487-8493	<b>BA25 ANGLE BROOM, HYD, 12V</b> ..... 1,030 Excluding hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4)-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$15,875 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

***BROOMS, BA25 - Angle (Cont.)***

W	164-8486	<b>BA25 ANGLE BROOM, HYD , IT,12V</b> ..... 1,014 Includes IT hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		<b>\$16,497 NI</b>
W	164-8487	<b>BA25 ANGLEBROOM,HYD,IT,12V,WTR</b> ..... 1,323 Includes IT hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L watertank FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		<b>\$22,626 NI</b>

***BROOMS, BP25 - Pick-up***

W	487-8483	<b>BP25 PICK-UP BROOM, HYD, 12V</b> ..... 1,349 Excluding hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		<b>\$22,228 NI</b>
---	----------	--	--	--------------------

***BROOMS - Hook Groups***

W	487-8490	<b>HOOK-GP, IT14/28</b> ..... 64 BROOM QUICK DISCONNECT KITS		<b>\$625 NI</b>
W	196-4191	<b>KIT, CONVERSION</b> ..... 3 FOR USE WITH: machines with Push to Connect Quick Disc. Coupl. Size 12		<b>\$440 NI</b>
W	177-0893	<b>KIT, ELECTRICAL SWITCH</b> ..... 7		<b>\$643 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

***CARRIAGES and FORK TINES for IT QUICK COUPLER***

W	6W-8832	CARRIAGE, FORK . . . . . 699 Standard carriage. Does NOT include tines. FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 2 tines, please order seperately Please order quantity of 2:		\$2,511 NI
W	195-6935	FORK TINE, 2" X 5" X 48" . . . . . 216		\$765 NI
W	195-6937	FORK TINE, 2" X 5" X 42" . . . . . 198		\$729 NI
W	195-6939	FORK TINE, 2" X 5" X 54" . . . . . 232		\$793 NI

***FORKS for IT QUICK COUPLER***

W	151-5335	FORK, 48" PALLET (QC)-IT . . . . . 1,000 INCLUDES: 1524mm (60") wide carriage and 1219mm (48") tines FOR USE WITH: standard quick coupler IT14/28		\$4,083 NI
---	----------	---	--	------------

***MATERIAL HANDLING ARM for IT QUICK COUPLER***

W	229-9714	ARM, MATERIAL HANDLING . . . . . 990 For safe handling of bulky objects. Mechanically adjustable to 3 positions, length from 2.01m (79") to 2.97m (117") to 3.93 (155") Rated Capacity 2095 kg (4619 lbs) FOR USE WITH: standard quick coupler IT14/28		\$5,104 NI
---	----------	--	--	------------

***RAKE for IT QUICK COUPLER***

W	230-5865	RAKE, LOADER (QC) IT . . . . . 1,200 Raking width: 2108mm (83"), Height:1270mm (50") Number of teeth: 7, Tooth spacing 330mm (13") FOR USE WITH: standard quick coupler IT14/28		\$7,104 NI
---	----------	--	--	------------

***SNOW PLOWS for IT QUICK COUPLER***

Availability can be restricted due to snow season.  
Please contact your BCP Work Tools contact.

W	481-3671	SNOW PLOW, 9', IT . . . . . 1,900 Hydraulic Angling - 30 degrees left or right of center Overall width: 2740 mm (108"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine		\$8,313 NI
---	----------	---	--	------------

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER CURRENT IT (CONT.)**

**SNOW PLOWS for IT QUICK COUPLER (Cont.)**

W	481-3672	<b>SNOW PLOW, 10', IT</b> .....1,990 Hydraulic Angling - 30 degrees left or right of center Overall width: 3045 mm (120"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine		<b>\$8,667 NI</b>
W	481-3673	<b>SNOW PLOW, 12', IT</b> .....2,185 Hydraulic Angling - 30 degrees left or right of center Overall width: 3658 mm (144"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine		<b>\$9,285 NI</b>

**SNOW STRAIGHT PUSHES**

Availability can be restricted due to snow season.  
Please contact your BCP Work Tools contact.

W	479-8087	<b>SNOW PUSH, 10', IT</b> ..... 1,800 3219 mm (126") overall width, 3067 mm (120") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28		<b>\$6,757 NI</b>
W	479-8091	<b>SNOW PUSH, 12', IT</b> ..... 1,990 3829 mm (150") overall width, 3677 mm (144") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28		<b>\$7,424 NI</b>
W	508-8290	<b>SNOW PUSH, 10', IT, R.TRIP</b> ..... 1,678 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28		<b>\$6,403 NI</b>
W	508-8295	<b>SNOW PUSH, 12', IT, R.TRIP</b> ..... 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28		<b>\$6,993 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER INDUSTRIAL CURRENT**

**INDUSTRIAL LOADER ATTACHMENTS for 414E IL & 415F2 IL:**

W	461-9717	<b>BOX, BLADE/SCARIFIER</b> ..... 0 Weight = 1440 lbs (652kgs) 89" (2260mm) overall width, 88" (2235mm) working width, 24.5" (622mm) moldboard height 2 Reversible Bolt-on cutting edges, 1 piece front and 1 piece rear 8 scarifier shanks, 2 heavy duty reversible side routers REQUIRES: Category II 3-point hitch INCLUDES: 3 attachment pins		\$6,389 NI
W	470-5247	<b>KIT, DUAL TILT CYLINDER</b> ..... 0 Converts single tilt 3-point hitch to dual tilt system to allow both left and right vertical articulation of the hitch. Refer to Cat Service Information System (SIS) Refer to Special Instructions M0066044 for installation instructions. INCLUDES: Hydraulic Lines FOR USE WITH: 415F2IL		\$1,764 NI

Buckets for 414E IL see section "LOADER Non-Current Pin-on (pre F)":  
 GENERAL PURPOSE BUCKETS SINGLE TILT PIN-ON  
 MULTI PURPOSE BUCKETS SINGLE TILT PIN-ON  
 Buckets for 415F2 IL see section "LOADER Current Pin-on (F, F2)":  
 GENERAL PURPOSE BUCKETS SINGLE TILT PIN-ON  
 MULTI PURPOSE BUCKETS SINGLE TILT PIN-ON

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>LOADER NON CURRENT PIN-ON</b>				
<b><i>SINGLE TILT PIN-ON (FRONT) - General Purpose Buckets 414-436 Pre F</i></b>				
W	251-1780	<b>BUCKET-GP, 1.0 CYD</b> . . . . . 776 Cap 0.75m3 (1.0yd3), width 2262mm (89"), base edge FOR USE WITH: 414E, 416E/E2 or earlier		<b>\$2,753 NI</b>
W	251-1789	<b>BUCKET-GP, 1.25 CYD</b> . . . . . 965 Cap 0.96m3 (1.25yd3), width 2262mm (89"), base edge Drilled to accept bolt-on teeth or cutting edge FOR US WITH: ALL Models E series or earlier excl 446 & 450		<b>\$3,231 NI</b>
W	251-1786	<b>BUCKET-GP, 1.4 CYD</b> . . . . . 1,012 Cap 1.07m3 (1.4yd3), width 2262mm (89"), base edge Drilled to accept bolt-on teeth or cutting edge FOR US WITH: ALL Models E series or earlier excl 446 & 450		<b>\$3,418 NI</b>
W	251-1777	<b>BUCKET-GP, 1.5 CYD</b> . . . . . 1,056 Cap 1.15m3 (1.5yd3), width 2406mm (95"), base edge FOR USE WITH: 430E & 436E or earlier		<b>\$4,142 NI</b>
<b><i>SINGLE TILT PIN-ON (FRONT) - General Purpose Buckets 446, 450 Pre F</i></b>				
W	270-9163	<b>BUCKET-GP, 1.75 YD3, PO, BOCE</b> . . . . . 1,473 Cap 1.35m3 (1.75yd3), width 2434mm (96") INCLUDES: 2 piece bolt-on cutting edge (2x 9U-9665) FOR USE WITH: 450E/F If ordering these as replacement buckets for 446D/446B, please order updated service brace 324-0720.		<b>\$5,719 NI</b>
<b><i>SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets 414-436 Pre F</i></b>				
W	216-8800	<b>BUCKET-MP, 1.3 CYD</b> . . . . . 1,593 Cap 1.0m3 (1.3yd3), width 2279mm (90"), base edge, no brackets REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$6,911 NI</b>
W	232-2681	<b>BUCKET-MP, 1.3 CYD, W/ BOCE</b> . . . . . 1,719 Cap 1.0m3 (1.3yd3), width 2279mm (90"), no brackets INCLUDES: bolt-on cutting edge (9R-5321) REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,244 NI</b>
W	232-2685	<b>BUCKET-MP, 1.3 CYD, W/ FORKS</b> . . . . . 1,958 Cap 1.0m3 (1.3yd3), width 2279mm (90"), base edge INCLUDES: fold over forks REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$8,992 NI</b>
W	216-8820	<b>BUCKET-MP, 1.4 CYD</b> . . . . . 1,655 Cap 1.07m3 (1.3yd3), width 2425mm (95"), base edge, no brackets REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,424 NI</b>
W	232-2686	<b>BUCKET-MP, 1.4 CYD, W/ BOCE</b> . . . . . 1,788 Cap 1.07m3 (1.3yd3), width 2425mm (95"), no brackets INCLUDES: bolt on cutting edge (9R-5320) REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$7,757 NI</b>
W	232-2690	<b>BUCKET-MP, 1.4 CYD, W/ FORKS</b> . . . . . 2,003 Cap 1.07m3 (1.3yd3), width 2425mm (95"), base edge INCLUDES: fold over forks REQUIRES: Hydraulics, Loader 3rd Valve		<b>\$10,754 NI</b>



CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**LOADER NON CURRENT PIN-ON (CONT.)**

***SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets 414-436 Pre F (Cont.)***

W	232-2688	BUCKET-MP 1.4 CYD, FORKS, BOCE . . . . . 2,154 Cap 1.07m3 (1.3yd3), width 2425mm (95") INCLUDES: bolt-on cutting edge (9R-5320) and fold over forks REQUIRES: 3rd Valve		\$11,090 NI
---	----------	--	--	-------------

***SINGLE TILT PIN-ON (FRONT) - Multi Purpose Buckets 446 B, D Series***

W	272-1701	BUCKET-MP,1.5YD3,PO,BRKTS,BOCE . . . . . 2,105 Cap 1.15m3 (1.5yd3), width 2425mm (95") INCLUDES: fork mounting brackets & bolt-on cutting edge (2x 118-7110) REQUIRES: Hydraulics, Loader 3rd Valve When ordering these as replacement buckets for 446D/446B, please order updated service brace 324-0720.		\$12,113 NI
---	----------	--	--	-------------

***SINGLE TILT PIN-ON (FRONT) - Forks 414-436 Pre F Series***

W	231-5197	FORK, PALLET . . . . . 1,050 INCLUDES: 1524mm (60") wide carriage and 1219mm (48") tines non-floating tines FOR USE WITH: pre F Series Machines		\$3,979 NI
---	----------	--	--	------------

***SINGLE TILT PIN-ON (FRONT) - Side Dump Buckets 446-450 Pre F Series***

W	308-4533	BUCKET-SD, 1.25 YD3, PO, BOCE . . . . . 2,334 Cap 0.93m3 (1.25yd3), width 2770mm (109"), incl 3 piece Bolt on Edge FOR USE WITH: All 446 & 450 Models REQUIRES: 3rd valve		\$19,254 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444**

**COMPATIBILITY**

The work tools in this section will fit on following sales models (pin sizes and pin spread are the same for all these models)

Centre Pivot Machines:

415F/F2 - 416D/E/F/F2 - 420D/E/F/F2 - 430D/E/F/F2

Side Shift Machines:

416D/E/F/F2 - 420D - 422D/E/E2/F/F2 - 426F2 - 427F2 - 428D/E/E2/F/F2

430D - 432D/E/E2/F/F2 - 434E/E2/F/F2 - 438D - 444E/E2/F/F2 - 442D

Following sub-sections are in this section:

COMPATIBILITY QUICK DISCONNECTS

QUICK COUPLERS: DUAL LOCK PIN GRABBER

HYDRAULIC KITS FOR DUAL LOCK PIN GRABBER COUPLERS

QUICK COUPLERS: PIN PULLER

BUCKETS:

**QUICK DISCONNECTS**

From F2 the quick disconnects have been changed into "Turn to Connect" F1 and earlier have "Push to Connect". If you have Aux on the stick, t are the correct Quick Disconnects:

P	442-9566	KIT, HOE, COUPLING Q-DISCON . . . . . 0		\$363 NI
		'Twist to Connect' hydr.QDs, incl 1x 439-1590 Fem.+ 1x 439-1591 Male		
		FOR USE WITH: F2 series		
		For pre F2 series, order: 1x 106-0401 Female QD + 1x 106-0406 Male QD		

**QUICK COUPLERS - Dual Lock Pin-Grabber**

All quick couplers need to be fitted to the machine stick using the original bucket pins which come with a new machine. Otherwise order an extra set.

W	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F . . . . . 192		\$2,090 NI
		Mechanical quick coupler with dual lock for backhoe buckets.		
		(Base machine includes one set of pins and hardware to attach one bucket).		
		REQUIRES: 178-3593 Bucket Pins for EACH ADDITIONAL Bucket.		
		FOR USE WITH: CAT E & F Series Buckets or Work Tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL-F . . . . . 192		\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets.		
		(Base machine includes one set of pins and hardware to attach one bucket).		
		REQUIRES: 178-3593 Bucket Pins for EACH ADDITIONAL Bucket.		
		REQUIRES: Hydraulics to operate the quick coupler.		
		See hydraulic kits for quick coupler for field installed retrofit kits.		
		FOR USE WITH: CAT E & F Series Buckets or Work Tools.		
W	178-3593	PINS, BUCKET, BHL-F, 45MM-50MM . . . . . 6		\$168 NI
		Includes bucket pins and hardware		
		FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HYDRAULIC KITS FOR DUAL LOCK PIN GRABBER COUPLERS**

W	468-7970	<b>KIT, LINES, HYD CPLR 14FT S-STK</b> . . . . . 0 FOR USE WITH: 415F2, 416F2, or 420F2 machines FOR FITTING REFER SPECIAL INSTRUCTIONS #REHS6634		\$1,724 NI
W	468-7971	<b>KIT, LINES, HYD CPLR 14FT E-STK</b> . . . . . 0 FOR USE WITH: 415F2, 416F2, or 420F2 machines FOR FITTING REFER SPECIAL INSTRUCTIONS #REHS6635		\$1,724 NI
W	468-7972	<b>KIT, LINES, HYD CPLR 16FT S-STK</b> . . . . . 0 FOR USE WITH: 430F2 machines FOR FITTING REFER SPECIAL INSTRUCTIONS #REHS6636		\$1,724 NI
W	468-7973	<b>KIT, LINES, HYD CPLR 16FT E-STK</b> . . . . . 0 FOR USE WITH: 430F2 machines FOR FITTING REFER SPECIAL INSTRUCTIONS #REHS6637		\$1,724 NI

**QUICK COUPLERS - Pin Puller**

W	494-1938	<b>QUICK COUPLER, PIN PULLER, CASE</b> . . . . . 214 Manual Pin-Puller for backhoe work tools includes one set of pins and hardware for attaching a Caterpillar bucket or work tool and one additional bucket link pin to connect a Case bucket. REQUIRES: 178-3593 bucket pins for EACH ADDITIONAL bucket or work tool. FOR USE WITH: Cat D, E, & F Series buckets, Case Super L/M Series buckets or work tools.		\$2,160 NI
W	487-6056	<b>QUICK COUPLER, PIN PULLER, DEERE</b> . . . . . 210 Manual Pin-Puller for backhoe work tools includes one set of pins and hardware for attaching a Caterpillar bucket or work tool and one additional bucket link pin to connect a Deere bucket. FOR USE WITH: Cat D, E, & F Series buckets, Deere 310SE/SG buckets or work tools. REQUIRES: 178-3593 bucket pins for EACH ADDITIONAL bucket or work tool.		\$2,160 NI

**QUICK COUPLERS - Pin Lock**

P	544-1901	<b>COUPLER, PIN LOCK, BL F</b> . . . . . 0 Manual coupler for dedicated pin-lock backhoe work tools. Includes one set of mounting pins and hardware for attaching one work tool.		\$1,528 NI
W	226-1126	<b>COUPLER, TILTING PIN LOCK</b> . . . . . 240 Manual coupler with hydraulic tilting for dedicated pin-lock backhoe work tools. FOR USE WITH: D Series standard and E-stick configuration For use with E Series standard stick configuration only.: Includes connector lines COMPATIBLE WITH: Wain-Roy products		\$6,840 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**BUCKETS for PIN-ON - Standard Duty Pin-on Teeth**

For light duty excavation in soft soil or clay.  
Includes weld on tooth adapters and tooth tips (DRS)

W	219-3410	<b>BUCKET-SD, 12", 2.8 CFT</b> . . . . . 214 Actual width range over outside G.E.T. tips 13.5"-14.2" Includes 3 tooth tips and pins for 12" buckets		\$1,118 NI
W	219-3380	<b>BUCKET-SD, 18", 4.2 CFT</b> . . . . . 254 Width: 458mm (18"), Cap: 0.12m3 (4.2ft3), Includes 4 tooth tips .		\$1,172 NI
W	219-3381	<b>BUCKET-SD, 24" 6.2 CFT</b> . . . . . 291 Width: 610mm (24"), Cap: 0.18m3 (6.2ft3), Includes 5 tooth tips		\$1,335 NI
W	219-3382	<b>BUCKET-SD, 30", 8.2 CFT</b> . . . . . 324 Width: 762mm (30"), Cap: 0.23m3 (8.2ft3), Includes 5 tooth tips		\$1,457 NI
W	219-3383	<b>BUCKET-SD, 36", 10.3 CFT</b> . . . . . 364 Width: 914mm (36"), Cap: 0.29m3 (10.3ft3), Includes 6 tooth tips.		\$1,551 NI

**BUCKETS for PIN-ON - Heavy Duty Pin-on Teeth**

For excavation in semi-rocky soil or hard bank material. Includes weld on tooth adapters and tooth tips (DRS) and back wear strips.

W	219-3411	<b>BUCKET-HD, 12", 2.8 CFT</b> . . . . . 238 Width: 305mm (12"), Cap: 0.079m3 (2.8ft3) Actual width range over outside G.E.T. tips 13.5"-14.2" Includes 3 tooth tips and pins for 12" buckets		\$1,457 NI
W	219-3385	<b>BUCKET-HD, 16", 3.7 CFT</b> . . . . . 280 Width: 406mm (16"), Cap: 0.11m3 (3.7ft3), Includes 3 tooth tips		\$1,493 NI
W	219-3386	<b>BUCKET-HD, 18", 4.2 CFT</b> . . . . . 284 Width: 457mm (18"), Cap: 0.118m3 (4.2ft3), Includes 4 tooth tips		\$1,508 NI
W	219-3387	<b>BUCKET-HD, 24", 6.2 CFT</b> . . . . . 333 Width: 610mm (24"), Cap: 0.175m3 (6.2ft3), Includes 5 tooth tips		\$1,717 NI
W	219-3388	<b>BUCKET-HD, 30", 8.2 CFT</b> . . . . . 368 Width: 762mm (30"), Cap: 0.233m3 (8.2ft3), Includes 5 tooth tips		\$1,872 NI
W	219-3389	<b>BUCKET-HD, 36", 10.3 CFT</b> . . . . . 417 Width: 914mm (36"), Cap: 0.292m3 (10.3ft3), Includes 6 tooth tips		\$2,011 NI

**BUCKETS for PIN-ON - Heavy Duty Rock Pin-on Teeth**

For rocky conditions. Includes weld-on tooth adapters and tooth tips (DRS) and back wear strips.

W	219-3412	<b>BUCKET-HD ROCK, 12", 2.5 CFT</b> . . . . . 250 Width: 305mm (12"), Cap: 0.07m3 (2.5ft3) Actual width range over outside G.E.T. tips 13.4"-13.9" Includes 3 tooth tips and pins for 12" bucket		\$1,596 NI
W	219-3395	<b>BUCKET-HD ROCK, 18", 4.6 CFT</b> . . . . . 304 Width: 457mm (18"), Cap: 0.13m3 (4.6ft3), Includes 4 tooth tips		\$1,789 NI
W	219-3396	<b>BUCKET-HD ROCK, 24", 7.0 CFT</b> . . . . . 381 Width: 610mm (24"), Cap: 0.2m3 (7ft3), Includes 5 tooth tips		\$1,892 NI
W	219-3397	<b>BUCKET-HD ROCK, 30", 9.5 CFT</b> . . . . . 396 Width: 762mm (30"), Cap: 0.27m3 (9.5ft3), Includes 5 tooth tips		\$2,099 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***BUCKETS for PIN-ON - Heavy Duty Rock Pin-on Teeth (Cont.)***

W	219-3398	BUCKET-HD ROCK, 36" 11.5 CFT . . . . .	451	\$2,203 NI
		Width: 914mm (36"), Cap: 0.33m3 (11.5ft3), Includes 6 tooth tips		

***BUCKETS for PIN-ON - Cribbing***

W	216-3294	BUCKET-CRIBBING, 9", CAT . . . . .	320	\$1,203 NI
		Trenching bucket width 230mm (9"), incl 2 bolt on teeth & side cutters FOR USE WITH: standard stick and E-sticks		

***BUCKETS for PIN-ON - Coral Pin-on Teeth***

W	219-3413	BUCKET-CORAL, 12", 2.3 CFT . . . . .	271	\$1,994 NI
		Width: 305mm (12"), Cap: 0.06m3 (2.3ft3) Actual width range over outside G.E.T. tips 13.4"-13.9" Includes 4 tooth tips		
W	219-3400	BUCKET-CORAL, 18", 3.4 CFT . . . . .	324	\$2,218 NI
		Width: 457mm (18"), Cap: 0.1m3 (3.4ft3), Includes 6 tooth tips		
W	219-3401	BUCKET-CORAL, 24", 5.0 CFT . . . . .	384	\$2,714 NI
		Width: 610mm (24"), Cap: 0.14m3 (5ft3), Includes 8 tooth tips		
W	219-3402	BUCKET-CORAL, 30", 6.7 CFT . . . . .	441	\$3,007 NI
		Width: 762mm (30"), Cap: 0.19m3 (6.7ft3), Includes 10 tooth tips		

***BUCKETS for PIN-ON - Ditch Cleaning***

For trenching, grading and finish work. Includes water holes.

W	212-8738	BUCKET-DC, 48", 13.0 CFT . . . . .	453	\$2,757 NI
		Width: 1230mm (48"), Cap: 0.37m3 (13ft3)		
W	212-8740	BUCKET-DC, 54", 14.8 CFT . . . . .	491	\$2,989 NI
		Width: 1380mm (54"), Cap: 0.42m3 (14.8ft3)		
W	212-8741	BUCKET-DC, 60", 16.7 CFT . . . . .	530	\$3,167 NI
		Width: 1530mm (60"), Cap: 0.47m3 (16.7ft3)		

***BUCKETS for PIN-ON - Grading (Mud)***

Designed for grading with higher capacity and suited to carry buckets.

W	390-7473	BUCKET, 47", GRADING . . . . .	0	\$3,060 NI
		Width: 1200mm (47"), Cap: 0.41m3 (0.54yd3) Base bucket without bolt-on cutting edge or pins		
W	388-9668	BUCKET, 47", GRADING(BOCE + PIN) . . . . .	633	\$3,357 NI
		Width: 1200mm (47"), Cap: 0.41m3 (0.54yd3) Includes Pins & 1-piece bolt-on cutting edge		
W	390-7474	BUCKET, 59", GRADING . . . . .	0	\$3,528 NI
		Width: 1500mm (59"), Cap: 0.52m3 (0.68yd3) Base bucket without bolt-on cutting edge or pins		
W	388-9669	BUCKET, 59", GRADING(BOCE + PIN) . . . . .	744	\$3,867 NI
		Width: 1500mm (59"), Cap: 0.52m3 (0.68yd3) Includes Pins & 1-piece bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***BUCKETS for PIN-ON - High Capacity Pin-on Teeth***

W	219-3390	BUCKET-HC, 18", 6.4 CFT . . . . .	322	\$1,717 NI
		Width: 458mm (18"), Cap: 0.18m3 (6.4ft3), Includes 4 tooth tips		
W	219-3391	BUCKET-HC, 24", 8.5 CFT . . . . .	377	\$1,347
		Width: 610mm (24"), Cap: 0.24m3 (8.5ft3), Includes 5 tooth tips		
W	219-3392	BUCKET-HC, 30", 11.3 CFT . . . . .	430	\$2,029 NI
		Width: 762mm (30"), Cap: 0.32m3 (11.3ft3), Includes 5 tooth tips		
W	219-3393	BUCKET-HC, 36", 13.4 CFT . . . . .	472	\$2,201 NI
		Width: 914mm (36"), Cap: 0.38m3 (13.4ft3), Includes 6 tooth tips		

***BUCKETS for PIN-ON: - Soil Excavation Pin-on Teeth***

W	254-8940	BUCKET-HC SOIL, 18", 6.4 CFT . . . . .	336	\$1,717 NI
		Includes 4 angle-down adapters and soil tooth tips.		
W	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT . . . . .	395	\$1,854 NI
		Includes 5 angle-down adapters and soil tooth tips.		
W	254-8942	BUCKET-HC SOIL, 30", 11.3 CFT . . . . .	434	\$2,029 NI
		Includes 5 angle-down adapters and soil tooth tips.		
W	254-8943	BUCKET-HC SOIL, 36", 13.4 CFT . . . . .	491	\$2,203 NI
		Includes 6 angle-down adapters and soil tooth tips.		

***BUCKETS for PIN LOCK - Ditch Cleaning***

W	275-8776	BUCKET-DC, 48", 11.9 CFT, BOCE . . . . .	498	\$2,681 NI
		INCLUDES: bolt-on cutting edge		

***BUCKETS for PIN LOCK - Heavy Duty Pin-on Teeth***

Includes weld on tooth adapters and tooth tips.

W	247-1947	BUCKET-HD, 12", 3.4 CFT PL . . . . .	249	\$1,446 NI
		Width: 305mm (12"), Cap: 0.09m3 (3.4ft3), Includes 3 tooth tips		
		FOR USE WITH: Pin Lock Quick Coupler		
W	247-1948	BUCKET-HD, 16", 4.3 CFT PL . . . . .	288	\$1,599 NI
		Width: 406mm (16"), Cap: 0.12m3 (4.3ft3), Includes 3 tooth tips.		
		FOR USE WITH: Pin Lock Quick Coupler		
W	247-1949	BUCKET-HD, 18", 4.9 CFT PL . . . . .	304	\$1,622 NI
		Width: 457mm (18"), Cap: 0.14m3 (4.9ft3), Includes 4 tooth tips		
		FOR USE WITH: Pin Lock Quick Coupler		
W	247-1950	BUCKET-HD, 24", 7.3 CFT PL . . . . .	370	\$1,846 NI
		Width: 610mm (24"), Cap: 0.2m3 (7.3ft3), Includes 5 tooth tips		
		FOR USE WITH: Pin Lock Quick Coupler		
W	247-1951	BUCKET-HD, 30", 9.7 CFT PL . . . . .	428	\$2,019 NI
		Width: 762mm (30"), Cap: 0.28m3 (9.7ft3), Includes 5 tooth tips.		
		FOR USE WITH: Pin Lock Quick Coupler		
W	247-1952	BUCKET-HD, 36", 12.2 CFT PL . . . . .	494	\$2,239 NI
		Width: 914mm (36"), Cap: 0.34m3 (12.2ft3), Includes 6 tooth tips		
		FOR USE WITH: Pin Lock Quick Coupler		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>BACKHOE CURRENT: 415-444 (CONT.)</b>				
<b><i>BUCKETS for PIN LOCK - High Capacity Pin-on Teeth</i></b>				
Includes weld on tooth adapters and tooth tips.				
W	247-1953	<b>BUCKET-HC, 12", 4.6 CFT PL</b> ..... Width: 305mm (12"), Cap: 0.13m3 (4.6ft3), Includes 3 tooth tips FOR USE WITH: Pin Lock Quick Coupler	287	\$1,903 NI
W	247-1954	<b>BUCKET-HC, 16", 5.6 CFT PL</b> ..... Width: 406mm (16"), Cap: 0.16m3 (5.6ft3), Includes 3 tooth tips FOR USE WITH: Pin Lock Quick Coupler	327	\$2,072 NI
W	247-1955	<b>BUCKET-HC, 18", 6.5 CFT PL</b> ..... Width: 457mm (18"), Cap: 0.18m3 (6.5ft3), Includes 4 tooth tips FOR USE WITH: Pin Lock Quick Coupler	346	\$2,129 NI
W	247-1956	<b>BUCKET-HC, 24", 9.6 CFT PL</b> ..... Width: 610mm (24"), Cap: 0.26m3 (9.6ft3), Includes 5 tooth tips FOR USE WITH: Pin Lock Quick Coupler	414	\$2,467 NI
W	247-1957	<b>BUCKET-HC, 30", 12.9 CFT PL</b> ..... Width: 762mm (30"), Cap: 0.36m3 (12.9ft3), Includes 5 tooth tips FOR USE WITH: Pin Lock Quick Coupler	475	\$2,738 NI
W	247-1958	<b>BUCKET-HC, 36", 16.2 CFT PL</b> ..... Width: 914mm (36"), Cap: 0.46m3 (16.2ft3), Includes 6 tooth tips FOR USE WITH: Pin Lock Quick Coupler	543	\$2,940 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**AUGERS**

W	227-4359	<b>AUGER, A26B, BHL, 45-50MM</b> ..... 404 Planetary drive unit with 2" hex output shaft. Includes 225-8809 Drive Group 227-4350 Mounting Group 227-4358 Lines Group Compatible with Pin Grabber Coupler		<b>\$4,743 NI</b>
W	227-4360	<b>AUGER, A26B, BHL, 1/4YD PL</b> ..... 443 Planetary drive unit with 2" hex output shaft. INCLUDES: 225-8809 Drive Group 227-4362 Mounting Group 227-4358 Lines Group Compatible with 1/4 yard Pin Lock Coupler Special instructions for auxiliary two-way hydraulic lines via SIS Web: REHS1700- For use with EStick on 416D, 420D, or 430D REHS1705- For use with Standard Stick on 416D REHS1707- For use with Standard Stick on 420D or 430D Field installed auxiliary combined function hydraulic kits for use with BOTH one-way and two-way flow worktools are available from the factory. Refer to Machine Price List to order.		<b>\$4,743 NI</b>

**AUGER BITS - Standard Flights**

Standard Duty, Approx. 50" (1270mm) Length, HEX Shaft, Double Flight Bit teeth are hardened, reversible and forged from medium carbon alloy steel. Teeth are held in place by bolt and nut.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	102	152	229	305	380	457	610	762	914
	inch	4	6	9	12	15	18	24	30	36
A26B Standard		++	++	++	++	++	++	++	++	++
Qty teeth #		0	2	4	4	5	6	8	10	12

++ = good performance, +- = acceptable performance, NA = Not Allowed  
# = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	366-7751	<b>BIT, AUGER 4"</b> ..... 40		<b>\$375 NI</b>
W	153-4083	<b>BIT, AUGER 6"</b> ..... 50		<b>\$375 NI</b>
W	153-4084	<b>BIT, AUGER 9"</b> ..... 75		<b>\$493 NI</b>



CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***AUGER BITS - Standard Flights (Cont.)***

W	153-4085	BIT, AUGER 12" .....	100	\$618 NI
W	366-7752	BIT, AUGER 15" .....	109	\$750 NI
W	153-4086	BIT, AUGER 18" .....	144	\$875 NI
W	153-4089	BIT, AUGER 24" .....	200	\$1,125 NI
W	217-3194	BIT, AUGER 30" .....	212	\$1,368 NI
W	153-4091	BIT, AUGER 36" .....	380	\$1,604 NI

Optional replacement teeth available through Parts only:  
 Pilot point/bit: 153-4093 Pilot Point  
 Required pilot point hardware:  
 1 x 7X-2549 Bolt  
 1 x 6V-7687 Locknut

Replacement teeth & hardware for all auger bits:  
 153-4094 Standard Duty Tooth  
 174-9566 Hard Face Tooth optional  
 174-9567 Carbide Inserted Tooth optional  
 Required teeth hardware:  
 6V-8959 Bolt (1)  
 6V-7687 Locknut (1)

***AUGER BITS - Rock Head for Standard Flights***

Transforms standard auger bit to rock drill bit by mounting bolt-on rock head to standard bit. Rotating bits (similar to cold planer bits) extend life and provide better penetration into rocky conditions. Bolt-on rock head can be quickly installed and removed depending on ground conditions for maximum versatility.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	102	152	229	305	380	457	610	762	914
	inch	4	6	9	12	15	18	24	30	36
A26B Rock Head		NA	++	++	++	++	++	++	NA	NA
Qty teeth #			8	10	12	14	16	20		

++ = good performance, +- = acceptable performance, NA = Not Allowed  
 # = 1 pilot point per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***AUGER BITS - Rock Head for Standard Flights (Cont.)***

W	372-0230	ROCK HEAD, 6" BOLT-ON . . . . .	23	\$278 NI
		FOR USE WITH: 153-4083 Auger flight		
W	372-0231	ROCK HEAD, 9" BOLT-ON . . . . .	33	\$354 NI
		FOR USE WITH: 153-4084 Auger flight		
W	372-0232	ROCK HEAD, 12", BOLT-ON . . . . .	41	\$438 NI
		FOR USE WITH: 153-4085 Auger flight		
W	372-0233	ROCK HEAD, 15" BOLT-ON . . . . .	47	\$514 NI
		FOR USE WITH: 366-7752 Auger flight		
W	372-0234	ROCK HEAD, 18", BOLT-ON . . . . .	55	\$590 NI
		FOR USE WITH: 153-4086 Auger flight		
W	372-0235	ROCK HEAD, 24", BOLT-ON . . . . .	79	\$750 NI
		FOR USE WITH: 153-4089 Auger flight		

Optional replacement teeth available through Parts only:  
367-6967 Bit pilot (excluding 4 teeth)  
372-0259 Standard Rock Drill Head Tooth

***AUGER BITS - Industrial Flights***

Industrial bits, approx. 48" (1219mm) length, HEX shaft, single flight. Bit teeth are hardened and forged from medium carbon alloy steel. Teeth held in place by press fit. Teeth are quickly changed by soft hammer to insert or remove tooth. Ideal for ground conditions where teeth need to be changed frequently. Multiple tooth options below for various ground conditions.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914	1067	1219
	inch	6	9	12	16	18	24	30	36	42	48
A26B Industrial		++	++	++	++	++	++	++	++	++	++
Qty teeth #		2	4	4	6	6	8	10	12	16	18

++ = good performance, +- = acceptable performance, NA = Not Allowed  
# = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	372-0260	BIT, AUGER 6" INDUSTRIAL . . . . .	57	\$521 NI
W	372-0261	BIT, AUGER 9" INDUSTRIAL . . . . .	72	\$639 NI
W	372-0262	BIT, AUGER 12" INDUSTRIAL . . . . .	91	\$757 NI
W	372-0263	BIT, AUGER 16" INDUSTRIAL . . . . .	114	\$917 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***AUGER BITS - Industrial Flights (Cont.)***

W	372-0264	BIT, AUGER 18" INDUSTRIAL .....	107	\$1,000 NI
W	372-0265	BIT, AUGER 24", INDUSTRIAL .....	151	\$1,236 NI
W	372-0266	BIT, AUGER 30" INDUSTRIAL .....	180	\$1,472 NI
W	372-0267	BIT, AUGER 36" INDUSTRIAL .....	223	\$1,708 NI
W	372-0268	BIT, AUGER 42" INDUSTRIAL .....	289	\$2,493 NI
W	372-0269	BIT, AUGER 48" INDUSTRIAL .....	343	\$2,736 NI

Optional replacement teeth available through Parts only:

- 371-3694 Gage Tooth (Outer)
- 371-3690 Flat Tooth (Inner)
- 371-3695 HF Gage Tooth (Outer)
- 371-3691 Flat Carbide Tooth (Inner)
- 371-3696 Chisel Tooth (Inner)
- 371-3692 Flat Hard Face Tooth HF (Inner)
- 371-3697 Chisel Carbide Tooth (Inner)
- 371-3693 Flat HF Tooth (HF Both Sides, Inner)
- 371-3698 Chisel HF Tooth (Inner)

***AUGER BITS - Industrial Rock Flights***

Industrial Rock Flights, approx. 1220mm (48") length, HEX shaft, for heavy duty applications. The thickness of the flight is 19mm (3/4"). Co with a welded on Rock head including a bolt-on pilot bit.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914	1067	1219
	inch	6	9	12	16	18	24	30	36	42	48

A26B Ind Rock	++	++	++	++	++	++	++	++	++	NA	NA
Qty teeth #	8	10	12	15	16	20	24	26			

++ = good performance, +- = acceptable performance, NA = Not Allowed

If no reference numbers appear below there are currently no items available in your region.

W	372-0270	BIT, ROCK AUGER 6" .....	78	\$1,181 NI
W	372-0271	BIT, ROCK AUGER 9" .....	107	\$1,319 NI
W	372-0272	BIT, ROCK AUGER 12" .....	134	\$1,458 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

***AUGER BITS - Industrial Rock Flights (Cont.)***

W	372-0273	BIT, ROCK AUGER 16" . . . . .	167	\$2,569 NI
W	372-0274	BIT, ROCK AUGER 18" . . . . .	191	\$2,847 NI
W	372-0275	BIT, ROCK AUGER 20" . . . . .	217	\$3,125 NI
W	372-0276	BIT, ROCK AUGER 24" . . . . .	281	\$3,681 NI
W	372-0277	BIT, ROCK AUGER 30" . . . . .	310	\$4,514 NI
W	372-0278	BIT, ROCK AUGER 36" . . . . .	409	\$5,347 NI

Optional replacement teeth available through Parts only:  
367-6967 Bit pilot (excluding 4 teeth)  
372-0289 Rock Drill Head Tooth

***AUGER BITS - Tree Flight***

Conical auber flights, for use in nurseries and landscaping to drill holes for trees and shrubs with root balls.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	610	914
	inch	24	36

A26B Tree Bit      ++    ++  
++ = good performance

W	153-4092	TREE BIT, AUGER 24" . . . . .	163	\$986 NI
		Tapered bit, INCLUDES: 5 teeth on 24" (610mm) width, 4 teeth on 12" (305mm) width and pilot point.		
W	153-4095	TREE BIT, AUGER 36" . . . . .	310	\$1,549 NI
		Tapered bit, INCLUDES: 7 teeth on 36" (914mm) width, 6 teeth on 18" (457mm) width and pilot point.		

***AUGER BITS - Adapters and Extensions***

Following adapters and extentions can be used with all other auger bits and augers.

W	156-6329	ADAPTER, AUGER - HEX TO ROUND . . . . .	15	\$175 NI
		HEX output shaft 2" (50mm) to round output shaft 2 9/16" (65mm)		
W	217-3191	ADAPTER, AUGER - ROUND TO HEX . . . . .	15	\$150 NI
		Round output shaft 2.56" (65mm) to HEX output shaft 2" (50mm)		
W	372-0256	EXTENSION, TELESCOPING 3' . . . . .	43	\$360 NI
		FOR USE WITH: All Auger Bits		
		Three holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit		
		Recommend retention pin 372-0258 for quick depth change		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>BACKHOE CURRENT: 415-444 (CONT.)</b>				
<i><b>AUGER BITS - Adapters and Extensions (Cont.)</b></i>				
W	372-0257	<b>EXTENSION, TELESCOPING 6'</b> ..... 77 FOR USE WITH: All Auger Bitsements on extension to insert retention Six holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bitnge Recommend retention pin 372-0258 for quick depth change		<b>\$607 NI</b>
W	156-6328	<b>EXTENSION, AUGER 12"</b> ..... 20 12" (305mm) length HEX shaft		<b>\$157 NI</b>
W	217-3192	<b>EXTENSION, AUGER 24"</b> ..... 33 24" (610mm) length HEX shaft		<b>\$211 NI</b>

Available through Parts only:  
372-0258 Retention Pin Kit  
Retention pin uses lynch (ring) pin to secure bit & drive unit instead of bolt & 2 nuts. Allows for quick change of flights, extensions, & drive kits.

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**COLD PLANERS**

W	219-5470	<b>COLD PLANER, PC404</b> ..... 1,279 450mm (18") Drum width, 46 conical concrete/asphalt bits Manual depth control, max 125mm (5") cutting depth. 130 degree supported rotation, Hardox side skid plates FOR USE WITH: D, E, F series standard stick and E-stick Includes DIRECT drive unit, hydraulic lines with quick disconnect and mounting bracket REQUIRES: One way aux (Hammer lines or Combo Lines) REQUIRES: 178-3593 PINS GROUP		<b>\$17,035 NI</b>
---	----------	---	--	--------------------

**COMPACTING WHEELS for PIN-ON**

W	517-6992	<b>WHEEL, 12", BL</b> ..... 872 Trench width 290mm (11"), 2 wheels each with 9 pads Overall Length-Height-Width: 995mm(39.2")- 1138mm(44.8")- 398mm(15.7") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$4,271 NI</b>
W	517-6993	<b>WHEEL, 18", BL</b> ..... 1,110 Trench width 440mm (17"), 3 wheels each with 9 pads Overall Length-Height-Width: 991mm(39")- 1112mm(43.8")- 439mm(17.3") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$4,986 NI</b>
W	517-6994	<b>WHEEL, 24", BL</b> ..... 1,179 Trench width 560mm (22"), 3 wheels each with 9 pads Overall Length-Height-Width: 991mm(39")- 1110mm(43.7")- 559mm(22") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$5,347 NI</b>

**COMPACTING WHEELS for PIN LOCK COUPLERS**

W	517-6995	<b>WHEEL, 12", 1/4 PL</b> ..... 836 Trench width 290mm (11"), 2 wheels each with 9 pads Overall Length-Height-Width: 995mm(39.2")- 1207mm(47.5")- 312mm(12.3") FOR USE WITH: Pin Lock coupler 1/4YD (Wain Roy)		<b>\$4,271 NI</b>
W	517-6996	<b>WHEEL, 18", 1/4 PL</b> ..... 1,074 Trench width 440mm (17"), 3 wheels each with 9 pads Overall Length-Height-Width: 991mm(39")- 1181mm(46.5")- 439mm(17.3") FOR USE WITH: Pin Lock coupler 1/4YD (Wain Roy)		<b>\$4,986 NI</b>
W	517-6997	<b>WHEEL, 24", 1/4 PL</b> ..... 1,142 Trench width 560mm (22"), 3 wheels each with 9 pads Overall Length-Height-Width: 991mm(39")- 1179mm(46.4")- 559mm(22") FOR USE WITH: Pin Lock coupler 1/4YD (Wain Roy)		<b>\$5,347 NI</b>

**COMPACTOR PLATE CVP40**

W	551-4957	<b>COMPACTOR PLATE, CVP40</b> ..... 411 Has drill pattern XL REQUIRES: Mounting bracket and connecting lines		<b>\$8,222 NI</b>
W	211-8200	<b>BLADE, BACKFILL, CVP40</b> ..... 113 FOR USE WITH: CVP40 for back filling trenches		<b>\$896 NI</b>
W	264-5907	<b>SWIVEL, CVP40, XL TO XL</b> ..... 269 FOR USE WITH: CVP40 and fitted between mounting bracket and CVP40		<b>\$1,768 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>BACKHOE CURRENT: 415-444 (CONT.)</b>				
<b>COMPACTOR PLATE CVP40 (Cont.)</b>				
W	311-2599	<b>BRACKET, SWIVEL FOR CVP40</b> . . . . . 293 FOR USE WITH: CVP40 and D, E and F series BHL pin-on excl. 446D and 450E/F (Bracket and swivel integrated)		<b>\$2,494 NI</b>
W	311-2600	<b>BRACKET, CVP40,BHL, THUMB STOP</b> . . . . . 34 FOR USE WITH: 416E, 420E, 430E/F series machines when equipped with both a thumb arrangement and CVP 40 Compactor. Needed to protect hydraulic hoses from crushing. Hose clamps fit hoses with a maximum outside diameter of 30.9mm.		<b>\$703 NI</b>
W	416-8031	<b>BRACKET, 1/4YD PL, XL</b> . . . . . 170 Mounting bracket, incl.bolts + nuts, excl. lines FOR USE WITH: 1/4 yard pin lock quick coupler		<b>\$1,065 NI</b>
W	394-4922	<b>BRACKET, BHL 45-50MM, XL</b> . . . . . 150 Mounting bracket, incl.bolts + nuts, excl. lines, excl pins Services FOR USE WITH: D, E and F series BHL pin-on excl. 446D and 450E/F REQUIRES: 1 x 178-3593 PINS, SPARE if a pin-grabber QC is used		<b>\$1,065 NI</b>
W	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F		<b>\$168 NI</b>
W	393-6078	<b>BRACKET, BHL 60-60MM, XL</b> . . . . . 185 FOR USE WITH: 446D and 450E/F		<b>\$1,207 NI</b>
W	491-7486	<b>LINES, CVP40, BHL-F</b> . . . . . 22 FOR USE WITH: D, E and F series BHL		<b>\$819 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HAMMERS**

**WARNING:**

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

Compatibility table for hammers:

Machines	B hammers	H hammers
Centre Pivot Machines:		
416D/E/F/F2, 420D/E/F/F2	B6 +-	H65E ++ / H80 ++ / H95E +-
430D/E/F/F2	B6 +-	H65E ++ / H80 ++ / H95E +-
446D - 450E/F	B6 --	H65E -- / H80 +- / H95E ++
Side Shift Machines:		
All models from 422D up to incl 444F2	B6 +-	H65E ++ / H80 +- / H95E --

++= Optimal    +- = Acceptable    -- = Not Allowed



CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HAMMERS - B6 Flat Top**

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

If no Hammer reference appears below they are not yet available in your region

W	532-9206	<b>HAMMER, B6S</b> . . . . . 611 Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 500-900 , Energy Class 681 Joule (502 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-70 l/min (10.6-18.5 gal/min) Max Operation Pressure 13,707 kPa (1,988 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		<b>\$9,306 NI</b>
W	532-9106	<b>HAMMER, B6</b> . . . . . 571 Non-Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 500-900 , Energy Class 681 Joule (502 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-70 l/min (10.6-18.5 gal/min) Max Operation Pressure 13,707 kPa (1,988 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		<b>\$8,375 NI</b>
W	439-4471	<b>BRACKET, BHL 45-50MM, SM-LG</b> . . . . . 133 Mounting bracket, drill pattern SM and LG, incl.bolts + nuts FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F REQUIRES: 1 x 178-3593 PINS, SPARE if a pin-grabber QC is used		<b>\$1,056 NI</b>
W	443-7285	<b>BRACKET, 1/4YD PL, LG</b> . . . . . 143 Mounting bracket, 1 pattern SM and LG, incl.bolts + nuts FOR USE WITH: 1/4 yard pin-lock quick coupler		<b>\$1,056 NI</b>
W	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F		<b>\$168 NI</b>
W	551-1541	<b>LINES, B6 HAMMER, BL F</b> . . . . . 0 FOR USE WITH: D, E, F series excl 446D and 450E/F		<b>\$278 NI</b>
W	523-3193	<b>TOOL, MOIL, B6</b> . . . . . 40		<b>\$229 NI</b>
W	523-3195	<b>TOOL, CONE, B6</b> . . . . . 40		<b>\$229 NI</b>
W	523-3196	<b>TOOL, BLUNT, B6</b> . . . . . 40		<b>\$229 NI</b>
W	523-3197	<b>TOOL, CHISEL, CROSS CUT, B6</b> . . . . . 40		<b>\$229 NI</b>
W	523-3191	<b>TOOL, CHISEL, IN LINE, B6</b> . . . . . 40		<b>\$229 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HAMMERS - H65E Silenced FLAT TOP**

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

W	551-4952	<b>HAMMER, H65ES</b> . . . . . 622 Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 720-1,740 , Energy Class 1,085 Joule (800 ft-lb) INCLUDES: Housing and power cell, 1 tool box, excl. charging kit nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-115 l/min (10.6-30.4 gal/min) Max Operation Pressure 16,499 kPa (2,393 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		<b>\$12,467 NI</b>
W	439-4471	<b>BRACKET, BHL 45-50MM, SM-LG</b> . . . . . 133 Mounting bracket, drill pattern SM and LG, incl.bolts + nuts FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F REQUIRES: 1 x 178-3593 PINS, SPARE if a pin-grabber QC is used		<b>\$1,056 NI</b>
W	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F		<b>\$168 NI</b>
W	313-4791	<b>LINES, H65, BHL-F</b> . . . . . 26		<b>\$404 NI</b>
W	423-8307	<b>TOOL, IN LINE CHISEL H65E</b> . . . . . 38		<b>\$264 NI</b>
W	428-8022	<b>TOOL, CROSS CUT CHISEL H65E</b> . . . . . 38		<b>\$264 NI</b>
W	423-8308	<b>TOOL, CONE, H65E</b> . . . . . 38		<b>\$264 NI</b>
W	423-8309	<b>TOOL, BLUNT, H65E</b> . . . . . 0		<b>\$264 NI</b>
W	433-9653	<b>TOOL, SPADE PARALLEL H65E</b> . . . . . 33		<b>\$465 NI</b>
W	433-9652	<b>TOOL, SPADE TRANSVERSE H65E</b> . . . . . 33		<b>\$465 NI</b>
W	433-9651	<b>TOOL, COMPACTING PLATE H65E</b> . . . . . 90		<b>\$1,465 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HAMMERS - H80E and H80E Silenced Flat Top**

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

W	551-4954	<b>HAMMER, H80E</b> . . . . . 827 NON Silenced hydraulic hammer, flat top with drill pattern XL BPM (blows/minute): 600-1,500 , Energy Class 1,365 Joule (1,000 ft-lb) INCLUDES: Housing and power cell, 1 tool box, excl. charging kit/ nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 60-130 l/min (16-34 gal/min) Max Operation Pressure 17,500 kPa (2,500 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket XL, connecting lines, nitrogen charge		\$17,806 NI
W	551-4953	<b>HAMMER, H80ES</b> . . . . . 836 Silenced hydraulic hammer, flat top with drill pattern XL BPM (blows/minute): 600-1,500 , Energy Class 1,365 Joule (1,000 ft-lb) INCLUDES: Housing and power cell, 1 tool box, excl. charging kit/ nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 60-130 l/min (16-34 gal/min) Max Operation Pressure 17,500 kPa (2,500 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket XL, connecting lines, nitrogen charge		\$19,788 NI
W	394-4922	<b>BRACKET, BHL 45-50MM, XL</b> . . . . . 150 Mounting bracket, drill pattern XL, incl. bolts + nuts FOR USE WITH: D, E, F series Pin-On or with dual lock QC REQUIRES: 1 x 178-3593 PINS, SPARE if a pin-grabber QC is used		\$1,065 NI
W	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. FOR USE WITH: Pin-On D, E, F series excl 446D and 450E/F		\$168 NI
W	399-6962	<b>LINES, H80, BHL-F</b> . . . . . 18 FOR USE WITH: D, E, F series excl 446D and 450E/F and NO Quick coupler		\$794 NI
W	399-6964	<b>LINES, H80, BHL-F, QC</b> . . . . . 19 FOR USE WITH: D, E, F series excl 446D and 450E/F AND a Quick coupler		\$479 NI
W	511-0252	<b>TOOL, CROSS CUT CHISEL H80E</b> . . . . . 49		\$389 NI
W	511-0251	<b>TOOL, IN LINE CHISEL H80E</b> . . . . . 49		\$389 NI
W	511-0250	<b>TOOL, CONE, H80E</b> . . . . . 49		\$389 NI
W	376-7947	<b>TOOL, BLUNT, H80E</b> . . . . . 0		\$389 NI
W	381-6720	<b>TOOL, SPADE PARALLEL H80E</b> . . . . . 44		\$556 NI
W	381-6719	<b>TOOL, SPADE TRANSVERSE H80E</b> . . . . . 50		\$556 NI
W	381-6721	<b>TOOL, COMPACTING PLATE H80E</b> . . . . . 104		\$1,743 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**HAMMERS - H95E Silenced Flat Top**

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

W	551-4955	<b>HAMMER, H95ES</b> . . . . . 1,290 Silenced hydraulic hammer, flat top with drill pattern XL BPM (blows/minute): 700-1,260 , Energy Class 2,034 Joule (1,500 ft lb) INCLUDES: Housing and power cell, 1 tool box, excl . charging kit/ nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 70-150 l/min (18.5-39.6 gal/min) Max Operation Pressure 17,237 kPa (2,500 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket XL, connecting lines, nitrogen charge		<b>\$29,356 NI</b>
W	394-4922	<b>BRACKET, BHL 45-50MM, XL</b> . . . . . 150 Mounting bracket, incl.bolts + nuts, excl. lines, excl pins Services FOR USE WITH: D, E and F series BHL pin-on excl. 446D and 450E/F REQUIRES: 1 x 178-3593 PINS, SPARE if a pin-grabber QC is used		<b>\$1,065 NI</b>
W	399-6964	<b>LINES, H80, BHL-F, QC</b> . . . . . 19 FOR USE WITH: D, E, F series excl 446D and 450E/F AND a Quick coupler		<b>\$479 NI</b>
W	399-1710	<b>TOOL, CROSS CUT CHISEL H95E S</b> . . . . . 84		<b>\$500 NI</b>
W	369-0793	<b>TOOL, IN LINE CHISEL H95E S</b> . . . . . 84		<b>\$500 NI</b>
W	369-0792	<b>TOOL, CONE, H95E</b> . . . . . 84		<b>\$500 NI</b>
W	373-7159	<b>TOOL, BLUNT, H95E</b> . . . . . 0		<b>\$500 NI</b>

**RIPPERS for PIN-ON**

W	491-4075	<b>RIPPER, 25", BHL F</b> . . . . . 217 Shank length 635mm (25"), tip radius 778mm (31"), incl FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$1,389 NI</b>
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 415-444 (CONT.)**

**THUMBS and TINES**

W	282-5409	<b>THUMB, HYDRAULIC, NO TINE, BHL</b> ..... 221 Hydraulic Thumb Arrangement without tines FOR USE WITH: 416E/F/F2, 420E/F/F2, 430E/F/F2 REQUIRES: Thumb tine (see below)		<b>\$5,500 NI</b>
W	282-5410	<b>THUMB, STIFF LINK, NO TINE, BHL</b> ..... 198 Stiff Link Thumb Arrangement without tines FOR USE WITH: 416E/F/F2, 420E/F/F2, 430E/F/F2 REQUIRES: Thumb tine (see below)		<b>\$2,694 NI</b>

THUMB TINES for PIN-ON BUCKETS (no coupler):

BUCKET TYPE	BUCKET SIZE			
	12", 16", 18", 24"	30"	36"	
Standard Duty	A1	B1	C1	
Heavy Duty	A1	B1	C1	
Heavy Duty Rock	A2	B2	C2	
High Capacity*	A3*	B3	C3	
Soil Excavation*	A3*	B3	C3	

\* Thumb not recommended for 18" High Capacity/ Soil Excavation bucket

THUMB TINES for PIN GRABBER COUPLER (with Pin-on buckets):

BUCKET TYPE	BUCKET SIZE			
	12", 16", 18", 24"	30"	36"	
Standard Duty	A3	B3	C3	
Heavy Duty	A3	B3	C3	
Heavy Duty Rock	A4	B4	C4	
High Capacity	A5	B5	C5	
Soil Excavation	A5	B5	C5	

THUMB TINES for PIN LOCK COUPLER BUCKETS:

BUCKET TYPE	BUCKET SIZE			
	12", 16", 18", 36"	24"	30"	
Heavy Duty	C2	A2	B2	
High Capacity	C4	C3	B4	

If no reference numbers appear below there are currently no items available in your region.

W	221-4282	<b>THUMB, TINE, A 1</b> ..... 75 FOR USE WITH: Standard Duty or Heavy Duty 12", 18", 24" buckets with no coupler		<b>\$417 NI</b>
W	221-4284	<b>THUMB, TINE, A 2</b> ..... 99 FOR USE WITH: Heavy Duty Rock 12", 18", 24" buckets with no coupler or Heavy Duty Pin Lock 24" buckets		<b>\$417 NI</b>
W	221-4283	<b>THUMB, TINE, A 3</b> ..... 107 FOR USE WITH: High Capacity or Soil Excavation 18", 24" buckets with no coupler or Standard Duty or Heavy Duty 12", 18", 24" buckets with a pin grabber coupler		<b>\$417 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>BACKHOE CURRENT: 415-444 (CONT.)</b>				
<i>THUMBS and TINES (Cont.)</i>				
W	221-4285	<b>THUMB, TINE, A 4</b> ..... 115 FOR USE WITH: Heavy Duty Rock 12", 18", 24" buckets with a pin grabber coupler		<b>\$417 NI</b>
W	281-6708	<b>THUMB, TINE, A 5</b> ..... 122 FOR USE WITH: High Capacity or Soil Excavation 18", 24" buckets with a pin grabber coupler		<b>\$417 NI</b>
W	274-5819	<b>THUMB, TINE, B 1</b> ..... 81 FOR USE WITH: Standard Duty or Heavy Duty 30" buckets with no coupler		<b>\$417 NI</b>
W	274-5826	<b>THUMB, TINE, B 2</b> ..... 108 FOR USE WITH: Heavy Duty Rock 30" buckets with no coupler or Heavy Duty Pin Lock 30" buckets		<b>\$417 NI</b>
W	274-5823	<b>THUMB, TINE, B 3</b> ..... 116 FOR USE WITH: High Capacity or Soil Excavation 30" buckets with no coupler or Standard Duty or Heavy Duty 30" buckets with a pin grabber coupler		<b>\$417 NI</b>
W	274-5829	<b>THUMB, TINE, B 4</b> ..... 124 FOR USE WITH: Heavy Duty Rock 30" buckets with a pin grabber coupler or High Capacity Pin Lock 30" buckets		<b>\$417 NI</b>
W	281-6711	<b>THUMB, TINE, B 5</b> ..... 131 FOR USE WITH: High Capacity or Soil Excavation 30" buckets with a pin grabber coupler		<b>\$417 NI</b>
W	274-5832	<b>THUMB, TINE, C 1</b> ..... 51 FOR USE WITH: Standard Duty or Heavy Duty 36" buckets with no coupler		<b>\$417 NI</b>
W	274-5837	<b>THUMB, TINE, C 2</b> ..... 91 FOR USE WITH: Heavy Duty Rock 36" buckets with no coupler or Heavy Duty Pin Lock 12", 16", 18", 36" buckets		<b>\$417 NI</b>
W	274-5835	<b>THUMB, TINE, C 3</b> ..... 99 FOR USE WITH: High Capacity or Soil Excavation 36" buckets with no coupler or Standard Duty or Heavy Duty 36" buckets with a pin grabber coupler or High Capacity Pin Lock 24" buckets		<b>\$417 NI</b>
W	274-5839	<b>THUMB, TINE, C 4</b> ..... 106 FOR USE WITH: Heavy Duty Rock 36" buckets with a pin grabber coupler or High Capacity Pin Lock 12", 16", 18", 36" buckets		<b>\$417 NI</b>
W	281-6714	<b>THUMB, TINE, C 5</b> ..... 114 FOR USE WITH: High Capacity or Soil Excavation 36" buckets with a pin grabber coupler		<b>\$417 NI</b>

**BACKHOE CURRENT: 450**

The work tools in this section will fit on following sales models (pin sizes and pin spread are the same for all these models)  
450E, 450F, new generation 450.

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 450 (CONT.)**

**QUICK COUPLERS - Dual Lock Pin Grabber**

P	485-5290	COUPLER, PG, HYDR.D.LOCK, 450 . . . . . 0		\$5,139
		Hydraulic pin grabber type quick coupler with a dual lock. FOR USE WITH: New generation 450 INCLUDES: 1 set of bucket pins and hardware to attach 1 bucket and connecting lines. REQUIRES: bucket pins for EACH ADDITIONAL bucket and hydraulic QC lines on machine. Avialable via Parts/Antares: 2 x 270-7973 Pin, 60mm (will be CRBed with 564-5312) 2 x 8T-5001 Bolt, Hex 4 x 329-3356 Nut, Hex		

**BUCKETS for PIN-ON - Heavy Duty**

W	547-7030	BUCKET-HD, 18", 6.4 CFT . . . . . 0		\$2,253 NI
		Width 460mm (18"), Heaped Cap. 0.18m3 (0.24yd3), Incl 3 x J225 FOR USE WITH: New generation 450 Pin-on, includes bucket pins		
W	547-7031	BUCKET-HD, 24", 9.5 CFT . . . . . 0		\$2,365 NI
		Width 610mm (24"), Heaped Cap. 0.27m3 (0.35yd3), Incl 4 x J225 FOR USE WITH: New generation 450 Pin-on, requires bucket pins		
W	547-7032	BUCKET-HD, 30", 12.4 CFT . . . . . 0		\$2,621 NI
		Width 762mm (30"), Heaped Cap. 0.35m3 (0.46yd3), Incl 5 x J225 FOR USE WITH: Pin-on, requires bucket pins		
W	547-7033	BUCKET-HD, 36", 15.9 CFT . . . . . 0		\$2,876 NI
		Width 914mm (36"), Heaped Cap. 0.45m3 (0.59yd3), Incl 5 x J225 FOR USE WITH: Pin-on, requires bucket pins		
W	547-7034	BUCKET-HD, 42", 19.2 CFT . . . . . 0		\$3,131 NI
		Width 1067mm (42"), Heaped Cap. 0.54m3 (0.71yd3), Incl 6 x J225 FOR USE WITH: Pin-on, requires bucket pins		

**BUCKETS FOR PIN-ON - Ditch Cleaning**

W	547-7081	BUCKET-DC, 47", 9.5 CFT . . . . . 358		\$3,121 NI
		Width 1200mm (47"), Heaped Cap. 0.27m3 (0.35yd3) FOR USE WITH: Pin-on, requires bucket pins INCLUDES: Water holes		
W	547-7082	BUCKET-DC, 59", 12.4 CFT . . . . . 417		\$3,586 NI
		Width 1500mm (59"), Heaped Cap. 0.35m3 (0.46yd3) FOR USE WITH: Pin-on, requires bucket pins INCLUDES: Water holes		
W	547-7083	BUCKET-DC, 71", 14.9 CFT . . . . . 476		\$4,051 NI
		Width 1800mm (71"), Heaped Cap. 0.42m3 (0.55yd3) FOR USE WITH: Pin-on, requires bucket pins INCLUDES: Water holes		

**BUCKETS FOR PIN-ON - Grading/Mud**

Designed for grading with higher capacity and suited to carry buckets

W	547-7084	BUCKET-GRADING, 47", 15.1 CFT . . . . . 705		\$3,357 NI
		Width 1200mm (47"), Heaped Cap. 0.43m3 (0.56yd3) FOR USE WITH: Pin-on, includes bucket pins and BOCE		

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 450 (CONT.)**

***BUCKETS FOR PIN-ON - Grading/Mud (Cont.)***

W	547-7085	<b>BUCKET-GRADING, 59", 19.8 CFT</b> ..... 822 Width 1500mm (59"), Heaped Cap. 0.56m3 (0.73yd3) FOR USE WITH: Pin-on, includes bucket pins and BOCE		<b>\$3,867 NI</b>
W	547-7086	<b>BUCKET-GRADING, 71", 24 CFT</b> ..... 938 Width 1800mm (71"), Heaped Cap. 0.68m3 (0.89yd3) FOR USE WITH: Pin-on, includes bucket pins and BOCE		<b>\$4,376 NI</b>

***COMPACTING WHEELS for PIN-ON for 450***

W	517-6998	<b>WHEEL, 12", BL 450</b> ..... 959 Trench width 310mm (12"), 2 wheels each with 9 pads Overall Length-Height-Width: 1014mm(39.9")- 1155mm(45.5")-323mm(12.7") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$4,632 NI</b>
W	517-6999	<b>WHEEL, 18", BL 450</b> ..... 1,266 Trench width 450mm (18"), 3 wheels each with 9 pads Overall Length-Height-Width: 1014mm(39.9")- 1168mm(46")- 449mm(17.7") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$5,819 NI</b>
W	517-7000	<b>WHEEL, 24", BL 450</b> ..... 1,307 Trench width 560mm (22"), 3 wheels each with 9 pads Overall Length-Height-Width: 1014mm(39.9")- 1168mm(46")- 556mm(21.9") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$6,056 NI</b>
W	517-7001	<b>WHEEL, 36", BL 450</b> ..... 1,982 Trench width 880mm (35"), 5 wheels each with 9 pads Overall Length-Height-Width: 1091mm(43")- 1168mm(46")- 884mm(34.8") FOR USE WITH: Pin-on or Pin Grabber coupler (bucket pins included)		<b>\$7,007 NI</b>

***HAMMERS - H95E Silenced Flat Top***

**WARNING:**

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the the excavators. Failure to do so can lead to injury or death.

Compatibility table for hammers:

Machines	B hammers	H hammers
Centre Pivot Machines:		
416D/E/F/F2, 420D/E/F/F2	B6 +-	H65E ++ / H80 ++ / H95E +-
430D/E/F/F2	B6 +-	H65E ++ / H80 ++ / H95E +-
446D - 450E/F	B6 --	H65E -- / H80 +- / H95E ++
Side Shift Machines:		
All models from 422D up to incl 444F2	B6 +-	H65E ++ / H80 +- / H95E --

++= Optimal    +- = Acceptable    -- = Not Allowed

If no Hammer reference appears below they are not yet available in your region



CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE CURRENT: 450 (CONT.)**

***HAMMERS - H95E Silenced Flat Top (Cont.)***

W	551-4955	<b>HAMMER, H95ES</b> . . . . . 1,290 Silenced hydraulic hammer, flat top with drill pattern XL BPM (blows/minute): 700-1,260 , Energy Class 2,034 Joule (1,500 ft lb) INCLUDES: Housing and power cell, 1 tool box, excl . charging kit/ nitrogen, incl. 2 tools (1x moil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 70-150 l/min (18.5-39.6 gal/min) Max Operation Pressure 17,237 kPa (2,500 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket XL, connecting lines, nitrogen charge		<b>\$29,356 NI</b>
W	393-6078	<b>BRACKET, BHL 60-60MM, XL</b> . . . . . 185 FOR USE WITH: Pin-On 450E/F, new generation 450		<b>\$1,207 NI</b>
W	399-4321	<b>LINES, H95, BHL 450</b> . . . . . 42 FOR USE WITH: Pin-On 450E/F, new generation 450		<b>\$489 NI</b>
W	399-1710	<b>TOOL, CROSS CUT CHISEL H95E S</b> . . . . . 84		<b>\$500 NI</b>
W	369-0793	<b>TOOL, IN LINE CHISEL H95E S</b> . . . . . 84		<b>\$500 NI</b>
W	369-0792	<b>TOOL, CONE, H95E</b> . . . . . 84		<b>\$500 NI</b>
W	373-7159	<b>TOOL, BLUNT, H95E</b> . . . . . 0		<b>\$500 NI</b>

***THUMB, HYDRAULIC for New Generation 450***

W	556-3630	<b>THUMB, HYDRAULIC, 450</b> . . . . . 240 Hydraulic thumb. Including connecting lines. FOR USE WITH: New generation 450 Pin-on or Dual Lock Pingrab coupler		<b>\$5,500 NI</b>
W	546-4141	<b>RIPPER, 37", MHE 10T-BHL 450</b> . . . . . 375 Tip Radius 1119m (44"), includes bucket pins, 1 x J225 long tooth tip FOR USE WITH: New generation 450 Pin-on or Dual Lock Pingrab coupler		<b>\$2,014 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE NON CURRENT**

***QUICK COUPLERS - Pin Puller***

W	303-9515	COUPLER, PIN PULLER, 450 . . . . .	260	\$3,642 NI
		FOR USE WITH: Pin on buckets		
W	322-0190	PINS, PIN PULLER COUPLER, 450 . . . . .	42	\$672 NI
		INCLUDES: One set of pins and hardware with handle.		

***BUCKETS for PIN-ON - Heavy Duty Pin-On Teeth for 450:***

W	278-4499	BUCKET-HD, 18", 6.3 CFT . . . . .	456	\$1,792 NI
		INCLUDES: 3x J225 Long tips		
W	278-4487	BUCKET-HD, 24", 9.5 CFT . . . . .	542	\$2,047 NI
		INCLUDES: 4x J225 Long tips		
W	278-4493	BUCKET-HD, 30", 12.4 CFT . . . . .	611	\$2,303 NI
		INCLUDES: 4x J225 Long tips		
W	275-4026	BUCKET-HD, 36", 15.5 CFT . . . . .	703	\$2,557 NI
		INCLUDES: 6x J225 Long tips		

***BUCKETS for PIN-ON - Ditch Cleaning for 450***

W	306-9325	BUCKET-DC, DH, 48", 16.2 CFT . . . . .	578	\$4,557 NI
W	306-9327	BUCKET-DC, DH, 60", 20.3 CFT . . . . .	668	\$4,947 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
<b>BACKHOE NON CURRENT (CONT.)</b>				
<b>BRACKETS</b>				
W	305-4984	<b>BRACKET, BHL E-D, MD-LG</b> ..... 165 Incl bolts and nuts, excl. connecting lines, excl. bucket pins FOR USE WITH: H65D-H70, H90C and BHL D&E		<b>\$1,065 NI</b>
W	415-2224	<b>BRACKET, BHL A-C, XL</b> ..... 155 Incl bolts and nuts, excl. connecting lines, excl. bucket pins FOR USE WITH: H75E, H80E, H95E and 416--436C		<b>\$1,065 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE NON CURRENT (CONT.)**

**SPARE PINS**

W	137-3848	<b>PINS, BHL B/C, 45MM-50MM</b> ..... 6 One set of pins and hardware for mounting a C/B series bucket or work tool to the backhoe coupler. FOR USE WITH: 161-3240 or 178-8849 coupler, pin grabber extra pins through the Parts Department.		\$167 NI
---	----------	---	--	----------

**BUCKETS for PIN-ON - Heavy Duty Pin-on Teeth for 416, 426, 436 B & C**

W	134-5888	<b>BUCKET-HD, 12", 2.5 CFT</b> ..... 270 Width 305mm (12"), Cap 0.07m3 (0.09yd3), Includes 3 tooth tips Bucket pins Included		\$1,535 NI
W	134-5866	<b>BUCKET-HD, 16", 3.5 CFT</b> ..... 322 Width 405mm (16"), Cap 0.10m3 (0.13yd3), Includes 3 tooth tips		\$1,569 NI
W	134-5867	<b>BUCKET-HD, 18", 4.5 CFT</b> ..... 334 Width 458mm (18"), Cap 0.13m3 (0.17yd3), Includes 4 tooth tips		\$1,599 NI
W	134-5868	<b>BUCKET-HD, 24", 7.0 CFT</b> ..... 389 Width 610mm (24"), Cap 0.20m3 (0.26yd3), Includes 5 tooth tips		\$1,800 NI
W	134-5869	<b>BUCKET-HD, 30", 9.5 CFT</b> ..... 427 Width 762mm (30"), Cap 0.27m3 (0.35yd3), Includes 5 tooth tips		\$1,967 NI
W	134-5870	<b>BUCKET-HD, 36", 11.5 CFT</b> ..... 480 Width 914mm (36"), Cap 0.33m3 (0.43yd3), Includes 6 tooth tips		\$2,111 NI

**BUCKETS for PIN-ON - Heavy Duty Pin-on Teeth for 446 B & D**

W	9R-3218	<b>BUCKET-HD, 18", 6.3 CFT</b> ..... 381 Width 458mm (18"), Cap 0.18m3 (0.23yd3), Includes 3 tooth tips		\$1,629 NI
W	9R-3224	<b>BUCKET-HD, 24", 9.5 CFT</b> ..... 459 Width 610mm (24"), Cap 0.27m3 (0.35yd3), Includes 4 tooth tips		\$1,958 NI
W	9R-3230	<b>BUCKET-HD, 30", 12.4 CFT</b> ..... 501 Width 762mm (30"), Cap 0.35m3 (0.46yd3), Includes 5 tooth tips		\$2,147 NI
W	9R-3236	<b>BUCKET-HD, 36", 15.5 CFT</b> ..... 561 Width 914mm (36"), Cap 0.44m3 (0.57yd3), Includes 6 tooth tips		\$2,389 NI

**BUCKETS for PIN-ON - High Capacity Heavy Duty tooth tips for C2**

W	136-6911	<b>BUCKET-HC, 18", 6.5 CFT</b> ..... 360 Width 458mm (18"), Cap 0.18m3 (0.24yd3), Includes 4 tooth tips		\$1,725 NI
W	136-6912	<b>BUCKET-HC, 24", 9.0 CFT</b> ..... 422 Width 610mm (24"), Cap 0.24m3 (0.31yd3), Includes 5 tooth tips		\$1,856 NI
W	136-6913	<b>BUCKET-HC, 30", 11 CFT</b> ..... 464 Width 762mm (30"), Cap 0.32m3 (0.42yd3), Includes 5 tooth tips		\$2,029 NI
W	136-6914	<b>BUCKET-HC, 36", 14 CFT</b> ..... 515 Width 914mm (36"), Cap 0.38m3 (0.50yd3), Includes 6 tooth tips		\$2,192 NI

CATERPILLAR MACHINE PRICE LIST

**WT-BHL**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

**BACKHOE NON CURRENT (CONT.)**

**COMPACTING WHEELS for PIN LOCK COUPLERS for 450**

W	517-7002	<b>WHEEL, 12", 1/2 PL</b> ..... 946 Trench width 310mm (12"), 2 wheels each with 9 pads Overall Length-Height-Width: 998mm(39.3")- 1276mm(50.2")- 356mm(14") FOR USE WITH: Pin Lock coupler 1/2YD (Wain Roy)		<b>\$4,632 NI</b>
W	517-7003	<b>WHEEL, 18", 1/2 PL</b> ..... 1,240 Trench width 450mm (18"), 3 wheels each with 9 pads Overall Length-Height-Width: 997mm(39.3")- 1284mm(50.6")- 449mm(17.7") FOR USE WITH: Pin Lock coupler 1/2YD (Wain Roy)		<b>\$5,819 NI</b>
W	517-7004	<b>WHEEL, 24", 1/2 PL</b> ..... 1,281 Trench width 560mm (22"), 3 wheels each with 9 pads Overall Length-Height-Width: 997mm(39.3")- 1284mm(50.6")- 556mm(21.9") FOR USE WITH: Pin Lock coupler 1/2YD (Wain Roy)		<b>\$6,056 NI</b>
W	517-7005	<b>WHEEL, 36", 1/2 PL</b> ..... 1,970 Trench width 880mm (35"), 5 wheels each with 9 pads Overall Length-Height-Width: 1073mm(42.2")- 1284mm(50.6")-884mm(34.8") FOR USE WITH: Pin Lock coupler 1/2YD (Wain Roy)		<b>\$7,007 NI</b>

**THUMBS for 416 / 420 / 430 D Series Only**

W	224-6232	<b>THUMB, FIXED, NO TINE,BHL-D PO</b> ..... 297 FOR USE WITH: 24" heavy duty or standard duty buckets Thumb installation instructions, REHS1770, available via SIS Web		<b>\$2,700 NI</b>
W	224-6233	<b>THUMB, FIXED, NO TINE,BHL-D PG</b> ..... 330 FOR USE WITH: 24" heavy duty or standard duty buckets with a pin pin grabber coupler or a 24" high capacity without coupler or a 24" heavy duty pin lock bucket. Thumb installation instructions, REHS1770, available via SIS Web		<b>\$2,700 NI</b>

**THUMBS for PIN-ON for 450**

W	282-5411	<b>THUMB, HYDRAULIC, NO TINE, 450</b> ..... 253 For use with 221-4283 (A3) Tine for 24" & 30" pin on buckets and 274-5835 (C3) Tine for 36" pin on buckets		<b>\$5,610 NI</b>
W	274-5835	<b>THUMB, TINE, C 3</b> ..... 99 FOR USE WITH: High Capacity or Soil Excavation 36" buckets with no coupler or Standard Duty or Heavy Duty 36" buckets with a pin grabber coupler or High Capacity Pin Lock 24" buckets		<b>\$417 NI</b>
W	221-4283	<b>THUMB, TINE, A 3</b> ..... 107 FOR USE WITH: High Capacity or Soil Excavation 18", 24" buckets with no coupler or Standard Duty or Heavy Duty 12", 18", 24" buckets with a pin grabber coupler		<b>\$417 NI</b>