

CATERPILLAR MACHINE PRICE LIST

WT-CWL

COMPACT WHEEL LOADER WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

This WT-CWL Price List consists of Work Tool offerings for: 902, 903, 904, 906, 907, 908, 910, 914, 918 & IT14 Compact Wheel Loaders.

support and quotations please contact the sales support team via email at worktools@cat.com

Unless specified 'CWTS' all attachments are BCP products.

FOR NORTH AND SOUTH AMERICA
Orders for BCP products will automatically transfer from CMOPS to Antares Parts Ordering via the bridge. Orders for CWTS products will process in CMOPS and deliver directly to CWTS.

FOR JAPAN
THIS PRICE LIST IS FOR REFERENCE ONLY
Please access the usual regional resources for pricing information
All orders should be placed using ANTARES unless seperately agreed.

FOR THE REST OF THE WORLD
All orders should be placed using ANTARES unless seperately agreed.

This price list has been divided into the following sections
- CURRENT MODELS SMALLER THAN 906
- CURRENT MODELS 906/ 907/ 908
- CURRENT MODELS LARGER THAN 908
- NON CURRENT MODELS

Effective March 1, 2013, BCP Work Tools will be distributed using a new lane strategy. This lane strategy will ensure the quick delivery of high volume work tools while controlling inventory of work tools ordered less frequently.

For BCP Work Tool specific lanes, please visit the "Availability & Lane Information" section in Work Tool Central at dealer.cat.com.
<<https://dealer.cat.com/products/wtc>>

BCP Work Tool Product Support
1-800-566-7782, option 1, option 6
Email: bcp_work_tools@cat.com

CWTS Product-Work Tools are FOB CWTS via LTL Carrier unless otherwise noted in this Price List. For questions,

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
WT-CWL-001

CATERPILLAR MACHINE PRICE LIST

WT-CWL

COMPACT WHEEL LOADER WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

OP-0199 **COMPACT WHEEL LOADER WORK TOOL** 0 **NC**
Please use the OP reference number listed above when ordering

Use packing code OP-0210 when ordering items listed as CWTS Products
If not listed as CWTS Product no packing code is required

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS SMALLER THAN 906

PACKING FOR CWTS PRODUCTS

ONLY SELECT IF ORDERING ITEMS IDENTIFIED AS 'CWTS PRODUCT'.

| | | | |
|---------|---|---|----|
| OP-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| | REQUIRED BY: ITEMS IDENTIFIED AS 'CWTS PRODUCT' | | |

903D - BUCKETS - General Purpose

| | | | | |
|---|----------|--|-----|------------|
| W | 276-5715 | BUCKET-GP, 0.8 YD3, W/BOCE | 686 | \$3,140 NI |
| | | 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: Skid Steer Coupler | | |
| W | 384-1700 | BUCKET - GP, 1.0 YD3 | 814 | \$3,190 NI |
| | | 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler | | |

903D - BUCKETS: Light Material

| | | | | |
|---|----------|--|-----|------------|
| W | 261-1368 | BUCKET-LM, 1.3 YD3, W/BOCE | 862 | \$3,901 NI |
| | | 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler | | |

903D - BUCKETS: Material Handling

| | | | | |
|---|----------|--|-----|------------|
| W | 472-2546 | BUCKET-MH, 86", BOCE | 804 | \$2,326 NI |
| | | 1.43 YD3 / 38.6 CFT (1.07 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler | | |
| W | 472-2548 | BUCKET-MH, 98", BOCE | 881 | \$2,403 NI |
| | | 1.63 YD3 / 44.8 CFT (1.25 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler | | |
| W | 469-0774 | BUCKET-MH, 104", BOCE | 920 | \$2,444 NI |
| | | 1.74 YD3 / 47.8 CFT (1.33 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler | | |

903D - CARRIAGES and FORKS (TINES)

| | | | | |
|---|----------|--|-----|------------|
| W | 261-1315 | CARRIAGE, 46" CLASS II | 190 | \$1,478 NI |
| | | 46" (1170mm) wide REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED FOR USE WITH: Skid Steer Coupler | | |
| W | 195-6943 | FORK, PAL C2, 36" X 4" X 1.5" | 92 | \$174 NI |
| | | 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | |
| W | 195-6942 | FORK, PAL C2, 42" X 4" X 1.5" | 104 | \$208 NI |
| | | 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS SMALLER THAN 906 (CONT.)

903D & 906/908 SSL Work Tools

The selection table below, gives you an indication of the requirements for the 903D to operate the SSL tools. For further details on the tools see section 906-908.

No field installed worktool harness kit available, only factory installed.

| Work tools Compatible on 903D | | Remarks for 903D only |
|-------------------------------|----|---------------------------|
| Augers: SF | C | |
| HF | NC | No HF or HF XPS available |
| Blades: Angle | C | |
| Dozer | C | |
| Box Blades | NC | To Heavy |
| Brooms: Angle Man | C | |
| Angle Hydr | C | |
| Utility | C | |
| Pick up | C | Chains required |
| Brushcutter BR160 | C | |
| SF | C | Oil Flow limitations |
| HF | NC | No HF or HF XPS available |
| Buckets: GP, LP, MP, LM | C | |
| Industrial, Skeleton | C | |
| Mixing | | |
| Side Discharge | | |
| Cold planers: SF | C | Oil Flow, Machine weight |
| HF PC205B | NC | No HF or HF XPS available |
| HF PC3XXB | NC | No HF or HF XPS available |
| Carriages and Forks | C | |
| Grapple Bucket 368-2500 | | |
| Hammers | NC | No hammers allowed |
| Industrial / Utility Grapple: | | |
| buckets, forks, rakes | C | |
| Landscape Rake, Tiller | C | |
| MH Arm | C | Might hit linkage |
| Mulchers | NC | Machine weight |
| Power Box Rake | C | PR172 only |
| Snow Blower: SF | C | SR117 only |
| HF | NC | No HF or HF XPS available |
| Snow Plows | C | |
| Stump Grinder: SF | C | Oil Flow |
| HF | NC | No HF or HF XPS available |
| Trencher: SF | C | |
| HF | NC | No HF or HF XPS available |
| Vibratory Compactor | C | |
| Wheel Saw | NC | No HF or HF XPS available |

C= Compatible but See remarks, NC = Not Compatible/Not Allowed

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908

PACKING FOR CWTS PRODUCTS

ONLY SELECT IF ORDERING ITEMS IDENTIFIED AS 'CWTS PRODUCT'.

| | | | |
|---------|---|---|----|
| OP-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| | REQUIRED BY: ITEMS IDENTIFIES AS 'CWTS PRODUCT' | | |

BUCKETS - General Purpose

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------------------------|-------------|-------------|-------------|
| General Purpose Buckets | | | |
| 1.0 yd3 (0.76m3) | C | C | C |
| 1.2 yd3 (0.9m3) | C | | |
| 1.3 yd3 (1.0m3) | | C | |
| 1.4 yd3 (1.1m3) | | | C |
| 1.7 yd3 (1.3m3) | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|--|-----|------------|
| W | 384-1700 | BUCKET - GP, 1.0 YD3 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler | 814 | \$3,190 NI |
| W | 261-1341 | BUCKET - GP 1.2 YD3 74" (1880mm) wide, base edge incl drilled mounting holes FOR USE WITH: 906H/M with Skid Steer Coupler | 790 | \$3,233 NI |
| W | 284-9279 | BUCKET - GP 1.2 YD3 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M with Skid Steer Coupler | 869 | \$3,360 NI |
| W | 284-9280 | BUCKET - GP 1.2 YD3 74" (1880mm) wide, incl 7x Bolt-on teeth FOR USE WITH: 906H/M with Skid Steer Coupler | 822 | \$3,490 NI |
| W | 284-9281 | BUCKET - GP 1.2 CYD 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M with Horizontal Pin Coupler | 871 | \$3,549 NI |
| W | 284-9282 | BUCKET - GP 1.2 CYD 74" (1880mm) wide, incl 7x Bolt-on teeth FOR USE WITH: 906H/M with Horizontal Pin Coupler | 822 | \$3,736 NI |
| W | 312-0121 | BUCKET - GP, 1.3 YD3, BASE 80" (2025mm) wide, Base edge with drilled mounting holes FOR USE WITH: 907H/M with Skid Steer Coupler | 849 | \$3,085 NI |
| W | 312-0122 | BUCKET - GP, 1.3 YD3, BOCE 80" (2025mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 907H/M with Skid Steer Coupler | 908 | \$3,533 NI |
| W | 312-0123 | BUCKET - GP, 1.3 YD3, BOT 80" (2025mm) wide, incl 7x Bolt on teeth FOR USE WITH: 907H/M with Skid Steer Coupler | 864 | \$3,876 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|---|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| <i>BUCKETS - General Purpose (Cont.)</i> | | | | |
| W | 311-7776 | BUCKET - GP, 1.3 CYD, BOCE 911 80" (2025mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 907H/M with Horizontal Pin Coupler | | \$3,719 NI |
| W | 311-7777 | BUCKET - GP, 1.3 CYD, BOT 866 80" (2025mm) wide, incl 7x Bolt on teeth FOR USE WITH: 907H/M with Horizontal Pin Coupler | | \$3,868 NI |
| W | 261-1362 | BUCKET - GP 1.4 YD3 888 81" (2060mm) Wide, base edge with drilled mounting holes FOR USE WITH: 908H/M with Skid Steer Coupler | | \$3,563 NI |
| W | 286-0581 | BUCKET - GP 1.4 YD3 979 81" (2060mm) Wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler | | \$3,704 NI |
| W | 286-0582 | BUCKET - GP 1.4 YD3 924 81" (2060mm) Wide, incl 7x Bolt on teeth FOR USE WITH: 908H/M with Skid Steer Coupler | | \$3,846 NI |
| W | 286-0584 | BUCKET - GP 1.4 YD3 979 81" (2060mm) Wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Horizontal Pin Coupler | | \$3,882 NI |
| W | 286-0583 | BUCKET - GP 1.4 YD3 926 81" (2060mm) Wide, incl 7x Bolt on teeth FOR USE WITH: 908H/M with Horizontal Pin Coupler | | \$4,031 NI |
| W | 472-5370 | BUCKET - GP 1.7 YD3 966 81" (2060mm) wide, includes Bolt-on cutting edge Max material density = 1600kg/cum FOR USE WITH: 908H/M with Horizontal Pin Coupler | | \$4,650 NI |
| W | 472-5371 | BUCKET - GP 1.7 YD3 1,016 81" (2060mm) wide, includes Bolt-on teeth Max material density = 1600kg/cum FOR USE WITH: 908H/M with Horizontal Pin Coupler | | \$4,588 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Light Material

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-----------------|-------------|-------------|-------------|
| LM Buckets | | | |
| 1.6 yd3 (1.2m3) | C | C | |
| 2.0 yd3 (1.5m3) | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|-------|-------------------|
| W | 261-1385 | BUCKET - LM 1.6 YD3 | 1,016 | \$4,199 NI |
| | | 81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler | | |
| W | 261-1391 | BUCKET - LM 1.5 CYD | 1,019 | \$3,521 NI |
| | | 81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler | | |
| W | 261-1396 | BUCKET - LM 2.0 YD3 | 1,135 | \$4,514 NI |
| | | 81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler | | |
| W | 261-1404 | BUCKET - LM 2.0 CYD | 1,135 | \$3,903 NI |
| | | 81" (2060mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 908H/M with Horizontal Pin Coupler | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Multi Purpose, High Spec

These MP buckets have additional features compared to the standard MP buckets:

- a BOCE on the Dozer (approx 450 BRN hardness, same as the front optioned BOT)
- an adjustable rectangle profile BOCE on the rear side if the clamp is closed
- larger capacity

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|----------------------|-------------|-------------|-------------|
| MP High Spec Buckets | | | |
| 0.9m3 (1.18yd3) | C | C | |
| 1.05m3 (1.37yd3) | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|---|--|--------------------|
| W | 494-7609 | BUCKET-MP, HD, 1.2 YD3 1,367 Width: 1890mm (75"), Max material density: 1760kg/m3 Includes: 1 piece Bolt-on edge on dozer and on rear side of clamp and bolt-on teeth on front edge FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$11,206 NI |
| W | 492-2510 | BUCKET-MP, HD, 1.2 YD3 1,415 Width: 1890mm (75"), Max material density: 1760kg/m3 Includes: 1 piece Bolt-on edge on dozer, on rear side of clamp and on front edge FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$11,560 NI |
| W | 494-7610 | BUCKET-MP, HD, 1.37 YD3 1,448 Width: 2080mm (82"), Max material density: 1815kg/m3 Includes: 1 piece Bolt-on edge on dozer and on rear side of clamp and bolt-on teeth on front edge FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$12,885 NI |
| W | 492-2511 | BUCKET-MP, HD, 1.37 YD3 1,506 Width: 2080mm (82"), Max material density: 1815kg/m3 Includes: 1 piece Bolt-on Edge on dozer and on rear side of clamp on front edge FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$13,296 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Multi Purpose

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|------------------|-------------|-------------|-------------|
| MP Buckets | | | |
| 1.0 yd3 (0.75m3) | C | C | |
| 1.2 yd3 (0.9m3) | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|--|--|-------------|
| W | 337-8930 | BUCKET- MP 1.0 CYD 684 74" (1880mm) wide, incl Bolt-on Dozer edge + base edge pre drilled FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$7,197 NI |
| W | 337-8941 | BUCKET - MP 1.0 YD3 1,177 74" (1880mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$7,488 NI |
| W | 337-8942 | BUCKET - MP 1.0 YD3 1,131 74" (1880mm) wide, incl Bolt-on Dozer edge + 7x Bolt-on teeth FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$7,772 NI |
| W | 337-8943 | BUCKET - MP 1.0 YD3 1,228 74" (1880mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$7,925 NI |
| W | 337-8944 | BUCKET - MP 1.0 YD3 1,131 74" (1880mm) wide, incl Bolt-on Dozer edge + 7x Bolt-on teeth FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$8,117 NI |
| W | 337-8950 | BUCKET - MP 1.2 CYD 1,265 81" (2060mm) wide, incl Bolt-on Dozer edge + base edge pre drilled FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$10,117 NI |
| W | 337-8947 | BUCKET - MP 1.2 YD3 1,329 81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on cutting edge FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$10,189 NI |
| W | 337-8945 | BUCKET - MP 1.2 YD3 1,283 81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on Cutting edge FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$9,699 NI |
| W | 337-8948 | BUCKET - MP 1.2 YD3 1,274 81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on teeth FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$10,511 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BUCKETS - Multi Purpose (Cont.)

| | | | | |
|---|----------|---|--|--------------------|
| W | 337-8946 | BUCKET - MP 1.2 YD3 1,230 81" (2060mm) wide, incl Bolt-on Dozer edge + Bolt-on teeth FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | \$10,071 NI |
|---|----------|---|--|--------------------|

BUCKET: SIDE DISCHARGE

The side discharge buckets can discharge left or right hand side. The sawdust version is for light materials like sawdust, mulch, straw or silage. The sand version is for heavier materials like sand, soil or light aggregate.

| | | | | |
|---|----------|--|--|-------------------|
| W | 477-9895 | BUCKET-SD, 72", BD118, SAWDUST 1,179 Capacity: 1.53m3 (2.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | | \$7,917 NI |
| W | 479-8085 | BUCKET-SD, 84", BD121, SAWDUST 1,276 Capacity: 1.78m3 (2.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | | \$9,583 NI |
| W | 479-8095 | BUCKET-SD, 72", BD118, SAND 1,060 Capacity: 0.76m3 (1.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | | \$7,917 NI |
| W | 479-8105 | BUCKET-SD, 84", BD121, SAND 1,151 Capacity: 1.02m3 (1.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | | \$9,583 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|--|-----------------|----------------------|
|-----|---------|------------------------|--|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

CARRIAGES and FORKS (TINES)

| | | | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|--------------|-----------|---|-------------|-------------|-------------|
| Carriages | | | | | |
| 55" (1400mm) | Class II | C | | C | |
| 55" (1400mm) | Class III | C | | | C |
| Tines | | | | | |
| 44" (1120mm) | Class II | C | | C | |
| 48" (1220mm) | Class II | C | | C | |
| 44" (1120mm) | Class III | C | | | C |
| 48" (1220mm) | Class III | C | | | C |
| 48" Offset | Class III | C | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CARRIAGES

| | | | |
|----------|-----------------|---|-------------------|
| W | 261-1350 | CARRIAGE FORK CLASS II SSL QC 249 | \$1,447 NI |
| | | Standard Class II carriage, 55" (1400mm) wide FOR USE WITH: 906H/M, 907H/M with Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED | |
| W | 260-1716 | CARRIAGE FORK CLASS II HP QC 205 | \$1,410 NI |
| | | Standard Class II carriage, 55" (1400mm) wide FOR USE WITH: 906H/M, 907H/M with Horizontal Pin Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED | |
| W | 261-1425 | CARRIAGE, 55", CLASS III 311 | \$2,472 NI |
| | | Standard Class III Carriage, 55" (1400mm) wide FOR USE WITH: 908H/M with Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class III, NOT INCLUDED | |
| W | 261-1413 | CARRIAGE, FORK, CLASS III 284 | \$3,375 NI |
| | | Standard Class III carriage, 55" (1400mm) wide FOR USE WITH: 908H/M with Horizontal Pin Coupler REQUIRES: 2 Tines (Forks) Class III, NOT INCLUDED | |

FORKS (TINES)

A carriage requires 2 forks of the same Class.

| | | | |
|----------|-----------------|---|-----------------|
| W | 149-7665 | FORK, PALLET 44" CLASS II 110 | \$279 NI |
| | | 1.8" x 4" x 44" (45mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716 | |
| W | 195-8545 | FORK, PAL C2, 48" X 4" X 1.5" 114 | \$222 NI |
| | | 1.6" x 4" x 48" (40mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716 | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|--|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| <i>FORKS (TINES) (Cont.)</i> | | | | |
| W | 161-2437 | FORK, PALLET 48" CLASS II 114 1.8" x 4" x 48" (45mm x 100mm x 1220mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1350 or 260-1716 | | \$279 NI |
| W | 138-8896 | FORK, PALLET, 44" CLASS III 168 2" x 4" x 44" (50mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413 | | \$625 NI |
| W | 202-5483 | FORK, PALLET, 48" CLASS III 112 2" x 4" x 48" (50mm x 100mm x 1220mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413 | | \$654 NI |
| W | 368-2610 | FORK, PALLET 48", CLASS III 157 Offset (drop) forks used to prevent loader arm dragging in truck bed 7" (178mm) Vertical Extension 2"x4"x48" (50mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 261-1425 or 261-1413 | | \$722 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

ADAPTER INTERFACE, HPL TO SSL

For 906-908H,H2,K&M models with horizontal pin quick coupler to use work tools with SSL type interface. Not be used for buckets with SSL interface.

| Work tools | Compatible | Conversion kits required |
|-------------------------|------------|---------------------------|
| Augers: SF | C | QD |
| HF | C | 241-3763 |
| Bale spears | C | |
| Blades: Angle | C | QD + longer hoses |
| Dozer | C | QD + 377-1579 |
| Brooms: Angle Man | C | QD |
| Angle Hydr | C | QD + 377-1579 |
| Pick up | C | QD + longer hoses + chain |
| Brushcutter | NC | |
| Buckets, GP, LP, MP, LM | NC | |
| Cold planers: SF | C | QD |
| HF PC205B | C | |
| HF PC3XXB | C | 371-3725 |
| Carriages and Forks | C | 494-6852 |
| Grapple Bucket 368-2500 | NC | |
| Hammers | NC | |
| Industrial / Utility | | |
| grapple buckets | NC | |
| grapple forks | NC | |
| grapple rakes | NC | |
| Landscape Rake | C | QD + 494-6852 |
| Landscape Tiller | C | QD |
| MH Arm | C | 494-6852 |
| Mulchers | NC | |
| Power Box Rake | C | QD + 377-1579 |
| Saw Wheel | C | 371-3725 + 494-6852 |
| Snow Blower: SF | C | QD + 377-1579 + 494-6852 |
| HF | C | 377-1579 + 494-6852 |
| Stump Grinder: SF | C | QD |
| HF | C | QD + 377-1579 |
| Trencher: SF | C | QD |
| HF | C | 371-3725 |
| Virbratory Compactor | C | QD |

C = Compatible, NC = Not Compatible/Not Allowed
 SF = Standard Flow, HF = High Flow
 QD = machine side QDs size 10, work tool side QDs size 12:
 convert machine, work tool or make conversion hoses

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|--|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| ADAPTER INTERFACE, HPL TO SSL (Cont.) | | | | |
| W | 471-8330 | ADAPTER INTERFACE, HPL TO SSL | 143 | \$1,458 NI |
| | | Converts SSL work tools to be used with HPL Quick Coupler For installation instructions see media ref no. SEHS0544 FOR USE WITH: 906-908H,H2,K,M CAN NOT BE USED WITH: Buckets with SSL interface REQUIRES: 494-6852 Rack stop for certain work tools. | | |
| W | 494-6852 | KIT, RACK BACK STOP | 5 | \$49 NI |
| | | FOR USE WITH: 471-8330, check in table on previous page were required | | |
| W | 377-1579 | HARNESS, CVRSN 14WT TO 8SSL | 1 | \$151 NI |
| W | 371-3725 | KIT KS - WKTL CVRSN TO 5-LINES | 3 | \$356 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGERS

| Augers | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------------|-------------|-------------|-------------|
| A14B | C | C | C |
| A19B | C | C | C |
| A26B HF/XPS | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 218-3178 | AUGER, A14B, SSL 377 Direct drive unit with 2"(50mm) hex output shaft. INCLUDES: Drive unit, Mouting Group and Lines FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | \$2,486 NI |
| W | 219-7706 | AUGER, A19B, SSL 417 Planetary drive unit with 2"(50mm) hex output shaft. INCLUDES: Drive unit, Mouting Group and Lines FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics | \$2,951 NI |
| W | 424-0440 | AUGER, A26B, SSL HF 391 Planetary drive unit with 2" hex output shaft FOR USE WITH: Skid Steer Coupler INCLUDES: Drive unit, Mouting Group, Lines and 14 pins HF plug. REQUIRES: High Flow Hydraulics REQUIRES: H Series and older models jumper plug 241-3763 REQUIRES: For 906-908K/M & Horz Pin QC & High Flow: plug 241-3763 | \$4,743 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Standard Flights

Standard Duty, Approx. 50" (1270mm) Length, HEX Shaft, Double Flight
 Bit teeth are hardened, reversible and forged from medium carbon alloy steel. Teeth are held in place by bolt and nut.

Bit/Flight compatibility matrix vs Auger drive unit

| Diam | mm | 102 | 152 | 229 | 305 | 380 | 457 | 610 | 762 | 914 |
|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | inch | 4 | 6 | 9 | 12 | 15 | 18 | 24 | 30 | 36 |

| | | | | | | | | | | |
|---------------|----|----|----|----|----|----|----|----|----|----|
| A14B Standard | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | +- | NA |
| A19B Standard | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | +- |
| A26B Standard | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ |
| Qty teeth # | 0 | 2 | 4 | 4 | 5 | 6 | 8 | 10 | 12 | |

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, not included in teeth count

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|-----------------------------|-----|-------------------|
| W | 366-7751 | BIT, AUGER 4" | 40 | \$375 NI |
| W | 153-4083 | BIT, AUGER 6" | 50 | \$375 NI |
| W | 153-4084 | BIT, AUGER 9" | 75 | \$493 NI |
| W | 153-4085 | BIT, AUGER 12" | 100 | \$618 NI |
| W | 366-7752 | BIT, AUGER 15" | 109 | \$750 NI |
| W | 153-4086 | BIT, AUGER 18" | 144 | \$875 NI |
| W | 153-4089 | BIT, AUGER 24" | 200 | \$1,125 NI |
| W | 217-3194 | BIT, AUGER 30" | 212 | \$1,368 NI |
| W | 153-4091 | BIT, AUGER 36" | 380 | \$1,604 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Rock Head for Standard Flights

Transforms standard auger bit to rock drill bit by mounting bolt-on rock head to standard bit. Rotating bits (similar to cold planer bits) extend life and provide better penetration into rocky conditions. Bolt-on rock head can be quickly installed and removed depending on ground conditions for maximum versatility.

Bit/Flight compatibility matrix vs Auger drive unit

| Diam | mm | 152 | 229 | 305 | 380 | 457 | 610 |
|------|------|-----|-----|-----|-----|-----|-----|
| | inch | 6 | 9 | 12 | 15 | 18 | 24 |

| | | | | | | | |
|----------------|----|----|----|----|----|----|--|
| A14B Rock Head | ++ | ++ | ++ | +- | +- | +- | |
| A19B Rock Head | ++ | ++ | ++ | +- | +- | +- | |
| A26B Rock Head | ++ | ++ | ++ | ++ | ++ | ++ | |

| | | | | | | | |
|-------------|---|----|----|----|----|----|--|
| Qty teeth # | 8 | 10 | 12 | 14 | 16 | 20 | |
|-------------|---|----|----|----|----|----|--|

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--------------------------------------|----|-----------------|
| W | 372-0230 | ROCK HEAD, 6" BOLT-ON | 23 | \$278 NI |
| | | FOR USE WITH: 153-4083 Auger flight | | |
| W | 372-0231 | ROCK HEAD, 9" BOLT-ON | 33 | \$354 NI |
| | | FOR USE WITH: 153-4084 Auger flight | | |
| W | 372-0232 | ROCK HEAD, 12", BOLT-ON | 41 | \$438 NI |
| | | FOR USE WITH: 153-4085 Auger flight | | |
| W | 372-0233 | ROCK HEAD, 15" BOLT-ON | 47 | \$514 NI |
| | | FOR USE WITH: 366-7752 Auger flight | | |
| W | 372-0234 | ROCK HEAD, 18", BOLT-ON | 55 | \$590 NI |
| | | FOR USE WITH: 153-4086 Auger flight | | |
| W | 372-0235 | ROCK HEAD, 24", BOLT-ON | 79 | \$750 NI |
| | | FOR USE WITH: 153-4089 Auger flight | | |

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0259 Standard Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | | | | | | | | | | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|--|--|--|--|--|--|--|--|--|-----------------|----------------------|
|-----|---------|------------------------|--|--|--|--|--|--|--|--|--|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Industrial Flights

Bit/Flight compatibility matrix vs Auger drive unit

| Diam | mm | 152 | 229 | 305 | 405 | 457 | 610 | 762 | 914 | 1067 | 1219 |
|------|------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| | inch | 6 | 9 | 12 | 16 | 18 | 24 | 30 | 36 | 42 | 48 |

| | | | | | | | | | | | |
|-----------------|----|----|----|----|----|----|----|----|----|----|----|
| A14B Industrial | ++ | ++ | ++ | +- | +- | +- | +- | +- | NA | NA | NA |
| A19B Industrial | ++ | ++ | ++ | +- | +- | +- | +- | +- | +- | +- | +- |
| A26B Industrial | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ |
| Qty teeth # | | 2 | 4 | 4 | 6 | 6 | 8 | 10 | 12 | 16 | 18 |

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|----------------------------|-----|------------|
| W | 372-0260 | BIT, AUGER 6" INDUSTRIAL | 57 | \$521 NI |
| W | 372-0261 | BIT, AUGER 9" INDUSTRIAL | 72 | \$639 NI |
| W | 372-0262 | BIT, AUGER 12" INDUSTRIAL | 91 | \$757 NI |
| W | 372-0263 | BIT, AUGER 16" INDUSTRIAL | 114 | \$917 NI |
| W | 372-0264 | BIT, AUGER 18" INDUSTRIAL | 107 | \$1,000 NI |
| W | 372-0265 | BIT, AUGER 24", INDUSTRIAL | 151 | \$1,236 NI |
| W | 372-0266 | BIT, AUGER 30" INDUSTRIAL | 180 | \$1,472 NI |
| W | 372-0267 | BIT, AUGER 36" INDUSTRIAL | 223 | \$1,708 NI |
| W | 372-0268 | BIT, AUGER 42" INDUSTRIAL | 289 | \$2,493 NI |
| W | 372-0269 | BIT, AUGER 48" INDUSTRIAL | 343 | \$2,736 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Industrial Rock Flight

Industrial Rock Flights, approx. 1220mm (48") length, HEX shaft, for heavy duty applications. The thickness of the flight is 19mm (3/4"). Co with a welded on Rock head including a bolt-on pilot bit.

Bit/Flight compatibility matrix vs Auger drive unit

| Diam | mm | 152 | 229 | 305 | 405 | 457 | 610 | 762 | 914 |
|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | inch | 6 | 9 | 12 | 16 | 18 | 24 | 30 | 36 |

| | | | | | | | | |
|---------------|----|----|----|----|----|----|----|----|
| A14B Ind.Rock | ++ | ++ | ++ | +- | +- | +- | +- | NA |
| A19B Ind.Rock | ++ | ++ | ++ | +- | +- | +- | +- | +- |
| A26B Ind.Rock | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ |
| Qty teeth # | 8 | 10 | 12 | 15 | 16 | 20 | 24 | 26 |

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot bit per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|----------------------------|-----|-------------------|
| W | 372-0270 | BIT, ROCK AUGER 6" | 78 | \$1,181 NI |
| W | 372-0271 | BIT, ROCK AUGER 9" | 107 | \$1,319 NI |
| W | 372-0272 | BIT, ROCK AUGER 12" | 134 | \$1,458 NI |
| W | 372-0273 | BIT, ROCK AUGER 16" | 167 | \$2,569 NI |
| W | 372-0274 | BIT, ROCK AUGER 18" | 191 | \$2,847 NI |
| W | 372-0275 | BIT, ROCK AUGER 20" | 217 | \$3,125 NI |
| W | 372-0276 | BIT, ROCK AUGER 24" | 281 | \$3,681 NI |
| W | 372-0277 | BIT, ROCK AUGER 30" | 310 | \$4,514 NI |
| W | 372-0278 | BIT, ROCK AUGER 36" | 409 | \$5,347 NI |

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0289 Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

AUGER BITS - Tree Flight

Conical auber flights, for use in nurseries and landscaping to drill holes for trees and shrubs with root balls.

| | | | |
|------|------|-----|-----|
| Diam | mm | 610 | 914 |
| | inch | 24 | 36 |

| | | |
|---------------|----|----|
| A14B Tree Bit | ++ | NA |
| A19B Tree Bit | ++ | +- |
| A26B Tree Bit | ++ | ++ |

++ = good performance
 +- = acceptable performance
 NA = Not applicable / Not Allowed

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|--|-------------------|
| W | 153-4092 | TREE BIT, AUGER 24" 163 | \$986 NI |
| | | Tapered bit, INCLUDES: 5 teeth on 24" (610mm) width, 4 teeth on 12" (305mm) width and pilot point. | |
| W | 153-4095 | TREE BIT, AUGER 36" 310 | \$1,549 NI |
| | | Tapered bit, INCLUDES: 7 teeth on 36" (914mm) width, 6 teeth on 18" (457mm) width and pilot point. | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|--|----------|--|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| <i>AUGER BITS - Adapters and Extensions</i> | | | | |
| W | 156-6329 | ADAPTER, AUGER - HEX TO ROUND 15 HEX output shaft 2" (50mm) to round output shaft 2 9/16" (65mm) | | \$175 NI |
| W | 217-3191 | ADAPTER, AUGER - ROUND TO HEX 15 Round output shaft 2.56" (65mm) to HEX output shaft 2" (50mm) | | \$150 NI |
| W | 372-0256 | EXTENSION, TELESCOPING 3' 43 Three holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit Recommend retention pin 372-0258 for quick depth change FOR USE WITH: All Auger Bits | | \$360 NI |
| W | 372-0257 | EXTENSION, TELESCOPING 6' 77 Six holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit Recommend retention pin 372-0258 for quick depth change FOR USE WITH: All Auger Bits | | \$607 NI |
| W | 156-6328 | EXTENSION, AUGER 12" 20 12" (305mm) length HEX shaft | | \$157 NI |
| W | 217-3192 | EXTENSION, AUGER 24" 33 24" (610mm) length HEX shaft | | \$211 NI |

Available through Parts only: NO BRIDGE ORDERS
 372-0258 Retention Pin Kit
 Retention pin uses lynch (ring) pin to secure bit & drive unit instead of bolt & 2 nuts. Allows for quick change of flights, extensions, & drive kits.

Replacement teeth and hardware for all auger bits:
 153-4094 Standard Duty Tooth
 174-9566 Hard Face Tooth Optional
 174-9567 Carbide Inserted Tooth Optional
 153-4093 Pilot Point
 Required Pilot Point Hardware:
 7X-2549 (1) Bolt + 6V-7687 (1) Locknut
 Required Teeth Hardware:
 6V-8959 (1) Bolt + 6V-7687 (1) Locknut

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BALE GRABS

Cat Bale Grabs are designed for grasping and carrying baled material. Bales of wheat, hay and other materials are easily transported for livestock feed, bedding, to and from bale wrapper, and movement to storage. The Bale Grab firmly grasps baled materials but due to the rounded arm design no damage will take place to the bale. Offering the ability to pick up bales sitting flat or on their side the Bale Grab increases machine versatility to manipulate round or square bales in any position.

| | | | | |
|---|----------|--|--|------------|
| W | 477-9896 | BALE GRAB, 71" 575 (BCP Product) 2400lb. (1091kg) Rated Capacity 71- (1803mm) working width REQUIRES: Standard Flow Hydraulics, SSL Universal Coupler Interface Includes - Hydraulic lines with 1/2" quick disconnects | | \$3,000 NI |
| W | 489-0075 | BALE GRAB, 84" 580 2400lb. (1091kg) Rated Capacity 84- (2133mm) overall width REQUIRES: Standard Flow Hydraulics, SSL Universal Coupler Interface Includes - Hydraulic lines with 1/2" quick disconnects | | \$3,333 NI |

BALE SPEARS

| Bale spears | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|--------------|-------------|-------------|-------------|
| 39" (990mm) | C | C | C |
| 49" (1245mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|---|--|------------|
| W | 475-6074 | BALE SPEAR, SINGLE 39" 154 51" (1285mm) overall width, 39" (990mm) tine length Includes frame & tine assembly FOR USE WITH: Skid Steer (vertical pin) coupler | | \$660 NI |
| W | 475-6079 | BALE SPEAR, SINGLE 49" 159 51" (1285mm) overall width, 49" (1245mm) tine length Includes frame & tine assembly FOR USE WITH: Skid Steer (vertical pin) coupler | | \$681 NI |
| W | 475-6070 | BALE SPEAR, DUAL 39" 260 55" (1407mm) overall width, 39" (990mm) tine lengths Includes frame & two tine assemblies FOR USE WITH: Skid Steer (vertical pin) coupler | | \$1,111 NI |
| W | 475-6080 | BALE SPEAR, DUAL 49" 267 55" (1407mm) overall width, 49" (1245mm) tine lengths Includes frame & two tine assemblies FOR USE WITH: Skid Steer (vertical pin) coupler | | \$1,153 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BLADES - Angle

| Blades, Angle | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|---------------|-------------|-------------|-------------|
| 72" (1829mm) | C | C | C |
| 84" (2133mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|-----|-------------------|
| W | 177-1989 | ANGLE BLADE, 72" | 690 | \$3,493 NI |
| | | 72" (1829mm) overall width, 24" (610mm) blade height Hydraulic Angling: 30 degree left or right of center FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 1 piece Bolt-On Cutting edge 4 Trip Springs, 2 Heavy Duty Adjustable Skid Feet REQUIRES: Standard Flow Hydraulics | | |
| W | 177-1990 | ANGLE BLADE, 84" | 730 | \$3,722 NI |
| | | Same as 177-1989, except for: 84" (2133mm) Overall Width. | | |

BLADES - Angle, Options

NOTE: Snow kits include guard, markers, and mounting hardware.
 Non-Metallic edge not included in snow kits.
 AVAILABLE THROUGH PARTS

| Description Part# | Blade 1828mm | Blade 2133mm |
|-----------------------------|--------------|--------------|
| Non-Mettallic BOCE 165-8477 | 1 x | |
| Non-Mettallic BOCE 165-8478 | | 1 x |
| Bolt 8T-4140 | 6 x | 7 x |
| Locknut 8T-4778 | 6 x | 7 x |
| Wasser 165-7095 | 6 x | 7 x |

BLADES - Dozer

| Blades, Dozer | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|---------------|-------------|-------------|-------------|
| 79" (2002mm) | C | C | C |
| 92" (2342mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BLADES - Dozer (Cont.)

| | | | | |
|---|----------|--|--|-------------------|
| W | 424-0450 | BLADE, DOZER, 6-WAY, 79" 1,083 79" (2002mm) overall width, 24" (619mm) overall height Hydraulic Angling - 30 degrees left or right of center Hydraulic Tilt - 10 degrees left or right of center FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket and 14 pins harness, 3 piece Bolt-On Cutting Edge 2 Heavy duty Adjustable Skid Feet REQUIRES: Standard Flow Hydraulics, Work Tool Harness 14 pin and Tandem valve is preferred to parrallel. REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics. | | \$6,647 NI |
| W | 424-0451 | BLADE, DOZER, 6-WAY, 92" 1,164 92" (2342mm) overall width, 24" (619mm) overall height Hydraulic Angling - 30 degrees left or right of center Hydraulic Tilt - 10 degrees left or right of center FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket and 14 pins harness, 3 piece Bolt-On Cutting Edge 2 Heavy duty Adjustable Skid Feet REQUIRES: Standard Flow Hydraulics, Work Tool Harness 14 pin and Tandem valve is preferred to parrallel. REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics. | | \$7,303 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS COMPACT - Angle BA118C

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|------------------|-------------|-------------|-------------|
| BA118C Ang Broom | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|------------|-------------------|
| W | 448-5660 | BROOM, MANUAL ANGLE, BA118C | 905 | \$7,819 NI |
| | | MANUAL Angling - 30 degrees left or right of center 2637mm (104") overall width, 815mm (32") brush diameter Sweeping width straight-angled: 2119mm (83") - 1849mm (73") Brush material - 50% polypropylene / 50% steel wire FOR USE WITH: Skid Steer Coupler INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket and hardware REQUIRES: Standard Flow Hydraulics Aux 3V | | |
| W | 448-5670 | BROOM, HYDRAULIC ANGLE, BA118C | 955 | \$9,333 NI |
| | | HYDRAULIC Angling - 30 degrees left or right of center 2637mm (104") overall width, 815mm (32") brush diameter Sweeping width straight-angled: 2119mm (83") - 1849mm (73") Brush material - 50% polypropylene / 50% steel wire FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness REQUIRES: Standard Flow Hydraulics REQUIRES: Work Tool Harness 14 pins REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics. | | |

BROOMS, COMPACT - Angle Broom Options

| | | | | |
|----------|-----------------|--|-----------|-------------------|
| W | 452-4200 | KIT, DEFLECTOR, BA118C | 40 | \$729 NI |
| | | Angle Broom Deflector Kit INCLUDES: rubber debris deflector flap and mounting hardware FOR USE WITH: 448-5600 or 448-5670 BA118C CAN NOT BE USED WITH: 452-4175 KIT, WATER SPRINKLER Installation time: 1.0 hour, instructions see REHS8317 | | |
| W | 452-4195 | KIT, HYDR. ANGLE CONV., BA118C | 22 | \$1,563 NI |
| | | Converts manual angle broom BA118C into a hydraulic angle broom FOR USE WITH: 448-5660 BROOM, MANUAL ANGLE, BA118C REQUIRES: Work Tool Harness 14 pins REQUIRES: Conver. harness 377-1579 for all models except for H2/K/M with SSL quick coupler and High Flow Hydraulics. Installation time: 3.0 hours, instructions see REHS8316 | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Pick-up BP115C, BP118C

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|------------------|-------------|-------------|-------------|
| BP115C P/U Broom | C | C | C |
| BP118C P/U Broom | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|-------|-------------------|
| W | 448-5680 | BROOM, PICKUP, BP115C | 1,160 | \$7,243 NI |
| | | 1990mm (78") overall width, 1524mm (60") working width 660mm (26") brush diameter Brush material - 50% polypropylene / 50% steel wire Adjustable brush height. Volumizer increases material retention. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" QDs and brush frame chains (chains need to be attached to loader arms by dealer) REQUIRES: Standard Flow Hydraulics | | |
| W | 448-5690 | BROOM, PICKUP, BP118C | 1,258 | \$7,785 NI |
| | | 2295mm (90") overall width, 1829mm (72") working width 660mm (26") brush diameter Brush material - 50% polypropylene / 50% steel wire Adjustable brush height. Volumizer increases material retention. FOR USE WITH: Skid Steer Coupler INCLUDES: Hydraulic lines with 1/2" QDs and brush frame chains (chains need to be attached to loader arms by dealer) REQUIRES: Standard Flow Hydraulics | | |

BROOMS, COMPACT - Pick up Broom Options

- Replacement brushes:
 BP115C: 165-9069 Kit Polypropylene Brush (1/2 a set)
 BP115C: 165-9070 Kit Steel Wire Brush (1/2 a set)
 BP118C: 165-9071 Kit Polypropylene Brush (1/2 a set)
 BP118C: 165-9072 Kit Steel Wire Brush (1/2 a set)

- Replacement Gutter Bristles:
 172-4563 Bristles, Steel Wire, Gutter Brush
 460-9777 Bristles, Poly, Gutter Brush

| | | | | |
|----------|-----------------|---|----|-------------------|
| W | 452-4150 | KIT, GUTTER BRUSH, C-SERIES | 90 | \$1,785 NI |
| | | 100% steel wire bristle gutter brush for left or right side mount FOR USE WITH: 448-5680 BP115C and 448-5690 BP118C INCLUDES: motor, hoses and mounting hardware Installation time: 3.0 hours, instructions see REHS8313 | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Pick up Broom Options (Cont.)

| | | | | |
|---|----------|---|--|-----------------|
| W | 452-4185 | KIT, WATER SPRINK, BP115C-118C 6 | | \$194 NI |
| | | Water sprinkler kit for dust control INCLUDES: 2 sprinkler heads, hoses and mounting hardware FOR USE WITH: 448-5680 BP115C or 448-5690 BP118C REQUIRES: Machines Control, Work Tool, Electrical REQUIRES: Water Tank Installation time: 1.0 hour, instructions see REHS8315 | | |

BROOMS, COMPACT - Utility BU115, BU118

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------|-------------|-------------|-------------|
| BU115 | C | C | C |
| BU118 | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|---|--|-------------------|
| W | 493-2258 | BROOM, UTILITY, BU115, BOCE 967 | | \$4,944 NI |
| | | 1810mm (71") overall width, 1510mm (59") sweeping width 660mm (26") brush diameter - brush material: 100% polypropylene Includes: bolt-on cutting edge Requires: Standard Flow Hydraulics | | |
| W | 221-1990 | BROOM, UTILITY, BU118 992 | | \$5,375 NI |
| | | 83" (2115mm) overall width, 73" (1865mm) sweeping width 660mm (26") brush diameter - brush material: 100% polypropylene FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics REQUIRES: Edge GP- Cutting: 1x 241-9472 and 7x 4F-3648 Bolt and 7x 6V-8188 Nut | | |
| W | 493-2259 | BROOM, UTILITY, BU118, BOCE 1,067 | | \$5,375 NI |
| | | 2115mm (83") overall width, 1865mm (73") sweeping width 660mm (26") brush diameter - brush material 100% polypropylene Includes: bolt on cutting edge Requires: Standard Flow Hydraulics | | |

BROOMS, COMPACT - Utility Broom Options

- Replacement brushes:
 BU115: 165-9069 Kit Polypropylene Brush (1/2 a set)
 BU115: 165-9070 Kit Steel Wire Brush (1/2 a set)
 BU118: 165-9071 Kit Polypropylene Brush (1/2 a set)
 BU115: 165-9072 Kit Steel Wire Brush (1/2 a set)

| | | | | |
|---|----------|--|--|-----------------|
| W | 304-9870 | KIT, WATER TANK, BROOM 31 | | \$850 NI |
| | | Broom mounted water tank-110 litres (29 Gallons) Includes -Tank,Pump,Filter,Electrics,Hose & Mounting hardware -257-3140 MOUNTING BRACKET, NOZZLE Requires -Basic Electrics (Worktool) -256-9335 Kit, Water sprinkler | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, COMPACT - Utility Broom Options (Cont.)

| | | | | |
|---|----------|---|--|-------------------|
| W | 256-9335 | KIT, WATER SPRINKLER10 Work tool water sprinkling kit complete with sprinkler heads (4) hoses, mounting hardware and quick disconnects for effective dust control. | | \$235 NI |
| W | 242-7200 | BRUSH, GUTTER, B-SERIES 119 100% steel wire Left or right side mount All hydraulic lines included FOR USE WITH: BP15B, BP18B, BU115 or BU118 (See note below) NOTE: 242-7200 Gutter Brush requires mounting kit 257-5229 when used on BU115 and BU118 Brooms. Order 257-5229 from the Parts System. | | \$2,826 NI |

The following Broom options available through Parts only:
 489-6702 Edge, Cutting (Qty 1 for BU115 & BP15B)
 4F-3648 Bolt (Qty 6)
 6V-8188 Nut (Qty 6)
 489-6703 Edge, Cutting (Qty 1 for BU118 & BP18B)
 4F-3648 Bolt (Qty 7)
 6V-8188 Nut (Qty 7)

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

BROOMS, LARGE

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|----------------|-------------|-------------|-------------|
| BA22 Ang Broom | C | C | C |
| BP22 P/U Broom | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

BROOMS, LARGE - BA22 Angle Broom

| | | | |
|---|----------|--|-------------|
| W | 329-8637 | BA22 ANGLE BROOM, HYD, 12V 1,015 Hydraulic angling - 30 degrees left or right of center Sweeping width straight -- max angled: 86.6"(2200mm) -- 74.8"(1900mm) 27.5" (700mm) brush diameter, 12V diverter valve for angling Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Hook group, jumper lines, quick couplings, electric kit REQUIRES: machines side: hydraulic 3rd valve, work tool harness 12V, Continuous flow | \$14,451 NI |
| W | 329-8638 | BA22 ANGLE BROOM, HYD,12V, WTR 1,213 Same as 3829-8637, except for: Water sprinkler system: includes piping, sprinkler heads, hoses, 100-gallon (400 L) water tank and 12V electric pump | \$20,697 NI |

BROOMS, LARGE - BP22 Pick-up Broom

| | | | |
|---|----------|---|-------------|
| W | 329-8639 | BP22 PICK-UP BROOM, 12V 1,169 86.6" (2200mm) sweeping width, 27.5" (700mm) brush diameter. Brush material 100% Polypropylene INCLUDES: Water sprinkler system - complete with piping, sprinkler heads, hoses, 100-gallon (400 L) water tank and 12V electric pump REQUIRES: Hook group, jumper lines, quick couplings, electric kit REQUIRES: machines side: hydraulic 3rd valve, work tool harness 12V, Continuous flow | \$20,661 NI |
|---|----------|---|-------------|

BROOMS, LARGE - Hook Groups for BA22 and BP22

| | | | |
|---|----------|--|----------|
| W | 329-8634 | HOOK-GP, ISO SSL 70 FOR USE WITH: Skid Steer Coupler | \$850 NI |
| W | 329-8631 | HOOK-GP, HPL (L35) 101 FOR USE WITH: Horizontal Pin Coupler (similar to L35) | \$743 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|---------------|-------------|-------------|-------------|
| PC104B SF | C | C | C |
| PC205B HF | C | C | C |
| PC306B HF XPS | C | C | C |
| PC310B HF XPS | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|--------------------|
| W | 381-8300 | COLD PLANER, PC104B1,474 14" (350mm) drum width - 42 all purpose conical bits 68" (1720mm) overall width Optimal FLOW / Pressure : 21 gpm (80 l/min) / 3330 psi (230 bar) Hydraulic Side Shift (manual selection on diverter valve on planer) Manual tilt and depth FOR USE WITH: Skid Steer Coupler INCLUDE: DIRECT drive unit with 5" (127mm) maximum depth of cut, hydraulic lines with quick disconnects, mounting bracket and hardware. REQUIRES: Standard Flow Hydraulics | \$13,111 NI |
| W | 381-8310 | COLD PLANER, PC205B1,610 18" (450mm) drum width - 48 all purpose conical bits 68" (1720mm) overall width Optimal FLOW / Pressure : 31gpm (115 l/min) / 3330 psi (230 bar) Self leveling and Independent left/right depth control Hydraulic Side Shift (manual selection on diverter valve on planer) Spring tilt INCLUDES: PLANETARY drive unit with 6" (150mm) maximum depth of cut, hydraulic lines with quick disconnects, mounting brackets and hardware. REQUIRES: High Flow Hydraulics or Standard Flow with case drain connection and min flow of 80 l/min. REQUIRES: For 906-908H2/K/M & Horz Pin QC & High Flow: plug 241-3763 REQUIRES: H Series and older models plus 241-3763 | \$16,451 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS (Cont.)

| | | | | |
|---|----------|--|--|--------------------|
| W | 424-7130 | COLD PLANER, PC305B 1,896 18" (450mm) drum width - 48 all purpose conical bits 73" (1860mm) overall width Maximum depth of cut: 6.7" (170mm) Optimal Flow / Pressure: 33 gpm (125 l/min) / 4000 psi (280 bar) Self Leveling Electro-Hydr.: Independent left/right depth control, Sideshift, Tilt Float-Tilt Switch INCLUDES: 1 PLANETARY drive unit with 6.7" (170mm) max depth of cut, hydraulic lines with 1/2" quick disconnects and 14 pins harness, mounting brackets and hardware. FOR USE WITH: Skid Steer Coupler REQUIRES: High Flow Hydraulics & Control, Work Tool, Electrical REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: For 906-908H2/K/M & Horz Pin QC & High Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$20,188 NI |
| W | 381-8330 | COLD PLANER, PC306B 2,061 24" (600mm) drum width - 60 all purpose conical bits 73" (1860mm) overall width and 49" (1240mm) overall length Maximum depth of cut: 6.7" (170mm) Optimal Flow / Pressure: 33 gpm (125 l/min) / 4000 psi (280 bar) Self Leveling Electro-Hydr.: Independent left/right depth control, Sideshift, Tilt Float-Tilt Switch FOR USE WITH: Skid Steer Coupler INCLUDES: 1 PLANETARY drive unit with 6.7" (170mm) max depth of cut, hydraulic lines with 1/2" quick disconnects and 14 pins harness, mounting brackets and hardware. REQUIRES: High Flow Hydraulics & Control, Work Tool, Electrical REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: For 906-908H2/K/M & Horz Pin QC & High Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$21,653 NI |
| W | 381-8360 | COLD PLANER, PC310B 2,315 40" (1000mm) drum width - 78 all purpose conical bits 73" (1860mm) overall width and 45" (1140mm) overall length Optimal Flow / Pressure : 33 gpm (125 l/min) / 4000 psi (280 bar) Self Leveling Electro-Hydr.: Independent left/right depth control, Sideshift, Tilt Float-Tilt Switch FOR USE WITH: Skid Steer Coupler INCLUDES: 2 PLANETARY drive unit with 5.1" (130mm) max depth of cut, hydraulic lines with 1/2" quick disconnects and 14 pins harness, mounting brackets and hardware. REQUIRES: High Flow Hydraulics & Control, Work Tool, Electrical REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: For 906-908H2/K/M & Horz Pin QC & High Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$30,181 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COLD PLANERS - Options

| | | | | |
|---|----------|---|--|-----------------|
| W | 231-2590 | KIT, WATER SPRINKLER 22 Work tool water sprinkling kit: includes 2x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC104B, PC205B, PC305B | | \$203 NI |
| W | 231-2591 | KIT, WATER SPRINKLER 24 Work tool water sprinkling kit: includes 3x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC306B | | \$250 NI |
| W | 231-2592 | KIT, WATER SPRINKLER 26 Work tool water sprinkling kit: includes 4x sprinkler heads, hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control Work Tool, Electrical and Water tank FOR USE WITH: PC310B | | \$300 NI |

COLD PLANERS - Drums

| | | | | |
|---|----------|--|--|-------------------|
| W | 231-2572 | DRUM, ASPHALT, 3" 123 Width: 75mm(3"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$1,528 NI |
| W | 231-2573 | DRUM, ASPHALT, 6" 132 Width: 150mm(6"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$1,854 NI |
| W | 231-2574 | DRUM, ASPHALT, 8" 163 Width: 200mm(8"), Cut.depth min-max: 50mm(2")- 200mm(8"), 36 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$1,993 NI |
| W | 231-2575 | DRUM, ASPHALT, 12" 223 Width: 300mm(12"), Cut.depth min-max: 50mm(2")- 200mm(8"), 42 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$2,083 NI |
| W | 224-7360 | DRUM, ASPHALT, 18" 304 Width: 450mm(18"), Cut.depth min-max: 0mm(0")- 150mm(6"), 48 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$2,104 NI |
| W | 423-7130 | DRUM, FINE TOOTH, 18" 335 Width: 450mm(18"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 208 fine FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B | | \$9,201 NI |
| W | 231-2580 | DRUM, ASPHALT, 3" 159 Width: 75mm(3"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC206, PC306B | | \$1,667 NI |
| W | 231-2581 | DRUM, ASPHALT, 6" 159 Width: 120mm(6"), Cut.depth min-max: 50mm(2")- 200mm(8"), 28 GP bits FOR USE WITH: PC206, PC306B | | \$1,993 NI |
| W | 231-2583 | DRUM, ASPHALT, 12" 278 Width: 300mm(12"), Cut.depth min-max: 50mm(2")- 200mm(8"), 42 GP bits FOR USE WITH: PC206, PC306B | | \$2,896 NI |
| W | 231-2586 | DRUM, ASPHALT, 18" 362 Width: 450mm(18"), Cut.depth min-max: 50mm(2")- 200mm(8"), 48 GP bits FOR USE WITH: PC206, PC306B | | \$2,431 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|--|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| <i>COLD PLANERS - Drums (Cont.)</i> | | | | |
| W | 224-7384 | DRUM, ASPHALT, 24" 368 Width: 600mm(24"), Cut.depth min-max: 0mm(0")- 170mm(7"), 60 GP bits FOR USE WITH: PC206, PC306B | | \$2,549 NI |
| W | 423-7131 | DRUM, FINE TOOTH, 24" 0 Width: 600mm(24"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 308 fine FOR USE WITH: PC206, PC306B | | \$12,208 NI |
| W | 423-7132 | DRUM, FINE TOOTH, 40" 0 Width: 1000mm(40"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"),508 fine FOR USE WITH: PC206, PC306B | | \$17,938 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

COMPACTORS, VIBRATORY

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------|-------------|-------------|-------------|
| CV16B | C | C | C |
| CV18B | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|--|--------------------|
| W | 231-8600 | VIBRATORY COMPACTOR, CV16B 2,174 | \$12,417 NI |
| | | 73" (1855mm) Overall width, 66" (1676mm) Drum width 24" (610mm) Diameter SMOOTH drum design Drum Frequency - 2946 vpm @ max flow Dynamic (centrifugal) Force - 11,903 lb (5399 kg) Spring loaded dual-direction non-metallic scraper bar FOR USE WITH: Skid Steer Coupler INCLUDES: DIRECT drive unit, hydraulic lines with QDs and mntg bracket REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended | |
| W | 231-8601 | VIBRATORY COMPACTOR, CV18B 2,260 | \$13,314 NI |
| | | Same as 231-8600, except for: 80" (2032mm) Overall width, 73" (1854mm) Drum width | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

INDUSTRIAL GRAPPLE BUCKET

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------------------------------------|-------------|-------------|-------------|
| Ind. Grapple Bucket 81" (2057mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|---|--------------|-------------------|
| W | 368-2500 | BUCKET, INDUSTRIAL GRAPPLE 81"..... | 1,295 | \$8,172 NI |
| | | 81" (2057mm) Wide, incl 1 piece Bolt-on cutting edge Two cylinders and two heavy duty independent grapple assemblies FOR USE WITH: 906H/M - 908H/M with Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | |

LANDSCAPE RAKES

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------|-------------|-------------|-------------|
| CV16B | C | C | C |
| CV18B | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|--------------|-------------------|
| W | 224-9220 | LANDSCAPE RAKE, LR15B..... | 1,309 | \$7,750 NI |
| | | Width: Overall-Working-Raking: 66" (1676mm)-62" (1576mm)-55" (1397mm) Rake bars on conveyer chains, Poppet valve controlled circuitry FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended | | |
| W | 224-9221 | LANDSCAPE RAKE, LR18B..... | 1,437 | \$8,292 NI |
| | | Same as 224-9220, except for: Width: Overall-Working-Raking: 76" (1930mm)-74" (1880mm)-67" (1702mm) | | |

LANDSCAPE TILLER

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------|-------------|-------------|-------------|
| LT13B | C | C | C |
| LT18B | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

LANDSCAPE TILLER (Cont.)

| | | | | |
|---|----------|---|--|-------------------|
| W | 219-7165 | LANDSCAPE TILLER, LT13B 735 68" (1727mm) Overall width, offset to cover right side tire. 52" (1321mm) Working width, 6" (152mm) maximum working depth 24 Bi-Rotational hardened tines. Dual hydraulic motors INCLUDES: DIRECT drive unit, hydraulic lines with QDs and mntg bracket FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics, Creeper Control is recommended | | \$5,479 NI |
| W | 219-0426 | LANDSCAPE TILLER, LT18B 907 Same as 219-7165, except for: 86" (2184mm) Overall width. 73" (1854mm) Working width. 36 Bi-Rotational hardened tines. | | \$6,215 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

MIXING BUCKETS

Mixing Buckets are designed for material mixing in a variety of applications. Utilizing a chain driven auger equipped with replaceable paddles, the Cat Mixing Buckets ensure complete and repeatable mixing. Operated from the machine cab, mixing buckets are equipped with a hydraulically controlled dispensing chute. The Mixing Buckets allow work to be completed in difficult to access areas, improving productivity and savings on transportation costs.

| | | | | |
|---|----------|--|--|-------------------|
| W | 489-2150 | BUCKET, MIXING, MB200, 0.26YD3 639 (BCP Product) .26 CYD / 7.06 CFT (.20 CUM) Capacity 63" (1605mm) overall width REQUIRES: Standard Flow Hydraulics Includes - Hydraulic lines with 1/2" quick disconnects, Rigid Chute and Flexible Chute | | \$7,222 NI |
| W | 489-2200 | BUCKET, MIXING, MB250, 0.33YD3 948 (BCP Product) .33 CYD / 8.83 CFT (.25 CUM) Capacity 63" (1605mm) overall width REQUIRES: Standard Flow Hydraulics Includes - Hydraulic lines with 1/2" quick disconnects, Rigid Chute and Flexible Chute. | | \$7,556 NI |

POWER BOX RAKES

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|-------|-------------|-------------|-------------|
| PR172 | C | C | C |
| PR184 | C | C | C |
| PR190 | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|---|--|--------------------|
| W | 424-0420 | POWER BOX RAKE-HYDRAULIC,PR172 925 72" (1829mm) working width, 81" (2057mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$11,306 NI |
| W | 424-0421 | POWER BOX RAKE-HYDRAULIC,PR184 1,050 84" (2134mm) working width, 93" (2362mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$11,958 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

POWER BOX RAKES (Cont.)

| | | | | |
|---|----------|---|--|--------------------|
| W | 424-0422 | POWER BOX RAKE-HYDRAULIC,PR190 1,320 90" (2286mm) working width, 99" (2515mm) overall width Hydraulic angling +/- 20 degrees INCLUDES: 14 pins work tool harness FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics & Work Tool Elec. Harness REQUIRES: For 906-908H2/K/M & SSL QC & Standard Flow: kit 371-3725 REQUIRES: H Series and older models conversion kit 371-3725 | | \$12,889 NI |
| W | 277-8210 | POWER BOX RAKE-MANUAL, PR172 900 (BCP Product) 72" (1829mm) working width 81" (2057mm) overall width Requires: Standard Flow hydraulics Manual angling +/- 20 degrees | | \$10,368 NI |
| W | 277-8215 | POWER BOX RAKE-MANUAL, PR184 1,026 (BCP Product) 84" (2134mm) working width 93" (2362mm) overall width Requires: Standard Flow hydraulics Manual angling +/- 20 degrees | | \$10,743 NI |

MATERIAL HANDLING ARM

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|--------|-------------|-------------|-------------|
| MH Arm | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|---|--|-------------------|
| W | 216-8756 | ARM, MATERIAL HANDLING 280 Lift Capacity : Maximum 2000 lbs.(908kg) (not to exceed rated load capacity of machine) Overall Width, with step, 52" (1319mm). Maximum horizontal reach 84" (2135mm). Maximum vertical reach 53" (1357mm). Single bent boom design with heavy duty clasped hook. Two hook locations and easy access load tie down points. Two compartments for chains and hooks. FOR USE WITH: Skid Steer Coupler | | \$1,724 NI |
|---|----------|---|--|-------------------|

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SAW WHEEL

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|---------------|-------------|-------------|-------------|
| SW345B, 3" HF | | | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|---|-------|--------------------|
| W | 381-8410 | WHEEL SAW, SW345B, 3" | 2,549 | \$25,361 NI |
| | | Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) | | |
| | | Dimensions (L x W x H): 85" x 73" x 57" (2165 x 1850 x 1455mm) | | |
| | | Saw Width x max Dig Depth: 3" x 18" (80mm x 450mm) | | |
| | | Bits: 64 x 227-7340 Concrete Conical | | |
| | | Electro-Hydraulic Sideshift, Depth Control | | |
| | | FOR USE WITH: Skid Steer Coupler | | |
| | | INCLUDES: 14 pins work tool harness | | |
| | | REQUIRES: Proportional High Flow Hydraulics & Work Tool Elec. Harness | | |
| | | Creoper Control recommended | | |
| | | REQUIRES: For 908H2/K/M & Horz Pin QC & High Flow: kit 371-3725 | | |
| | | REQUIRES: H Series and older models conversion kit 371-3725 | | |
| | | Note: Cannot be used with trench cleaning device. | | |

SNOWBLOWER

**Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.**

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|--------------|-------------|-------------|-------------|
| Snow Blowers | | | |
| SR118 | C | C | C |
| SR121 | C | C | C |
| SR318 XPS | C | C | C |
| SR321 XPS | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|-----|-------------------|
| W | 424-0431 | SNOW BLOWER, SR118, 73" | 990 | \$9,064 NI |
| | | 76" (1930mm) Overall width, 73" (1854mm) Working width | | |
| | | 40' (12.2m) Throwing distance | | |
| | | FOR USE WITH: Skid Steer Coupler | | |
| | | REQUIRES: Standard Flow Hydraulics | | |
| | | REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler. | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOWBLOWER (Cont.)

| | | | | |
|---|----------|---|--|--------------------|
| W | 424-0432 | SNOW BLOWER, SR121, 85" 1,220 88" (2235mm) Overall width, 85" (2159mm) Working width 40' (12.2m) Throwing distance 36" (914mm) Cutting height FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler. | | \$9,469 NI |
| W | 424-0433 | SNOW BLOWER, SR318, 73" 990 76" (1930mm) overall width, 73" (1854mm) working width 45' (13.7m) throwing distance Machine joystick control of chute and deflector FOR USE WITH: Skid Steer Coupler REQUIRES: High Flow Hydraulics and Control, Work Tool, Electrical REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler. | | \$9,786 NI |
| W | 424-0434 | SNOW BLOWER, SR321, 85" 1,220 88" (2235mm) Overall width, 85" (2159mm) Working width 45' (13.7m) Throwing distance Machine joystick control of chute and deflector FOR USE WITH: Skid Steer Coupler REQUIRES: High Flow Hydraulics and Control, Work Tool, Electrical REQUIRES: For 906-908H/H2/K/M series: kit 377-1579, EXCEPT for H2/K/M series machines with HF & SSL quick coupler. | | \$10,394 NI |

SNOW PLOWS

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|---------------|-------------|-------------|-------------|
| Snow Plows | | | |
| 72" (1829mm) | C | C | C |
| 84" (2134mm) | C | C | C |
| 96" (2438mm) | C | C | C |
| 108" (2743mm) | C | C | C |
| 120" (3048mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|---|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| SNOW PLOWS (Cont.) | | | | |
| W | 481-3666 | SNOW PLOW, 6', SSL 990 1826mm (72") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow | | \$4,694 NI |
| W | 481-3667 | SNOW PLOW, 7', SSL 1,050 2134mm (84") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow | | \$4,951 NI |
| W | 481-3668 | SNOW PLOW, 8', SSL 1,105 2438mm (96") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow | | \$5,208 NI |
| W | 481-3669 | SNOW PLOW, 9', SSL 1,160 2743mm (108") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow | | \$5,549 NI |
| W | 481-3670 | SNOW PLOW, 10', SSL 1,215 3048mm (120") overall width, Blade height: 800mm (31") Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with a 2 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow | | \$6,257 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW / MULTI V PLOW

A multi functional snow V plow, which can be positioned straight, left or right angled, scooped or V.

| | | | | |
|---|----------|--|--|------------|
| W | 542-7309 | SNOW V-PLOW, 5', SSL 641 Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 1524mm (60") / 1346mm (53") Scoop / V width: 1372 (54") / 1483mm (59"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow and Work Tool Harness | | \$5,833 NI |
| W | 542-7310 | SNOW V-PLOW, 7', SSL 941 Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 2134mm (84") / 1854mm (73") Scoop / V width: 1847 (73") / 1982mm (78"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow and Work Tool Harness | | \$6,667 NI |

SNOW PUSHES - Straight

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
|----------------------|-------------|-------------|-------------|
| Straight Snow Pushes | | | |
| 96" (2438mm) | C | C | C |
| 120" (3048mm) | C | C | C |
| 144" (3658mm) | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|---|----------|---|--|------------|
| W | 509-3705 | SNOW PUSH, 8', RUB. 778 Incl. 1 piece rubber edge 38mmx152mm (1.5"x 6"), NON trip Width 2.44m (8'), with bolt -on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler | | \$2,778 NI |
| W | 479-8115 | SNOW PUSH, 8', SSL, RUBBER 1,035 Width 2.44m (8'), with bolt -on skids on the side 1 piece RUBBER trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$3,299 NI |
| W | 479-8120 | SNOW PUSH, 8', SSL, STEEL 1,080 Width 2.44m (8'), with bolt -on skids on the side 1 piece STEEL trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$3,549 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

SNOW PUSHES - Straight (Cont.)

| | | | | |
|---|----------|--|--|-------------------|
| W | 509-3706 | SNOW PUSH, 10', RUB. 866 Incl. 2 piece RUBBER edge 38mmx152mm (1.5"x 6"), NON trip Width 3.05m (10'), with bolt-on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler | | \$3,299 NI |
| W | 479-8086 | SNOW PUSH, 10', SSL, RUBBER 1,150 Width 3.05m (10'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$3,889 NI |
| W | 479-8096 | SNOW PUSH, 10', SSL, STEEL 1,200 Width 3.05m (10'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$4,222 NI |
| W | 509-3707 | SNOW PUSH, 12', RUB. 952 Incl. 2 piece RUBBER edge 38mmx152mm (1.5"x 6"), NON trip Width 3.66m (12'), with bolt-on skids on the side Overall Height 897mm (35.3") FOR USE WITH: Skid Steer Coupler | | \$3,813 NI |
| W | 479-8089 | SNOW PUSH, 12', SSL, RUBBER 1,345 Width 3.66m (12'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$4,625 NI |
| W | 479-8099 | SNOW PUSH, 12', SSL, STEEL 1,400 Width 3.66m (12'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39") FOR USE WITH: Skid Steer Coupler | | \$4,889 NI |

SNOW PUSHES - Straight - Options

| | | | | |
|---|----------|--|--|-------------------|
| W | 481-3675 | BACK DRAG, 8', RUBBER 350 FOR USE WITH: 96" (2438mm) Straight push | | \$1,556 NI |
| W | 481-3676 | BACK DRAG, 10', RUBBER 425 FOR USE WITH: 120" (3048mm) Straight push | | \$1,854 NI |
| W | 481-3679 | BACK DRAG, 12', RUBBER 510 FOR USE WITH: 144" (3658mm) Straight push | | \$2,215 NI |
| W | 481-3680 | BACK DRAG, 8', STEEL 390 FOR USE WITH: 96" (2438mm) Straight push | | \$1,611 NI |
| W | 481-3686 | BACK DRAG, 10', STEEL 476 FOR USE WITH: 120" (3048mm) Straight push | | \$1,986 NI |
| W | 481-3689 | BACK DRAG, 12', STEEL 564 FOR USE WITH: 144" (3658mm) Straight push | | \$2,500 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| | | | | |
|-----|---------|-------------------------------|-----------------|----------------------|
| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-------------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

STUMP GRINDER

| | | | |
|-------|-------------|-------------|-------------|
| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
| SG16B | C | C | C |

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 424-0461 | STUMP GRINDER, SG16B834 46" (1175mm) overall width 18" (457mm) diameter cutting wheel with 32 carbide teeth MANUAL adjustable cutting head Hydraulic controlled boom swing - 70 degree range of motion Electro-hydraulic controlled boom extension 11" (280mm) Includes: hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness REQUIRES: Standard flow hydraulics REQUIRES: Left joystick to be WT Deluxe and right joystick to be hydraulic proportional REQUIRES: Conversion harness 377-1579 for H & H2 Series standard flow machines | \$8,711 NI |
|----------|-----------------|---|-------------------|

TRENCHER

| | | | |
|------|-------------|-------------|-------------|
| | 906H/H2/K/M | 907H/H2/K/M | 908H/H2/K/M |
| T6B | C | C | C |
| T9B | C | C | C |
| T15B | C | C | C |

C = Compatible
 Chain selection guide

| | | | | | | |
|------------------|----------------------------------|-------|--------|------|-------|--|
| | Ground conditions / applications | | | | | |
| | Sandy | Loose | Medium | Hard | Rocky | |
| Double Standard | C | C | A | NC | NC | |
| Single Standard | A | C | C | A | NC | |
| 50/50 Carbide | NC | A | C | C | A | |
| 50/50 Rock-Frost | NC | A | C | C | A | |
| Rock-Frost | NC | NC | A | C | C | |
| Terminator | NC | NC | A | C | C | |

C= Compatible, A= acceptable performance, NC= Not Compatible

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T6B

| | | | | |
|---|----------|---|--|-------------------|
| W | 253-9509 | TRENCHER, T6B, MANUAL,NO CHAIN 861 NO CHAIN 36" (914mm) Boom, MANUAL side sift Trench depth: 36" (914mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$4,514 NI |
| W | 261-4806 | TRENCHER,T6B, MAN. 6" STANDARD 1,012 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,417 NI |
| W | 261-8557 | TRENCHER,T6B, MAN. 8" STD 1,028 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,486 NI |
| W | 261-8559 | TRENCHER, T6B, MAN. 6" COMBO 1,035 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,764 NI |
| W | 261-8561 | TRENCHER, T6B,MAN 6" ROCKFROST 1,064 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,528 NI |
| W | 261-8563 | TRENCHER,T6B, MAN 6"TERMINATOR 1,012 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Terminator chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,667 NI |
| W | 261-4859 | TRENCHER, T6B,HYD. 6" STANDARD 1,076 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,042 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T6B (Cont.)

| | | | | |
|---|----------|--|--|------------|
| W | 256-0695 | TRENCHER, T6B, HYD, NO CHAIN 925 NO CHAIN Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,139 NI |
| W | 261-8558 | TRENCHER, T6B, HYD, 8" STD 1,092 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,139 NI |
| W | 261-8560 | TRENCHER, T6B, HYD 6" COMBO 1,099 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,389 NI |
| W | 261-8562 | TRENCHER, T6B, HYD 6" ROCKFROST 1,128 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$7,153 NI |
| W | 261-8564 | TRENCHER, T6B, HYD 6" TERMINATOR 1,076 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Terminator chain included, 6" (152mm) cutting width Rock/Forst Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$7,292 NI |

TRENCHER - T9B

| | | | | |
|---|----------|--|--|------------|
| W | 208-2700 | TRENCHER, T9B, MANUAL, NO CHAIN 973 NO CHAIN 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$4,861 NI |
| W | 233-2346 | TRENCHER, T9B, MAN. 6" STANDARD 1,076 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,833 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|---|----------|--|-----------------|----------------------|
| CWL - CURRENT MODELS 906/ 907/ 908 (CONT.) | | | | |
| TRENCHER - T9B (Cont.) | | | | |
| W | 233-2350 | TRENCHER, T9B, MAN. 6" COMBO 1,154 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,181 NI |
| W | 241-4251 | TRENCHER, T9B,MAN 6" ROCKFROST 1,184 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,944 NI |
| W | 241-4252 | TRENCHER, T9B,HYD. 6" STANDARD 1,121 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,389 NI |
| W | 208-2708 | TRENCHER, T9B, HYD, NO CHAIN 987 NO CHAIN Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$5,417 NI |
| W | 241-4253 | TRENCHER, T9B, HYD. 8" STD. 1,186 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,458 NI |
| W | 241-4254 | TRENCHER, T9B, HYD. 6" COMBO 1,199 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$6,736 NI |
| W | 241-4255 | TRENCHER, T9B,HYD 6" ROCKFROST 1,229 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width FOR USE WITH: Skid Steer coupler REQUIRES: Standard Flow Hydraulics | | \$7,500 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - T15B HF

| | | | | |
|---|----------|---|--|-------------------|
| W | 424-0470 | TRENCHER, T15B, HF, NO CHAIN 1,055 NO CHAIN 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: Conversion kit 371-3725 for H Series high flow machines; | | \$6,944 NI |
| W | 424-0471 | TRENCHER, T15B, HF, 6" STD 1,212 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 6" (152mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: Conversion kit 371-3725 for H Series high flow machines; | | \$8,194 NI |
| W | 424-0472 | TRENCHER, T15B, HF, 8" STD 1,287 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 8" (203mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: Conversion kit 371-3725 for H Series high flow machines; | | \$8,333 NI |
| W | 424-0473 | TRENCHER, T15B, HF, 6" COMBO 1,301 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness FOR USE WITH: Skid Steer coupler REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: Conversion kit 371-3725 for H Series high flow machines; | | \$8,750 NI |

TRENCHER - Options

| | | | | |
|---|----------|--|--|-----------------|
| W | 264-5714 | CRUMBER ARM, T6 45 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH T6B | | \$347 NI |
| W | 264-7601 | CRUMBER ARM, T9 49 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH: T9 OR T9B | | \$382 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHER - Options (Cont.)

| | | | | |
|---|----------|--|--|----------|
| W | 264-7602 | CRUMBER ARM, T15 54 FOR USE WITH: T15A OR T15B REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM | | \$417 NI |
| W | 264-7597 | SHOE, CRUMBER ARM 6" - 8" 9 FOR USE WITH: Chains 6" (152mm) or 8" (202mm) wide | | \$104 NI |
| W | 264-7598 | SHOE, CRUMBER ARM 10" - 12" 15 FOR USE WITH: Chains 10" (254mm) or 12" (305mm) wide | | \$153 NI |

TRENCHER - Chains

| | | | | |
|---|----------|---|--|------------|
| W | 259-0312 | CHAIN, T6B, 6" STANDARD 131 For T6B, trench width 152mm (6"), incl 30 standard teeth | | \$903 NI |
| W | 258-8644 | CHAIN, T6B, 8" STANDARD 167 For T6B, trench width 203mm (8"), incl 42 standard teeth | | \$972 NI |
| W | 261-4860 | CHAIN, T6B, 6" COMBO 174 For T6B, trench width 152mm (6"), incl 18 standard +10 carbide teeth | | \$1,250 NI |
| W | 261-4805 | CHAIN, T6B, 6" ROCKFROST 203 For T6B, trench width 152mm (6"), incl 36 bits ("picks") | | \$2,014 NI |
| W | 243-6349 | CHAIN, T6B, 6" TERMINATOR 151 For T6B, trench width 152mm (6"), incl 30 carbide teeth | | \$2,153 NI |
| W | 189-5956 | CHAIN, T9B, 6" STANDARD 134 For T9B, trench width 152mm (6"), incl 18 standard teeth | | \$972 NI |
| W | 222-7916 | CHAIN, T9B, 8" STANDARD 200 For T9B, trench width 203mm (8"), incl 50 standard teeth | | \$1,042 NI |
| W | 222-7742 | CHAIN, T9B, 6" COMBO 213 For T9B, trench width 152mm (6"), incl 24 standard+24 carbide teeth | | \$1,319 NI |
| W | 222-7743 | CHAIN, T9B, 6" ROCKFROST 241 For T9B, trench width 152mm (6"), incl 42 bits ("picks") | | \$2,083 NI |
| W | 189-5957 | CHAIN, T15B, 6" STANDARD 156 For T15B, trench width 152mm (6"), incl 21 standard teeth | | \$1,250 NI |
| W | 222-8523 | CHAIN, T15B, 8" STANDARD 232 For T15B, trench width 203mm (8"), incl 58 standard teeth | | \$1,389 NI |
| W | 222-7747 | CHAIN, T15B, 6" COMBO 246 For T15B, trench width 152mm (6"), incl 26 standard + 28 carbide teet | | \$1,806 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

TRENCHERS - Replacement Tooth Groups

Replacement Tooth Groups (to be fit on a chain)

| | | | |
|-----------|-------|--------|--------|
| Boom size | 36" | 48" | 60" |
| | 914mm | 1219mm | 1524mm |

| | | | | |
|-------------|------------------|----------|----------|----------|
| 152mm (6") | Single Standard | 263-3420 | 166-0821 | 189-0702 |
| 203mm (8") | Single Standard | 263-3421 | 194-4681 | 193-5727 |
| 254mm (10") | Single Standard | 263-3426 | 194-4682 | 193-5728 |
| 305mm (12") | Double Standard | 263-3427 | 195-3900 | 193-5729 |
| 152mm (6") | 50/50 Carbide | 263-3422 | 208-2781 | 208-2791 |
| 203mm (8") | 50/50 Carbide | 263-3423 | 208-2784 | 208-2794 |
| 152mm (6") | 50/50 Rock-Frost | 263-3424 | 208-2780 | 208-2790 |
| 203mm (8") | 50/50 Rock-Frost | | 208-2783 | 208-2793 |
| 152mm (6") | Rock-Frost | | 208-2782 | 208-2792 |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|-------------------------------|--------------------|-------------------------|
|-----|------------|-------------------------------|--------------------|-------------------------|

CWL - CURRENT MODELS 906/ 907/ 908 (CONT.)

WORK TOOLS - AEM

APPROVED EQUIPMENT MANUFACTURERS

Caterpillar does not warrant, service, or assume responsibility for AEM work tools. All orders, pricing, and other communications must be directed to the manufacturer.

SSL Sectional Snow-Pusher - SSL Interface

All Arctic Sectional Snow-Pusher attachments above are available with following coupler interfaces: Fusion, IT, and SSL

Contact: Steve Sepaniak

Phone: 585-690-8811

Email: pusherpro@yahoo.com

Web: www.sectionalsnopusher.com

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|-------------------------------|--------------------|-------------------------|
|-----|------------|-------------------------------|--------------------|-------------------------|

CWL - CURRENT MODELS LARGER THAN 908

PACKING FOR CWTS PRODUCTS

ONLY SELECT IF ORDERING ITEMS IDENTIFIED AS 'CWTS PRODUCT'.

| | | |
|---------|---|-----------|
| 0P-0210 | PACK, DOMESTIC TRUCK 0 REQUIRED BY: ITEMS IDENTIFIED AS 'CWTS PRODUCT' | NC |
|---------|---|-----------|

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For IT Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 *lbs/yd3* @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

| Cap | 910K | 914K | 918M |
|-------|----------------|----------------|------------|
| | STD. (HI Lift) | STD. (HI Lift) | NO HI LIFT |
| m3 | kg/m3 | kg/m3 | |
| *yd3 | lbs/yd3 | lbs/yd3 | lbs/yd3* |
| 1.3 | 1700 (1600) | 2100 (1700) | 2200 |
| * 1.7 | 2850 (2700) | 3550 (2850) | 3700 * |
| 1.5 | 1500 (1400) | 1800 (1450) | 1900 |
| * 2.0 | 2500 (2350) | 3050 (2450) | 3100 * |
| 1.6 | 1350 (1250) | 1700 (1350) | 1750 |
| * 2.1 | 2300 (2100) | 2850 (2300) | 2950 * |
| 1.7 | 1300 (1200) | 1600 (1300) | 1600 |
| * 2.2 | 2200 (2050) | 2700 (2200) | 2700 * |
| 1.9 | 1100 (950) | 1350 (1000) | 1400 |
| * 2.4 | 1850 (1600) | 2300 (1700) | 2350 * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|--|-------------------|
| W | 472-6534 | BUCKET, GP, 1.7 YD3, IT, BOCE1,221 | \$5,574 NI |
| | | Includes Bolt-On-Cutting-Edge | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 481-9755 | BUCKET, GP, 1.7 YD3, IT, BOT 1,129 | \$6,297 NI |
| | | Includes Bolt-On-Teeth | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 472-6539 | BUCKET, GP, 1.9 YD3, IT, BOCE1,265 | \$5,924 NI |
| | | Includes Bolt-On-Cutting-Edge | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 481-9760 | BUCKET, GP, 1.9 YD3, IT, BOT 1,173 | \$6,647 NI |
| | | Includes Bolt-On-Teeth | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 472-6541 | BUCKET, GP, 2.0 YD3, IT, BOCE 1,362 | \$6,024 NI |
| | | Includes Bolt-On Cutting-Edge | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 481-9762 | BUCKET, GP, 2.0 YD3, IT, BOT 1,250 | \$6,747 NI |
| | | Includes Bolt-On-Teeth | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 390-8219 | BUCKET, GP, 2.2 YD3, IT, BOCE 1,393 | \$6,163 NI |
| | | Includes Bolt-On-Cutting-Edge | |
| | | FOR USE WITH: standard quick coupler (IT) | |
| W | 481-9764 | BUCKET, GP, 2.2 YD3, IT, BOT 1,301 | \$6,886 NI |
| | | Includes Bolt-On-Teeth | |
| | | FOR USE WITH: standard quick coupler (IT) | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For IT Quick Coupler (Cont.)

| | | | | |
|---|----------|---|-------|------------|
| W | 492-2491 | BUCKET, GP, 2.4 YD3, IT, BOCE | 1,470 | \$6,594 NI |
| | | Includes Bolt-On-Cutting-Edge | | |
| | | FOR USE WITH: standard quick coupler (IT) | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For Pin-On

FOR USE WITH 910K, 910M, 914K, 914M, 918M

Bucket selection table: material density kg/m3 (100% fill factor)
 Capacity stated with BOCE. STD=Standard Lift

| Cap | 910K | 914K | 918M |
|-------|----------------|----------------|------------|
| | STD. (HI Lift) | STD. (HI Lift) | NO HI LIFT |
| m3 | kg/m3 | kg/m3 | |
| *yd3 | lbs/yd3 | lbs/yd3 | lbs/yd3* |
| 1.4 | 1600 (1500) | 2000 (1600) | 2150 |
| * 1.8 | \ 270 (2500) | \ 3350 (2700) | \ 3700 * |
| 1.6 | 1400 (1300) | 1700 (1350) | 1850 |
| * 2.1 | \ 2350 (2200) | \ 2850 (2300) | \ 3150 * |
| 1.8 | 1250 (1150) | 1500 (1200) | 1650 |
| * 2.4 | \ 2100 (1950) | \ 2500 (2050) | \ 2700 * |
| 1.9 | 1100 (950) | 1350 (1000) | 1550 |
| * 2.5 | \ 1950 (1800) | \ 2350 (1950) | \ 2600 * |

If no reference numbers appear below there are currently no items available in your region.

| | | | | |
|----------|-----------------|--|-------|-------------------|
| W | 472-6537 | BUCKET, GP, 1.8 YD3, PO, BOCE | 1,276 | \$5,751 NI |
| | | Includes Bolt-On-Cutting-Edge | | |
| W | 481-9759 | BUCKET, GP, 1.8 YD3, PO, BOT | 1,184 | \$6,475 NI |
| | | Includes Bolt-On-Teeth | | |
| W | 472-6542 | BUCKET, GP, 2.0 YD3, PO, BOCE | 1,342 | \$6,024 NI |
| | | Includes Bolt-On Cutting-Edge | | |
| W | 481-9763 | BUCKET, GP, 2.0 YD3, PO, BOT | 1,270 | \$6,747 NI |
| | | Includes Bolt-On-Teeth | | |
| W | 415-5961 | BUCKET, GP, 2.3 YD3, PO, BOCE | 1,450 | \$6,382 NI |
| | | Includes Bolt-On-Cutting-Edge | | |
| W | 481-9766 | BUCKET, GP, 2.3 YD3, PO, BOT | 1,358 | \$7,106 NI |
| | | Includes Bolt-On-Teeth | | |
| W | 415-5927 | BUCKET, GP, 2.4 YD3, PO, BOCE | 1,490 | \$6,594 NI |
| | | Includes Bolt-On-Cutting-Edge | | |
| W | 481-9767 | BUCKET, GP, 2.4 YD3, PO, BOT | 1,398 | \$7,318 NI |
| | | Includes Bolt-On-Teeth | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS - For HPL Quick Coupler (ISO)

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 (100% fill factor)
 Capacity stated with BOCE. STD=Standard Lift

| Cap | 910K | 914K | 918M |
|-------|----------------|----------------|------------|
| | STD. (HI Lift) | STD. (HI Lift) | NO HI LIFT |
| m3 | kg/m3 | kg/m3 | |
| * yd3 | lbs/yd3 | lbs/yd | lbs/yd * |
| 1.3 | 1650 (1550) | 2050 (1650) | 2150 |
| * 1.7 | 2800 (2600) | 3450 (2800) | 3500 * |
| 1.5 | 1450 (1350) | 1750 (1400) | 1850 |
| * 2.0 | 2450 (2250) | 3000 (2350) | 3100 * |
| 1.7 | 1250 (1150) | 1550 (1125) | 1600 |
| * 2.2 | 2100 (1950) | 2600 (2100) | 2700 * |
| 1.9 | 1050 (900) | 1300 (950) | 1400 |
| * 2.5 | 1750 (1500) | 2200 (1600) | 2350 * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 472-6535 | BUCKET, GP, 1.7 YD3, ISO, BOCE 1,261 | \$5,574 NI |
| | | Includes Bolt-On-Cutting-Edge FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 481-9756 | BUCKET, GP, 1.7 YD3, ISO, BOT 1,169 | \$6,297 NI |
| | | Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 472-6540 | BUCKET, GP, 1.9 YD3, ISO, BOCE 1,305 | \$5,924 NI |
| | | Includes Bolt-On-Cutting-Edge-7012 LOADER ARR FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 481-9761 | BUCKET, GP, 1.9 YD3, ISO, BOT 1,213 | \$6,647 NI |
| | | Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 415-5957 | BUCKET, GP, 2.2 YD3, ISO, BOCE 1,433 | \$6,163 NI |
| | | Includes Bolt-On-Cutting-Edge FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 481-9765 | BUCKET, GP, 2.2 YD3, ISO, BOT 1,341 | \$6,886 NI |
| | | Includes Bolt-On-Teeth FOR USE WITH: horizontal pin quick coupler (ISO) | |
| W | 492-2492 | BUCKET, GP, 2.4 YD3, ISO, BOCE 1,470 | \$6,594 NI |
| | | Includes Bolt-On-Cutting-Edge7012 LOADER ARR FOR USE WITH: horizontal pin quick coupler (ISO) | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PURPOSE PERFORMANCE BUCKETS FOR FUSION QUICK COUPLER

ONLY AVAILABLE FOR 918M WITH FUSION QUICK COUPLER

Bucket selection table: material density kg/m3 ?lbs/yd3? @100% fill fa
 Capacity stated with BOCE. STD=Standard Lift

| Cap | 910M | 914M | 918M |
|---------|----------------|----------------|----------------|
| | STD. (HI Lift) | STD. (HI Lift) | STD. (HI Lift) |
| m3 | kg/m3 | kg/m3 | kg/m3 |
| * yd3 \ | lbs/yd3 | lbs/yd | lbs/yd * |
| 1.7 | NA | NA | 1600 (1375) |
| * 2.2 \ | | | 2700 (2300) * |
| 1.9 | NA | NA | 1400 (1200) |
| * 2.4 \ | | | 2300 (2025) * |

NA = Not Applicable/Available

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 546-4012 | BUCKET,GP,2.2 YD3,FUSION,BOCE 1,519 Capacity: 1.7m3 (2.2yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler | \$6,163 NI |
| W | 549-6912 | BUCKET,GP,2.2 YD3,FUSION, BOT 1,433 Capacity: 1.7m3 (2.2yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler | \$6,886 NI |
| W | 546-4014 | BUCKET,GP,2.5 YD3,FUSION,BOCE 1,618 Capacity: 1.9m3 (2.4yd3), Width: 2388mm (94"), Incl. Bolt-on-Cutt.Edge FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler | \$6,594 NI |
| W | 549-6913 | BUCKET,GP,2.5 YD3,FUSION,BOT 1,510 Capacity: 1.9m3 (2.4yd3), Width: 2388mm (94"), Incl. Bolt-on-Teeth FOR USE WITH: 918M Standard/High Lift with Fusion Quick Coupler | \$7,599 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

FLAT FLOOR GP PERFORMANCE BUCKETS - For HPL (ISO) Quick Coupler

Bucket selection table: material density kg/m3 (100% fill factor)
 Capacity stated with BOCE. STD=Standard Lift

| Cap | 910K | 914K | 918M |
|-------|----------------|----------------|------------|
| | STD. (HI Lift) | STD. (HI Lift) | NO HI LIFT |
| m3 | kg/m3 | kg/m3 | kg/m3 |
| * yd3 | lbs/yd3 | lbs/yd | lbs/yd * |
| 1.5 | 1400 (1000) | 1700 (1250) | 1750 |
| * 2.0 | \ 2350 (1700) | \ 2850 (2100) | \ 2900 * |
| 1.6 | 1300 (950) | 1600 (1200) | 1650 |
| * 2.1 | \ 2200 (1600) | \ 2700 (2000) | \ 2750 * |
| 1.8 | 1150 (800) | 1400 (1000) | 1450 |
| * 2.4 | \ 1950 (1350) | \ 2350 (1700) | \ 2350 * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 488-7005 | BUCKET, FF, 1.8 YD3, ISO, WOT 1,490 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO) | \$7,608 NI |
| W | 468-4749 | BUCKET, FF, 1.9 YD3, ISO, BOCE 1,492 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO) | \$6,663 NI |
| W | 488-7006 | BUCKET, FF, 1.9 YD3, ISO, WOT 1,378 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO) | \$8,160 NI |
| W | 468-4750 | BUCKET, FF, 2.0 YD3, ISO, BOCE 1,525 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO) | \$7,213 NI |
| W | 468-4751 | BUCKET, FF, 2.3 YD3, ISO, BOCE 1,436 Includes back grading edge and Bolt-On-Cut.-Edge FOR USE WITH: horizontal pin quick coupler (ISO) | \$7,828 NI |
| W | 488-7007 | BUCKET, FF, 2.2 YD3, ISO, WOT 1,490 Includes back grading edge, Weld-On-Adapters J200 and long tips FOR USE WITH: horizontal pin quick coupler (ISO) | \$8,775 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

GENERAL PERFORMANCE BUCKETS - Options

To be ordered loose via Antares / parts:

FOR USE WITH: GP buckets only:

| | | | | |
|----------|---------------|------------------|--------------|-----------|
| Adapters | : 1 x 1U-2209 | ADAPTER-RH | 2 x 2J-3505 | NUT-FULL |
| | 1 x 1U-2208 | ADAPTER-STRAP LH | 2 x 6F-0196 | BOLT-PLOW |
| | 6 x 9J-4207 | ADAPTER | 12 x 2J-3506 | NUT-FULL |
| | | | 12 x 5J-4771 | BOLT-PLOW |

FOR USE WITH: GP and FF buckets:

| | | | | |
|------|---------------|----------|-------------|-------------|
| Tips | : 8 x 1U-3202 | TIP-LONG | 8 x 8E-6208 | PIN-G.E.T. |
| | | | 8 x 8E-6209 | RETAINER AS |

FOR USE WITH: GP and FF Buckets:

| | | | | |
|------|----------------|--------------|-------------|-----------|
| BOCE | : 1 x 436-9689 | EDGE-CUTTING | 8 x 2J-3506 | NUT-FULL |
| | | | 8 x 4F-7827 | BOLT-PLOW |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For IT Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 *lbs/yd3* @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

| Cap | 910M | 914M | 918M |
|-------|----------------|----------------|----------------|
| | STD. (HI Lift) | STD. (HI Lift) | STD. (HI Lift) |
| m3 | kg/m3 | kg/m3 | kg/m3 |
| * yd3 | lbs/yd3 | lbs/yd | lbs/yd * |
| 2.5 | 950 (875) | 975 (875) | 1125 (950) |
| * 3.6 | 1575 (1475) | 1650 (1450) | 1875 (1575) * |
| 3.0 | 775 (725) | 825 (725) | 925 (775) |
| * 4.1 | 1325 (1225) | 1375 (1200) | 1575 (1325) * |
| 3.5 | 650 (600) | 675 (600) | 775 (650) |
| * 4.7 | 1100 (1025) | 1150 (1000) | 1300 (1100) * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|--|-------------------|
| W | 498-0031 | BUCKET, LM, 3.3YD3, IT, BOCE 792 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler | \$8,429 NI |
| W | 498-0034 | BUCKET, LM, 3.9YD3, IT, BOCE 854 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler | \$9,144 NI |
| W | 498-0037 | BUCKET, LM, 4.6YD3, IT, BOCE 914 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: IT (standard) Quick Coupler | \$9,853 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For Pin-On

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 *lbs/yd3* @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

| Cap | 910M | 914M | 918M |
|-------|----------------|----------------|----------------|
| | STD. (HI Lift) | STD. (HI Lift) | STD. (HI Lift) |
| m3 | kg/m3 | kg/m3 | kg/m3 |
| * yd3 | lbs/yd3 | lbs/yd | lbs/yd * |
| 2.5 | 950 (900) | 1000 (900) | 1150 (975) |
| * 3.6 | 1600 (1500) | 1675 (1475) | 1900 (1600) * |
| 3.0 | 775 (725) | 800 (700) | 900 (775) |
| * 4.1 | 1325 (1225) | 1350 (1200) | 1550 (1300) * |
| 3.5 | 650 (600) | 675 (600) | 775 (650) |
| * 4.7 | 1075 (1025) | 1125 (1000) | 1300 (1100) * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|---|-------------------|
| W | 498-0033 | BUCKET, LM, 3.3YD3, PO, BOCE 816 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: Pin-On | \$8,429 NI |
| W | 498-0036 | BUCKET, LM, 3.9YD3, PO, BOCE 878 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: Pin-On | \$9,144 NI |
| W | 498-0039 | BUCKET, LM, 4.6YD3, PO, BOCE 938 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: Pin-On | \$9,853 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

LIGHT MATERIAL PERFORMANCE BUCKETS - For ISO Quick Coupler

FOR USE WITH: 910K, 910M, 914K, 914M & 918M

Bucket selection table: material density kg/m3 *lbs/yd3* @100% fill factor. Capacity stated with BOCE. STD=Standard Lift

| Cap | 910M | 914M | 918M |
|-------|----------------|----------------|----------------|
| | STD. (HI Lift) | STD. (HI Lift) | STD. (HI Lift) |
| m3 | kg/m3 | kg/m3 | kg/m3 |
| * yd3 | lbs/yd3 | lbs/yd | lbs/yd * |
| 2.5 | 950 (875) | 975 (875) | 1125 (950) |
| * 3.6 | 1575 (1475) | 1650 (1450) | 1875 (1575) * |
| 3.0 | 775 (725) | 825 (725) | 925 (775) |
| * 4.1 | 1325 (1225) | 1375 (1200) | 1575 (1325) * |
| 3.5 | 650 (600) | 675 (600) | 775 (650) |
| * 4.7 | 1100 (1025) | 1150 (1000) | 1300 (1100) * |

If no reference numbers appear below there are currently no items available in your region.

| | | | |
|----------|-----------------|--|-------------------|
| W | 498-0032 | BUCKET, LM, 3.3YD3, ISO, BOCE 804 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler | \$8,429 NI |
| W | 498-0035 | BUCKET, LM, 3.9YD3, ISO, BOCE 866 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler | \$9,144 NI |
| W | 498-0038 | BUCKET, LM, 4.6YD3, ISO, BOCE 926 Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: ISO (wide) Quick Coupler | \$9,853 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

CARRIAGES

| | | | | |
|---|----------|--|--|-------------------|
| W | 390-8288 | CARRIAGE, STANDARD COUPLER. 539 1550mm wide Standard Class III carriage FOR USE WITH: Standard Coupler (IT / Horizontal pin) REQUIRES: 2 Tines (Forks), NOT INCLUDED | | \$2,386 NI |
| W | 428-2109 | CARRIAGE, WIDE COUPLER. 535 1550mm wide Standard Class III carriage FOR USE WITH: Horizontal pin Coupler (ISO) REQUIRES: 2 Tines (Forks), NOT INCLUDED | | \$2,386 NI |

FORKS (TINES)

A carriage requires 2 forks of the same Class.

| | | | | |
|---|----------|--|--|-------------------|
| W | 195-6937 | FORK TINE, 2" X 5" X 42" 198 50mm x 130mm x 1070mm (2" x 5" x 42") Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 390-8288 or 428-2109 | | \$729 NI |
| W | 195-6938 | FORK TINE, 2.5" X 5" X 54" 283 50mm x 130mm x 1050mm (2" x 5" x 54") Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class III Carriage 390-8288 or 428-2109 | | \$1,000 NI |

OFFSET FORK TINES

These are loose forks, which require a carriage.
 To have a complete set, order 1 Right and 1 Left tine (fork).

| | | | | |
|---|----------|---|--|-------------------|
| W | 241-0921 | FORK TINE, 2X5X48 OFFSET, RIGHT 207 1 x Offset Right tine, 50mm off-set, lever retention REQUIRES: 241-0922 FORK TINE, 1220X125X50MM, OFF/LF FOR USE WITH: CARRIAGE, NOT INCLUDED | | \$1,572 NI |
| W | 241-0922 | FORK TINE, 2X5X48 OFFSET, LEFT 207 1 x Offset Left tine, 50mm off-set, lever retention REQUIRES: 241-0921 FORK TINE, 1220X125X50MM, OFF/RT FOR USE WITH: CARRIAGE, NOT INCLUDED | | \$1,572 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

BROOMS, LARGE - Angle

| | | | | |
|---|----------|--|--|--------------------|
| W | 487-8492 | BA25 ANGLE BROOM, MAN 992 Excluding hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit | | \$12,319 NI |
| W | 164-8485 | BA25 ANGLE BROOM, MAN, IT 1,014 Includes IT hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit | | \$12,946 NI |
| W | 487-8497 | BA25 ANGLE BROOM, MAN, ISO 1,076 Includes ISO (L50) hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit | | \$13,331 NI |
| W | 487-8493 | BA25 ANGLE BROOM, HYD, 12V 1,030 Excluding hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit | | \$15,875 NI |
| W | 164-8486 | BA25 ANGLE BROOM, HYD, IT, 12V 1,014 Includes IT hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit | | \$16,497 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

BROOMS, LARGE - Angle (Cont.)

| | | | | |
|---|----------|--|--|---------------------|
| W | 164-8487 | BA25 ANGLEBROOM, HYD, IT, 12V, WTR 1, 323 Includes IT hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 12V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L watertank FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit | | \$22, 626 NI |
|---|----------|--|--|---------------------|

BROOMS, LARGE - Pick-Up

| | | | | |
|---|----------|---|--|---------------------|
| W | 487-8483 | BP25 PICK-UP BROOM, HYD, 12V 1, 349 Excluding hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit | | \$22, 228 NI |
| W | 487-8487 | BP25 PICK-UP BROOM, HYD, ISO, 12V 1, 433 Includes ISO (L50) hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit | | \$22, 978 NI |
| W | 164-8489 | BP25 PICK-UP BROOM, HYD, IT, 12V 1, 435 Includes IT hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 12V water pump and 400L (100Gal)watertank FOR USE WITH: standard quick coupler IT14/28 REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit | | \$22, 407 NI |

BROOMS, LARGE - Kits

| | | | | |
|---|----------|---|--|-----------------|
| W | 487-8490 | HOOK-GP, IT14/28 64 FOR USE WITH: standard quick coupler IT14/28 | | \$625 NI |
| W | 487-8480 | HOOK-GP, ISO (L50) 84 FOR USE WITH: ISO quick coupler (wide or L50) | | \$743 NI |
| W | 196-4191 | KIT, CONVERSION 3 FOR USE WITH: machines with Push to Connect Quick Disc. Coupl. Size 12 | | \$440 NI |
| W | 455-7380 | KIT, LOADER, COUPLING QD 0 FOR USE WITH: machines with Turn to Connect Quick Disc. Coupl. Size 12 | | \$368 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-------------------------------|-----------------|----------------------|
|-----|---------|-------------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

BROOMS, LARGE - Kits (Cont.)

| | | | | |
|---|----------|--|--|-----------------|
| W | 177-0893 | KIT, ELECTRICAL SWITCH 7 Not required if machine has 4V hydraulics and WT Electrical. | | \$643 NI |
|---|----------|--|--|-----------------|

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

SNOWPLOWS

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

| | | | | |
|---|----------|---|--|-------------------|
| W | 481-3661 | SNOW PLOW, 9', CWL 1,900 Hydraulic Angling - 30 degrees left or right of center Overall width: 2740 mm (108"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine | | \$8,075 NI |
| W | 481-3672 | SNOW PLOW, 10', IT 1,990 Hydraulic Angling - 30 degrees left or right of center Overall width: 3045 mm (120"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine | | \$8,667 NI |
| W | 481-3663 | SNOW PLOW, 12', CWL 2,185 Hydraulic Angling - 30 degrees left or right of center Overall width: 3658 mm (144"), Blade height: 800 mm (31") 2 trip edges 203 mm (8") height each with a 1 piece bolt-on cutting edge and each with 4 adjust. trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: standard quick coupler IT14/28 REQUIRES: 3rd Valve on the machine | | \$9,017 NI |

SNOW STRAIGHT PUSHES

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

| | | | | |
|---|----------|--|--|-------------------|
| W | 479-8087 | SNOW PUSH, 10', IT 1,800 3219 mm (126") overall width, 3067 mm (120") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28 | | \$6,757 NI |
| W | 479-8091 | SNOW PUSH, 12', IT 1,990 3829 mm (150") overall width, 3677 mm (144") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: standard quick coupler IT14/28 | | \$7,424 NI |
| W | 508-8290 | SNOW PUSH, 10', IT, R.TRIP 1,678 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28 | | \$6,403 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - CURRENT MODELS LARGER THAN 908 (CONT.)

SNOW STRAIGHT PUSHES (Cont.)

| | | | | |
|---|----------|--|--|-------------------|
| W | 508-8295 | SNOW PUSH, 12', IT, R.TRIP 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: standard quick coupler IT14/28 | | \$6,993 NI |
|---|----------|--|--|-------------------|

SNOW PUSH BUCKET RECEIVER

To fit on buckets (with no GETs) and are hold in place with chains.
 Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

| | | | | |
|---|----------|--|--|-------------------|
| W | 479-8088 | SNOW PUSH, 10', BKT REC 1,990 3219 mm (126") overall width, 3067 mm (120") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: any loader bucket with NO GETs. | | \$6,757 NI |
| W | 479-8092 | SNOW PUSH, 12', BKT REC 2,180 3829 mm (150") overall width, 3677 mm (144") working width 906mm (36") moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece STEEL Bolt-on-Cutting edge and each with 4 adjustable trip springs FOR USE WITH: any loader bucket with NO GETs. | | \$7,424 NI |
| W | 508-8300 | SNOW PUSH, 10', REC, R.TRIP 1,865 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on RUBBER edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.05m (10'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs. | | \$6,403 NI |
| W | 508-8305 | SNOW PUSH, 12', REC, R.TRIP 2,055 Incl. 2 section trip edge each with 4 adjustable springs, each with a bolt-on RUBBER edge 38mmx203mm (1.5"x 8") approx 50mm(2") adjust. Width 3.66m (12'), with bolt side skids, Overall Height 966mm (38") FOR USE WITH: any loader bucket with NO GETs. | | \$6,993 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS

PACKING FOR CWTS PRODUCTS

ONLY SELECT IF ORDERING ITEMS IDENTIFIED AS 'CWTS PRODUCT'.

| | | | |
|---------|---|---|----|
| 0P-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| | REQUIRED BY: ITEMS IDENTIFIED AS 'CWTS PRODUCT' | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

903C & 903C2 - BUCKETS - General Purpose

| | | | | |
|---|----------|---|-----|------------|
| W | 276-5715 | BUCKET-GP, 0.8 YD3, W/BOCE | 686 | \$3,140 NI |
| | | 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: 903C2 with Skid Steer Coupler | | |
| W | 384-1700 | BUCKET - GP, 1.0 YD3 | 814 | \$3,190 NI |
| | | 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 903C2 with Skid Steer Coupler | | |

903C & 903C2 - BUCKETS: Light Material

| | | | | |
|---|----------|---|-----|------------|
| W | 261-1368 | BUCKET-LM, 1.3 YD3, W/BOCE | 862 | \$3,901 NI |
| | | 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: 903C2 with Skid Steer Coupler | | |

903C & 903C2 - BUCKETS: Material Handling

| | | | | |
|---|----------|---|-----|------------|
| W | 472-2546 | BUCKET-MH, 86", BOCE | 804 | \$2,326 NI |
| | | 1.43 YD3 / 38.6 CFT (1.07 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: 903C2 with Skid Steer Coupler | | |
| W | 472-2548 | BUCKET-MH, 98", BOCE | 881 | \$2,403 NI |
| | | 1.63 YD3 / 44.8 CFT (1.25 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler | | |
| W | 469-0774 | BUCKET-MH, 104", BOCE | 920 | \$2,444 NI |
| | | 1.74 YD3 / 47.8 CFT (1.33 M3) Heaped Capacity INCLUDES: Bolt-on cutting edge, 1 piece FOR USE WITH: Skid Steer Coupler | | |

903C & 903C2 - CARRIAGES and FORKS (TINES)

| | | | | |
|---|----------|--|-----|------------|
| W | 261-1315 | CARRIAGE, 46" CLASS II | 190 | \$1,478 NI |
| | | 46" (1170mm) wide REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED FOR USE WITH: Skid Steer Coupler | | |
| W | 195-6943 | FORK, PAL C2, 36" X 4" X 1.5" | 92 | \$174 NI |
| | | 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | |
| W | 195-6942 | FORK, PAL C2, 42" X 4" X 1.5" | 104 | \$208 NI |
| | | 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|--------------------|-------------------------|
|-----|---------|------------------------|--------------------|-------------------------|

CWL - NON CURRENT MODELS (CONT.)**903C & 903C2 - 906/908 SSL Work Tools**

The selection table below, gives you an indication of the requirements for the 903C2 to operate the SSL tools. For further details on the tools see section 906-908. For 903C the ROPS does not allow most tools Aux lines only as field installed kit 457-6221.

No worktool harness kit available

| Work tools | Compatible 903C - 903C2 | Remarks for 903C2 only but also applies for 903C |
|------------|----------------------------|---|
|------------|----------------------------|---|

| | | |
|-------------------------|---------|---------------------------|
| Augers: SF | C - C | Lift/Tilt + Ground Speed |
| HF | NC - NC | No HF or HF XPS available |
| Blades: Angle | C - C | Lift/Tilt |
| Dozer | NC - NC | Lift/Tilt + Ground Speed |
| Brooms: Angle Man | NC - C | Ground Speed |
| Angle Hydr | NC - C | Lift/Tilt + Ground Speed |
| Utility | NC - C | Lift/Tilt + Ground Speed |
| Pick up | NC - C | Lift/Tilt + Ground Speed |
| Brushcutter BR160 | C - C | Ground Speed |
| SF | NC - NC | Oil Flow + Ground Speed |
| HF | NC - NC | No HF or HF XPS available |
| Buckets, GP, LP, MP, LM | C - C | Lift/Tilt for MP |
| Cold planers: SF | NC - C | Ground speed |
| HF PC205B | NC - NC | No HF or HF XPS available |
| HF PC3XXB | NC - NC | No HF or HF XPS available |
| Carriages and Forks | C - C | Might hit linkage |
| Grapple Bucket 368-2500 | | |
| Hammers | NC - NC | No hammers allowed |
| Industrial / Utility | | |
| grapple buckets | NC - C | Lift/Tilt |
| grapple forks | NC - C | Lift/Tilt |
| grapple rakes | NC - C | Lift/Tilt |
| Landscape Rake | C - C | Lift/Tilt + Ground Speed |
| Landscape Tiller | C - C | Lift/Tilt + Ground Speed |
| MH Arm | C - C | Might hit linkage |
| Mulchers | NC - NC | |
| Power Box Rake | NC - NC | |
| Saw Wheel | NC - NC | No HF or HF XPS available |
| Snow Blower: SF | NC - NC | No harness, No 3 buttons |
| HF | NC - NC | No HF or HF XPS available |
| Stump Grinder: SF | C - C | No harness, No 3 buttons |

Ground Speed: For optimal tool performance a slow groundspeed is required, which is difficult to realise.

Lift/ Tilt: The machine will only allow you to either tilt or lift. You can not do both at the same time.

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

904B AND 904H - General Purpose Buckets

| | | | | |
|---|----------|--|-----|------------|
| W | 276-5715 | BUCKET-GP, 0.8 YD3, W/BOCE | 686 | \$3,140 NI |
| | | 70" (1770mm) wide, includes 1 piece Bolt on edge FOR USE WITH: Skid Steer Coupler | | |
| W | 384-1700 | BUCKET - GP, 1.0 YD3 | 814 | \$3,190 NI |
| | | 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler | | |

904B AND 904H - Light Material Buckets

| | | | | |
|---|----------|--|-----|------------|
| W | 261-1368 | BUCKET-LM, 1.3 YD3, W/BOCE | 862 | \$3,901 NI |
| | | 70" (1780mm) wide, incl 1 piece Bolt-on cutting edge FOR USE WITH: Skid Steer Coupler | | |

904B AND 904H - Multi Purpose Buckets

| | | | | |
|---|----------|---|-----|------------|
| W | 259-6010 | BUCKET-MP, 0.8 YD3 | 825 | \$6,594 NI |
| | | 70" (1780mm) wide, base edge incl drilled mounting holes FOR USE WITH: Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | |
| W | 276-5718 | BUCKET-MP, 0.8 YD3, W/BOT | 855 | \$7,058 NI |
| | | 70" (1780mm) wide, incl 7x Bolt-on teeth FOR USE WITH: Skid Steer Coupler REQUIRES: 3rd Valve lines & Control on machine to operate | | |

904B AND 904H - Industrial Grapple Buckets

| | | | | |
|---|----------|---|-------|------------|
| W | 157-7226 | BUCKET-IND. GR, 62", BOCE | 1,045 | \$4,700 NI |
| | | Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies. | | |
| W | 157-7227 | BUCKET-IND. GR, 68", BOCE | 1,074 | \$4,932 NI |
| | | Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies. | | |
| W | 158-6095 | BUCKET-IND. GR, 74", BOCE | 1,104 | \$5,522 NI |
| | | Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies. | | |
| W | 217-6230 | BUCKET-IND. GR, 80", BOCE | 1,142 | \$6,074 NI |
| | | Includes Bolt on Cutting Edge, 1 piece. Two Cylinders and Two Heavy Duty Grapple Assemblies. | | |

904B AND 904H - Carriages and Forks (Tines)

| | | | | |
|---|----------|---|-----|------------|
| W | 223-5141 | CARRIAGE, 55" CLASS III | 430 | \$2,472 NI |
| | | Standard Class III Hook Carriage. Does Not Include Tines. | | |
| W | 261-1315 | CARRIAGE, 46" CLASS II | 190 | \$1,478 NI |
| | | 46" (1170mm) wide FOR USE WITH: Skid Steer Coupler REQUIRES: 2 Tines (Forks) Class II, NOT INCLUDED | | |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

904B AND 904H - Carriages and Forks (Tines) (Cont.)

| | | | | |
|---|----------|--|--|-----------------|
| W | 195-6943 | FORK, PAL C2, 36" X 4" X 1.5" 92 1.5" x 4" x 36" (40mm x 100mm x 910mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | \$174 NI |
| W | 195-6942 | FORK, PAL C2, 42" X 4" X 1.5" 104 1.5" x 4" x 42" (40mm x 100mm x 1070mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | \$208 NI |
| W | 149-7665 | FORK, PALLET 44" CLASS II 110 2" x 4" x 44" (50mm x 100mm x 1120mm) Hook Type, lever retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | \$279 NI |
| W | 195-8545 | FORK, PAL C2, 48" X 4" X 1.5" 114 1.5" x 4" x 48" (40mm x 100mm x 1220mm) Hook Type, pull retention Price & Weight Each. Please order 2 for a pair. REQUIRES: Class II Carriage 261-1315 | | \$222 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

904B AND 904H - Worktool Compatibility

THE FOLLOWING WORKTOOLS CAN BE USED WITH 904B, 904H:
 Please check 906-908 section for details and price.

| Work tools | Compatible | Remarks |
|-------------------------|------------|---------|
| Augers: SF | C | |
| HF | NC | |
| Bale spear | C | |
| Blades: Angle | C | |
| Dozer | NC | |
| Brooms: Angle Man | C | |
| Angle Hydr | C | |
| Pick up | C | |
| Brushcutter | NC | |
| Cold planers: SF PC104B | C | |
| HF PC205B | NC | |
| HF PC3XXB | NC | |
| Grapple Bucket 368-2500 | C | |
| Hammers | NC | |
| Industrial / Utility | | |
| grapple buckets | NC | |
| grapple forks | NC | |
| grapple rakes | NC | |
| Landscape Rake | C | |
| Landscape Tiller | C | |
| MH Arm | C | |
| Mulchers | NC | |
| Power Box Rake | C | |
| Saw Wheel | NC | |
| Snow Blower: SF | C | |
| HF | NC | |
| Stump Grinder: SF | C | |
| HF | NC | |
| Trencher: SF | C | |
| HF | NC | |
| Virbratory Compactor | C | |

C = Compatible, NC = Not Compatible/Not Allowed
 SF = Standard Flow, HF = High Flow

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

906A-908A

The SSL style type coupler of the 906A and 908A is NOT identical to the SSL coupler of 906H/M-908H/M.

| | | | | |
|---|----------|---|--|-------------------|
| W | 138-8931 | BUCKET-GP, 1.0 YD3 790 74" (1880mm) wide, base edge with drilled mounting holes FOR USE WITH: 906A with vertikal wedge (SSL style) Coupler | | \$3,069 NI |
| W | 138-8905 | BUCKET-GP, 1.3 YD3 985 81" (2060mm) wide, base edge with drilled mounting holes FOR USE WITH: 908A with vertikal wedge (SSL style) Coupler | | \$3,392 NI |
| W | 138-8914 | BUCKET-MP, 0.9 YD3 1,370 74" (1880mm) wide, base edge with drilled mounting holes FOR USE WITH: 906A with vertikal wedge (SSL style) Coupler | | \$7,197 NI |
| W | 138-8916 | BUCKET-MP, 1.2 YD3 1,385 81" (2060mm) wide, base edge with drilled mounting holes FOR USE WITH: 908A with vertikal wedge (SSL style) Coupler | | \$9,329 NI |

906H / 906H2 / 907H / 907H2 / 908H / 908H2

See section "CWL - CURRENT MODELS 906-907-908"
 Linkage is identical with 906K/M-907K/M-908K/M

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

IT14 AND IT14G

The CWTS Work tools for IT can be used on current CWL machines with IT QC with exception of ALL buckets. Buckets can interfere with the lines and/or have the wrong dump angle.

IT14 AND IT14G - Blades

| | | | | |
|---|----------|--|--|--------------------|
| W | 201-4129 | BLADE, 96" STRAIGHT (QC)-IT 2,000 (CWTS Product) Balderson QC Compatible HEIGHT: 52"(1321mm) FOR USE WITH: standard quick coupler (IT) | | \$9,519 NI |
| W | 112-3121 | BUCKET, 1.7 YD3 GP 1,104 FOR USE WITH: standard quick coupler (IT) | | \$5,251 NI |
| W | 318-6523 | BUCKET-MH, 100" 2.25 YD3(QC)IT 3,306 (CWTS Product) 100"(2540mm) wide INCLUDES: Full width top clamp REQUIRES: bolt-on cutting edge and 3rd valve, and 176-7287 connector lines. | | \$21,292 NI |
| W | 70-8364 | BUCKET-MH, 94" 2.88 YD3(QC)IT 1,730 (CWTS Product) 94"(2388mm) wide INCLUDES: bolt-on cutting edge | | \$7,947 NI |
| W | 110-2209 | BUCKET-MH, 94" 4.00 YD3(QC)IT 2,050 (CWTS Product) 94"(2379mm) wide INCLUDES: bolt-on cutting edge | | \$8,494 NI |

IT14 AND IT14G - Multi Purpose Buckets

| | | | | |
|---|---------|---|--|--------------------|
| W | 30-7222 | BUCKET-MP, 95" 1.50 YD3 (QC)IT 2,450 (CWTS Product) 95"(2413mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve and 176-7287 connector lines | | \$18,653 NI |
|---|---------|---|--|--------------------|

IT14 AND IT14G - Side Dump Buckets.

| | | | | |
|---|---------|--|--|--------------------|
| W | 70-8367 | BUCKET-SD, 1.6 YD3 (QC)-IT 2,600 (CWTS Product) 108"(2743mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve and 176-7287 connector lines | | \$21,364 NI |
| W | 70-8368 | BUCKET-SD, 2.0 YD3 (QC)-IT 2,800 (CWTS Product) 108"(2743mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve and 176-7287 connector lines | | \$23,642 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

IT14 AND IT14G - Wood Chip Buckets

| | | | | |
|---|----------|---|-------|-------------|
| W | 231-2265 | BUCKET-WC, 5.0 YD3 (QC)-IT (CWTS Product) 122" wide INCLUDES: bolt-on cutting edge | 2,810 | \$12,710 NI |
|---|----------|---|-------|-------------|

IT14 AND IT14G - Carriages and Forks

| | | | | |
|---|----------|---|-----|------------|
| W | 6W-8832 | CARRIAGE, FORK FOR USE WITH: Standard Coupler (IT / Horizontal pin) REQUIRES: 2 Tines (Forks), NOT INCLUDED | 699 | \$2,511 NI |
| W | 195-6937 | FORK TINE, 2" X 5" X 42" Order Quantity of 2 for a pair. | 198 | \$729 NI |
| W | 195-6938 | FORK TINE, 2.5" X 5" X 54" Order Quantity of 2 for a pair. | 283 | \$1,000 NI |

IT14 AND IT14G - Lumber and Log Forks

| | | | | |
|---|----------|--|-------|------------|
| W | 231-2284 | FORK, LOG & LUMBER (QC)-IT (CWTS Product) DUMP CLEARANCE: 95"(2413mm) INCLUDES: 86"(2184mm) carriage and 60"(1524mm) floating tines | 1,800 | \$9,767 NI |
| W | 242-4048 | FORK, PALLET (QC)-IT (CWTS PRODUCT) 62"(1575mm) carriage and 48"(1219mm) swinging tines | 1,144 | \$6,496 NI |
| W | 242-4049 | FORK, PALLET (QC)-IT (CWTS PRODUCT) 62"(1575mm) carriage and 60"(1524mm) swinging tines | 1,271 | \$6,794 NI |
| W | 242-4050 | FORK, PALLET (QC)-IT (CWTS PRODUCT) 62"(1575mm) carriage and 72"(1829mm) swinging tines | 1,374 | \$7,392 NI |
| W | 143-6311 | FORK, PALLET (QC)-IT (CWTS Product) MAXIMUM LOAD: 5700 lbs(2585kg) INCLUDES: 76"(1930mm) carriage and 48"(1219mm) swinging tines | 1,200 | \$7,497 NI |
| W | 243-3315 | FORK, PALLET (QC)-IT (CWTS Product) MAXIMUM LOAD: 5500 lbs(2495kg) INCLUDES: 72"(1829mm) carriage and 48"(1219mm) hydraulic adjustable, swinging tines | 1,400 | \$9,664 NI |
| W | 143-6312 | FORK, PALLET (QC)-IT (CWTS Product) MAXIMUM LOAD: 5350 lbs(2426kg) INCLUDES: 76"(1930mm) carriage and 60"(1524mm) swinging tines | 1,300 | \$7,814 NI |
| W | 143-6313 | FORK, PALLET (QC)-IT (CWTS Product) MAXIMUM LOAD: 5000 lbs(2268kg) INCLUDES: 76"(1930mm) carriage and 72"(1829mm) swinging tines | 1,400 | \$8,442 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

IT14 AND IT14G - Material Handling Arm

| | | | | |
|---|----------|---|--|-------------------|
| W | 229-9714 | ARM, MATERIAL HANDLING 990 (BCP Product) For safe handling of bulky objects. Mechanically adjustable to 3 positions, length from 79" to 117" to 155". Also fits Backhoe Loader and Telehandler Machines. | | \$5,104 NI |
|---|----------|---|--|-------------------|

IT14 AND IT14G - Snowplows

| | | | | |
|---|----------|--|--|--------------------|
| W | 498-0731 | PLOW, 144" MAN REV SNOW(QC)-IT 3,430 (CWTS Product) HEIGHT: 50"(1270mm) ONE-WAY PLOWS | | \$22,781 NI |
| W | 243-3300 | PLOW, 104" ONE-WAY SNOW(QC)-IT 1,320 (CWTS Product) HEIGHT: 67"(1702mm) | | \$10,167 NI |

CATERPILLAR MACHINE PRICE LIST

WT-CWL

| USE | REF NO. | CATERPILLAR WORK TOOLS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------------|-----------------|----------------------|
|-----|---------|------------------------|-----------------|----------------------|

CWL - NON CURRENT MODELS (CONT.)

914G AND 914G2

914G/914G2 are not exchangeable with 914K/914M

914G AND 914G2 - Buckets

| | | | | |
|---|----------|-------------------------------------|-------|-------------|
| W | 112-1257 | BUCKET-GP, 1.7 YD3 | 946 | \$5,251 NI |
| | | (BCP Product) | | |
| W | 241-2751 | BUCKET-GP, 95" 2.00 YD3 | 2,050 | \$7,981 NI |
| | | (CWTS Product) | | |
| | | INCLUDES: bolt-on edge | | |
| W | 237-7238 | BUCKET-MH, 111" 2.63 YD3 | 1,660 | \$7,411 NI |
| | | (CWTS Product) | | |
| | | 111"(2819mm) wide | | |
| | | INCLUDES: bolt on edge | | |
| W | 125-9295 | BUCKET-FERT, 85" 2.38 YD3 | 1,500 | \$8,228 NI |
| | | (CWTS Product) | | |
| | | 85"(2159mm) wide | | |
| | | INCLUDES: bolt-on edge | | |
| W | 125-9297 | BUCKET-FERT, 85" 2.88 YD3 | 1,700 | \$8,538 NI |
| | | (CWTS Product) | | |
| | | 85"(2159mm) wide | | |
| | | INCLUDES: bolt-on edge | | |
| W | 127-1801 | BUCKET-WC, 122" 4.50 YD3 | 2,700 | \$12,118 NI |
| | | (CWTS Product) | | |
| | | 122"(3099mm) wide | | |
| | | INCLUDES: bolt-on cutting edge | | |

PACKING

PACKING REQUIRED WHEN ORDERING CWTS PRODUCTS

When ordering BCP products, do not use a packing code.

| | | | | |
|---|---------|---|---|-------|
| W | 0P-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| W | 0G-0007 | CWTS CUSTOM PRODUCT ACC QUOTE | 0 | NC NI |
| | | Can only be used for ETO orders | | |
| | | Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote. | | |