

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS

Ship Weight
lbs

List Price
At Factory

Standard Equipment:

This WT-MWL Price List consists of Work Tools for 950 through 982 Medium Wheel Loaders

Listed below are the Machines and products for each machine group. The search for Machine sections copy the header below and paste into the search bar
Snow Removal Products for Medium

950 GC WHEEL LOADER

- Buckets
- Coupler
- Blades
- Snow Products

950 & 962 WHEEL LOADER

- Buckets
- Coupler
- Forks
- Blades
- Material Handling Arm
- Rakes
- Snow Products

966 & 972 WHEEL LOADER

- Buckets
- Coupler
- Forks
- Material Handling Arm
- Rakes
- Blades
- Snow Products

980H, 980K, 980L AND 980M WHEEL LOADER

- Buckets
- Coupler
- Forks
- Blades
- Snow Product
- Block Handling Tools

982M WHEEL LOADER

- Buckets

Cat Snow Blades for Wheel Loaders

- Key Features (GEHQ0237)

Cat V-Plows for Wheel Loaders

- Key Features (GEHQ0238)

Cat Snow Push for Wheel Loaders

- Key Features (GEHQ0239)

Cat Ice Scarifiers for Wheel Loaders

- Key Features (GEHQ0240)

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
WT-MWL-001

CATERPILLAR MACHINE PRICE LIST

WT-MWL

MEDIUM WHEEL LOADER WORK TOOLS	Ship Weight lbs	List Price At Factory
--------------------------------	--------------------	--------------------------

OP-4739 MEDIUM WHEEL LOADER WORK TOOLS	0	NC
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.		

**FOR QUESTIONS, SUPPORT AND QUOTATIONS
PLEASE CONTACT THE SALES SUPPORT TEAM IN
AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

OP-0210
Please use this packing code to orders from this Price List.

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER

950GC BUCKETS / PIN ON

GC-TYPE GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	448-5092	BUCKET-GP GC, 114" 4.00YD3 3,071 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) w/bolt-on adapters, 117" (2972mm) wide 4.00 YD3 (3.1 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.00YD3(3.1M3) w/bolt-on cutting edges, 114" (2894mm)wide (bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$11,011 NI
---	----------	---	--	-------------

W	461-6531	BUCKET-GP GC, 114" 4.25YD3 3,161 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 4.00 YD3 (3.1 M3) w/bolt-on adapters, 117" (2972mm) wide 4.25 YD3 (3.3 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.25YD3(3.3M3) w/bolt-on cutting edges, 114" (2894mm)wide (bucket tag) 110% FILL FACTOR: 4.75 YD3 (3.6 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$11,403 NI
---	----------	---	--	-------------

GC-TYPE MATERIAL HANDLING PERFORMANCE SERIES (PIN-ON)

W	477-7221	BUCKET-MH GC, 114" 4.00YD3 3,100 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) w/bolt-on adapters, 117" (2972mm) wide 4.00 YD3 (3.1 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.00YD3(3.1M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$11,344 NI
---	----------	--	--	-------------

W	477-7372	BUCKET-MH GC, 114" 4.25YD3 3,192 GC-TYPE PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC Machines ONLY REQUIRES: G.E.T. CAPACITIES: 4.00 YD3 (23.1 M3) w/bolt-on adapters, 117" (2972mm) wide 4.25 YD3 (3.3 M3) w/bolt-on adapters and segments, 114" (2894mm) wide 4.25YD3(3.3M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.75 YD3 (3.6 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$12,085 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

GC-TYPE MATERIAL HANDLING PERFORMANCE SERIES (PIN-ON) (Cont.)

W	419-1626	BKTA GC, 120" 5.75YD3 PO 4,559 PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC, 950G/H/L & 962G/H/L Machines ONLY INCLUDES: Bolt-on cutting edges CAPACITIES: 5.75YD3(4.4M3) w/bolt-on cutting edges, 120"(3059mm)wide (bucket tag) 110% FILL FACTOR: 6.25 YD3 (4.8 M3) with bolt-on edges, 120" (3059MM) wide (bucket tag)		\$20,172 NI
---	----------	---	--	--------------------

950GC COUPLER / FUSION

W	310-9391	QUICK COUPLER, FUSION 1,090 REQUIRES: Kit, Coupler Hydraulic Supply (530-2463) ONLY FOR USE WITH: 950 GC Machines		\$6,579 NI
---	----------	--	--	-------------------

950GC COUPLER HYDRAULIC SUPPLY GROUP (FUSION)

W	530-2463	KIT, COUPLER HYDRAULIC SUPPLY 29 FOR USE WITH: 310-9391 Coupler 950GC STANDARD LIFT machines machine serial number prefix M5K and M5T		\$1,919 NI
W	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 REQUIRED: when coupler is used with hydraulic tools that require 3rd valve		\$1,050 NI

950GC BUCKETS / FUSION

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

W	382-9834	BKT GP ST 114" 4.0 YD3 FUS 3,302 PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC, 950G/H/K & 962G/H/K Machines ONLY REQUIRES: G.E.T. CAPACITIES: 3.75 YD3 (2.9 M3) w/bolt-on adapters, 117" (2972mm) wide 4.00 YD3 (3.1 M3) w/bolt-on adapters and segments, 117" (2972mm) wide 4.00YD3(3.1M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.50 YD3 (3.4 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$12,953 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

950GC BUCKETS / FUSION (Cont.)

W	382-9835	BKT GP ST 114" 4.5 YD3 FUS 3,552 PERFORMANCE SERIES BUCKET FOR USE WITH: 950GC, 950G/H/K & 962G/H/K Machines ONLY REQUIRES: G.E.T. CAPACITIES: 4.25 YD3 (3.2 M3) w/bolt-on adapters, 117" (2972mm) wide 4.50 YD3 (3.4 M3) w/bolt-on adapters and segments, 117" (2972mm) wide 4.50YD3(3.4 M3) w/bolt-on cutting edges, 114"(2894mm)wide (bucket tag) 110% FILL FACTOR: 4.80 YD3 (3.7 M3) with bolt-on edges, 114" (2894MM) wide (bucket tag)		\$13,853 NI
---	----------	--	--	--------------------

950GC BUCKET G.E.T.

BOLT ON CUTTING EDGE

W	139-9229	CUTTING EDGE, BOLT-ON 600 1.2" (30mm) thick, 114"(2894mm) wide (1 required)		\$1,635
---	----------	--	--	----------------

K80 G.E.T. FOR GENERAL PURPOSE AND MATERIAL HANDLING BUCKETS (INCLUDING MOUNTING HARDWARE)

W	257-1766	ADAPTERS, TIP, BOLT-ON, K080 298 (1 required) Includes 8 Adapters FOR USE WITH: K80 tips		\$2,286
W	229-6969	TIP, GENERAL DUTY 26 (8 required) FOR USE WITH: K80 adapters		\$68
W	107-3394	SEGMENTS, BOLT ON 352 Set of 7 segments, 35mm thick (1 required) ONLY FOR USE WITH: ADAPTERS, TIP, BOLT-ON & TIPS		\$1,004

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,213 NI
---	----------	---	--	-------------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,358 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

PALLET FORK TINES (FUSION) (Cont.)

W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,142 NI
---	----------	--	--	------------

950 GC SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

W	524-6848	BLD 144 HYD ANG SNW TRP FUS 3,020 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$13,949 NI
W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED		\$17,975 NI

U/V ANGLE BLADES

W	524-6865	BLD 132 U/V ANG FUS 2,900 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$28,758 NI
W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$32,354 NI
W	542-1498	DIVERTER VALVE KIT, U/V ANG 0 FOR USE WITH: OPTION FOR LOADERS WITH 3F ONLY REQUIRES: DEALER TO CREATE WIRING. HYDRAULICS ONLY.		\$3,757 NI

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS 6,913 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$19,413 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 GC WHEEL LOADER (CONT.)

ICE SCRAPER

W	524-6876	SCARIFIER 147" FUS.	3,309	\$11,503 NI
---	----------	--------------------------	-------	-------------

V PLOW

W	314-2510	PLOW, 126" V SNOW HEIGHT: 82" (2082mm) FOR USE WITH: Fusion Coupler	2,765	\$9,994 NI
---	----------	---	-------	------------

950 & 962 WHEEL LOADER

950M/K & 962M/K BUCKETS / PIN ON

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	352-5537	BKT GP ST 114" 4.0 YD3 PO PERFORMANCE SERIES BUCKET CAPACITIES: 3.75YD3 (2.9M3) w/bolt-on adapters, 117"(2972mm) wide 4.00YD3 (3.1M3) w/bolt-on adapters and segments, 117"(2972mm) 4.00YD3 (3.1M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.	3,516	\$12,956 NI
---	----------	---	-------	-------------

W	354-4853	BKT GP ST 114" 4.5 YD3 PO PERFORMANCE SERIES BUCKET CAPACITIES: 4.25YD3 (3.2M3) with bolt-on adapters, 117"(2972mm) wide 4.50YD3 (3.4M3) with bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.75YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1452	3,721	\$13,854 NI
---	----------	--	-------	-------------

W	516-1452	BKTA GP ST 114" 4.5 YD3 PO Lane 1 Work Tool INCLUDES: 354-4853 Bucket-GP with Standard steel Bolt-On Cutting Edges	4,242	\$15,447 NI
---	----------	--	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / PIN ON (Cont.)

W	354-4855	BKT GP ST 114" 4.75 YD3 PO 3,803 PERFORMANCE SERIES BUCKET CAPACITIES: 4.50YD3 (3.4M3) with bolt-on adapters, 117"(2972mm) wide 4.75YD3 (3.6M3) with bolt-on adapters and segments, 117"(2972mm) 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.25YD3(4.0M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2814		\$14,436 NI
W	516-2814	BKTA GP ST 114" 4.75 YD3 PO 4,323 Lane 1 Work Tool INCLUDES: 354-4855 Bucket-GP with Standard steel Bolt-On Cutting Edges		\$16,104 NI
W	376-7800	BKT GP ST 114" 5.0 YD3 PO 3,907 Lane 1 Work Tool PERFORMANCE SERIES BUCKET CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.20M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of K80 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2560		\$14,706 NI
W	516-2560	BKTA GP ST 115" 5.0 YD3 PO 4,429 PERFORMANCE SERIES BUCKET INCLUDES: 376-7800 Bucket-GP with BOCE		\$16,292 NI

FLAT FLOOR PERFORMANCE SERIES (PIN-ON)

W	354-4865	BKT FF ST 114" 4.5 YD3 PO 3,704 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25YD3 (3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3 (3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3 (3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.75YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$13,857 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / PIN ON (Cont.)

W	354-4867	BKT FF ST 114" 5.0 YD3 PO 3,918 PERFORMANCE SERIES BUCKET CAPACITIES: 4.75YD3 (3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3 (3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3 (3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$14,514 NI
---	----------	---	--	-------------

SPECIAL APPLICATION (PIN-ON)

MULTI-PURPOSE (PIN ON)

W	380-8308	BKTA MP ST 2943MM 2.87M3 PO 4,687 116" (2943mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$26,583 NI
---	----------	--	--	-------------

SIDE DUMP (PIN ON)

W	383-2233	BKTA SD ST 127" 3.75 YD3 PO 5,413 127" (3220mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$29,689 NI
---	----------	--	--	-------------

HIGH DUMP (PIN-ON)

For heavy duty applications such as waste or handling
 heaping materials such as compost.

W	384-0765	BKTA HD ST 115" 6.0 YD3 PO 5,947 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$51,597 NI
W	384-0758	BKTA HD ST 115" 8.0 YD3 PO 6,201 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$53,833 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

HIGH DUMP (PIN-ON)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	393-5441	BKTA HD ST 119" 6.7 YD3 PO 5,776 119" (3029mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$25,682 NI
W	521-1706	BKTA HD ST 120" 8.0 YD3 PO 6,617 120" (3037mm) wide INCLUDES: Bolt on Cutting Edge REQUIRES: 3rd valve		\$34,408 NI
W	521-1704	BKTA HD ST 132" 10.0 YD3 PO 7,129 132" (3350mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$37,310 NI
W	521-1675	BKTA HD ST 132" 12.0 YD3 PO 7,504 132" (3350mm) wide INCLUDES: Bolt-on Cutting Edge REQUIRES: 3rd valve		\$38,794 NI

GRAPPLE (PIN-ON)

W	377-6182	BUCKET-TC, 120" 6.00 YD3 6,449 120" (3059mm) wide INCLUDES: Bolt-On Cutting Edge		\$36,835 NI
---	----------	--	--	-------------

WASTE HANDLING (PIN-ON)

950K / 962K

W	516-3001	BKTA WD ST 121" 6.75 YD3 PO 5,139 Dozing style bucket 121" (3059mm) wide Includes: 309-1062 CUTTING EDGE, BOLT-ON (steel) CAPACITIES: 6.75YD3 with Bolt-on cutting edge 18.00YD3 Dozing capacity with Bolt-on cutting edge		\$23,107 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

WASTE HANDLING (PIN-ON) (Cont.)

W	516-3013	BKTA WD ST 121" 6.75 YD3 PO 5,146 Dozing style bucket 121" (3059mm) wide Includes: 437-0288 CUTTING EDGE, BOLT-ON RUBBER CAPACITIES: 6.75YD3 with Bolt-on cutting edge 18.00YD3 Dozing capacity with Bolt-on cutting edge		\$25,494 NI
W	516-2981	BKTA WLC ST 121" 8.0 YD3 PO 5,895 Load and Carry style bucket 121" (3059mm) wide Includes: 309-1062 CUTTING EDGE, BOLT-ON (Steel) CAPACITIES: 8.00YD3 with Bolt-on cutting edge		\$27,794 NI
W	516-2903	BKTA WLC ST 121" 8.0 YD3 PO 5,900 Load and Carry style bucket 121" (3059mm) wide Includes: 437-0288 CUTTING EDGE, BOLT-ON RUBBER CAPACITIES: 8.00YD3 with Bolt-on cutting edge		\$30,182 NI
W	449-4377	BKT WLC ST 121" 5.75 YD3 PO 7,929 Waste Handling bucket with clamp for light sorting or dozing when fully open. 121" (3059mm) wide REQUIRES: 309-1062 CUTTING EDGE, BOLT-ON (steel) or 437-0288 CUTTING EDGE, BOLT-ON RUBBER ALSO REQUIRES: 3rd Valve CAPACITIES: 5.50YD3 with Bolt-on cutting edge		\$32,897 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	354-4873	BKTA WC ST 131" 12 YD3 PO 5,401 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge CAPACITIES: 12.0YD3 (9.2m3) with Bolt-on cutting edge		\$26,329 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

WOODCHIP (PIN-ON) (Cont.)

W	354-4875	BKTA WC ST 131" 13 YD3 PO 5,600 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge CAPACITIES: 13.0YD3(9.9M3) with Bolt-on cutting edge		\$27,296 NI
---	----------	--	--	-------------

950M/K & 962M/K BUCKETS / FUSION

GENERAL PURPOSE (FUSION)

W	348-0242	BKT GP ST 114" 4.0 YD3 FUS 3,274 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 3.75YD3 (2.9M3) w/bolt-on adapters, 117"(2972mm) wide 4.00YD3 (3.1M3) w/bolt-on adapters and segments, 117"(2972mm) 4.00YD3 (3.1M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide (Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-3431		\$12,953 NI
W	516-3431	BKT GP ST 115" 4.0 YD3 FUS 3,794 PERFORMANCE SERIES BUCKET INCLUDES: 348-0242 Bucket-GP with BOLT-ON CUTTING EDGE (BOCE)		\$14,551 NI
W	354-4854	BKT GP ST 114" 4.5 YD3 FUS 3,428 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.25YD3(3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3(3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.00YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1417		\$13,853 NI
W	516-1417	BKTA GP ST 115" 4.5 YD3 FUS 3,948 Lane 1 Work Tool INCLUDES: 354-4854 BUCKET-GP with Bolt-on cutting edge (BOCE)		\$15,446 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	354-4856	BKT GP ST 114" 4.75 YD3 FUS 3,503 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.50YD3(3.4M3) w/bolt-on adapters, 117"(2972mm) wide 4.75YD3(3.6M3) w/bolt-on adapters and segments, 117"(2972mm) 4.75YD3(3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% Fill Factor: 5.25YD4(4.0M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2827		\$14,436 NI
W	516-2827	BKTA GP ST 115" 4.75 YD3 FUS 4,023 Lane 1 Work Tool INCLUDES: 354-4856 BUCKET-GP with bolt-on cutting edge		\$15,875 NI
W	376-7801	BKT GP ST 114" 5.0 YD3 FUS 3,602 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.75YD3(3.6 M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8 M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8 M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose one set of K80 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2761		\$14,706 NI
W	516-2761	BKTA GP ST 115" 5.00YD3 FUS 4,123 PERFORMANCE SERIES BUCKET INCLUDES: 376-7801 Bucket-GP with BOCE		\$16,292 NI

FLAT FLOOR PERFORMANCE SERIES (FUSION)

W	354-4866	BKT FF ST 114" 4.5 YD3 FUS 3,411 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.25YD3(3.2M3) w/bolt-on adapters, 117"(2972mm) wide 4.50YD3(3.4M3) w/bolt-on adapters and segments, 117"(2972mm) 4.50YD3(3.4M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.00YD3(3.7M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$13,857 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	354-4868	BKT FF ST 114" 5.0 YD3 FUS 3,611 PERFORMANCE SERIES BUCKET FOR USE WITH: Fusion Coupler CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 117"(2972mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 117"(2972mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of adaptors, one set of tips and optional bolt-on segments.		\$14,514 NI
---	----------	--	--	--------------------

SPECIAL APPLICATION (FUSION)

MULTI-PURPOSE (FUSION)

W	313-1397	BKTA MP ST 116" 3.75 YD3 FUS 4,601 116" (2943mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$26,581 NI
---	----------	--	--	--------------------

SIDE DUMP (FUSION)

W	314-2547	BKTA SD ST 127" 3.75 YD3 FUS 5,177 127" (3220mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$29,689 NI
---	----------	--	--	--------------------

HIGH DUMP (FUSION)

For heavy duty applications such as waste or handling heaping materials such as compost.

W	312-1727	BKTA HD ST 115" 6.0 YD3 FUS 5,891 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve		\$51,597 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

W	384-0756	BKTA HD ST 115" 8.0 YD3 FUS 115" (2921mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler REQUIRES: 3rd valve	6,139	\$53,833 NI
---	----------	--	-------	-------------

HIGH DUMP (FUSION)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1807	BKTA HD ST 120" 8.0 YD3 FUS 120" (3037mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve	6,624	\$34,408 NI
W	521-1762	BKTA HD ST 132" 10.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve	7,131	\$37,310 NI
W	518-1563	BKTA HD ST 132" 12.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve	7,510	\$38,794 NI

GRAPPLE (FUSION)

W	377-6178	BUCKET-TC, 120" 6.00 YD3 120" (3059mm) wide INCLUDES: Bolt-on Edge FOR USE WITH: Fusion Coupler	6,226	\$36,835 NI
---	----------	--	-------	-------------

WASTE HANDLING (FUSION)

W	519-3516	BKT WD ST 119" 6.75 YD3 FUS Lane 1 Work Tool Dozing style bucket 121" (3059mm) wide REQUIRES: Bolt-on cutting steel edge 309-1062 or rubber edge 437-0288 CAPACITIES: 6.75 CYD with Bolt-on cutting edge 18.00 CYD Dozing capacity with Bolt-on cutting edge	4,319	\$21,311 NI
---	----------	---	-------	-------------

WOODCHIP (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K BUCKETS / FUSION (Cont.)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	354-4874	BKTA WC ST 131" 12 YD3 FUS 5,227 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler CAPACITIES: 12.0YD3 (9.2M3) w/bolt-on cutting edges		\$26,854 NI
W	354-4876	BKTA WC ST 131" 13 YD3 FUS 5,437 131" (3330mm) wide INCLUDES: Bolt-on Cutting Edge FOR USE WITH: Fusion Coupler CAPACITIES: 13.0YD3 (9.9M3) w/bolt-on cutting edges		\$27,076 NI

950M/K & 962M/K / VCE

HIGH DUMP BUCKETS (VCE)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1858	BKTA HD ST 120" 8.0 YD3 VCE 6,368 120" (3037mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve CAPACITIES: 8.0YD3 (6.1M3) w/bolt-on cutting edges		\$34,408 NI
W	521-1854	BKTA HD ST 132" 10.0 YD3 VCE 6,875 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve CAPACITIES: 10.0YD3 (7.6M3) w/bolt-on cutting edges		\$37,310 NI
W	521-1849	BKTA HD ST 132" 12.0 YD3 VCE 7,255 132" (3350mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: 3rd valve CAPACITIES: 12.0YD3 (9.2M3) w/bolt-on cutting edges		\$38,794 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950 & 962 BUCKET G.E.T.

FOR CWTS PRODUCT - BUCKET G.E.T. CAN ONLY BE ORDERED AS INSTALL AND WITH A BUCKET !!

BOLT ON CUTTING EDGE

W	139-9229	CUTTING EDGE, BOLT-ON 600 1.2" (30mm) thick, 114" (2894mm) wide, (1 required)		\$1,635
W	309-1062	CUTTING EDGE, BOLT-ON 565 1.2" (30mm) thick, 121" (3059mm) wide (1 required) FOR USE WITH: 519-3516 Dozing Bucket 449-4377 Waste Handling Bucket		\$1,832
W	437-0288	CUTTING EDGE, BOLT-ON RUBBER 646 1.2" (30mm) thick, 121" (3059mm) wide (1 required) FOR USE WITH: 519-3516 Dozing Bucket 449-4377 Waste Handling Bucket		\$4,281
W	174-7948	GUARD, CORNER 143 FOR USE WITH: 139-9229 CUTTING EDGE, BOLT-ON		\$324

K80 G.E.T. FOR GENERAL PURPOSE AND FLAT FLOOR BUCKETS (INCLUDING MOUNTING HARDWARE)

W	257-1766	ADAPTERS, TIP, BOLT-ON, K80 298 (1 required) FOR USE WITH: K80 tips		\$2,286
W	107-3394	SEGMENTS, BOLT ON 352 35mm thick. (1 required) FOR USE WITH: K80 adapters and tips		\$1,004
W	229-6969	TIP, GENERAL DUTY 26 FOR USE WITH: K80 adapters (8 required)		\$68
W	229-6964	TIP, EXTRA DUTY 29 FOR USE WITH: K80 adapters (8 required)		\$74
W	229-6965	TIP, PENETRATION 20 FOR USE WITH: K80 adapters (8 required)		\$61

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K COUPLERS / FUSION

W	349-5246	QUICK COUPLER, FUSION Lane 1 Work Tool REQUIRES: Supply Group	1,248	\$6,579 NI
---	----------	---	-------	------------

950M & 962M COUPLER SUPPLY GROUPS (FUSION)

W	462-6418	KIT, COUPLER HYDRAULIC SUPPLY Lane 1 Work Tool FOR USE WITH: 349-5246 Coupler 950M STANDARD LIFT machines machine serial number prefix EMB, XCJ, J1S, FTR, ENE and LCR	33	\$2,260 NI
---	----------	---	----	------------

W	462-6419	KIT, COUPLER HYDRAULIC SUPPLY Lane 1 Work Tool FOR USE WITH: 349-5246 Coupler 962M STANDARD LIFT machines machine serial number prefix EJB, JYD, J2S, F2T, LSE and RCL	33	\$2,311 NI
---	----------	---	----	------------

W	462-6420	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 349-5246 Coupler 950M/962M HIGH LIFT machines machine serial number prefix EMB, XCJ, J1S, FTR, ENE and LCR machine serial number prefix EJB, JYD, J2S, F2T, LSE and RCL	31	\$2,260 NI
---	----------	---	----	------------

950K & 962K COUPLER SUPPLY GROUPS

W	368-0684	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 349-5246 Coupler FOR USE WITH: 950K STANDARD LIFT Machines machine serial number prefix R4A, FER, J5M and LRN	53	\$1,579 NI
---	----------	--	----	------------

W	368-0686	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 349-5246 Coupler FOR USE WITH: 962K STANDARD LIFT Machines machine serial number prefix X4T, FLL, T6A and MRM	43	\$1,579 NI
---	----------	--	----	------------

W	368-0687	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 349-5246 Coupler FOR USE WITH: 950K/962K HIGH LIFT Machines machine serial number prefix R4A, FER, J5M and LRN machine serial number prefix X4T, FLL, T6A and MRM	111	\$1,579 NI
---	----------	---	-----	------------

950M/K & 962M/K COUPLER CONNECTOR LINES (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950K & 962K COUPLER SUPPLY GROUPS (Cont.)

W	378-8421	LINES GP-IMPLEMENT 3V (QC) 22 REQUIRED: When coupler is used with hydraulic tools that require 3rd valve.		\$543 NI
W	378-8422	LINES GP-IMPLEMENT 3V&4V (QC) 44 REQUIRED: When coupler is used with hydraulic tools that require 3rd and/or 4th valve.		\$1,085 NI

950M/K & 962M/K FORKS / PIN ON

LOGGING (PIN ON)

W	379-5408	FORK, LOGGING 64" 5,451 90"(2298mm) carriage and 64"(1609mm) tines INCLUDES: Double Top Clamp, GET tips and connecting lines REQUIRES: 3rd valve		\$40,057 NI
---	----------	---	--	-------------

LOG AND LUMBER (PIN-ON)

W	379-2323	FORK, LOG & LUMBER 48" 2,504 96"(2438mm) carriage and 48"(12194mm) non-swinging tines		\$12,597 NI
W	379-2340	FORK, LOG & LUMBER 60" 2,948 96"(2438mm) carriage and 60"(1524mm) non-swinging tines		\$13,639 NI
W	379-2344	FORK, LOG & LUMBER 72" 2,952 96"(2438mm) carriage and 72"(1829mm) non-swinging tines		\$13,981 NI
W	379-2346	FORK, LOG & LUMBER 96" 3,367 96"(2438mm) carriage and 96"(2438mm) non-swinging tines		\$16,957 NI

LOG AND LUMBER W/ SEMI-MILLYARD TOP CLAMP (PIN ON)

W	382-7885	FORK, LOG & LUMBER SM 76" 4,370 76"(1923mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp and connecting lines REQUIRES: 3rd valve		\$29,811 NI
---	----------	---	--	-------------

UNLOADING GRAPPLE (PIN ON)

W	396-8852	FORK, GRAPPLE 36" 4,949 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$37,699 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / PIN ON (Cont.)

SORTING GRAPPLE (PIN ON)

W	417-3422	FORK, GRAPPLE 48" 5,260 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$38,485 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / PIN ON (Cont.)

MILLYARD (PIN ON)

W	374-7148	FORK, MILLYARD 64"	5,865	\$37,400 NI
		90"(2286mm) carriage and 64"(1609mm) tines		
		INCLUDES: Millyard top clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

MILLYARD POLE (PIN ON)

W	384-3214	FORK, MILLYARD POLE 66"	4,506	\$37,974 NI
		86"(2184mm) carriage and 66"(1677mm) tines		
		INCLUDES: Millyard top clamp, Roller tips and connecting lines		
		REQUIRES: 3rd valve		

W	445-2466	FORK, MILLYARD POLE 66"	4,495	\$37,697 NI
		86"(2184mm) carriage and 66"(1677mm) tines		
		INCLUDES: Millyard top clamp, Solid tips and connecting lines		
		REQUIRES: 3rd valve		

W	390-6753	BUCKET-CU, 132" 8.00 YD3	4,379	\$12,565 NI
		Slips on over Millyard Pole Forks		
		FOR USE WITH: 384-3214, 445-2466, 442-4392 and 445-2489		

PIPE AND POLE FORK (PIN ON)

W	377-2845	FORK, PIPE & POLE	4,500	\$43,961 NI
		108"(2731mm) carriage and 72"(1829mm) tines		
		INCLUDES: Connector Lines from the coupler to the tool		
		TINE WIDTH: 8" (203mm)		
		TINE THICKNESS: 3" (76mm)		

950M/K & 962M/K FORKS / COUPLER / FUSION

LOG AND LUMBER (FUSION)

W	435-4068	FORK, LOG & LUMBER 48"	2,321	\$11,099 NI
		84"(2134mm) carriage and 48"(1219mm) non-swinging tines		
		FOR USE WITH: Fusion coupler		
		TINE WIDTH: 7" (180mm)		
		TINE THICKNESS: 2.5" (65mm)		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)				
W	435-4634	FORK, LOG & LUMBER 60" 2,765 84" (2134mm) carriage and 60"(1524mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$11,938 NI
W	435-4684	FORK, LOG & LUMBER 72" 2,901 84" (2134mm) carriage and 72"(1829mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$12,835 NI
W	435-4686	FORK, LOG & LUMBER 96" 3,183 84" (2134mm) carriage and 96" (2438mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$14,836 NI
W	379-2063	FORK, LOG & LUMBER 48" 2,366 96"(2438mm) carriage and 48"(1219mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 2.5" (65mm)		\$12,597 NI
W	379-2109	FORK, LOG & LUMBER 60" 2,809 96"(2438mm) carriage and 60"(1524mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$13,639 NI
W	379-2199	FORK, LOG & LUMBER 72" 2,946 96"(2438mm) carriage and 72"(1829mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$13,981 NI
W	379-2321	FORK, LOG & LUMBER 96" 3,228 96"(2438mm) carriage and 96"(2438mm) non-swinging tines FOR USE WITH: Fusion coupler TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$16,622 NI

LOG AND LUMBER W/ SEMI-MILLYARD TOP CLAMP (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)

W	380-8227	FORK, LOG & LUMBER SM 72" 4,425 76"(1923mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp and connector lines from coupler to the tool. FOR USE WITH: Fusion Coupler REQUIRES:3rd valve,connector lines from machine to machine to coupler. TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76mm)		\$29,811 NI
---	----------	---	--	--------------------

UNLOADING GRAPPLE (FUSION)

W	377-0722	FORK, GRAPPLE 30" 4,253 72"(1832mm) carriage and 30"(762mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$36,914 NI
W	352-7339	FORK, GRAPPLE 36" 4,729 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$37,699 NI
W	361-3084	FORK, GRAPPLE 36" 5,664 73"(1850mm) carriage and 36"(917mm) tines INCLUDES: Top clamp, Kick out and connector lines from coupler to the REQUIRES: 3rd and 4th valve.		\$50,265 NI

SORTING GRAPPLE (FUSION)

W	442-9358	FORK, GRAPPLE 48" 5,082 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Top clamp and connector lines from coupler to the tool REQUIRES: 3rd valve		\$38,485 NI
---	----------	---	--	--------------------

MILLYARD (FUSION)

W	383-3523	FORK, MILLYARD 63" 6,098 90" (2286mm) carriage and 64" (1609mm) tines INCLUDES: Millyard top clamp, GET tips and connector lines REQUIRED: 3rd valve		\$41,221 NI
---	----------	--	--	--------------------

MILLYARD POLE (FUSION)

W	442-4392	FORK, MILLYARD POLE 66" 4,485 73"(1855mm) carriage and 48"(1219mm) tines INCLUDES: Millyard top clamp, Roller tips and connecting line REQUIRES: 3rd valve		\$37,974 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K FORKS / COUPLER / FUSION (Cont.)

W	445-2489	FORK, MILLYARD POLE 66" 4,486 86"(2184mm) carriage and 66"(1677mm) tines INCLUDES: Millyard top clamp, Solid tips and connecting lines REQUIRES: 3rd valve		\$37,697 NI
W	390-6753	BUCKET-CU, 132" 8.00 YD3 4,379 Slips on over Millyard Pole Forks FOR USE WITH: 384-3214, 445-2466, 442-4392 and 445-2489		\$12,565 NI

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,213 NI
---	----------	--	--	------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,358 NI
W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,142 NI

CONSTRUCTION FORK CARRIAGES (FUSION)

W	520-7957	CARRIAGE GROUP, 96" 1,761 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services 96"(2438mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP		\$7,765 NI
W	520-7968	CARRIAGE GROUP, 108" 1,877 108"(2743mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP		\$8,929 NI

CONSTRUCTION FORK TINE GROUPS (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

CONSTRUCTION FORK CARRIAGES (FUSION) (Cont.)

W	520-7985	TINE GROUP, 48" 1,012 INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$3,894 NI
W	520-7980	TINE GROUP, 60" 1,150 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$5,122 NI
W	520-7979	TINE GROUP, 72" 1,288 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$6,588 NI
W	520-7986	TINE GROUP, 84" 1,425 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$9,149 NI
W	520-7981	TINE GROUP, 96" 1,562 Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)		\$11,369 NI

PIPE AND POLE (FUSION)

W	365-1316	FORK, PIPE & POLE 4,500 106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines FOR USE WITH: Fusion Coupler REQUIRES: 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		\$48,319 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950M/K & 962M/K MATERIAL HANDLING ARMS / FUSION

W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services Extendable Lenth 123" (3124mm) to 183" (4648mm) FOR USE WITH: Fusion Coupler		\$7,411 NI
---	----------	---	--	------------

950M/K & 962M/K SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

W	524-6848	BLD 144 HYD ANG SNW TRP FUS 3,020 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler REQUIRES: ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP- IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$13,949 NI
---	----------	--	--	-------------

W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) FOR USE WITH: Fusion Coupler REQUIRES: ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP- IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$17,975 NI
---	----------	--	--	-------------

U/V ANGLE BLADES (FUSION)

W	524-6865	BLD 132 U/V ANG FUS 2,900 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler REQUIRES: TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$28,758 NI
---	----------	--	--	-------------

W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) FOR USE WITH: Fusion Coupler REQUIRES: TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST		\$32,354 NI
---	----------	--	--	-------------

SNOW PUSH (FUSION)

W	524-6872	BLD 180" SNOW PUSH FUS 6,913 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$19,413 NI
---	----------	--	--	-------------

W	524-6873	BLD 240" SNOW PUSH FUS 8,230 HEIGHT: 56" (1423mm) FOR USE WITH: Fusion Coupler		\$25,882 NI
---	----------	--	--	-------------

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 WT-MWL-026

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
ICE SCRAPER (FUSION)				
W	524-6876	SCARIFIER 147" FUS. FOR USE WITH: Fusion Coupler	3,309	\$11,503 NI
V PLOW (FUSION)				
W	314-2510	PLOW, 126" V SNOW HEIGHT: 82" (2082mm) FOR USE WITH: Fusion Coupler	2,765	\$9,994 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G/K & 962H/G/K BROOMS

HYDRAULIC ANGLE BROOMS

W	202-9000	BA30 ANGLE BROOM, HYD, 24V 1,100 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit	1,100	\$19,015 NI
---	----------	--	-------	-------------

W	202-8999	BA30 ANGLE BROOM, HYD, 24V,WTR 1,540 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit	1,540	\$24,965 NI
---	----------	---	-------	-------------

MANUAL ANGLE BROOMS

W	202-7700	BA30 ANGLE BROOM, MAN 1,078 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continous flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit	1,078	\$17,915 NI
---	----------	---	-------	-------------

W	202-7699	BA30 ANGLE BROOM, MAN,24V, WTR 1,518 (BCP PRODUCT) Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit	1,518	\$23,964 NI
---	----------	--	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G/K & 962H/G/K BROOMS (Cont.)

SPECIAL APPLICATION BROOMS

W	257-9680	SA30 ANGLEBROOM, HYD(QC)W/O WTR 1,520 (BCP PRODUCT) Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$21,869 NI
---	----------	---	--	-------------

BROOM ELECTRICAL KIT

W	205-9410	KIT, ELECTRICAL SWITCH 11 (BCP PRODUCT)		\$626 NI
---	----------	--	--	----------

BROOM HOOK GROUPS

W	497-9469	HOOK-GP, FUSION 324 (BCP PRODUCT) FOR USE WITH: BA30		\$1,688 NI
W	487-8481	HOOK-GP, HO(IT38) 112 (BCP PRODUCT) FOR USE WITH: standard quick coupler IT 38		\$1,111 NI

BROOM QUICK COUPLING KIT

W	200-0724	KIT, CONVERSION TEMA 3 (BCP PRODUCT) FOR USE WITH: Machines using nipple type quick disconnects		\$296 NI
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950L/H/G & 962L/H/G BUCKETS / PIN-ON

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	415-3251	BKT GP ST 114" 3.5 YD3 PO 3,205 PERFORMANCE SERIES BUCKET CAPACITIES: 3.25 YD3 (2.5 M3) with bolt-on adapters, 117"(2972mm) wide 3.50 YD3 (2.7 M3) with bolt-on adapters and segments, 117"(2972mm) 3.50 YD3 (2.7 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K80 adaptors, one set of tips and optional bolt-on segments		\$12,261 NI
W	391-4950	BKT GP ST 114" 4.0 YD3 PO 3,323 PERFORMANCE SERIES BUCKET CAPACITIES: 3.75 YD3 (2.9 M3) with bolt-on adapters, 117"(2972mm) wide 4.00 YD3 (3.1 M3) with bolt-on adapters and segments, 117"(2972mm) 4.00 YD3 (3.1 M3) with bolt-on cutting edges, 114"(2894mm) wide		\$12,956 NI
W	395-3265	BKT GP ST 114" 4.25 YD3 PO 3,418 PERFORMANCE SERIES BUCKET CAPACITIES: 4.00 YD3 (3.1 M3) with bolt-on adapters, 117"(2972mm) wide 4.25 YD3 (3.3 M3) with bolt-on adapters and segments, 117"(2972mm) 4.25 YD3 (3.3 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K80 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$13,404 NI
W	560-4465	BKTA GP ST 114" 4.25YD3 PO 4,314 Lane 1 Work Tool FOR USE WITH: 950H Machines INCLUDES: 395-3265 Bucket-GP with Adaptors, Extra Duty Tips, and Segments		\$16,301 NI
W	560-4466	BKTA GP ST 114" 4.25YD3 PO 4,275 Lane 1 Work Tool FOR USE WITH: 950H Machines INCLUDES: 395-3265 Bucket-GP with Adaptors, Extra Duty Tips, and Segments		\$17,265 NI
W	394-8476	BKT GP ST 114" 4.5 YD3 PO 3,481 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25 YD3 (3.2 M3) with bolt-on adapters, 117"(2972mm) wide 4.50 YD3 (3.4 M3) with bolt-on adapters and segments, 117"(2972mm) 4.50 YD3 (3.4 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K80 adaptors, one set of tips and optional bolt-on segments		\$13,854 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950L/H/G & 962L/H/G BUCKETS / PIN-ON (Cont.)

W	395-3949	BKT GP ST 114" 4.75 YD3 PO 3,607 PERFORMANCE SERIES BUCKET CAPACITIES: 4.50 YD3 (3.4 M3) with bolt-on adapters, 117"(2972mm) wide 4.75 YD3 (3.6 M3) with bolt-on adapters and segments, 117"(2972mm) 4.75 YD3 (3.6 M3) with bolt-on cutting edges, 114"(2894mm) wide		\$14,436 NI
---	----------	---	--	-------------

ROCK (PIN-ON)

W	148-7244	BKTA RSP ST 117" 4.0 YD3 PO 5,002 Spade edge. 117"(2972mm) wide INCLUDES: 5 piece bolt-on cutting edge system		\$17,515 NI
---	----------	--	--	-------------

950H/G & 962H/G BUCKETS / COUPLER / FUSION

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

W	382-9834	BKT GP ST 114" 4.0 YD3 FUS 3,302 PERFORMANCE SERIES BUCKET CAPACITIES: 3.75 YD3 (2.9 M3) with bolt-on adapters, 117"(2972mm) wide 4.00 YD3 (3.1 M3) with bolt-on adapters and segments, 117"(2972mm) 4.00 YD3 (3.1 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K80 adaptors, one set of tips and optional bolt-on segments		\$12,953 NI
---	----------	---	--	-------------

W	382-9835	BKT GP ST 114" 4.5 YD3 FUS 3,552 PERFORMANCE SERIES BUCKET CAPACITIES: 4.25 YD3 (3.2 M3) with bolt-on adapters, 117"(2972mm) wide 4.50 YD3 (3.4 M3) with bolt-on adapters and segments, 117"(2972mm) 4.50 YD3 (3.4 M3) with bolt-on cutting edges, 114"(2894mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K80 adaptors, one set of tips and optional bolt-on segments		\$13,853 NI
---	----------	---	--	-------------

SPECIAL APPLICATION (FUSION)

MULTIPURPOSE (FUSION)

W	313-1397	BKTA MP ST 116" 3.75 YD3 FUS 4,601 INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$26,581 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G & 962H/G BUCKETS / COUPLER / FUSION (Cont.)

SIDE-DUMP (FUSION)

W	314-2547	BKTA SD ST 127" 3.75 YD3 FUS 5,177 INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$29,689 NI
---	----------	---	--	-------------

WASTE HANDLING (FUSION)

W	311-6944	BKTA WD ST 120" 6.75 YD3 FUS 4,844 INCLUDES: Bolt on Edge		\$23,544 NI
---	----------	--	--	-------------

COAL (FUSION)

W	314-3191	BKT FF LM 130" 7.5 YD3 FUS 4,251 130"(3307mm) wide REQUIRES: Bolt on Edge		\$20,583 NI
---	----------	---	--	-------------

950 & 962 BUCKET G.E.T.

BUCKET G.E.T. CAN ONLY BE ORDERED AS INSTALLED ON A BUCKET.

BOLT ON CUTTING EDGE

W	139-9229	CUTTING EDGE, BOLT-ON 600 30mm thick (1 required)		\$1,635
---	----------	--	--	---------

K80 G.E.T. FOR GENERAL PURPOSE AND FLAT FLOOR BUCKETS

W	257-1766	ADAPTERS, TIP, BOLT-ON, K080 298 (1 required) FOR USE WITH: K80 tips		\$2,286
W	107-3394	SEGMENTS, BOLT ON 352 35mm thick. (1 required) FOR USE WITH: K80 adapters and tips		\$1,004
W	229-6969	TIP, GENERAL DUTY 26 FOR USE WITH: K80 adapters (8 required)		\$68
W	229-6964	TIP, EXTRA DUTY 29 FOR USE WITH: K80 adapters (8 required)		\$74

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950L & 962L COUPLERS / FUSION

W	310-9391	QUICK COUPLER, FUSION Lane 1 Work Tool FOR USE WITH: 950L and 962L machines 950L machine serial number prefix LXX and TNS 962L machine serial number prefix SXS and MTN	1,090	\$6,579 NI
---	----------	---	-------	------------

950L & 962L COUPLER SUPPLY GROUPS (FUSION)

W	526-6895	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 950L STANDARD LIFT machines Machine serial number prefix LXX and TNS	39	\$2,260 NI
W	528-0698	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 962L STANDARD LIFT machines Machine serial number prefix SXS and MTN	39	\$2,260 NI
W	528-3869	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler 950L/962L HIGH LIFT machines 950L Machine serial number prefix LXX and TNS 962L Machine serial number prefix SXS and MTN	37	\$2,260 NI

950L & 962L COUPLER CONNECTOR LINES (FUSION)

W	323-9292	LINES GP-IMPLEMENT 3V (QC) FOR USE WITH: 950L and 962L machines REQUIRED: When coupler is used with hydraulic tools that require 3rd valve.	21	\$1,050 NI
---	----------	--	----	------------

950L & 962L COUPLER TILT LINK (FUSION)

W	475-0944	LINK, TILT FOR USE WITH: 310-9391 Fusion Coupler on 950L and 962L HIGH LIFT linkage machines	197	\$1,588 NI
---	----------	--	-----	------------

950H & 962H COUPLER / FUSION

W	310-9391	QUICK COUPLER, FUSION Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services FOR USE WITH: 950H/962H and 950G/962G series II machines	1,090	\$6,579 NI
---	----------	---	-------	------------

950H & 962H COUPLER SUPPLY GROUPS (FUSION)

W	315-6311	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H STANDARD LIFT machines machine serial number prefix K5K, M1G, J5J, JAD and N1A FOR USE WITH: 962H STANDARD LIFT machines machine serial number prefix K6K, M3G, J6J, MAL and N4A	44	\$1,579 NI
---	----------	---	----	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950H & 962H COUPLER SUPPLY GROUPS (FUSION) (Cont.)				
W	315-6316	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H HIGH LIFT Machines Machine serial number K5K, M1G, J5J, JAD, N1A FOR USE WITH: 962H HIGH LIFT Machines Machine serial number K6K, M3G, J6J, MAL, N4A	44	\$1,579 NI
W	444-6448	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H II STANDARD LIFT machines Machine serial number JLX, MXL FOR USE WITH: 962H II STANDARD LIFT machines Machine serial number PCW & SSA	37	\$1,579 NI
W	444-8962	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9391 Coupler FOR USE WITH: 950H II HIGH LIFT machines Machine serial number JLX, MXL FOR USE WITH: 962H II HIGH LIFT machines Machine serial number PCW & SSA	35	\$1,579 NI

CONVERSION KITS CONVERTING HPL SUPPLY TO FUSION SUPPLY

W	315-6314	KIT, HYD SUPPLY CONVERSION FOR USE WITH: 950H/962H, 950G/962G series II STANDARD machines machine serial number AXR00277 and up machine serial number AXX00718 and up machine serial number K5K02287 and down machine serial number M1G01539 and down machine serial number AYB00923 and up machine serial number AYL01883 and up machine serial number BAA00714 and up machine serial number AXS00372 and up machine serial number AXY00301 and up machine serial number AYE00630 and up machine serial number BAB00631 and up machine serial number BAD00631 and up machine serial number K6K00391 and down machine serial number M3G00481 and down	2	\$178 NI
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

CONVERSION KITS CONVERTING HPL SUPPLY TO FUSION SUPPLY (Cont.)

W	315-6318	KIT, HYD SUPPLY CONVERSION 2 FOR USE WITH: 950H/962H, 950G/962G series II STANDARD machines machine serial number AXR00277 and up machine serial number AXX00718 and up machine serial number K5K02287 and down machine serial number M1G01539 and down machine serial number AYB00923 and up machine serial number AYL01883 and up machine serial number BAA00714 and up machine serial number AXS00372 and up machine serial number AXY00301 and up machine serial number AYE00630 and up machine serial number BAB00631 and up machine serial number BAD00631 and up machine serial number K6K00391 and down		\$365 NI
---	----------	---	--	----------

COUPLER HOOKS (FUSION)

W	317-5562	HOOK, BLANK 787 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		\$1,986 NI
W	315-6309	HOOK, FLAT BACK 409 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		\$1,171 NI

COUPLER CONNECTOR LINES (FUSION)

W	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 950H/962H and 950G/962G series II machines		\$1,050 NI
---	----------	--	--	------------

950H/G & 962H/G COUPLER TILT LINK (FUSION)

W	344-0976	LINK, TILT 198 FOR USE WITH: 310-9391 coupler on 962H/G series II HIGH LIFT machines FOR USE WITH: 310-9391 coupler on 950H/G series II HIGH LIFT machines		\$1,588 NI
---	----------	--	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
950H/G & 962H/G COUPLERS / HPL				
W	330-0110	QUICK COUPLER, HORIZONTAL PIN REQUIRES: Supply group HIGH LIFT machines require 344-0976 tilt link FOR USE WITH: 962H STANDARD and HIGH LIFT machines machine serial number K6K00392 and up machine serial number M3G00482 and up machine serial number prefix J6J, MAL, N4A 950H STANDARD and HIGH LIFT machines machine serial numbers K5K02288 and up machine serial numbers M1G01540 and up machine serial number J5J, JAD, N1A	926	\$6,849 NI
W	222-5004	QUICK COUPLER, HORIZONTAL PIN REQUIRES: Supply group HIGH LIFT machines require 344-0976 tilt link FOR USE WITH: 962H STANDARD and HIGH LIFT machines machine serial number K6K00391 and down machine serial number M3G00481 and down 962G series I and II STANDARD and HIGH LIFT machines machine serial numbers 5AS00315 and up machine serial numbers 4PW00408 and up machine serial numbers 3BS00748 and up machine serial numbers 7BW00726 and up machine serial number prefix AXS, AXY FOR USE WITH: 950H STANDARD and HIGH LIFT machines machine serial number K5K02287 and down machine serial number M1G01539 and down machine serial number prefix J5J 950G series I and II STANDARD and HIGH LIFT machines machine serial numbers 4BS00614 and up machine serial numbers 3JW01988 and up machine serial numbers 2JS01411 and up machine serial numbers 5FW01956 and up machine serial number prefix AXR, AXX, BAA, AYL AYB and AYG	933	\$6,849 NI
W	222-4993	QUICK COUPLER, HORIZONTAL PIN REQUIRES: 158-7732 supply group FOR USE WITH: 962G series I machines machine serial numbers 5AS00315 and down machine serial numbers 4PW00407 and down machine serial numbers 3BS00747 and down machine serial numbers 7BW00725 and down	931	\$6,849 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
COUPLER SUPPLY GROUPS (HPL)				
W	315-6311	KIT, COUPLER HYDRAULIC SUPPLY 44 FOR USE WITH: 330-0110 Coupler 962H STANDARD LIFT machines machine serial number K6K00392 and up machine serial number M3G00482 and up machine serial number J6J, MAL, N4A 950H STANDARD LIFT machines machine serial numbers K5K02288 and up machine serial numbers M1G01540 and up machine serial numbers J5J, JAD, N1A		\$1,579 NI
W	315-6316	KIT, COUPLER HYDRAULIC SUPPLY 44 FOR USE WITH: 330-0110 Coupler 962H HIGH LIFT machines machine serial number K6K00392 and up machine serial number M3G00482 and up machine serial number J6J, MAL, N4A 950H HIGH LIFT machines machine serial numbers K5K02288 and up machine serial numbers M1G01540 and up machine serial numbers J5J, JAD, N1A		\$1,579 NI
W	274-2411	QUICK COUPLER, HYD SUPPLY 27 FOR USE WITH: 962H/950H STANDARD LIFT machines machine serial numbers K5K02287 and down machine serial numbers K6K00391 and down machine serial numbers M1G01539 and down machine serial numbers M3G00481 and down		\$1,613 NI
W	274-2412	QUICK COUPLER, HYD. SUPPLY, HL 25 FOR USE WITH: 962H/950H HIGH LIFT machines machine serial numbers K5K02287 and down machine serial numbers K6K00391 and down machine serial numbers M1G01539 and down machine serial numbers M3G00481 and down		\$1,610 NI
W	243-5003	HYDRAULIC, SUPPLY, 24V 25 FOR USE WITH: 962G series II STANDARD machines machine serial numbers AXS00372 and up machine serial numbers AXY00301 and up FOR USE WITH: 950G series II STANDARD machines machine serial numbers AXR00277 and up machine serial numbers AXX00718 and up		\$1,613 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
950 & 962 WHEEL LOADER (CONT.)				
COUPLER SUPPLY GROUPS (HPL) (Cont.)				
W	243-5002	HYDRAULIC, SUPPLY, 24V 25 FOR USE WITH: 962G series II HIGH LIFT machines machine serial numbers AXS00372 and up machine serial numbers AXY00301 and up FOR USE WITH: 950G series II HIGH LIFT machines machine serial numbers AXR00277 and up machine serial numbers AXX00718 and up		\$1,613 NI
W	234-8931	HYDRAULIC, SUPPLY, 24V 25 FOR USE WITH: 222-5004 coupler 962G series II STANDARD or MID LIFT machines machine serial numbers AXY00300 and down machine serial numbers AXS00371 and down machine serial numbers AYG, BAD, AYE, BAB, BAC FOR USE WITH: 222-5004 coupler 950G series II STANDARD or MID LIFT machines machine serial numbers AXR00276 and down machine serial numbers AXX00717 and down machine serial numbers BAA, AYL, AYB, AYG, AYD, AYS		\$1,613 NI
W	234-9079	HYDRAULIC, SUPPLY, 24V 25 FOR USE WITH: 222-5004 coupler 962G series II HIGH LIFT machines machine serial numbers AXY00300 and down machine serial numbers AXS00371 and down AYE, AYG, BAB, BAC, BAD FOR USE WITH: 222-5004 coupler 950G series II HIGH LIFT machines machine serial numbers AXR00276 and down machine serial numbers AXX00717 and down machine serial numbers BAA, AYD, AYB, AYL, AYS		\$1,613 NI
W	230-4026	QUICK COUPLER, HYD SUPPLY 25 FOR USE WITH: 222-5004 coupler 962G STANDARD machines machine serial numbers 5AS00315 and up machine serial numbers 4PW00408 and up machine serial numbers 3BS00748 and up machine serial numbers 7BW00726 and up FOR USE WITH: 222-5004 coupler 950G STANDARD machines machine serial numbers 4BS00614 and up machine serial numbers 3JW01988 and up machine serial numbers 2JS01411 and up machine serial numbers 5FW01956 and up		\$1,613 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

COUPLER SUPPLY GROUPS (HPL) (Cont.)

W	158-7732	KIT, COUPLER HYDRAULIC SUPPLY 54 FOR USE WITH: 222-4993 coupler 962G STANDARD machines machine serial numbers 5AS00314 and down machine serial numbers 4PW00407 and down machine serial numbers 3BS00747 and down machine serial numbers 7BW00725 and down FOR USE WITH: 222-4993 coupler 950G STANDARD machines machine serial numbers 4BS00613 and down machine serial numbers 3JW01987 and down machine serial numbers 2JS01410 and down machine serial numbers 5FW01955 and down		\$1,613 NI
---	----------	--	--	------------

COUPLER HOOKS (HPL)

W	177-9443	HOOK, BLANK (QC) 1,104 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		\$1,760 NI
W	243-4596	HOOK, FLAT BACK (QC) 175		\$1,163 NI
W	243-4544	HOOK, PROFILE (QC) 310 FOR USE WITH: buckets 130-8288, 130-8289		\$1,760 NI
W	178-4660	HOOK, PROFILE (QC) 305 FOR USE WITH: buckets 130-8285, 130-8286 130-8287, 148-7242, 141-9395		\$1,760 NI
W	243-4546	HOOK, PROFILE (QC) 320 FOR USE WITH: buckets 130-3069, 130-3070 130-3071, 130-3075, 141-9397, 141-9399		\$1,760 NI

COUPLER CONNECTOR LINES (HPL)

W	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 962H STANDARD and HIGH LIFT machines machine serial numbers K6K00392 and up machine serial numbers M3G00482 and up machine serial numbers J6J, MAL, N4A 950H STANDARD and HIGH LIFT machine serial numbers K5K02288 and up machine serial numbers M1G01540 and up machine serial numbers J5J, JAD, N1A		\$1,050 NI
---	----------	--	--	------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

COUPLER CONNECTOR LINES (HPL) (Cont.)

W	159-1139	LINES, CONNECTOR (QC) 27 REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 950G series I and II machines 950H series machines machine serial numbers K5K02287 and down machine serial numbers M1G01539 and down 962H series machines machine serial numbers K6K00391 and down machine serial numbers M3G00481 and down 962G series I and II machines		\$1,046 NI
---	----------	---	--	-------------------

950H/G & 962H/G COUPLER TILT LINK (HPL)

W	344-0976	LINK, TILT 198 FOR USE WITH: 222-5004 coupler on 962H all HIGH LIFT machines 222-5004 coupler on 962G series II HIGH LIFT machines machine serial numbers AXS00372 and up machine serial numbers AXY00301 and up FOR USE WITH: 222-5004 coupler on 950H all HIGH LIFT machines 222-5004 coupler on 950G series II HIGH LIFT machines machine serial numbers AXR00255 and up machine serial numbers AXX00481 and up machine serial numbers AXS00370 and up machine serial numbers AXY00272 and up		\$1,588 NI
---	----------	---	--	-------------------

PIPE AND POLE FORK

W	365-1315	FORK, PIPE & POLE 4,500 106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines REQUIRES: 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		\$41,868 NI
---	----------	---	--	--------------------

PIPE AND POLE FORK (FUSION)

W	365-1316	FORK, PIPE & POLE 4,500 106"(2693mm) Carriage, 72"(1829mm) Tines INCLUDES: Connector lines REQUIRES: Fusion Coupler and 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3"(77mm)		\$48,319 NI
---	----------	--	--	--------------------

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 WT-MWL-040

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G & 962H/G FORKS / COUPLER / HPL

PALLET (HPL)

W	136-0494	FORK, PALLET (QC) 2,200 96"(2438mm) carriage and 48"(1219mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 2.5"(63.5mm)		\$10,171 NI
W	136-0495	FORK, PALLET (QC) 2,375 96"(2438mm) carriage and 60"(1524mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 2.75"(70mm)		\$12,793 NI
W	136-0496	FORK, PALLET (QC) 2,570 96"(2438mm) carriage and 72"(1829mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76.2mm)		\$12,940 NI
W	231-5194	FORK, PALLET (QC) 2,765 96"(2438mm) carriage and 60"(1524mm) non-swinging tines TINE WIDTH: 8"(203mm) TINE THICKNESS: 2.5"(63.5mm)		\$12,667 NI
W	231-5195	FORK, PALLET (QC) 3,000 96"(2438mm) carriage and 72"(1829mm) non-swinging tines TINE WIDTH: 8"(203mm) TINE THICKNESS: 2.5"(63.5mm)		\$13,842 NI
W	136-0497	FORK, PALLET (QC) 2,925 96"(2438mm) carriage and 84"(2134mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$14,168 NI

FORK CONNECTOR LINES (HPL)

W	159-1139	LINES, CONNECTOR (QC) 27 REQUIRED: When coupler is used with hydraulic tools that require 3rd valve		\$1,046 NI
---	----------	---	--	-------------------

950H/G & 962H/G MATERIAL HANDLING ARMS (FUSION)

W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool Extendable Length 123" (3124mm) to 183" (4648mm)		\$7,411 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

950 & 962 WHEEL LOADER (CONT.)

950H/G & 962H/G MATERIAL HANDLING ARMS (HPL)

W	136-0499	ARM,MATERIAL HANDLING(QC)	1,260	\$7,411 NI
		EXTENDIBLE LENGTH: 123"(3124mm) to 183"(4648mm)		

950H/G & 962H/G RAKES / PIN-ON

LOADER (PIN-ON)

W	157-3471	RAKE, LOADER 112"	3,350	\$16,179 NI
		RAKING WIDTH: 112"(2845mm)		
		HEIGHT: 66"(1676mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 12"(305mm)		

950H/G & 962H/G RAKES / COUPLER /FUSION

W	317-1242	RAKE-GP, 120" (QC)	1,485	\$16,179 NI
		FOR USE WITH: Fusion Coupler		
		RAKING WIDTH: 112"(2844mm)		
		OVERALL WIDTH: 120"(3047mm)		
		HEIGHT: 65"(1653mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 11.75"(299mm)		

W	317-1254	RAKE, LOADER 112" W/DTC	4,894	\$28,768 NI
		FOR USE WITH: Fusion Coupler		
		DOUBLE TOP CLAMP		
		RAKING WIDTH: 112"(2844mm)		
		OVERALL WIDTH: 120"(3047mm)		
		HEIGHT: 74"(1875mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 11.75"(299mm)		
		REQUIRES: 3rd valve		
		200-0724 kit is required for mounting on 950H/962H machines		

950H/G & 962H/G RAKES / COUPLER / HPL

LOADER (HPL)

W	159-3001	RAKE, LOADER 112" (QC)	3,350	\$16,179 NI
		RAKING WIDTH: 112"(3048mm)		
		HEIGHT: 66"(1676mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 12"(305mm)		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER				
966 & 972 BUCKETS / PIN-ON				
GENERAL PURPOSE PERFORMANCE SERIES - 966 ONLY (PIN-ON)				
W	363-5194	BKT GP ST 126" 5.0 YD3 PO 4,583 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of k90 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-2406		\$16,179 NI
P	516-2406	BKTA GP ST 127" 5.00YD3 PO 5,187 Lane 1 Work Tool FOR USE WITH: 966M/K/H/G Machines INCLUDES: 363-5194 Bucket-GP with BOCE		\$18,146
W	368-4582	BKT GP ST 126" 5.25 YD3 PO 4,632 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.00YD3(3.8M3) w/bolt-on adapters, 130"(3307mm) wide 5.25YD3(4.0M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.25YD3(4.0M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.75YD3(4.4M3) w/bolt-on cutting edge, 127"(3220mm) wide (Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$16,896 NI
W	363-5196	BKT GP ST 126" 5.5 YD3 PO 4,848 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on adapters & segments, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of k90 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1409		\$17,571 NI
W	516-1409	BKTA GP ST 126" 5.5 YD3 PO 5,421 Lane 1 Work Tool FOR USE WITH: 966M/K/H/G Machines INCLUDES: 363-5196 Bucket-GP with BOCE		\$19,539 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	363-5197	BKT GP ST 126" 6.0 YD3 PO 4,978 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,032 NI
---	----------	--	--	--------------------

GENERAL PURPOSE PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	330-2045	BKT GP ST 126" 5.5 YD3 PO 4,738 FOR USE WITH: 972M/K/H/G Machines PERFORMANCE SERIES BUCKET CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on adapters & segments, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,571 NI
---	----------	--	--	--------------------

W	354-4831	BKT GP ST 126" 6.0 YD3 PO 4,976 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3302mm) wide 6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,032 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966 & 972 BUCKETS / PIN-ON (Cont.)				
W	348-6785	BKT GP ST 126" 6.25 YD3 PO 5,026 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters & segments, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edge, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose one set of k90 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1400		\$20,361 NI
W	516-1400	BKTA GP ST 126" 6.25 YD3 PO 5,710 Lane 1 Work Tool FOR USE WITH: 972M/K/H/G Machines INCLUDES: 348-6785 Bucket-GP with BOCE and Corner Guards		\$22,572 NI
W	354-4834	BKT GP ST 126" 6.5 YD3 PO 5,099 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.25YD3(4.8M3) w/bolt-on adapters, 130"(3307mm) wide 6.50YD3(5.0M3) w/bolt-on adapters and segments, 130"(3307mm) 6.50YD3(5.0M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR 7.25YD3(5.5M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,803 NI
GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKET- 972 ONLY (PIN-ON)				
W	416-6340	BKTA GP AB 132" 7.0 YD3 PO 6,241 PERFORMANCE SERIES BUCKET FOR USE WITH: 972G/H/K/L/M INCLUDES: Bolt-On Cutting Edge (BOCE) CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		\$30,147 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	416-6339	BKTA GP AB 132" 6.75 YD3 PO 5,997 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M Machines INCLUDES: Bolt-On Cutting Edge (BOCE) CAPACITIES: 6.75YD3(5.1M3) w/bolt-on Cutting Edges 110% FILL FACTOR: 7.25 YD3 (5.6 M3) with bolt-on edges, 132" (3357MM) wide (bucket tag) REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		\$23,096 NI
---	----------	---	--	--------------------

FLAT FLOOR PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	368-4583	BKT FF ST 126" 5.5 YD3 PO 4,912 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.25 YD3(4.0M3) with bolt-on adapters, 130"(3307mm) wide 5.50 YD3(4.0 M3) with bolt-on adapters & segments, 130"(3307mm) wide 5.50 YD3(4.2 M3) with bolt-on cutting edge, 126"(3221mm) wide 110% FILL FACTOR: 6.00YD3(4.60M3) w/bolt-on cutting edges, 126"(3221mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$16,693 NI
W	380-9835	BKT FF ST 126" 5.75 YD3 PO 4,888 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.24YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,256 NI
W	363-5201	BKT FF ST 126" 6.0 YD3 PO 5,108 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,032 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

FLAT FLOOR PERFORMANCE SERIES - 972 ONLY (PIN-ON)

W	368-4580	BKT FF ST 126" 6.0 YD3 PO 5,002 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide (Bucket Tag) Requires GET: Choose one set of k90 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1817		\$19,032 NI
W	516-1817	BKTA FF ST 126" 6.0 YD3 PO 5,584 Lane 1 Work Tool FOR USE WITH: 972M/K/H/G Machines INCLUDES: 368-4580 Bucket-GP with BOCE		\$21,008 NI
W	361-4996	BKT FF ST 126" 6.75 YD3 PO 5,214 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 130"(3307mm) wide 6.75YD3(5.2M3) w/bolt-on adapters and segments, 130"(3307mm) 6.75YD3(5.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.50YD3(5.7M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$21,075 NI

ROCK PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	554-0034	BKT RSP ST 128" 4.5 YD3 PO 5,009 100% FILL FACTOR is rated at 3.4M3 including GET 110% FILL FACTOR is rated at 3.7M3 including GET With spade base edge, K90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$25,374 NI
W	539-0402	BUCKET-ROCK, 128" 5.23 YD3 5,487 Rated width and capacity of bucket including GET. With spade base edge, K90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$26,824 NI

ROCK PERFORMANCE SERIES - 972 ONLY (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	545-8873	BKT RSP HD 128" 5.25 YD3 PO PERFORMANCE SERIES BUCKET Spade Edge FOR USE WITH: 972M/K/H/G Machines ONLY!!! CAPACITIES: 5.00YD3(3.8M3) w/weld-on adptrs, 128"(3255mm) wide 5.25YD3(4.0M3) w/weld-on adptrs & segments, 128"(3255mm)wide-Bucket Tag 110% FILL FACTOR: 5.75YD3(4.4M3) w/weld-on adptrs & segments, 128"(3255mm)wide-Bucket Tag	5,090	\$27,400 NI
---	----------	---	-------	-------------

HEAVY DUTY ROCK - 972 ONLY (PIN-ON)

W	254-4496	BKT RSP HD 128" 4.5 YD3 PO FOR USE WITH: 972M/K/H/G Machines Spade edge. INCLUDES: (8) weld-on K90 H.D. double-strap adapters, and outside side wear plates and rock guards. REQUIRES: (8) K90 Tips and (1) segment gp.	5,216	\$23,779 NI
---	----------	--	-------	-------------

SLAG (PIN-ON)

W	343-8820	BKT SLG HD 128" 4.5 YD3 PO 128"(3250mm) wide INCLUDES: (7) weld-on K110 double-strap adapters and (1) segment group REQUIRES: (7) K110 tips	9,136	\$42,649 NI
---	----------	--	-------	-------------

SPECIAL APPLICATION (PIN-ON)

MULTIPURPOSE (PIN-ON)

W	385-2592	BKT MP ST 127" 4.0 YD3 PO 127"(3226mm) wide REQUIRES: 3rd valve CAPACITIES: 3.75YD3(2.9M3) with bolt-on adapters, 127"(3226mm) wide 4.00YD3(3.1M3) with bolt-on adapters & segments, 127"(3226mm) wide 4.00YD3(3.1M3) with bolt-on cutting edge, 127"(3226mm) wide Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments	5,999	\$28,460 NI
---	----------	--	-------	-------------

WASTE HANDLING (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	449-4381	BKT WTC ST 132" 6.5 YD3 PO 9,248 Waste Handling bucket with clamp for light sorting or dozing when fully open. 132" (3357mm) wide REQUIRES: Bolt-on cutting steel edge 437-8813 or rubber edge 383-9845 ALSO REQUIRES: 3rd Valve CAPACITIES: 6.50YD3 with Bolt-on cutting edge		\$35,885 NI
W	516-2131	BKTA WD ST 132" 8.50YD3 PO 7,048 Dozing style bucket 132" (3357mm) wide INCLUDES: STEEL BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 8.50YD3 (6.5M3) with Bolt-on cutting edge 24.00YD3 (18.3 M3) dozing capacity with Bolt-on cutting edge		\$25,350 NI
W	516-2101	BKTA WD ST 132" 8.50YD3 PO 8,647 Dozing style bucket 132" (3357mm) wide INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 8.50YD3 (6.5M3) with Bolt-on cutting edge 24.00YD3 (18.3 M3) dozing capacity with Bolt-on cutting edge		\$27,450 NI
W	516-2103	BKTA WLC ST 132" 9.75 YD3 PO 7,513 Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) INCLUDES: Steel BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 9.75YD3 with Bolt-on cutting edge		\$30,628 NI
W	516-2145	BKTA WLC ST 132" 9.75 YD3 PO 9,112 Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) INCLUDES: Rubber BOLT-ON CUTTING EDGE (BOCE) CAPACITIES: 9.75YD3 with Bolt-on cutting edge		\$32,742 NI

SIDE-DUMP (PIN-ON)

W	143-7202	BKTA SD ST 145" 4.75 YD3 PO 6,301 145"(3683mm) wide INCLUDES: bolt-on edges REQUIRES: 3rd valve		\$32,985 NI
---	----------	---	--	--------------------

HIGH DUMP (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1954	BKTA HD ST 132" 10.0 YD3 PO 7,918 132" (3350mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$42,504 NI
W	521-1952	BKTA HD ST 144" 12.0 YD3 PO 8,388 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$44,260 NI
W	522-4633	BKTA HD ST 144" 14.5 YD3 PO 8,843 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$47,092 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	553-9645	BKT LM 155" 13.0YD3 PO 7,061 INCLUDES: Bolt on cutting edge FOR USE WITH: 966 Logger Configuration including Counterweight		\$36,933 NI
W	553-9649	BKT LM 155" 18.0YD3 PO 7,412 INCLUDES: Bolt on cutting edge FOR USE WITH: 972 AGG Configuration including Counterweight		\$43,697 NI

COAL PERFORMANCE SERIES - 966 ONLY (PIN-ON)

W	363-5203	BKTA FF LM 136" 9.25 YD3 PO 6,314 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines INCLUDES: Bolt on cutting edge CAPACITIES: 9.00 CYD (6.9 CUM) with bolt-on adapters, 136"(3447mm) wide 9.25 CYD (7.1 CUM) with bolt-on cutting edges, 136"(447mm) wide		\$25,361 NI
---	----------	--	--	-------------

COAL PERFORMANCE SERIES - 972 ONLY (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / PIN-ON (Cont.)

W	361-5002	BKTA LM 136" 9.25 YD3 PO 7,028 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines INCLUDES: Bolt on cutting edge CAPACITIES: 9.50 YD3 (7.2 M3) with bolt-on cutting edges, 136"(447mm) wide		\$25,361 NI
---	----------	--	--	--------------------

966 & 972 BUCKETS / COUPLER / FUSION

GENERAL PURPOSE PERFORMANCE SERIES - 966 ONLY (FUSION)

W	363-5195	BKT GP ST 126" 5.0 YD3 FUS 4,310 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 4.75YD3(3.6M3) w/bolt-on adapters, 130"(3307mm) wide 5.00YD3(3.8M3) w/bolt-on adapters and segments, 130"(3307mm) 5.00YD3(3.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$16,179 NI
W	362-9276	BKT GP ST 126" 5.5 YD3 FUS 4,431 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3307mm) wide 5.50YD3(4.2M3) w/bolt-on adapters and segments, 130"(3307mm) 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose one set of k90 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 515-5842		\$17,571 NI
W	515-5842	BKTA GP ST 126" 5.5 YD3 FUS 5,055 Lane 1 Work Tool INCLUDES: 362-9276 Bucket-GP with BOCE		\$19,539 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	363-5198	BKT GP ST 126" 6.0 YD3 FUS 4,700 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,158 NI
---	----------	---	--	--------------------

GENERAL PURPOSE PERFORMANCE SERIES - 972 ONLY (FUSION)

W	330-2046	BKT GP ST 126" 5.5 YD3 FUS 4,517 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.25YD3(4.0M3) w/bolt-on adapters, 130"(3302mm) wide 5.50YD3(4.2M3) w/bolt-on adapters and segments, 130"(3302mm) 5.50YD3(4.2M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,571 NI
---	----------	--	--	--------------------

W	368-4579	BKT GP ST 126" 5.75 YD3 FUS 4,519 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$18,678 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	354-4832	BKT GP ST 126" 6.0 YD3 FUS 4,907 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide 6.00YD3(4.6M3) w/bolt-on adapters and segments, 130"(3307mm) 6.00YD3(4.6M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.75YD3(5.1M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,032 NI
W	354-4833	BKT GP ST 126" 6.25 YD3 FUS 4,652 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters and segments, 130"(3302mm) 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edges, 127"(3226mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,361 NI
W	354-4835	BKT GP ST 126" 6.5 YD3 FUS 4,852 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.25YD3(4.8M3) w/bolt-on adapters, 130"(3307mm) wide 6.50YD3(5.0M3) w/bolt-on adapters and segments, 130"(3307mm) 6.50YD3(5.0M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.25YDR(5.5M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,803 NI

FLAT FLOOR PERFORMANCE SERIES - 966 ONLY (FUSION)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	380-9837	BKT FF ST 126" 5.75YD3 FUS 4,782 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 5.50YD3(4.2M3) w/bolt-on adapters, 130"(3307mm) wide 5.75YD3(4.4M3) w/bolt-on adapters and segments, 130"(3307mm) 5.75YD3(4.4M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$17,256 NI
W	369-4432	BKT FF ST 126" 6.25 YD3 FUS 4,987 PERFORMANCE SERIES BUCKET FOR USE WITH: 966M/K/H/G Machines CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3307mm) wide 6.25YD3(4.8M3) w/bolt-on adapters and segments, 130"(3307mm) 6.25YD3(4.8M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.00YD3(5.3M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$19,790 NI

FLAT FLOOR PERFORMANCE SERIES - 972 ONLY (FUSION)

W	361-4997	BKT FF ST 126" 6.75 YD3 FUS 5,038 PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 130"(3307mm) wide 6.75YD3(5.2M3) w/bolt-on adapters and segments, 130"(3307mm) 6.75YD3(5.2M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) 110% FILL FACTOR: 7.50YD3(5.7M3) w/bolt-on cutting edges, 127"(3220mm) wide(Bucket Tag) Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$20,494 NI
---	----------	--	--	--------------------

SPECIAL APPLICATION (FUSION)

MULTIPURPOSE (FUSION)

W	313-1398	BKTA MP ST 127" 4.0 YD3 FUS 6,140 INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$31,547 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

SIDE-DUMP (FUSION)

W	314-2548	BKTA SD ST 145" 4.75 YD3 FUS INCLUDES: Bolt on Edge REQUIRES: 3rd valve	6,243	\$33,643 NI
---	----------	---	-------	-------------

COAL PERFORMANCE SERIES - 972 ONLY (FUSION)

W	361-5003	BKTA LM 136" 9.00YD3 FUS PERFORMANCE SERIES BUCKET FOR USE WITH: 972M/K/H/G Machines INCLUDES: Bolt on cutting edge	6,870	\$24,624 NI
---	----------	--	-------	-------------

HIGH DUMP (FUSION)

For heavy duty applications such as waste or handling heaping materials such as compost.

W	312-1728	BKTA HD ST 120" 7.0 YD3 FUS 120"(3059mm) wide INCLUDES: Bolt on Edge REQUIRES: 3rd valve	6,310	\$54,044 NI
---	----------	---	-------	-------------

HIGH DUMP (FUSION)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-1982	BKTA HD ST 132" 10.0 YD3 FUS 132" (3350mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	7,735	\$42,504 NI
---	----------	---	-------	-------------

W	521-1962	BKTA HD ST 144" 12.0 YD3 FUS 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	8,205	\$44,260 NI
---	----------	---	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / COUPLER / FUSION (Cont.)

W	521-1925	BKTA HD ST 144" 14.5 YD3 FUS 8,660 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve		\$47,092 NI
---	----------	---	--	-------------

ROCK PERFORMANCE SERIES - 966 ONLY (FUSION)

W	554-0036	BKT RSP ST 128" 4.5 YD3 FUS 4,702 100% FILL FACTOR is rated at 3.4M3 including GET 110% FILL FACTOR is rated at 3.7M3 including GET With spade base edge, K90 two strap adaptors. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors.		\$24,354 NI
---	----------	--	--	-------------

ROCK PERFORMANCE SERIES - 972 ONLY (FUSION)

W	361-5000	BKT RSP ST 128" 4.75 YD3 FUS 4,456 PERFORMANCE SERIES BUCKET Spade Edge FOR USE WITH: 972M/K/H/G Machines CAPACITIES: 4.50YD3(3.4M3) w/weld-on adptrs, 128"(3255mm) wide 4.75YD3(3.6M3) w/weld-on adptrs & segments, 128"(3255mm)wide-Bucket Tag 110% FILL FACTOR: 5.25YD3(4.0M3) w/bolt-on adptrs & segments, 128"(3255mm)wide-Bucket Tag Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K90 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$26,213 NI
---	----------	--	--	-------------

WOODCHIP (FUSION)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	553-9647	BKTA WC ST 155" 15.50YD3 PO 6,946 FOR USE WITH: 966 Logger Arrangement and counterweight		\$36,933 NI
W	553-9651	BKTA WC ST 155- 18.25YD3 FUS 7,341		\$43,697 NI

966 & 972 BUCKETS / VCE

HIGH DUMP (VCE)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 BUCKETS / VCE (Cont.)

For light materials only - Applications include woodchips, grains and wood pellets. Not intended for waste applications.

W	521-2002	BKTA HD ST 132" 10.0 YD3 VCE 132" (3350mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	7,660	\$42,504 NI
W	521-1991	BKTA HD ST 144" 12.0 YD3 VCE 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	8,134	\$44,260 NI
W	521-1985	BKTA HD ST 144" 14.5 YD3 VCE 144" (3656mm) wide INCLUDES: Bolt on cutting edge REQUIRES: 3rd valve	8,589	\$47,092 NI

966 & 972 BUCKET G.E.T.

BOLT ON CUTTING EDGES

W	100-6669	CUTTING EDGE, BOLT-ON 30mm thick (1 required) FOR USE WITH: 127" buckets	592	\$1,985
W	135-9297	CUTTING EDGE, BOLT-ON 35mm thick (1 required) FOR USE WITH: Rock buckets only	635	\$1,867
W	140-6824	CUTTING EDGE, HEAVY DUTY 35mm thick (1 required) FOR USE WITH: 127" buckets	713	\$2,297
W	437-8813	CUTTING EDGE, BOLT-ON FOR USE WITH: 449-4381 Bucket	967	\$2,461
W	383-9845	CUTTING EDGE, BOLT-ON RUBBER FOR USE WITH: 449-4381 Bucket	704	\$4,669

K90 G.E.T.

W	229-6942	ADAPTERS, TIP, BOLT-ON, K090 (1 required) FOR USE WITH: K90 tips	370	\$3,407
W	135-9293	SEGMENT, BOLT ON 40mm thick (1 required) FOR USE WITH: Rock buckets only	461	\$1,556
W	338-0559	SEGMENTS, BOLT ON, HALF ARROW 40mm thick, half arrow (1 required) FOR USE WITH: k90 adapters and tips FOR USE WITH: Rock buckets only	620	\$2,501

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966 & 972 BUCKET G.E.T. (Cont.)				
W	217-4896	TIP, GENERAL DUTY	31	\$81
		FOR USE WITH: K90 adapters (8 required)		
W	217-4892	TIP, PENETRATION	29	\$78
		FOR USE WITH: K90 adapters (8 required)		
W	217-4891	TIP, EXTRA DUTY	40	\$104
		FOR USE WITH: K90 adapters (8 required)		
W	257-1773	TIP, ABRASION, HEAVY DUTY	24	\$122
		FOR USE WITH: K90 adapters (8 required)		
PROTECTORS				
P	135-8245	PROTECTORS, SIDEBAR, SET OF 2	49	\$551
		(1 required)		
		FOR USE WITH: Rock buckets only		
966 & 972 COUPLER / FUSION				
W	310-9390	QUICK COUPLER, FUSION	1,133	\$7,950 NI
		Lane 1 Work Tool		
		REQUIRES: Coupler supply group if machine is not coupler ready		
		(HIGH LIFT machines need tilt link 315-5743)		
		FOR USE WITH: 966M/K/H & 972M/K/H		
966M & 972M COUPLER SUPPLY GROUPS (FUSION)				
W	454-2351	KIT, COUPLER HYDRAULIC SUPPLY	40	\$2,288 NI
		FOR USE WITH: 310-9390 Coupler		
		966M STANDARD LIFT machines		
		machine serial number prefix KJP, LMM, EJA,		
		DYC, B8P, P6C, FL2, L8R and R8D		
W	454-2353	KIT, COUPLER HYDRAULIC SUPPLY	40	\$2,288 NI
		FOR USE WITH: 310-9390 Coupler		
		972M STANDARD LIFT machines		
		machine serial number prefix A8P, GGN, LSJ		
		JPR, M5S, EDW, M8W and L8E		
W	454-2355	KIT, COUPLER HYDRAULIC SUPPLY	37	\$2,288 NI
		FOR USE WITH: 310-9390 Coupler		
		966M/972M HIGH LIFT machines		
		machine serial number prefix KJP, LMM, EJA		
		DYC, B8P, P6C, FL2, L8R and R8D		
		machine serial number prefix A8P, GGN, LSJ		
		JPR, M5S, EDW, M8W, L8E		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966M & 972M COUPLER SUPPLY GROUPS (FUSION) (Cont.)				
966L & 972L COUPLER SUPPLY GROUPS (FUSION)				
W	526-5028	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 966L STANDARD LIFT machines Machine serial number prefix FSL and FRS	42	\$2,288 NI
W	526-5049	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 972L STANDARD LIFT machines Machine serial number prefix YJW and RFB	42	\$2,288 NI
W	526-5061	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler 966L/972L HIGH LIFT machines 966L Machine serial number prefix FSL and FRS 972L Machine serial number prefix YJW and RFB	40	\$2,288 NI
966K & 972K COUPLER SUPPLY GROUPS (FUSION)				
W	368-6422	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 966K STANDARD LIFT Machines ONLY!!! machine serial number TFS, PBG, A5S and NGX	40	\$2,114 NI
W	368-6423	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 972K STANDARD LIFT Machines ONLY!!! machine serial number prefix Z4W and PEM	40	\$2,114 NI
W	368-6424	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 310-9390 Coupler FOR USE WITH: 966K HIGH LIFT Machines machine serial number prefix TFS, PBG, A5S and NGX FOR USE WITH: 972K HIGH LIFT Machines machine serial number prefix Z4W and PEM	41	\$2,114 NI
966H & 972H COUPLER SUPPLY GROUPS (FUSION)				
W	315-6320	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 972H STANDARD LIFT machines machine serial number A7D, A7G, A7J, GTA, LCC FOR USE WITH: 966H STANDARD LIFT machines machine serial number A6D, A6G, A6J, RYF, TAL	40	\$2,114 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966M & 972M COUPLER SUPPLY GROUPS (FUSION) (Cont.)

W	315-6322	KIT, COUPLER HYDRAULIC SUPPLY 34 FOR USE WITH: 972H HIGH LIFT machines machine serial number A7D, A7G, A7J, GTA, LCC FOR USE WITH: 966H HIGH LIFT machines machine serial number A6D, A6G, A6J, RYF, TAL		\$2,114 NI
W	444-8966	KIT, COUPLER HYDRAULIC SUPPLY 46 FOR USE WITH: 310-9390 coupler FOR USE WITH: 966H/972H LRC STD LIFT machines machine serial number prefix BJ6 and BS6 machine serial number prefix WXZ and NPE		\$2,114 NI
W	444-8971	KIT, COUPLER HYDRAULIC SUPPLY 44 FOR USE WITH: 310-9390 Coupler 950H/962H LRC HIGH LIFT machines machine serial number prefix BJ6 and BS6 machine serial number prefix WXZ and NPE		\$2,114 NI

COUPLER CONNECTOR LINES (FUSION)

W	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 REQUIRED: when coupler is used with hydraulic tools that require 3rd and or 4th valve FOR USE WITH: 966M/972M machines		\$1,247 NI
W	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 Lane 1 Work Tool REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 966M/K/H machines 966L: machine serial number prefix FSL and FRS 966M: machine serial number prefix KJP, LMM, EJA, DYC, B8P, P6C, FL2, L8R and R8D 966K: machine serial number prefix TFS, PBG, A5S and NGX 966H: machine serial number prefix A6G, A6J, RYF, TAL, BJ6, BS6 966H: machine serial numbers A6D01937 and up FOR USE WITH: 972M/K/H machines 972M: machine serial number prefix A8P, GGN, LSJ, JPR, M5S, EDW, L9S, M8W, L8E 972K: machine serial number prefix Z4W and PEM 972H: machine serial number prefix A7G, A7J, GTA, LCC, WXZ and NPE 972H: machine serial number prefix A7D00729 and up 972L: machine serial number prefix YJW and RFB		\$1,050 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
COUPLER HOOKS (FUSION)				
W	317-5562	HOOK, BLANK Lane 1 Work Tool	787	\$1,986 NI
W	315-6309	HOOK, FLAT BACK Lane 1 Work Tool	409	\$1,171 NI
966 & 972 COUPLERS / HPL				
W	330-0111	QUICK COUPLER, HORIZONTAL PIN REQUIRES: Coupler supply group if machine is not coupler ready HIGH LIFT machines require 315-5743 tilt link FOR USE WITH: 972H STANDARD and HIGH LIFT machines machine serial number A7D00729 and up, A7G, A7J and GTA FOR USE WITH: 966H STANDARD and HIGH LIFT machines machine serial number A6D01937 and up, A6G, A6J, RYF and TAL	1,058	\$8,268 NI
W	222-4996	QUICK COUPLER, HORIZONTAL PIN REQUIRES: Coupler supply group if machine is not coupler ready HIGH LIFT machines require 225-8823 tilt link FOR USE WITH: 972H STANDARD and HIGH LIFT machines machine serial number A7D00728 and down FOR USE WITH: 966H STANDARD and HIGH LIFT machines machine serial number A6D01936 and down 972G series II STANDARD and HIGH LIFT machines machine serial numbers ANY, AWP, AXN, AXP, AXC, AXE 966G series II STANDARD and HIGH LIFT machines machine serial numbers ANT, ANZ, AWY, AWZ, AXJ, AXL	1,065	\$8,268 NI
W	222-4995	QUICK COUPLER, HORIZONTAL PIN REQUIRES: Supply group FOR USE WITH: 972G/966G series I machines	1,062	\$8,268 NI
COUPLER SUPPLY GROUPS (HPL)				
W	279-7150	QUICK COUPLER, HYD, STD LIFT FOR USE WITH: 972H STANDARD machines machine serial number A7D00728 and down FOR USE WITH: 966H STANDARD machines machine serial number A6D01936 and down	60	\$2,154 NI
W	279-7151	QUICK COUPLER, HYD, HIGH LIFT FOR USE WITH: 972H HIGH LIFT machines machine serial number A7D00728 and down FOR USE WITH: 966H HIGH LIFT machines machine serial number A6D01936 and down	44	\$2,154 NI

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 WT-MWL-061

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
COUPLER SUPPLY GROUPS (HPL) (Cont.)				
W	231-4704	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 222-4996 coupler 972G series II STANDARD machines machine serial number prefix ANY, AWP, AXN, AXP, AXC, AXE 966G series II STANDARD machines machine serial number prefix ANT, ANZ, AWY, AWZ, AXJ, AXL	95	\$1,693 NI
W	231-4901	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 222-4996 coupler 972G/966G series II HIGH LIFT machines	95	\$2,157 NI
W	160-7584	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 222-4995 coupler 972G/966G series I machines	54	\$2,157 NI
COUPLER HOOKS (HPL)				
W	177-9443	HOOK, BLANK (QC) Lane 1 Work Tool	1,104	\$1,760 NI
W	243-4596	HOOK, FLAT BACK (QC) Lane 1 Work Tool	175	\$1,163 NI
COUPLER CONNECTOR LINES (HPL)				
W	323-9292	LINES GP-IMPLEMENT 3V (QC) Lane 1 Work Tool REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 972H series machine machine serial numbers A7D00729 and up, A7G, A7J, GTA, WXZ, NPE 966H series machine machine serial numbers A6D01937 and up, A6G, A6J, RYF, TAL, BJ6, BS6	21	\$1,050 NI
W	154-4237	LINES, CONNECTOR (QC) FOR USE WITH: 972G series I and II machines 972H series machine machine serial number A7D00728 and down 966G series I and II machines 966H series machine machine serial number A6D01936 and down	68	\$1,489 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

COUPLER LINKS (HPL)

W	225-8823	KIT, LINK ASSEMBLY 190 FOR USE WITH: HIGH LIFT machines 222-4996 CWTS HPL quick coupler		\$2,050 NI
---	----------	---	--	------------

966 & 972 FORKS / PIN-ON

LOGGING (PIN-ON)

W	398-4960	FORK, LOGGING 63" 5,679 98" (2498mm) carriage and 63" (1609mm) tines INCLUDES: Double Top Clamp, GET tips and connecting lines REQUIRES: 3rd valve		\$39,258 NI
---	----------	---	--	-------------

MILLYARD (PIN-ON)

W	506-1946	FORK, MILLYARD 64" 6,277 (CWTS PRODUCT) 96" (2419mm) carriage and 64" (1618mm) tines INCLUDES: Millyard Top Clamp, GET tips and connecting lines REQUIRES: 3rd valve		\$41,221 NI
---	----------	--	--	-------------

MILLYARD POLE (PIN-ON)

W	422-4917	FORK, MILLYARD POLE 66" 4,506 88" (2236mm) carriage and 66" (1677mm) tines INCLUDES: Millyard Top Clamp, Roller tips and connecting lines REQUIRES: 3rd valve		\$41,339 NI
W	390-6753	BUCKET-CU, 132" 8.00 YD3 4,379 Slips on over Millyard Pole Forks FOR USE WITH: 422-4917		\$12,565 NI

SORTING GRAPPLE (PIN-ON)

W	448-9058	FORK GP-GRAPPLE 48" 4,506 77" (1943mm) carriage and 48" (1221mm) tines INCLUDES: Top Clamp and connecting lines REQUIRES: 3rd valve		\$43,983 NI
---	----------	--	--	-------------

FORK CONNECTOR LINES (PIN ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 FORKS / PIN-ON (Cont.)

W	321-7903	LINES, CONNECTOR 8 REQUIRES: Quantity of two FOR USE WITH: 966K machines FOR USE WITH: 966H machines machine serial numbers A6D01937 and up machine serial numbers A6G03852 and up FOR USE WITH: 972K machines FOR USE WITH: 972H machines machine serial numbers A7D00729 and up machine serial numbers A7G01227 and up		\$158 NI
---	----------	--	--	-----------------

W	255-3588	LINES, CONNECTOR 0 REQUIRES: Quantity of two FOR USE WITH: 966H machines machine serial numbers A6D01936 and down machine serial numbers A6G03851 and down 966G series I and II FOR USE WITH: 972H machines machine serial numbers A7D00728 and down machine serial numbers A7G01226 and down 972G series I and II		\$153 NI
---	----------	--	--	-----------------

PALLET (PIN-ON)

W	143-7206	FORK, PALLET 2,710 96"(2438mm) carriage and 48"(1219mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76.2mm)		\$10,171 NI
W	143-7207	FORK, PALLET 2,855 96"(2438mm) carriage and 60"(1524mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$11,033 NI
W	143-7208	FORK, PALLET 2,995 96"(2438mm) carriage and 72"(1829mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$13,175 NI
W	159-3022	FORK, PALLET 3,140 96"(2438mm) carriage and 84"(2134mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$14,168 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

PIPE AND POLE FORK (PIN-ON)

W	447-9939	FORK, PIPE & POLE	6,650	\$56,958 NI
		120"(3048MM) Carriage, 96"(2439mm) Tines		
		INCLUDES: Connector lines		
		REQUIRES: 3rd valve		
		TINE WIDTH: 8"(203mm)		
		TINE THICKNESS: 3.5"(90mm)		

966 & 972 FORKS / COUPLER / FUSION

LOG & LUMBER FORK (FUSION)

W	435-4634	FORK, LOG & LUMBER 60"	2,765	\$11,938 NI
		84" (2134mm) carriage and 60" (1524mm) tines		
W	435-4684	FORK, LOG & LUMBER 72"	2,901	\$12,835 NI
		84" (2134mm) carriage and 72" (1829mm) tines		
W	435-4686	FORK, LOG & LUMBER 96"	3,183	\$14,836 NI
		84" (2134mm) carriage and 96" (2438mm) tines		
W	379-2109	FORK, LOG & LUMBER 60"	2,809	\$13,639 NI
		96" (2439mm) carriage and 60" (1524mm) tines		
W	379-2199	FORK, LOG & LUMBER 72"	2,946	\$13,981 NI
		96" (2439mm) carriage and 72" (1829mm) tines		
W	379-2321	FORK, LOG & LUMBER 96"	3,228	\$16,622 NI
		96" (2439mm) carriage and 96" (2438mm) tines		

MILLYARD / FUSION

W	383-3523	FORK, MILLYARD 63"	6,098	\$41,221 NI
		92" (2324mm) carriage and 63" (1609mm) tines		
		INCLUDES: Millyard Top Clamp, GET tips and connecting lines		
		REQUIRES: 3rd valve		

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84"	1,321	\$6,213 NI
		84"(2134mm) Carriage		
		FOR USE WITH: Fusion Coupler		
		REQUIRES: 2 - Class IV Tines (Pallet Fork)		
		CANNOT BE USED WITH: Class III construction tines		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
<i>PALLET FORK TINES (FUSION)</i>				
W	530-1869	ITA TINE, PALLET FORK 72" REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)	396	\$2,358 NI
W	548-3265	ITA TINE, PALLET FORK 60" REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)	355	\$2,142 NI
<i>CONSTRUCTION FORK CARRIAGES (FUSION)</i>				
W	520-7957	CARRIAGE GROUP, 96" Lane 1 Work Tool 96"(2438mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP	1,761	\$7,765 NI
W	520-7968	CARRIAGE GROUP, 108" 108"(2743mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP	1,877	\$8,929 NI
<i>CONSTRUCTION FORK TINE GROUPS (FUSION)</i>				
W	520-7985	TINE GROUP, 48" INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)	1,012	\$3,894 NI
W	520-7980	TINE GROUP, 60" Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)	1,150	\$5,122 NI
W	520-7979	TINE GROUP, 72" Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)	1,288	\$6,588 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

CONSTRUCTION FORK TINE GROUPS (FUSION) (Cont.)

W	520-7986	TINE GROUP, 84" Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)	1,425	\$9,149 NI
W	520-7981	TINE GROUP, 96" Lane 1 Work Tool INCLUDES: Right and Left offset tines. REQUIRES: Carriage Group 520-7957 or 520-7968 TINE WIDTH: 7" (180mm) TINE THICKNESS: 3.5" (90mm)	1,562	\$11,369 NI

PIPE AND POLE FORK (FUSION)

W	365-1318	FORK, PIPE & POLE 120"(3048mm) Carriage, 96"(2439mm) Tines INCLUDES: Connector lines REQUIRES: Fusion Coupler and 3rd Valve TINE WIDTH: 8"(204mm) TINE THICKNESS: 3.5"(89mm)	6,600	\$56,958 NI
---	----------	---	-------	-------------

966 & 972 FORKS / COUPLER / HPL

FOR QUESTIONS, SUPPORT AND QUOTATIONS
 PLEASE CONTACT THE SALES SUPPORT TEAM IN
 AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM

**LOG AND LUMBER (HPL)
 Used In Stacked Log and Lumber Applications**

W	164-7089	FORK, LOG & LUMBER (QC) 99"(2515mm) carriage and 48"(1219mm) non-swinging, floating tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3"(76.2mm)	2,393	\$12,597 NI
W	164-7090	FORK, LOG & LUMBER (QC) 99"(2515mm) carriage and 60"(1524mm) non-swinging, floating tines DOES NOT INCLUDE: Top Clamp TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)	2,710	\$13,639 NI

MILLYARD (HPL)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
966 & 972 FORKS / COUPLER / HPL (Cont.)				
W	164-0445	FORK, PALLET (QC) 2,665 96"(2438mm) carriage and 60"(1524mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$11,033 NI
W	164-0446	FORK, PALLET (QC) 2,830 96"(2438mm) carriage and 72"(1829mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$12,206 NI
W	164-0447	FORK, PALLET (QC) 3,000 96"(2438mm) carriage and 84"(2134mm) swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$14,168 NI
W	194-0434	FORK, PALLET (QC) 3,300 96"(2438mm) carriage and 96"(2438mm) swinging, non-floating tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$16,390 NI
W	174-3392	FORK, PALLET (QC) 3,100 96"(2438mm) carriage and 72"(1829mm) non-swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$13,842 NI
W	207-7011	FORK, PALLET (QC) 2,900 96"(2438mm) carriage and 60"(1524mm) non-swinging tines TINE WIDTH: 7"(180mm) TINE THICKNESS: 3.5"(90mm)		\$12,667 NI
FORK CONNECTOR LINES (HPL)				
W	154-4237	LINES, CONNECTOR (QC) 68 REQUIRED: When quick coupler is used with hydraulic tools that required 3rd valve.		\$1,489 NI
966 & 972 MATERIAL HANDLING ARMS (FUSION)				
W	289-9885	ARM, MATERIAL HANDLING 1,560 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services Extendable Length 123" (3124mm) to 183" (4648mm)		\$7,411 NI
966 & 972 MATERIAL HANDLING ARM (HPL)				
W	136-0499	ARM, MATERIAL HANDLING (QC) 1,260 EXTENDIBLE LENGTH: 123"(3124mm) to 183"(4648mm)		\$7,411 NI

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
WT-MWL-068

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 RAKES / PIN-ON

LOADER (PIN-ON)

W	230-5849	RAKE, LOADER	4,670	\$22,093 NI
		RAKING WIDTH: 124"(3150mm)		
		HEIGHT: 66"(1676mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 13"(330mm)		

966 & 972 RAKES / COUPLER / FUSION

W	317-1243	RAKE, LOADER 124"	4,597	\$22,094 NI
		FOR USE WITH: Fusion Coupler		
		RAKING WIDTH: 124"(3156mm)		
		OVERALL WIDTH: 132"(3353mm)		
		HEIGHT: 66"(1668mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 13"(330mm)		

966 & 972 RAKES / COUPLER / HPL

LOADER (HPL)

W	160-8533	RAKE, LOADER (QC)	4,670	\$22,093 NI
		RAKING WIDTH: 124"(3150mm)		
		HEIGHT: 66"(1676mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 13"(330mm)		
W	160-4778	RAKE-LOADER, 112" (QC)	6,500	\$38,500 NI
		INCLUDES: Top Clamp		
		RAKING WIDTH: 124"(3150mm)		
		HEIGHT: 70"(1778mm)		
		NUMBER OF TEETH: 9		
		TOOTH SPACING: 13"(330mm)		
		REQUIRES: 3rd valve and 154-4237 connector lines		

RAKE CONNECTOR LINES (HPL)

W	154-4237	LINES, CONNECTOR (QC)	68	\$1,489 NI
---	----------	---------------------------------	----	------------

966 & 972 SNOW REMOVAL / FUSION

HYDRAULIC ANGLE SNOW BLADES

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

966 & 972 WHEEL LOADER (CONT.)

966 & 972 SNOW REMOVAL / FUSION (Cont.)

W	524-6848	BLD 144 HYD ANG SNW TRP FUS BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED	3,020	\$13,949 NI
W	524-6849	BLD 168 HYD ANG SNW TRP FUS BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED	3,157	\$17,975 NI
W	524-6850	BLD 168 HYD ANG SNW TRP FUS BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (E.G. 3F) WITH LINES GP-IMPLEMENT 3F INSTALLED CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	3,422	\$19,413 NI

U/V ANGLE BLADES

W	524-6865	BLD 132 U/V ANG FUS BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	2,900	\$28,758 NI
W	524-6866	BLD 144 U/V ANG FUS BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	3,000	\$32,354 NI
W	524-6867	BLD 168 U/V ANG FUS BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F) CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	3,150	\$35,949 NI

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	6,913	\$19,413 NI
---	----------	---	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
966 & 972 WHEEL LOADER (CONT.)				
SNOW PUSH (Cont.)				
W	524-6873	BLD 240" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	8,230	\$25,882 NI
W	524-6874	BLD 300" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	9,549	\$32,354 NI
W	524-6875	BLD 360" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	10,859	\$38,824 NI
ICE SCRAPER				
W	524-6876	SCARIFIER 147" FUS. CANADIAN DEALERS REFERENCE WT-CADSNW PRICE LIST	3,309	\$11,503 NI
V-PLOW (FUSION)				
W	314-2511	PLOW, 126" V SNOW HEIGHT: 84" (2134MM) FOR USE WITH: FUSION COUPLER	2,917	\$11,538 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER

980M / 980K / 980H / 980G BUCKETS

All 980H/980G buckets listed will fit both Standard and High Lift loader configurations. Material density will determine appropriate capacity bucket. Refer to Specalog. Exceeding maximum payload may cause loader instability.

PIN-ON BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	330-2047	BKT GP ST 137" 7.0 YD3 PO 5,860 PERFORMANCE SERIES BUCKET CAPACITIES: 6.50YD3(5.0M3) w/bolt-on adapters, 139"(3531mm) wide 7.00YD3(5.35M3) w/bolt-on adapters & segments, 139"(3531mm)wide 7.00YD3(5.35M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) 110% FILL FACTOR: 7.75YD3(5.8M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments n For BOCE Arrangement - order bucket part: 516-1626		\$22,300 NI
W	516-1626	BKTA GP ST 137" 7.0YD3 PO 6,920 Lane 1 Work Tool INCLUDES: 330-2047 Bucket-GP with BOCE and Corner Guards.		\$25,335 NI
W	330-2048	BKT GP ST 137" 7.5YD3 PO 6,087 PERFORMANCE SERIES BUCKET REQUIRES: 234-3096 counterweight CAPACITIES: 7.00YD3(5.35M3) w/bolt-on adapters, 139"(3531mm) wide 7.50YD3(5.7M3) w/bolt-on adapters & segments, 139"(3531mm) wide 7.50YD3(5.7M3) w/bolt-on cutting edge, 136"(3454mm) wide (Bucket Tag) 110% FILL FACTOR 8.25YD3(6.3M3) w/bolt-on cutting edge, 136"(3454mm) wide (Bucket Tag) Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1378		\$23,817 NI
W	516-1378	BKTA GP ST 137" 7.5 YD3 PO 7,147 Lane 1 Work Tool INCLUDES: 330-2048 Bucket-GP with BOCE and Corner Guards.		\$26,853 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	348-6786	BKT GP ST 137" 7.75YD3 PO 6,182 PERFORMANCE SERIES BUCKET REQUIRES: 234-3096 counterweight CAPACITIES: 7.50YD3(5.7M3) w/bolt-on adapters, 139"(3531mm) wide 7.75YD3(6.0M3) w/bolt-on adapters & segments, 139"(3531mm) wide 7.75YD3(6.0M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) 110% Fill Factor: 8.75YD3(6.6M3) w/bolt-on cutting edge, 136"(3454mm) wide(Bucket Tag) Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 515-5841		\$25,335 NI
W	515-5841	BKTA GP ST 137" 7.75 YD3 PO 7,242 Lane 1 Work Tool INCLUDES: 348-6786 Bucket-GP with BOCE and Corner Guards.		\$28,372 NI

GENERAL PURPOSE ABRASION (PIN-ON)

W	518-6144	BKTA GP AB 137" 7.75 YD3 PO 7,368 PERFORMANCE SERIES BUCKET INCLUDES: ARM BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$34,308 NI
---	----------	---	--	-------------

HEAVY DUTY GENERAL PURPOSE (PIN-ON)

W	494-2538	BKT GP HD 137" 7.50 YD3 PO 7,650 PERFORMANCE SERIES BUCKET CAPACITIES: 7.50YD3(5.7M3) w/bolt-on adapters & segments, 137"(3481mm)wide 7.50YD3(5.7M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) 110% FILL FACTOR: 8.25YD3(6.3M3) w/bolt-on cutting edges, 137"(3481mm) wide(Bucket Tag) Requires GET: Choose one set of adaptors, one set of tips (qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 518-8291		\$34,249 NI
W	518-8291	BKTA GP HD 137" 7.50 YD3 PO 9,107 PERFORMANCE SERIES BUCKET Lane 1 Work Tool INCLUDES: 494-2538 BUCKET w/BOCE, corner guards, & sidebar protectors		\$37,013 NI

FLAT FLOOR PERFORMANCE SERIES BUCKETS PIN-ON

FLAT FLOOR, STANDARD

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)				
980M / 980K / 980H / 980G BUCKETS (Cont.)				
W	361-4998	BKT FF ST 134" 7.5 YD3 PO 6,292 PERFORMANCE SERIES BUCKET CAPACITIES: 7.25YD3(5.5M3) w/bolt-on adapters, 139"(3535mm) wide 7.50YD3(5.7M3) w/bolt-on adapters & segments, 139"(3535mm)wide 7.50YD3(5.7M3) w/bolt-on cutting edges, 136"(3447mm) wide(Bucket Tag) 110% FILL FACTOR: 8.25YD3(6.3M3) w/bolt-on cutting edges, 136"(3447mm) wide(Bucket Tag) Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments n For BOCE Arrangement - order bucket part: 462-9513		\$24,626 NI
W	462-9513	BKTA FF ST 136" 7.45 CYD PO 0 Lane 1 Work Tool PERFORMANCE SERIES BUCKET INCLUDES: 361-4998 Bucket-GP with BOCE		\$26,596 NI
W	361-5004	BKTA FF ST 143" 11.0YD3 PO 7,805 PERFORMANCE SERIES BUCKET 143"(3638mm) wide INCLUDES: bolt-on cutting edge		\$37,794 NI
ROCK BUCKETS (PIN-ON)				
W	361-7874	BKT RSP ST 139" 7.0YD3 PO 7,773 PERFORMANCE SERIES BUCKET Rated width and capacity of bucket including GET. INCLUDES: spade base edge, and K100 two strap adapters. Requires GET: Choose 1 set of K100 tips (8 qty) with optional set of bolt-on segments and optional sidebar protectors. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$36,910 NI
W	554-0042	BKT RSP AB 140" 6.00YD3 PO 6,995 PERFORMANCE SERIES BUCKET Rated width and capacity of bucket including GET. With spade base edge, K100 two strap adapters. Requires GET: Choose set of tips with optional set of bolt-on segments and/or optional sidebar protectors. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$36,785 NI
W	539-0406	BKT RSP ST 139" 5.75YD3 PO 6,340 PERFORMANCE SERIES SPADE EDGE BUCKET CANNOT BE USED WITH: Counterweight, Aggregate CAPACITIES: 4.2M3(5.50YD3) w/weld-on adapters, 3504mm(138") wide 4.4M3(5.75YD3) w/weld-on adptrs & segments,3504mm(138")wide-Bucket Tag 110% FILL FACTOR: 4.8M3(6.25YD3) w/weld-on adptrs & segments,3504mm(138")wide-Bucket Tag		\$34,326 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

HEAVY DUTY QUARRY ROCK BUCKETS
 Use for bank or face loading 2700-2800 lbs/yd³ material where high impact / high abrasion is encountered. Buckets include thicker base edge, four-piece liner package, inner & outer side wear plates, bottom outside skid plates, hinge bracket wear plates and base edge wear plates. Base edge wear plates included on Spade Edge.

W	260-1389	BKT RSP HD 138" 6.0YD3 PO 3,742 SPADE EDGE. INCLUDES: (8) weld-on K110 H.D. double-strap adapters, (with A.R.M. on corner adapters), bolt-on half arrow segments and (4) sidebar protectors. REQUIRES: 8-K110 tips. CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE		\$51,376 NI
---	----------	--	--	-------------

SLAG (PIN-ON)

W	348-8565	BKT SLG HD 134" 5.0YD3 PO 11,689 134"(3394mm) wide INCLUDES: (7) weld-on K130 double-strap adapters and (1) segment group REQUIRES: (7) K130 heavy abrasion slag tips (309-1058 or 309-1059)		\$48,954 NI
---	----------	---	--	-------------

WASTE HANDLING (PIN ON)

980K

W	517-2578	BKTA WD ST 153" 13.0YD3 PO 9,513 Dozing style bucket 153" (3882 MM) wide CAPACITIES: 13.00 YD3 (9.90M3) With BOCE 32.00 YD3 (24.50M3) dozing capacity with BOCE INCLUDES: Steel BOCE CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE		\$40,965 NI
W	516-1699	BKTA WD ST 150" 13.0YD3 PO 9,229 Dozing style bucket 153" (3882 MM) wide CAPACITIES: 13.00 YD3 (9.90M3) With BOCE 32.00 YD3 (24.50M3) dozing capacity with BOCE INCLUDES: Rubber BOCE CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$39,729 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	516-1756	BKTA WLC ST 153" 14.0YD3 PO 10,029 Load and Carry style bucket 153" (3882mm) wide CAPACITIES: 14.00 YD3 (10.70M3) with bolt-on cutting edge INCLUDES: Steel BOCE		\$44,489 NI
W	516-1803	BKTA WLC ST 150" 14.0YD3 PO 9,744 Load and Carry style bucket 153" (3882mm) wide CAPACITIES: 14.00 YD3 (10.70M3) with bolt-on cutting edge INCLUDES: Rubber BOCE		\$47,206 NI

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	195-2643	BKTA WC ST 164" 15.0YD3 PO 8,792 164"(4166mm) wide MAXIMUM MATERIAL DENSITY: 1230 lbs/yd3 (760kg/m3) INCLUDES: bolt-on cutting edge FOR USE WITH: machine serial numbers 2KR04553 and up machine serial numbers 9CM02126 and up machine serial numbers AWH00234 and up grease pin linkage		\$47,497 NI
W	553-9653	BKT MH 175" 19.00YD3 PO 10,582 INCLUDES: Bolt on cutting edge FOR USE WITH: 980 AGG Configuration including Counterweight		\$49,694 NI

COUPLER BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (FUSION)

W	448-9326	BKT GP ST 135" 7.0YD3 FUS 5,730 PERFORMANCE SERIES BUCKET CAPACITIES: 6.50YD3 (5.0M3) with bolt-on adapters, 139"(3351mm) wide 7.00YD3 (5.4M3) with bolt-on adapters and segments, 139"(3351mm) wide 7.00YD3 (5.4M3) with bolt-on cutting edges, 136"(3454mm) wide 110% FILL FACTOR: 7.75YD3 (5.9M3) with bolt-on cutting edges, 136"(3454mm) wide		\$22,300 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKETS (Cont.)

W	448-9327	BKT GP ST 135" 7.5YD3 FUS 5,523 PERFORMANCE SERIES BUCKET CAPACITIES: 7.00YD3 (5.4M3) with bolt-on adapters, 139"(3351mm) wide 7.50YD3 (5.7M3) with bolt-on adapters and segments, 139"(3351mm) wide 7.50YD3 (5.7M3) with bolt-on cutting edges, 136"(3454mm) wide 110% FILL FACTOR: 8.25YD3 (6.3M3) with bolt-on cutting edges, 136"(3454mm) wide		\$23,817 NI
---	----------	---	--	-------------

WOODCHIP (FUSION)

W	553-9655	BKT MH 175" 19.00YD3 FUS 9,652 INCLUDES: Bolt on cutting edge FOR USE WITH: 980 AGG Configuration including Counterweight		\$49,694 NI
---	----------	---	--	-------------

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

980M / 980K / 980H / 980G BUCKET G.E.T.

980M/980K/980H/980G BOLT ON CUTTING EDGES & CORNER GUARDS

W	109-9213	CUTTING EDGE, BOLT-ON 897 35mm thick w/40mm endbits (1 required)		\$2,054
W	127-0718	CUTTING EDGE, BOLT-ON 1,013 40mm thick w/45mm endbits (1 required) Use for high abrasion application		\$2,492
W	229-6959	CUTTING EDGE, BOLT-ON HA 997 44MM thick w/48mm end bits (1 required)		\$3,605
W	439-0497	CUTTING EDGE, BOLT-ON 1,003 FOR USE WITH: Base edge 194-0659		\$2,546
W	437-0206	CUTTING EDGE, BOLT-ON RUBBER 814 FOR USE WITH: Base edge 194-0659		\$5,390
W	174-7950	GUARD, CORNER. 304 FOR USE WITH: General Purpose Buckets with Bolt-On Cutting Edges only.		\$1,057

K100 G.E.T.

W	257-1770	ADAPTERS, TIP, BOLT-ON, K100 242 (1 required) FOR USE WITH: K100 tips		\$3,847
W	109-9059	SEGMENTS, BOLT ON, SET OF 7 395 30mm Thick (1 required) FOR USE WITH: K100 adapters and tips		\$1,197

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)				
980M / 980K / 980H / 980G BUCKET G.E.T. (Cont.)				
W	135-9667	SEGMENTS, HD, BOLT-ON SET OF 7 45mm thick. (1 required) Use for high abrasion application. FOR USE WITH: K100 adapters and tips	560	\$1,579
W	119-3230	SEGMENTS, BOLT-ON, SET OF 7 35mm thick (1 required) FOR USE WITH: Spade edge, K100 adapters and tips	653	\$1,896
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY) 45mm thick, (1 required) FOR USE WITH: Spade edge, K100 adapters & tips	849	\$2,624
W	109-3123	SEGMENTS, H.A., BOLT-ON, SET OF 7 45mm thick, half arrow (1 required) FOR USE WITH: Spade edge, K100 adapters & tips	686	\$2,575
W	229-6973	TIP, EXTRA DUTY FOR USE WITH: K100 adapters (8 required)	25	\$126
W	229-6974	TIP, PENETRATION FOR USE WITH: K100 adapters (8 required)	19	\$108
W	229-6978	TIP, GENERAL DUTY FOR USE WITH: K100 adapters and tips (8 required)	21	\$121
W	229-6979	TIP, HEAVY DUTY, PENETRATION ONLY FOR USE WITH: K100 adapters (8 required)	25	\$140
W	229-6975	TIP, PENETRATION PLUS FOR USE WITH: K100 adapters (8 required)	23	\$125
W	229-6980	TIP, ABRASION, HEAVY DUTY FOR USE WITH: K100 adapters (8 required)	32	\$149
PROTECTORS				
W	106-0912	PROTECTORS, SIDEBAR, SET OF 2 FOR USE WITH: Rock Buckets Only	78	\$836
W	135-8245	PROTECTORS, SIDEBAR, SET OF 2 (1 required) FOR USE WITH: Rock Buckets only	49	\$551
W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 (1 required) FOR USE WITH: Heavy Duty GP Buckets	159	\$1,322
K110 G.E.T.				
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY) 45mm thick, (1 required) FOR USE WITH: K110 adapters and tips	849	\$2,624
W	309-1122	TIP, EXTRA DUTY FOR USE WITH: K110 adapters (8 required)	36	\$163
W	309-1123	TIP, PENETRATION FOR USE WITH: K110 adapters (8 required)	23	\$128
W	309-1127	TIP, GENERAL DUTY FOR USE WITH: K110 adapters (8 required)	26	\$129
W	309-1128	TIP, HEAVY PENETRATION FOR USE WITH: K110 adapters (8 required)	51	\$250
W	309-1124	TIP, PENETRATION PLUS FOR USE WITH: K110 adapters (8 required)	35	\$164

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980K / 980H / 980G BUCKET G.E.T. (Cont.)

W	309-1129	TIP, HEAVY ABRASION	51	\$206
		FOR USE WITH: K110 adapters (8 required)		

J400 BUCKET ATTACHMENTS

980H/G BOLT ON CUTTING EDGES

W	109-9213	CUTTING EDGE, BOLT-ON	897	\$2,054
		35mm thick w/40mm endbits (1 required)		
W	127-0718	CUTTING EDGE, BOLT-ON	1,013	\$2,492
		40mm thick w/45mm endbits (1 required)		
		Use for high abrasion application		
W	229-6959	CUTTING EDGE, BOLT-ON HA	997	\$3,605
		44MM thick w/48mm end bits (1 required)		

J460 G.E.T. FOR HEAVY DUTY QUARRY ROCK BUCKETS

W	8E-3758	TIP, ABRASION, HEAVY DUTY	15	\$206
		FOR USE WITH: J460 adapters		
W	9N-4562	TIP, LONG	26	\$122
		FOR USE WITH: J460 adapters		
W	9N-4563	TIP, LONG, HEAVY DUTY	34	\$150
		FOR USE WITH: J460 adapters (8 required)		
W	9N-4564	TIP, PENETRATION	25	\$124
		FOR USE WITH: J460 adapters (8 required)		
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY)	849	\$2,624
		45mm thick, (1 required)		
		FOR USE WITH: J460 adapters and tips		

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)				
980M/K/L COUPLERS / FUSION				
W	447-6627	QUICK COUPLER, FUSION 1,802 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services FOR USE WITH: 980L STANDARD LIFT machines machine serial number prefix D8Z 980M STANDARD LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ NOT FOR USE WITH: 495-7529: 980M Std Lubrication Ar 495-7531: 980M High Lift Lubrication Ar 495-7532: 980M Steel Mill Lubrication Ar 498-5641: 980M Logger Lubrication Ar		\$15,692 NI
W	538-8670	QUICK COUPLER, FUSION 1,811 FOR USE WITH: 980L/M HIGH LIFT machines 980L HIGH LIFT machines machine serial number prefix D8Z 980M HIGH LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD NOT FOR USE WITH: 495-7529: 980M Std Lubrication Ar 495-7531: 980M High Lift Lubrication Ar 495-7532: 980M Steel Mill Lubrication Ar 498-5641: 980M Logger Lubrication Ar		\$16,476 NI
980L/M COUPLER SUPPLY GROUPS (FUSION)				
W	457-4024	KIT, COUPLER HYDRAULIC SUPPLY 54 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services FOR USE WITH: 447-6627 Coupler 980M STANDARD LIFT machines machine serial number prefix KRS, MK2, N8T, MK3 and MGD 980L STANDARD LIFT machines machine serial number prefix D8Z		\$2,756 NI
W	457-4026	KIT, COUPLER HYDRAULIC SUPPLY 52 FOR USE WITH: 538-8670 Coupler 980M HIGH LIFT machines machine serial number prefix KRS, MK2, N8T, MK3, MGD 980L HIGH LIFT machines machine serial number prefix D8Z		\$2,756 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M/K/L COUPLERS / FUSION (Cont.)

W	447-3926	LINES GP-IMPLEMENT 3V (QC) 14 FOR USE WITH: 447-6627 Coupler 980M STANDARD LIFT machines machine serial number prefix KRS, MK2, N8T, MK3 and MGD 980L STANDARD LIFT machines machine serial number prefix D8Z REQUIRED: when coupler is used with hydraulic tools that require 3rd valve.		\$726 NI
---	----------	--	--	-----------------

980K COUPLER SUPPLY GROUPS (FUSION)

W	447-3050	KIT, COUPLER HYDRAULIC SUPPLY 44 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ		\$1,431 NI
W	447-3925	LINES GP-IMPLEMENT 3V 24 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ REQUIRED: when coupler is used with hydraulic tools that require 3rd valve.		\$726 NI
W	494-6541	KIT, REWORK AUTOLUBE 5 FOR USE WITH: 447-6627 Coupler 980K STANDARD LIFT machines machine serial number prefix W7K and GTZ REQUIRED: when machine has autolube		\$779 NI

980M / 980L / 980K / 980H / 980G COUPLERS (HPL)

W	193-9882	QUICK COUPLER, HORIZONTAL PIN 2,400 REQUIRES: supply group FOR USE WITH: 980G series II machines STANDARD and HIGH LIFT machines machine serial numbers 2KR04553 and up machine serial numbers 9CM02126 and up machine serial numbers AWH00234 and up machine serial number prefix A8J FOR USE WITH: 980M, 980L, 980K and 980H machines		\$15,692 NI
---	----------	--	--	--------------------

COUPLER SUPPLY GROUPS

W	457-4024	KIT, COUPLER HYDRAULIC SUPPLY 54 980L STANDARD LIFT machines FOR USE WITH: 193-9882 Coupler 980M STANDARD LIFT machines 980L STANDARD LIFT machines		\$2,756 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980M / 980L / 980K / 980H / 980G COUPLERS (HPL) (Cont.)

W	457-4026	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 193-9882 Coupler 980M HIGH LIFT machines 980L HIGH LIFT machines	52	\$2,756 NI
W	447-3050	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 193-9882 coupler FOR USE WITH: 980K machines	44	\$1,431 NI
W	222-5269	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: 193-9882 coupler 980G series II machines machine serial numbers 2KR04553 and up machine serial numbers 9CM02126 and up machine serial numbers AWH00234 and up machine serial number prefix A8J FOR USE WITH: 980H machines	52	\$2,375 NI

COUPLER HOOKS

W	140-6630	HOOK,BLANK(QC)-CWTS	1,100	\$4,242 NI
W	144-6883	HOOK,FLAT BACK(QC)	470	\$2,776 NI
W	144-6884	HOOKS, PROFILE(QC) FOR USE WITH: buckets 113-3252, 113-3253, 113-3254, and 113-3255	1,045	\$4,242 NI

COUPLER CONNECTOR LINES

W	434-2610	LINES, CONNECTOR 3V (QC) REQUIRED: when coupler is used with hydraulic tools that require 3rd valve FOR USE WITH: 980M/L/K/H/GII machines	19	\$1,046 NI
---	----------	--	----	------------

980H/980G FORKS

PIN-ON FORKS

PALLET FORKS (PIN ON)

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

W	473-9106	FORK, PALLET 72" 5,472 108" (2751mm) carriage and 72" (1828mm) swinging tines TINE WIDTH: 8" (203mm) TINE THICKNESS: 3.5" (89mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$19,003 NI
W	473-9104	FORK, PALLET 96" 5,983 108" (2751mm) carriage and 96" (2438mm) swinging tines TINE WIDTH: 8" (203mm) TINE THICKNESS: 3.5" (89mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$21,164 NI

LOGGING

W	383-1822	FORK, LOGGING 7,015 109"(2769mm) carriage and 72"(1829mm) tines INCLUDES: Double top clamp, GET tips and connecting lines REQUIRES: 3rd valve INSIDE HEIGHT: 64"(1627mm) FOR USE WITH: 980G/H/M Machine with Logging Arrangement only FOR USE WITH: Grease pin linkage Machine serial numbers 2KR04553 and up Machine serial numbers 9CM02126 and up Machine serial numbers AWH00234 and up		\$53,046 NI
---	----------	---	--	--------------------

MILLYARD

W	507-6128	FORK, MILLYARD 8,788 109" (2769mm) carriage and 72"(1829mm) tines INCLUDES: Millyard top clamp, GET tips and connecting lines REQUIRES: 3rd valve FOR USE WITH: 980G/H/M Machine with Logging Arrangement only FOR USE WITH: Grease pin linkage Machine serial numbers 2KR04553 and up Machine serial numbers 9CM02126 and up Machine serial numbers AWH00234 and up		\$55,449 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

COUPLER FORKS

PALLET FORK CARRIAGES (FUSION)

W	530-1861	ITA PALLET FORK CARRIAGE, 84" 1,321 84"(2134mm) Carriage FOR USE WITH: Fusion Coupler REQUIRES: 2 - Class IV Tines (Pallet Fork) CANNOT BE USED WITH: Class III construction tines		\$6,213 NI
---	----------	--	--	------------

PALLET FORK TINES (FUSION)

W	530-1869	ITA TINE, PALLET FORK 72" 396 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,358 NI
W	548-3265	ITA TINE, PALLET FORK 60" 355 REQUIRES: 530-1861 CARRIAGE, 84" TINE WIDTH: 6" (150mm) TINE THICKNESS: 2.5" (65mm)		\$2,142 NI

CONSTRUCTION FORK CARRIAGES (FUSION)

W	523-4199	CARRIAGE GROUP, 108" 2,538 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services 108"(2731mm) carriage FOR USE WITH: Fusion Coupler REQUIRES: TINE GROUP Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$12,942 NI
---	----------	--	--	-------------

CONSTRUCTION FORK TINE GROUPS (FUSION)

W	523-4200	TINE GROUP, 72" 1,592 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.4" (85mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$10,931 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

980H/980G FORKS (Cont.)

W	523-4201	TINE GROUP, 84" 1,911 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.5" (90mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$12,469 NI
W	523-4202	TINE GROUP, 96" 2,147 Lane 1 Work Tool - Ships loose from Caterpillar Work Tools & Services INCLUDES: Right and Left straight tines. REQUIRES: Carriage Group 523-4199 TINE WIDTH: 9.8" (250mm) TINE THICKNESS: 3.5" (90mm) Load capacity is dependent on machine/worktool configuration. Please consult load charts.		\$14,471 NI

SNOW REMOVAL (FUSION)

HYDRAULIC ANGLE SNOW BLADES

W	524-6849	BLD 168 HYD ANG SNW TRP FUS 3,157 BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F) REQUIRES: Jumper lines		\$17,975 NI
W	524-6850	BLD 168 HYD ANG SNW TRP FUS 3,422 BLADE HEIGHT: 42" (1067mm) REQUIRES: Fusion Coupler ONE AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F) REQUIRES: Jumper lines		\$19,413 NI

U/V ANGLE BLADES

W	524-6866	BLD 144 U/V ANG FUS 3,000 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$32,354 NI
W	524-6867	BLD 168 U/V ANG FUS 3,150 BLADE HEIGHT: 40" (1016mm) REQUIRES: Fusion Coupler TWO AVAILABLE HYDRAULIC FUNCTIONS (e.g. 3F & 4F)		\$35,949 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

980H, 980K, 980L AND 980M WHEEL LOADER (CONT.)

SNOW PUSH

W	524-6872	BLD 180" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	6,913	\$19,413 NI
W	524-6873	BLD 240" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	8,230	\$25,882 NI
W	524-6874	BLD 300" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	9,549	\$32,354 NI
W	524-6875	BLD 360" SNOW PUSH FUS HEIGHT: 56" (1423mm) REQUIRES: Fusion Coupler	10,859	\$38,824 NI

ICE SCRAPER

W	524-6876	SCARIFIER 147" FUS.	3,309	\$11,503 NI
---	----------	--------------------------	-------	-------------

980H/980G BLOCK HANDLING TOOLS

980H/980G COUPLERS

W	212-8241	COUPLER, BLOCK HANDLING REQUIRES: 222-5269 Coupler Lines Group FOR USE WITH: Logging Arrangement Machines Only	2,235	\$21,449 NI
---	----------	--	-------	-------------

980H/980G COUPLER SUPPLY GROUP

W	222-5269	KIT, COUPLER HYDRAULIC SUPPLY FOR USE WITH: Block Handling Tools Only	52	\$2,375 NI
---	----------	--	----	------------

980H/980G FORKS

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER

982M BUCKETS

GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	392-7022	BKT GP ST 140" 8.25YD3 PO 7,610 PERFORMANCE SERIES BUCKET CAPACITIES: 7.75YD3(5.9M3) w/bolt-on adapters, 144"(3665mm) wide 8.25YD3(6.3M3) w/bolt-on adapters and segments, 144"(3665mm)wide 8.25 YD3(6.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE 110% FILL FACTOR: 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 516-1499		\$25,631 NI
---	----------	--	--	--------------------

W	516-1499	BKTA GP ST 142" 8.25YD3 PO 8,713 Lane 1 Work Tool INCLUDES: 392-7022 Bucket-GP with BOCE		\$29,306 NI
---	----------	---	--	--------------------

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES (PIN-ON)

W	539-0404	BKT RSP HD 144" 7.0YD3 PO 10,002 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 7.75 YD3 (5.1 M3) with weld-on adapters, 144"(3648mm) wide 7.00 YD3 (5.4 M3) with weld-on adapters and segments, 144"(3648mm)wid CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$57,229 NI
---	----------	--	--	--------------------

W	416-6462	BKT GP AB 141" 9.25YD3 PO 7,956 PERFORMANCE SERIES BUCKET CAPACITIES: 8.75YD3(6.7M3) w/bolt-on adapters, 144"(3665mm) wide 9.25YD3(7.0M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR: 10.00YD3(7.7M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRES: COUNTERWEIGHT, AGGREGATE Requires GET: Choose one set of k100 adaptors, one set of tips (8 qty) and optional bolt-on segments For BOCE Arrangement - order bucket part: 518-6135		\$33,953 NI
---	----------	---	--	--------------------

W	518-6135	BKTA GP AB 142" 9.25YD3 PO 9,147 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services INCLUDES: 416-6462 Bucket-GP with BOCE		\$41,954 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

W	416-6463	BKT GP AB 141" 9.75YD3 PO 8,228 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services PERFORMANCE SERIES BUCKET CAPACITIES: 9.50YD3(7.2M3) w/bolt-on adapters, 144"(3665mm) wide 9.75 YD3(7.5M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.75 YD3(7.5M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 10.75YD3(8.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	8,228	\$35,992 NI
W	416-6464	BKT GP AB 141" 10.75YD3 PO 8,627 PERFORMANCE SERIES BUCKET CAPACITIES: 10.25YD3(7.9M3) w/bolt-on adapters, 144"(3665mm) wide 10.75YD3(8.2M3) w/bolt-on adapters and segments, 144"(3665mm)wide 10.75YD3(8.2M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 11.75YD3(9.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	8,627	\$38,156 NI

HEAVY DUTY GENERAL PURPOSE PERFORMANCE SERIES (PIN-ON)

W	396-4829	BKT GP HD 142" 9.75YD3 PO 9,531 PERFORMANCE SERIES BUCKET CAPACITIES: 9.25YD3(7.0M3) w/bolt-on adapters, 144"(3665mm) wide 9.75YD3(7.5M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.75YD3(7.5M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) 110% FILL FACTOR 10.75YD3(8.3M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE Please consult with the Caterpillar Dealer Instructor and/or Regional System Application Specialist to ensure proper bucket size based on target payloads, target material densities, and estimated bucket fill factors to prevent machine overloading.	9,531	\$33,821 NI
W	518-6127	BKTA GP HD 143" 9.25YD3 PO 10,897 Lane 1 Work Tool PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, & SIDEBAR PROTECTORS	10,897	\$39,792 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

MATERIAL HANDLING-HEAVY DUTY PERFORMANCE SERIES (PIN-ON)

W	396-4825	BKT FF HD 142" 9.25YD3 PO 9,956 PERFORMANCE SERIES BUCKET CAPACITIES: with bolt-on adapters 8.75YD3(6.7M3) w/bolt-on adapters, 144"(3665mm) wide 9.25YD3(7.0M3) w/bolt-on adapters and segments, 144"(3665mm)wide 9.25YD3(7.0M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag) REQUIRED BY: COUNTERWEIGHT, AGGREGATE 110% FILL FACTOR: 10.00YD3(7.7M3) w/bolt-on cutting edges, 142"(3602mm) wide(Bucket Tag)		\$34,525 NI
---	----------	--	--	-------------

ROCK PERFORMANCE SERIES (PIN-ON)

W	557-9586	BKT RSP ST 143" 7.0YD3 PO 8,878 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 6.75YD3(5.1M3) w/weld-on adapters, 144"(3648mm) wide 7.00YD3(5.4M3) w/weld-on adptrs & segments, 144"(3648mm)wide-Bucket Tag 110% FILL FACTOR 7.75YD3(5.9M3) w/weld-on adptrs & segments, 144"(3648mm)wide-Bucket Tag CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$44,088 NI
---	----------	---	--	-------------

HEAVY DUTY QUARRY ROCK PERFORMANCE SERIES (PIN-ON)

W	416-6471	BKT RSP HD 144" 7.0YD3 PO 9,579 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 6.75 YD3 (5.1 M3) with weld-on adapters, 144"(3648mm) wide 7.00 YD3 (5.4 M3) with weld-on adapters and segments, 144"(3648mm)wide CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE Requires GET: Choose either bolt-on cutting edge with corner guard or one set of K110 adaptors, one set of tips (8 qty) and optional bolt-on segments		\$56,958 NI
W	559-8096	BKTA RSP HD 143" 7.0YD3 PO 10,382 Lane 1 Work Tool INCLUDES: 416-6471 Bucket-Rock and Tip, General Duty		\$59,257 NI
W	516-1554	BKTA RSP HD 144" 7.0YD3 PO 10,382 Lane 1 Work Tool INCLUDES: 416-6471 Bucket-Rock and Tip, General Duty		\$59,257 NI

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

W	557-9587	BKT RSP HD 143" 7.5YD3 PO 10,256 PERFORMANCE SERIES SPADE EDGE BUCKET CAPACITIES: 7.25 YD3 (5.6 M3) with weld-on adapters, 144"(3648mm) wide 7.50 YD3 (5.8 M3) with weld-on adapters and segments, 144"(3648mm)wide CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$61,783 NI
---	----------	--	--	-------------

COAL (PIN-ON)

W	416-6478	BKTA GP LM 142" 11.5YD3 PO 9,718 INCLUDES: Bolt-on cutting edge		\$38,794 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKETS (Cont.)

WASTE (PIN-ON)

W	416-6477	BKTA WD ST 153" 13.25YD3 PO Dozing style bucket CAPACITIES: 13.25 YD3 (10.2 m3) with Bolt-on cutting edge 38.50 YD3 (29.5 M3) Dozing capacity with Bolt-on cutting edge INCLUDES: Bolt-on cutting edge	10,792	\$41,067 NI
---	----------	---	--------	-------------

WOODCHIP (PIN-ON)

For light materials only - Applications include woodchips, snow, grains and wood pellets. Not intended for waste applications.

W	416-6476	BKTA WC ST 164" 15.75YD3 PO INCLUDES: Bolt-on cutting edge	10,318	\$45,467 NI
W	553-9657	BKT LM 175" 23.0YD3 PO INCLUDES: Bolt on cutting edge FOR USE WITH: 966 Logger Configuration including Counterweight	11,971	\$60,863 NI

982M BUCKET G.E.T.

FOR CWTS PRODUCT - BUCKET G.E.T. CAN ONLY BE ORDERED AS INSTALLED AND WITH A BUCKET!!

W	9W-1479	CUTTING EDGE, BOLT-ON 35mm thick w/ 40mm endbits (1 required) FOR USE WITH: Base edge 4E-6085	932	\$2,710
W	442-8514	CUTTING EDGE, BOLT-ON 40mm thick w/ 45mm endbits (1 required) Use for high abrasion application FOR USE WITH: Base edge 4E-6085	1,058	\$3,081
W	174-7950	GUARD, CORNER. (CWTS PRODUCT) FOR USE WITH: GP and MH style buckets with Bolt-on Cutting Edges.	304	\$1,057

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

982M WHEEL LOADER (CONT.)

982M BUCKET G.E.T. (Cont.)

W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 (1 required) FOR USE WITH: HD GP, HD MH and HD QUARRY ROCK buckets	159	\$1,322
W	106-0912	PROTECTORS, SIDEBAR, SET OF 2 (1 required) FOR USE WITH: ROCK buckets only	78	\$836

K100 G.E.T.

W	257-1770	ADAPTERS, TIP, BOLT-ON, K100 (1 required) FOR USE WITH: K100 tips	242	\$3,847
W	9W-0818	SEGMENTS, BOLT ON, SET OF 7 30mm Thick, (1 required) FOR USE WITH: K100 adapters and tips	364	\$1,246
W	229-6973	TIP, EXTRA DUTY FOR USE WITH: K100 adapters (8 required)	25	\$126
W	229-6974	TIP, PENETRATION FOR USE WITH: K100 adapters (8 required)	19	\$108
W	229-6978	TIP, GENERAL DUTY FOR USE WITH: K100 adapters (8 required)	21	\$121
W	229-6979	TIP, HEAVY DUTY, PENTRATION FOR USE WITH: K100 adapters (8 required)	25	\$140
W	229-6975	TIP, PENETRATION PLUS FOR USE WITH: K100 adapters (8 required)	23	\$125
W	229-6980	TIP, ABRASION, HEAVY DUTY FOR USE WITH: K100 adapters (8 required)	32	\$149

K110 G.E.T.

FOR 982M ROCK BUCKETS ONLY

W	119-3230	SEGMENTS, BOLT-ON, SET OF 7 35mm Thick, (1 required) FOR USE WITH: K110 adapters and tips	653	\$1,896
W	107-3498	SEGMENTS, BOLT ON (HEAVY DUTY) 45mm Thick, (1 required) FOR USE WITH: K110 adapters and tips	849	\$2,624

CATERPILLAR MACHINE PRICE LIST

WT-MWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
982M WHEEL LOADER (CONT.)				
<i>982M BUCKET G.E.T. (Cont.)</i>				
W	109-3123	SEGMENTS,H.A.,BOLT-ON,SET OF 7 686 45mm Thick, (1 required) FOR USE WITH: K110 adapters and tips		\$2,575
W	309-1122	TIP, EXTRA DUTY 36 FOR USE WITH: K110 adapters (8 required)		\$163
W	309-1123	TIP, PENETRATION 23 FOR USE WITH: K110 adapters (8 required)		\$128
W	309-1127	TIP, GENERAL DUTY 26 FOR USE WITH: K110 adapters (8 required)		\$129
W	309-1128	TIP, HEAVY PENETRATION 51 FOR USE WITH: K110 adapters (8 required)		\$250
W	309-1124	TIP, PENETRATION PLUS 35 FOR USE WITH: K110 adapters (8 required)		\$164
W	309-1129	TIP, HEAVY ABRASION 51 FOR USE WITH: K110 adapters (8 required)		\$206

PACKING

PACKING CODES

	0P-0210	PACK, DOMESTIC TRUCK 0		NC
	0P-5812	PACK, EXPORT 0		NC
W	0G-0007	CWTS CUSTOM PRODUCT ACC QUOTE 0 Can only be used for ETO orders Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.		NC NI