

CATERPILLAR MACHINE PRICE LIST

WT-SSL

SKID STEER LOADER WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

for all models of Skid Steer Loader,
 Multi-Terrain Loader and Compact Track
 Loader.

216, 226, 228, 232, 236, 239, 242,
 246, 247, 248, 249, 252, 256, 257,
 259, 262, 267, 268, 272, 277, 279,
 287, 289, 297 and 299.

This Price List is split into the
 headings below:

- AUGERS
- AUGER BITS
- AUGER BITS: TREE FLIGHT
- AUGER BITS: ADAPTERS and EXTENTIONS
- BACKHOES: BH150 - BH160
- BALE GRABS
- BALE SPEARS
- BLADES, ANGLE
- BLADES, DOZER 6 WAY
- BROOMS: ANGLE
- BROOMS: PICKUP
- BROOMS: UTILITY
- BRUSHCUTTERS
- BUCKETS: GENERAL PURPOSE
- BUCKETS: LOW PROFILE (DIRT)
- BUCKETS: LIGHT MATERIAL
- BUCKETS: MATERIAL HANDLING
- BUCKETS: MIXING
- BUCKETS: MULTI PURPOSE
- BUCKETS: UTILITY
- BUCKET OPTIONS: TOOTH BARS
- COLD PLANERS
- COMPACTORS, VIBRATORY
- CONVERSION KITS
- CARRIAGES - FORKS / TINES
- FORKS, UTILITY
- INDUSTRIAL GRAPPLE FORKS
- UTILITY GRAPPLE FORKS
- INDUSTRIAL GRAPPLE BUCKETS
- INDUSTRIAL GRAPPLE RAKES
- UTILITY GRAPPLE BUCKETS
- UTILITY GRAPPLE GROUP
- LANDSCAPE RAKES
- LANDSCAPE TILLERS
- MACHINE ATTACHMENTS
- MATERIAL HANDLING ARM
- MULCHERS
- POWER BOX RAKES
- WHEEL SAWS
- SHEAR
- SILAGE DEFACER
- SNOW BLOWERS
- SNOW PLOWS
- SNOW PUSHES, STRAIGHT

- SECTIONAL SNOW PUSHES
- STUMP GRINDERS
- TRENCHERS
- DEMO CONTROL KIT

Ordering instructions:

The CMOPS-ANTARES bridge, which
 automatically transfers orders from
 from CMOPS to Antares parts, is at this
 moment only available for:

ADSD-N and ADS-D-S

All other territories need to order via
 ANTARES parts system, until further
 notice.

For dealers in Japan, please access the
 usual regional resources to obtain
 pricing information.

For BCP Work Tool specific lanes, please
 visit the "Availability & Lane
 Information" section in Work Tool
 Central at dealer.cat.com.

<<https://dealer.cat.com/products/wtc>>

The lane strategy will ensure the quick
 delivery of high volume work tools while
 controlling inventory of work tools
 ordered less frequently.

Where available Hammers may now be
 ordered using 0P-0096.

BCP Work Tool Product Support
 1-800-566-7782, option 1, option 6
 Email: bcp_work_tools@cat.com

CATERPILLAR MACHINE PRICE LIST

WT-SSL

SKID STEER LOADER WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------	--------------------	-------------------------

0P-0096	SKID STEER LOADER WORK TOOLS	0	NC
0P-0188	MULTI TERRAIN WORK TOOLS	0	NC
0P-6322	COMPACT TRACK LOADER WORK TOOL	0	NC

CMOPS orders for machines and work tools MUST be ordered separately.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - STANDARD FLIGHTS

Standard Duty, Approx. 50" (1270mm) Length, HEX Shaft, Double Flight
 Bit teeth are hardened, reversible and forged from medium carbon alloy steel. Teeth are held in place by bolt and nut.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	102	152	229	305	380	457	610	762	914
	inch	4	6	9	12	15	18	24	30	36

A14B Standard	++	++	++	++	++	++	++	++	+-	NA
A19B Standard	++	++	++	++	++	++	++	++	++	+-
A26B Standard	++	++	++	++	++	++	++	++	++	++
Qty teeth #	0	2	4	4	5	6	8	10	12	

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	366-7751	BIT, AUGER 4"	40	\$375 NI
W	153-4083	BIT, AUGER 6"	50	\$375 NI
W	153-4084	BIT, AUGER 9"	75	\$493 NI
W	153-4085	BIT, AUGER 12"	100	\$618 NI
W	366-7752	BIT, AUGER 15"	109	\$750 NI
W	153-4086	BIT, AUGER 18"	144	\$875 NI
W	153-4089	BIT, AUGER 24"	200	\$1,125 NI
W	217-3194	BIT, AUGER 30"	212	\$1,368 NI
W	153-4091	BIT, AUGER 36"	380	\$1,604 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)***AUGER BITS - STANDARD FLIGHTS (Cont.)***

Optional replacement teeth available through Parts only:

Pilot point/bit: 153-4093 Pilot Point

Required pilot point hardware:

1 x 7X-2549 Bolt

1 x 6V-7687 Locknut

Replacement teeth & hardware for all auger bits:

153-4094 Standard Duty Tooth

174-9566 Hard Face Tooth optional

174-9567 Carbide Inserted Tooth optional

Required teeth hardware:

6V-8959 Bolt (1)

6V-7687 Locknut (1)

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - ROCK HEAD FOR STANDARD FLIGHTS

Transforms standard auger bit to rock drill bit by mounting bolt-on rock head to standard bit. Rotating bits (similar to cold planer bits) extend life and provide better penetration into rocky conditions. Bolt-on rock head can be quickly installed and removed depending on ground conditions for maximum versatility.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	380	457	610
	inch	6	9	12	15	18	24

A14B Rock Head	++	++	++	+-	+-	+-	
A19B Rock Head	++	++	++	+-	+-	+-	
A26B Rock Head	++	++	++	++	++	++	

Qty teeth #	8	10	12	14	16	20	
-------------	---	----	----	----	----	----	--

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot bit per flight, included in teeth count (4 pcs per bit)

If no reference numbers appear below there are currently no items available in your region.

W	372-0230	ROCK HEAD, 6" BOLT-ON	23	\$278 NI
		FOR USE WITH: 153-4083 Auger flight		
W	372-0231	ROCK HEAD, 9" BOLT-ON	33	\$354 NI
		FOR USE WITH: 153-4084 Auger flight		
W	372-0232	ROCK HEAD, 12", BOLT-ON	41	\$438 NI
		FOR USE WITH: 153-4085 Auger flight		
W	372-0233	ROCK HEAD, 15" BOLT-ON	47	\$514 NI
		FOR USE WITH: 366-7752 Auger flight		
W	372-0234	ROCK HEAD, 18", BOLT-ON	55	\$590 NI
		FOR USE WITH: 153-4086 Auger flight		
W	372-0235	ROCK HEAD, 24", BOLT-ON	79	\$750 NI
		FOR USE WITH: 153-4089 Auger flight		

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0259 Standard Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - INDUSTRIAL FLIGHTS

Industrial bits, approx. 48" (1219mm) length, HEX shaft, single flight. Bit teeth are hardened and forged from medium carbon alloy steel. Teeth held in place by press fit. Teeth are quickly changed by soft hammer to insert or remove tooth. Ideal for ground conditions where teeth need to be changed frequently. Multiple tooth options below for various ground conditions

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914	1067	1219
	inch	6	9	12	16	18	24	30	36	42	48

A14B Industrial	++	++	++	+-	+-	+-	+-	+-	NA	NA	NA
A19B Industrial	++	++	++	+-	+-	+-	+-	+-	+-	+-	+-
A26B Industrial	++	++	++	++	++	++	++	++	++	++	++

Qty teeth #	2	4	4	6	6	8	10	12	16	18
-------------	---	---	---	---	---	---	----	----	----	----

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot point per flight, NOT included in teeth count

If no reference numbers appear below there are currently no items available in your region.

W	372-0260	BIT, AUGER 6" INDUSTRIAL	57	\$521 NI
W	372-0261	BIT, AUGER 9" INDUSTRIAL	72	\$639 NI
W	372-0262	BIT, AUGER 12" INDUSTRIAL	91	\$757 NI
W	372-0263	BIT, AUGER 16" INDUSTRIAL	114	\$917 NI
W	372-0264	BIT, AUGER 18" INDUSTRIAL	107	\$1,000 NI
W	372-0265	BIT, AUGER 24", INDUSTRIAL	151	\$1,236 NI
W	372-0266	BIT, AUGER 30" INDUSTRIAL	180	\$1,472 NI
W	372-0267	BIT, AUGER 36" INDUSTRIAL	223	\$1,708 NI
W	372-0268	BIT, AUGER 42" INDUSTRIAL	289	\$2,493 NI
W	372-0269	BIT, AUGER 48" INDUSTRIAL	343	\$2,736 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)***AUGER BITS - INDUSTRIAL FLIGHTS (Cont.)***

Optional replacement teeth available through Parts only:

- 371-3694 Gage Tooth (Outer)
- 371-3690 Flat Tooth (Inner)
- 371-3695 HF Gage Tooth (Outer)
- 371-3691 Flat Carbide Tooth (Inner)
- 371-3696 Chisel Tooth (Inner)
- 371-3692 Flat Hard Face Tooth HF (Inner)
- 371-3697 Chisel Carbide Tooth (Inner)
- 371-3693 Flat HF Tooth (HF Both Sides, Inner)
- 371-3698 Chisel HF Tooth (Inner)

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - INDUSTRIAL ROCK FLIGHT

Industrial Rock Flights, approx. 1220mm (48") length, HEX shaft, for heavy duty applications. The thickness of the flight is 19mm (3/4"). Co with a welded on Rock head including a bolt-on pilot bit.

Bit/Flight compatibility matrix vs Auger drive unit

Diam	mm	152	229	305	405	457	610	762	914
inch		6	9	12	16	18	24	30	36

A14B Ind.Rock	++	++	++	+-	+-	+-	+-	+-	NA
A19B Ind.Rock	++	++	++	+-	+-	+-	+-	+-	+-
A26B Ind.Rock	++	++	++	++	++	++	++	++	++

Qty teeth #	8	10	12	15	16	20	24	26	
-------------	---	----	----	----	----	----	----	----	--

++ = good performance, +- = acceptable performance, NA = Not Allowed
 # = 1 pilot bit per flight, included in teeth count (4 pcs)

If no reference numbers appear below there are currently no items available in your region.

W	372-0270	BIT, ROCK AUGER 6"	78	\$1,181 NI
W	372-0271	BIT, ROCK AUGER 9"	107	\$1,319 NI
W	372-0272	BIT, ROCK AUGER 12"	134	\$1,458 NI
W	372-0273	BIT, ROCK AUGER 16"	167	\$2,569 NI
W	372-0274	BIT, ROCK AUGER 18"	191	\$2,847 NI
W	372-0275	BIT, ROCK AUGER 20"	217	\$3,125 NI
W	372-0276	BIT, ROCK AUGER 24"	281	\$3,681 NI
W	372-0277	BIT, ROCK AUGER 30"	310	\$4,514 NI
W	372-0278	BIT, ROCK AUGER 36"	409	\$5,347 NI

Optional replacement teeth available through Parts only:
 367-6967 Bit pilot (excluding 4 teeth)
 372-0289 Rock Drill Head Tooth

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - TREE FLIGHT

Conical auger flights, for use in nurseries and landscaping to drill holes for trees and shrubs with root balls.

Bit/Flight compatibility matrix vs Auger drive unit
 Diam mm 610 914
 inch 24 36

A14B Tree Bit	++	NA
A19B Tree Bit	++	+-
A26B Tree Bit	++	++

++ = good performance, +- = acceptable performance, NA = Not Allowed

If no reference numbers appear below there are currently no items available in your region.

W	153-4092	TREE BIT, AUGER 24" 163	\$986 NI
		Tapered bit, INCLUDES: 5 teeth on 24" (610mm) width, 4 teeth on 12" (305mm) width and pilot point.	
W	153-4095	TREE BIT, AUGER 36" 310	\$1,549 NI
		Tapered bit, INCLUDES: 7 teeth on 36" (914mm) width, 6 teeth on 18" (457mm) width and pilot point.	

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

AUGER BITS - ADAPTERS and EXTENTIONS

Following adapters and extentions can be used with all other auger bits and augers.

W	156-6329	ADAPTER, AUGER - HEX TO ROUND	15	\$175 NI
		HEX output shaft 2" (50mm) to round output shaft 2 9/16" (65mm)		
W	217-3191	ADAPTER, AUGER - ROUND TO HEX	15	\$150 NI
		Round output shaft 2.56" (65mm) to HEX output shaft 2" (50mm)		
W	372-0256	EXTENSION, TELESCOPING 3'	43	\$360 NI
		FOR USE WITH: All Auger Bits		
		Three holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit		
		Recommend retention pin 372-0258 for quick depth change		
W	372-0257	EXTENSION, TELESCOPING 6'	77	\$607 NI
		FOR USE WITH: All Auger Bits		
		Six holes at 1'(0.3M) increments on extension to insert retention pin to vary depth; Insert extension inside auger bit		
		Recommend retention pin 372-0258 for quick depth change		
W	156-6328	EXTENSION, AUGER 12"	20	\$157 NI
		12" (305mm) length HEX shaft		
W	217-3192	EXTENSION, AUGER 24"	33	\$211 NI
		24" (610mm) length HEX shaft		

Available through Parts only:
 372-0258 Retention Pin Kit
 Retention pin uses lynch (ring) pin to secure bit & drive unit instead of bolt & 2 nuts. Allows for quick change of flights, extensions, & drive kits.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BACKHOES: BH150/BH160 - BACKHOES

For work tools for the BH27, BH30 and BH30W, please go to WT-MHE price pages, section 2-3 Ton machines and all buckets will fit.

APPLIES TO ALL SERIES

	232										
	226	239	242	248		257	267				
	216	228	249	247	252	256	259	268			

BH150	C	C	C	C		C	C				
BH160					C	C		C			

APPLIES TO SPECIFIED SERIES (C SERIES INCLUDES: C2)

236						262C	277C	287C			
236B						262D	277D	287D	297C		
236B2		246	246C	262	272C	277	279C	287	289C	299C	
236B3	236D	246B	246D	262B	272D	277B	279D	287B	289D	299D	

BH150		C		C		C		C		C	C
BH160	C		C	C	C	C	C	C	C	C	C

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	489-2111	BACKHOE, BH150	2,203	\$19,444 NI
		5.3ft (1615mm) sideframe width, 10ft (3.05m) dig depth Aux lines are NOT included. REQUIRES: Standard flow hydraulics backhoe mounting group		
W	489-2110	BACKHOE, BH160 W/ AUXILIARY	2,268	\$20,035 NI
		5.8ft (1768mm) sideframe width, 10ft (3.05m) dig depth INCLUDES: 2 way proportional aux lines (to use hammers and augers) REQUIRES: Standard flow hydraulics backhoe mounting group		

BACKHOES: BH150/BH160 - BACKHOE: MOUNTING GROUPS

W	367-9770	GROUP, BACKHOE MOUNTING	106	\$1,543 NI
		Kit allows BH160, BH150, & BH30W models to mount on C-Series machines Mandatory for use with 238-0330, 253-1480, 304-9900, 304-9901, 304-9902, 304-9903, and 204-4018 on C-Series machines NOTE: BH30W (204-4018) requires two 211-9558 link arms (parts only) Installation time: 4 hours, instructions see REHS3133		
W	304-9904	GROUP, MOUNTING, BH160	50	\$1,424 NI
		Mandatory for use with BH160 (304-9900 & 304-9901) on the following machines prior to C-Series: 236, 236B, 236B2, 236B3, 246, 246B, 248, 248B, 252, 252B, 262, 262B, 267, 267B, 268B, 277, 277B, 287, 287B		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BACKHOES: BH150/BH160 - BACKHOE: MOUNTING GROUPS (Cont.)

W	304-9905	GROUP, MOUNTING, BH150 53 Mandatory for use with BH150 (304-9902 & 304-9903) on the following machines prior to C-Series: 216/B/B2/B3, 226/B/B2/B3, 228, 232/B/B2, 242/B/B2/B3, 247/B/B2/B3, 257/B/B2/B3, 259B3		\$1,056 NI
W	457-1210	GROUP, BACKHOE MOUNTING 0 FOR USE WITH: BH150 and 226D, 232D, 239D, 249D Installation time: 4 hours, Instructions see REHS9984		\$1,543 NI
W	444-9230	GROUP, BACKHOE MOUNTING 95 FOR USE WITH: BH150 and 236D, 242D, 257D, 259D Installation time: 4 hours, Instructions see REHS7842		\$1,543 NI
W	444-9240	GROUP, BACKHOE MOUNTING 106 FOR USE WITH: BH150 + BH160 and 246D, 262D, 272D, 272D XHP, 277D, 279D, 287D, 289D, 297D, 297D XHP, 299D and 299D Note: The BH150 backhoe also requires two 443-4534 Hooks to replace the standard length 238-0336 Hooks Installation time: 4 hours, instructions see REHS7842		\$1,543 NI

Please order one 258-3639 Backhoe Mounting Group and two 211-9558 link arms (available through parts only) to mount a BH30W to a C-Series machine.

BACKHOES: BH150/BH160 - BUCKETS (COUPLER & PINS)

W	444-7494	COUPLER, PG, MAN.D.LOCK, 3-4T 76 Base machine INCLUDES: one set of pins and hardware REQUIRES: 154-2638 bucket pins for EACH ADDITIONAL bucket		\$1,410 NI
W	154-2638	PINS, BUCKET, 40MM 11 INCLUDES: 2 bucket pins and hardware FOR USE WITH: 444-7494 and 361-1095 and Pin-On Buckets		\$128 NI

BACKHOES: BH150/BH160 - BUCKETS

The following MHE buckets can be used with the BH150 and BH160 Backhoe attachments. For additional work tools, please check WT-MHE price list, section 3-4 Tons machines. All work tools will fit.

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BACKHOES: BH150/BH160 - HEAVY DUTY BUCKETS

NOTE: Optional side cutters are available. Part numbers are:
 LH Side Cutter 252-2611 / RH Side Cutter 252-2612
 Bolts 4F-3653 (3 per side cutter, total 6 per bucket)
 Nuts 4K-0367 (3 per side cutter, total 6 per bucket)
 (IRM): GET05-13 for further information and selection criteria.

W	464-9900	BUCKET, 12", 1.7 CFT, HD 142 Width 305mm (12"), Heaped Cap. 0.05M3 (0.06YD3), Incl 3 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$926 NI
W	464-9901	BUCKET, 16", 2.5 CFT, HD 162 Width 406mm (16"), Heaped Cap. 0.07M3 (0.09YD3), Incl 3 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$967 NI
W	464-9902	BUCKET, 18", 2.9 CFT, HD 180 Width 457mm (18"), Heaped Cap. 0.08M3 (0.11YD3), Incl 4 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$1,035 NI
W	464-9903	BUCKET, 20", 3.3 CFT, HD 192 Width 508mm (20"), Heaped Cap. 0.09M3 (0.12YD3), Incl 4 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$1,101 NI
W	464-9904	BUCKET, 24", 4.2 CFT, HD 216 Width 619mm (24"), Heaped Cap. 0.12M3 (0.15YD3), Incl 4 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$1,161 NI
W	464-9905	BUCKET, 30", 5.6 CFT, HD 258 Width 762mm (30"), Heaped Cap. 0.16M3 (0.21YD3), Incl 5 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$1,340 NI
W	464-9906	BUCKET, 36", 7.0 CFT, HD 293 Width 914mm (36"), Heaped Cap. 0.2M3 (0.26YD3), Incl 5 x J200 FOR USE WITH: Pin-on, requires bucket pins		\$1,474 NI

BACKHOES: BH150/BH160 - DITCH CLEANING BUCKETS

W	279-4322	BUCKET-DC, 40" 234 0.17 yd3 / 4.59 CFT Heaped Capacity INCLUDES: rear grading edge		\$1,093 NI
W	279-4323	BUCKET-DC, 47" 234 0.209 yd3 / 5.64 CFT Heaped Capacity		\$1,114 NI
W	282-9315	BUCKET-DC, 55" 234 0.249 yd3 / 6.72 CFT Heaped Capacity		\$1,225 NI
W	279-4325	BUCKET-DCT, 47", 0.218YD3, 3-4T 357 0.209 yd3 / 5.6 CFT Heaped Capacity INCLUDES: rear grading edge FOR USE WITH: BH160 only		\$3,594 NI

BACKHOES: BH160 ONLY - AUGERS

W	218-3198	AUGER, A14B, MHE 3T, 40MM 264 INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket, hardware and 2" (50mm) HEX output shaft.		\$2,486 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BACKHOES: BH160 ONLY - AUGERS (Cont.)

W	220-7137	AUGER, A19B, MHE 3T, 40MM	205	\$2,951 NI
		INCLUDES:PLANETARY drive unit, hydraulic lines with quick disconnects, mounting bracket, hardware and 2" (50mm) HEX output shaft.		

AUGER BITS

Please see Section AUGERS in this price list: paragraph AUGER BITS for auger flights, bits and extentions.

ADDITIONAL WORK TOOLS FOR BH160

These work tools require aux lines, which are only available on BH160.

CVP16 COMPACTOR PLATE:

Please check WT-MHE price list, section 3-4 Tons machines, Compactors.

HAMMMERS / BREAKERS

Hammer guard **REQUIRED** to guard against flying objects on backhoes.

W	211-2082	GUARD, MESH	13	\$624 NI
		Provides a half-door mesh guard mounted to front of cab. For use on A- and B-series machines with a backhoe attachment when operating a hydraulic hammer on the stick or other applications which might produce flying objects		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BALE GRABS

Cat Bale Grabs are designed for grasping and carrying baled material. Bales of wheat, hay and other materials are easily transported for livestock feed, bedding, to and from bale wrapper, and movement to storage. The Bale Grab firmly grasps baled materials but due to the rounded arm design no damage will take place to the bale. Offering the ability to pick up bales sitting flat or on their side the Bale Grab increases machine versatility.

																287
																289
	226			236				248			257	262			277	297
	216	242	228	232	249	246	247	268	252	256	259	272	267	279	299	
71"/1803mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
84"/2134mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	477-9896	BALE GRAB, 71"	575	\$3,000 NI
		1091 kg (2400 lb) Rated Capacity, 1803mm (71") working width		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects		
		REQUIRES: Standard Flow Hydraulics		
W	489-0075	BALE GRAB, 84"	580	\$3,333 NI
		1091 kg (2400 lb) Rated Capacity, 2134mm (84") working width		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects		
		REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS												Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BALE SPEARS

																	287
																	289
	226				236				248			257	262			277	297
	216	242	228	232	249	246	247	268	252	256	259	272	267	279	299		
51"/1285mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
55"/1407mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
55"/1407mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	475-6074	BALE SPEAR, SINGLE 39"	154	\$660 NI
		1285mm (51") overall width, 1 x spear tine 990mm (39") long		
W	475-6079	BALE SPEAR, SINGLE 49"	159	\$681 NI
		1285mm (51") overall width, 1 x spear tine 1245mm (49") long		
W	475-6070	BALE SPEAR, DUAL 39"	260	\$1,111 NI
		1407mm (55") overall width, 2 x spear tines 990mm (39") long		
W	475-6080	BALE SPEAR, DUAL 49"	267	\$1,153 NI
		1407mm (55") overall width, 2 x spear tines 1245mm (49") long		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS														Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BLADES, ANGLE

Heavy duty, high capacity design for moving dirt, gravel, livestock waste and snow.

																	287
																	289
	226							248				257	262			277	297
216	242	228	232	249	246	247	268	252	256	259	272	267	279	299			
72"/1829mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
84"/2134mm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	177-1989	ANGLE BLADE, 72"	690	\$3,493 NI
		1829mm (72") overall width, 610mm (24") blade height 4 Trip Springs, 2 Heavy Duty Adjustable Skid Feet INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 1 piece Bolt-On Cutting edge REQUIRES: Standard Flow Hydraulics		
W	177-1990	ANGLE BLADE, 84"	730	\$3,722 NI
		2134mm (84") overall width, 610mm (24") blade height 4 Trip Springs, 2 Heavy Duty Adjustable Skid Feet INCLUDES: Hydraulic lines with quick disconnects, mounting bracket and hardware, 1 piece Bolt-On Cutting Edge REQUIRES: Standard Flow Hydraulics		

BLADES, ANGLE - OPTIONS

Snow kits include guard, markers, and mounting hardware.
 Non-metallic edge not included in snow kits.

W	225-9522	KIT, SNOW AND IMPACT, 72"	50	\$619 NI
		FOR USE WITH: 177-1989		
W	225-9523	KIT, SNOW AND IMPACT, 84"	50	\$619 NI
		FOR USE WITH: 177-1990 Available through Antares / Parts system: 165-8477 Non-metallic 72" BOCE REQUIRES: 6x 8T-4140 Bolt + 6x 8T-4778 Locknut + 6x 165-7095 Washer 165-8478 Non-metallic 84" BOCE REQUIRES: 7x 8T-4140 Bolt + 7x 8T-4778 Locknut + 7x 165-7095 Washer		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BOX BLADE, ACCUGRADE READY

Fits all current D series machines. Minimal machine requirement is 14 pin Work Tool Harness DeLuxe to have full work tool control.

The Box Blade is an AccuGrade Ready solution. It is the basic set-up to be used in 1D/2D Laser, GPS and UTS grading Technology.

INCLUDED:

- 1 Integrated proportional Electro Hydraulic valve for fine grading
- Harness to connect with AccuGrade components (not included)
- 14 pin Work Tool harness (provides power to ECM on Box Blade and allows for manual operation of the Box blade)
- 2 vertical laser masts (can not be used for GPS/UTS solution)
- 2 vertical placed independent controlled tilting cylinders
- 2 Parabolic front mirrors for a good view on the front grading edge
- 2 front stabilisation wheels
- 2 reversible 1 piece BOCEs, with a CAT patented indication line to reverse/replace the BOCE.

Hydraulic flow range: 50-90 l/min (13.5 - 24 gpm)

FOR USE WITH: Standard Flow hydraulics

REQUIRES: Work Tool Harness Deluxe on machine (388-8273 4 button left hand joystick & 273-9104 2 button right hand joystick)

EXCLUDED (to be ordered from SITECH):

For 2 D Laser Grading:

- 86491-05 Kit - Sensor, Dual LR410 Laser Receivers, AccuGrade
- 0794-2350 2x Cable coil 10-6 quick disconnect.
- 90450-50 FRU - Control Box, CB450 w/ Software, AccuGrade
- 75560-40 Kit - Base, Cat, SSL Box Blade Tool BB121 & BB124
Including: RAM Mount, Harness Mounting Provisions
- 92040-70 Option Key - GCS900, 2D, Automatics, Cat AccuGrade

For 3 D GNSS (GPS) Grading (excluding radio due to users preference):

- 69601-32 Kit-receiver, Dual Autonomous/SBAS/DGPS GPS-only, MS992, Carry case, AccuGrade
- 92040-80 Option Key - GCS900, CCS900, 3D, Automatics, Cat AccuGrade
- 96000-20 Option Key - MS9xx, Full RTK
- 90460-50 FRU - Control Box, CB460 w/ Software, AccuGrade
- 96000-30 Option Key - MS9xx, GLONASS
- 81069-20 Mast-Fixed, Steel CAT
- 0395-9450 Cable, J939, MS980, MS990, Coiled
- 75560-40 Kit - Base, Cat, SSL Box Blade Tool BB121 & BB124
Including: RAM Mount, Harness Mounting Provisions

Reference your SITECH / Trimble dealer for other AccuGrade configurations.

W	489-2001	BOX BLADE, BB121, 84 IN (ARO)	2,000	\$20,833 NI
		Overall / Grading width: 2.22m (87.5") / 2.1m (84")		
		Hight incl Laser masts: 2.70m (106"), Depth 2.1m (81")		
W	489-2002	BOX BLADE, BB124, 96 IN (ARO)	2,150	\$21,250 NI
		Overall / Grading width: 2.53m (99.5") / 2.4m (96")		
		Hight incl Laser masts: 2.70m (106"), Depth 2.1m (81")		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BOX BLADE, ACCUGRADE READY (Cont.)

CONVERSION KITS FOR BOX BLADES

Please check your machine configuration and table below indicates what extras you need to order via Antares:

Performance package & Controls	Joysticks	14 pins	You have to order
	Right Hand Left Hand	Electr. Harness	
	2 button+ 4 button		
226D, 232D, 239D, 249D			
H1 / H2 ON/OFF	not incl	not incl	not incl 421-0265+273-9104
H1 / H2 Prop.	not incl	incl	not incl 421-0261+273-9104
H1 / H2 Prop.WT	not incl	incl	incl 273-9104
H3 Prop.WT	incl	incl	incl Nothing
236D, 242D, 246D, 257D, 259D, 262D, 272D2, 277D, 279D, 287D, 289D, 297D2, 299D2			
H1 / H2 ON/OFF	not incl	not incl	not incl 388-8273+273-9104
H1 / H2 Prop.	not incl	incl	not incl 388-8265+273-9104
H1 / H2 Prop.WT	not incl	incl	incl 273-9104
H3 Prop.WT	incl	incl	incl Nothing
272D(2) XHP, 297D(2) XHP, 299D(2) XHP			
H3 Prop.WT	incl	incl	incl Nothing

- 273-9104 Right Hand joystick with 2 buttons and thumb roller
- 388-8265 Kit, Work Tools Harness
- 388-8273 Kit, Work Tools Harness (incl. left hand 4 button joystick)
- 421-0261 Kit, Work Tools Harness
- 421-0265 Kit, Work Tools Harness (incl. left hand 4 button joystick)

C series and B series
 532-5926 KIT-CONTROLLER, 8 PIN
 Includes: strap-on 5 buttons aux joystick to operate box blade
 FOR USER WITH: 8 pins work tool harness on machine side
 532-5927 KIT-CONTROLLER, 14 PIN
 Includes: strap-on 5 buttons aux joystick to operate box blade
 FOR USER WITH: 14 pins work tool harness on machine side

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS													Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BROOMS, ANGLE

																		287
																		289
		226			236			248			257	262			277			297
	216	242	228	232	249	246	247	268	252	256	259	272	267	279	299			
BA18	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
BA118C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	448-5660	BROOM, MANUAL ANGLE, BA118C	905	\$7,819 NI
		MANUAL Angling - 30 degrees left or right of center		
		Sweeping width straight / angled : 2119mm (83") / 1849mm (73")		
		Brush: material - 50% polypropylene / 50% steel wire		
		Brush diameter: 815mm (32")		
		INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket and hardware		
		REQUIRES: Standard Flow Hydraulics		
W	448-5670	BROOM, HYDRAULIC ANGLE, BA118C	955	\$9,333 NI
		HYDRAULIC Angling - 30 degrees left or right of center		
		2637mm (104") overall width		
		2119mm (82") sweeping width - straight		
		1849mm (73") sweeping width - angled		
		815mm (32") brush diameter		
		Brush material - 50% polypropylene / 50% steel wire		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness		
		REQUIRES: Standard Flow Hydraulics		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine		
		REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series machines; not required for B3-Series high flow		

BROOMS, ANGLE - OPTIONS

W	248-5788	KIT, WATER SPRINKLER, BA18	20	\$886 NI
		Work tool water sprinkling kit complete with sprinkler heads (6), hoses, mounting hardware and quick disconnects for effective dust control.		
		FOR USE WITH: BA18 angle brooms only (not BA118C)		
		REQUIRES: Control, Work Tool, Electrical (order with machine)		
		REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order)		
		NOTE: Not compatible with 242-7199 KIT, DEFLECTOR		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)				
<i>BROOMS, ANGLE - OPTIONS (Cont.)</i>				
W	452-4175	KIT, WATER SPRINKLER, BA118C	16	\$886 NI
		Work tool water sprinkling kit complete with sprinkler heads (6), hoses, mounting hardware, and quick disconnects for effective dust control FOR USE WITH: BA118C Angle brooms only (not BA18) REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) NOTE: Not compatible with 452-4200 KIT, DEFLECTOR, BA118C Installation time: 1.0 hour, instructions see REHS8314		
W	242-7199	KIT, DEFLECTOR, BA18	47	\$729 NI
		Angle Broom Deflector Kit INCLUDES: steel cowl extension, and rubber debris deflector flap, and mounting hardware kit to Angle Broom. FOR USE WITH: BA18 angle brooms only (not BA118C) NOTE: Not compatible with 248-5788 KIT, WATER SPRINKLER		
W	452-4200	KIT, DEFLECTOR, BA118C	40	\$729 NI
		Angle Broom Deflector Kit INCLUDES: steel cowl extension, rubber debris deflector flap, and mounting hardware FOR USE WITH: BA118C Angle brooms only (not BA18) NOTE: Not compatible with 452-4175 KIT, WATER SPRINKLER, BA118C Installation time: 1.0 hour, instructions see REHS8317		
W	452-4195	KIT, HYDR. ANGLE CONV., BA118C	22	\$1,563 NI
		Converts manual angle broom BA118C into a hydraulic angle broom INCLUDES: valve, cylinder, assembled hoses, and hardware FOR USE WITH: 448-5660 BROOM, MANUAL ANGLE, BA118C REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series machines; not required for B3-Series high flow Installation time: 3.0 hours, instructions see REHS8316		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BROOMS, PICKUP

																287
																289
	226	228		239			248			257	262			277	297	
	216	242	232	236	249	246	247	268	252	256	259	272	267	279	299	
BP115C	C*#	C*	C*	C*	C	C	C	C	C	C	C	C	C	C	C	
BP118C				C*	C*	C	C	C	C	C	C	C	C	C	C	

C = Compatible/ *= lift restricted/ # = Extra counter weight required
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	448-5680	BROOM, PICKUP, BP115C	1,160	\$7,243 NI
		1990mm (78") overall width, 1524mm (60") working width 26" (660mm) brush diameter Adjustable brush height. Volumizer increases material retention. Brush material - 50% polypropylene / 50% steel wire INCLUDES: Hydraulic lines with 1/2" quick disconnects and brush frame chains REQUIRES: Pickup broom bracket for A/B Series; Not needed for C/D Series REQUIRES: Standard Flow Hydraulics		
W	448-5690	BROOM, PICKUP, BP118C	1,258	\$7,785 NI
		2295mm (90") overall width, 1829mm (72") working width 26" (660mm) brush diameter Adjustable brush height. Volumizer increases material retention. Brush material - 50% polypropylene / 50% steel wire INCLUDES: Hydraulic lines with 1/2" quick disconnects and brush frame chains REQUIRES: Pickup broom bracket for A/B Series machines; Not needed for C/D Series REQUIRES: Standard Flow Hydraulics		

BROOMS, PICKUP - OPTIONS

W	452-4185	KIT, WATER SPRINK, BP115C-118C	6	\$194 NI
		INCLUDES 2 sprinkler heads, hoses, hardware and quick disconnects FOR USE WITH: BP115C and BP118C pick-up brooms only		
W	452-4150	KIT, GUTTER BRUSH, C-SERIES	90	\$1,785 NI
		100% Steel wire bristles (Poly available via parts only) Left or right side mount INCLUDES: motor, brackets, assembled hoses, and fittings FOR USE WITH: BP115C and BP118C pick-up brooms only Installation time: 3.0 hours, instructions see REHS8313		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BROOMS, PICKUP - BRACKETS

Pick Up Broom Brackets are required for use with A & B Series machines
They are not needed for C or D Series machines.

W	296-3649	BRACKET, BROOM 51 Supports brush frame while dumping INCLUDES: right and left side bracket assemblies to attach to machine lift arms REQUIRED FOR: 216, 226, 228, 236, 246, 247, 248, 267 or 277 A & B Series machines		\$431 NI
W	296-3647	BRACKET, BROOM, BETA A-B 20 Supports brush frame while dumping INCLUDES: right and left side bracket assemblies and chains to attach to machine lift arms REQUIRED FOR: 252, 262, 268 or 287 A & B Series machines		\$229 NI
W	296-3648	BRACKET, BROOM, ALPHA A-B 34 Supports brush frame while dumping INCLUDES: right and left side bracket assemblies to attach to machine lift arms REQUIRED FOR: 232, 242, 257 or 259 A & B Series machines		\$285 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS													Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BROOMS, UTILITY

																	287
																	289
		228		239			248			257	262			277			297
	216	226	232	249	242	246	247	268	252	256	259	272	267	279	299		
BU115	C*	C*	C*	C*	C	C	C	C	C	C	C	C	C	C	C	C	
BU118				C*	C*	C	C	C	C	C	C*	C	C	C	C	C	

C = Compatible/ *= lift restricted
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	493-2258	BROOM, UTILITY, BU115, BOCE	967	\$4,944 NI
		1810mm (71") overall width, 1510mm (59") sweeping width 660mm (26") brush diameter - brush material: 100% polypropylene INCLUDES: bolt-on cutting edge Requires: Standard Flow Hydraulics		
W	493-2259	BROOM, UTILITY, BU118, BOCE	1,067	\$5,375 NI
		2115mm (83") overall width, 1865mm (73") sweeping width 660mm (26") brush diameter - brush material 100% polypropylene INCLUDES: bolt on cutting edge Requires: Standard Flow Hydraulics		

BROOMS, UTILITY - OPTIONS

W	242-7200	BRUSH, GUTTER, B-SERIES	119	\$2,826 NI
		100% Steel wire bristles (Poly available via parts only) Left or right side mount All hydraulic lines included FOR USE WITH: BP15B/BP18B pick-up broom and BU115/BU118 utility brooms only REQUIRES: 257-5229 Mounting kit if used on BU115/BU118 utility brooms only		
W	257-3140	MOUNTING BRACKET, NOZZLE	2	\$54 NI
		Additional mounting brackets for sprinkler heads on Utility Brooms only. FOUR REQUIRED PER BROOM.		
W	256-9335	KIT, WATER SPRINKLER	10	\$235 NI
		Work tool water sprinkling kit complete with sprinkler heads (4) hoses, mounting hardware and quick disconnects for effective dust control. FOR USE WITH: BP15B/BP18B pick-up broom and BU115/BU118 utility brooms only REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank (choose either machine cab mounted or utility broom mounted); Reference Machine Attachments section or Broom Options section of this price list to order REQUIRES: Mounting Brackets, qty 4 257-3140, if installing sprinkler kit on utility broom and installing machine cab mounted water tank		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BROOMS, UTILITY - OPTIONS (Cont.)

W	304-9870	KIT, WATER TANK, BROOM	31	\$850 NI
		Broom mounted water tank - 110 litres for BU115 & BU118 Includes tank, pump, filter, electrics, hose, & mounting hardware Includes qty 4 257-3140 MOUNTING BRACKET, NOZZLE REQUIRES: Control, Work Tool, Electrical (order with machine)		

BROOMS, UTILITY - BRISTLES and BOLT-ON CUTTING EDGES

Please order direct from parts/Antares (no bridge orders)

Bolt-on-Cutting Edges:	BU115	BU118	BP115C	BP118C
	BP15B	BP18B		
489-6702 Edge *	1x			
489-6703 Edge *		1x		
452-4147 Edge *				1x
452-4148 Edge *			1x	
4F-3648 Bolt	6x	7x	6x	7x
6V-8188 Nut	6x	7x	6x	7x

* = Requires Nuts and bolts. Order qty as stated in table.

Bristles	BA18	BU115	BU118	BP15B	BP18B
	BA118C			BP115C	BP118C

Bristles kits: These kits are 1/2 of a full set. Order 2 for a full set. You can go 50/50% Poly/Wire or 100% Poly or 100% Wire.

166-0322 Poly (22)	C*				
166-0323 Wire (21)	C*				
165-9069 Poly (18)		C**		C*	
165-9070 Wire (17)		C**		C*	
165-9071 Poly (21)			C**		C*
165-9072 Wire (20)			C**		C*

C = Compatible

* = BP15B, BP115C, BA18, BA118C come standard 50/50% Poly/Wire

**= BU115 and BU118 comes standard 100% Poly.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BRUSHCUTTERS

The Turbo Guard Kit and the Debris Kit are required (when available) in applications with the potential for airborne debris. Example airborne debris laden environments are mulching, brushcutting, forestry applications, mowing, certain agricultural applications, paper recycling, etc.. Please refer to the machine price pages "Field Installed Attachments" section for the appropriate part numbers.

NOTE: Guarding the operator against flying objects RECOMMENDED. If not ordered with machine; Door, Cab, Polycarbonate should be ordered. Please see machine price list for availability.

	ALL SERIES									SPECIFIC SERIES		
	216	226	239	246	262	277	289	242	257	242B3/D		
			239	246	262	277	289	242B	257B	257B3/D		
	228	232	247	249	267	256	272	287	299	242B2	257B2	259B3/D
BR160	C	C	C	C						C	C	
BR166					C	C	C	C	C			C
BR172					C	C	C	C	C			C
BR272 HF		C		C						C	C	
BR378 XPS					C	C	C	C				

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	264-9500	BRUSHCUTTER, BR160, 60"	940	\$6,153 NI
		1524mm (60") working width, 1575mm (62") overall width Hydraulic flow range: 57-65 l/min (15-17 gpm) Hydraulic pressure range: 150-230 bar (2,176-3,340 psi) REQUIRES: Standard Flow Hydraulics; Not compatible with 80 LPM REQUIRES: Turbo Guard Kit and Debris Kit on machine		
W	264-9600	BRUSHCUTTER, BR166, 66"	1,020	\$6,439 NI
		Hydraulic flow range: 57-80 l/min (15-21 gpm) Hydraulic pressure range: 150-230 bar (2,176-3,340 psi) 1676mm (66") working width, 1727mm (68") overall width REQUIRES: Standard Flow Hydraulics REQUIRES: Turbo Guard Kit and Debris Kit on machine		
W	264-9400	BRUSHCUTTER, BR172, 72"	1,094	\$6,725 NI
		1829mm (72") working width, 1880mm (74") overall width Hydraulic flow range: 57-80 l/min (15-21 gpm) Hydraulic pressure range: 150-230 bar (2,176-3,340 psi) REQUIRES: Standard Flow Hydraulics REQUIRES: Turbo Guard Kit and Debris Kit on machine		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BRUSHCUTTERS (Cont.)

W	424-0435	BRUSHCUTTER, BR272, 72" HF 1,096 1829mm (72") working width, 1880mm (74") overall width Hydraulic flow range: 76-100 l/min (20-26 gpm) Hydraulic pressure range: 150-230 bar (2,176-3,340 psi) INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, 14-pin electrical HF Jumper REQUIRES: 100-104 LPM High flow hydraulics FOR USE WITH: 226B/B2/B3, 242B/B2, 257B/B2 machines CAN NOT BE USED WITH: 242B3, 257B3, & 259B3 REQUIRES: 8-pin electrical high flow jumper 241-3763 for B/B2 series machines or 226B3 REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$7,011 NI
W	424-0436	BRUSHCUTTER, BR378, 78" HF,XPS 1,175 1982mm (78") working width, 2032mm (80") overall width Hydraulic flow range: 76-130 l/min (20-34 gpm) Hydraulic pressure range: 150-280 bar (2,176-4,065 psi) REQUIRES: High Flow XPS or High Flow Hydraulics REQUIRES: 8-pin jumper plug 241-3763 for B/B2/C/C2 series machines REQUIRES: kit 382-6192 for D series with XHP and prefix NLC/SHY REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$8,443 NI

BRUSHCUTTERS - INDUSTRIAL

The Turbo Guard Kit and the Debris Kit are required (when available) in applications with the potential for airborne debris. Example airborne debris laden environments are mulching, brushcutting, forestry applications, mowing, certain agricultural applications, paper recycling, etc.. Please refer to the machine price pages "Field Installed Attachments" section for the appropriate part numbers.

NOTE: Guarding the operator against flying objects RECOMMENDED. If not ordered with machine; Door, Cab, Polycarbonate should be ordered. Please see machine price list for availability.

	226	232	242	247	252	257	277	287	297							
	216	228	236	239	246	248	249	256	259	262	267	272	279	289	299	
BRX118										CX*	CX*		C	C	C	C
BRX318 HF XPS										CX*	CX*		C	C	C	C
BRX418 XHP													C			C

C = Compatible/ *= lift restricted/ X= Extra counter weight required

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BRUSHCUTTERS - INDUSTRIAL (Cont.)

W	523-5560	BRUSHCUTTER, BRX118. 2,380 1829mm (72") working width, 1911mm (75") overall width Max cutting diameter 200mm (8") Hydraulic flow range: 76-87 l/min (20-23 gpm) Hydraulic pressure range: 230 bar (3,330 psi) INCLUDES: Hydraulic lines with 1/2" quick disconnects and case drain to be connected with machine case drain REQUIRES: Standard Flow hydraulics and case drain REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$15,542 NI
W	523-5570	BRUSHCUTTER, BRX318. 2,380 1829mm (72") working width, 1911mm (75") overall width Max cutting diameter 200mm (8") Hydraulic flow range: 120-125 l/min (31-33 gpm) Hydraulic pressure range: 280 bar (4,060 psi) INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, 14-pin electrical HF XPS Jumper plug REQUIRES: High flow or High Flow XPS hydraulics REQUIRES: 8-pin electrical high flow jumper 241-3763 for B/B2/C/C2 series machines REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$15,958 NI
W	523-5580	BRUSHCUTTER, BRX418. 2,380 1829mm (72") working width, 1911mm (75") overall width Max cutting diameter 200mm (8") Hydraulic flow range: 150-155 l/min (40-41 gpm) Hydraulic pressure range: 280 bar (4,060 psi) INCLUDES: Hydraulic lines with 3/4" quick disconnects, mounting bracket, 14-pin electrical XHP Jumper plug REQUIRES: XHP hydraulics REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$15,958 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS								Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - GENERAL PURPOSE

All purpose buckets. For construction, landscaping, industrial and more aggressive job site requirements.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

1576mm (62")	C	C	C	C	C	C	C	C	C	C
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C
2036mm (80")	C	C	C	C	C	C	C	C	C	C
2188mm (86")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	279-5364	BUCKET-GP, 62", BASE EDGE	448	\$1,267 NI
		Width over base edge 1576mm (62"), 0.36 m3 (0.47 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	279-5365	BUCKET-GP, 62", BOCE	448	\$1,474 NI
		Width over base edge 1576mm (62"), 0.36 m3 (0.47 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	279-5366	BUCKET-GP, 62", BOT	448	\$1,544 NI
		Width over base edge 1576mm (62"), 0.36 m3 (0.47 yd3) Heaped Capacity		
		INCLUDES: 8 Single Strap Bolt-on Uniteeth		
		Recommended for use with C-Series machines		
W	279-5368	BUCKET-GP, 68", BASE EDGE	561	\$1,382 NI
		Width over base edge 1730mm (68"), 0.40 m3 (0.52 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	279-5369	BUCKET-GP, 68", BOCE	561	\$1,608 NI
		Width over base edge 1730mm (68"), 0.40 m3 (0.52 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	279-5370	BUCKET-GP, 68", BOT	561	\$1,660 NI
		Width over base edge 1730mm (68"), 0.40 m3 (0.52 yd3) Heaped Capacity		
		INCLUDES: 8 Single Strap Bolt-on Uniteeth		
W	279-5372	BUCKET-GP, 74", BASE EDGE	597	\$1,499 NI
		Width over base edge 1883mm (74"), 0.44 m3 (0.57 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	279-5373	BUCKET-GP, 74", BOCE	597	\$1,744 NI
		Width over base edge 1883mm (74"), 0.44 m3 (0.57 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	279-5374	BUCKET-GP, 74", BOT	597	\$1,776 NI
		Width over base edge 1883mm (74"), 0.44 m3 (0.57 yd3) Heaped Capacity		
		INCLUDES: 8 Single Strap Bolt-on Uniteeth		
W	279-5376	BUCKET-GP, 80", BASE EDGE	631	\$1,614 NI
		Width over base edge 2036mm (80"), 0.48 m3 (0.62 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - GENERAL PURPOSE (Cont.)

W	279-5377	BUCKET-GP, 80", BOCE 631 Width over base edge 2036mm (80"), 0.48 m3 (0.62 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge		\$1,881 NI
W	279-5378	BUCKET-GP, 80", BOT 631 Width over base edge 2036mm (80"), 0.48 m3 (0.62 yd3) Heaped Capacity INCLUDES: 9 Single Strap Bolt-on Uniteeth		\$1,926 NI
W	292-9270	BUCKET-GP, 86", BASE EDGE 635 Width over base edge 2188mm (86"), 0.63 m3 (0.82 yd3) Heaped Capacity INCLUDES: Base Edge with drilled mounting holes		\$1,729 NI
W	296-8192	BUCKET-GP, 86", BOCE 723 Width over base edge 2188mm (86"), 0.63 m3 (0.82 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge		\$2,017 NI
W	296-8191	BUCKET-GP, 86", BOT 669 Width over base edge 2188mm (86"), 0.63 m3 (0.82 yd3) Heaped Capacity INCLUDES: 9 Single Strap Bolt-on Uniteeth		\$2,042 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - INDUSTRIAL

Heavy duty buckets. For construction, industrial and aggressive job site requirements.

	226	232	242	247	252	257	262	277	287	297				
	228	236	239	246	248	249	256	259	268	267	272	279	289	299
1676mm (68")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
1830mm (74")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
1980mm (80")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2134mm (86")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2286mm (92")	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	532-7738	BUCKET-IND, 68", BOCE 0	\$2,507 NI
		Width over base edge 1676mm (68"), 0.53m3 (0.69yd3) Heaped Capacity INCLUDES: Bolt-on cutting edge and bolt-on side cutters	
W	532-7739	BUCKET-IND, 68", BOT 0	\$2,563 NI
		Width over base edge 1676mm (68"), 0.51m3 (0.67yd3) Heaped Capacity INCLUDES: Bolt-on teeth and bolt-on side cutters	
W	532-7741	BUCKET-IND, 74", BOCE 0	\$2,646 NI
		Width over base edge 1830mm (74"), 0.58m3 (0.76yd3) Heaped Capacity INCLUDES: Bolt-on cutting edge and bolt-on side cutters	
W	532-7742	BUCKET-IND, 74", BOT 0	\$2,681 NI
		Width over base edge 1830mm (74"), 0.56m3 (0.73yd3) Heaped Capacity INCLUDES: Bolt-on teeth and bolt-on side cutters	
W	532-7744	BUCKET-IND, 80", BOCE 0	\$2,785 NI
		Width over base edge 1980mm (80"), 0.63m3 (0.82yd3) Heaped Capacity INCLUDES: Bolt-on cutting edge and bolt-on side cutters	
W	532-7745	BUCKET-IND, 80", BOT 0	\$2,826 NI
		Width over base edge 1980mm (80"), 0.61m3 (0.8yd3) Heaped Capacity INCLUDES: Bolt-on teeth and bolt-on side cutters	
W	532-7747	BUCKET-IND, 86", BOCE 0	\$2,917 NI
		Width over base edge 2134mm (86"), 0.68m3 (0.89yd3) Heaped Capacity INCLUDES: Bolt-on cutting edge and bolt-on side cutters	
W	532-7748	BUCKET-IND, 86", BOT 0	\$2,944 NI
		Width over base edge 2134mm (86"), 0.66m3 (0.86yd3) Heaped Capacity INCLUDES: Bolt-on teeth and bolt-on side cutters	
W	532-7750	BUCKET-IND, 92", BOCE 0	\$3,056 NI
		Width over base edge 2286mm (92"), 0.73m3 (0.95yd3) Heaped Capacity INCLUDES: Bolt-on cutting edge and bolt-on side cutters	
W	532-7751	BUCKET-IND, 92", BOT 0	\$3,063 NI
		Width over base edge 2286mm (92"), 0.71m3 (0.93yd3) Heaped Capacity INCLUDES: Bolt-on teeth and bolt-on side cutters	

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - LOW PROFILE (DIRT)

Low profile buckets with capacity similar to industry descriptions of low profile or dirt buckets; For use in construction or landscaping, agriculture, or applications that capacity is less important, price point very important, and highest breakout forces can be achieved with shortest flow of bucket offering. Previously described as Dirt (DT) Buckets.

Frequently used in rental, and cost sensitive customers.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

1421mm (56")	C	C	C	C	C	C	C	C	C	C
1576mm (62")	C	C	C	C	C	C	C	C	C	C
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C
2036mm (80")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	279-5434	BUCKET-LP, 56", BASE EDGE	392	\$782 NI
		Width over base edge 1421mm (56"), 0.30 m3 (0.39 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	279-5435	BUCKET-LP, 56", BOCE	392	\$969 NI
		Width over base edge 1421mm (56"), 0.30 m3 (0.39 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	279-5438	BUCKET-LP, 62", BOCE	451	\$1,106 NI
		Width over base edge 1576mm (62"), 0.34 m3 (0.44 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	279-5440	BUCKET-LP, 68", BASE EDGE	512	\$1,014 NI
		Width over base edge 1730mm (68"), 0.37 m3 (0.48 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	279-5441	BUCKET-LP, 68", BOCE	512	\$1,240 NI
		Width over base edge 1730mm (68"), 0.37 m3 (0.48 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	285-6089	BUCKET-LP, 74", BASE EDGE	546	\$1,131 NI
		Width over base edge 1883mm (74"), 0.41 m3 (0.53 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		
W	285-6090	BUCKET-LP, 74", BOCE	546	\$1,376 NI
		Width over base edge 1883mm (74"), 0.41 m3 (0.53 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	268-4084	BUCKET-LP, 80", BASE EDGE	583	\$1,246 NI
		Width over base edge 2036mm (80"), 0.44 m3 (0.57 yd3) Heaped Capacity		
		INCLUDES: Base Edge with drilled mounting holes		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - LOW PROFILE (DIRT) (Cont.)

W	268-4083	BUCKET-LP, 80", BOCE	583	\$1,513 NI
		Width over base edge 2036mm (80"), 0.44 m3 (0.57 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - LIGHT MATERIAL

High capacity buckets. Ideal for handling light duty material, such as landscaping mulch, fertilizer, livestock feed and litter. Often used in landscaping and agricultural applications.

	216	232	242			262	272			
	226	236	246	248	256	257	267	277	287	297
	228	239	247	249	256	259	268	279	289	299
1830mm (72")	C	C	C	C	C	C	C	C	C	C
1980mm (78")	C	C	C	C	C	C	C	C	C	C
2138mm (86")	C	C	C	C	C	C	C	C	C	C
2490mm (98")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	279-5420	BUCKET-LM, 74", BOCE 668 Width over base edge 1883mm (74"), 0.69 m3 (0.90 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge	\$1,814 NI
W	279-5425	BUCKET-LM, 80", BOCE 706 Width over base edge 2036mm (80"), 0.75 m3 (0.98 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge	\$1,950 NI
W	279-5430	BUCKET-LM, 86", BOCE 746 Width over base edge 2188mm (86"), 0.84 m3 (1.1 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge	\$2,086 NI
W	296-7597	BUCKET-LM, 98", BOCE 806 Width over base edge 2490mm (98"), 0.93 m3 (1.22 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge	\$2,357 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - MATERIAL HANDLING

Designed for handling materials with a very low density and for which even Light Material buckets are too small.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

21388m (86")	C	C	C	C	C	C	C	C	C	C
2490mm (98")	C	C	C	C	C	C	C	C	C	C
2642mm (104")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	472-2546	BUCKET-MH, 86", BOCE 804	\$2,326 NI
		Width over base edge 2185mm (86"), 1.07 m3 (1.43 yd3) Heaped Capacity	
		INCLUDES: 1 piece Bolt-on cutting edge	
W	472-2548	BUCKET-MH, 98", BOCE 881	\$2,403 NI
		Width over base edge 2490mm (98"), 1.25 m3 (1.63 yd3) Heaped Capacity	
		INCLUDES: 1 piece Bolt-on cutting edge	
W	469-0774	BUCKET-MH, 104", BOCE 920	\$2,444 NI
		Width over base edge 2642mm (104"), 1.33 m3 (1.74 yd3) Heaped Capacity	
		INCLUDES: 1 piece Bolt-on cutting edge	

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - MIXING

Mixing Buckets are designed for material mixing in a variety of applications. Utilizing a chain driven auger equipped with replaceable paddles, the Cat Mixing Buckets ensure complete and repeatable mixing. Operated from the machine cab, mixing buckets are equipped with a hydraulically controlled dispensing chute. The Mixing Buckets allow work to be completed in difficult to access areas, improving productivity and savings on transportation costs.

	226	232	239	247	248	257	262	277	287	297					
	216	228	236	242	246	249	268	252	256	259	272	267	279	289	299
MB200	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
MB250				C#	C#	C	C	C	C	C	C	C	C	C	C

C = Compatible/ # = Extra counter weight required
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	489-2150	BUCKET, MIXING, MB200, 0.26YD3	639	\$7,222 NI
		Overall width 1605mm (63"), 0.20 m3 (0.26yd3) Capacity		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects, 14 pin electrical harness. Rigid Chute and Flexible Chute		
		REQUIRES: Standard Flow Hydraulics		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine mounting bracket, & 14-pin electrical harness		
W	489-2200	BUCKET, MIXING, MB250, 0.33YD3	948	\$7,556 NI
		Overall width 1605mm (63"), 0.25 m3 (0.33yd3) Capacity		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects, 14 pin electrical harness, Rigid Chute and Flexible Chute		
		REQUIRES: Standard Flow Hydraulics		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine mounting bracket, & 14-pin electrical harness		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - MULTI PURPOSE

Similar applications as GP Buckets but with clamping versatility.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

1576mm (62")	C	C	C	C	C	C	C	C	C	C
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C
2036mm (80")	C	C	C	C	C	C	C	C	C	C
2188mm (86")	C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	431-5570	BUCKET-MP, 62", BOCE 851 Width over base edge 1576mm (62"), 0.30 m3 (0.39 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.	\$3,972 NI
W	423-4287	BUCKET-MP, 62", BOT 818 Width over base edge 1576mm (62"), 0.30 m3 (0.39 yd3) Heaped Capacity INCLUDES: 8 Single Strap Bolt On Uniteeth, spillguard to prevent material spillage over back of bucket.	\$3,972 NI
W	426-6490	BUCKET-MP, 68", BOCE 907 Width over base edge 1730mm (68"), 0.34 m3 (0.44 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.	\$4,306 NI
W	426-6487	BUCKET-MP, 68", BOT 868 Width over base edge 1730mm (68"), 0.34 m3 (0.44 yd3) Heaped Capacity INCLUDES: 8 Single Strap Bolt On Uniteeth, spillguard to prevent material spillage over back of bucket.	\$4,306 NI
W	426-6536	BUCKET-MP, 74", BOCE 962 Width over base edge 1883mm (74"), 0.37 m3 (0.48 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.	\$4,639 NI
W	426-6535	BUCKET-MP, 74", BOT 917 Width over base edge 1883mm (74"), 0.37 m3 (0.48 yd3) Heaped Capacity INCLUDES: 8 Single Strap Bolt On Uniteeth, spillguard to prevent material spillage over back of bucket.	\$4,639 NI
W	426-6548	BUCKET-MP, 80", BOCE 1,016 Width over base edge 2036mm (80"), 0.40 m3 (0.52 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.	\$4,972 NI
W	426-6547	BUCKET-MP, 80", BOT 969 Width over base edge 2036mm (80"), 0.40 m3 (0.52 yd3) Heaped Capacity INCLUDES: 9 Single Strap Bolt On Uniteeth, spillguard to prevent material spillage over back of bucket.	\$4,972 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - MULTI PURPOSE (Cont.)

W	426-6558	BUCKET-MP, 86", BOCE 1,072 Width over base edge 2188mm (86"), 0.43 m3 (0.56 yd3) Heaped Capacity INCLUDES: 1 piece Bolt-on cutting edge, spillguard to prevent material spillage over back of bucket.		\$5,306 NI
W	426-6557	BUCKET-MP, 86", BOT 1,018 Width over base edge 2188mm (86"), 0.43 m3 (0.56 yd3) Heaped Capacity INCLUDES: 9 Single Strap Bolt On Uniteeth, spillguard to prevent material spillage over back of bucket.		\$5,306 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKET: SIDE DISCHARGE

The side discharge buckets can discharge left or right hand side. The sawdust version is for light materials like sawdust, mulch, straw or silage. The sand version is for heavier materials like sand, soil or light aggregate.

	226	232	242	247	252	257	262	277	287	297				
	228	236	239	246	248	249	256	259	268	267	272	279	289	299
BD118	C	C	C	C	C	C	C	C	C	C	C	C	C	C
BD121	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	477-9895	BUCKET-SD, 72", BD118, SAWDUST	1,179	\$7,917 NI
		Capacity: 1.53m3 (2.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		
W	479-8085	BUCKET-SD, 84", BD121, SAWDUST	1,276	\$9,583 NI
		Capacity: 1.78m3 (2.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sawdust agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		
W	479-8095	BUCKET-SD, 72", BD118, SAND	1,060	\$7,917 NI
		Capacity: 0.76m3 (1.0yd3), Belt width 305mm (12") Inside / Overall width: 1860mm (72") / 1854mm (73") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		
W	479-8105	BUCKET-SD, 84", BD121, SAND	1,151	\$9,583 NI
		Capacity: 1.02m3 (1.33yd3), Belt width 305mm (12") Inside / Overall width: 2160mm (84") / 2159mm (85") 3 Direct Drive hydr.motors (2 for the belt and 1 for sand agitator) FOR USE WITH: Skid Steer Coupler REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - SKELETON

	226	232	242	247	252	257	262	277	287	297				
	228	236	239	246	248	249	256	259	268	267	272	279	289	299
2020mm (79")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2210mm (87")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2400mm (94")	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	549-6561	BUCKET-SK, ROD, 79"	741	\$2,326 NI
		Overall width: 2020mm (79"), Height: 644mm (25.4"), 21 welded teeth, 20 x 32mm (1.25") rods, spacing between rods 63.5mm (2.5")		
W	549-6563	BUCKET-SK, ROD, 87"	800	\$2,472 NI
		Overall width: 2210mm (87"), Height: 644mm (25.4"), 23 welded teeth, 22 x 32mm (1.25") rods, spacing between rods 63.5mm (2.5")		
W	549-6565	BUCKET-SK, ROD, 94"	860	\$2,618 NI
		Overall width: 2400mm (94"), Height: 644mm (25.4"), 25 welded teeth, 24 x 32mm (1.25") rods, spacing between rods 63.5mm (2.5")		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - UTILITY

Higher capacity buckets. For landscaping and agricultural work requiring grading, leveling, and stockpiling material.

216	232	242		262	272					
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

1576mm (62")	C	C	C	C	C	C	C	C	C	C
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	285-6095	BUCKET-UT, 62", BOCE	531	\$1,340 NI
		Width over base edge 1576mm (62"), 0.43 m3 (0.56 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	285-6100	BUCKET-UT, 68", BOCE	569	\$1,475 NI
		Width over base edge 1730mm (68"), 0.48 m3 (0.62 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		
W	285-6101	BUCKET-UT, 74", BOCE	607	\$1,611 NI
		Width over base edge 1883mm (74"), 0.52 m3 (0.67 yd3) Heaped Capacity		
		INCLUDES: 1 piece Bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

BUCKETS - TOOTH BARS

Please order direct from parts/Antares (no bridge orders)

GP/MP bucket width	Toothbar part number		Qty	Uni	teeth
	Series I	Series II			
1576mm (62")		159-0330	7		
1760mm (68")		159-0340	8		
1883mm (74")	136-8736	159-0350	8		
2036mm (80")	217-4878	195-9160	8		
2188mm (86")	275-5427	264-2084	8		

Required Mounting Hardware for Series I / II Toothbars:

- 2 x 2J-3507 Nut
- 2 x 3B-4516 Lockwasher
- 2 x 5P-8250 Washer
- 2 x 8S-9093 Bolt

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS												Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS

CAT Cold Planers are designed for small to medium size paving jobs in residential and commercial applications. Cold planers are used to economically restore asphalt and concrete paved surfaces to a specified grade or level. They are ideal for milling bumps or imperfections in expanded pavements, removing cracked or deteriorated pavement, removing traffic lane stripes and working on jobs where weight restrictions limit the use of dedicated planers. Please see dealer.cat.com for the latest cold planer mktg bulletins

																287
																289
		226			236			248			257	262			277	297
	216	242	228	232	249	246	247	268	252	256	259	272	267	279	299	
PC104B	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
PC205B SF#	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
PC205B HF#		C									C					
PC305B XPS		C	C			C	C	C		C	C	C		C	C	
PC306B XPS		C	C			C	C	C		C	C	C		C	C	
PC310B XPS						C*		C		C*		C		C	C	
PC408B XHP												C		C	C	
PC412B XHP												C		C	C	

C = Compatible/ *= lift restricted/

#PC205B is compatible with B3 HF & D Series SF/HF machines with standard flow 1/2" quick disconnects and case drain line; designed to operate in SF or HF, not HF XPS
 Work tools requiring HF/XPS can only be used on machines with HF/XPS or XHP option.
 Work tools requiring XHP can only be used on machines with XHP option.
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	381-8300	COLD PLANER, PC104B	1,474	\$13,111 NI
		350mm (14") drum width - 42 all purpose conical bits		
		1720mm (68") overall width, Manual tilt and depth		
		Hydraulic Side Shift (manual selection on diverter valve on planer)		
		Optimal FLOW / Pressure : 80 l/min (21 gpm) / 230 bar (3330 psi)		
		INCLUDES: gear direct drive motor, 150mm (6") max. depth of cut,		
		hydraulic lines with quick disconnects, mounting bracket and hardware.		
		REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS (Cont.)

W	381-8310	COLD PLANER, PC205B 1,610 450mm (18") drum width - 48 all purpose conical bits 1720mm (68") overall width, Self leveling, Self-centering spring tilt Hydraulic Side Shift (manual selection on diverter valve on planer) Manually adjusted independent left/right depth control Optimal FLOW / Pressure : 115 l/min (31 gpm) / 230 bar (3330 psi) INCLUDES: piston direct drive motor, 150mm (6") max. depth of cut, hydraulic lines with quick disconnects, mounting bracket and hardware. REQUIRES: High Flow Hydraulics or Standard Flow with case drain connection and min flow of 80 l/min (21 gpm). For XPS machines run in Standard Flow with case drain. Do not use plug for XPS machines REQUIRES: 377-1579 Conversion Kit for B/B2/B3 SF/C/C2 Series		\$16,451 NI
W	424-7130	COLD PLANER, PC305B 1,896 450mm (18") drum width - 48 all purpose conical bits 1858mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 170mm (6.7") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14 pin electrical harness, mounting brackets, and hardware Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bar (4000 psi) RECOMMENDED: Use with AMICS or advanced display REQUIRES: High Flow / High Flow XPS Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 Not required for B3/D Series machines		\$20,188 NI
W	381-8330	COLD PLANER, PC306B 2,061 600mm (24") drum width - 60 all purpose conical bits 1858mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 170mm (6.7") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14 pin electrical harness, mounting brackets, and hardware Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bart (4000 psi) RECOMMENDED: Use with AMICS or advanced display REQUIRES: High Flow / High Flow XPS Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 Not required for B3/D Series machines		\$21,653 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS (Cont.)

W	381-8380	COLD PLANER, PC306B XD 3,086 600mm (24") drum width - 48 all purpose conical bits 1858mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 1 piston direct drive motor, 250mm (10") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting brackets, and hardware RECOMMENDED: Use with AMICS or advanced display REQUIRES: High Flow XPS Hydraulics REQUIRES: 371-3725 Conversion Kit for B/B2/C/C2 Series machines; not required for B3 or D Series machines NOTE: Some machines require limited installed options to avoid exceeding the maximum total machine rated capacity; Refer to the compatibility table.		\$29,049 NI
W	381-8360	COLD PLANER, PC310B 2,315 1000mm (40") drum width - 78 all purpose conical bits 1858mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control INCLUDES: 2 piston direct drive motors, 130mm (5.1") max depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line and 14 pin electrical harness, mounting brackets, and hardware. Optimal Flow / Pressure: 125 l/min (33 gpm) / 280 bart (4000 psi) RECOMMENDED: Use with AMICS or advanced display REQUIRES: High Flow XPS Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: for B/B2/C/C2 with XPS conversion kit: 371-3725 Not required for B3/D Series machines		\$30,181 NI
W	381-8390	COLD PLANER, PC310B XD 3,858 40" (1000mm) drum width - 66 all purpose conical bits 73" (1858mm) overall width Self Leveling Electro-Hydraulic: independent left/right depth control, sideshift, and tilt Cold Planer mounted switch enables float or hydraulic tilt control INCLUDES: 2 piston direct drive motors, 9" (220mm) max. depth of cut, hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting brackets, and hardware RECOMMENDED: Use with AMICS or advanced display REQUIRES: High Flow XPS Hydraulics REQUIRES: 371-3725 Conversion Kit for B/B2/C/C2 Series machines; not required for B3 or D Series machines NOTE: Some machines require limited installed options to avoid exceeding the maximum total machine rated capacity; Refer to the NOTE: Some machines require limited installed options to avoid exceeding the maximum total machine rated capacity; Refer to the compatibility table.		\$40,042 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS (Cont.)

W	381-8350	COLD PLANER, PC408B 2,290 750mm (30") drum width - 60 all purpose extreme duty conical bits 1860mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: 2 piston direct drive motors, 170mm (7") max. depth of cut, hydraulic lines with 3/4" quick disconnects, case drain line and 14 pin electrical harness, mounting brackets and hardware. Optimal FLOW / Pressure : 150 l/min (40 gpm) / 280 bar (4000 psi) REQUIRES: XHP Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical		\$25,556 NI
W	381-8370	COLD PLANER, PC412B 2,575 1200mm (47") drum width - 90 all purpose extreme duty conical bits 1860mm (73") overall width, Self Leveling Electro-Hydraulic: Independent left/right depth control, Sideshift, Tilt, Float-Tilt Switch to switch between float or tilt control Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: 2 piston direct drive motors, 130mm (5") max. depth of cut, hydraulic lines with 3/4" quick disconnects, case drain line and 14 pin electrical harness, mounting brackets and hardware. Optimal FLOW / Pressure : 150 l/min (40 gpm) / 280 bar (4000 psi) REQUIRES: XHP Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical		\$32,861 NI

COLD PLANERS - OPTIONS

W	206-2567	KIT, WATER SPRINKLER 10 Work tool water sprinkling kit complete with sprinkler heads (4), hoses, mounting hardware and quick disconnects for effective dust control. REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) FOR USE WITH: PC3, PC4		\$500 NI
W	231-2590	KIT, WATER SPRINKLER 22 Work tool water sprinkling kit complete with sprinkler heads (2), hoses, mounting hardware and quick disconnects for dust control. REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B, PC305B		\$203 NI
W	231-2591	KIT, WATER SPRINKLER 24 Work tool water sprinkling kit complete with sprinkler heads (3), hoses, mounting hardware and quick disconnects for dust control. REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) FOR USE WITH: PC206, PC306B, PC408B		\$250 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS - OPTIONS (Cont.)

W	231-2592	KIT, WATER SPRINKLER26 Work tool water sprinkling kit complete with sprinkler heads (4), hoses, mounting hardware and quick disconnects for dust control. REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) FOR USE WITH: PC210, PC310B		\$300 NI
W	381-8341	KIT, WATER SPRINKLER27 Work tool water sprinkling kit complete with sprinkler heads (5), hoses, mounting hardware and quick disconnects for dust control. REQUIRES: Control, Work Tool, Electrical (order with machine) REQUIRES: Water Tank, Machine (reference machine attachments section of this price list to order) FOR USE WITH: PC412B		\$347 NI

COLD PLANERS - DRUMS

W	231-2572	DRUM, ASPHALT, 3"123 Width: 75mm(3"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$1,528 NI
W	231-2573	DRUM, ASPHALT, 6"132 Width: 150mm(6"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$1,854 NI
W	231-2574	DRUM, ASPHALT, 8"163 Width: 200mm(8"), Cut.depth min-max: 50mm(2")- 200mm(8"), 36 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$1,993 NI
W	231-2575	DRUM, ASPHALT, 12"223 Width: 300mm(12"), Cut.depth min-max: 50mm(2")- 200mm(8"), 42 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$2,083 NI
W	224-7360	DRUM, ASPHALT, 18"304 Width: 450mm(18"), Cut.depth min-max: 0mm(0")- 150mm(6"), 48 GP bits FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$2,104 NI
W	423-7130	DRUM, FINE TOOTH, 18"335 Width: 450mm(18"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 208 fine FOR USE WITH: PC104B, PC203, PC204, PC205, PC205B		\$9,201 NI
W	231-2580	DRUM, ASPHALT, 3"159 Width: 75mm(3"), Cut.depth min-max: 50mm(2")- 200mm(8"), 24 GP bits FOR USE WITH: PC206, PC306B and PC305B		\$1,667 NI
W	231-2581	DRUM, ASPHALT, 6"159 Width: 120mm(6"), Cut.depth min-max: 50mm(2")- 200mm(8"), 28 GP bits FOR USE WITH: PC206, PC306B and PC305B		\$1,993 NI
W	231-2583	DRUM, ASPHALT, 12"278 Width: 300mm(12"), Cut.depth min-max: 50mm(2")- 200mm(8"), 42 GP bits FOR USE WITH: PC206, PC306B and PC305B		\$2,896 NI
W	231-2586	DRUM, ASPHALT, 18"362 Width: 450mm(18"), Cut.depth min-max: 50mm(2")- 200mm(8"), 48 GP bits FOR USE WITH: PC206, PC306B and PC305B		\$2,431 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COLD PLANERS - DRUMS (Cont.)

W	224-7384	DRUM, ASPHALT, 24" 368 Width: 600mm(24"), Cut.depth min-max: 0mm(0")- 170mm(7"), 60 GP bits FOR USE WITH: PC206, PC306B		\$2,549 NI
W	423-7131	DRUM, FINE TOOTH, 24" 0 Width: 600mm(24"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"), 308 fine FOR USE WITH: PC206, PC306B		\$12,208 NI
W	423-7132	DRUM, FINE TOOTH, 40" 0 Width: 1000mm(40"), Cut.depth min-max: 0mm(0")- 30mm(1 1/6"),508 fine FOR USE WITH: PC210, PC310B		\$17,938 NI

Available through Parts - NO BRIDGE ORDERS

- Replacement bits and holders for PC104B, PC203, PC204,
 PC205, PC205B, PC206, PC210, PC305B, PC306B, PC310B, PC408B, PC412B
 222-7571 GP / All Purpose bit (asphalt & concrete)
 227-7340 Concrete bit
 375-7681 Heavy Duty Concrete bit
 316-2326 Heavy Duty Asphalt bit
 226-9308 Block Holder for bit
 104-8591 Punch (Bit Remover)
 8T-4474 Puller (Bit Remover)

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS													Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

COMPACTORS, VIBRATORY

																	287
																	289
	226	232	239				248			257	262			277	297		
216	242	228	236	249	246	247	268	252	256	259	272	267	279	299			
CV16B	C*	C*	C*	C*	C	C*	C	C	C	C*	C	C	C	C			
CV18B					C		C	C	C		C	C	C	C			

C = Compatible/ *= lift restricted
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	231-8600	VIBRATORY COMPACTOR, CV16B	2,174	\$12,417 NI
		Width overall - drum: 1855mm (73") - 1676mm (66")		
		610mm (24") Diameter SMOOTH drum design		
		Drum Frequency - 2946 vpm @ max flow		
		Dynamic (centrifugal) Force - 11,903 lb (5399 kg)		
		Spring loaded dual-direction non-metallic scraper bar		
		Hydraulic Flow range: 42-86 l/min (11-23 gpm)		
		Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi)		
		INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware		
		REQUIRES: Standard Flow Hydraulics		
W	231-8601	VIBRATORY COMPACTOR, CV18B	2,260	\$13,314 NI
		Width overall - drum:: 2032mm (80") 1854mm (73")		
		610mm (24") Diameter SMOOTH drum design		
		Drum Frequency - 2946 vpm @ max flow		
		Dynamic (centrifugal) Force - 11,903 lb (5399 kg)		
		Spring loaded dual-direction non-metallic scraper bar		
		Hydraulic Flow range: 42-86 l/min (11-23 gpm)		
		Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi)		
		INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware		
		REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

CONVERSION KITS

Conversion kits are available to convert old work tools to function on the B3 High Flow and D Series machines (not for C2 machines). The secondary auxiliary circuits have been moved from the machine to the work tool. Pre B3 and D series machines have a 8 pins harness and 5 l The following kits provide the Bill of Material for the change. Please consult the list below for the required work tool conversion kit. The work tool interface for B3 High Flow and D Series machines consists of two 1/2" Quick Disconnects (QD), case drain line and 14 pin electrical connector. These hydraulic lines provide flow for standard flow, high flow (HF) and High Flow XPS (HF XPS), based on the machine configuration. The SSL/CTL D XHP work tool interface consists of two 3/4" Quick disconnects, case drain line and 14 pin electrical connector. These hydraulic lines provide standard flow, high flow XPS and XHP flow, based on the machine configuration. Please review the marketing bulletin explaining the conversion process. It is located at dealer.cat.com under the SSL/CTL machines section. Compatibility Guide arranged by model

MODEL SERIES	B3 & D + SF/HF/XPS D + XHP prefix JST/ETL	D + XHP only NLC/SHY
A14B, A19B	Not Required	382-6184 #
A26B	382-6152#	382-6190#
BA18 (Manual Angle)	Not Required	382-6186#
BA18 (Hydraulic Angle)	375-6445	382-6187#
BH27/BH30/BH30W	Not Required	382-6184#
Angle Blade	Not Required	382-6181#
Dozer Blades	375-6445	382-6185#
BP15B, BP18B	Not Required	382-6184#
BR160, BR166, BR172	Not Required	382-6186#
BR272, BR378	382-6193#	382-6190#
BU115, BU118	Not Required	382-6184#
CV16B, CV18B	Not Required	382-6184#
Industrial Grapple Forks	Not Required	382-6181#
Industrial Grapple Rakes	Not Required	382-6181#
Hammers	Not Required	382-6183#
HM312, HM315	382-6180	382-6192#
HM315B	Not Required	382-6153#
Industrial Grapple Buckets	Not Required	382-6181#
LR15B, LR18B	Not Required	382-6184#
LT13B, LT18B	Not Required	382-6184#
MP Buckets	Not Required	382-6181#
PR172, PR184, PR190 (Hydraulic Angle)	375-6445	382-6185#
S305	375-6445	382-6188#
SG16B	375-6445	382-6185#
SG18B	382-6170	382-6192#
SR318, SR321	382-6151#	382-6189#

= kit is not stocked anymore. Please order consist parts.
 Continued on next page

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

CONVERSION KITS (Cont.)

MODEL SERIES	B3 & D + SF/HF/XPS D + XHP prefix JST/ETL	D + XHP only NLC/SHY
PC104B, PC203, PC204	Not Required	382-6184#
PC205, PC206, PC210	379-0420	382-6192#
PC205, PC206, PC210	379-0420	382-6192#
PC205B, PC306B, PC310B	Not Required	382-6186#
SW45, SW60	379-0420	382-6192#
SW345B, SW360B	Not Required	382-6186#
SR117, SR118, SR121		
S/N WSG00274/SNB00246/ SNR00241 and below	375-6445	382-6189#
S/N WSG00275/SNB00247/ SNR00242 and above	375-6445	382-6185#
T6B, T9B	Not Required	382-6184#
T15B	382-6160	382-6192#
Utility Grapple Forks	Not Required	382-6181#
Utility Grapple Buckets	Not Required	382-6181#

= kit is not stocked anymore. Please order consist parts.

W	379-0420	KIT, W/T CONV, PLANER & SAW	85	\$1,558 NI
		INCLUDES: valve, couplings, harness and related hardware Installation time: 4.0 hours, instructions see REHS5689		
W	382-6180	KIT KX - WKTL CVRSN TO 3-LINES	37	\$1,914 NI
		Conversion kit for Mulcher HM312 & HM315 Installation time: 3.0 hours, instructions see REHS7083		
W	382-6170	KIT KY - WKTL CVRSN TO 3-LINES	53	\$1,894 NI
		Conversion kit for Stump Grinder SG18B Installation time: 4.0 hours, instructions see REHS7116		
W	382-6160	KIT KZ - WKTL CVRSN TO 3-LINES	51	\$2,125 NI
		Conversion kit for Trencher T15B Installation time: 3.0 hours, instructions see REHS4762		
W	375-6445	HARNESS, CVRSN 8WT TO 14SSL	1	\$121 NI
		Conversion harness from 14 pin CAT SSL to 8 pin CAT Work Tool Note: 377-5466 14 pin HF XPS electrical jumper plug available through parts only		
W	377-1579	HARNESS, CVRSN 14WT TO 8SSL	1	\$151 NI
		Conversion harness from 8 pin CAT SSL to 14 pin CAT Work Tool		

CONVERSION KITS - NEW WORK TOOLS

Conversion of new work tools with 3 lines and 14 pin harness to 5 lines and/or 8 pin harness for use with old machines

W	371-3725	KIT KS - WKTL CVRSN TO 5-LINES	3	\$356 NI
		Installation time: 0.5 hours, instructions see REHS7117 Conversion kit for PC306B, PC310B, SW345B, SW360B, SW380B, HM315B T15B, & SG18B		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

CONVERSION KITS - NON CAT ATTACHMENTS/ WORK TOOLS

With these conversions harnesses you can convert a non-CAT attachment to work on a D series CAT machine.

W	509-2817	HARNESS, CVRS 1-5FCT 14PIN SSL 1 FOR USE WITH: Non Caterpillar Attachments with a 14 pins Electrical harness/connector requiring 1 to 5 aux electrical outputs to the host CAT machine with a 14 pins Work Tools harness REQUIRES: 344-6145 Receptacle (14 pins male harness, not included) Installation time: 2.0 hours, instructions see M0075054		\$111 NI
W	520-3445	HARNESS, CVRS 2 PIN DELPHI 0 FOR USE WITH: Non Caterpillar Attachments with a 7 pins Electrical harness/connector or requiring 6 aux electrical outputs to the host machine with a 14 pins Work Tools harness Installation time: 2.0 hours, instructions see M0075056		\$28 NI

CONVERSION KITS - MACHINES WITH NO WORK TOOL HARNESS

In case your D series machine has no work tool harness, please check your machine configuration and table below indicates what to order:

Performance package & Controls	Joysticks	14 pins	You have to order
	Right Hand Left Hand	Electr.	
	2 button+ 4 button	Harness	
	thumb wheel	WT	
226D, 232D, 239D, 249D			
H1 / H2 ON/OFF	not incl	not incl	not incl 421-0265+273-9104
H1 / H2 Prop.	not incl	incl	not incl 421-0261+273-9104
H1 / H2 Prop.WT	not incl	incl	incl 273-9104
H3 Prop.WT	incl	incl	incl Nothing
236D, 242D, 246D, 257D, 259D, 262D, 272D2, 277D, 279D, 287D, 289D, 297D2, 299D2			
H1 / H2 ON/OFF	not incl	not incl	not incl 388-8273+273-9104
H1 / H2 Prop.	not incl	incl	not incl 388-8265+273-9104
H1 / H2 Prop.WT	not incl	incl	incl 273-9104
H3 Prop.WT	incl	incl	incl Nothing
272D(2) XHP, 297D(2) XHP, 299D(2) XHP			
H3 Prop.WT	incl	incl	incl Nothing

273-9104	Right Hand joystick with 2 buttons and thumb roller
388-8265	Kit, Work Tools Harness
388-8273	Kit, Work Tools Harness (incl. left hand 4 button joystick)
421-0261	Kit, Work Tools Harness
421-0265	Kit, Work Tools Harness (incl. left hand 4 button joystick)

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

CARRIAGES - FORKS/TINES

	216	232	242			262	272			
	226	236	246	248	256	257	267	277	287	297
	228	239	247	249	256	259	268	279	289	299
Carriage	C	C	C	C	C	C	C	C	C	C
Fork/Tines:										
1676mm (66")	C	C	C	C	C	C	C	C	C	C
1830mm (72")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	351-9371	CARRIAGE, PAL C2, 46", SSL	207	\$611 NI
		Standard Hook Carriage, Overall Carriage width step, 1270mm (50") REQUIRES: 2 Forks/Tines NOT included		
W	353-1693	CARRIAGE, PAL C2,46",SSL,QTY 6	1,242	\$3,486 NI
		6 pcs. of 351-9371 Carriage. Forks / Tines NOT included.		
W	195-6943	FORK, PAL C2, 36" X 4" X 1.5"	92	\$174 NI
		40 x 100 x 910mm (1.5" x 4" x 36") Pull Type Order quantity of 2 for a pair.		
W	195-6942	FORK, PAL C2, 42" X 4" X 1.5"	104	\$208 NI
		40 x 100 x 1070mm (1.5" x 4" x 42") Pull Type Order quantity of 2 for a pair.		
W	243-0002	FORK, PAL C2, 42", QTY 12	1,248	\$2,292 NI
		12 pcs. of 1956942 Forks		
W	195-8545	FORK, PAL C2, 48" X 4" X 1.5"	114	\$222 NI
		40 x 100 x 1220mm (1.5" x 4" x 48") Pull Type Order quantity of 2 for a pair.		
W	243-0003	FORK, PAL C2, 48", QTY 12	1,368	\$2,444 NI
		12 pcs. of 1958545 Forks		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

CARRIAGE - FORKS/TINES HEAVY DUTY

Heavy duty carriage and forks to handle pallets.
 Ideal for the larger SSLs.

	226	232	242	247	252	257	262	277	287	297				
	228	236	239	246	248	249	256	259	268	267	272	279	289	299
Carriage HD	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Forks:														
1067mm (42")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
1219mm (48")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
1524mm (60")	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	532-7810	CARRIAGE, PAL HD C2, 60", SSL	320	\$1,042 NI
		Heavy duty carriage. Overall width: 1420mm (56"), Height: 910mm (36") REQUIRES: 2 x 540-1431 or 2 x 540-1432 or 2 x 540-1433, NOT included		
W	540-1431	FORK, PAL HD C2, 42"X4.8"X1.8"	130	\$333 NI
		1067X122X45MM (42"X4.8"X1.8"), Please order 2 for a full set. FOR USE WITH: Heavy duty Carriage 532-7810		
W	540-1432	FORK, PAL HD C2, 48"X4.8"X1.8"	146	\$347 NI
		1219X122X45MM (48"X4.8"X1.8") Please order 2 for a full set. FOR USE WITH: Heavy duty Carriage 532-7810		
W	540-1433	FORK, PAL HD C2, 60"X4.8"X1.8"	174	\$417 NI
		1524X122X45MM (60"X4.8"X1.8") Please order 2 for a full set. FOR USE WITH: Heavy duty Carriage 532-7810		

CARRIAGES WITH ASSEMBLED TINES

W	353-1696	CARRIAGE, 46", FORKS, 42", SSL	415	\$1,104 NI
		Includes 1 pc. of 2616681 carriage and 2 pcs. of 1956942 forks		
W	353-1697	CARRIAGE, 46", FORKS, 48", SSL	435	\$1,132 NI
		Includes 1 pc. of 2616681 carriage and 2 pcs. of 1958545 forks		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

FORKS, UTILITY

Light duty design, for agriculture and landscaping applications, for transporting small bales, removing dry compacted livestock waste, loosening of bedding materials and soil aeration.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

Industrial

1676mm (66")	C	C	C	C	C	C	C	C	C	C
1829mm (72")	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	285-6105	FORKS, UTILITY, 66"	437	\$1,046 NI
		1676mm (66") wide, 7 round fork tines included		
W	285-6110	FORKS, UTILITY, 72"	484	\$1,201 NI
		1829mm (72") wide, 9 round forks included		

INDUSTRIAL GRAPPLE FORKS

Heavy duty design to handle a wide array of bulky, irregularly shaped objects encountered in demolition, industrial, construction, recycling and other aggressive applications. Independently controlled heavy duty grapple assemblies.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

Industrial

1676mm (66")	C	C	C	C	C	C	C	C	C	C
1829mm (72")	C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	279-5350	FORKS, INDUSTRIAL GRAPPLE, 66"	1,106	\$6,082 NI
		1676mm (66") Wide, 9 round fork tines incl., 965mm (38") jaw opening		
		INCLUDES: 2 cylinders, 2 heavy duty grapple assemblies		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

INDUSTRIAL GRAPPLE FORKS (Cont.)

W	279-5360	FORKS, INDUSTRIAL GRAPPLE, 72" 1,208 1829mm (72") Wide, 11 round fork tines incl., 965mm (38") jaw opening INCLUDES: 2 cylinders, 2 heavy duty grapple assemblies		\$7,258 NI
---	----------	---	--	------------

UTILITY GRAPPLE FORKS

To handle hard to handle light materials on farms, nurseries and in landscaping. Not suited to handle large bales.

216	232	242				262	272				
226	236	246	248	256	257	267	277	287	297		
228	239	247	249	256	259	268	279	289	299		

Utility										
1676mm (66")	C	C	C	C	C	C	C	C	C	C
1829mm (72")	C	C	C	C	C	C	C	C	C	C

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	285-6114	FORKS, UTILITY GRAPPLE, 66" 671 1676mm (66") Wide, 7 round fork tines incl., 876mm (34.5") jaw opening INCLUDES: 1 cylinder, 1 grapple assembly,		\$2,551 NI
W	285-6115	FORKS, UTILITY GRAPPLE, 72" 719 1829mm (72") Wide, 9 round fork tines incl., 876mm (34.5") jaw opening INCLUDES: 1 cylinder, 1 grapple assembly,		\$2,706 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

INDUSTRIAL GRAPPLE BUCKETS

Heavy duty design to handle a wide array of bulky, irregularly shaped objects encountered in demolition, industrial, construction, recycling and other aggressive applications. Independently controlled heavy duty grapple assemblies.

	216	232	242			262	272			
	226	236	246	248	256	257	267	277	287	297
	228	239	247	249	256	259	268	279	289	299
1576mm (62")	C	C	C	C	C	C	C	C	C	C
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C
2036mm (80")	C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	157-7226	BUCKET-IND. GR, 62", BOCE1,045 Width over base edge 1576mm (62"), 1016mm (40") jaw opening INCLUDES: 1 piece Bolt on cutting edge, 2 heavy duty grapple assemblies	\$4,700 NI
W	157-7227	BUCKET-IND. GR, 68", BOCE1,074 Width over base edge 1730mm (68"), 1016mm (40") jaw opening INCLUDES: 1 piece Bolt on cutting edge, 2 heavy duty grapple assemblies	\$4,932 NI
W	158-6095	BUCKET-IND. GR, 74", BOCE1,104 Width over base edge 1883mm (74"), 1016mm (40") jaw opening INCLUDES: 1 piece Bolt on cutting edge, 2 heavy duty grapple assemblies	\$5,522 NI
W	217-6230	BUCKET-IND. GR, 80", BOCE1,142 Width over base edge 2036mm (80"), 1016mm (40") jaw opening INCLUDES: 1 piece Bolt on cutting edge, 2 heavy duty grapple assemblies	\$6,074 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS								Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

INDUSTRIAL GRAPPLE RAKES

Heavy duty design with verticle tines to handle a wide array of irregularly shaped objects encountered in land clearing, industrial, construction, recycling and other aggressive applications. Independently controlled heavy duty grapple assemblies.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

1830mm (72")	C	C	C	C	C	C	C	C	C	C
2134mm (84")	C	C	C	C	C	C	C	C	C	C

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	286-9300	RAKE, IND. GRAPPLE, 72"	1,070	\$4,107 NI
		1830mm (72") Wide, 9 tines included		
		INCLUDES: 2 cylinders, 2 heavy duty grapple assemblies		
W	286-9301	RAKE, IND. GRAPPLE, 84"	1,115	\$4,599 NI
		2134mm (84") Wide, 11 tines included		
		INCLUDES: 2 cylinders, 2 heavy duty grapple assemblies		

UTILITY GRAPPLE BUCKETS

To handle hard to handle light materials on farms, nurseries and in landscaping.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

Utility										
1730mm (68")	C	C	C	C	C	C	C	C	C	C
1883mm (74")	C	C	C	C	C	C	C	C	C	C

C = Compatible
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	285-6111	BUCKET-UTIL. GR, 68", BOCE	803	\$3,176 NI
		Width over base edge 1730mm (68"), 902mm (35.5") jaw opening		
		INCLUDES: 1 piece Bolt-on cutting edge, 1 cylinder 1 grapple assembly		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

UTILITY GRAPPLE BUCKETS (Cont.)

W	285-6112	BUCKET-UTIL. GR, 74", BOCE	841	\$3,313 NI
		Width over base edge 1883mm (74"), 902mm (35.5") jaw opening INCLUDES: 1 piece Bolt-on cutting edge, 1 cylinder 1 grapple assembly		

UTILITY GRAPPLE GROUP

Not installed; fits onto Utility Forks or Utility Bucket.

W	285-6116	UTILITY GRAPPLE	340	\$1,840 NI
		One Cylinder, one grapple assembly INCLUDES: hydraulic lines with quick disconnects and hardware		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

HAMMERS - B4/B6 and B4S/B6S Silenced Flat Top

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the excavators. Failure to do so can lead to injury or death.

Hammer Compatibililty:

	226	232		242		247	252	257	262		277	287	297		
	216	228	236	239	246	248	249	256	259	268	267	272	279	289	299
B4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
B6	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible/ *= lift restricted/ # = Extra counter weight required

If no hammer references appear below there are no B6 Hammers currently available in your region.

W	532-9104	HAMMER, B4	351	\$5,750 NI
		NON Silenced hydraulic hammer, flat top with drill pattern SM and MD BPM (blows/minute): 600-1,100 , Energy Class 370 Joule (273 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 25-50 l/min (6.6-13.2 gal/min) Max Operation Pressure 11,749 kPa (1,704 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket SM or MD, connecting lines, nitrogen charge		
W	532-9204	HAMMER, B4S	357	\$6,389 NI
		Silenced hydraulic hammer, flat top with drill pattern SM and MD BPM (blows/minute): 600-1,100 , Energy Class 370 Joule (273 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 25-50 l/min (6.6-13.2 gal/min) Max Operation Pressure 11,749 kPa (1,704 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket SM or MD, connecting lines, nitrogen charge		
W	532-9206	HAMMER, B6S	611	\$9,306 NI
		Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 500-900 , Energy Class 681 Joule (502 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-70 l/min (10.6-18.5 gal/min) Max Operation Pressure 13,707 kPa (1,988 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)				
<i>HAMMERS - B4/B6 and B4S/B6S Silenced Flat Top (Cont.)</i>				
W	532-9106	HAMMER, B6 571 Non-Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 500-900 , Energy Class 681 Joule (502 ft-lb) INCLUDES: Housing and power cell, 1 tool box, 1 charging kit (excl. nitrogen), 2 tools (1x cone and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-70 l/min (10.6-18.5 gal/min) Max Operation Pressure 13,707 kPa (1,988 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		\$8,375 NI
W	532-9240	BRACKET, LINES, SSL, MD-LG 324 Bracket with SSL interface and including lines and quick disconnects. FOR USE WITH: B Hammers ONLY with drill pattern MD or LG and SSL, CTL and SSL, CTLand MTL machines		\$1,597 NI
W	532-9250	BRACKET, SSL, MD-LG 300 Bracket with SSL interface, lines and quick disconnects NOT incl. FOR USE WITH: B and H Hammers with drill pattern MD or LG and SSL, CTL and SSL, CTLand MTL machines REQUIRES: connecting lines		\$1,181 NI
W	532-9264	LINES, B4-B6 HAMMER, SSL24 Connecting lines includes quick disconnects FOR USE WITH: B4/B6 Hammers (NOT for H series hammers) CAN NOT BE USED WITH: H series hammers		\$417 NI
W	532-9063	BRACKET, MHE 3T, 40MM, SM-LG 134 FOR USE WITH: BH160, includes 1 set bucket pins		\$451 NI
W	532-9088	LINES, B4-B6 HAMMER, 3T 0 FOR USE WITH: BH160		\$174 NI
W	532-9190	TOOL, MOIL, B4 19		\$201 NI
W	542-1758	TOOL, CONE, B4 21		\$201 NI
W	542-1759	TOOL, BLUNT, B4 20		\$201 NI
W	542-1760	TOOL, CHISEL, IN LINE, B4 20		\$201 NI
W	542-1761	TOOL, CHISEL, CROSS CUT, B4 20		\$201 NI
W	523-3193	TOOL, MOIL, B6 40		\$229 NI
W	523-3195	TOOL, CONE, B6 40		\$229 NI
W	523-3196	TOOL, BLUNT, B6 40		\$229 NI
W	523-3197	TOOL, CHISEL, CROSS CUT, B6 40		\$229 NI
W	523-3191	TOOL, CHISEL, IN LINE, B6 40		\$229 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

HAMMERS - H55E Silenced FLAT TOP

WARNING:

Demolition tools can create a hazard from flying objects. Caterpillar recommends installing front guards on the cabs of the loaders. Failure to do so can lead to injury or death.

Hammer Compatibilty:

	226	232		242		247	252	257	262		277	287	297		
	216	228	236	239	246	248	249	256	259	268	267	272	279	289	299

H55E	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

C = Compatible/ *= lift restricted/ #= Extra counter weight required

If no hammer references appear below there are no H55E Hammers currently available in your region.

W	551-4951	HAMMER, H55ES	518	\$10,336 NI
		Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 600-1,680 , Energy Class 813 Joule (600 ft-lb) INCLUDES: Housing and power cell, 1 tool box, excl. charging kit/ nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 30-85 l/min (7.9-22.5 gal/min) Max Operation Pressure 16,499 kPa (2,393 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge, tools		
W	532-9250	BRACKET, SSL, MD-LG	300	\$1,181 NI
		Bracket with SSL interface, lines and quick disconnects NOT incl. FOR USE WITH: B and H Hammers with drill pattern MD or LG and SSL, CTL and SSL, CTLand MTL machines REQUIRES: connecting lines		
W	269-7271	LINES, H55-H65, SSL	22	\$467 NI
		FOR USE WITH: All SSL/MTL/CTL and H55E/H65E (Pin-on/Flat top) and 532-9250 BRACKET, SSL, MD-GL CAN NOT BE USED: With B series Hammers		

HAMMERS - TOOLS for H55E Pin-On and H55E / H55E Silenced FLAT TOP

W	423-8310	TOOL, IN LINE CHISEL H55E	24	\$236 NI
W	428-8024	TOOL, CROSS CUT CHISEL H55E	24	\$236 NI
W	423-8312	TOOL, CONE, H55E	23	\$236 NI
W	423-8314	TOOL, BLUNT, H55E	0	\$236 NI
W	433-9655	TOOL, SPADE PARALLEL H55E	635	\$458 NI
W	433-9654	TOOL, SPADE TRANSVERSE H55E	22	\$458 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

HAMMERS - TOOLS for H55E Pin-On and H55E / H55E Silenced FLAT TOP (Cont.)

W	433-9648	TOOL, COMPACTING PLATE H55E	82	\$1,465 NI
---	----------	-----------------------------------	----	------------

HAMMERS - H65E Pin-On

Hammer Compatibility:

	226	232	242	247	252	257	262	277	287	297					
	216	228	236	239	246	248	249	256	259	268	267	272	279	289	299

H65E	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

C = Compatible/ *= lift restricted/ #= Extra counter weight required

If no hammer references appear below there are no H65 Hammers currently available in your region.

W	551-4952	HAMMER, H65ES	622	\$12,467 NI
		Silenced hydraulic hammer, flat top with drill pattern LG BPM (blows/minute): 720-1,740 , Energy Class 1,085 Joule (800 ft-lb) INCLUDES: Housing and power cell, 1 tool box, excl. charging kit/ nitrogen, incl. 2 tools (1xmoil and 1x chisel cross cut) REQUIRED HYDRAULICS: Min - Max Flow: 40-115 l/min (10.6-30.4 gal/min) Max Operation Pressure 16,499 kPa (2,393 psi) REQUIRES: Machine side: hammer lines and front guards / Hammer side: mounting bracket LG, connecting lines, nitrogen charge		
W	532-9250	BRACKET, SSL, MD-LG	300	\$1,181 NI
		Bracket with SSL interface, lines and quick disconnects NOT incl. FOR USE WITH: B and H Hammers with drill pattern MD or LG and SSL, CTL and SSL, CTLand MTL machines REQUIRES: connecting lines		
W	269-7271	LINES, H55-H65, SSL	22	\$467 NI
		FOR USE WITH: All SSL/MTL/CTL and H55E/H65E (Pin-on/Flat top) and 532-9250 BRACKET, SSL, MD-GL CAN NOT BE USED: With B series Hammers		

HAMMERS - TOOLS for H65E Pin-On and H65E / H65E Silenced FLAT TOP

W	423-8307	TOOL, IN LINE CHISEL H65E	38	\$264 NI
W	428-8022	TOOL, CROSS CUT CHISEL H65E	38	\$264 NI
W	423-8308	TOOL, CONE, H65E	38	\$264 NI
W	423-8309	TOOL, BLUNT, H65E	0	\$264 NI
W	433-9653	TOOL, SPADE PARALLEL H65E	33	\$465 NI
W	433-9652	TOOL, SPADE TRANSVERSE H65E	33	\$465 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------------	--------------------	-------------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

HAMMERS - TOOLS for H65E Pin-On and H65E / H65E Silenced FLAT TOP (Cont.)

W	433-9651	TOOL, COMPACTING PLATE H65E	90	\$1,465 NI
---	----------	-----------------------------------	----	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS										Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

LANDSCAPE RAKES

Designed to pulverize, aerate, level and condition the soil, while collecting and depositing stones, rock and debris in the integrated hopper bucket for quick removal. To be operated in reverse drive.

	216	228	236	246	248	248	252	257	262		277	287	297
	226	232	242	247	249	268	256	259	267	272	279	289	299
LR15B	C*	C*	C*	C*	C*	C*	C*	C*	C*	C*	C*	C*	C*
LR18B				C*		C*	C*	C*	C*	C*	C*	C*	C*

C = Compatible/ *= lift restricted
 Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	224-9220	LANDSCAPE RAKE, LR15B	1,309	\$7,750 NI
		1676mm (66") overall width, 1576mm (62") working width 1397mm (55") raking width, struck capacity 0.31m3 (0.4 yd3) Rake bars on conveyer chains, Poppet valve controlled circuitry Hydraulic Flow range: 42-86 l/min (11-23 gpm) Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi) INCLUDES: CHAIN drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware REQUIRES: Standard Flow Hydraulics		
W	224-9221	LANDSCAPE RAKE, LR18B	1,437	\$8,292 NI
		1930mm (76") overall width, 1880mm (74") working width 1702mm (67")raking width, struck capacity 0.34m3 (0.44 yd3) Rake bars on conveyer chains, Poppet valve controlled circuitry Hydraulic Flow range: 42-86 l/min (11-23 gpm) Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi) INCLUDES: CHAIN drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS											Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

LANDSCAPE TILLERS

For breaking up and pulverizing soil, mixing material into the soil, stabilizing and leveling terrain in landscaping, agricultural and other ground maintenance applications.

	226		236	246		248	252	257	262		277	287	297		
	216	242	228	232	239	249	247	268	256	259	272	267	279	289	299
LT13B	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
LT18B						C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	219-7165	LANDSCAPE TILLER, LT13B	735	\$5,479 NI
		Width overall / working: 1788mm (70.5") / 1321mm (52), 24 Bi-Rotational hardened tines, Working depth 25-152mm (1"- 6"), Bi-Directional Hydraulic Motor, offset to cover right side tire Hydraulic Flow range: 42-83 l/min (11-22 gpm) Hydraulic Pressure range: 145-235 bar (2,100-3,400 psi) INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware. REQUIRES: Standard Flow Hydraulics		
W	219-0426	LANDSCAPE TILLER, LT18B	907	\$6,215 NI
		Width overall / working: 2271mm (89.5") / 1847mm (73), 36 Bi-Rotational hardened tines, Working depth 25-152mm (1"- 6"), Bi-Directional Hydraulic Motor, offset to cover right side tire Hydraulic Flow range: 83-114 l/min (22-30 gpm) Hydraulic Pressure range: 207-310 bar (3,000-4,500 psi) INCLUDES: DIRECT drive unit, hydraulic lines with quick disconnects, mounting bracket and hardware. REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MACHINE ATTACHMENTS - MACHINE WATER TANKS

Control, Work Tool, and Electrical also REQUIRED for operation of machine water tank and any work tool sprinkler kit. (Order with machine)

W	346-1834	KIT, WATER TANK, 42 US GAL, AB	164	\$1,815 NI
		Cab mounted water tank, capacity 42 US gallons (160Ltr) FOR USE WITH: A & B Series machines INCLUDES: tank, pump, filter, lines, mounting brackets and quick disconnect INCLUDES: Harness for use with B3 high flow machines REQUIRES: Water Sprinkler Kit: Angle/Pick Up/Utility Broom, Cold planer		
W	447-0347	KIT, WATER TANK, 42 US GAL, C	0	\$1,817 NI
		Cab mounted water tank, capacity 42 US gallons (160Ltr) FOR USE WITH: C-Series machines and 272D or 299D with serial number prefixes GSL, SHY, HCL, NLC INCLUDES: tank, pump, filter, lines, mounting brackets and quick disconnect REQUIRES: Water Sprinkler Kit: Angle/Pick Up/Utility Broom, Cold planer For installation see media number REHS8716 (approx 9.5 hours)		
W	482-5132	KIT, WATER TANK, 42 US GAL, D	0	\$1,817 NI
		Cab to mounted water tank, capacity 42 US gallons (160 Ltr) FOR USE WITH: D-series machines INCLUDES: tank, pump, filter, lines, mounting brackets and quick disconnect REQUIRES: Water Sprinkler Kit: Angle/Pick Up/Utility Broom, Cold planer For installation see media number SEHS0363 (approx 9.5 hours)		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MATERIAL HANDLING ARM

The all purpose Material Handling Arm is a useful work tool for virtually all types of applications; including industrial, construction, and agriculture. The heavy duty design is also ideal for landscaping to load, carry, and set trees and large shrubs. Designed for two person operation.

	226	232	239		247	248			257	262		277	287	297	
	216	228	236	242	246	249	268	252	256	259	272	267	279	289	299
Arm	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

W	216-8756	ARM, MATERIAL HANDLING	280	\$1,724 NI
		Lift Capacity : Maximum 2000 lbs. (not to exceed rated load capacity of machine) Overall Width, with step, 52" (1319mm) Maximum horizontal reach 84" (2135mm) Maximum vertical reach 53" (1357mm) Single bent boom design with heavy duty clasped hook Two hook locations and easy access load tie down points Two compartments for chains and hooks One person operation REQUIRES center mounted step, available through Parts only below: 188-7176 Step Assembly (Qty 1) 8T-4121 Washer (Qty 6) 8T-4133 Nut (Qty 6) 8T-4195 Bolt (Qty 6)		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MULCHERS

Mulchers are designed for high performance cutting and mulching vegetation, saplings and undergrowth from overgrown agricultural and forested terrain. The hydraulic mulcher reduces saplings, shrubs and trees into mulched material, making it ideal for environmental maintenance, such as brush clearing and creating fire lanes. Other applications include reclaiming untilled land, removing foliage from building construction sites, and shredding pruned material and waste for biomass production.

dealer.cat.com/cda/files/3386820/7/Marketing_Bulletin_Mulchers.pdf

The Turbo Guard Kit and the Debris Kit are required (when available) in applications with the potential for airborne debris. Example airborne debris laden environments are mulching, brushcutting, forestry applications, mowing, certain agricultural applications, paper recycling, etc.. Please refer to the machine price pages "Field Installed Attachments" section for the appropriate part numbers.

MULCHER COMPATIBILITY	226	239	236	248	257	262	277	287									
	216	228	232	249	242	246	247	268	252	256	259	272	267	279	297	289	299
HM112C	C	C	C	C			C										
HM115C					C	C		C	C	C	C	C	C	C	C		
HM215C		C	C	C	C						C						
HM312 XPS						C		C		C		C		C	C		
HM315 XPS						C		C		C		C		C	C		
HM315B/C XPS						C		C		C		C		C	C		

HM415B/C and HM418C for XHP machines ONLY

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MULCHERS (Cont.)

W	475-2750	<p>MULCHER, HM112C, SF 1,682</p> <p>49" (1240mm) drum width - 30 fixed reversible chisel teeth 60" (1518mm) overall width, 8" (200mm) Max cutting diameter For use in brush, vine, and softwood applications INCLUDES: Dual speed motor, V-belt drive, single bolt tooth retention, pressure gauge, adjustable push/guard frame, hydraulically operated front hood, diverter valve installed on work tool, hydraulic lines with 1/2" quick disconnects, case drain, 14-pin electrical harness, mounting brackets and hardware. REQUIRES: Standard flow hydraulics 16-18 GPM (60-69 LPM) AND Standard pressure 3300 PSI (230 BAR) REQUIRES: 377-1579 Conversion harness, Work Tool electrical control, and custom case drain lines on machine for B/B2/B3/C/C2 Series, standard flow only machines. REQUIRES: 377-1579 Conversion harness for B/B2/C/C2 Series high flow machines. REQUIRES: Turbo Guard Kit and Debris Kit on machine</p>		\$25,347 NI
W	475-2760	<p>MULCHER, HM115C, SF 1,803</p> <p>58" (1480mm) drum width - 36 fixed reversible chisel teeth 69" (1758mm) overall width, 8" (200mm) Max cutting diameter For use in brush, vine, and softwood applications INCLUDES: Dual speed motor, V-belt drive, single bolt tooth retention, pressure gauge, adjustable push/guard frame, hydraulically operated front hood, diverter valve installed on work tool, hydraulic lines with 1/2" quick disconnects, case drain, 14-pin electrical harness, mounting brackets and hardware. Hydraulic lines with 1/2" quick disconnects, case drain line, and 14-pin electrical harness, mounting brackets, and hardware. REQUIRES: Standard flow hydraulics 20-23 GPM (76-87 LPM) AND Standard pressure 3300 PSI (230 BAR) REQUIRES: 377-1579 Conversion harness, Work Tool electrical control, and custom case drain lines on machine for B/B2/B3/C/C2 Series, standard flow only machines. REQUIRES: 377-1579 Conversion harness for B/B2/C/C2 Series high flow machines. REQUIRES: Turbo Guard Kit and Debris Kit on machine</p>		\$26,667 NI
W	475-2770	<p>MULCHER, HM215C, HF 1,803</p> <p>58" (1480mm) drum width - 36 fixed reversible chisel teeth 69" (1758mm) overall width, 8" (200mm) Max cutting diameter For use in brush, vine, and softwood applications For use in brush, vine, and softwood applications INCLUDES: Dual speed motor, V-belt drive, single bolt tooth retention, pressure gauge, adjustable push/guard frame, hydraulically operated front hood, diverter valve installed on work tool, hydraulic lines with 1/2" quick disconnects, case drain, 14-pin electrical harness, mounting brackets and hardware. REQUIRES: High flow hydraulics 25-31 GPM (96-117 LPM) REQUIRES: 371-3725 Conversion Kit for B/B2/C/C2 series high flow machines. REQUIRES: Turbo Guard Kit and Debris Kit on machine</p>		\$27,639 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MULCHERS (Cont.)

W	475-2780	MULCHER, HM315C, HF XPS 2,959 62" (1582mm) drum width - 34 Single bolt retention teeth 74" (1882mm) overall width, 8" (200mm) Max cutting diameter For use in hardwood applications INCLUDES: Dual speed motor, Pressure Gauge, Polychain belt drive, Adjustable push/guard frame, Diverter Valve, Hydraulically operated front hood, Hydraulic lines with 1/2" quick disconnects, case drain line, and 14-pin electrical harness, mounting brackets and hardware. REQUIRES: High Flow XPS hydraulics 31-33 GPM (120-125 LPM) AND Pressure 4061 PSI (280 BAR) REQUIRES: 371-3725 Conversion Kit for B/B2/C/C2 Series high flow machines REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$36,500 NI
W	475-2790	MULCHER, HM415C, XHP 2,959 62" (1582mm) drum width - 34 Single bolt retention carbide teeth 74" (1882mm) overall width, 8" (200mm) Max cutting diameter For use in hardwood applications INCLUDES: Dual speed motor, Pressure Gauge, Polychain belt drive, Adjustable push/guard frame, Diverter Valve, Hydraulically operated front hood, Hydraulic lines with 3/4" quick disconnects, case drain line, and 14-pin electrical harness, mounting brackets and hardware. REQUIRES: XHP hydraulics 40-41 GPM (150-155 LPM) AND Pressure 4061 PSI (280 BAR) REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$39,743 NI
W	475-2800	MULCHER, HM418C, XHP 3,197 72" (1822mm) drum width - 38 Single bolt retention carbide teeth 84" (2122mm) overall width, 8" (200mm) Max cutting diameter For use in hardwood applications INCLUDES: Dual speed motor, Pressure Gauge, Polychain belt drive, Adjustable push/guard frame, Diverter Valve, Hydraulically operated front hood, Hydraulic lines with 3/4" quick disconnects, case drain line, and 14-pin electrical harness, mounting brackets and hardware. REQUIRES: XHP hydraulics 40-41 GPM (150-155 LPM) AND Pressure 4061 PSI (280 BAR) REQUIRES: Turbo Guard Kit and Debris Kit on machine		\$42,264 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

MULCHERS (Cont.)

MULCHER OPTIONS

W	231-2578	GUARD, MANUAL COUPLER 7		\$58 NI
		Required if used in conjunction with machine that has manual coupler. Shields manual levers from debris damage. Two required per machine. Compatible with A/B/C Series machines; not compatible with D-Series		

Optional replacement teeth available through Parts/Antares only:

A series mulchers (double bolt retention)				HM312	HM315	
Hardwoods: 247-5913 Tooth, Carbide				26x	32x	
247-5914 Tooth, Carbide Severe Duty				2x	2x	
Softwoods: 308-0221 Tooth, Chisel				28x	34x	
308-0222 Insert gr., chisel Replacement for 308-0221						
B series mulchers (single bolt retention)				HM315B	HM415B	
382-6262 TOOTH AS., CUTTER				32x	32x	
382-6263 TOOTH AS., CUTTER, SEVERE DUTY				2x	2x	
C series mulchers				HM112C	HM115C	HM215C
475-2746 Reversible Chisel Tooth				30x	36x	36x
475-2747 Kit, teeth (pack of 10x 475-2746)						
482-1444 Bolt, single retention				30x	36x	36x
For a full set:				HM315C	HM415C	HM418C
475-2810 Standard Carbide tooth				32x	32x	38x
475-2811 Right Side Scraper Carbide				1x	1x	1x
475-2812 Left Side Scraper Carbide				1x	1x	1x
475-2816 Kit-bolt S/N MH500146 and below				34x	34x	38x
487-2141 Kit-bolt S/N MH500147 and up				34x	34x	38x

Optional:

- 475-2813 Rock Resistant, additional Carbide surface for use in rocky substrate.
- 475-2814 Chisel, Knife tooth requires sharpening every 8-10 hours, please consult OMM for proper practices.
 REQUIRES: 475-2815 Chisel Adapter (one per tooth, only necessary on first installation of Chisel teeth)
- 475-2819 Kit, teeth (Pack of 10x 475-2810 Standard Carbide tooth)

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

POWER BOX RAKES

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

PR172	C	C	C	C	C	C	C	C	C	C
PR184	C	C	C	C	C	C	C	C	C	C
PR190	C	C	C	C	C	C	C	C	C	C

C = Compatible

Pre 2015 XHP machines & prefix NLC/SHY check section "CONVERSION KITS"

If no reference numbers appear below there are currently no items available in your region.

W	424-0420	POWER BOX RAKE-HYDRAULIC, PR172	925	\$11,306 NI
		Width overall - working: 2057mm (81") - 1829mm (72")		
		Hydraulic angling +/- 20 degrees over center		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness		
		REQUIRES: Standard Flow hydraulics, 49-86 l/min (13-23 gpm) at 230 bar (3,340 psi)		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine		
		REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series		
W	277-8210	POWER BOX RAKE-MANUAL, PR172	900	\$10,368 NI
		Width overall - working: 2057mm (81") - 1829mm (72")		
		MANUAL angling: +/- 20 degrees over center		
		REQUIRES: Standard Flow hydraulics, 49-86 l/min (13-23 gpm) at 230 bar (3,340 psi)		
W	424-0421	POWER BOX RAKE-HYDRAULIC, PR184	1,050	\$11,958 NI
		Width overall - working: 2362mm (93") - 2134mm (84")		
		Hydraulic angling +/- 20 degrees over center		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness		
		REQUIRES: Standard Flow hydraulics, 57-86 l/min (15-23 gpm) at 230 bar (3,340 psi)		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine		
		REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series		
W	277-8215	POWER BOX RAKE-MANUAL, PR184	1,026	\$10,743 NI
		Width overall - working: 2362mm (93") - 2134mm (84")		
		MANUAL angling: +/- 20 degrees over center		
		REQUIRES: Standard Flow hydraulics, 57-86 l/min (15-23 gpm) at 230 bar (3,340 psi)		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

POWER BOX RAKES (Cont.)

W	424-0422	POWER BOX RAKE-HYDRAULIC,PR190..... Width overall - working: 2515mm (99") - 2286mm (90") Hydraulic angling +/- 20 degrees over center INCLUDES: Hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness REQUIRES: Standard Flow hydraulics, 57-86 l/min (15-23 gpm) at 230 bar (3,340 psi) REQUIRES: Work Tool Harness and 4 button left hand joystick on machine REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series	1,320	\$12,889 NI
---	----------	---	-------	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

WHEEL SAWS

All wheel saws have radial piston direct drive hydraulic motors for optimal performance and endurance.

APPLIES TO STATED MODELS ONLY (B incl B2&B3 / C incl C2 / D incl D2)
 242B 257B 256C 272D 297C
 246C 257D 259D 277D 277C 287C 299C
 246D 259B 268B 262C 262D 272C 279D 279C 287D 289C 289D 299D

SW345B 3"	C#*	C#*	C#	C#	C#	C	C	C#	C	C	C	C
SW360B 3"						C#	C#*	C#*	C#*	C#*	C#	CR
SW360B 4"				C#	C#*	C	C#*	C#*	C#	C#	C#	CR
SW360B 5"				C#	C#*	C	C#*	C#*	C#	C#	C#	CR
SW360B 6"				C#	C#*	C	C#*	C#*	C#	C#	C#	CR
SW360B 8"				C#	C#*	C	C#*	C#*	C#*	C#	C#	CR
SW380B						C#	C#*	C#*	C#*	C#*	C#	CR

SW460B and SW480B for XHP machines ONLY

C = Compatible/ *= lift restricted/ # = Extra counter weight required
 R = For 299D/D2 XHP machines avoid exceeding max total rated capacity

If no reference numbers appear below there are currently no items available in your region.

W	381-8410	WHEEL SAW, SW345B, 3"	2,549	\$25,361 NI
		Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 85" x 73" x 57" (2165 x 1850 x 1455mm) Saw Width x max Dig Depth: 3" x 18" (80mm x 450mm) Bits: 64 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: Machine Counterweights REQUIRES: for B/B2/C/B2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY Note: Cannot be used with trench cleaning device		
W	381-8420	WHEEL SAW, SW360B, 3"	3,240	\$28,736 NI
		Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x max Dig Depth: 3" x 24" (80mm x 600mm) Bits: 70 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: Machine Counterweights REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

WHEEL SAWS (Cont.)

W	440-8250	WHEEL SAW, SW360B, 4" 3,100 Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x Max Dig Depth: 4" x 24" (100mm x 600mm) Bits: 80 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical 14-pins REQUIRES: Machine Counterweights REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY		\$28,854 NI
W	440-8260	WHEEL SAW, SW360B, 5" 0 Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x max Dig Depth: 5" x 24" (130mm x 600mm) Bits: 80 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical 14-pins REQUIRES: Machine Counterweights REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY		\$29,049 NI
W	381-8430	WHEEL SAW, SW360B, 6" 3,009 Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x max Dig Depth: 6" x 24" (160mm x 600mm) Bits: 96 x 227-7340 Concrete Conical Electro-Hydraulic: Sideshift, Depth Control, Trench Cleaner INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical pins harness, mounting REQUIRES: Machine Counterweightse. REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY		\$29,208 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

WHEEL SAWS (Cont.)

W	381-8440	WHEEL SAW, SW360B, 8" 3,075 Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x Depth: 8" x 24" (200mm x 600mm) Bits: 96 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner INCLUDES: hydraulic lines with quick disconnects, mounting bracket REQUIRES: HF XPS Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical pins harness, mounting REQUIRES: Machine Counterweightse, Trench clearing device. REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment		\$29,694 NI
W	381-8450	WHEEL SAW, SW380B, 10" 3,142 Optimal Flow / Pressure: 33 gpm / 4000 psi (125 l/min / 280 bar) Dimensions (L x W x H): 98" x 73" x 77" (2490 x 1850 x 1950mm) Saw Width x max Dig Depth: 10" x 31.5" (250mm x 800mm) Bits: 72 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner INCLUDES: Hydraulic lines with 1/2" quick disconnect, case drain 14 pins harness, mounting bracket and hardware REQUIRES: HF XPS Hydraulics REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: Machine Counterweights REQUIRES: for B/B2/C/B2 with HF(XPS) conversion kit: 371-3725 REQUIRES: kit 382-6186 for D series with XHP with prefix NLC/SHY RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment NOTE: This wheel saw is made to order and may require extended lead times.		\$40,403 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

WHEEL SAWS - B SERIES FOR XHP ONLY

COMPATIBLE FOR STATED MODELS ONLY (D incl D2)
 272D XHP 297D XHP 299D XHP

SW460B 3"	C#*	C	CR
SW460B 6"	C#*	C	CR
SW460B 8"	C#*	C	CR
SW480B	C#*	C	CR

C = Compatible/ *= lift restricted/ #= Extra counter weight required
 R = For 299D/D2 XHP machines avoid exceeding max total rated capacity

If no reference numbers appear below there are currently no items available in your region.

W	381-8460	WHEEL SAW, SW460B, 3" 3,240	\$28,736 NI
		Optimal Flow / Pressure: 40 gpm / 4000 psi (150 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x mac Dig Depth: 3" x 24" (80mm x 600mm) Bits: 70 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: Hydraulic lines with 3/4" quick disconnect, case drain 14 pins harness, mounting bracket and hardware REQUIRES: XHP Hydraulics, RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment	
W	381-8470	WHEEL SAW, SW460B, 6" 3,009	\$29,208 NI
		Optimal Flow / Pressure: 40 gpm / 4000 psi (150 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x max Dig Depth: 6" x 24" (160mm x 600mm) Bits: 96 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: Hydraulic lines with 3/4" quick disconnect, case drain 14 pins harness, mounting bracket and hardware REQUIRES: XHP Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment	

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

WHEEL SAWS - B SERIES FOR XHP ONLY (Cont.)

W	381-8480	WHEEL SAW, SW460B, 8" 3,075 Optimal Flow / Pressure: 40 gpm / 4000 psi (150 l/min / 280 bar) Dimensions (L x W x H): 93" x 73" x 70" (2365 x 1850 x 1765mm) Saw Width x max Dig Depth: 8" x 24" (200mm x 600mm) Bits: 96 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: Hydraulic lines with 3/4" quick disconnect, case drain 14 pins harness, mounting bracket and hardware REQUIRES: XHP Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical REQUIRES: Machine Counterweights RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment		\$29,694 NI
W	381-8490	WHEEL SAW, SW480B, 10" 3,142 Optimal Flow / Pressure: 40 gpm / 4000 psi (150 l/min / 280 bar) Dimensions (L x W x H): 98" x 73" x 77" (2490 x 1850 x 1950mm) Saw Width x max Dig Depth: 10" x 31.5" (250mm x 800mm) Bits: 72 x 227-7340 Concrete Conical Electro-Hydraulic Sideshift, Depth Control, Trench Cleaner Max Pro Pressure Gauge (for identifying optimal performance) INCLUDES: Hydraulic lines with 3/4" quick disconnect, case drain 14 pins harness, mounting bracket and hardware REQUIRES: XHP Hydraulics, REQUIRES: Joysticks: Left WT Deluxe and Right Hydraulic Proportional REQUIRES: Control, Work Tool, Electrical RECOMMENDED: AMICS or advanced display, Heavy Duty tire fitment NOTE: This wheel saw is made to order and may require extended lead times		\$40,403 NI

Replacement Conical Drum bits and holders for all Wheel Saws:
 222-7571 All Purpose bit (asphalt & concrete)
 227-7340 Concrete Bit
 375-7681 Heavy Duty Concrete bit
 316-2326 Heavy Duty Asphalt bit
 226-9308 Block Holder for bit
 219-5464 SW45 Wide Deflector RHS and Discharge Blanking Plates Kit
 230-7025 SW60 Discharge Blanking Plates Kit
 104-8591 Punch (Bit Remover)
 8T-4474 Puller (Bit Remover)
 Recommendation: An inventory holding of at least 100 of each tip is advised.

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SHEAR

232	242				262	272			
236	246	248	256	257	267	277	287	297	
239	247	249	256	259	268	279	289	299	

S305	C	C	C	C	C	C	C	C	C
------	---	---	---	---	---	---	---	---	---

C = Compatible

W	171-5495	SHEAR, S305	1,213	\$30,829 NI
		Hydraulic Scrap Shear with 360 degrees left and right rotation. REQUIRES: Standard flow hydraulics, 14 pins WT Harness, 4 button Left Hand Joystick, 171-5558 Bracket and 441-6167 KIT CONTROL REQUIRES: 377-1579 Conversion Kit for A/B/B2/B3/C/C2 Series standard flow machines. No conversion required if used on B3-series high flow or any D-series machines.		
W	171-5558	BRACKET, S305, SSL	280	\$2,626 NI
		FOR USE WITH: 171-5495 SHEAR, S305 and Skid Steer Quick Coupler		
W	441-6167	KIT, CONTROL, S305, SSL	54	\$1,938 NI
		INCLUDES: Hydraulic lines with QDs, hydr. valve for opening/closing an rotation of the S305, 14 pins harness to operate hydr. valve FOR USE WITH: 171-5495 SHEAR, S305 and Skid Steer Quick Coupler		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SILAGE DEFACER

For agricultural applications to shave, cut and prepare silage and hay

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

DFS118	C	C	C	C	C	C	C	C	C	C
DFS121	C	C	C	C	C	C	C	C	C	C
DFS124	C	C	C	C	C	C	C	C	C	C

C = Compatible

W	477-9900	SILAGE DEFACER, DFS118	937	\$7,236 NI
		1841mm (72.5") Working Width		
		Hydraulic Flow range:75-90 l/min (20-23 gpm)		
		Hydraulic pressure range:: 139-230 bar (2,000-3,300 psi)		
		REQUIRES: Standard Flow Hydraulics,		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects		
W	479-8090	SILAGE DEFACER, DFS121	1,052	\$7,583 NI
		2146mm (84.5") Working Width		
		Hydraulic Flow range:75-90 l/min (20-23 gpm)		
		Hydraulic pressure range:: 139-230 bar (2,000-3,300 psi)		
		REQUIRES: Standard Flow Hydraulics,		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects		
W	479-8110	SILAGE DEFACER, DFS124	1,109	\$7,931 NI
		2451mm (96.5") Working Width		
		Hydraulic Flow range:75-90 l/min (20-23 gpm)		
		Hydraulic pressure range:: 139-230 bar (2,000-3,300 psi)		
		REQUIRES: Standard Flow Hydraulics,		
		INCLUDES: Hydraulic lines with 1/2" quick disconnects		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS								Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW BLOWERS

	APPLIES TO ALL SERIES								APPLIES TO SPECIFIC SERIES					
	216	226	239	247	252	248	268	279	297	236	242	257	242B3	242D
	232	228	249	267	256	272	287	299		236B2	242B	257B	257B3	259B
										236B3	242B2	257B2	257D	259D
SR117	C	C	C							C	C			
SR118				C	C	C	C	C		C			C	C
SR121				C	C	C	C	C		C			C	C
SR318 XPS		C			C	C	C	C			C	C	C	C
SR321 XPS		C			C	C	C	C			C	C	C	C

C = Compatible

Hydraulic operated direct drive, reversible auger and impeller, and non-binding 180 degree rotating chute and deflector.

NOTE: Guarding the operator against flying objects REQUIRED. If not ordered with machine; Door, Cab, Polycarbonate should be ordered. Please see machine price list for availability.

If no reference numbers appear below there are currently no items available in your region.

W	424-0430	SNOW BLOWER, SR117, 67"	890	\$8,169 NI
		Width overall - working: 1778mm (70") - 1702mm (67")		
		9.1m (30') throwing distance, joystick control of chute and deflector		
		Hydraulic flow range: 53-75 l/min (14-20 gpm)		
		Hydraulic pressure: 230 bar (3,340 psi)		
		INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, and 14-pin electrical harness		
		REQUIRES: Standard Flow hydraulics; Not compatible with 80 LPM		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine		
		REQUIRES: 377-1579 Conversion Kit for B/B2/B3 Series machines		
W	424-0431	SNOW BLOWER, SR118, 73"	990	\$9,064 NI
		Width overall - working: 1930mm (76") - 1854mm (73")		
		12.2m (40') throwing distance, joystick control of chute and deflector		
		Hydraulic flow range: 68-83 l/min (18-22 gpm)		
		Hydraulic pressure: 230 bar (3,340 psi)		
		INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, and 14-pin electrical harness		
		REQUIRES: Standard flow hydraulics		
		REQUIRES: Work Tool Harness and 4 button left hand joystick on machine		
		REQUIRES: 377-1579 Conversion Kit for B/B2/B3/C/C2 Series machines		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW BLOWERS (Cont.)

W	424-0432	SNOW BLOWER, SR121, 85" 1,220 Width overall - working: 2235mm (88") - 2159mm (85") 12.2m (40') throwing distance, joystick control of chute and deflecto Hydraulic flow range: 68-87 l/min (18-23 gpm) Hydraulic pressure: 230 bar (3,340 psi) INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, and 14-pin electrical harness REQUIRES: Standard flow hydraulics REQUIRES: Work Tool Harness and 4 button left hand joystick on machine REQUIRES: 377-1579 Conversion Kit for B/B2/B3/C/C2 Series machines		\$9,469 NI
W	424-0433	SNOW BLOWER, SR318, 73" 990 Width overall - working: 1930mm (76") - 1854mm (73") 13.7m (45') throwing distance, joystick control of chute and deflecto Hydraulic flow range: 98-130 l/min (26-34 gpm) Hydraulic pressure: 280 bar (4,0650 psi) INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, and 14-pin electrical harness REQUIRES: High Flow XPS or High Flow hydraulics REQUIRES: Work Tool Harness and 4 button left hand joystick on machine REQUIRES: 377-1579 Conversion Kit for B/B2/B3/C/C2 Series machines		\$9,786 NI
W	424-0434	SNOW BLOWER, SR321, 85" 1,220 Width overall - working: 2235mm (88") - 2159mm (85") 13.7m (45') throwing distance, joystick control of chute and deflecto Hydraulic flow range: 98-130 l/min (26-34 gpm) Hydraulic pressure: 280 bar (4,0650 psi) INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, and 14-pin electrical harness REQUIRES: High Flow XPS or High Flow hydraulics REQUIRES: Work Tool Harness and 4 button left hand joystick on machine REQUIRES: 377-1579 Conversion Kit for B/B2/B3/C/C2 Series machines		\$10,394 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW BUCKETS

For Snow Buckets, see Material Handling Buckets in Bucket section of this price list.

SNOW PLOWS

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

All sizes plows C C C C C C C C C C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	481-3666	SNOW PLOW, 6', SSL 990		\$4,694 NI
		1826mm (72") overall width, Blade height: 31" (800mm) Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects REQUIRES: Standard Flow		
W	481-3667	SNOW PLOW, 7', SSL 1,050		\$4,951 NI
		2134mm (84") overall width, Blade height: 31" (800mm) Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects REQUIRES: Standard Flow		
W	481-3668	SNOW PLOW, 8', SSL 1,105		\$5,208 NI
		2438mm (96") overall width, Blade height: 31" (800mm) Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects REQUIRES: Standard Flow		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW PLOWS (Cont.)

W	481-3669	SNOW PLOW, 9', SSL 1,160 2743mm (108") overall width, Blade height: 31" (800mm) Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with 1 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects REQUIRES: Standard Flow		\$5,549 NI
W	481-3670	SNOW PLOW, 10', SSL 1,215 3048mm (120") overall width, Blade height: 31" (800mm) Hydraulic Angling - 30 degrees left or right of center 5 degrees lateral float 1 piece STEEL trip edge with a 2 piece BOCE 152mm (6") 4 adjustable springs, 2 heavy duty adjustable skid feet INCLUDES: hydraulic lines with quick disconnects REQUIRES: Standard Flow		\$6,257 NI

SNOW / MULTI V PLOW

A multi functional snow V plow, which can be positioned straight, left or right angled, scooped or V.

	226	232	242	247	252	257	262	277	287	297				
	228	236	239	246	248	249	256	259	268	267	272	279	289	299
1524mm (60")	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2134mm (84")	C	C	C	C	C	C	C	C	C	C	C	C	C	C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	542-7309	SNOW V-PLOW, 5', SSL 641 Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 1524mm (60") / 1346mm (53") Scoop / V width: 1372 (54") / 1483mm (59"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders REQUIRES: Standard Flow, Work Tool Harness, Right Hand joystick with thumb roller and Left Hand joystick with 4 buttons.		\$5,833 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW / MULTI V PLOW (Cont.)

W	542-7310	SNOW V-PLOW, 7', SSL 941		\$6,667 NI
		Hydraulic angling 35 degrees over left hand and right hand side. Straight / Angle width: 2134mm (84") / 1854mm (73") Scoop / V width: 1847 (73") / 1982mm (78"), Blade / Overall height: 737mm (29") / 826mm (33") INCLUDES: 14 pins harness and connecting lines with QDs, 2 steel trip edges with 2 trip springs each, 2 hydraulic cylinders REQUIRES: Standard Flow, Work Tool Harness, Right Hand joystick with thumb roller and Left Hand joystick with 4 buttons.		

SNOW PUSHES, STRAIGHT

Availability can be restricted due to snow season.
 Please contact your BCP Work Tools contact.

216	232	242				262	272			
226	236	246	248	256	257	267	277	287	297	
228	239	247	249	256	259	268	279	289	299	

All sizes pushes C C C C C C C C C C

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	509-3705	SNOW PUSH, 8', RUB. 778		\$2,778 NI
		Incl. 1 piece rubber edge 38mmx152mm (1.5"x 6"), NON trip Width 2.44m (8'), with bolt -on skids on the side Overall Height 897mm (35.3")		
W	479-8115	SNOW PUSH, 8', SSL, RUBBER 1,035		\$3,299 NI
		Width 2.44m (8'), with bolt -on skids on the side 1 piece RUBBER trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39")		
W	479-8120	SNOW PUSH, 8', SSL, STEEL 1,080		\$3,549 NI
		Width 2.44m (8'), with bolt -on skids on the side 1 piece STEEL trip edge, height: 119mm (4.7") incl 4 adjustable trip springs, Overall Height 994mm (39")		
W	509-3706	SNOW PUSH, 10', RUB. 866		\$3,299 NI
		Incl. 2 piece rubber edge 38mmx152mm (1.5"x 6"), NON trip Width 3.05m (10'), with bolt-on skids on the side Overall Height 897mm (35.3")		
W	479-8086	SNOW PUSH, 10', SSL, RUBBER 1,150		\$3,889 NI
		Width 3.05m (10'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39")		
W	479-8096	SNOW PUSH, 10', SSL, STEEL 1,200		\$4,222 NI
		Width 3.05m (10'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39")		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

SNOW PUSHES, STRAIGHT (Cont.)

W	509-3707	SNOW PUSH, 12', RUB. 952 Incl. 2 piece rubber edge 38mmx152mm (1.5"x 6"), NON trip Width 3.66m (12'), with bolt-on skids on the side Overall Height 897mm (35.3")		\$3,813 NI
W	479-8089	SNOW PUSH, 12', SSL, RUBBER 1,345 Width 3.66m (12'), with bolt-on skids on the side 2 section RUBBER trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39")		\$4,625 NI
W	479-8099	SNOW PUSH, 12', SSL, STEEL 1,400 Width 3.66m (12'), with bolt-on skids on the side 2 section STEEL trip edge, height: 119mm (4.7") each with 2 adjustable trip springs, Overall Height 994mm (39")		\$4,889 NI

SNOW STRAIGHT PUSH OPTIONS:

W	481-3675	BACK DRAG, 8', RUBBER 350		\$1,556 NI
W	481-3676	BACK DRAG, 10', RUBBER 425		\$1,854 NI
W	481-3679	BACK DRAG, 12', RUBBER 510		\$2,215 NI
W	481-3680	BACK DRAG, 8', STEEL 390		\$1,611 NI
W	481-3686	BACK DRAG, 10', STEEL 476		\$1,986 NI
W	481-3689	BACK DRAG, 12', STEEL 564		\$2,500 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS													Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

STUMP GRINDERS

																	287
																	289
		226						248			257	262			277	297	
	216	242	228	232	236	246	247	268	252	256	259	272	267	279	299		
SG16B	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
SG18B XPS		C	C			C		C		C	C	C		C	C		

C = Compatible

If no reference numbers appear below there are currently no items available in your region.

W	424-0461	STUMP GRINDER, SG16B	834	\$8,711 NI
		46" (1175mm) overall width		
		18" (457mm) diameter cutting wheel with 32 carbide teeth		
		MANUAL adjustable cutting head		
		Hydraulic controlled boom swing - 70 degree range of motion		
		Electro-hydraulic controlled boom extension 11" (280mm)		
		INCLUDES: hydraulic lines with 1/2" quick disconnects, mounting bracket, & 14-pin electrical harness		
		REQUIRES: Standard flow hydraulics		
		REQUIRES: Left joystick to be WT Deluxe and right joystick to be hydraulic proportional		
		REQUIRES: Conversion harness 377-1579 for B/B2/B3/C/C2 series machines		
W	424-0460	STUMP GRINDER, SG18B	909	\$9,663 NI
		46" (1175mm) overall width		
		18" (457mm) diameter cutting wheel with 32 carbide teeth		
		Electro-Hydraulic boom swing - 70 degrees range of motion		
		Electro-Hydraulic boom extension - 11" (280mm)		
		Electro-Hydraulic boom depth - 49 degrees range of motion		
		INCLUDES: hydraulic lines with 1/2" quick disconnects, case drain line, 14-pin electrical harness, mounting bracket and hardware		
		REQUIRES: High Flow Hydraulics and Control, Work Tool, Electrical.		
		REQUIRES: 382-6186 Conversion Kit for D-Series XHPmachines with serial numbers beginning with NLC & SHY		
		REQUIRES: 371-3725 Conversion Kit for B/B2/C/C2 Series machines; Not required for B3/D Series machines		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS													Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--	--	--	--	--	--	--	--	--	--	--	--	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

TRENCHERS

																287
																289
	226			236		247	248			257	262			277	297	
	216	242	228	232	239	246	249	268	252	256	259	272	267	279	299	
T6B	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
T9B	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
T15BHF/XPS		C	C			C		C		C	C	C		C	C	C

Chain selection guide

	Ground conditions / applications				
	Sandy	Loose	Medium	Hard	Rocky
Double Standard	C	C	A	NC	NC
Single Standard	A	C	C	A	NC
50/50 Carbide	NC	A	C	C	A
50/50 Rock-Frost	NC	A	C	C	A
Rock-Frost	NC	NC	A	C	C
Terminator	NC	NC	A	C	C

C= Compatible, A= acceptable performance, NC= Not Compatible
 All trenchers include:
 DIRECT drive unit with one 18" (457mm) spoil auger - right side, hydraulic lines with quick disconnects, mounting bracket and hardware.

If no reference numbers appear below there are currently no items available in your region.

TRENCHERS - T6B

W	261-4806	TRENCHER, T6B, MAN. 6" STANDARD	1,012	\$5,417 NI
		36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		
W	253-9509	TRENCHER, T6B, MANUAL, NO CHAIN	861	\$4,514 NI
		NO CHAIN 36" (914mm) Boom, MANUAL side sift Trench depth: 36" (914mm) with boom angle of 60 degrees REQUIRES: Standard Flow Hydraulics		
W	261-8557	TRENCHER, T6B, MAN. 8" STD	1,028	\$5,486 NI
		36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width REQUIRES: Standard Flow Hydraulics		

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

TRENCHERS - T6B (Cont.)

W	261-8559	TRENCHER, T6B, MAN. 6" COMBO 1,035 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth REQUIRES: Standard Flow Hydraulics		\$5,764 NI
W	261-8561	TRENCHER, T6B,MAN 6" ROCKFROST 1,064 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,528 NI
W	261-8563	TRENCHER, T6B, MAN 6" TERMINATOR 1,012 36" (914mm) Boom, MANUAL side sift, Trench depth: 36" (914mm) with boom angle of 60 degrees Terminator chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,667 NI
W	261-4859	TRENCHER, T6B, HYD. 6" STANDARD 1,076 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,042 NI
W	256-0695	TRENCHER, T6B, HYD, NO CHAIN 925 NO CHAIN Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$5,139 NI
W	261-8558	TRENCHER, T6B, HYD. 8" STD 1,092 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,139 NI
W	261-8560	TRENCHER, T6B, HYD 6" COMBO 1,099 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth REQUIRES: Standard Flow Hydraulics		\$6,389 NI
W	261-8562	TRENCHER, T6B, HYD 6" ROCKFROST 1,128 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Trench depth: 36" (914mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$7,153 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)				
TRENCHERS - T6B (Cont.)				
W	261-8564	TRENCHER, T6B, HYD 6" TERMINATOR 1,076 Hydraulic sideshift: 19" (483mm) both left and right over center 36" (914mm) Boom Terminator chain included, 6" (152mm) cutting width Rock/Forst Chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$7,292 NI
TRENCHERS - T9B				
W	233-2346	TRENCHER, T9B, MAN. 6" STANDARD 1,076 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$5,833 NI
W	208-2700	TRENCHER, T9B, MANUAL, NO CHAIN 973 NO CHAIN 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees REQUIRES: Standard Flow Hydraulics		\$4,861 NI
W	233-2350	TRENCHER, T9B, MAN. 6" COMBO 1,154 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width; 50/50 Carbide/Cup teeth REQUIRES: Standard Flow Hydraulics		\$6,181 NI
W	241-4251	TRENCHER, T9B, MAN 6" ROCKFROST 1,184 48" (1219mm) Boom, MANUAL side sift, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,944 NI
W	241-4252	TRENCHER, T9B, HYD. 6" STANDARD 1,121 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,389 NI
W	208-2708	TRENCHER, T9B, HYD, NO CHAIN 987 NO CHAIN Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees REQUIRES: Standard Flow Hydraulics		\$5,417 NI
W	241-4253	TRENCHER, T9B, HYD. 8" STD. 1,186 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Standard chain included, 8" (203mm) cutting width REQUIRES: Standard Flow Hydraulics		\$6,458 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

TRENCHERS - T9B (Cont.)

W	241-4254	TRENCHER, T9B, HYD. 6" COMBO 1,199 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth REQUIRES: Standard Flow Hydraulics		\$6,736 NI
W	241-4255	TRENCHER, T9B, HYD 6" ROCKFROST 1,229 Hydraulic sideshift: 22" (559mm) right of center. 48" (1219mm) Boom, Trench depth: 48" (1219mm) with boom angle of 60 degrees Rock/Forst Chain included, 6" (152mm) cutting width REQUIRES: Standard Flow Hydraulics		\$7,500 NI

TRENCHERS - T15B HF

W	424-0471	TRENCHER, T15B, HF, 6" STD 1,212 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 6" (152mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725		\$8,194 NI
W	424-0470	TRENCHER, T15B, HF, NO CHAIN 1,055 NO CHAIN 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725		\$6,944 NI
W	424-0472	TRENCHER, T15B, HF, 8" STD 1,287 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Standard chain included, 8" (203mm) cutting width INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725		\$8,333 NI
W	424-0473	TRENCHER, T15B, HF, 6" COMBO 1,301 60" (1524mm) Boom, Trench depth: 60" (1520mm) with boom angle of 60 degrees Hydraulic sideshift: 22" (559mm) right of center Combi chain included, 6" (152mm) cutting width;50/50 Carbide/Cup teeth INCLUDES: Hydraulic lines with 1/2" quick disconnects, cylinder control valve, & 14-pin electrical harness REQUIRES: High Flow or HF XPS Hydraulics REQUIRES: for B/B2/C/C2 with HF(XPS) conversion kit: 371-3725		\$8,750 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)

TRENCHERS - OPTIONS

W	264-5714	CRUMBER ARM, T6 45 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH T6B		\$347 NI
W	264-7601	CRUMBER ARM, T9 49 REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM FOR USE WITH: T9 OR T9B		\$382 NI
W	264-7602	CRUMBER ARM, T15 54 FOR USE WITH: T15A OR T15B REQUIRES: 264-7597 or 264-7598 SHOE, CRUMBER ARM		\$417 NI
W	264-7597	SHOE, CRUMBER ARM 6" - 8" 9 FOR USE WITH: Chains 6" (152mm) or 8" (202mm) wide		\$104 NI
W	264-7598	SHOE, CRUMBER ARM 10" - 12" 15 FOR USE WITH: Chains 10" (254mm) or 12" (305mm) wide		\$153 NI

TRENCHERS - CHAINS

W	259-0312	CHAIN, T6B, 6" STANDARD 131 For T6B, trench width 152mm (6"), incl 30 standard teeth		\$903 NI
W	258-8644	CHAIN, T6B, 8" STANDARD 167 For T6B, trench width 203mm (8"), incl 42 standard teeth		\$972 NI
W	261-4860	CHAIN, T6B, 6" COMBO 174 For T6B, trench width 152mm (6"), incl 18 standard +10 carbide teeth		\$1,250 NI
W	261-4805	CHAIN, T6B, 6" ROCKFROST 203 For T6B, trench width 152mm (6"), incl 36 bits ("picks")		\$2,014 NI
W	243-6349	CHAIN, T6B, 6" TERMINATOR 151 For T6B, trench width 152mm (6"), incl 30 carbide teeth		\$2,153 NI
W	189-5956	CHAIN, T9B, 6" STANDARD 134 For T9B, trench width 152mm (6"), incl 18 standard teeth		\$972 NI
W	222-7916	CHAIN, T9B, 8" STANDARD 200 For T9B, trench width 203mm (8"), incl 50 standard teeth		\$1,042 NI
W	222-7742	CHAIN, T9B, 6" COMBO 213 For T9B, trench width 152mm (6"), incl 24 standard+24 carbide teeth		\$1,319 NI
W	222-7743	CHAIN, T9B, 6" ROCKFROST 241 For T9B, trench width 152mm (6"), incl 42 bits ("picks")		\$2,083 NI
W	189-5957	CHAIN, T15B, 6" STANDARD 156 For T15B, trench width 152mm (6"), incl 21 standard teeth		\$1,250 NI
W	222-8523	CHAIN, T15B, 8" STANDARD 232 For T15B, trench width 203mm (8"), incl 58 standard teeth		\$1,389 NI
W	222-7747	CHAIN, T15B, 6" COMBO 246 For T15B, trench width 152mm (6"), incl 26 standard + 28 carbide teeth		\$1,806 NI

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)***TRENCHERS - CHAINS (Cont.)***

Available through Parts only - NO BRIDGE ORDERS
 Replacement Tooth Groups (to be fit on a chain)
 Boom size 36" 48" 60"

			914mm	1219mm	1524mm
152mm (6")	Single Standard	263-3420	166-0821	189-0702	
203mm (8")	Single Standard	263-3421	194-4681	193-5727	
254mm (10")	Single Standard	263-3426	194-4682	193-5728	
305mm (12")	Double Standard	263-3427	195-3900	193-5729	
152mm (6")	50/50 Carbide	263-3422	208-2781	208-2791	
203mm (8")	50/50 Carbide	263-3423	208-2784	208-2794	
152mm (6")	50/50 Rock-Frost	263-3424	208-2780	208-2790	
203mm (8")	50/50 Rock-Frost		208-2783	208-2793	
152mm (6")	Rock-Frost		208-2782	208-2792	

CATERPILLAR MACHINE PRICE LIST

WT-SSL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
216 THRU 299 CTL, MTL, AND SSL LOADERS (CONT.)				
DEMO CONTROL KIT				
W	296-0582	KIT, DEMO CONTROL HARNESS 2 Enables Caterpillar dealers to quickly and easily demonstrate an electronically controlled work tool on B/B2/B3 SF/C/C2 machines that are not equipped with Control, Work Tool, Electrical.		\$285 NI
W	423-8296	KIT, DEMO CONTROL HARNESS 2 Enables Caterpillar dealers to quickly and easily demonstrate an electronically controlled work tool on B3 HF & D Series machines that are not equipped with Control, Work Tool, Electrical.		\$285 NI

Caterpillar does not warrant, service, or assume responsibility for AEM work tools. All orders, pricing, and other communications must be directed to the manufacturer.

SSL Sectional Snow-Pusher - SSL Interface

All Arctic Sectional Snow-Pusher attachments above are available with following coupler interfaces: Fusion, IT, and SSL
 Contact: Steve Sepaniak
 Phone: 585-690-8811
 Email: pusherpro@yahoo.com
 Web: www.sectionalsnopusher.com