

CATERPILLAR MACHINE PRICE LIST

WT-SWL

SMALL WHEEL LOADERS WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

WT SWL price list consists of Work Tool offerings for Small Wheel Loader models:
K-Series: 924K, 930K, 938K
M-Series: 926M, 930M, 938M
H-Series: 924H, 924HZ, 928HZ, 930H
G-Series: 924G, 924GZ, 928GZ, 930G 930G

Unless specified 'CWTS' all attachments are BCP products.

This price list is split into the following sections, which are split based on Current Sales models and Non-Current Sales Models, which are further split into Pin-on and the various Quick Coupler Solutions.

BUCKET ATTACHMENTS

GETs for all Series
CURRENT SWL PIN-ON
K and M Series

CURRENT SWL FUSION
K and M Series
CURRENT SWL ISO
K and M Series

BROOMS

All series
NON CURRENT SWL PIN-ON
G and H Series

NON CURRENT SWL FUSION
H Series

NON CURRENT SWL HPL
G and H Series

NON CURRENT SWL IT
G and H Series

NON CURRENT SWL ISO
G and H Series

NOTE :

The SWL machine price lists include Work Tools available with the machine. Use the machine price list when ordering tools

NORTH AND SOUTH AMERICA

Orders for BCP products will automatically transfer from CMOPS to Antares Parts Ordering via the bridge. BCP Work Tool Product Support 1-800-566-7782, option 1, option 6 Email: bcp_work_tools@cat.com

Orders for CWTS products will process in CMOPS and deliver directly to CWTS. CWTS Product-Work Tools are FOB CWTS via LTL carrier unless otherwise noted in this Price List.

AMERICAS NORTH:
FOR QUESTIONS, SUPPORT AND QUOTATIONS PLEASE CONTACT THE SALES SUPPORT TEAM IN AMERICAS NORTH VIA EMAIL @ WORKTOOLS@CAT.COM

AMERICAS SOUTH:
FOR QUESTIONS, SUPPORT AND QUOTATIONS PLEASE CONTACT THE SALES SUPPORT TEAM IN AMERICA'S NORTH VIA DOCS

JAPAN
THIS PRICE LIST IS FOR REFERENCE ONLY Please access the usual regional resources for pricing information Work Tool orders must be placed using ANTARES Parts Order System

REST OF THE WORLD
THIS PRICE LIST IS FOR REFERENCE ONLY. Work Tool orders must be placed using ANTARES Parts Order System.

CATERPILLAR MACHINE PRICE LIST

WT-SWL

SMALL WHEEL LOADERS WORK TOOLS

Ship Weight
lbs

LIST PRICE
AT DEALER

OP-0082 **SMALL WHEEL LOADER WORK TOOLS** 0 **NC**
PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.

Use packing code OP-0210 when ordering items listed as CWTS Products
If not listed as CWTS Product no packing code is required

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
BUCKET ATTACHMENTS				
<i>HOOKS FOR CONVERSION TO FUSION</i>				
W	371-2400	KIT, FUSION, FLATBACK HOOKS 330 Provides two loose brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.		\$1,049 NI
W	317-5562	HOOK, BLANK 787 Provides Fusion hooks with extra material to convert buckets.		\$1,986 NI
<i>CONVERSION ADAPTER IT TO FUSION</i>				
W	377-4149	ADAPTER FUSION CONVERTER 499 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		\$2,665 NI
<i>HOOKS FOR CONVERSION TO IT COUPLER</i>				
W	109-6712	HOOK, BLANK (QC)-IT 356 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services IT Hooks with extra material to convert buckets		\$1,258 NI
W	113-2677	HOOK, FLAT BACK (QC)-IT 155 IT Hooks with flat back to convert work tools like carriages.		\$975 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKET - SIDE CUTTERS

General Purpose, Sand & Gravel and Flat Floor buckets can be fitted with corner guards

Please order via parts:

- 1 x 253-0060 Right hand Side Cutter
- 1 x 253-0061 Left hand Side Cutter
- 4 x 4F-4042 Bolt Plow
- 4 x 2J-3507 Nut

BUCKET ATTACHMENTS FOR BUCKETS 2455mm width

W	116-9713	ADAPTERS, BOLT ON, SET OF 8	346	\$1,318 NI
		REQUIRES: Bucket tips (J250)		
W	9W-8142	TIPS, LONG, SET OF 8	55	\$645 NI
		J250 long tips		
		FOR USE WITH: 116-9713 ADAPTERS, BOLT ON, SET OF 8		
W	9W-8143	TIPS, SHORT, SET OF 8	40	\$645 NI
		J250 short tips		
		FOR USE WITH: 116-9713		

BUCKET ATTACHMENTS FOR BUCKETS 2524mm - 2550mm width

W	472-1465	CUTTING EDGE, BOLT ON, 3 PIECE	0	\$789 NI
		FOR USE WITH: 3.0m3 High Dump buckets		
W	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE)	365	\$789 NI
		FOR USE WITH: GP, S&G and LM buckets		
		CANNOT BE USED WITH: HIGH DUMP BUCKETS		
W	8E-4568	SEGMENTS, BOLT ON	205	\$540 NI
		REQUIRES: 116-9713 or 360-3284 adapter group.		
W	360-3284	ADAPTERS, BOLT-ON, SET OF 8	154	\$1,256 NI
		CONTAINS 8 strap adapters 1U-0257		
		FOR USE WITH: IRH Regulations		
		REQUIRES: Bucket tips (J250)		
W	116-9713	ADAPTERS, BOLT ON, SET OF 8	346	\$1,318 NI
		CONTAINS: 6 strap adapters 1U-0257 and 1 LH and 1 RH adapter		
		REQUIRES: Bucket tips (J250)		
W	9W-8142	TIPS, LONG, SET OF 8	55	\$645 NI
		J250 long tips		
		FOR USE WITH: 116-9713 or 360-3284		
W	251-5418	CUTTING EDGE GP, RUBBER, 100"	455	\$3,017 NI
		Provides a two-section rubber cutting edge.		

BUCKET ATTACHMENTS FOR BUCKETS 2750mm width

W	472-1468	CUTTING EDGE, BOLT ON, 3 PIECE	0	\$917 NI
		FOR USE WITH: 3.5m3 High Dump Buckets		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
BUCKET ATTACHMENTS (CONT.)				
<i>BUCKET ATTACHMENTS FOR BUCKETS 2750mm width (Cont.)</i>				
W	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE 319 FOR USE WITH: GP, S&G and LM buckets CAN NOT BE USED WITH: high dump buckets		\$917 NI
W	116-9713	ADAPTERS, BOLT ON, SET OF 8 346 REQUIRES: Bucket tips (J250) CAN NOT BE USED WITH LM buckets		\$1,318 NI
W	360-3284	ADAPTERS, BOLT-ON, SET OF 8 154 CONTAINS 8 strap adapters 1U-0257 FOR USE WITH: IRH Regulations REQUIRES: Bucket tips (J250)		\$1,256 NI
W	9W-8142	TIPS, LONG, SET OF 8 55 J250 long tips FOR USE WITH: 116-9713		\$645 NI
W	9W-8143	TIPS, SHORT, SET OF 8 40 J250 short tips FOR USE WITH: 116-9713		\$645 NI
W	444-1522	CUTTING EDGE GP, RUBBER, 108" 493 Provides a two-section rubber cutting edge.		\$3,167 NI

Segments are available. Please order from parts system:
14 x 1J-5607 Bolt-Plow
14 x 2J-3507 Nut-Full
7 x 4t-6695 Edge-Segments

BUCKET ATTACHMENTS FOR BUCKETS 3065mm width

W	472-1471	CUTTING EDGE, BOLT ON, 3 PIECE 0 FOR USE WITH: 4.2m3 and 5.1m3 High Dump buckets		\$1,549 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BUCKET ATTACHMENTS (CONT.)

BUCKET G.E.T. FOR CWTS PRODUCTS

FOR CWTS PRODUCTS - BUCKET G.E.T. CAN ONLY BE ORDERED AS INSTALLED AND WITH A BUCKET!!

W	299-5360	CUTTING EDGE, BOLT ON(5 PIECE) 309 To fit bucket 300-6795 BUCKET, GP, 3.4YD3, HO, BOCE		\$917 NI
W	7T-9326	SEGMENTS, BOLT ON, SET OF 7 0 FOR USE WITH: adapters and tips		\$601 NI
W	9J-3169	TIP, LONG 7 FOR USE WITH: J250 adapters (8 required)		\$89 NI
W	8E-3750	TIP, LONG,HEAVY DUTY 0 FOR USE WITH: J250 adapters (8 required)		\$63 NI
W	100-6462	TIP, PENETRATION 0 FOR USE WITH: J250 adapters (8 required)		\$92 NI
W	9J-3178	TIP, SHORT 5 FOR USE WITH: J250 adapters (8 required)		\$94 NI
W	309-1062	CUTTING EDGE, BOLT-ON 565 (1 required) FOR USE WITH: 314-3192 Bucket		\$1,832 NI

KITS, QUICK DISCONNECTS

W	455-7380	KIT, LOADER, COUPLING QD 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. These are "Turn to Connect" QDs. K Series produced since 2014 and all Mseries have these QDs.		\$368 NI
W	196-4191	KIT, CONVERSION 3 Kit provides a set (male & female) "Push to Connect" Quick Disconnects For pre 2014 K series machines.		\$440 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON

This section contains pin-on work tools for following current SWL:

924K, 926M, 930K, 930M (identical linkage)
938K, 938M (indential linkage but different from 924K-930M)

Following work tools are available:
BUCKETS PERFORMANCE SERIES:

- General Purpose
- General Purpose Flat Floor
- Light Material
- Sand & Gravel
- High Dump
- Multipurpose
- Waste

BROOMS: No Pin-on brooms available
FORKS: LUMBER and LOG
SNOW STRAIGHT PUSHES

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210
Only select if ordering items identified as 'CWTS PRODUCT'
Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% of the rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
1.9 (2.5)	2075 (3500)	2350 (3950)	
2.1 (2.7)	1875 (3150)	2125 (3575)	
2.3 (3.0)	1675 (2825)	1900 (3200)	
2.5 (3.3)	1500 (2525)	1725 (2900)	2100 (3550)
2.7 (3.5)			1925 (3250)
2.9 (3.8)			1775 (3000)

If no reference numbers appear below there are currently no items available in your region.

W	345-2818	BUCKET, GP, 2.5YD3, PO1,786	\$6,783 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL PIN-ON (CONT.)				
<i>BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON (Cont.)</i>				
W	417-4359	BUCKET, GP, 2.5YD3, PO, BOCE 2,072 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$7,572 NI
W	345-2820	BUCKET, GP, 2.7YD3, PO 1,883 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$7,421 NI
W	417-4921	BUCKET, GP, 2.7YD3, PO, BOCE 2,165 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$8,210 NI
W	345-2822	BUCKET, GP, 3.0YD3, PO 1,965 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$8,376 NI
W	417-4923	BUCKET, GP, 3.0YD3, PO, BOCE 2,248 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$9,404 NI
W	345-2824	BUCKET, GP, 3.2YD3, PO 2,154 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$9,326 NI
W	417-4345	BUCKET, GP, 3.2YD3, PO, BOCE 2,443 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$10,115 NI
W	345-2814	BUCKET, GP, 3.2YD3, PO 2,154 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,326 NI
W	345-2804	BUCKET, GP, 3.2YD3, PO 2,154 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,438 NI
W	417-4895	BUCKET, GP, 3.2YD3, PO, BOCE 2,455 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,354 NI
W	345-2816	BUCKET, GP, 3.5YD3, PO 2,134 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,836 NI
W	345-2826	BUCKET, GP, 3.5YD3, PO 2,251 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$9,947 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE PIN-ON (Cont.)

W	417-4927	BUCKET, GP, 3.5YD3, PO, BOCE 2,552 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,864 NI
W	345-2828	BUCKET, GP, 3.8YD3, PO 2,330 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,456 NI
W	417-4349	BUCKET, GP, 3.8YD3, PO, BOCE 2,649 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$11,372 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE PIN-ON

Flat Floor Performance series buckets, based on the General Purpose de
Stated capacity is including BOCE. The fill factor for performance buc
can be up to 115% on top of the rated capacity.
Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate
max material density, please check the specalog and machine
configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1500 (2525)	1725 (2900)	
2.7 (3.5)			1900 (3200)
3.1 (4.1)			1625 (2750)

If no reference numbers appear below there are currently
no items available in your region.

W	490-3050	BUCKET, FF, 3.0 YD3, PO, BOCE 2,445 Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes BOCE. Capacity: 2.3 m3 (3.0 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,608 NI
W	490-3060	BUCKET, FF, 3.2 YD3, PO, BOCE 2,663 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$11,743 NI
W	490-3070	BUCKET, FF, 3.8 YD3, PO, BOCE 2,917 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$12,761 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, LIGHT MATERIAL PIN-ON

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
m3 (yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
3.0 (3.9)	1250 (2100)	1425 (2400)	
3.5 (4.6)	1050 (1775)	1200 (2025)	1450 (2450)
3.8 (5.0)	950 (1600)	1075 (1800)	1325 (2225)
4.2 (5.5)	850 (1425)	950 (1600)	1175 (1975)
5.0 (6.5)	700 (1175)	800 (1350)	975 (1650)

If no reference numbers appear below there are currently no items available in your region.

W	441-4450	BUCKET, LM, 4.00YD3, PO 2,411 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$9,129 NI
W	452-7416	BUCKET, LM, 4.0 YD3, PO, BOCE 2,730 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,046 NI
W	345-2764	BUCKET, LM, 4.5YD3, PO 2,598 108" (2743mm) wide Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$9,979 NI
W	417-4905	BUCKET, LM, 4.5 YD3, PO, BOCE 2,904 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,896 NI
W	360-3315	BUCKET, LM, 4.5YD3, PO 2,596 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$9,979 NI
W	360-3332	BUCKET, LM, 4.5 YD3, PO, BOCE 2,893 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$10,896 NI
W	441-4465	BUCKET, LM, 5.1YD3, PO 2,743 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$10,999 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL PIN-ON (CONT.)				
<i>BUCKETS, LIGHT MATERIAL PIN-ON (Cont.)</i>				
W	450-0250	BUCKET, LM, 5.0 YD3, PO, BOCE 3,062 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$11,744 NI
W	441-4470	BUCKET, LM, 5.1YD3, PO 2,738 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$10,999 NI
W	450-0251	BUCKET, LM, 5.0 YD3, PO, BOCE 3,023 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$11,744 NI
W	345-2770	BUCKET, LM, 5.5YD3, PO 2,893 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$11,678 NI
W	417-4942	BUCKET, LM, 5.5 YD3, PO, BOCE 3,175 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$12,594 NI
W	360-3316	BUCKET, LM, 5.5YD3, PO 2,895 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$11,678 NI
W	360-3333	BUCKET, LM, 5.5 YD3, PO, BOCE 3,170 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$12,594 NI
W	345-2766	BUCKET, LM, 6.5YD3, PO 3,043 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$13,376 NI
W	417-4350	BUCKET, LM, 6.5 YD3, PO, BOCE 3,300 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M		\$14,293 NI
W	360-3317	BUCKET, LM, 6.5YD3, PO 3,038 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$13,376 NI
W	360-3334	BUCKET, LM, 6.5 YD3, PO, BOCE 3,298 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$14,293 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, SAND AND GRAVEL

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. For handling sand and gravel.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
m3 (yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
2.5 (3.3)	1500 (2525)	1700 (2875)	1900 (3200)
2.7 (3.5)	1375 (2325)	1575 (2650)	1900 (3200)
2.9 (3.8)			1575 (2650)
3.2 (4.2)	1125 (1900)	1300 (2200)	

If no reference numbers appear below there are currently no items available in your region.

W	466-2252	BUCKET, S&G, 3.3 YD3, PO, BOCE 2,580 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$11,635 NI
W	360-3309	BUCKET, S&G, 3.5, YD3, PO 2,347 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$11,058 NI
W	466-2253	BUCKET, S&G, 3.5 YD3, PO, BOCE 2,666 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$11,975 NI
W	466-2255	BUCKET, S&G, 3.5 YD3, PO, BOCE 2,684 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$11,975 NI
W	469-0194	BUCKET, S&G, 3.8 YD3, PO, BOCE 2,757 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M	\$12,483 NI
W	360-3311	BUCKET, S&G, 4.0, YD3, PO 2,523 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$11,907 NI
W	466-2254	BUCKET, S&G, 4.2 YD3, PO, BOCE 2,842 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$13,164 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, SAND AND GRAVEL (Cont.)

W	466-2256	BUCKET, S&G, 4.2 YD3, PO, BOCE 2,840 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: Pin-on 938K/M		\$13,164 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, HIGH DUMP

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1075 (1800)	1225 (2075)	
3.5 (4.6)	900 (1525)	1050 (1775)	
4.1 (5.4)	725 (1225)	800 (1350)	1175 (1975)
5.0 (6.5)	575 (975)	650 (1100)	850 (1425)

If no reference numbers appear below there are currently no items available in your region.

W	461-1430	BUCKET, HD, 3.9YD3, PO, BOCE 3,832 High Dump Bucket, Width 2550mm mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$21,251 NI
W	461-7080	BUCKET, HD, 4.6YD3, PO, BOCE 4,028 High Dump Bucket, Width 2750mm mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$22,004 NI
W	464-2890	BUCKET, HD, 5.4YD3, PO, BOCE 4,745 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$22,760 NI
W	461-7085	BUCKET, HD, 5.4YD3, PO, BOCE 4,752 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 938K/M	\$22,760 NI
W	464-2895	BUCKET, HD, 6.5YD3, PO, BOCE 4,965 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: Pin-on 924K, 926M, 930K/M	\$23,904 NI
W	461-7060	BUCKET, HD, 6.5YD3, PO, BOCE 4,970 High Dump Bucket, Width 3060mm mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3)fill factor 100%, hydr.lines are plugged-off. FOR USE WITH: Pin-on 938K/M	\$23,904 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

BUCKETS, MULTI PURPOSE PIN-ON

W	525-7237	BUCKET, MP, 2.7YD3, PO 0 Multi Purpose Bucket, Width 2550 mm (100") Capacity: 2.1 m3 (2.7 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines (capped only) FOR USE WITH: Pin-On 924K, 926M and 930K/M REQUIRES: 3rd Valve on machine		\$22,917 NI
W	537-8665	BUCKET, MP, 3.5YD3, PO 0 Multi Purpose Bucket, Width 2750mm(108") Capacity: 2.7 m3 (3.5 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines (capped only) FOR USE WITH: Pin-On 938K/M REQUIRES: 3rd Valve on machine		\$24,792 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL PIN-ON (CONT.)				
BUCKETS: WASTE				
W	449-4365	BUCKET-WH, 108" 4.25YD3 4,847 (CWTS PRODUCT) Waste Handling bucket with clamp for light sorting or dozing when fully open. 108" (2743mm) wide REQUIRES: Bolt-on cutting steel edge 345-2758 or rubber edge 437-0311 CAPACITIES: 4.50YD3 with Bolt-on cutting edge ONLY FOR USE WITH: 924K, 926M, 930K, 930M		\$22,138 NI
W	434-3349	BUCKET-LOAD & CAR 115" 6.50YD3 4,241 (CWTS PRODUCT) Load and Carry style bucket 115" (2927mm) wide REQUIRES: Bolt-on cutting steel edge 139-9229 or rubber edge 437-0289 CAPACITIES: 6.75YD3 with Bolt-on cutting edge ONLY FOR USE WITH: 938K, 938M		\$21,257 NI
W	449-4371	BUCKET-WH, 115" 4.75YD3 5,887 (CWTS PRODUCT) Waste Handling bucket with clamp for light sorting or dozing when fully open. 115" (2927mm) wide REQUIRES: Bolt-on cutting steel edge 139-9229 or rubber edge 437-0289 CAPACITIES: 5.00YD3 with Bolt-on cutting edge ONLY FOR USE WITH: 938K, 938M		\$35,888 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

FORKS: LUMBER and LOG Non-Swinging / Non-Floating for Pin-on

W	520-3467	CARRIAGE, LOG, NS-NF, 102", PO 1,585 Width Overall / Frame: 2660mm (105") / 2591mm (102") Frame height: 1442mm (57"), excluding forks FOR USE WITH: Pin-On 924K, 926M, 930K/M REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$9,722 NI
W	539-2249	CARRIAGE, LOG, NS-NF, 108", PO 1,693 Width Overall / Frame: 2743mm (108") / 2812mm (111") Frame height: 1442mm (57"), excluding forks FOR USE WITH: Pin-On 938K/M REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$10,278 NI
W	520-3468	FORK, LOG, NS-NF, 72"X7"X2.5" 522 Non-Swinging / Non Floating Forks, order 2 for a set 1829mm x 180mm x 65mm (72" x 7" x 2.5")		\$1,389 NI
W	520-3469	FORK, LOG, NS-NF, 96"X7"X2.9" 719 Non-Swinging / Non Floating Forks, order 2 for a set 2438mm x 180mm x 75mm (96" x 7" x 2.9")		\$2,222 NI

FORKS: MILLYARD for Pin-on

W	521-9402	FORK,MILLYARD 86", 54" TINE,PO 3,814 Overall width: 2200mm (87"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1815mm (71.5") - 2347 (92.5") Overall length: 1921mm (76"), tine length 1372mm (54") Max Opening between clamp and tines: 2135mm (84") Rated capacity 50% SAE J1197: 3596 kg (7928 lbs) Grapple area: 1.42 m2 (1.70 yd2) FOR USE WITH: Pin-On 938K/M REQUIRES: 3rd Valve on machine		\$31,597 NI
---	----------	--	--	--------------------

FORKS: SEMI MILLYARD for Pin-on

W	521-9399	FORK,S-MILL 70", 48" TINE, PO 3,479 Overall width: 1800mm (70"), incl. plugged off hydr. lines Overall height closed-open: 1633mm (64") - 2771mm (105") Overall length: 1855mm (73"), tine length 1220mm (48") Max opening between clamp and tines: 2499mm (98") Grapple area: 1.49 m2 (1.78 yd2) FOR USE WITH: Pin-On 924K, 926M, 930K/M REQUIRES: 3rd Valve on machine		\$20,000 NI
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL PIN-ON (CONT.)

SNOW STRAIGHT PUSHES

To use the straight pushes, you need to have a pin-on bucket with no GETs. The straight push will hook onto the base edge of the bucket and will be kept in place with chains. Availability can be restricted due to North American snow season. Please contact your BCP Attachments contact.

W	477-9892	SNOW PUSH, 12', BKT REC	2,780	\$9,646 NI
		3828 mm (150") overall width, 3676 mm (144") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	477-9894	SNOW PUSH, 14', BKT REC	3,025	\$10,313 NI
		4438 mm (174") overall width, 4236 mm (166") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	477-9898	SNOW PUSH, 16', BKT REC	3,270	\$10,972 NI
		5048 mm (199") overall width, 4896 mm (193") working width Incl. 2 section trip edge, each with 4 adjust settings, a bolt on steel cutting edge 137mm(5.4") height + an adjust heavy duty skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8325	SNOW PUSH, 12', REC, R.TRIP	2,690	\$9,222 NI
		3828 mm (150") overall width, 3676 mm (144") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8330	SNOW PUSH, 14', REC, R.TRIP	2,930	\$9,813 NI
		4438 mm (174") overall width, 4236 mm (166") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		
W	508-8335	SNOW PUSH, 16', REC, R.TRIP	3,142	\$10,403 NI
		5048 mm (199") overall width, 4896 mm (193") working width. Including: 2 section trip edge each with: 4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: any bucket with base edge with NO GETs		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION

This section contains Fusion work tools for following current SWL:
924K, 926M, 930K, 930M, 938K and 938M

Following work tools are available:

FUSION COUPLER

BUCKETS PERFORMANCE SERIES:

- General Purpose
- Flat Floor General Purpose
- Light Material
- Sand & Gravel
- High Dump
- Multi Purpose

BROOMS: Please see section "BROOMS"

CARRIAGE and Forks (tines)

CONSTRUCTION FORKS

GRAPPLE FORKS FUSION

MATERIAL HANDLING ARM

SNOW PLOWS

SNOW STRAIGHT PUSHES

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210

Only select if ordering items identified as 'CWTS PRODUCT'

Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

FUSION QUICK COUPLER

The machine needs to be quick coupler ready.

W	374-5790	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 924K, 926M, 930K, 930M		\$4,929 NI
W	374-5791	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 938K, 938M		\$4,929 NI
W	447-4892	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 924K		\$888 NI
W	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 926M, 930K, 930M		\$888 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

FUSION QUICK COUPLER (Cont.)

W	447-4895	KIT, COUPLER READY 0		\$888 NI
		Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 938K, 938M		

BUCKETS: GENERAL PURPOSE PERFORMANCE - FUSION

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
m3 (yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
1.9 (2.5)	1975 (3325)	2250 (3800)	
2.1 (2.7)	1775 (3000)	2025 (3425)	
2.3 (3.0)	1600 (2700)	1825 (3075)	
2.5 (3.3)	1425 (2400)	1650 (2775)	2000 (3375)
2.7 (3.5)	1300 (2200)	1525 (2575)	1850 (3125)
2.9 (3.8)	1200 (2025)	1400 (2350)	1700 (2875)

If no reference numbers appear below there are currently no items available in your region.

W	345-2418	BUCKET, GP, 2.5YD3, FUS 1,705		\$6,783 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
W	417-4919	BUCKET, GP, 2.5YD3, FUS, BOCE 2,008		\$7,572 NI
		General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 1.9 m3 (2.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
W	360-3320	BUCKET, GP, 2.7YD3, FUS 1,819		\$7,421 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
W	360-3321	BUCKET, GP, 2.7YD3, FUS, BOCE 2,101		\$8,210 NI
		General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
W	360-3322	BUCKET, GP, 3.0YD3, FUS 1,901		\$8,376 NI
		General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL FUSION (CONT.)				
<i>BUCKETS: GENERAL PURPOSE PERFORMANCE - FUSION (Cont.)</i>				
W	360-3323	BUCKET, GP, 3.0YD3, FUS, BOCE 2,141 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,165 NI
W	345-2424	BUCKET, GP, 3.2YD3, FUS 2,119 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,326 NI
W	417-4925	BUCKET, GP, 3.2YD3, FUS, BOCE 2,403 General Purpose Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,115 NI
W	345-2784	BUCKET, GP, 3.2YD3, FUS 2,121 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,438 NI
W	417-4355	BUCKET, GP, 3.2YD3, FUS, BOCE 2,430 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,354 NI
W	360-3336	BUCKET, GP, 3.5YD3, FUS 2,119 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,836 NI
W	345-2426	BUCKET, GP, 3.5YD3, FUS 2,215 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$9,947 NI
W	345-2427	BUCKET, GP, 3.5YD3, FUS, BOCE 2,519 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,864 NI
W	345-2428	BUCKET, GP, 3.8 YD3, FUS 2,292 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,456 NI
W	417-4929	BUCKET, GP, 3.8YD3, FUS, BOCE 2,601 General Purpose Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$11,372 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE FUSION

Flat Floor Performance series buckets, based on the General Purpose design. Stated capacity is including BOCE. The fill factor for performance buckets can be up to 115% on top of the rated capacity. Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1425 (2400)	1650 (2775)	1825 (3075)
2.7 (3.5)	1300 (2200)	1475 (2475)	1550 (2625)
3.1 (4.1)	1100 (1850)	1250 (2100)	

If no reference numbers appear below there are currently no items available in your region.

W	491-0515	BUCKET, FF, 3.0 YD3, FUS, BOCE 2,370 Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes BOCE. Capacity: 2.3 m3 (3.0 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,608 NI
W	491-0525	BUCKET, FF, 3.2 YD3, FUS, BOCE 2,621 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,743 NI
W	491-0535	BUCKET, FF, 3.8 YD3, FUS, BOCE 2,811 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$12,761 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, LIGHT MATERIAL FUSION

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1175 (1975)	1350 (2275)	1650 (2775)
3.5 (4.6)	1000 (1675)	1125 (1900)	1375 (2325)
3.8 (5.0)	900 (1525)	1025 (1725)	1250 (2100)
4.2 (5.5)	800 (1350)	925 (1550)	1125 (1900)
5.0 (6.5)	650 (1100)	750 (1275)	950 (1600)

If no reference numbers appear below there are currently no items available in your region.

W	441-4460	BUCKET, LM, 4.1YD3, FUS 2,370 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$9,299 NI
W	452-7417	BUCKET, LM, 4.0YD3, FUS, BOCE 2,689 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,046 NI
W	345-2760	BUCKET, LM, 4.5YD3, FUS 2,554 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$9,979 NI
W	417-4935	BUCKET, LM, 4.5YD3, FUS, BOCE 2,873 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,896 NI
W	441-4475	BUCKET, LM, 5.1YD3, FUS 2,696 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$10,999 NI
W	450-0252	BUCKET, LM, 5.0YD3, FUS, BOCE 3,015 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,744 NI
W	345-2768	BUCKET, LM, 5.5YD3, FUS 2,853 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler	\$11,678 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL FUSION (CONT.)				
<i>BUCKETS, LIGHT MATERIAL FUSION (Cont.)</i>				
W	417-4342	BUCKET, LM, 5.5YD3, FUS, BOCE 3,172 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$12,594 NI
W	345-2762	BUCKET, LM, 6.5YD3, FUS 2,992 Light Material Bucket, Width 2750 mm (108"). Base edge Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$13,376 NI
W	417-4950	BUCKET, LM, 6.5 CYD, FUS, BOCE 3,311 Light Material Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$14,293 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, SAND AND GRAVEL FUSION

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. For handling sand and gravel.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity m3 (yd3)	926M		930M		938M	
	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)	Standard Lift kg/m3 (lbs/yd3)
2.5 (3.3)	1425 (2400)	1625 (2750)	1625 (2750)	1825 (3075)	1825 (3075)	1825 (3075)
2.7 (3.5)	1300 (2200)	1475 (2475)	1475 (2475)	1675 (2825)	1675 (2825)	1675 (2825)
2.9 (3.8)	1200 (2025)	1375 (2325)	1375 (2325)	1500 (2525)	1500 (2525)	1500 (2525)
3.2 (4.2)	1075 (1800)	1225 (2075)	1225 (2075)			

If no reference numbers appear below there are currently no items available in your region.

W	451-1403	BUCKET, S&G, 3.2 YD3, FUS 2,228 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,549 NI
W	451-1409	BUCKET, S&G, 3.2 YD3 FUS, BOCE 2,532 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$11,465 NI
W	451-1404	BUCKET, S&G, 3.5, YD3, FUS 2,335 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$11,058 NI
W	451-1410	BUCKET, S&G, 3.5 YD3,FUS, BOCE 2,638 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$11,975 NI
W	469-0192	BUCKET, S&G, 3.8 YD3, HO, BOCE 2,723 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$12,483 NI
W	451-1405	BUCKET, S&G, 4.2 YD3, FUS 2,485 Sand&Gravel Bucket, Width 2750 mm (108"). Base edge Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$12,247 NI
W	451-1411	BUCKET, S&G, 4.2 YD3 FUS, BOCE 2,788 Sand&Gravel Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.2 m3 (4.2 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$13,164 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, HIGH DUMP FUSION

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1050 (1775)	1200 (2025)	
3.5 (4.6)	875 (1475)	1000 (1675)	1275 (2150)
4.1 (5.4)	700 (1175)	775 (1300)	1000 (1675)
5.0 (6.5)	550 (925)	625 (1050)	800 (1350)

If no reference numbers appear below there are currently no items available in your region.

W	473-6945	BUCKET, HD, 3.9YD3, FUS, BOCE 3,762 High Dump Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$21,251 NI
W	473-6942	BUCKET, HD, 4.6YD3, FUS, BOCE 3,960 High Dump Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$22,004 NI
W	476-9305	BUCKET, HD, 5.4YD3, FUS, BOCE 4,686 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$22,761 NI
W	476-9308	BUCKET, HD, 6.5YD3, FUS, BOCE 4,906 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: FUSION Quick Coupler	\$23,904 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

BUCKETS, MULTI PURPOSE FUSION

Stated capacity is including BOCE.
Requires 3rd valve on the machine.

W	362-0902	BUCKET, MP, 2.7YD3, FUS 3,122 Multi Purpose Bucket, Width 2605mm(103"). Capacity: 2.1 m3 (2.7 yd3) fill factor 100% INLCUDES: 4 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler and 924K, 926M, 930K/M REQUIRES: 3rd valve on the machine.		\$22,917 NI
W	527-9408	BUCKET, MP, 3.5YD3, FUS 0 Multi Purpose Bucket, Width 2750mm(108") Capacity: 2.7 m3 (3.5 yd3) fill factor 100% INLCUDES: 3 piece BOCE on clamp base edge and 4 piece BOCE on Dozer base edge, connecting lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler and 938K/M REQUIRES: 3rd valve on the machine.		\$24,792 NI

CARRIAGES - FUSION

Tines(forks) are not included in the carriage.

W	345-2415	CARRIAGE FUSION, FORK 60" 748 1525mm width, does not take class IV tines only class III FOR USE WITH: FUSION coupler and 924K, 926M, 930K/M REQUIRES: 2 tines (forks) Class III , NOT INCLUDED, see section FORKS		\$2,486 NI
W	345-2417	CARRIAGE, PALLET FORK 60" 781 1525mm width, does not take class III tines only class IV FOR USE WITH: FUSION coupler REQUIRES: 2 tines (forks), NOT INCLUDED, see section FORKS		\$2,610 NI

FORKS (TINES) - FUSION

W	371-2348	FORK TINE, 2.25" X 6" X 48" 297 FOR USE WITH: Carriage 345-2417		\$918 NI
W	371-2354	FORK TINE, 2.25" X 6" X 54" 321 FOR USE WITH: Carriage 345-2417		\$986 NI
W	371-2360	FORK TINE, 2.25" X 6" X 60" 345 FOR USE WITH: Carriage 345-2417		\$1,019 NI

OFFSET FORKS

These are loose forks, which requires a carriage.
To have a complete set, order 1 Right and 1 Left.

W	371-2374	FORK TINE, 2.25"X6"X48", RIGHT 301 FOR USE WITH: Carriage 345-2417 REQUIRES: 371-2375 FORK TINE, 60x200x1220mm, LEFT		\$1,072 NI
W	371-2375	FORK TINE, 2.25"X6"X48", LEFT 301 FOR USE WITH: Carriage 345-2417 REQUIRES: 371-2374 FORK TINE, 60x200x1220mm, RIGHT		\$1,072 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

OFFSET FORKS (Cont.)

W	360-3354	FORK TINE, 2.25" X 6" X 54", LEFT	323	\$1,122 NI
		FOR USE WITH: Carriage 345-2417		
		REQUIRES: 360-3355 FORK TINE, 60x200x1370, LEFT		
W	360-3355	FORK TINE, 2.25" X 6" X 54", RIGHT	323	\$1,122 NI
		FOR USE WITH: Carriage 345-2417		
		REQUIRES: 360-3354 FORK TINE, 60x200x1370, RIGHT		
W	371-2377	FORK TINE, 2.25" X 6" X 60", RIGHT	348	\$1,172 NI
		FOR USE WITH: Carriage 345-2417		
		REQUIRES: 371-2376 FORK TINE, 60x200x1524mm, LEFT		
W	371-2376	FORK TINE, 2.25" X 6" X 60", LEFT	348	\$1,172 NI
		FOR USE WITH: Carriage 345-2417		
		REQUIRES: 371-2377 FORK TINE, 60x200x1524mm, RIGHT		

FORKS/TINES for CARRIAGE Class III

W	195-6937	FORK TINE, 2" X 5" X 42"	198	\$729 NI
		FOR USE WITH: Class III Carriage		
W	195-6935	FORK TINE, 2" X 5" X 48"	216	\$765 NI
		FOR USE WITH: Class III Carriage		
W	195-6939	FORK TINE, 2" X 5" X 54"	232	\$793 NI
		FOR USE WITH: Class III Carriage		
W	195-6938	FORK TINE, 2.5" X 5" X 54"	283	\$1,000 NI
		FOR USE WITH: Class III Carriage		
W	172-3228	FORK TINE, 2" X 6" X 60"	265	\$869 NI
		FOR USE WITH: Class III Carriage		

OFF SET FORKS/TINES for CARRIAGE Class III

P	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage		
		REQUIRES: 1 x 241-0922 to form a complete set of 2.		
P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage		
		REQUIRES: 1 x 241-0921 to form a complete set of 2.		

CONSTRUCTION FORKS - FUSION

The construction forks include 2 tines(forks)

W	345-2740	FORK, 60" CONSTRUCTION	2,081	\$9,594 NI
		Overall width 2435mm		
		INCLUDES: carriage and 2 tines 1524mm long		
		FOR USE WITH: FUSION Coupler		
W	345-2750	FORK, 72" CONSTRUCTION	2,178	\$10,640 NI
		Overall width 2435mm		
		INCLUDES: carriage and 2 tines 1829mm long		
		FOR USE WITH: FUSION coupler		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

GRAPPLE FORKS - FUSION

Sorting Grapple (Lumber and Log Fork) for handling logs.

W	458-3462	FORK, GRAPPLE, 50", FUSION 3,852 Carriage width: 1812 mm (71"), Fork Tine reach: 1269mm (50") Max opening tip to tip: 2608 mm (103"), Grapple area: 1.9 m2 (21ft2) Adjustable clamping force. Replaceable tine tips and tine wear plates. Hardened chrome plated pins. Incl "Turn to Connect" QDs. FOR USE WITH: FUSION Quick Coupler and 930K/M, 938K/M REQUIRES: 3rd valve on the machine		\$30,694 NI
---	----------	--	--	--------------------

LUMBER AND LOG FORKS (Non-Swinging /Non-Floating) - FUSION

W	520-3466	CARRIAGE, LOG, NS-NF, 102", FUS 1,554 Width Overall / Frame: 2660mm (105") / 2591mm (102") Frame height: 1442mm (57"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3468 or 2 x 520-3469		\$9,722 NI
W	520-3468	FORK, LOG, NS-NF, 72"X7"X2.5" 522 Non-Swinging / Non Floating Forks, order 2 for a set 1829mm x 180mm x 65mm (72" x 7" x 2.5")		\$1,389 NI
W	520-3469	FORK, LOG, NS-NF, 96"X7"X2.9" 719 Non-Swinging / Non Floating Forks, order 2 for a set 2438mm x 180mm x 75mm (96" x 7" x 2.9")		\$2,222 NI

LUMBER AND LOG FORKS (Non-Swinging - Floating) - FUSION

W	540-6596	CARRIAGE, LOG, NS-F, 72", FUS 1,166 Width Overall / Frame: 1869mm (74") / 1829mm (72") Frame height: 1520mm (60"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$5,833 NI
W	540-6599	CARRIAGE, LOG, NS-F, 84", FUS 1,263 Width Overall / Frame: 2174mm (86") / 2134mm (84") Frame height: 1520mm (60"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$6,389 NI
W	520-3458	FORK, LOG, NS-F, 48"X5.9"X2.5" 364 Non-Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		\$1,111 NI
W	520-3459	FORK, LOG, NS-F, 60"X5.9"X2.5" 406 Non-Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		\$1,250 NI
W	520-3460	FORK, LOG, NS-F, 72"X5.9"X2.5" 449 Non-Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		\$1,389 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

LUMBER AND LOG FORKS (Swinging /Floating) - FUSION

W	545-5791	CARRIAGE, LOG, S-F, 68", FUS 1,457 Width Overall / Frame: 1705mm (68") / 1627mm (64") Frame height: 1880mm (74"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$7,500 NI
W	520-3463	FORK, LOG, S-F, 48"X5.9"X2.5" 344 Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		\$1,111 NI
W	520-3464	FORK, LOG, S-F, 60"X5.9"X2.5" 395 Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		\$1,250 NI
W	520-3465	FORK, LOG, S-F, 72"X5.9"X2.5" 447 Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		\$1,389 NI

MILLYARD FORKS - FUSHION

W	521-9401	FORK,MILLYARD 86", 54"TINE,FUS 3,781 Overall width: 2200mm (87"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1815mm (71.5") - 2347 (92.5") Overall length: 1921mm (76"), tine length 1372mm (54") Max Opening between clamp and tines: 2135mm (84") Rated capacity 50% SAE J1197: 3550 kg (7826 lbs) Grapple area: 1.42 m2 (1.70 yd2) FOR USE WITH: Fusion Quick Coupler and 938K/M only REQUIRES: 3rd Valve on machine		\$31,597 NI
---	----------	---	--	-------------

FORKS: SEMI MILLYARD for Fusion

W	521-9397	FORK,S-MILL 70", 54" TINE, FUS 3,569 Overall width: 1800mm (70"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1620mm (64") - 2664mm (105") Overall length: 1981mm (78"), tine length 1372mm (54") Max opening between clamp and tines: 2315mm (91") Grapple area: 1.7 m2 (2.03 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine		\$19,722 NI
W	521-9398	FORK,S-MILL 70", 48" TINE, FUS 3,514 Overall width: 1800mm (70"), incl. lines and "Turn to Connect" QDs Overall height closed-open: 1633mm (64") - 2771mm (105") Overall length: 1830mm (72"), tine length 1220mm (48") Max opening between clamp and tines: 2499mm (98") Grapple area: 1.49 m2 (1.78 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine		\$19,444 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

FORKS: SEMI MILLYARD for Fusion (Cont.)

W	521-9400	FORK,S-MILL 84", 60" TINE,FUS 4,632 Overall width: 2204mm (87"), incl. lines and "Turn to Connect" QDs Overall length: 2303mm (91"), tine length 1524mm (54") Overall height closed-open: 1733mm (68") - 3101mm (122") Max opening between clamp and tines: 2846mm (112") Grapple area:? 2.02 m2 (2.41 yd2) FOR USE WITH: Fusion Quick Coupler and 926M, 930K/M, 938K/M REQUIRES: 3rd Valve on machine		\$24,444 NI
---	----------	--	--	--------------------

PILE AND POLE FORKS - FUSION

W	496-1905	FORK, PIPE & POLE, 60", FUS 3,505 Overall Width-Length: 2560mm (101") - 2100mm (82.5") Tine Thicknes - Length: 64mm (2.52") - 1525mm (60") Maximum opening between top clamp and tines: 760mm (30") Max Rated Capacity: 2.58 Ton, Max hydr pressure: 172bar (2500psi) INCLUDES: hydraulic lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd valve on machine with "Turn to connect" QDs		\$27,083 NI
---	----------	---	--	--------------------

W	510-5060	FORK, PIPE & POLE, 72", FUS 4,301 Overall Width-Length: 2560mm (101") - 2410mm (95") Tine Thicknes - Length: 76mm (2.99") - 1830mm (72") Maximum opening between top clamp and tines: 760mm (30") Max Rated Capacity: 3.7 Ton, Max hydr pressure: 172bar (2500psi) INCLUDES: hydraulic lines with "Turn to connect" QDs FOR USE WITH: FUSION Quick Coupler REQUIRES: 3rd valve on machine with "Turn to connect" QDs		\$28,333 NI
---	----------	--	--	--------------------

MATERIAL HANDLING ARM - FUSION

W	360-3300	ARM, MATERIAL HANDLING 1,071 Four positions, one fixed, three manually adjustable. Extendable length 100" to 163" (2537mm to 4137mm) FOR USE WITH: FUSION Quick Coupler		\$5,361 NI
---	----------	---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

SNOW PLOWS - FUSION

Availability can be restricted due to North American snow season.
Please contact your BCP Attachments contact.

W	479-8098	SNOW PLOW, 10', SWL 3,055 Hydraulic Angling - 30 degrees left or right of center Overall width: 3048 mm (120"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$11,208 NI
W	479-8108	SNOW PLOW, 12', SWL 3,355 Hydraulic Angling - 30 degrees left or right of center Overall width: 3647 mm (144"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$12,826 NI
W	479-8118	SNOW PLOW, 14', SWL 3,625 Hydraulic Angling - 30 degrees left or right of center Overall width: 4267 mm (168"), Blade height: 1065 mm (42") 2 trip edges 228 mm (6") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs 2 heavy duty adjustable skid feet Hydraulic lines with "Turn to Connect" quick disconnects FOR USE WITH: FUSION coupler REQUIRES: 3rd Valve on the machine		\$14,451 NI

SNOW STRAIGHT PUSHES - FUSION

Availability can be restricted due to North American snow season.
Please contact your BCP Attachments contact.

W	477-9891	SNOW PUSH, 12', FUSION 2,925 3828 mm (150") overall width, 3676 mm (144") working width 2 section trip edge, each with: 4 adjust springs, a bolt-on steel cutting edge 137mm (5.4") height + a heavy duty adjustable skid shoe FOR USE WITH: FUSION coupler		\$9,646 NI
W	477-9893	SNOW PUSH, 14', FUSION 3,170 4438 mm (174") overall width, 4236 mm (166") working width 44" (1128mm) moldboard height, 2 heavy duty adjustable skid shoes 2 trip edges 137mm (5.4") height each with a 1 piece bolt-on cutting edge and each with 4 adjustable trip springs FOR USE WITH: FUSION coupler		\$10,313 NI
W	477-9897	SNOW PUSH, 16', FUSION 3,415 5048 mm (199") overall width, 4896 mm (193") working width 2 section trip edge, each with: 4 adjust springs, a bolt-on steel cutting edge 137mm (5.4") height + a heavy duty adjustable skid shoe FOR USE WITH: FUSION coupler		\$10,972 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL FUSION (CONT.)

SNOW STRAIGHT PUSHES - FUSION (Cont.)

W	508-8310	SNOW PUSH, 12', FUS, R.TRIP 2,798 3828 mm (150") overall width, 3676 mm (144") working width: Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$9,215 NI
W	508-8315	SNOW PUSH, 14', FUS, R.TRIP 3,075 4438 mm (174") overall width, 4236 mm (166") working width. Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$9,813 NI
W	508-8320	SNOW PUSH, 16', FUS, R.TRIP 3,285 5048 mm (199") overall width, 4896 mm (193") working width. Including: 2 section trip edge, each with:4 adjust springs, a bolt-on rubber edge 38mmx203mm (1.5"x 8") approx 50mm (2") adjust + a HD adjust skid shoe FOR USE WITH: FUSION Quick Coupler		\$10,403 NI

CURRENT SWL ISO

This section contains ISO work tools for following current SWL:

924K, 926M, 930K, 930M, 938K and 938M

Following work tools are available:

ISO COUPLER

BUCKETS PERFORMANCE SERIES:

- General Purpose
- Flat Floor General Purpose
- Grading
- Light Material
- High Dump

BROOMS: Please see section "BROOMS"

GRAPPLE, FORKS / LUMBER and LOG FORK

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210

Only select if ordering items identified as 'CWTS PRODUCT'

Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

ISO QUICK COUPLER

The machine needs to be quick coupler ready.

P	545-5498	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy. FOR USE WITH: 924K, 926M, 930K, 930M		\$6,189 NI
---	----------	--	--	-------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL ISO (CONT.)				
<i>ISO QUICK COUPLER (Cont.)</i>				
P	545-5499	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy FOR USE WITH: 938K, 938M		\$6,189 NI
W	447-4892	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 924K		\$888 NI
W	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 926M, 930K, 930M		\$888 NI
W	447-4895	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine FOR USE WITH: 938K, 938M		\$888 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS: GENERAL PURPOSE PERFORMANCE ISO

**Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.**

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.1 (2.7)	1725 (2900)	1950 (3300)	
2.3 (3.0)	1550 (2625)	1775 (3000)	
2.5 (3.3)	1375 (2325)	1600 (2700)	1950 (3300)
2.7 (3.5)	1250 (2100)	1475 (2475)	1775 (3000)
2.9 (3.8)	1175 (1975)	1350 (2275)	1650 (2775)

If no reference numbers appear below there are currently no items available in your region.

W	360-3256	BUCKET, GP, 2.7 YD3, ISO1,745 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.1 m3 (2.7 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$7,421 NI
W	360-3257	BUCKET, GP, 3.0 YD3, ISO1,826 General Purpose Bucket, Width 2550 mm (100"). Base edge Capacity: 2.3 m3 (3 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$8,376 NI
W	371-2390	BUCKET, GP, 3.2 YD3, ISO2,017 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.5 m3 (3.2 yd3) fill factor 100%. FOR USE WITH: ISO Quick Coupler (wide)	\$9,438 NI
W	360-3258	BUCKET, GP, 3.5 YD3, ISO2,114 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$9,947 NI
W	371-2391	BUCKET, GP, 3.8 YD3, ISO2,193 General Purpose Bucket, Width 2750 mm (108"). Base edge Capacity: 2.9 m3 (3.8 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$10,456 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS: FLAT FLOOR GENERAL PURPOSE PERFORMANCE ISO

Flat Floor Performance series buckets, based on the General Purpose de
Stated capacity is including BOCE. The fill factor for performance buc
can be up to 115% on top of the rated capacity.
Includes back grading edge. Ideal material handling and grading.

Bucket selection table:

The stated max material density is just directive. For an accurate
max material density, please check the specalog and machine
configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
2.5 (3.3)	1400 (2350)	1600 (2700)	
2.7 (3.5)	1250 (2100)	1450 (2450)	1750 (2950)
3.1 (4.1)	1050 (1775)	1225 (2075)	1500 (2525)

If no reference numbers appear below there are currently
no items available in your region.

W	482-6970	BUCKET, FF, 3.2 YD3, ISO, BOCE2,286 Flat Floor GP bucket, includes back grading edge. Width 2550 mm (100"). Includes BOCE. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$11,504 NI
W	491-0510	BUCKET, FF, 3.2 YD3, ISO, WOT 2,233 Flat Floor GP bucket, includes back grading edge Width 2550 mm (100"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 2.5 m3 (3.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$11,340 NI
W	482-6950	BUCKET, FF, 3.5 YD3, ISO, BOCE2,511 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$12,253 NI
W	491-0520	BUCKET, FF, 3.5 YD3, ISO, WOT 2,443 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 2.7 m3 (3.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$11,961 NI
W	482-6960	BUCKET, FF, 4.2 YD3, ISO, BOCE 2,703 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes BOCE. Capacity: 3.1 m3 (4.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$13,442 NI
W	491-0530	BUCKET, FF, 4.2 YD3, ISO, WOT2,632 Flat Floor GP bucket, includes back grading edge Width 2750 mm (108"). Includes Weld-on adapters and 8 J250 long tips. Capacity: 3.1 m3 (4.2 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)		\$13,150 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
CURRENT SWL ISO (CONT.)				
BUCKETS, GRADING ISO				
Scandinavian style bucket. Used for snow removal, agriculture, back draging and other applications which require good visibility while unloading or trench filling.				
W	513-0277	BUCKET-GRADING, 8.5FT	2,154	\$8,597 NI
		Width: 2600mm (102"), Capacity 2.6m3 (3.4yd3) FOR USE WITH: ISO Quick Coupler (wide)		
W	513-0159	BUCKET-GRADING, 8.8FT	2,220	\$8,826 NI
		Width: 2700mm (106"), Capacity 2.7m3 (3.5yd3) FOR USE WITH: ISO Quick Coupler (wide)		
W	513-0115	BUCKET-GRADING, 9.5FT	2,352	\$9,264 NI
		Width: 2900mm (114"), Capacity 2.9m3 (3.8yd3) FOR USE WITH: ISO Quick Coupler (wide)		
W	519-1916	GUARD, GRADING SPILL	258	\$1,667 NI
		Adjustable spill guard to increase capacity with 1.5m3 (2.0yd3) Height 650mm (26"), with perforated sections for visibility FOR USE WITH: grading buckets 513-0277, 513-0159, 513-0115 ???? for snow clearing only.		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS, LIGHT MATERIAL ISO

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.5 (4.6)	975 (1650)	1100 (1850)	1350 (2275)
4.2 (5.5)	775 (1300)	900 (1525)	1075 (1800)
5.0 (6.5)	625 (1050)	725 (1225)	900 (1525)

If no reference numbers appear below there are currently no items available in your region.

W	430-6777	BUCKET, LM, 4.5YD3, ISO 2,454 Light Material Bucket, Width 2750 mm (108") Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$9,808 NI
W	430-6779	BUCKET, LM, 5.5YD3, ISO 2,732 Light Material Bucket, Width 2750 mm (108") Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$11,508 NI
W	430-6781	BUCKET, LM, 6.5YD3, ISO 2,859 Light Material Bucket, Width 2750 mm (108") Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: ISO Quick Coupler (wide)	\$13,207 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

CURRENT SWL ISO (CONT.)

BUCKETS, HIGH DUMP ISO

Performance series buckets. Stated capacity is including BOCE.
The fill factor for performance buckets can be up to 115% on top of rated capacity. Requires 3rd valve on the machine.

Bucket selection table:

The stated max material density is just directive. For an accurate max material density, please check the specalog and machine configuration. Fill factor 100% and incl. heavy counter weight.

Capacity	926M	930M	938M
	Standard Lift	Standard Lift	Standard Lift
m3 (yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)	kg/m3 (lbs/yd3)
3.0 (3.9)	1050 (1775)	1200 (2025)	
3.5 (4.6)	875 (1475)	1000 (1675)	1275 (2150)
4.1 (5.4)	700 (1175)	775 (1300)	1000 (1675)
5.0 (6.5)	550 (925)	625 (1050)	800 (1350)

If no reference numbers appear below there are currently no items available in your region.

W	473-6951	BUCKET, HD, 3.9YD3, ISO, BOCE 3,672 High Dump Bucket, Width 2550 mm (100"). Includes BOCE, Capacity: 3 m3 (3.9 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$21,251 NI
W	473-6948	BUCKET, HD, 4.6YD3, ISO, BOCE 3,865 High Dump Bucket, Width 2750 mm (108"). Includes BOCE, Capacity: 3.5 m3 (4.6 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$22,004 NI
W	476-9311	BUCKET, HD, 5.4YD3, ISO, BOCE 4,594 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 4.1 m3 (5.4 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$22,760 NI
W	476-9314	BUCKET, HD, 6.5YD3, ISO, BOCE 4,811 High Dump Bucket, Width 3060 mm (120"). Includes BOCE, Capacity: 5 m3 (6.5 yd3) fill factor 100%, hydr.lines incl Turn QDs. FOR USE WITH: ISO Quick Coupler (wide)	\$23,904 NI

GRAPPLE SORTING ISO

Sorting Grapple (Lumber and Log Fork) for handling logs.

W	492-7185	FORK, GRAPPLE, 50", ISO 3,852 Carriage width: 1812 mm (71"), Fork Tine reach: 1269mm (50") Max opening tip to tip: 2608 mm (103"), Grapple area: 1.9 m2 (21ft2) Adjustable clamping force. Replaceable tine tips and tine wear plates. Hardened chrome plated pins. Incl "Turn to Connect" QDs. FOR USE WITH: ISO Quick Coupler (wide) and 930K/M, 938K/M REQUIRES: 3rd valve on the machine	\$30,694 NI
---	----------	---	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS

These brooms require 3V quick coupler ready valve block.
An 8-pins work tool harness on the machine may be required.
No pin-on hook groups are available.
Required are connecting lines from the lift arms to the quick coupler.
For 924G and 928G additional hydraulic oil cooler is required:
ex-factory 239-7395 and 227-9400 field installed.
QDs on the machine need to be checked ("Turn to Connect" vs "Push to C
Brooms do not contain QDs. Please order separate.

W	455-7380	KIT, LOADER, COUPLING QD 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. These are "Turn to Connect" QDs. K Series produced since 2014 and all Mseries have these QDs.		\$368 NI
W	196-4191	KIT, CONVERSION 3 Kit provides a set (male & female) "Push to Connect" Quick Disconnects For pre 2014 K series machines.		\$440 NI

BA25 ANGLING BROOMS

W	487-8492	BA25 ANGLE BROOM, MAN 992 Excluding hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$12,319 NI
W	487-8498	BA25 ANGLE BROOM, MAN, FUS 1,314 Includes Fusion hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$14,014 NI
W	164-8485	BA25 ANGLE BROOM, MAN, IT 1,014 Includes IT14/28 hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$12,946 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
BROOMS (CONT.)				
BA25 ANGLING BROOMS (Cont.)				
W	487-8497	BA25 ANGLE BROOM, MAN, ISO 1,076 Includes ISO (L50) hook group, 700mm (27.5") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continuous flow, Hydraulic quick couplings kit REQUIRES: Broom side: QDs kit		\$13,331 NI
W	487-8494	BA25 ANGLE BROOM, HYD, 24V 1,030 Excluding hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$15,875 NI
W	487-8495	BA25 ANGLE BROOM, HYD, FUS,24V 1,351 Includes Fusion hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$17,556 NI
W	487-8496	BA25 ANGLBROOM,HYD,FUS,24V,WTR 1,495 Includes Fusion hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L watertank FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$23,694 NI
W	157-5880	BA25 ANGLE BROOM, HYD, IT, 24V 1,014 Includes IT14/28 hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continuous flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$16,497 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

BA25 ANGLING BROOMS (Cont.)

W	164-8484	BA25 ANGLEBROOM, HYD, HO, 24V, WTR 1,345 Includes IT14/28 hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L watertank FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$22,626 NI
W	487-8499	BA25 ANGLE BROOM, HYD, ISO, 24V 1,111 Includes ISO (L50) hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$16,611 NI
W	487-8502	BA25 ANGLBROOM, HYD, ISO, 24V, WTR 1,497 Includes ISO (L50) hook group, 700mm (27.5") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight -- max angled: 2500mm (98.4")-- 2165mm(85.2") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L watertank FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$22,750 NI

BA30 ANGLING BROOMS

W	202-7700	BA30 ANGLE BROOM, MAN 1,078 Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydraulic 3rd valve group with front lines, Continious flow, Hydraulic quick couplings kit REQUIRES: Broom side: hook group and QDs kit		\$17,915 NI
W	202-7699	BA30 ANGLE BROOM, MAN, 24V, WTR 1,518 Excluding hook group, 915mm (36") brush diameter Manual angling - 0, 15 and 30 degrees left or right of center Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$23,964 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

BA30 ANGLING BROOMS (Cont.)

W	202-9000	BA30 ANGLE BROOM, HYD, 24V 1,100 Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$19,015 NI
W	497-9455	BA30 ANGLE BROOM, HYD, FUS, 24V 1,672 Including Fusion hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$20,708 NI
W	202-8999	BA30 ANGLE BROOM, HYD, 24V, WTR 1,540 Excluding hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$24,965 NI
W	497-9456	BA30 ANGLBROOM, HYD, FUS, 24V, WTR 2,097 Including Fusion hook group, 915mm (36") brush diameter Hydraulic angling 30 degr. left/right of center using 24V Divert Valve Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") Brush material - 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 600L watertank FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$26,750 NI

SA25 BROOM HYDRAULIC ANGLING

W	267-4961	SA25 ANGLE BROOM, HYD(QC)W/O WTR 1,411 Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 2500mm (98.4") - 2165mm (85.2") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$18,996 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

SA25 BROOM HYDRAULIC ANGLING (Cont.)

W	267-5352	SA25 ANGLE BROOM,HYD(QC),W/WTR 1,340 Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 2500mm (98.4") - 2165mm (85.2") INCLUDES: Water sprinklers, 24V water pump and 240L (63Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$24,624 NI
---	----------	--	--	-------------

SA30 BROOM HYDRAULIC ANGLING

W	257-9680	SA30 ANGLEBROOM,HYD(QC)W/O WTR 1,520 Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$21,869 NI
---	----------	--	--	-------------

W	267-5351	SA30 ANGLE BROOM,HYD(QC) W/WTR 1,520 Excluding hook group Hydraulic angling 30 degr. left/right of center using 24V Divert Valve 915mm (36") brush diameter, Brush material - 100% Polypropylene Sweeping width straight - max angled: 3000mm (118") - 2590mm (102") INCLUDES: Water sprinklers, 24V water pump and 240L (63Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$28,707 NI
---	----------	--	--	-------------

BP25 BROOM PICK UP

W	487-8484	BP25 PICK-UP BROOM, HYD, 24V 1,349 Excluding hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal)watertank REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: hook group and QDs kit		\$21,792 NI
---	----------	---	--	-------------

W	487-8485	BP25 PICK-UP BROOM,HYD,FUS,24V 1,671 Includes Fusion hook group 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal)watertank FOR USE WITH: Fusion quick coupler REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$23,472 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

BROOMS (CONT.)

BP25 BROOM PICK UP (Cont.)

W	158-0253	BP25 PICK-UP BROOM, HYD,IT,24V 1,435 Includes Hook group for standard quick coupler IT14/28 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal)watertank FOR USE WITH: Standard quick coupler (IT14/28) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$22,407 NI
W	487-8491	BP25 PICK-UP BROOM,HYD,ISO,24V 1,433 Includes Hook group for ISO quick coupler (wide or L50) 2500mm (98.4") sweeping width, 700mm (27.5") brush diameter Brush material 50% Polypropylene / 50% Steel Wire INCLUDES: Water sprinklers, 24V water pump and 400L (100Gal)watertank FOR USE WITH: ISO quick coupler (wide or L50) REQUIRES: Machine side: Hydr. 3rd valve group with front lines + QDs, Continious flow, Kit Electrical Switch (see "BROOM KITS" below) REQUIRES: Broom side: QDs kit		\$22,528 NI

BROOM KITS

W	497-9469	HOOK-GP, FUSION 324 FOR USE WITH: Fusion quick coupler		\$1,688 NI
W	487-8490	HOOK-GP, IT14/28 64 FOR USE WITH: standard quick coupler IT14/28		\$625 NI
W	487-8481	HOOK-GP, HO(IT38) 112 FOR USE WITH: standard quick coupler IT 38		\$1,111 NI
W	487-8480	HOOK-GP, ISO (L50) 84 FOR USE WITH: horizontal pin lock ISO coupler (L50)		\$743 NI
W	446-9301	KIT, ELECTRICAL SWITCH 3 Includes 8 pins electrical harness FOR USE WITH: All brooms on 924-938K/M Series, All Brooms		\$626 NI
W	173-2190	KIT, ELECTRICAL SWITCH 11 For use with: 938H, 930H, 928Hz, 928Gz, 924Hz, 924Gz, 924H and IT28G		\$626 NI
W	363-4263	KIT, ELECTRICAL SWITCH 7 FOR USE WITH: BP25 and 924 H/G		\$626 NI
W	196-4191	KIT, CONVERSION 3 Converts a machine using the nipple type quick disconnects to a machine using the flat face type quick disconnects.		\$440 NI
W	457-4632	KIT, CONVERSION 6 This converts a machine using the flat face type quick disconnects to a machine using the screw to connect type quick disconnects.		\$453 NI
W	497-9459	KIT SPRAY, BA25, 24V 50 FOR USE WITH: BA25		\$1,278 NI
W	497-9460	KIT SPRAY, BA30, 24V 39 FOR USE WITH: BA30		\$1,444 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
BROOMS (CONT.)				
<i>BROOM KITS (Cont.)</i>				
W	497-9461	KIT WATER TANK, 105 GALS FOR USE WITH: BA25 REQUIRES: 497-9459 KIT SPRAY, BA25, 24V	325	\$4,194 NI
W	497-9462	KIT WATER TANK, 158 GALS FOR USE WITH: BA30 REQUIRES: 497-9460 KIT SPRAY, BA30, 24V	423	\$5,139 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL PIN-ON

This section contains pin-on work tools for following NON current SWL:

- 924G/H, 930G/H
- 924GZ/HZ
- 928GZ/HZ
- 938G/H

Following work tools are available:

BUCKETS:

- GENERAL PURPOSE PIN-ON
- HIGH DENSITY
- LARGER CAPACITY, LOW DENSITY
- MATERIAL HANDLING
- MULTI PURPOSE
- SIDE DUMP
- WASTE
- WOOD CHIP

BROOMS: No Pin-on brooms available

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210

Only select if ordering items identified as 'CWTS PRODUCT'
Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

If no reference numbers appear below there are currently no items available in your region.

BUCKETS: GENERAL PURPOSE PIN-ON - 924G/H AND 930G/H

W	172-8563	BUCKET, GP, 2.2 YD3, PO 0 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%		\$6,853 NI
W	167-3963	BUCKET, GP, 2.2YD3, PO 1,451 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%		\$7,613 NI
W	231-1492	BUCKET, GP, 2.3YD3, PO, BOCE 1,731 General Purpose Bucket, Width 2532 mm (100").Incl BOCE and spill guard Capacity: 1.8 m3 (2.3 yd3) fill factor 100%		\$8,422 NI
W	256-8898	BUCKET, GP, 2.9YD3, PO 2,081 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.2 m3 (2.9 yd3) fill factor 100%		\$10,317 NI
W	243-2452	BUCKET, GP, 3.0 YD3, PO 2,108 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$6,819 NI
W	256-8899	BUCKET, GP, 3.0 YD3, PO 0 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$10,014 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL PIN-ON (CONT.)				
<i>BUCKETS: GENERAL PURPOSE PIN-ON - 924G/H AND 930G/H (Cont.)</i>				
W	256-8911	BUCKET, GP, 3.1YD3, PO 2,171 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.4 m3 (3.1 yd3) fill factor 100%		\$10,997 NI
W	256-8912	BUCKET, GP, 3.27 YD3, PO 2,548 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.5 m3 (3.3 yd3) fill factor 100%		\$10,057 NI
<i>BUCKETS: GENERAL PURPOSE PIN-ON - 924GZ/HZ</i>				
W	252-6910	BUCKET, GP, 2.75 YD3, PO 2,097 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.1 m3 (2.7 yd3) fill factor 100%		\$5,158 NI
<i>BUCKETS: GENERAL PURPOSE PIN-ON - 928GZ/HZ</i>				
W	119-1799	BUCKET, GP, 2.6YD3, PO 1,874 100" (2540mm) wide		\$9,031 NI
W	223-9730	BUCKET, GP, 2.9 CYD, PO 1,976 100" (2540mm) wide		\$10,275 NI
<i>BUCKETS: GENERAL PURPOSE PIN-ON - 938G/H</i>				
W	158-7479	BUCKET-GP, 2.75YD3 2,249 (CWTS PRODUCT) CAPACITIES: 2.75 CYD(2.1 CUM) with bolt-on adapters, 109"(2769mm) wide 3.00 CYD(2.3 CUM) with bolt-on adapters & segments, 109"(2769mm) wide 3.00 CYD(2.3 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide		\$10,171 NI
W	158-7480	BUCKET-GP, 3.0YD3 2,322 (CWTS PRODUCT) CAPACITIES: 3.00 CYD(2.3 CUM) with bolt-on adapters, 109"(2769mm) wide 3.25 CYD(2.5 CUM) with bolt-on adapters & segments, 109"(2769mm) wide 3.25 CYD(2.5 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide		\$10,799 NI
W	158-7481	BUCKET-GP, 3.50YD3 2,478 (CWTS PRODUCT) CAPACITIES: 3.50 CYD(2.7 CUM) with bolt-on adapters, 109"(2769mm) wide 3.65 CYD(2.8 CUM) with bolt-on adapters & segments, 109"(2769mm) wide 3.65 CYD(2.8 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide		\$11,442 NI
W	215-1276	BUCKET-GP, 3.75YD3 2,198 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) CAPACITIES: 3.75 CYD(2.9 CUM) with bolt-on adapters, 109"(2769mm) wide 4.00 CYD(3.1 CUM) with bolt-on adapters and segments, 109"(2769mm) wide 4.00 CYD(3.1 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide		\$11,971 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL PIN-ON (CONT.)				
BUCKETS: HIGH DENSITY - 924G/H AND 930G/H				
W	252-6909	BUCKET, HI DENS, 2.6YD3, PO	1,811	\$8,208 NI
BUCKETS: LARGER CAPACITY, LOW DENSITY - 924G/H AND 930G/H				
W	252-6901	BUCKET, LM, 3.6 CYD, PO, BOCE	2,361	\$9,529 NI
		Light Material Bucket, Width 2532 mm (100"). Includes BOCE Capacity: 2.6 m3 (3.6 yd3) fill factor 100%		
W	252-6904	BUCKET, LM, 3.66 YD3, PO	2,368	\$5,543 NI
		Light Material Bucket, Width 2532 mm (100"). Base edge Capacity: 2.8 m3 (3.7 yd3) fill factor 100%		
BUCKETS: LARGER CAPACITY, LOW DENSITY - 938G/H				
W	314-3192	BUCKET-COAL, 120" 5.00 CYD	2,745	\$14,311 NI
		(CWTS PRODUCT) FOR USE WITH: Fusion Coupler Requires: Bolt on Edge		
W	341-7461	BUCKET, LM 120" 5.00YD3	3,358	\$14,033 NI
		(CWTS PRODUCT) 120" (3059mm) wide Includes bolt-on cutting edge and end bits		
BUCKETS: MATERIAL HANDLING - 938G/H				
W	149-7445	BUCKET-MH, 3.5 YD3	2,445	\$11,442 NI
		(CWTS PRODUCT) CAPACITIES: 3.50 CYD(2.7 CUM) with bolt-on adapters, 109"(2769mm) wide 3.65 CYD(2.8 CUM) with bolt-on adapters & segments, 109"(2769mm) wide 3.65 CYD(2.8 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide		
BUCKETS: MULTI PURPOSE - 924G/H				
W	183-4735	BUCKET, 2.1 CYD, MP	3,069	\$21,804 NI
		(CWTS PRODUCT) CAPACITIES: 2.1 CYD(1.6 CUM) with bolt-on adapters, 103"(2616mm) wide 2.35 CYD(1.8 CUM) with bolt-on adapters & segments, 103"(2616mm) wide 2.35 CYD(1.8 CUM) with bolt-on cutting edge, 103"(2616mm) wide REQUIRES: 3rd valve		
BUCKETS: MULTI PURPOSE - 928GZ/HZ				
W	140-1790	BUCKET, 103" 2.5 CYD MP	2,830	\$24,307 NI
		(CWTS PRODUCT) 103"(2616mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL PIN-ON (CONT.)

BUCKETS: MULTI PURPOSE - 938G/H

W	119-8236	BUCKET-MP, 2.4 YD3 (CWTS PRODUCT) 109"(2769mm) wide INCLUDES: bolt-on edges REQUIRES: 3rd valve	3,461	\$23,563 NI
---	----------	---	-------	-------------

BUCKETS: SIDE DUMP

W	141-6261	BUCKET, 116" 2.13 CYD SD (CWTS PRODUCT) 116"(2946mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve	3,770	\$29,146 NI
---	----------	--	-------	-------------

BUCKETS: SIDE DUMP - 938G/H

W	119-8239	BUCKET-SD, 2.5 YD3 (CWTS PRODUCT) 122"(3099mm) wide INCLUDES: bolt-on edges REQUIRES: 3rd valve	3,800	\$26,729 NI
---	----------	---	-------	-------------

BUCKETS: WASTE - 938G/H

W	159-3205	BUCKET-WH 5.5 CYD (CWTS PRODUCT) 109"(2769mm) wide INCLUDES: bolt-on cutting edges	4,300	\$22,113 NI
---	----------	---	-------	-------------

BUCKETS: WOOD CHIP - 924G/H

W	167-0121	BUCKET, 6.5 CYD, WC (CWTS PRODUCT) ACCEPTS: Bolt on cutting edge DUMP CLEARANCE: 104"(2642mm) MAXIMUM MATERIAL DENSITY: 1072 lbs/cyd(639kg/cum) 134"(3404mm) wide REQUIRES: 178-0470 pin group	2,913	\$14,453 NI
---	----------	--	-------	-------------

BUCKETS: WOOD CHIP - 938G/H

W	197-6736	BUCKET-WC, 7.25 YD3 (CWTS PRODUCT) 129"(3277mm) wide INCLUDES: bolt-on cutting edges	3,500	\$16,885 NI
---	----------	---	-------	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION

This section contains work tools for CWTS HPL quick coupler for following NON-current machines:
924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H
Please note if current machines have a HPL QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

Following work tools are available:
CWTS HPL QUICK COUPLER
CWTS HPL COUPLER SUPPLY GROUPS
BUCKETS:
- GENERAL PURPOSE for CWTS HPL
- MATERIAL HANDLING for CWTS HPL
- MULTI PURPOSE for CWTS HPL
- SIDE DUMP for CWTS HPL
- WOOD CHIP
ARM, MATERIAL HANDLING for CWTS HPL
BROOMS: Please see section "BROOMS"
FORK for CWTS HPL
PLOW for CWTS HPL

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210
Only select if ordering items identified as 'CWTS PRODUCT'
Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

If no reference numbers appear below there are currently no items available in your region.

FUSION QUICK COUPLERS

The machine needs to be quick coupler ready.

W	310-9395	QUICK COUPLER. 545 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) REQUIRES: supply group FOR USE WITH: 924H/G STD and HL machines machine serial numbers HXC02231 and down, KLN, JTM, RRS, DDA, RRS, DDA, RBB, WMB, 9SW, AAN, 3PZ FOR USE WITH: 930H/G STD and HL machines machine serial numbers DHC02490 and down, TWR, TFW		\$4,929 NI
W	310-9394	QUICK COUPLER. 706 (CWTS PRODUCT) REQUIRES: Supply group FOR USE WITH: 924HZ/GZ machine with serial numbers BEF, RCB, PED, GYW, AAB, 3DZ, RTA, WGX		\$4,028 NI
W	310-9393	QUICK COUPLER. 865 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) REQUIRES: Supply group FOR USE WITH: 928H/G machines with serial numbers CXK, BYD, DJD, WLG		\$4,654 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL FUSION (CONT.)				
FUSION QUICK COUPLERS (Cont.)				
W	310-9392	QUICK COUPLER 721 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) REQUIRES: supply group (HIGH LIFT machines need tilt link 233-7380) FOR USE WITH: 938G series II machines machine serial numbers CRD01176 and up machine serial numbers RTB01081 and up		\$5,796 NI
COUPLER SUPPLY GROUPS				
W	324-2651	KIT, COUPLER HYDRAULIC SUPPLY 44 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: 310-9392 Fusion Coupler 938H STANDARD machines machine serial numbers MJC, JKM, LKM 924 THROUGH 938 & IT28 SWL WORK TOOLS (CONT.) COUPLER SUPPLY GROUPS (Cont.)		\$1,594 NI
W	324-2652	KIT, COUPLER HYDRAULIC SUPPLY 44 (CWTS PRODUCT) FOR USE WITH: 310-9392 Fusion Coupler 938G series II HIGH LIFT machines machine serial numbers MJC, JKM, LKM		\$1,594 NI
W	315-6306	KIT, COUPLER HYDRAULIC SUPPLY 44 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: 310-9392 Fusion Coupler 938G series II STANDARD machines machine serial numbers CRD01176 and up machine serial numbers RTB01081 and up		\$1,594 NI
W	315-6308	KIT, COUPLER HYDRAULIC SUPPLY 44 (CWTS PRODUCT) FOR USE WITH: 310-9392 Fusion Coupler 938G series II HIGH LIFT machines machine serial numbers CRD01176 and up machine serial numbers RTB01081 and up		\$1,594 NI
W	315-6296	KIT, COUPLER HYDRAULIC SUPPLY 0 (CWTS PRODUCT) FOR USE WITH: 310-9394 Fusion Coupler		\$1,615 NI
W	315-6301	KIT, COUPLER HYDRAULIC SUPPLY 33 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: 310-9393 Fusion Coupler machine serial number prefix DJD and WLG machine serial number prefix DJD, WLG and CXK		\$1,628 NI
W	315-6341	KIT, COUPLER HYDRAULIC SUPPLY 9 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: 310-9395 Fusion Coupler 930H/G series II STANDARD machines		\$1,628 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL FUSION (CONT.)				
<i>COUPLER SUPPLY GROUPS (Cont.)</i>				
W	315-6343	KIT, COUPLER HYDRAULIC SUPPLY (CWTS PRODUCT) FOR USE WITH: 310-9395 Fusion Coupler 924H/G series II STANDARD machines	10	\$1,628 NI
W	315-6344	KIT, COUPLER HYDRAULIC SUPPLY (CWTS PRODUCT) FOR USE WITH: 310-9395 Fusion Coupler 924H/G series II HIGH LIFT machines	11	\$1,628 NI
W	315-6342	KIT, COUPLER HYDRAULIC SUPPLY (CWTS PRODUCT) FOR USE WITH: 310-9395 Fusion Coupler 930H/G series II HIGH LIFT machines	10	\$1,628 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION (CONT.)

BUCKETS: GENERAL PURPOSE - 938G/H

W	314-3208	BUCKET-GP, 106" 2.75YD3 2,165 (CWTS PRODUCT) CAPACITIES: 2.75 CYD (2.1 CUM) with bolt-on adapters, 109"(2777mm)wide 3.00 CYD (2.3 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 3.00 CYD (2.3 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$10,165 NI
W	314-3209	BUCKET-GP, 106" 3.0YD3 2,246 (CWTS PRODUCT) CAPACITIES: 3.00 CYD (2.3 CUM) with bolt-on adapters, 109"(2777mm)wide 3.25 CYD (2.5 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 3.25 CYD (2.5 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$10,797 NI
W	311-6942	BUCKET-GP, 106" 3.50YD3 2,438 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) CAPACITIES: 3.50 CYD (2.7 CUM) with bolt-on adapters, 109"(2777mm)wide 3.75 CYD (2.9 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 3.75 CYD (2.9 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$11,442 NI
W	314-3210	BUCKET-GP, 106" 3.75YD3 2,594 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) CAPACITIES: 3.75 CYD (2.9 CUM) with bolt-on adapters, 109"(2777mm)wide 4.00 CYD (3.1 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 4.00 CYD (3.1 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$11,965 NI

BUCKETS: HIGH DUMP - 938G/H

W	312-1726	BUCKET-HIGH DUMP, 114" 4.0YD3 3,758 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$34,506 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION (CONT.)

BUCKETS: MATERIAL HANDLING - 930G/H

W	314-3221	BUCKET-MH, 106" 3.75 CYD 2,465 (CWTS PRODUCT) CAPACITIES: 3.75 CYD (2.9 CUM) with bolt-on adapters, 109"(2777mm)wide 4.00 CYD (3.1 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 4.00 CYD (3.1 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$16,458 NI
W	314-3222	BUCKET-MH, 106" 4.25 CYD 2,628 (CWTS PRODUCT) CAPACITIES: 4.25 CYD (3.2 CUM) with bolt-on adapters, 109"(2777mm)wide 4.50 CYD (3.4 CUM) with bolt-on adapters and segments, 109"(2777mm)wide 4.50 CYD (3.4 CUM) with bolt-on cutting edges, 106"(2700mm)wide FOR USE WITH: Fusion Coupler		\$17,301 NI

BUCKETS: MULTI PURPOSE - 924G/H AND 930G/H

W	315-6741	BUCKET 122" 2.5YD3 MP 3,197 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler INCLUDES: bolt-on edges		\$22,969 NI
---	----------	---	--	--------------------

BUCKETS: MULTI PURPOSE - 928GZ/HZ

W	313-1395	BUCKET-MP, 103" 2.50 CYD 3,080 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler INCLUDES: bolt-on edges		\$23,614 NI
---	----------	--	--	--------------------

BUCKETS: MULTI PURPOSE - 938G/H

W	313-1396	BUCKET-MP, 108" 2.38 CYD 3,250 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler		\$24,036 NI
---	----------	---	--	--------------------

BUCKETS: SIDE DUMP - 924K, 926M, 930M/K AND 938M

W	394-6894	BUCKET-SD, 122" 2.50YD3 3,645 (CWTS PRODUCT) 122" (3105mm) wide FOR USE WITH: Fusion Coupler INCLUDES: Bolt on edge REQUIRES: 3rd valve		\$27,367 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION (CONT.)

BUCKETS: SIDE DUMP - 924G/H AND 930G/H

W	315-6744	BUCKET-SD, 115.3" 2.39 CYD 3,869 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: Fusion Coupler INCLUDES: bolt-on edges		\$27,589 NI
---	----------	--	--	--------------------

BUCKETS: SIDE DUMP - 938G/H

W	314-2546	BUCKET-SD, 122" 2.50 CYD 3,495 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) Left side dumping FOR USE WITH: Fusion Coupler INCLUDES: Bolt on Edge		\$27,261 NI
W	461-2391	BUCKET-SD, 122" 2.50YD3 3,645 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) Right side dumping FOR USE WITH: Fusion Coupler INCLUDES: Bolt on Edge REQUIRES: 3rd valve		\$27,367 NI

CARRIAGES AND TINE GROUPS - 924G/H and 930G/H

W	329-4982	CARRIAGE GROUP, 84" 1,143 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) FOR USE WITH: Fusion Coupler REQUIRES: Tine Group		\$6,594 NI
W	315-1414	TINE GROUP, 48" 563 (CWTS PRODUCT) FOR USE WITH: 329-4982 Carriage Group TINE WIDTH: 150MM (6") TINE THICKNESS: 65MM (2.5")		\$4,082 NI
W	314-7445	TINE GROUP, 60" 665 (CWTS PRODUCT) FOR USE WITH: 329-4982 Carriage Group TINE WIDTH: 150MM (6") TINE THICKNESS: 65MM (2.5")		\$4,529 NI
W	315-1415	TINE GROUP, 72" 648 (CWTS PRODUCT) FOR USE WITH: 329-4982 Carriage Group TINE WIDTH: 150MM (6")		\$5,042 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL FUSION (CONT.)

PLOWS - 924H,924HZ,928H,930H,938H AND IT38H

W	315-6675	PLOW, 144" HYD REV SNOW (QC) 2,867 (CWTS PRODUCT) HEIGHT: 40" (1016mm) INCLUDES: Trip Edge REQUIRES: 3rd Valve REQUIRES: K-Series machines require 196-4191 conv ki FOR USE WITH: Fusion Coupler		\$25,153 NI
W	315-6676	PLOW, 168" HYD REV SNOW (QC) 3,775 (CWTS PRODUCT) HEIGHT: 50" (1270mm) REQUIRES: 3rd Valve REQUIRES: K-Series machines require 196-4191 conv kit FOR USE WITH: Fusion Coupler		\$21,926 NI

RAKES - 924H,924G,924HZ,924GZ,928HZ,928GZ,930H,930G AND 938H/G

W	317-1241	RAKE, LOADER 98" 2,950 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler RAKING WIDTH: 98"(2495mm) OVERALL WIDTH: 106"(2697mm) HEIGHT: 65"(1653mm) NUMBER OF TEETH: 8 TOOTH SPACING: 11.75"(299mm)		\$15,431 NI
W	317-1244	RAKE, LOADER W/ DTC 112" 4,917 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler DOUBLE TOP CLAMP RAKING WIDTH: 112"(2844mm) OVERALL WIDTH: 120"(3047mm) HEIGHT: 74"(1875mm) NUMBER OF TEETH: 9 TOOTH SPACING: 11.75"(299mm) REQUIRES: 3rd valve and 200-0724 QDC conversion kit		\$29,050 NI
W	317-1245	RAKE, LOADER W/ DTC 85" 4,322 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler Double Top Clamp RAKING WIDTH: 85"(2146mm) OVERALL WIDTH: 92"(2348mm) HEIGHT: 74"(1875mm) NUMBER OF TEETH: 7 TOOTH SPACING: 11.75"(299mm) REQUIRES: Connector lines and 3rd valve 196-4191 QDC conversion kit required for mounting on 924H/930H machine 200-0724 kit is required for mounting on 924HZ/928HZ machines		\$28,133 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL

This section contains work tools for CWTS HPL quick coupler for following NON-current machines:

924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H

Please note if current machines have a HPL QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

Following work tools are available:

CWTS HPL QUICK COUPLER

CWTS HPL COUPLER SUPPLY GROUPS

BUCKETS:

- GENERAL PURPOSE for CWTS HPL
- MATERIAL HANDLING for CWTS HPL
- MULTI PURPOSE for CWTS HPL
- SIDE DUMP for CWTS HPL
- WOOD CHIP

ARM, MATERIAL HANDLING for CWTS HPL

BROOMS: Please see section "BROOMS"

FORK for CWTS HPL

PLOW for CWTS HPL

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210

Only select if ordering items identified as 'CWTS PRODUCT'

Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

If no reference numbers appear below there are currently no items available in your region.

CWTS HPL QUICK COUPLER

The machine needs to be quick coupler ready.

W	222-5006	QUICK COUPLER, HORIZONTAL PIN	401	\$4,169 NI
		(CWTS PRODUCT)		
		REQUIRES: 202-2626 supply group		
W	395-0329	QUICK COUPLER, HORIZONTAL PIN	747	\$7,850 NI
		(CWTS PRODUCT)		
		INCLUDES: Connector Lines		
W	222-4990	QUICK COUPLER, HORIZONTAL PIN	586	\$6,285 NI
		(CWTS PRODUCT)		
		FOR USE WITH: all machine prefixes EXCEPT DJD, WLG and CXK.		
		REQUIRES: 144-8996 supply group		
W	253-2137	QUICK COUPLER, HORIZONTAL PIN	586	\$4,838 NI
		(CWTS PRODUCT)		
		FOR USE WITH: machine prefixes DJD, WLG and CXK		
		REQUIRES: 239-1450 supply group		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

CWTS HPL QUICK COUPLER (Cont.)

W	222-5002	QUICK COUPLER, HYDRAULIC 600 (CWTS PRODUCT) REQUIRES: supply group (HIGH LIFT machines need tilt link 233-7380) FOR USE WITH: 938G series I and II machines STANDARD and HIGH LIFT machines machine serial numbers 9HS00705 and up machine serial numbers 4YS01414 and up machine serial numbers 6WS02800 and up machine serial numbers CRD all machine serial numbers RTB all machine serial numbers B9Y all		\$6,000 NI
W	222-4991	QUICK COUPLER, HORIZONTAL PIN 551 (CWTS PRODUCT) REQUIRES: supply group FOR USE WITH: 938G series I machines machine serial numbers 9HS00704 and down machine serial numbers 4YS01413 and down machine serial numbers 6WS02799 and down		\$6,000 NI
W	315-6334	QUICK COUPLER, HYDRAULIC 553 (CWTS PRODUCT) REQUIRES: Supply group (High Lift machines need tilt link 233-7380) FOR USE WITH: 938H STANDARD and HIGH LIFT machines machine serial numbers MJC00001 and up		\$6,003 NI

CWTS HPL COUPLER SUPPLY GROUPS - 924G/H AND 930G/H

W	202-2626	KIT, COUPLER HYDRAULIC SUPPLY 35 (CWTS PRODUCT) FOR USE WITH: 222-5006 HPL Coupler		\$1,615 NI
W	239-1450	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 238-8300 and 253-2137 HPL Coupler		\$1,628 NI
W	230-4025	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 222-5002 HPL Coupler 938G Series I and II STANDARD machines machine serial numbers 9HS00705 and up machine serial numbers 4YS01414 and up machine serial numbers 6WS02800 and up machine serial numbers CRD01175 and down machine serial numbers RTB1080 and down		\$1,628 NI
W	235-1859	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 222-5002 HPL Coupler 938G series I and II, HIGH LIFT machines machine serial numbers 9HS00705 and up machine serial numbers 4YS01414 and up machine serial numbers 6WS02800 and up machine serial numbers CRD01175 and down machine serial numbers RTB1080 and down		\$1,628 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

CWTS HPL COUPLER SUPPLY GROUPS - 924G/H AND 930G/H (Cont.)

W	165-7364	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 222-4991 HPL Coupler 938G series I STANDARD machines machine serial numbers 9HS00704 and down machine serial numbers 4YS01413 and down machine serial numbers 6WS02799 and down		\$1,628 NI
W	257-6807	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 222-5002 HPL Coupler FOR USE WITH: 938G series II STANDARD machines machine serial numbers CRD1176 and up machine serial numbers RTB1081 and up machine serial numbers B9Y all		\$1,628 NI
W	257-6808	KIT, COUPLER HYDRAULIC SUPPLY 54 (CWTS PRODUCT) FOR USE WITH: 222-5002 HPL Coupler FOR USE WITH: 938G series II HIGH LIFT machines machine serial numbers CRD1176 and up machine serial numbers RTB1081 and up		\$1,628 NI
W	183-7233	LINES, CONNECTOR 28 (CWTS PRODUCT) FOR USE WITH: CWTS HPL Coupler		\$1,050 NI
W	140-9648	LINES, CONNECTOR 16 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT)		\$1,036 NI

CWTS HPL COUPLER HOOKS

W	135-6323	HOOK, BLANK (QC) 520 (CWTS PRODUCT) Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services		\$1,725 NI
W	121-8908	HOOK, FLAT BACK (QC) 155 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT)		\$1,140 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL HPL (CONT.)

BUCKETS: GENERAL PURPOSE for CWTS HPL - 928GZ/HZ

W	141-2303	BUCKET-GP, 100" 3.50YD3 (QC) 2,175 (CWTS PRODUCT) 100"(2540mm) wide INCLUDES: bolt-on cutting edge FOR USE WITH: HPL Coupler		\$9,510 NI
---	----------	--	--	------------

BUCKETS: GENERAL PURPOSE for CWTS HPL - 938G/H

W	215-1277	BUCKET-GP, 3.0YD3 (QC) 2,375 (CWTS PRODUCT) CAPACITIES: 3.00 CYD(2.3 CUM) with bolt-on adapters, 109"(2769mm) wide 3.25 CYD(2.5 CUM) with bolt-on adapters and segments, 109"(2769mm) wide 3.25 CYD(2.5 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide FOR USE WITH: HPL Coupler		\$10,797 NI
---	----------	---	--	-------------

W	169-1743	BUCKET-GP, 3.25YD3 (QC) 2,500 (CWTS PRODUCT) CAPACITIES: 3.00 CYD(2.3 CUM) with bolt-on adapters, 109"(2769mm) wide 3.50 CYD(2.7 CUM) with bolt-on adapters and segments, 109"(2769mm) wide 3.50 CYD(2.7 CUM) with bolt-on cutting edges, 106.5"(2705mm) wide FOR USE WITH: HPL Coupler		\$11,107 NI
---	----------	--	--	-------------

BUCKETS: MATERIAL HANDLING for CWTS HPL - 928GZ/HZ

W	139-0276	BUCKET-MH, 3.5 CYD (QC) 2,230 (CWTS PRODUCT) 100"(2540mm) wide INCLUDES: bolt-on cutting edge FOR USE WITH: HPL Coupler		\$11,133 NI
---	----------	---	--	-------------

BUCKETS: MULTI PURPOSE for CWTS HPL - 928GZ/HZ

W	140-9551	BUCKET-MP, 2.5 CYD (QC) 3,100 (CWTS PRODUCT) 103"(2616mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve and 140-9648 lines FOR USE WITH: HPL Coupler		\$23,236 NI
---	----------	---	--	-------------

BUCKETS: MULTI PURPOSE for CWTS HPL - 938G/H

W	119-8229	BUCKET-MP, 2.4 YD3 (QC) 3,296 (CWTS PRODUCT) 109"(2769mm) wide INCLUDES: bolt-on edges REQUIRES: 3rd valve and 151-2402 connector lines FOR USE WITH: HPL Coupler		\$23,639 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL HPL (CONT.)				
<i>BUCKETS: SIDE DUMP for CWTS HPL - 928GZ/HZ</i>				
W	141-6262	BUCKET-SD, 2.13 CYD (QC) 3,800 (CWTS PRODUCT) 116"(2946mm) wide INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve and 140-9648 lines FOR USE WITH: HPL Coupler		\$28,735 NI
W	119-8227	BUCKET-SD, 2.5 YD3 (QC) 3,200 (CWTS PRODUCT) 122"(3099mm) wide INCLUDES: bolt-on edges REQUIRES: 3rd valve and connector lines FOR USE WITH: HPL Coupler		\$27,064 NI
<i>BUCKETS: WOOD CHIP - 938G/H</i>				
W	311-6947	BUCKET-WC, 129" 7.25 CYD 3,700 (CWTS PRODUCT) FOR USE WITH: Fusion Coupler INCLUDES: bolt-on edges		\$17,221 NI
W	2Q-1589	BUCKET-WC, 7.25 YD3 (QC) 3,350 (CWTS PRODUCT) 129"(3277mm) wide INCLUDES: bolt-on cutting edge FOR USE WITH: HPL Coupler		\$17,206 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL HPL (CONT.)				
ARM, MATERIAL HANDLING for CWTS HPL - 924HZ,924GZ,928HZ,928GZ & 938H/G				
W	106-2481	ARM, MATERIAL HANDLING (CWTS PRODUCT) EXTENDABLE LENGTH: 95.5"(2426mm) to 158.6"(4028mm) FOR USE WITH: Horizontal pin coupler	1,047	\$5,753 NI
BLADE for CWTS HPL - 938G/H				
W	200-2967	BLADE, 108" STRAIGHT (QC) (CWTS PRODUCT) HEIGHT: 45"(1143mm) REQUIRES: Quick Coupler	2,000	\$11,083 NI
PLOW for CWTS HPL - 928HZ, 928GZ AND 938H/G				
W	243-4536	PLOW, 117" V SNOW (QC) (CWTS PRODUCT) HEIGHT: 82"(2083mm) FOR USE WITH: Horizontal pin coupler	2,500	\$9,799 NI
W	144-3262	PLOW, 145" HYD REV SNOW(QC) (CWTS PRODUCT) HEIGHT: 40"(1016mm) INCLUDES: trip edge FOR USE WITH: Horizontal pin coupler REQUIRES: 3rd valve and 140-9648 connector lines	3,803	\$22,860 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT

This section contains work tools for standard or IT quick coupler for following NON-current machines:
924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H
Please note if current machines have IT QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

- Following work tools are available:
IT (standard) QUICK COUPLER
COUPLER SUPPLY GROUPS
BUCKETS:
- GENERAL PURPOSE IT
- HIGH DUMP for IT
- HIGH DENSITY for IT
- LIGHT MATERIAL for IT
- MATERIAL HANDLING
- MULTI PURPOSE for IT
- PENETRATION for IT
- SIDE DUMP for IT
- WOOD CHIP for IT
ARM, MATERIAL HANDLING for IT
BLADES for IT
BROOMS: Please see section "BROOMS"
CARRIAGES / PALLET FORKS for IT
FORK, PIPE & POLE for IT
CUTTER, ASPHALT for IT
RAKES for IT
SNOW PLOWS for IT

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210
Only select if ordering items identified as 'CWTS PRODUCT'
Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

If no reference numbers appear below there are currently no items available in your region.

IT (standard) QUICK COUPLER

The machine needs to be quick coupler ready.

W	238-6901	QUICK COUPLER, HYDRAULIC IT	385	\$4,169 NI
		(CWTS PRODUCT) FOR USE WITH: 924GZ/HK REQUIRES: 202-2625 supply group		
W	396-1605	QUICK COUPLER.	736	\$7,850 NI
		Lane 1 Work Tool - Ships Loose from Caterpillar Work Tool & Services (CWTS PRODUCT) INCLUDES: Connector Lines FOR USE WITH: 924K, 926M, 930K/M REQUIRES: Machine to be Quick coupler ready		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL IT (CONT.)				
<i>IT (standard) QUICK COUPLER (Cont.)</i>				
W	545-7940	QUICK COUPLER (CWTS PRODUCT) FOR USE WITH: machine prefixes 6XR and 7SR REQUIRES: 240-7866 supply group	677	\$8,306 NI
W	238-8300	QUICK COUPLER, HYDRAULIC IT (CWTS PRODUCT) FOR USE WITH: machine prefixes DJD, WLG, CXK and BVD REQUIRES: 239-1450 supply group	586	\$4,838 NI
COUPLER SUPPLY GROUPS				
W	240-7866	KIT, COUPLER HYDRAULIC SUPPLY (CWTS PRODUCT) FOR USE WITH: 545-7940 Coupler	54	\$1,628 NI
W	248-5416	LINES, CONNECTOR (CWTS PRODUCT) FOR USE WITH: 924H and 924G Series Standard Coupler	15	\$895 NI
W	201-2111	LINES, CONNECTOR (CWTS PRODUCT) FOR USE WITH: CWTS HPL IT Coupler	26	\$1,056 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: GENERAL PURPOSE IT - 924G/H AND 930G/H

Always check the stability of the machine in combination with the bucket and the material density of the to be loaded material.

W	167-3966	BUCKET-GP, 2.20YD3 (HO) 1,301 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%		\$6,356 NI
W	172-8559	BUCKET, GP, 2.2 YD3, IT 1,360 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.7 m3 (2.2 yd3) fill factor 100%		\$5,181 NI
W	231-1463	BUCKET-GP, 2.30YD3 WITH BOE 1,581 General Purpose Bucket, Width 2532 mm (100"). incl spill guard + BOCE Capacity: 1.7 m3 (2.3 yd3) fill factor 100%		\$7,164 NI
W	132-2256	BUCKET, GP, 2.25YD3, HO 1,569 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.8 m3 (2.25 yd3) fill factor 100%		\$6,407 NI
W	231-1501	BUCKET, GP, 2.35YD3, HO, BOCE 1,849 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 1.8 m3 (2.35 yd3) fill factor 100%		\$7,217 NI
W	132-2258	BUCKET, GP, 2.5YD3, HO 1,588 100" (2540mm) wide		\$7,217 NI
W	231-1505	BUCKET, GP, 2.6YD3, HO, BOCE 1,868 100" (2540mm) wide		\$8,028 NI
W	256-8890	BUCKET, GP, 2.75 YD3, IT 1,920 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.1 m3 (2.7 yd3) fill factor 100%		\$5,844 NI
W	256-8889	BUCKET, GP, 2.6YD3, HO 1,872 General Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.0 m3 (2.6 yd3) fill factor 100%		\$6,883 NI
W	256-8888	BUCKET, GP, 2.7YD3, HO, BOCE 2,154 General Purpose Bucket, Width 2532 mm (100"). incl spill guard + BOCE Capacity: 2.0 m3 (2.6 yd3) fill factor 100%		\$7,692 NI
W	224-0759	BUCKET, GP, 2.9YD3, HO 2,017 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.2 m3 (2.9 yd3) fill factor 100%		\$8,351 NI
W	241-0918	BUCKET, GP, 3.0 YD3, IT 2,057 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$6,206 NI
W	256-8864	BUCKET, GP, 3.27 YD3, IT 2,381 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill gu Capacity: 2.5 m3 (3.3 yd3) fill factor 100%		\$6,756 NI
W	241-0936	BUCKET, GP, 2.75 YD3, IT 1,934 General Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill gu Capacity: 2.1 m3 (2.75 yd3) fill factor 100%		\$8,025 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: GENERAL PURPOSE IT - 924G/H AND 930G/H (Cont.)

W	256-8882	BUCKET, GP, 2.9YD3, HO 2,004 General Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.2 m3 (2.9 yd3) fill factor 100%		\$8,351 NI
W	256-8881	BUCKET, GP, 3.0YD3, HO, BOCE 2,286 General Purpose Bucket, Width 2532 mm (100"). incl spill guard + BOCE Capacity: 2.2 m3 (2.9 yd3) fill factor 100%		\$9,160 NI
W	256-8863	BUCKET, GP, 3.1YD3, HO 2,094 General Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.3 m3 (3.1 yd3) fill factor 100%		\$8,956 NI
W	256-8862	BUCKET, 3.3YD3, GP, BOE 2,376 General Purpose Bucket, Width 2532 mm (100"). incl spill guard + BOCE Capacity: 2.4 m3 (3.3 yd3) fill factor 100%		\$9,765 NI

BUCKETS: GENERAL PURPOSE IT - 928HZ/GZ AND 930H/G

W	300-6796	BUCKET, GP, 3.1YD3, HO 2,083 Recommended for Sewer and Water applications 108" (2743mm) wide FOR USE WITH: Quick Coupler, Hydraulic IT		\$9,229 NI
W	300-6795	BUCKET, GP, 3.4YD3, HO, BOCE 2,083 Recommended for Sewer and Water applications 108" (2743mm) wide		\$10,036 NI

BUCKETS: GENERAL PURPOSE IT - IT28G/H

W	222-1919	BUCKET-GP, 3.0YD3 (QC)-IT 2,350 (CWTS PRODUCT) 100"(2540mm) wide DUMP CLEARANCE: 107"(2718mm) INCLUDES: bolt-on cutting edge		\$10,238 NI
---	----------	--	--	-------------

BUCKETS: HIGH DUMP for IT - 924G/H AND 930G/H

W	263-1192	BUCKET-HIGH DUMP, 105" 4.25YD3 3,720 (CWTS PRODUCT) 105"(2667mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: Standard versa link coupler and 248-5416 connector lines.		\$30,404 NI
---	----------	--	--	-------------

BUCKETS: HIGH DENSITY for IT - 924G/H AND 930G/H

W	241-0935	BUCKET, HI DENS, 2.6YD3, HO 1,646		\$6,960 NI
W	241-0934	BUCKET, HI DENS, 2.7YD3, HO, BOCE 1,927		\$7,768 NI
W	239-7001	BUCKET, HI DENS, 3.0YD3, HO, BOCE 2,048 100" (2540mm) wide		\$9,289 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: HIGH DENSITY for IT - 924G/H AND 930G/H (Cont.)

W	239-7002	BUCKET, HI DENS, 2.9YD3, HO 1,767 100" (2540mm) wide		\$8,479 NI
---	----------	---	--	------------

BUCKETS: LIGHT MATERIAL for IT - 924G/H AND 930G/H

W	251-5413	BUCKET, LM, 3.66 YD3, IT 2,174 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 2.8 m3 (3.4 yd3) fill factor 100%		\$8,424 NI
W	251-5412	BUCKET, LM, 3.4 CYD, HO 1,885 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 2.8 m3 (3.4 yd3) fill factor 100%		\$8,594 NI
W	251-5411	BUCKET, LM, 3.6 CYD, HO, BOCE 2,167 Gen.Purpose Bucket, Width 2532 mm (100"). incl spill guard + BOCE Capacity: 2.8 m3 (3.4 yd3) fill factor 100%		\$9,404 NI

BUCKETS: LIGHT MATERIAL for IT - 930G/H

W	241-0920	BUCKET, LM, 4.0 YD3, IT 2,686 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, excl spill guard Capacity: 3.1 m3 (4.0 yd3) fill factor 100%		\$6,864 NI
W	241-0916	BUCKET, LM, 3.9 CYD, HO 1,998 Gen.Purpose Bucket, Width 2532 mm (100"). Base edge, incl spill guard Capacity: 3.1 m3 (4.0 yd3) fill factor 100% Bolt-on rubber cutting edge, 251-5418, sold separately		\$9,408 NI
W	241-0923	BUCKET, LM, 4.0 CYD, HO, BOCE 2,279 100" (2540mm) wide		\$10,218 NI

BUCKETS: MATERIAL HANDLING - 930G/H

W	263-1189	BUCKET, MH 3.25CYD GRAPPLE QC 3,737 (CWTS PRODUCT) 106"(2692 wide) INCLUDES: Bolt-on cutting edge REQUIRES: Standard versa link coupler and 248-5416 connector lines		\$25,686 NI
W	220-6020	BUCKET, MH 5.00 CYD QC 3,500 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) 120"(3048mm) wide INCLUDES: Bolt-on cutting edge		\$12,701 NI
W	263-1194	BUCKET, MH 4.25 YD3 (QC) 2,428 (CWTS PRODUCT) DOES NOT INCLUDE: Bolt-on Cutting Edge 106"(2692mm) wide 4.5 CYD with bolt-on cutting edge 107-3747 REQUIRES: Standard versa link coupler		\$11,686 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL IT (CONT.)				
<i>BUCKETS: MATERIAL HANDLING - IT28G/H</i>				
W	143-2612	BUCKET-MH, 3.5CYD (QC)-IT (CWTS PRODUCT) 100"(2540mm) wide DUMP CLEARANCE: 107"(2718mm) MAXIMUM MATERIAL DENSITY: 1925 lbs/cyd(1140kg/cum) INCLUDES: bolt-on cutting edge	2,230	\$10,719 NI
W	143-2611	BUCKET-MH, 4.0CYD (QC)-IT (CWTS PRODUCT) 115"(2921mm) wide DUMP CLEARANCE: 105.1"(2619mm) MAXIMUM MATERIAL DENSITY: 1550 lbs/cyd(920kg/cum) INCLUDES: bolt-on cutting edge	2,820	\$11,296 NI
<i>BUCKETS: MULTI PURPOSE for IT - 924G/H</i>				
W	180-9335	BUCKET, 2.00 CYD, MP (QC)-IT Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) CAPACITIES: 2.0 CYD(1.53 CUM) with bolt-on adapters, 103"(2616mm) wide 2.13 CYD(1.63 CUM) with bolt-on adapters & segments, 103"(2616mm) wide 2.13 CYD(1.63 CUM) with bolt-on cutting edge, 103"(2616mm) wide REQUIRES: 3rd valve and 248-5416 connector lines	3,080	\$21,804 NI
<i>BUCKETS: MULTI PURPOSE for IT - 924G/H AND 930G/H</i>				
W	292-9190	BUCKET, MP, 2.62 CYD, HO 102" (2590mm) wide	2,659	\$19,225 NI
W	292-9189	BUCKET, MP, 2.75 CYD, HO, BOCE 102" (2590mm) wide	2,941	\$20,114 NI
<i>BUCKETS: MULTI PURPOSE for IT - 930G/H</i>				
W	263-1190	BUCKET-MP, 2.5 CYD (QC) (CWTS PRODUCT) 108"(2743mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: Standard versa link coupler and 248-5416 connector lines	3,241	\$23,644 NI
W	311-1472	BUCKET, MP, 3.0 YD3, IT Multi Purpose Bucket, Width 2560 mm (102"). Base edge Capacity: 2.3 m3 (3.0 yd3) fill factor 100%	2,751	\$19,814 NI
W	311-1471	BUCKET, MP, 3.0 CYD, HO, BOCE 100" (2540mm) wide	3,031	\$22,018 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

BUCKETS: MULTI PURPOSE for IT - IT28G/H

W	143-6310	BUCKET-MP, 2.5 CYD (QC)-IT 3,150 (CWTS PRODUCT) 103"(2616mm) wide DUMP CLEARANCE: 114"(2896mm) MAXIMUM MATERIAL DENSITY: 2550 lbs/cyd(1515kg/cum) INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve		\$23,644 NI
---	----------	---	--	--------------------

BUCKETS: SIDE DUMP for IT - 930G/H

W	263-1191	BUCKET-SD, 2.38 CYD (QC) 3,775 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services (CWTS PRODUCT) 116"(2946mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: Standard versa link coupler and 248-5416 connector lines.		\$28,397 NI
---	----------	---	--	--------------------

BUCKETS: SIDE DUMP for IT - IT28G/H

W	143-6379	BUCKET-SD, 2.13 CYD (QC)-IT 3,750 (CWTS PRODUCT) 115"(2921mm) wide DUMP CLEARANCE: 109"(2769mm) MAXIMUM MATERIAL DENSITY: 3125 lbs/cyd(1855kg/cum) INCLUDES: bolt-on cutting edge REQUIRES: 3rd valve		\$28,381 NI
---	----------	--	--	--------------------

BUCKETS: WOOD CHIP for IT - 924G/H

W	160-8378	BUCKET-WC, 6.5 CYD (QC)-IT 2,910 (CWTS PRODUCT) 134"(3404mm) wide ACCEPTS: Bolt on cutting edge		\$13,528 NI
---	----------	---	--	--------------------

BUCKETS: WOOD CHIP for IT - 930G/H

W	263-1188	BUCKET-WC, 6.75 CYD (QC) 3,650 (CWTS PRODUCT) 130"(3302mm) wide INCLUDES: Bolt-on cutting edge REQUIRES: Standard versa link coupler		\$14,817 NI
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

ARM, MATERIAL HANDLING for IT - 924G AND 938H

W	229-9714	ARM, MATERIAL HANDLING 990 For handling of bulky objects. Manually adjustable to 3 positions REQUIRES: Machine to be equipped with Standard width IT Quick Coupler		\$5,104 NI
---	----------	--	--	------------

BLADES for IT - IT28G AND 930G/H

W	484-7355	BLADE, 111"HYD ANGLE (QC)-IT 2,566 (CWTS PRODUCT) HEIGHT: 41"(1041mm)		\$17,625 NI
W	109-0164	BLADE, 122" MAN ANGLE (QC)-IT 1,800 (CWTS PRODUCT) HEIGHT: 30"(762mm)		\$11,940 NI
W	201-4129	BLADE, 96" STRAIGHT (QC)-IT 2,000 (CWTS PRODUCT) HEIGHT: 52"(1321mm)		\$9,519 NI

CARRIAGES/PALLET FORKS FOR IT - 924G/H AND 930G/H

W	6W-8832	CARRIAGE, FORK. 699 1550mm width. Class III carriage. FOR USE WITH: Standard coupler (IT) REQUIRES: 2 tines (forks), NOT INCLUDED		\$2,511 NI
W	132-2443	CARRIAGE, FORK. 681 1550mm width. Class III carriage. FOR USE WITH: Standard coupler (IT) or Coupler High Lift REQUIRES: 2 tines (forks), NOT INCLUDED		\$2,383 NI
W	303-0397	FORK, WIDE CARRIAGE 60" TINES 1,845 Recommended for Water & Sewer applications INCLUDES: Carriage 96" Wide and 2 tines 60" FOR USE WITH: 924G/H		\$9,594 NI
W	300-6830	FORK, WIDE CARRIAGE 72" TINES 1,905 Recommended for Water & Sewer applications INCLUDES: 96" (2438mm) CARRIAGE & 72" (1830mm) tines. FOR USE WITH: 930G/H		\$10,640 NI
W	242-4050	FORK, PALLET (QC)-IT 1,374 (CWTS PRODUCT)		\$7,392 NI

CARRIAGES/PALLET FORKS for IT - IT28G/H AND 930G/H

W	242-4048	FORK, PALLET (QC)-IT 1,144 (CWTS PRODUCT) 62"(1575mm) carriage and 48"(1219mm) swinging tines		\$6,496 NI
W	242-4049	FORK, PALLET (QC)-IT 1,271 (CWTS PRODUCT) 62"(1575mm) carriage and 60"(1524mm) swinging tines		\$6,794 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL IT (CONT.)

FORKS/TINES for CARRIAGE Class III

Please order 2 each.

W	195-6937	FORK TINE, 2" X 5" X 42" 198 FOR USE WITH: Class III Carriage		\$729 NI
W	195-6935	FORK TINE, 2" X 5" X 48" 216 FOR USE WITH: Class III Carriage		\$765 NI
W	195-6939	FORK TINE, 2" X 5" X 54" 232 FOR USE WITH: Class III Carriage		\$793 NI
W	195-6938	FORK TINE, 2.5" X 5" X 54" 283 FOR USE WITH: Class III Carriage		\$1,000 NI
W	172-3228	FORK TINE, 2" X 6" X 60" 265 FOR USE WITH: Class III Carriage		\$869 NI

FORKS: LUMBER and LOG (Non-Swinging - Floating) FOR IT

W	540-6600	CARRIAGE, LOG, NS-F, 72", IT 972 Width Overall / Frame: 1869mm (74") / 1829mm (72") Frame height: 1520mm (60"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$5,833 NI
W	520-3458	FORK, LOG, NS-F, 48"X5.9"X2.5" 364 Non-Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		\$1,111 NI
W	520-3459	FORK, LOG, NS-F, 60"X5.9"X2.5" 406 Non-Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		\$1,250 NI
W	520-3460	FORK, LOG, NS-F, 72"X5.9"X2.5" 449 Non-Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		\$1,389 NI

FORKS: LUMBER and LOG (Swinging /Floating) FOR IT

W	520-3462	CARRIAGE, LOG, S-F, 68", IT 1,451 Width Overall / Frame: 1705mm (68") / 1627mm (64") Frame height: 1880mm (74"), excluding forks FOR USE WITH: FUSION Quick Coupler REQUIRES: Forks: 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460		\$7,500 NI
W	520-3463	FORK, LOG, S-F, 48"X5.9"X2.5" 344 Swinging / Floating Forks, order 2 for a set 1219mm x 150mm x 65mm (48" x 5.9" x 2.5")		\$1,111 NI
W	520-3464	FORK, LOG, S-F, 60"X5.9"X2.5" 395 Swinging / Floating Forks, order 2 for a set 1524mm x 150mm x 65mm (60" x 5.9" x 2.5")		\$1,250 NI
W	520-3465	FORK, LOG, S-F, 72"X5.9"X2.5" 447 Swinging / Floating Forks, order 2 for a set 1829mm x 150mm x 65mm (72" x 5.9" x 2.5")		\$1,389 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
NON CURRENT SWL IT (CONT.)				
OFF SET FORKS/TINES for CARRIAGE Class III				
W	241-0921	FORK TINE, 2X5X48 OFFSET,RIGHT 207 FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0922 to form a complete set of 2.		\$1,572 NI
W	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT 207 REQUIRES: 1 x 241-0921 to form a complete set of 2.		\$1,572 NI
RAKES for IT - 930H/G AND IT28G				
W	143-5269	RAKE, 112" LOADER (QC)-IT 3,200 (CWTS PRODUCT) RAKING WIDTH:112"(2845mm) HEIGHT: 64"(1626mm) DUMP CLEARANCE: 48" (1219mm) NUMBER OF TEETH: 9 TOOTH SPACING: 14"		\$15,388 NI
SNOW PLOWS for IT - 930H/G AND IT28G				
W	243-3300	PLOW, 104" ONE-WAY SNOW(QC)-IT 1,320 (CWTS PRODUCT) HEIGHT: 67"(1702mm)		\$10,167 NI
W	498-0731	PLOW, 144" MAN REV SNOW(QC)-IT 3,430 (CWTS Product) HEIGHT: 50"(1270mm)		\$22,781 NI

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL ISO

This section contains work tools for wide or ISO quick coupler for following NON-current machines:
924G/H, 930G/H, 924GZ/HZ, 928GZ,HZ, 938G/H
Please note if current machines have ISO QC, we can not guarantee optimal performance, as the machine-tool combination have not been tested. The linkage of K&M series is completely different.

Following work tools are available:
BUCKETS:
- GENERAL PURPOSE for ISO
BROOMS: Please see section "BROOMS"
CARRIAGE for ISO

PACKING FOR CWTS PRODUCTS - REFERENCE OP-0210
Only select if ordering items identified as 'CWTS PRODUCT'
Please do not select if your order does not include any items identified as 'CWTS PRODUCT'

If no reference numbers appear below there are currently no items available in your region.

CARRIAGE for ISO - 924H/G AND 930H/G

W	257-2506	CARRIAGE, WIDE COUPLER.	507	\$2,386 NI
		1550mm width. Class III carriage. FOR USE WITH: ISO coupler (wide) REQUIRES: 2 tines (forks). NOT INCLUDED		

FORKS/TINES for CARRIAGE Class III

Please order 2 each.

W	195-6937	FORK TINE, 2" X 5" X 42"	198	\$729 NI
		FOR USE WITH: Class III Carriage		
W	195-6935	FORK TINE, 2" X 5" X 48"	216	\$765 NI
		FOR USE WITH: Class III Carriage		
W	195-6939	FORK TINE, 2" X 5" X 54"	232	\$793 NI
		FOR USE WITH: Class III Carriage		
W	195-6938	FORK TINE, 2.5" X 5" X 54"	283	\$1,000 NI
		FOR USE WITH: Class III Carriage		
W	172-3228	FORK TINE, 2" X 6" X 60"	265	\$869 NI
		FOR USE WITH: Class III Carriage		

OFF SET FORKS/TINES for CARRIAGE Class III

W	241-0921	FORK TINE, 2X5X48 OFFSET,RIGHT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0922 to form a complete set of 2.		

CATERPILLAR MACHINE PRICE LIST

WT-SWL

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	-----------------	----------------------

NON CURRENT SWL ISO (CONT.)

OFF SET FORKS/TINES for CARRIAGE Class III (Cont.)

W	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		FOR USE WITH: Class III Carriage REQUIRES: 1 x 241-0921 to form a complete set of 2.		

PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
		Use this packing code for CWTS orders from this price list. When ordering BCP products, do not use a packing code.		
W	0G-0007	CWTS CUSTOM PRODUCT ACC QUOTE	0	NC NI
		Can only be used for ETO orders Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.		