

CATERPILLAR MACHINE PRICE LIST

# WT-TTT

---

TRACK TYPE TRACTOR WORK TOOLS

Ship Weight  
lbs

List Price  
At Factory

---

Standard Equipment:

This WT-TTT Price List consists of Work Tools for D6 through D11 Track-type Tractors. Please use the following OP number when ordering loose Work Tools for Track-type Tractors:

OP-0673      TRACK TYPE TRACTOR WORK TOOLS ..... 0      NC

**FOR QUESTIONS, SUPPORT AND QUOTATIONS  
PLEASE CONTACT THE SALES SUPPORT TEAM IN  
Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D6 TRACK TYPE TRACTOR**

***D6T BLADES***

**SEMI-U BLADES (VARIABLE RADIUS)**

W	421-4312	BLADE, 168" 9.00YD3 SEMI U ..... 0 (CWTS PRODUCT) Variable Radius HEIGHT: 50" (1279mm) WING ANGLE: 25 degrees REQUIRES: bulldozer arrangement 481-4911 FOR USE WITH: D6T LGP machines		\$22,733 NI
---	----------	---	--	-------------

***D6R/T RAKES***

**BLADE RAKES**

**FOR QUESTIONS, SUPPORT AND QUOTATIONS  
PLEASE CONTACT THE SALES SUPPORT TEAM IN  
AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

***D6M/N RAKES***

**FOR QUESTIONS, SUPPORT AND QUOTATIONS  
PLEASE CONTACT THE SALES SUPPORT TEAM IN  
AMERICAS NORTH VIA EMAIL AT WORKTOOLS@CAT.COM**

***D6K/N/T WINCHES***

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

**FOR AVAILABILITY INQUIRIES, CONTACT DIRECT SHIP ORDER ANALYST OF  
CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
<b>D6 TRACK TYPE TRACTOR (CONT.)</b>				
<b>D6K Winches</b>				
W	438-1061	<b>PA50 WINCH, VARIABLE SPEED</b> . . . . . 2,090 PA50 Variable speed, hydraulic winch. Manufactured for Caterpillar by Paccar. Variable line speed up to 39 feet (12 meters) per minute and capacity up to 50,000 lbs (22,700 kg) line pull (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch, hydraulic lines, and wiring harnesses for dealer installation on winch-ready tractor. REQUIRES: Winch Ready or Dual Control hydraulic package FOR USE WITH D6K2 S/N JTR, DFR, EL7, MGM		<b>\$28,517 NI</b>
P	248-6515	<b>PA50 WINCH, VARIABLE SPEED</b> . . . . . 2,090 PA50 Variable speed, hydraulic winch. Manufactured for Caterpillar by Paccar. Variable line speed up to 39 feet (12 meters) per minute and capacity up to 50,000 lbs (22,700 kg) line pull (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch, hydraulic lines and wiring harness for dealer installation on winch ready tractor. REQUIRES: Winch Ready or Dual Control hydraulic package ONLY FOR USE WITH: D6K S/N DHA, FBH: D6K2 S/N RST, WMR		<b>\$28,517 NI</b>
<b>D6K2 FAIRLEADS</b>				
P	187-1710	<b>FAIRLEAD, PA50 3 ROLLERS</b> . . . . . 220 ONLY FOR USE WITH: PA50 WINCH, VARIABLE SPEED		<b>\$2,833 NI</b>
W	187-1713	<b>KIT, CONVERSION, PA50 4TH ROLL</b> . . . . . 40 REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS		<b>\$947 NI</b>
<b>D6N Winches</b>				
W	396-0515	<b>KIT, PA55 STD SPEED &amp; INST ARR</b> . . . . . 0 PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 147 feet (45 meters) per minute and capacity rating up to 69,200 lbs. (31,400 kg) (bare drum). Utilizes 3/4" (19mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D6N Parts Book for filter relocation parts. FOR USE WITH D6N S/N PER, PBA, GB6, MG5, NJN, SGG		<b>\$42,132 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
<b>D6 TRACK TYPE TRACTOR (CONT.)</b>				
<i>D6N Winches (Cont.)</i>				
W	396-0516	<b>KIT, PA55 LOW SPEED &amp; INST ARR</b> ..... 0 PA55 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 61 feet (19 meters) per minute and capacity rating up to 69,200 lbs. (31,400 kg) (bare drum). Utilizes 3/4" (19mm) (not included). Kit includes winch and complete installation arrangement for dealer installation. Dealer installation of winch may also require relocation of powertrain oil filter. Consult D6N Parts Book for filter relocation parts. FOR USE WITH D6N S/N PER, PBA, GB6, MG5, NJN, SGG		<b>\$41,182 NI</b>
<i>D6N FAIR LEADS</i>				
W	444-1165	<b>FAIRLEAD, 3 ROLLERS</b> ..... 0 Fits PA55 and PA56 winches		<b>\$8,096 NI</b>
W	444-1166	<b>KIT, CONVERSION, 4TH ROLLER</b> ..... 0 Fits PA55 and PA56 winches REQUIRES: 444-1165 FAIRLEAD, 3 ROLLERS		<b>\$1,453 NI</b>
<i>D6T Winches</i>				
W	395-0527	<b>KIT, PA56 PACKAGE, STD SPEED</b> ..... 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, standard speed gears with freespool. Line speed up to 130 feet (40 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware and controls. FOR USE WITH D6T S/N GMK, SLJ, ZJB, DTD, RCW, KSB, KMR, TMY, HTZ, WES, WRN, RAD, NDY, MB5, JML, HYT, JNM, MH7		<b>\$51,000 NI</b>
W	395-0528	<b>KIT, PA56 PACKAGE, LOW SPEED</b> ..... 0 PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO driven, low speed gears with freespool. Line speed up to 58 feet (18 meters) per minute and capacity rating up to 89,800 lbs. (40,700 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Kit includes winch and complete installation arrangement for dealer installation, including mounting hardware and controls. FOR USE WITH D6T S/N GMK, SLJ, ZJB, DTD, RCW, KSB, KMR, TMY, HTZ, WES, WRN, RAD, NDY, MB5, JML, HYT, JNM, MH7		<b>\$52,197 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D6 TRACK TYPE TRACTOR (CONT.)**

**D6T FAIRLEADS**

W	444-1165	FAIRLEAD, 3 ROLLERS . . . . . Fits PA55 and PA56 winches	0	\$8,096 NI
W	444-1166	KIT, CONVERSION, 4TH ROLLER . . . . . REQUIRES: 444-1165 FAIRLEAD, 3 ROLLERS	0	\$1,453 NI

**D7 TRACK TYPE TRACTOR**

**D7E BLADES**

**ANGLE BLADES**

W	482-7561	BLADE, 204" 6.00YD3 . . . . . (CWTS PRODUCT) HEIGHT: 43.7" (1111mm) BLADE ANGLING CAPABILITY: 21 degrees FOR USE WITH: D7E LGP Machines INCLUDES: Blade, C-frame, trunnions, brace arms, pins, cylinders and cylinder lines REQUIRES: Lift cylinder and mounting group	9,080	\$68,663 NI
---	----------	---	-------	-------------

**U-BLADES**

**COAL U-BLADES**

W	372-7888	BLADE, 193" 19.35 YD3 COAL U . . . . . (CWTS PRODUCT) HEIGHT: 70"(1778mm) WING ANGLE: 30 degrees REQUIRES: 438-7152, 438-7158, 351-9895 or 351-7646 7SU/U Bulldozer.	5,373	\$36,242 NI
W	372-7904	BLADE, 193" 19.35 YD3 COAL U . . . . . (CWTS PRODUCT) HEIGHT: 70"(1778mm) WING ANGLE: 30 degrees REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer	5,774	\$36,242 NI

**WOODCHIP U-BLADES**

W	357-4283	BLADE, 193" 31.08 YD3 CHIP U . . . . . (CWTS PRODUCT) HEIGHT: 90"(2284mm) WING ANGLE: 30 degrees REQUIRES: 438-7152, 438-7158, 351-9895 or 351-7646 7SU/U Bulldozer	6,058	\$38,911 NI
---	----------	---	-------	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D7 TRACK TYPE TRACTOR (CONT.)**

**D7E BLADES (Cont.)**

W	329-8642	BLADE, 193" 31.1 YD3 CHIP U . . . . . 6,384 (CWTS PRODUCT) HEIGHT: 90"(2284mm) WING ANGLE: 30 degrees REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer		\$38,911 NI
---	----------	---	--	-------------

**SEMI-U BLADES (VARIABLE RADIUS)**

W	390-5424	BLADE, 178" 10.3 YD3 SEMI-U . . . . . 5,256 (CWTS PRODUCT) HEIGHT: 54.4"(1392mm) INCLUDES: 12mm thick 1E0577 liners REQUIRES: 438-7160, 438-7162 or 351-9932 7E LGP Bulldozer		\$29,306 NI
---	----------	---	--	-------------

**D7E Winches**

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

**FOR AVAILABILITY INQUIRES, CONTACT DIRECT SHIP ORDER ANALYST OF CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4**

W	439-7359	KIT, PA90, VARIABLE SPEED . . . . . 0 PA90 Variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. Line speed up to 70 feet (21 meters) per minute and capacity rating up to 90,000 lbs. (40,800 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included) Includes complete installation arrangement for dealer installation, including mounting hardware and controls. FOR USE WITH D7E S/N TAN, TJA, HKA, SSH		\$61,958 NI
---	----------	--	--	-------------

**D7R BLADES**

**SEMI-U BLADES (VARIABLE RADIUS)**

W	198-6424	BLADE, 177" 10.25 YD3 SEMI U . . . . . 4,250 (CWTS PRODUCT) HEIGHT: 55"(1397mm) REQUIRES: bulldozer arrangement 212-7419 less blade group 135-9892 FOR USE WITH: D7RLGP machines		\$26,201 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D7 TRACK TYPE TRACTOR (CONT.)**

***D7R BLADES (Cont.)***

**U-BLADES**

**COAL U-BLADES**

W	140-8186	BLADE, 195" 17.5 YD3 COAL U ..... (CWTS PRODUCT) HEIGHT: 64.8"(1646mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 212-7421 less dozer blade 9U-8212	5,300	\$35,344 NI
---	----------	--	-------	-------------

**LANDFILL U-BLADES**

W	230-7073	BLADE, 168" 23.7 YD3 FILL U ..... (CWTS PRODUCT) HEIGHT: 86"(2184mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 212-7421 less dozer blade 9U-8212	5,660	\$37,210 NI
---	----------	--	-------	-------------

***D7R RAKES***

**BLADE RAKES**

For more information refer to Media number GEJQ9215 or  
please contact the sales support team in  
Americas North via email at [WORKTOOLS@CAT.COM](mailto:WORKTOOLS@CAT.COM)

**D8 TRACK TYPE TRACTOR**

***D8T BLADES***

**ANGLE BLADES**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D8 TRACK TYPE TRACTOR (CONT.)**

**D8T BLADES (Cont.)**

W	562-1173	<b>BLADE, 178" 8.80YD3</b> ..... 0 Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight) Includes hydraulic adjustments for pitch and tilt INCLUDES: Blade, C-frame, grab handles, trunnions, - cylinder lines, two tilt cylinders ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		\$66,263 NI
W	562-1175	<b>BULLDOZER, 8A 2D WITH ASSIST</b> ..... 0 Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight) INCLUDES: Hydraulic adjustments for pitch and tilt INCLUDES: Blade, C-frame, grab handles, trunnions, - cylinder lines, two tilt cylinders ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR - ordered with 2D with Assist 549-3775 NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		\$67,800 NI
W	456-4494	<b>BLADE, 219" 7.60YD3</b> ..... 12,098 HEIGHT: 46.3" (1177mm) BLADE ANGLING CAPABILITY: 22 degrees FOR USE WITH: D8T LGP Machines INCLUDES: Blade, C-frame, trunnions, brace arms, pins, cylinders and cylinder lines REQUIRES: Lift cylinder and mounting group FOR USE WITH: 442-1100 D8T-21A TRACTOR NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, - or GRADE with 3D		\$104,061 NI
W	511-5664	<b>BLADE, 208" 7.3YD3</b> ..... 0 BULLDOZER, 8A LGP WITH 2D WITH ASSIST Blade manually adjusts angle to one of 3 fixed positions - (right, left or straight). INCLUDES: Hydraulic adjustments for pitch and tilt HEIGHT: 46.3" (1177MM) BLADE ANGLING CAPABILITY: 22 degrees FOR USE WITH: 442-1100 D8T-21A TRACTOR - ordered with 2D with Assist 549-3775 REQUIRES: Lift cylinder and mounting group NOT FOR USE WITH: Waste Handling Arrangement, Stockpile Arrangement, or GRADE with 3D		\$106,653 NI
P	511-4788	<b>BLADE, 8A</b> ..... 0 INCLUDED IN: 562-1173 BLADE, 178" 8.80YD3 562-1175 BULLDOZER, 8A 2D WITH ASSIST		\$18,890 NI
W	511-4835	<b>BLADE, 8A LGP</b> ..... 0 INCLUDED IN: 456-4494 BULLDOZER, 8A LGP 511-5664 BULLDOZER, 8A LGP WITH 2D WITH ASSIST		\$43,392 NI

**U-BLADES**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
<b>D8 TRACK TYPE TRACTOR (CONT.)</b>				
<b>D8T BLADES (Cont.)</b>				
<b>COAL U-BLADES</b>				
W	262-7670	<b>BLADE, 217" 28.0 YD3 COAL U</b> ..... 7,770 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		<b>\$46,889 NI</b>
<b>LANDFILL U-BLADES</b>				
W	262-7671	<b>BLADE, 217" 31 YD3 FILL U</b> ..... 8,030 (CWTS PRODUCT) HEIGHT: 82"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		<b>\$49,281 NI</b>
<b>WOODCHIP U-BLADES</b>				
W	262-7672	<b>BLADE, 216" 37.0 YD3 CHIP U</b> ..... 7,713 (CWTS PRODUCT) HEIGHT: 92"(2337mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial numbers KPZ, J8B, MB8, JJ5 MLN, FCT, FMC and up		<b>\$50,922 NI</b>
<b>D8R BLADES</b>				
<b>U-BLADES</b>				
<b>COAL U-BLADES</b>				
W	105-1458	<b>BLADE, 218" 28.0 YD3 COAL U</b> ..... 7,050 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		<b>\$46,883 NI</b>
W	161-0169	<b>BLADE, 218" 28.0 YD3 COAL U</b> ..... 7,050 (CWTS PRODUCT) HEIGHT: 78"(2286mm) WING ANGLE: 30 degrees REQUIRES: bulldozer arrangement 4Z-0604 less dozer blade 4Z-9209 FOR USE WITH: D8R (LGP) machine serial numbers 7XM, 6YZ and up		<b>\$46,883 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D8 TRACK TYPE TRACTOR (CONT.)**

**D8R BLADES (Cont.)**

**LANDFILL U-BLADES**

W	230-7076	BLADE, 194" 30.5 YD3 FILL U .....7,300 (CWTS PRODUCT) HEIGHT: 90"(2286mm) WING ANGLE: 30 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		<b>\$49,268 NI</b>
---	----------	--	--	--------------------

**RECLAMATION U-BLADES**

W	230-7074	BLADE, 192" 21.5 YD3 RECLAM U .....8,400 (CWTS PRODUCT) HEIGHT: 74"(1880mm) WING ANGLE: 28 degrees FOR USE WITH: D8R (SU/U) machine serial number 7XM and up		<b>\$46,254 NI</b>
---	----------	--	--	--------------------

**D8T Winches**

Rear cab screens are required with a winch but are not included with winch kits. Rear screens must be ordered separately. Winch cable is also not included in the winch kits and must be procured locally. Recommended cable sizes and lengths are available in specification sheets and the Caterpillar Performance Handbook

**FOR AVAILABILITY INQUIRES, CONTACT DIRECT SHIP ORDER ANALYST OF CATERPILLAR DISTRIBUTION SERVICES AT 1-800-566-7782, OPTION 4**

W	431-9575	KIT, PA140VS WINCH .....0 PA140 Variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. Rating of up to 140,000 lbs maximum line pull, depending on wire rope installed by the customer. Variable line speed up to 46 feet per minute (bare drum). Retrofit winch for dealer installation on D8T tractor. Requires installation kit for winch or ripper hydraulics and controls FOR USE WITH D8T S/N KPZ, J8B, MLN, FCT, FMC CANNOT BE USED WITH: D8T S/N AW4(D8T BUILD 21A)		<b>\$54,336 NI</b>
W	504-7377	KIT, PA140 INSTALLATION, WINCH ..... 0 Retrofit kit includes components necessary to PA140 winch to D8T tractor equipped with winch hydraulics and controls REQUIRES: 431-9575 KIT PA140VS WINC		<b>\$13,954 NI</b>
W	431-9576	KIT, PA140 INSTALLATION, RIPPER ..... 0 Retrofit kit includes components necessary to adapt PA140 winch to D8T tractor equipped with ripper hydraulics and controls REQUIRES: 431-9575 KIT PA140VS WINCH		<b>\$14,521 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D8 TRACK TYPE TRACTOR (CONT.)**

*D8T Winches (Cont.)*

W	504-7375	<b>KIT, W12E PTO WINCH &amp; INST AR</b> ..... 0 W12E winch manufactured for Caterpillar by Allied. power Take-Off for Caterpillar by Allied. Power Take-Off (PTO) powered and (PTO) driven and electronically controlled, with integrated drawbar. Rating of up to 153,000 lbs maximum line pull, depending on wire rope installed by the customer. Maximum line speed of 59 feet per minute (bare drum). ONLY FOR USE WITH: D8T S/N KPZ, J8B, MLN, FCT, FMC CANNOT BE USED WITH: D8T S/N AW4(D8T BUILD 21A)		<b>\$82,989 NI</b>
---	----------	--	--	--------------------

**D9 TRACK TYPE TRACTOR**

*D9 BLADES*

**COAL U-BLADES**

W	499-7653	<b>BLADE, 226" 46.8YD3 COAL U</b> ..... 10,280 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		<b>\$67,999 NI</b>
W	436-2721	<b>BLADE, 226" 46.8YD3 COAL U</b> ..... 10,256 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		<b>\$67,993 NI</b>
W	141-3036	<b>BLADE, 226" 48.0 YD3 COAL U</b> ..... 10,203 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes ACL, ABK, JJB, 8BL an FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		<b>\$67,993 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**D9 TRACK TYPE TRACTOR (CONT.)**

***D9 BLADES (Cont.)***

W	216-3386	<b>BLADE, 226" 48.0 YD3 COAL U</b> ..... 25,289 (CWTS PRODUCT) HEIGHT: 101.4" (2574mm) WING ANGLE: 30 degrees INCLUDES: 5mm Stainless Steel liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		<b>\$93,324 NI</b>
---	----------	--	--	--------------------

**SPECIAL PAINT**

W	267-3667	<b>PAINT, BLACK-BUCKET/BLADE REAR</b> ..... 1,134 Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		<b>\$1,711</b>
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D9 TRACK TYPE TRACTOR (CONT.)**

**D9 BLADES (Cont.)**

**RECLAMATION U-BLADES**

W	499-7651	<b>BLADE, 184" 24.0YD3 RECLAM U</b> ..... 10,366 (CWTS PRODUCT) HEIGHT: 82.7" (2100mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		<b>\$67,856 NI</b>
---	----------	--	--	--------------------

W	436-2724	<b>BLADE, 184" 24.0YD3 RECLAM U</b> ..... 10,348 (CWTS PRODUCT) HEIGHT: 82.7" (2100mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		<b>\$67,857 NI</b>
---	----------	--	--	--------------------

**WOODCHIP U-BLADES**

W	499-7654	<b>BLADE, 216" 60.0YD3 CHIP U</b> ..... 11,281 (CWTS PRODUCT) HEIGHT: 122.9" (3122mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		<b>\$79,532 NI</b>
---	----------	---	--	--------------------

W	481-6345	<b>BLADE, 216" 60.0YD3 CHIP U</b> ..... 11,270 (CWTS PRODUCT) HEIGHT: 122.9" (3121mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers REX00001 thru REX00439		<b>\$79,533 NI</b>
---	----------	---	--	--------------------

W	230-5848	<b>BLADE, 216" 61.0YD3 CHIP U</b> ..... 11,059 (CWTS PRODUCT) HEIGHT: 122" (3099mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		<b>\$79,533 NI</b>
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D9 TRACK TYPE TRACTOR (CONT.)**

***D9 BLADES (Cont.)***

**LANDFILL U-BLADES**

W	506-3059	<b>BLADE, 217" 50.8YD3 FILL U</b> ..... 10,498 (CWTS PRODUCT) HEIGHT: 111.2" (2823mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial numbers TWG00728 and above FOR USE WITH: D9T Machine serial numbers REX00440 and above FOR USE WITH: D9R Machine serial numbers WDM04540 and above		<b>\$74,533 NI</b>
W	230-7079	<b>BLADE, 217" 50.8YD3 FILL U</b> ..... 9,598 (CWTS PRODUCT) HEIGHT: 111.2" (2823mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D9T Machine serial number prefix RJS FOR USE WITH: D9T Machine serial numbers TWG00001 thru TWG00727 FOR USE WITH: D9R Machine serial number prefixes: ACL, ABK, JJB, 8BL and 7TL FOR USE WITH: D9R Machine serial numbers WDM00001 thru WDM04539		<b>\$74,533 NI</b>

***D9T/D9R CUSHION DOZERS***

W	1Q-2884	<b>BLADE, 120" CUSHION DOZER</b> ..... 9,420 (CWTS PRODUCT) HEIGHT: 62"(1575mm) REQUIRES: lift cylinders, cylinder mountings, hydraulic lines and trunnion covers D9T requires 241-3360 trunnions for differential steer machine D9R requires 164-5056 trunnions for clutch brake machine D9R requires 164-5055 trunnions for differentialsteer machine NOT COMPATIBLE with TIER 4 Machines, please contact CWTS for configuration support.		<b>\$78,663 NI</b>
---	---------	--	--	--------------------

***D9T/D9R PUSH BLOCKS***

W	1Q-2886	<b>BLOCK, REAR CUSHION PUSH</b> ..... 4,740 (CWTS PRODUCT)		<b>\$39,735 NI</b>
---	---------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D9 TRACK TYPE TRACTOR (CONT.)**

***D9R TRUNNION GROUPS***

W	230-7078	TRUNNION, BLADE . . . . . 505 (CWTS PRODUCT) Trunnion group cushion dozer FOR USE WITH: D9 Machines ONLY!!! REQUIRES: 1Q-2884 cushion dozer NOT COMPATIBLE with TIER 4 Machines, please contact CWTS for configuration support.		\$6,485 NI
---	----------	--	--	------------

**D10 TRACK TYPE TRACTOR**

***D10T2 BLADES (Current Production Machines)***

**U-BLADES**

**COAL U-BLADES**

W	524-9610	BLADE, 241" 60.3YD3 COAL U . . . . . 14,623 (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above		\$96,840 NI
W	415-1797	BLADE, 241" 60.3 YD3 COAL U . . . . . 14,625 (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below		\$96,840 NI
W	524-9612	BLADE, 265" 68.0YD3 COAL U . . . . . 15,673 (CWTS PRODUCT) HEIGHT: 111.7" (2838mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above		\$98,896 NI

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D10 TRACK TYPE TRACTOR (CONT.)**

***D10T2 BLADES (Current Production Machines) (Cont.)***

W	415-1796	<b>BLADE, 265" 68.0 YD3 COAL U</b> ..... (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	15,664	\$98,896 NI
W	524-9614	<b>BLADE, 265" 68.0YD3 COAL U</b> ..... (CWTS PRODUCT) HEIGHT: 111.7" (2836mm) WING ANGLE: 30 degrees INCLUDES: 12mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	19,465	\$105,088 NI
W	415-1799	<b>BLADE, 265" 68.0 YD3 COAL U</b> ..... (CWTS PRODUCT) HEIGHT: 111.6" (2834mm) WING ANGLE: 30 degrees INCLUDES: 12mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	19,467	\$105,088 NI

**SPECIAL PAINT**

W	267-3667	<b>PAINT, BLACK-BUCKET/BLADE REAR</b> ..... Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.	1,134	\$1,711
---	----------	--	-------	---------

**RECLAMATION U-BLADES**

W	524-9611	<b>BLADE, 207" 32.0YD3 RECLAM U</b> ..... (CWTS PRODUCT) HEIGHT: 90.7" (2304mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	14,356	\$79,160 NI
---	----------	--	--------	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D10 TRACK TYPE TRACTOR (CONT.)**

***D10T2 BLADES (Current Production Machines) (Cont.)***

W	415-1798	BLADE, 208" 32.0 YD3 RECLAM U ..... (CWTS PRODUCT) HEIGHT: 90.7" (2304mm) WING ANGLE: 28 degrees INCLUDES: 16mm A514 liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	14,370	\$79,160 NI
---	----------	--	--------	-------------

**WOODCHIP U-BLADES**

W	524-9613	BLADE, 265" 95.0YD3 CHIP U ..... (CWTS PRODUCT) HEIGHT: 133.9" (3402mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00195 and above RAB00293 and above	16,640	\$100,153 NI
---	----------	--	--------	--------------

W	465-2443	BLADE, 265" 95.0YD3 CHIP U ..... (CWTS PRODUCT) HEIGHT: 133.9" (3400mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T2 Machine serial numbers JJW00194 and below RAB00292 and below	16,640	\$100,153 NI
---	----------	--	--------	--------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D10 TRACK TYPE TRACTOR (CONT.)**

***D10T/D10R BLADES (Non-Current Machines)***

W	147-5008	<b>BLADE, 265" 68.0 YD3 COAL U</b> ..... 15,200 (CWTS PRODUCT) HEIGHT: 110"(2794mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		<b>\$98,896 NI</b>
---	----------	--	--	--------------------

**SPECIAL PAINT**

W	267-3667	<b>PAINT, BLACK-BUCKET/BLADE REAR</b> ..... 1,134 Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		<b>\$1,711</b>
---	----------	--	--	----------------

**RECLAMATION U-BLADES**

W	1Q-2875	<b>BLADE, 224" 40.0 YD3 RECLAM U</b> ..... 14,200 (CWTS PRODUCT) HEIGHT: 95"(2413mm) WING ANGLE: 28 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		<b>\$100,676 NI</b>
---	---------	---	--	---------------------

**WOODCHIP U-BLADES**

W	343-8765	<b>BLADE, 265" 95.0 YD3 CHIP U</b> ..... 16,600 (CWTS PRODUCT) HEIGHT: 132"(3347mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.		<b>\$100,153 NI</b>
---	----------	--	--	---------------------

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D10 TRACK TYPE TRACTOR (CONT.)**

***D10T/D10R CUSHION DOZERS***

W	221-1677	BLADE, 138" CUSHION DOZER . . . . . (CWTS PRODUCT) HEIGHT: 70"(1778mm) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.	14,363	\$96,682 NI
---	----------	--	--------	-------------

***D10T/D10R HARDWARE KITS***

W	230-7081	KIT, MOUNTING BLADES . . . . . (CWTS PRODUCT) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK	385	\$3,858 NI
---	----------	--	-----	------------

***D10T/D10R PUSH BLOCKS***

W	230-7083	BLOCK, REAR CUSHION PUSH . . . . . (CWTS PRODUCT) FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK	6,850	\$47,154 NI
---	----------	--	-------	-------------

***D10T/D10R TRUNNION GROUPS***

W	230-7082	TRUNNION, BLADE . . . . . (CWTS PRODUCT) REQUIRES: 221-1677 cushion dozer FOR USE WITH: D10T Machine serial numbers RJG FOR USE WITH: D10R Machine serial numbers AKT, 3KR FOR USE WITH: D10N Machine serial numbers 3SK Please contact CWTS for configuration support.	790	\$9,406 NI
---	----------	---	-----	------------

**D11 TRACK TYPE TRACTOR**

***D11T BLADES (Current Production Machines)***

**U-BLADES**

**COAL U-BLADES**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>D11 TRACK TYPE TRACTOR (CONT.)</b>				
<b><i>D11T BLADES (Current Production Machines) (Cont.)</i></b>				
W	525-1151	<b>BLADE, 321" 98.0YD3 COAL U</b> ..... 25,234 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		<b>\$144,099 NI</b>
W	383-8894	<b>BLADE, 322" 98.0 YD3 COAL U</b> ..... 22,312 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		<b>\$144,099 NI</b>
W	525-1152	<b>BLADE, 321" 98.0YD3 COAL U</b> ..... 28,481 (CWTS PRODUCT) HEIGHT: 120.6" (3064mm) WING ANGLE: 30 degrees INCLUDES: 6mm Full Stainless Steel liner FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		<b>\$198,408 NI</b>
W	419-9207	<b>BLADE, 321" 98.0 YD3 COAL U</b> ..... 28,483 (CWTS PRODUCT) HEIGHT: 120.6" (3063mm) WING ANGLE: 30 degrees INCLUDES: 6mm Full Stainless Steel liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		<b>\$198,408 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D11 TRACK TYPE TRACTOR (CONT.)**

***D11T BLADES (Current Production Machines) (Cont.)***

W	525-1153	<b>BLADE, 287" 85.5YD3 COAL U</b> ..... 23,124 (CWTS PRODUCT) HEIGHT: 121.6" (3088mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00135 and above MDG00180 and above AMA00637 and above		<b>\$137,447 NI</b>
W	393-6200	<b>BLADE, 286" 85.5 YD3 COAL U</b> ..... 23,129 (CWTS PRODUCT) HEIGHT: 121.6" (3088mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		<b>\$137,447 NI</b>

**RECLAMATION BLADES**

W	525-1154	<b>BLADE, 287" 70.00YD3 RECLAM U</b> ..... 24,224 (CWTS PRODUCT) HEIGHT: 109.0" (2768mm) WING ANGLE: 28 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00135 and above JEL00415 and above MDG00180 and above AMA00637 and above		<b>\$147,425 NI</b>
W	387-6724	<b>BLADE, 286" 70.0 YD3 RECLAM U</b> ..... 24,213 (CWTS PRODUCT) HEIGHT: 109.0" (2768mm) WING ANGLE: 28 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers JNS00134 and below JEL00414 and below MDG00179 and below AMA00636 and below		<b>\$147,425 NI</b>

**SPECIAL PAINT**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

---

USE	REF NO.	<b>CATERPILLAR WORK TOOLS</b>	Ship Weight lbs	List Price At Factory
-----	---------	-------------------------------	--------------------	--------------------------

---

**D11 TRACK TYPE TRACTOR (CONT.)**

***D11T BLADES (Current Production Machines) (Cont.)***

<b>W</b>	<b>267-3667</b>	<b>PAINT, BLACK-BUCKET/BLADE REAR . . . . .</b>	1,134	<b>\$1,711</b>
		Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D11 TRACK TYPE TRACTOR (CONT.)**

***D11T/D11R BLADES (Non-Current Machines)***

**U-BLADES**

**COAL U-BLADES**

W	190-0047	<b>BLADE, 270" 83.0 YD3 COAL U</b> ..... 22,707 (CWTS PRODUCT) HEIGHT: 121"(3073mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		<b>\$133,021 NI</b>
W	209-0147	<b>BLADE, 287" 86.8 YD3 COAL U</b> ..... 23,093 (CWTS PRODUCT) HEIGHT: 120"(3048mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		<b>\$137,447 NI</b>
W	185-7085	<b>BLADE, 322" 98.0 YD3 COAL U</b> ..... 25,360 (CWTS PRODUCT) HEIGHT: 120"(3048mm) WING ANGLE: 30 degrees DOES NOT INCLUDE: Liner FOR USE WITH: D11T Machine serial numbers TPB, GEB FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR Please contact CWTS for configuration support.		<b>\$144,099 NI</b>

**SPECIAL PAINT**

W	267-3667	<b>PAINT, BLACK-BUCKET/BLADE REAR</b> ..... 1,134 Special paint configuration that will add black low gloss paint to the back of the blade. Recommended for use with HID and LED lights for reducing possible glare.		<b>\$1,711</b>
---	----------	--	--	----------------

**RECLAMATION U-BLADES**

CATERPILLAR MACHINE PRICE LIST

**WT-TTT**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**D11 TRACK TYPE TRACTOR (CONT.)**

***D11T/D11R BLADES (Non-Current Machines) (Cont.)***

W	192-0000	BLADE, 287" 70.0 YD3 RECLAM U . . . . .	25,300	\$147,425 NI
		(CWTS PRODUCT)		
		HEIGHT: 110"(2794mm)		
		WING ANGLE: 30 degrees		
		Please contact CWTS for configuration support.		
		DOES NOT INCLUDE: Liner		
		FOR USE WITH: D11T Machine serial numbers TPB, GEB		
		FOR USE WITH: D11R Machine serial numbers AAF, 7PZ, 9XR, 9TR and 8ZR		

**PACKING**

***PACKING CODES***

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
0P-5812	PACK, EXPORT . . . . .	0	NC