

# Allsteel®

## Seating, Collaboration, and Tables

### **PRICE LIST 2017**

prices effective January 29

#19®

Acuity®

Mimeo™

Relate®

Lyric™

Access™

Scout®

Trooper®

Quip™

Sum®

Clarity®

Seek®

Inspire®

Tolleson

Nimble®

Gather™ Collection

Altitude® Tables

Aware® Tables

Merge® Tables

# Seating and Tables

NEW! Laminates and Edges Available 1/29/2017  
Paint Finishes, Laminates, Fluid Form, and Veneers

## GATHER PAINT FINISHES

<b>ⓐ CORE COLORS GRADE P1</b>	
Black .....	P27
Brilliant White .....	PQ8
Brownstone .....	P7D
Bungalow .....	P7C
Flint .....	P02
Loft .....	P7B
Muslin .....	P4J
<b>Ⓢ SELECT COLORS GRADE P2</b>	
Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Platinum Metallic .....	PR2
Silver .....	PR6
<b>ⓐ ACCENT COLORS GRADE P3</b>	
Flame .....	P7G
Ocean .....	P7H
Sprout .....	P7F
Tangelo .....	P7E
<b>PAINTED WOOD</b>	
Brilliant White .....	M14
Brownstone .....	M13
Flint .....	M16
Loft .....	M11

## ALL-AROUND BASE COLORS

Charblack .....	CBK
Textured Silver .....	PR8

## ALTITUDE BASE COLORS

Black** .....	P27
Brilliant White** .....	PQ8
Silver .....	PR6

\*\*Black and Brilliant White are only available on C-legs.

## MERGE AND AWARE PAINT FINISHES

<b>ⓐ CORE COLORS</b>	
Black .....	P27
Brownstone .....	P7D
Bungalow .....	P7C
Carob .....	P52
Flint .....	P02
Fossil .....	P28
Loft .....	P7B
Muslin .....	P4J
Parchment .....	P93
<b>Ⓢ SELECT COLORS</b>	
Brilliant White .....	PQ8
Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Platinum Metallic .....	PR2
Silver .....	PR6

## MERGE DISC BASE FINISHES

Charblack .....	CBK
Textured Silver .....	PR8

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

## LAMINATES

<b>CORE</b>	
<b>GRADE L1</b>	
Ash .....	LT3B
Brownstone* A .....	LM13
Bungalow* A .....	LM12
Camelstone .....	LT6A
Canyon Zephyr .....	LT5B
Desert Zephyr .....	LT5A
Flint* A P .....	LM16
Frosty White* A P .....	LM14
Grey Mesh .....	LT8A
Greystone .....	TM65
Loft* A P .....	LM11
Muslin* A P .....	LM15
Parchment .....	TM20
Pewter Mesh .....	LT8C
Sheer Mesh .....	LT8B
Silver Mesh .....	LT8D
White Tigris .....	LT2A
Whitestone .....	TM33

<b>WOODGRAIN</b>	
Natural Maple* A P .....	LWD
Shaker Cherry* P .....	LW7C

<b>GRADE L2</b>	
Amber Cherry* P .....	LWAC
Beigewood* P .....	LWBE
Branded Oak* A P NEW! .....	LBO1
Brazilwood* A P .....	LWBR
Columbian Walnut* A P .....	LWZ
Ebony Recon* A P NEW! .....	LER1
Fawn Cypress* A P NEW! .....	LFC1
Lowell Ash* P .....	LLA1
Mangalore Mango* A P NEW! .....	LMM1
Natural Recon* P .....	LNR1
Phantom Charcoal* A P NEW! .....	LPC1
Phantom Ecru* P .....	LPE1
Portico Teak* P .....	LPT1
Skyline Walnut* P .....	LSW1

<b>GRADE L3</b>	
Cafelle* P .....	LWC
Charcoal Walnut* A P .....	LWCW
Natural Walnut* A P .....	LWNW

\* Storage available in these 25 laminates.

A Aware® credenzas and lectern available in these 11 laminates.

P Parallel™ tables available in these laminates and edge colors.

## FLUID FORM

Auburn Cherry .....	TF7K
Frosty White .....	TFC3
Natural Maple .....	TF8D

## LAMINATE EDGE COLORS

Amber Cherry† P .....	DA
Beigewood† P .....	DE
Black P .....	E4
Branded Oak + A P NEW! .....	BO
Brazilwood† A P .....	DB
Brownstone A P .....	EY
Bungalow A P .....	EX
Cafelle† P .....	DG
Carob P .....	E8
Charcoal Walnut† A P .....	DC
Columbian Walnut† A P .....	DZ
Ebony Recon + A P NEW! .....	DR
Fawn Cypress + A P NEW! .....	FC
Flint A P .....	E9
Fossil P .....	EH
Loft A P .....	EV
Mangalore Mango + A P NEW! .....	MM
Muslin A P .....	EU
Lowell Ash P .....	DL
Natural Maple† A P .....	DD
Natural Recon P .....	NR
Natural Walnut† A P .....	DN
Parchment P .....	EN
Phantom Charcoal + A P NEW! .....	PC
Phantom Ecru P .....	PE
Plyband ♦ .....	PL
Portico Teak P .....	DP
Shaker Cherry† P .....	DF
Skyline Walnut P .....	SW
White A P .....	EW

★ Not available on Aware table tops.

♦ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight. No T-Mold.

† Not available on wave edge worksurfaces.

NOTE: \$33 upcharge on Woodgrain T-Mold.

## PLASTIC GROMMETS

<b>FOR TABLE TOPS</b>	
Black .....	E4
Brownstone .....	EY
Bungalow .....	EX
Carob .....	E8
Flint .....	E9
Fossil .....	EH
Loft .....	EV
Muslin .....	EU
Parchment .....	EN
White .....	EW

## RECOMMENDED COORDINATE COLORS

For Plastic Grommets on Laminate specify the same color used for the edge color; or the following plastic grommet color based on edge selected:

Branded Oak .....	Brownstone EY
Natural Maple, Fawn Cypress, Natural Recon .....	Muslin EU
Phantom Charcoal .....	Flint E9
Phantom Ecru .....	Loft EV
Portico Teak .....	Fossil EH
Shaker Cherry .....	Carob E8
Skyline Walnut .....	Flint E9

For Plastic Grommets on Fluid Form specify either same color as painted legs/base; or the following plastic grommet color based on Fluid Form selected:

Auburn Cherry .....	Black E4
Natural Maple .....	Muslin EU

For Plastic Grommets on Veneer the color is predetermined based on finish selection.

All Maple veneers .....	Muslin EU
All Cherry, Walnut and Dark Rift Oak veneers .....	Black E4

## STRATAWOOD VENEERS

<b>GRADE V1</b>	
<b>CHERRY</b>	
Burnished Cherry .....	SC777
Light Cherry .....	SC701
Wheat Cherry .....	SC706
<b>MAPLE</b>	
Clear Maple** .....	SE800
<b>OAK</b>	
Clear Oak .....	SF300
Dark Rift Oak .....	SF331
<b>WALNUT</b>	
Coffee Walnut .....	ST615
Dark Roast Walnut .....	ST684
Light Walnut .....	ST601

## NATURAL VENEERS — NATURAL-1

<b>GRADE V3</b>	
<b>CHERRY</b>	
Burnished Cherry .....	NC777
Light Cherry .....	NC701
Medium Wheat Cherry .....	NC706
<b>MAPLE</b>	
Natural Maple* .....	NE800
<b>WALNUT</b>	
Coffee Walnut .....	NT615
Dark Roast Walnut .....	NT684
Light Walnut .....	NT601

## NATURAL VENEERS — NATURAL-2

<b>GRADE V5</b>	
Dark Rift Oak .....	RF331

Horizontal surfaces to be full-fill, ClearTech finish.

\*\*SE800 and NE800 are not available on Stride trim.

*The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.*

## METAL GROMMETS

### FOR LAMINATE AND FLUID FORM TABLE TOPS

Oval:	
Matte Silver .....	EL

### FOR VENEER TABLE TOPS ONLY

Oval:	
Black .....	E4
Bronze .....	EZ
Matte Silver .....	EL

All of Allsteel's tables are level® – 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See [www.levelcertified.org](http://www.levelcertified.org) for more information.

NOTE: Refer to individual product pages for upcharges.

FSC Certified Wood at Allsteel  
See page 260 for more information.

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature Fulfillment at 1-866-255-7833.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at [www.allsteeloffice.com](http://www.allsteeloffice.com).

### Questions or Comments?

Please call us at: **888-ALLSTEEL**  
**888-255-7833**

Table of Contents.....	3
<b>INTRODUCTION/SPECIFICATION</b>	
New, Revised, and Discontinued Products.....	4
Warranty.....	5
Everyday Advantage®.....	6
<b>SEATING</b>	
Seating Overview .....	8-9
Seating BIFMA Guidelines .....	10
Definitions and Acronyms.....	11
#19® .....	12-15
Acuity® / Acuity with Centurion / Acuity Side.....	16-25
Mimeo™ .....	26-29
Relate® / Work Stools / Multi-Purpose Side / 4-Legged Stools.....	30-47
Lyric™ .....	48-63
Access™ .....	64-69
Scout® / Scout Stool.....	70-77
Trooper® / Trooper LT / Work Stools .....	78-87
Quip™ .....	88-91
Sum® / Sum Stools .....	92-99
Clarity®.....	100-103
Seek® .....	104-107
Inspire® / 4-Leg / Sled / Tablet / Work Chair / Stool.....	108-127
Tolleson Side.....	128-131
Nimble®.....	132-135
Upholstery Grades 9-22 Pricing .....	136-141
<b>GATHER™</b>	
Gather Overview.....	142-143
<b>Seating</b>	
Rise™ .....	144-147
Mind-Share®.....	148-153
Linger™ .....	154-155
Parallel™ .....	156-161
Scooch™ .....	162-163
Take-5™ and Take-5 Stool.....	164-167
Vicinity™ Seating .....	168-171
<b>Space Division</b>	
Clubhouse™ .....	172-183
Reflect™ .....	184-185
Hedge™ .....	186-189
<b>Conferencing</b>	
Sketch™ .....	190-191
View™ .....	192-197
<b>Tables</b>	
All-Around™ .....	198-214
Harvest™ — Classic / Rustic / Metal.....	216-231
Community .....	232-237
Vicinity Tables .....	238-239
<b>Occasional Tables</b>	
Transfer™ .....	240-241
Belong®.....	242-243
Gather Upholstery Grades 9-22 Pricing .....	246-249

<b>TABLES</b>	
Tables Overview .....	250-251
<b>Altitude®</b>	
Working with Altitude Height-Adjustable Tables.....	252-253
Height-Adjustable Tops, Bases, and Accessories.....	254-259
<b>Aware®</b>	
Aware Overview .....	260-263
Aware Electrical .....	264-265
Folding Tops and Bases.....	266-267
18"D Tops and Fixed or Nesting Legs.....	268-269
24"D Tops and Fixed or Nesting Legs.....	270-273
30"D Tops and Fixed or Nesting Legs.....	274-277
36"D Tops and Fixed or Nesting Legs.....	278-279
Trapezoid / Half-Round Tops and Legs.....	280-281
Polygon / Crescent / Connector Tops and Legs .....	282-283
Modesty Panels and Accessories .....	284-285
Electrical and Data.....	286-287
Buffet Credenza / Recycle Credenza.....	288-289
Mobile Marker and Tack Boards.....	290
Wall-Hung Marker Boards .....	291
Lectern .....	292
Aware Typicals .....	293
<b>Merge®</b>	
Merge Overview.....	294-297
Working with Power Bay™ Tables.....	298-299
Power Bay Tables .....	300-301
Working with Adaptive Tables .....	302
Adaptive Tables .....	303
Height Adjustable Tables .....	304
Working with Standard Tables .....	305
Round Table Tops, Bases, and Legs .....	306-309
Conference End Table Tops and Bases .....	310-311
Square Table Tops, Bases, and Legs .....	312-315
D-End Table Tops, Bases, and Legs .....	316-317
Rectangle Table Tops, Bases, and Legs — 24"D/30"D .....	318-321
Rectangle Table Tops, Bases, and Legs — 36"D/48"D .....	322-327
Conference Oval Table Tops, Bases, and Legs.....	328-329
Conference Arc Table Tops, Bases, and Legs.....	330-331
<b>APPENDIX</b>	
COM Policy.....	332-333
Fabric Samples .....	334
Fabric Care and Sustainability Information .....	335-336
Cross Reference Index by Model Number .....	337-341
Partnership Program Upholstery .....	345-347
Seating Upholstery Matrix .....	348-350
Gather Upholstery Matrix.....	351-353
Standard Upholstery .....	354-355

# Seating, Collaboration, and Tables

New, Revised, & Discontinued Products

## NEW PRODUCTS

### Lyric™

Upholstered versions of Work Chairs, Stools, and Large & Tall — 10/3/2016  
Multi-Purpose Chair — 1/2/2017

### Quip™

Task Chair, Task Stool, and Value Task Chair — 9/6/2016

### Gather™ Collection

Vicinity™ Seating and Tables — 10/3/2016  
Harvest Rustic and Metal — 9/6/2016 Non-Powered — 10/31/2016  
Community Tables — 5/2/2016 and 9/6/2016

### Altitude®

3-Stage 3 Leg T-Leg Base, Corner Cove Extension Kit, Caster Kit — 1/30/2017

### Aware®

Aware Lectern and Mobile Marker Boards — 8/1/2016

## NEW FABRICS AND FINISHES

Sequence moved to Grade 6 — 10/21/2016  
Paints — Bullseye PJF and Pyrite PJE for Vicinity Seating — 9/7/2016  
Finishes — Clear Oak SF300 for Reflect — 9/16/2016  
Laminates — Branded Oak LBO1, Ebony Recon LER1, Fawn Cypress LFC1, Mangalore Mango LMM1, Phantom Charcoal LPC1 — 1/29/2017  
Edges — Branded Oak BO, Ebony Recon DR, Fawn Cypress FC, Mangalore Mango MM, Phantom Charcoal PC — 1/29/2017  
Panel Fabrics — Refuge Eclipse RFG990 and Glacier RFG991 — 1/1/2017  
Upholstery — Clyde 14 colorways, Rove 9 colorways, Hedge 5 colorways, Pocket 5 colorways, Verse 4 colorways, Ultraeather Pro 33 colorways, Fushion 5 colorways, Maze 15 colorways, and Chroma 4 colorways — 1/29/2017

## DISCONTINUED PRODUCTS

Sum — all models 6/30/2017

## DISCONTINUED FABRICS

Chatterbox, Tempo, Trisect, and Perennial upholstery — 12/15/2017  
Tasanee panel fabric — 12/15/2017  
Diode, Emery, Rift — all colorways 7/3/2016  
Seed — Russet SED05 and Teal SED01 discontinued 7/3/2016

# Lifetime Warranty

**Allsteel Inc. warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns them, except as set forth below.**

Allsteel shall repair or replace with comparable product (at Allsteel's discretion), free of charge, any Allsteel product or component manufactured after January 29, 2017, that fails under normal commercial office use.

**This warranty is subject to the following provisions:**

Some natural variations occurring in wood, leather, or other natural materials are inherent to their character and not considered defects. Allsteel does not warrant the colorfastness or matching of colors, grains, or textures of these materials. Additionally, a Customer's Own Material (COM) selected by, and used at the request of, a user is not warranted.

**The materials and components listed below are covered according to the following schedule from the date of sale:**

- Wood products and electrical components (lamps and ballasts are not covered), seating controls, pneumatic cylinders, glides, casters and polymer-based components, and foam — 12 years
- Wood seating, stacking chairs, Sum® AutoFit® technology, and laminates — 10 years
- User-adjustable worksurface mechanisms, tablet arm mechanisms, interior wood-framed seating and lounge products, occasional tables, Mimeo™ mesh, Quip™ mesh, Scout® mesh, panel and seating upholstery fabrics, and other covering materials — 5 years
- Marker board surfaces and upholstery on Gather™ products — 3 years
- #19®, Access™, Acuity®, Clarity®, Inspire®, Lyric™, Relate®, Scout, Seek®, Sum, and Trooper® asynchronous and synchro-tilt models are warranted for multiple shifts and users up to 300 lbs. Mimeo is warranted for multiple shifts and users up to 350 lbs. Lyric Large & Tall is warranted for multiple shifts and users up to 400 lbs. Trooper Large & Tall is warranted for multiple shifts and users up to 500 lbs. All other Allsteel chairs and components are warranted for single-shift, 40-hour workweek usage.

- #19 chair, including components and material, is warranted for as long as the original purchaser owns the chair.
- #19, Access, Acuity, Clarity, Lyric, Relate, and Seek mesh/carriers and Mimeo and Quip carriers are considered structural chair components and as such are warranted for as long as the original purchaser owns the chair.
- Undercabinet LED light — fixture warranted for 3 years; power supply warranted for 1 year
- Link™ LED light — 5 years
- Wand™ LED Light — fixture warranted for 5 years; power supply warranted for 3 years
- Beyond™ Movable Walls — 10 years; moving parts such as door hardware and door mechanisms — 5 years; customer's own hardware — supplier warranty

**This warranty does not apply to:**

- Normal wear and tear over the course of ownership, including fabric puddling
- Damage from sharp objects (e.g., writing utensils, heeled shoes, scissors, jewelry, keys)
- Modifications or attachments to the product not approved by Allsteel
- Products not installed, used, or maintained in accordance with product instructions and warnings
- Products used for rental purposes
- Damage caused by the carrier in-transit, which is handled under separate terms
- Third-party products. Allsteel, to the extent possible, will pass through to the original purchaser (and process claims under) any warranty provided by manufacturers of undercabinet lighting, ergonomic work tools, or other third-party products supplied by Allsteel.

**TO THE EXTENT ALLOWED BY LAW, ALLSTEEL MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLSTEEL WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.**

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada.

Your Allsteel Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty, please contact your Allsteel Dealer.

# Everyday Advantage®

































## Program Terms for Everyday Advantage

1. Orders must clearly state “Everyday Advantage Order” and include the appropriate Everyday Advantage contract number:
  - Everyday Concensys® Std-0131, Everyday Concensys Canada-0133
  - Everyday Optimize™/Terrace® Std-0125, Everyday Optimize/Terrace Canada-0127
  - Everyday Concensys Gov-0132
2. Orders must contain only Everyday Advantage products. Choose the correct contract in your electronic ordering system by selecting the panel system, (Concensys or Optimize/Terrace) then add other desired products. If no systems product is being ordered, either contract can be selected.
3. Everyday Advantage orders are not eligible for bid pricing.
4. The complete Concensys, Optimize, and Terrace systems lines. This program also includes Access™, Inspire®, Lyric™, Mimeo™, Nimble®, Quip™, Relate®, Seek®, Scout®, Sum®, Tolleson, and Trooper® seating. Altitude®, Aware®, and Merge® tables are available, along with Align™ Lockers and metal storage and the complete Essentials™ storage line. In addition, Extensions™ ergonomic accessories and lighting are part of the offering.
5. Orders received for the program must only contain Everyday Advantage identified product. Products included in an order that are not part of the program will cause the whole order to be acknowledged as regularly manufactured products.
6. All textiles and finishes are available, but some may have extended lead times.
7. Everyday Advantage orders are not limited to a minimum or maximum.
8. All orders ship based on standard lead times. Large-quantity orders of like products may be subject to longer lead times.
9. Standard freight terms apply.
10. If driver assistance is needed, standard driver assist charges will be added at time of order entry.

*Allsteel Inc. reserves the right to amend or terminate this program at any time with 30 days written notice. Allsteel is not liable for service delays caused by force majeure (circumstances beyond Allsteel's control).*



#### Seating (Arm and armless versions available for most models.)

<p><b>#19<sup>®</sup></b> pages 12-15</p>  <p>High-back Work Chair</p>	<p><b>Acuity<sup>®</sup></b> pages 16-25</p>  <p>High Back Work Chair</p>  <p>Side Chair</p>	<p><b>Mimeo<sup>™</sup></b> pages 26-29</p>  <p>Work Chair</p>  <p>Work Stool</p>					
<p><b>Relate<sup>®</sup></b> pages 30-47</p>							
 <p>High-back Work Chair</p>	 <p>Mid-back Work Chair</p>	 <p>High-back Work Stool</p>	 <p>Mid-back Work Stool</p>	 <p>Side Chair</p>	 <p>4-Legged Stool</p>		
<p><b>Lyric<sup>™</sup></b> pages 48-63</p>					<p><b>Access<sup>™</sup></b> pages 64-69</p>		
 <p>High-Back Work Chair</p>	 <p>High-Back Work Stool</p>	 <p>Large &amp; Tall Work Chair</p>	 <p>4-Leg Multi-Purpose</p>	 <p>Wire Stacker Multi-Purpose</p>	 <p>Universal Back Work Chair</p>	 <p>Universal Back Work Stool</p>	
<p><b>Scout<sup>®</sup></b> pages 70-77</p>		<p><b>Trooper<sup>®</sup></b> pages 78-87</p>				<p><b>Quip<sup>™</sup></b> pages 88-91</p>	
 <p>Universal Back Work Chair</p>	 <p>Universal Back Work Stool</p>	 <p>High-back Work Chair</p>	 <p>Mid-back Work Chair</p>	 <p>Trooper LT Work Chair</p>	 <p>Work Stool</p>	 <p>Work Chair</p>	 <p>Work Stool</p>
<p><b>Sum<sup>®</sup></b> pages 92-99 <b>D</b></p>		<p><b>Clarity<sup>®</sup></b> pages 100-103</p>			<p><b>Seek<sup>®</sup></b> pages 104-107</p>		
 <p>Work Chair</p>	 <p>Stool</p>	 <p>Task Chair</p>	 <p>Guest Chair</p>	 <p>Lounge Chair</p>	 <p>Multi-purpose Stacking and Nesting Chair</p>		

**D** Discontinued 6/30/2017




#### Seating (Arm and armless versions available for most models.)

#### Inspire® pages 108-127



Four-Leg Stack Chair



Sled Base Stack Chair



Four-Leg Tablet Arm Stack Chair



Sled Base Tablet Arm Chair



Work Chair



Work Stool



Four-Leg Stool


#### Tolleson Side Chairs pages 128-131



Side Chair — Keystone



Side Chair — Square




Side Chair Cart

#### Nimble® pages 132-135




High Density Stacking Chair




Chair Cart

### Gather™ Collection


#### Rise™ pages 144-147




#### Mind-Share® pages 148-153




#### Linger™ pages 154-155




#### Scooch™ pages 162-163




#### Parallel™ pages 156-161




#### Take-5™ pages 164-167




#### Vicinity™ pages 168-171




#### Clubhouse™ pages 172-183




#### Reflect™ pages 184-185




#### Involve®



Involve provides a comprehensive lineup of primarily laminate wood storage, but includes tables, space division, and collaboration solutions including soft seating. Involve is located in the Storage Price List.



Measurements based on BIFMA G1-2002 guidelines. Many of the measurements are taken from the compressed seat (dotted horizontal line) and the tangent lumbar apex (dotted vertical line).



**ANSI** — (American National Standards Institute) ANSI is a private, non-profit organization (501(c)3) that administers and coordinates the U.S. voluntary standardization and conformity assessment system.

**Asynchronous** — High-performance seating control system with three levers to modify adjustments on the chair for a more customized fit:

- Angle of back relative to seat
- Tilt (free float or infinite locking)
- Forward tilt of seat

**ASTM Standards** — (American Society for Testing and Materials) is an international standards group that develops and publishes technical standards for many products, materials, and services.

**BIFMA** — (Business and Institutional Furniture Manufacturer's Association) Produces voluntary standards for manufacturers of office furnishings. These standards are intended to provide a common basis for the evaluation of safety, durability, dimensions, ergonomics, and the structural adequacy of the specified furniture.

**CAL TB117-2013** — Method used to test open flame resistance of components of upholstered furniture. This test is done with a lighted cigarette placed in crevices of mock-up components.

**CFC** — (Chlorofluorocarbons) CFCs are broken down by strong ultraviolet light in the stratosphere and release chlorine atoms that then deplete the ozone layer. CFCs are commonly used as refrigerants, solvents, and foam blowing agents.

**COL** — (Customer's Own Leather)

**COM** — (Customer's Own Material) See pages 332-333.

**CTB133** — California Technical Bulletin (California Dept. of Consumer Affairs Bureau of Home Furnishings and Thermal Insulation) Full-scale fire test for furniture manufactured for use in public buildings. Industry standard for full burn test.

**Ergonomic** — The coordination of the design of a product with the capacities and requirements of the user.

**HFES** — (Human Factors and Ergonomics Society) A membership-based organization whose mission is to promote the discovery and exchange of knowledge concerning the characteristics of human beings that are applicable to the design of systems and devices of all kinds.

**Knee Tilt** — A seating control that pivots about a point underneath the knee (towards the front of the seat) to reduce pressure on the back of the legs when reclining.

**Memory Foam** — Viscoelastic foam developed by NASA that retains the shape impressed upon it to reduce pressure points and distribute the load on the seat more evenly.

**NFPA261** — Method of test for determining resistance of mock-up upholstered furniture material assemblies to ignition by a smoldering cigarette. This test is done with a lighted cigarette placed in crevices of mock-up components.

**NFPA266** — Method of test for fire characteristics of upholstered furniture exposed to flaming ignition source. This is a full-scale test of mock up. Equivalent to CAL133

**Pneumatic** — Operated by compressed air in a tool or machine

**Powder Coat** — Dry paint electrostatically charged for better adhesion to parts and baked on for a durable finish.

**Recyclable** — Able to be reclaimed and re-used into another value-added product.

**Recycled** — Made from post-industrial or post-consumer waste products.

**Synchro-Tilt** — A seating control where the chair back reclines at a prescribed ratio in relation to seat angle. Allows user to recline while keeping seat cushion relatively level to the floor.

**Urethane** — Synthetic plastic; any of a group of thermoplastic polymers that are used in resins, coatings, insulation, adhesives, foams, and fibers.

**Weight-activated** — A seating control that has the recline tension engineered into the chair so that the chair recline tension will automatically vary depending on the weight of the user reclining the chair.

**Wyzenbeck Testing** — Method of testing the abrasion resistance of a fabric utilizing a cotton duck or wire mesh that is rubbed, back and forth (a double rub), over the fabric.

Furniture designer Marcus Koepke teamed with Allsteel to create a seating system that works integrally with the human body. Using a combination of passive adjustments, thermal regulation, and innovative materials, #19 delivers unsurpassed comfort and performance.

## KEY FEATURES

### Avatar™

The weight-activated recline motion, **Avatar [6-10]** — balances the user perfectly using a natural pivot point at the hip.

Avatar allows #19 to recline a full 22.5° as it gently lifts the back of the seat upward, creating a back-to-seat ratio of 4:1. This provides pelvic support, ensures proper alignment of the spine, and enhances circulation, preventing fatigue and discomfort. The recline motion of the chair enables the user to maintain his or her line of sight. The linkages in Avatar also provide balanced leverage for a wide range of users.

### Tria™

#19's **Tria Calibrated Seat System [12]** is designed to regulate body temperature. Tria is a proprietary, three-layer seat construction consisting of a unique base cushion, gel center, and microporous **Tria Compliant Seat Upholstery [13]**, all supported by the **Seat Contour Panel [11]**.

The gel is a self-contained, plasticizer-free impermeable layer of material that rests directly on top of channeled cushion foam. The gel provides adaptive pressure leveling when the user shifts in the seat, reducing shear stress on the skin. It also forces air out of the cushion, creating a continuously circulating internal environment that releases excess heat and maintains optimal temperature.


### Plexus™

The **Plexus Lumbar System [17]** creates lower back support by increasing the tension of the **VenTech™ Thermal Weave [16]** over a vertical range of 3¼".

Plexus uses a sliding component to tense the fabric; adjustments can be made easily while the user is seated. The VenTech material manages heat accumulation and loss and maintains a temperature range slightly warmer than the environment and just below core body temperature, ensuring an optimal environment for productivity. Because lower back support is the result of fabric tension and not an added structural element, the breathability of the VenTech material is not obstructed.

The **Flexible Back Carrier [18]**, which frames the VenTech weave, is a unique, non-rigid chair back designed to change shape with pressure as the user moves and adjusts.

#19 is the sum expression of 18 integral parts, plus one equally integral human being.



- |  |                                   |
|--|-----------------------------------|
| 1 Multi-Surface Casters                  | 10 Avatar Synchronizing Link      |
| 2 Aluminum Five-Star Base                | 11 Seat Contour Panel             |
| 3 Pneumatic Height Adjustment            | 12 Tria Calibrated Seat System    |
| 4 Seat Depth Adjustment                  | 13 Tria Compliant Seat Upholstery |
| 5 Tilt Limiting Lever                    | 14 Aluminum Arm Supports          |
| 6 Avatar Aluminum Chassis                | 15 Adjustable Armrests            |
| 7 Avatar Aluminum Seat Structure         | 16 VenTech Thermal Weave          |
| 8 Avatar Back Pivot Structure            | 17 Plexus Lumbar System           |
| 9 Avatar Vertical Aluminum Back Supports | 18 Flexible Back Carrier          |

## Controls

#19 offers superior adjustability with minimal controls.

**Pneumatic Height Adjustment [3], Seat Depth Adjustment [4], and Tilt Limiting Lever [5]** are shaped to indicate their function and provide high-quality performance.

The pneumatic height adjustment, regulates the height of the chair relative to the floor. The height of the chair can be set to help the user obtain a neutral wrist position at the worksurface while keeping his or her feet comfortably on the floor. The seat depth adjustment adapts to different leg lengths with simple back-to-front movement. The three-position tilt limiting lever allows an upright work position, a relaxed work position, and can be disengaged for continuous, fully supported reclining.

## Armrests

**Aluminum Arm Supports [14] and Adjustable Armrests [15]** support the user's arms in all recline positions and provide a wide range of adjustability.

Adjustable-height, pivoting arms can be set to multiple heights, widths, and angles. Height can be adjusted 4", from 8" to 12", and arms can pivot a full 60°, from 30° inward to 30° outward.

## Base and Casters

An **Aluminum Five-Star Base [2]** provides an excellent strength-to-weight ratio and is composed of 100% recycled material. #19's **Multi-Surface Casters [1]** work on any floor surface; their 80mm diameter size enhances mobility.

## Extendable Life

#19 is designed to have an extendable life. Its frame and base are made from 100% recycled aluminum; 88% of the materials that go into it are recyclable. As new features are developed, #19 can be easily upgraded, minimizing resource demands on the environment. It is available in two powder-coat finishes, an essentially non-emitting process, critical for reducing indoor air pollutants in the manufacturing environment and in the workplace.

## Take Back Program

When #19 completes its useful life for a customer, Allsteel will take it back for reuse or recycle as a part of our commitment to minimize the impact of our business on the environment.

## #19 Lifetime Warranty

The entire chair, not just some of its parts, is backed by the Allsteel Lifetime Warranty.

#19 meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002.

#19 is warranted for multiple shifts and users up to 300 lbs.

## STANDARD FEATURES — #19:

- Overall Size:  
High-back Work Chair
- Lumbar Support:  
Plexus
- Armrests:  
Adjustable armrests with solid aluminum supports
- Seat Back:  
Flexible back carrier with VenTech
- Seat Cushion:  
Tria with self-contained gel
- Ergonomic Motion:  
Avatar
- Controls:  
Pneumatic height adjustment  
Seat depth  
Tilt limit
- Casters:  
Multi-surface casters for hard and soft surfaces

## OPTIONS — #19:

- Pneumatic Cylinder:  
**2** Standard Cylinder
- Frame Colors:  
**P80** Charblack Metallic  
**PR6** Silver
- Upholstery:  
See pages 348-350 for selections.  
See inside back cover for colors and codes.



(See page 136 for COM pricing on Grades 9-22)

#19

Overall Size Armrest	Adjustments and Features	Frame Finish	Model Number <i>Add options below</i>	1	2	3	4	5	6	7	8	Leather	
												1*	2*
High-back Work Chair	Tilt Lock	Charblack Metallic	A19-HWB	\$ 2077	\$ 2094	\$ 2104	\$ 2133	\$ 2160	\$ 2188	\$ 2214	\$ 2244	\$ 2930	\$ 4137
	Avatar												
Adjustable Arms	Pneumatic Adj.	Silver	A19-HWS	\$ 2077	\$ 2094	\$ 2104	\$ 2133	\$ 2160	\$ 2188	\$ 2214	\$ 2244	\$ 2930	\$ 4137
	Seat Depth												



\*Allsteel Leather and Edelman Leather are available on #19. Please note that leather upholstery will reduce the thermodynamic properties of #19's proprietary Tria calibrated seating system.

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Cylinder: 2 Standard, allows 5" of travel</p>	<p><b>2nd Option:</b> Select the Frame Color: A19-HWB P80 Charblack Metallic A19-HWS PR6 Silver</p>	<p><b>3rd Option:</b> Select the Seat Upholstery: See pages 348-350 for Selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>	<p><b>NOTE:</b> VenTech chair back in black only.</p>
<p>A19-HW . 2 .</p>		<p>P . . . . .</p>		

Example: A19-HWS.2.PR6.CTU10

Model Number	Overall			Seat				Armrests				Backrest									
	COM Yardsage	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
A19-HWB	0.8	7.0	40-45"	26½"	27"	17½-22¼" 15½-19¼"	22¼"	16½-18¼"	3° to 9.5°	8-12"	13½-18¾"	12½-13"	30°	30°	25"	17¾"	6½-10"	91°-113.5°	65.0	-	18.3
A19-HWS	0.8	7.0	40-45"	26½"	27"	17½-22¼" 15½-19¼"	22¼"	16½-18¼"	3° to 9.5°	8-12"	13½-18¾"	12½-13"	30°	30°	25"	17¾"	6½-10"	91°-113.5°	65.0	-	18.3

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.



*Acuity is a chair that enhances any environment, any body. Designed in collaboration with Bruce Fifield of Milan-based Design Continuum Italia, Acuity is designed with Italian sensibility and Allsteel ingenuity. Its design and ergonomics work seamlessly while the controls are intuitive. Acuity is elegant and pleasing to the eye, as anything inessential has been stripped away, leaving behind only a purity of form.*

*Acuity is level®2 certified and has achieved SCS Indoor Advantage™ Gold Certification. Acuity is designed and manufactured to have minimal impact on both the physical and social environment, made with no PVC components and has a recycled content of 28%-37%, depending on chair base selected. Acuity's production energy is off-set with renewable energy credits from Midwest-generated wind energy.*

## KEY FEATURES

### AcuFit®

Acuity provides ideal ergonomics, instantly. We used the latest anthropometric databases, high-tech modeling, and intense observation to understand just what a body needs. You'll feel it the minute you sit – snug support and contoured cushioning that conforms to your body and stays with you throughout the day. No matter what size you are or how you work, Acuity adapts, automatically.

### Weight-activated mechanism

A ground-breaking, weight-activated mechanism built into the chair's structure does two things critical to effective ergonomics: automatically adjusts recline tension in response to the user's weight; and, keeps the seat and back moving smoothly together during recline, thereby maintaining perfect balance, body angle, and focus.

### Hybrid seat cushion


A unique combination of materials provides properties critical to comfort. A molded foam base with additional memory foam offers softness when you first sit along with greater support over time. This translates into instant comfort, the elimination of pressure points, and a healthy sitting experience over every hour of the day.

### Conforming mesh back

Form creates function with a back designed to provide ideal ergonomics for bodies of every shape and size. The mesh carrier mirrors the shape of the human spine, offering snug support to the shoulders, lumbar area, and everywhere in between, simultaneously and continuously. In addition, the structure and materials of the yoke have inherent dynamic properties that promote healthy posture by allowing just the right amount of flex and body movement.

## Intuitive Controls

Fine-tuning the fit is critical to optimizing ergonomics and improving personal comfort. Acuity's controls are well-marked, easy-to-find tabs, located along the sides of the seat so they're simple to see, use, and understand. Now you'll never have to get out of your seat or fuss with paddles and knobs to adjust your chair.





## Materials and Finishes

Acuity has been designed to complement any interior design, any organizational aesthetic. Purity of form, sensual lines, and a slender profile let it make a supportive statement to every environment, every body. Choose from several classic colors for chassis, base, caster, mesh carrier, and mesh and a wide variety of standard and partnership upholstery options.

## Optional Upholstered Jacket

Dress for success with a slip on jacket that offers premium appeal in conference areas, private offices, or the boardroom. Elegantly tailored with a simple snap closure and seven stitches per inch, architects and interior designers can choose from jackets in hundreds of approved colors, including over 50 from Edelman Leather, one of the world's most respected tanners. Remove the jacket and you're back to mesh for everyday flexibility, anywhere in the office.

## Casters

Black dual-wheel hard tread casters for carpet are standard.

Optional multi-surface casters provide smooth functioning on any surface, from a carpeted conference room to polished concrete. Finishes that match bases in standard black, graphite, or polished aluminum give Acuity head-to-toe elegance.

## Fully Adjustable Arms

Intuitive controls let you find any of the eight arm positions. A single lever releases the arms to slide up or down; a button right where the thumb naturally lands lets you move the arm pad inward or outward, forward or backward. You can also pivot the front of the arm pads inward to move in closer to your desk and offer support while working.

## Height Adjustable Arms

Provides height adjustment for optimal support of elbows and shoulders while keyboarding or conferencing.

## Fixed Arms

Provide basic support for people who face a varied work day. Fixed arms limit adjustability and maintain aesthetics in conference room settings. Acuity's Fixed T Arms are 100% cast aluminum.

## Materials

- All upholstery foams are CFC-free.
- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering information.
- Flammability code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate with CTB 133.

Acuity meets the requirements set forth in ANSI/BIFMA X5.1-2011. Acuity is warranted for multiple shifts and users up to 300 lbs.

## OPTIONS — ACUITY:

### Armrests:

- |                                 |                     |
|---------------------------------|---------------------|
| <b>W</b> Fully Adjustable Arms  | <b>F</b> Fixed Arms |
| <b>H</b> Height Adjustable Arms | <b>A</b> Armless    |

### Jacket:

- |                  |                 |                 |
|------------------|-----------------|-----------------|
| <b>L</b> Leather | <b>F</b> Fabric | <b>M</b> (None) |
|------------------|-----------------|-----------------|

### Chassis:

- G** Graphite Chassis
- S** Silver Chassis
- W** Brilliant White (limited to Titanium frames)
- P** Polished Aluminum Chassis

### Back Frame/Mesh:

- GC** Graphite Carrier/Clay Mesh
- GD** Graphite Carrier/Dusk Mesh
- GM** Graphite Carrier/Mist Mesh
- TL** Titanium Carrier/Lustre Mesh
- TM** Titanium Carrier/Mist Mesh
- TN** Titanium Carrier/Navy Mesh

### Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)

### Base:

- P71** Black Polymer Base
- P85** Graphite Painted Aluminum Base (\$128 extra)
- PR6** Silver Painted Aluminum Base (\$128 extra)
- PQ8** Brilliant White Painted Aluminum Base (\$128 extra)
- PAL** Polished Aluminum Base (\$191 extra)

### Pneumatic Cylinder:

- 2** Standard; allows 5" of travel
- 3** Short; non-standard 3½" of travel to meet BIFMA G1-2002

### Casters:

- H** Black Dual-Wheel Hard Tread for carpet
- B** Black Multi-Surface (\$96 extra)
- T** Titanium Multi-Surface (\$96 extra)
- P** Polished Aluminium Multi-Surface (\$128 extra)

### Upholstery:

See pages 20-21 for Centurion models.

See pages 348-350 for other upholstery selections.

See inside back cover for colors and codes

▲ Indicates upholstery available for Acuity jacket

Armpads (upholstered option available on Leather models)

- S** Standard Polyurethane Armpad
- A** Upholstered Armpad — Standard Leather, only available on fully adjustable arms (\$95 extra)
- E** Upholstered Armpad — Edelman Leather (\$139 extra)

Jacket — Upholstery on Acuity jacket models are subject to creases and gathers. Fabric selection includes a subset of the Standard Upholstery Options to optimize customer satisfaction.

**NOTE:** Not all options listed above are available on all models. See pages 18-19 and 20-21 for options by model.

# Seating — Work/Conference







Acuity®

• Features and adjustments on all Acuity models: Conforming Mesh Back, AcuFit® Tilt Lock with Recline Tension, Seat Depth, and Pneumatic Adjustment

GSA SIN 711-18

(See page 136 for COM pricing on Grades 9-22)

ACUITY

Armrest	Jacket Material	Chassis Finish	Model Number Add options below	Model Number								Leather				
				1	2	3	4	5	6	7	8	1*	2*			
<b>Fully Adjustable Arms</b>  	Leather	Graphite	AWLG	—	—	—	—	—	—	—	—	—	—	\$ 2659	\$ 3169	
		Silver	AWLS	—	—	—	—	—	—	—	—	—	—	—	\$ 2659	\$ 3169
		Brilliant White*	AWLW	—	—	—	—	—	—	—	—	—	—	—	\$ 2659	\$ 3169
		Polished Aluminum	AWLP	—	—	—	—	—	—	—	—	—	—	—	\$ 3010	\$ 3520
	Fabric	Graphite	AWFG	\$ 1909	\$ 1977	\$ 2042	\$ 2109	\$ 2177	\$ 2242	\$ 2315	\$ 2374	—	—	—	—	—
		Silver	AWFS	\$ 1909	\$ 1977	\$ 2042	\$ 2109	\$ 2177	\$ 2242	\$ 2315	\$ 2374	—	—	—	—	—
		Brilliant White*	AWFW	\$ 1909	\$ 1977	\$ 2042	\$ 2109	\$ 2177	\$ 2242	\$ 2315	\$ 2374	—	—	—	—	—
		Polished Aluminum	AWFP	\$ 2260	\$ 2328	\$ 2393	\$ 2460	\$ 2528	\$ 2593	\$ 2666	\$ 2725	—	—	—	—	—
	(None)	Graphite	AWMG	\$ 1597	\$ 1638	\$ 1674	\$ 1712	\$ 1750	\$ 1787	\$ 1825	\$ 1862	\$ 2068	\$ 2298	—	—	—
		Silver	AWMS	\$ 1597	\$ 1638	\$ 1674	\$ 1712	\$ 1750	\$ 1787	\$ 1825	\$ 1862	\$ 2068	\$ 2298	—	—	—
		Brilliant White*	AWMW	\$ 1597	\$ 1638	\$ 1674	\$ 1712	\$ 1750	\$ 1787	\$ 1825	\$ 1862	\$ 2068	\$ 2298	—	—	—
		Polished Aluminum	AWMP	\$ 1948	\$ 1989	\$ 2025	\$ 2063	\$ 2101	\$ 2138	\$ 2176	\$ 2213	\$ 2419	\$ 2649	—	—	—
<b>Fixed Arms</b>  	Leather	Graphite	AFLG	—	—	—	—	—	—	—	—	—	—	\$ 2723	\$ 3233	
		Silver	AFLS	—	—	—	—	—	—	—	—	—	—	—	\$ 2723	\$ 3233
		Brilliant White*	AFLW	—	—	—	—	—	—	—	—	—	—	—	\$ 2723	\$ 3233
		Polished Aluminum	AFLP	—	—	—	—	—	—	—	—	—	—	—	\$ 3074	\$ 3584
	Fabric	Graphite	AFFG	\$ 1973	\$ 2041	\$ 2106	\$ 2173	\$ 2241	\$ 2306	\$ 2379	\$ 2438	—	—	—	—	—
		Silver	AFFS	\$ 1973	\$ 2041	\$ 2106	\$ 2173	\$ 2241	\$ 2306	\$ 2379	\$ 2438	—	—	—	—	—
		Brilliant White*	AFFW	\$ 1973	\$ 2041	\$ 2106	\$ 2173	\$ 2241	\$ 2306	\$ 2379	\$ 2438	—	—	—	—	—
		Polished Aluminum	AFFP	\$ 2324	\$ 2392	\$ 2457	\$ 2524	\$ 2592	\$ 2657	\$ 2730	\$ 2789	—	—	—	—	—
	(None)	Graphite	AFMG	\$ 1661	\$ 1702	\$ 1738	\$ 1776	\$ 1814	\$ 1851	\$ 1889	\$ 1926	\$ 2132	\$ 2362	—	—	—
		Silver	AFMS	\$ 1661	\$ 1702	\$ 1738	\$ 1776	\$ 1814	\$ 1851	\$ 1889	\$ 1926	\$ 2132	\$ 2362	—	—	—
		Brilliant White*	AFMW	\$ 1661	\$ 1702	\$ 1738	\$ 1776	\$ 1814	\$ 1851	\$ 1889	\$ 1926	\$ 2132	\$ 2362	—	—	—
		Polished Aluminum	AFMP	\$ 2012	\$ 2053	\$ 2089	\$ 2127	\$ 2165	\$ 2202	\$ 2240	\$ 2277	\$ 2483	\$ 2713	—	—	—
<b>Armless</b>  	Leather	Graphite	AALG	—	—	—	—	—	—	—	—	—	—	\$ 2535	\$ 3045	
		Silver	AALS	—	—	—	—	—	—	—	—	—	—	—	\$ 2535	\$ 3045
		Brilliant White*	AALW	—	—	—	—	—	—	—	—	—	—	—	\$ 2535	\$ 3045
		Polished Aluminum	AALP	—	—	—	—	—	—	—	—	—	—	—	\$ 2886	\$ 3396
	Fabric	Graphite	AAFG	\$ 1785	\$ 1853	\$ 1918	\$ 1985	\$ 2053	\$ 2118	\$ 2191	\$ 2250	—	—	—	—	—
		Silver	AAFS	\$ 1785	\$ 1853	\$ 1918	\$ 1985	\$ 2053	\$ 2118	\$ 2191	\$ 2250	—	—	—	—	—
		Brilliant White*	AAFW	\$ 1785	\$ 1853	\$ 1918	\$ 1985	\$ 2053	\$ 2118	\$ 2191	\$ 2250	—	—	—	—	—
		Polished Aluminum	AAFP	\$ 2136	\$ 2204	\$ 2269	\$ 2336	\$ 2404	\$ 2469	\$ 2542	\$ 2601	—	—	—	—	—
	(None)	Graphite	AAMG	\$ 1473	\$ 1514	\$ 1550	\$ 1588	\$ 1626	\$ 1663	\$ 1701	\$ 1738	\$ 1944	\$ 2174	—	—	—
		Silver	AAMS	\$ 1473	\$ 1514	\$ 1550	\$ 1588	\$ 1626	\$ 1663	\$ 1701	\$ 1738	\$ 1944	\$ 2174	—	—	—
		Brilliant White*	AAMW	\$ 1473	\$ 1514	\$ 1550	\$ 1588	\$ 1626	\$ 1663	\$ 1701	\$ 1738	\$ 1944	\$ 2174	—	—	—
		Polished Aluminum	AAMP	\$ 1824	\$ 1865	\$ 1901	\$ 1939	\$ 1977	\$ 2014	\$ 2052	\$ 2089	\$ 2295	\$ 2525	—	—	—

\*Brilliant White models limited to Titanium frame finish.

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>A</b>        </p>	<p><b>1st Option:</b> Select the Frame/Mesh Color:</p> <p><b>GC</b> Graphite/Clay Mesh  <b>GD</b> Graphite/Dusk Mesh  <b>GM</b> Graphite/Mist Mesh  <b>TL</b> Titanium/Lustre Mesh  <b>TM</b> Titanium/Mist Mesh  <b>TN</b> Titanium/Navy Mesh</p> <p>(Brilliant White models limited to Titanium frame finish.)</p> <p>     </p>	<p><b>2nd Option:</b> Select the Fire Code:</p> <p>Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>      .</p>	<p><b>3rd Option:</b> Select the Base Color:</p> <p><b>P71</b> Black Polymer  <b>P85</b> Graphite Painted Aluminum (\$128 extra)  <b>PR6</b> Silver Painted Aluminum (\$128 extra)  <b>PQ8</b> Brilliant White Painted Aluminum (\$128 extra)  <b>PAL</b> Polished Aluminum (\$191 extra)</p> <p>          .</p>
--	---	--	--

Examples: AWFPGMNO.PAL.2.B.R501 AFMPTLFC.P85.3.G.DCW02

GSA SIN 711-18

Model Number	Overall					Seat			Armrests			Backrest			Ship Weight	Cubes						
	COM Yandage	COL Sp. Feet Seat	COL Sp. Feet Back	COL Sp. Feet Arms	Height (Range)	Width	Depth	Height Standard (Range) 15-18 1/2"	Width	Depth (Range)	Pan Angle (Range)	Height Standard (Range)	Width Between Armrests (Range)	Depth (Range)			Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height (Inch)	Backrest Seat Angle (Range)
AWLG	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWLS	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWLW	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWLP	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWFG	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWFS	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWFW	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWFP	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWMG	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWMS	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWMW	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AWMP	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	7-11"	12 1/2-20 1/2"	8 1/4-13 1/4"	25°	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFLG	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFLS	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFLW	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFLP	—	11.2	14	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFFG	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFFS	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFFW	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFFP	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFMG	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFMS	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFMW	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AFMP	1.0	11.2	—	4	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	9"	19 1/2"	11 1/2"	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	64.0	21.7
AALG	—	11.2	14	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AALS	—	11.2	14	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AALW	—	11.2	14	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AALP	—	11.2	14	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAFG	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAFS	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAFW	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAFP	2.0	—	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAMG	1.0	11.2	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAMS	1.0	11.2	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAMW	1.0	11.2	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7
AAMP	1.0	11.2	—	—	41-46 1/2"	26 1/2"	25"	16 1/2-21 1/4"	19"	15 1/2-18 1/2"	2.5°-9.5°	—	—	—	—	—	25 1/2"	16"	8 3/4"	93.5°-111°	55.0	21.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><b>4th Option:</b> Select the Cylinder:</p> <p>2 Standard, allows 5" of travel</p> <p>3 Short, allows 3 1/2" of travel</p>	<p><b>5th Option:</b> Select the Casters:</p> <p>H Black Dual-Wheel Hard Tread for carpet</p> <p>B Black Multi-Surface (\$96 extra)</p> <p>T Titanium Multi-Surface (\$96 extra)</p> <p>P Polished Aluminum Multi-Surface (\$128 extra)</p>	<p><b>6th Option:</b> Select the Upholstery:</p> <p>See inside back cover for selections.</p> <p>See pages 332-333 for COM guidelines.</p>	<p><b>7th Option:</b> Select the Armpads (if applicable — leather upholstered option available in Leather models only):</p> <p>S Standard Poly Armpads</p> <p>A Allsteel Leather Armpads, only available on fully adjustable arms (\$95 extra)</p> <p>E Edelman Leather Armpads (\$139 extra)</p>
---	---	--	---

- Features and adjustments on all Acuity models: Conforming Mesh Back, AcuFit® Tilt Lock with Recline Tension, Seat Depth, and Pneumatic Adjustment

GSA SIN 711-18

Armrest	Chassis Finish	Model Number <i>Add options below</i>	Centurion Fabric
Fully Adjustable Arms	Graphite	VATWMG	\$ 1432



ACUITY

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>V   A   T   W   M   G  </p>	<p><b>1st Option:</b> <b>Frame/Mesh Color:</b> GD Graphite/Dusk Mesh</p> <p>G   D  </p>	<p><b>2nd Option:</b> <b>Select the Fire Code:</b> Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>    .</p>	<p><b>3rd Option:</b> <b>Base Color</b> (Model VATWMG limited to P71 Black Polymer): P71 Black Polymer</p> <p>P   7   1   .</p>
---	---	--	---

Example: VATWMGGDNO.P71.2.H.CU10

Model Number	COM Yandage				Overall				Seat			Armrests					Backrest				
	COL Sq. Feet Seat	COL Sq. Feet Back	COL Sq. Feet Arms	Height (Range)	Width	Depth	Height Standard (Range) 15-18 1/4"	Width	Depth (Range)	Tilt Angle (Range)	Height Standard (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height (Inch)	Backrest/Seat Angle (Range)	Ship Weight	Calbs
VATWGM	—	—	—	41-46"	27 1/2"	26"	17 1/2-22 1/2"	19"	16-19"	3.2°-11.1°	7-11"	12 1/2-20 1/4"	8 1/4-13 1/4"	25°	—	25°	16 1/2"	9 1/2"	92.8°-106.5°	64.0	21.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.



Continued from previous page

<p><i>4th Option:</i>  <b>Select the Cylinder:</b>                  2 Standard, allows 5" of travel</p> <p><b>2</b>   .</p>	<p><i>5th Option:</i>  <b>Select the Casters (Model VAFHMG limited to H):</b>                  H Black Dual-Wheel Hard Tread for carpet</p> <p><b>H</b>   .</p>	<p><i>6th Option:</i>  <b>Centurion Upholstery:</b>                  See page 354 for selections.</p> <p><b>CU</b>    </p>
---	---	--

Acuity multi-purpose side chairs provide an ideal solution for busy work areas such as training rooms, gathering areas, informal conferencing, cafés, and more. With a stackable design and pivoting back, Acuity side chairs provide the perfect combination of versatility and unexpected comfort.

## MODELS AND OPTIONS

Acuity offers side chair models with mesh backs in two frame colors.

Side chairs feature **arm and armless models** with casters or glides.

**Glides** are available in nylon, nickel-plated, or felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-shine floor surfaces.

**Multi-surface casters** are also available.

**Chairs ship up to two per carton to minimize waste.**


## CONSTRUCTION

**Steel frames and structural moldings** create a durable design that performs in a variety of environments.


**Seat upholstery** is easily field replaceable allowing users to extend the lifecycle of the chairs.

Multi-purpose side chairs **stack up to 4-high** on the floor.

Acuity mesh chairs feature Acuity Mesh. This construction provides responsive, conforming back support and an open, airy aesthetic.



**ACM-MUGO — Mesh Back and Upholstered Seat**



**ACM-MUCA — Mesh Back and Upholstered Seat**

## UPHOLSTERY AND CONTOURING

Acuity multi-purpose side chairs feature a pivoting back that provides unexpected comfort in any application. The **pivoting back** provides support while encouraging movement that makes for healthy sitting. The **backrest** features a contoured lumbar support to help relieve stress on the back. Added movement and support allow the Acuity multi-purpose side chair to go from project conference rooms to teaming areas to training rooms with ease.

The upholstered seat features a generous 2" of high-resiliency molded foam padding for comfort and long-term support.

All upholstery foams are **CFC-free**.

All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.

**Flammability** code compliance of Allsteel textiles and seating is listed on Seating, Collaboration, and Tables Price List pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133, contact Allsteel Customer Support.

Acuity meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Acuity side chairs are warranted for users up to 300 lbs.

## OPTIONS — ACUITY MULTI-PURPOSE SIDE:

Versions include arm and armless models with glides or casters with an upholstered seat and mesh back.

Back Type:

**M** Mesh

Seat Type:

**U** Upholstered

Frame Type:

**C** Casters

**G** Glides

Arm Option:

**O** Arms (Arm color will match carrier color — black or titanium)

**A** Armless

Glides/Casters:

**0** Nylon Glides for hard surfaces and commercial carpet

**1** Nickel-plated Glides for carpet (\$16 extra)

**2** Felt Glides for wood, tile, or high-sheen surfaces. (\$16 extra)

**3** Multi-surface Casters

Frame Color:

**P85** Graphite

**PR6** Silver

**PQ8** Brilliant White

Carrier/Mesh Color:

**BC** Charblack Carrier/Clay Mesh

**BD** Charblack Carrier/Dusk Mesh

**BM** Charblack Carrier/Mist Mesh

**TL** Titanium Carrier/Lustre Mesh





**TM** Titanium Carrier/Mist Mesh

**TN** Titanium Carrier/Navy Mesh

Select the Upholstery:

See pages 348-350 for selections and see inside back cover for colors and codes.

(See page 136 for COM pricing on Grades 9-22)

Overall Size Armrest	Adjustments and Features	Back Type	Model Number <i>Add options below</i>									Leather	
				1	2	3	4	5	6	7	8	1	2
<b>GLIDES</b> Arms	Pivot Back	Mesh	<b>ACM-MUGO</b>	\$ 683	\$ 710	\$ 738	\$ 772	\$ 807	\$ 841	\$ 875	\$ 909	\$ 1282	\$ 2295
													
Armless	Pivot Back	Mesh	<b>ACM-MUGA</b>	\$ 642	\$ 669	\$ 697	\$ 731	\$ 766	\$ 800	\$ 834	\$ 868	\$ 1241	\$ 2254
													
<b>CASTERS</b> Arms	Pivot Back	Mesh	<b>ACM-MUCO</b>	\$ 736	\$ 763	\$ 791	\$ 825	\$ 860	\$ 894	\$ 928	\$ 962	\$ 1335	\$ 2348
													
Armless	Pivot Back	Mesh	<b>ACM-MUCA</b>	\$ 695	\$ 722	\$ 750	\$ 784	\$ 819	\$ 853	\$ 887	\$ 921	\$ 1294	\$ 2307
													

**NOTE:** Acuity side chairs ship two per carton to minimize waste. Model numbers and prices are per chair.

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Glides/Casters:</p> <ul style="list-style-type: none"> <li>0 Nylon Glides</li> <li>1 Nickel-plated Glides for carpet (\$16 extra)</li> <li>2 Felt Glides (\$16 extra)</li> <li>3 Multi-surface Casters</li> </ul>	<p><b>2nd Option:</b> Select the Frame Color:</p> <ul style="list-style-type: none"> <li>P85 Graphite</li> <li>PR6 Silver</li> <li>PQ8 Brilliant White</li> </ul>	<p><b>3rd Option:</b> Select the Mesh Frame / Mesh Color:</p> <ul style="list-style-type: none"> <li>BC Charblack Carrier/Clay Mesh</li> <li>BD Charblack Carrier/Dusk Mesh</li> <li>BM Charblack Carrier/Mist Mesh</li> <li>TL Titanium Carrier/Lustre Mesh</li> <li>TM Titanium Carrier/Mist Mesh</li> <li>TN Titanium Carrier/Navy Mesh</li> </ul>	<p><b>4th Option:</b> Select the Upholstery:</p> <p>See pages 348-350 for selections and inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
<p>ACM-MU . . . . .</p>				

Examples: ACM-MUCA.3.P85.BD.PNS012    ACM-MUGA.2.P85.BM.STX13



Model Number	COM Yachage			Overall			Seat			Armrests			Backrest			Ship Weight	Ship Weight Per Carton	Cubes		
	COL Sq. Feet	Height	Width	Depth	Height	Width	Depth	Pan Angle	Armrest Height	Width Between Armrests	Armrest Length	Arm Height to the Floor	Height	Width	Lumbar Height				Backrest/Seat Angle (Range)	
ACM-MUGO	1.0	11.5	33½"	24½"	21½"	18½"	18"	16"	8°	9¼"	20½"	7½"	26½"	18½"	16½"	9¼"	96°-99°	24	—	13.2
ACM-MUGA	1.0	11.5	33½"	22½"	21½"	18½"	18"	16"	8°	—	—	—	—	18½"	16½"	9¼"	96°-99°	24	—	13.2
ACM-MUCO	1.0	11.5	33½"	24½"	21½"	18½"	18"	16"	8°	9¼"	20½"	7½"	26½"	18½"	16½"	9¼"	96°-99°	24	—	13.2
ACM-MUCA	1.0	11.5	33½"	22½"	21½"	18½"	18"	16"	8°	—	—	—	—	18½"	16½"	9¼"	96°-99°	24	—	13.2

**NOTE:** Acuity side chairs ship two per carton to minimize waste. Model numbers and prices are per chair. Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.



*Mimeo seating from Allsteel is designed to move with you. Created for today's active workplace, active workstyles, and active sitting, Mimeo is responsive and supportive of your every move. It hugs you. Embraces you. Envelops you. No matter your task. No matter your size or shape. Mimeo becomes one with you.*

*Designed in partnership with Bruce Fifield of Studio Fifield, Milan, Italy*

### Visually moving.

Mimeo's distinctive design and smart use of materials make a strong visual impact. It's appropriately scaled to impress and inspire across an open floorplan without overwhelming the environment. Comfortably moving from one space to the next, it brings style and character wherever it's used.

### Always the right fit.

Mimeo's lightweight and intuitive design adapts to any type of work you're doing. Experience immediate and lasting comfort for focused work, as well as in project rooms and open desking areas where activities change day to day or hour to hour. Mimeo is ideal for highly active and collaborative workstyles and enhances every space.

### Uncompromised comfort and support.

Mimeo's enveloping shape and dynamic back maintain constant contact with you, reducing and evenly distributing pressure points across the entire frame. No matter how you sit or move, the weight-activated motion adjusts automatically. Your whole body is supported. And each user, regardless of size, shape, or posture, has the same supportive experience.

### A new standard in weight activation

Mimeo's recline tension has been engineered to automatically adjust to the specific needs and body weight of each user without the need for manual adjustment.

The innovative weight-activated chair motion delivers the appropriate amount of tension for full recline, upright sitting, and every posture in between. As you effortlessly recline, the seat lifts your bodyweight, which modifies the amount of tension accordingly. The result is a personalized, balanced recline that allows for comfortable and healthy movement for any body, in any posture.



MIW-KWNO



MIS-KWNO

## DESIGN FEATURES

Mimeo's innovative back-pattern design provides integrated lumbar support while accommodating every movement. The generous seat width and slightly curved arms invite unrestricted movement and comfort for all postures and body types. Mimeo is lightweight and easy to transport with an integrated back handle, bringing function to any space, effortlessly.

### IntelliForm™ back technology

Exclusive technology combines the benefits of the compliant, polymer back with flex wings, supportive uprights, and the soft, breathable Dimension 3D knit material. The innovative back design and carefully selected materials have been engineered to deliver personalized comfort for each user, even as they move and change postures. The polymer back is highly pliable, allowing the material to flex and move along with the user.

### Optional adjustable lumbar support

Mimeo provides automatic lumbar support. To accommodate personal preference, an optional external lumbar support can be added at any time.

### 4D adjustable arms

Mimeo's open arm design moves with you as you recline to support your arms in a variety of postures. Adjustments in four directions allow support during work tasks, and the ability to position arms close to the body.

### Fixed arms

Provide basic support for users engaging in a variety of tasks throughout the day. Arms come with protective black urethane arm pads. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

### Pneumatic seat height adjustment

Regulates height of task chair relative to the floor. Standard 5" of travel accommodates average to tall users. Stools offer 10" of travel.

### Base and casters

Task chair bases are a five-star design. Dual-wheel casters are available in hard tread for carpet, or multi-surface for any floor surface.

### Materials

- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CTB117. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB117. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS — WORK/CONFERENCE

### Chair Type:

- MIW** Work Chair
- MIS** Work Stool

### Back:

- K** Knit

### Armrests:

- W** 4D Adjustable Arms
- H** Height Adjustable Arms
- F** Fixed Arms
- A** Armless

### Fire Code:

- NO** No Fire Code

### Frame Color:

- BLK** Black
- T** Titanium (add \$71)

### Base Color:

- BLK** Black
- T** Titanium

### Back Carrier Color Option

- BLK** Black
- G** Graphite
- T** Titanium
- WT** White

### Lumbar:

- N** No Lumbar Adjustment
- L** Lumbar Adjustment (add \$65)

### Cylinder:

- 2** Standard
- 3** Short
- 4** Extended (Stool Only)

### Casters:

- H** Black Hard Tread
- B** Black Multi-surface (add \$55)
- T** Titanium Multi-surface (add \$55)

### Mimeo Mesh Back Material:





- KM07** Cherry
- KM02** Fog
- KM06** Lime
- KM03** Loft
- KM04** Meteor
- KM01** Onyx
- KM05** Regatta
- KM08** Tangelo

### Upholstery:

See pages 348-350 for selections, colors, and codes.

(See page 136 for COM pricing on Grades 9-22)

MIMEO

Arm Style	Type	Model Number <i>Add options below</i>									Leather*	
			1	2	3	4	5	6	7	8	1	2
Fully Adjustable Arms 	Work	MIW-KWNO	\$ 1162	\$ 1177	\$ 1192	\$ 1211	\$ 1231	\$ 1250	\$ 1270	\$ 1289	\$ 1431	\$ 2145
	Stool	MIS-KWNO	\$ 1403	\$ 1418	\$ 1433	\$ 1452	\$ 1472	\$ 1491	\$ 1511	\$ 1530	\$ 1672	\$ 2386
Height-Adjustable Arms 	Work	MIW-KHNO	\$ 1131	\$ 1146	\$ 1161	\$ 1180	\$ 1200	\$ 1219	\$ 1239	\$ 1258	\$ 1400	\$ 2114
	Stool	MIS-KHNO	\$ 1372	\$ 1387	\$ 1402	\$ 1421	\$ 1441	\$ 1460	\$ 1480	\$ 1499	\$ 1641	\$ 2355
Fixed Arms 	Work	MIW-KFNO	\$ 1101	\$ 1116	\$ 1131	\$ 1150	\$ 1170	\$ 1189	\$ 1209	\$ 1228	\$ 1370	\$ 2084
	Stool	MIS-KFNO	\$ 1342	\$ 1357	\$ 1372	\$ 1391	\$ 1411	\$ 1430	\$ 1450	\$ 1469	\$ 1611	\$ 2325
Armless 	Work	MIW-KANO	\$ 999	\$ 1014	\$ 1029	\$ 1048	\$ 1068	\$ 1087	\$ 1107	\$ 1126	\$ 1268	\$ 1982
	Stool	MIS-KANO	\$ 1240	\$ 1255	\$ 1270	\$ 1289	\$ 1309	\$ 1328	\$ 1348	\$ 1367	\$ 1509	\$ 2223
Lumbar Kit		MLUK	\$ 86									

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option</b> Select the Frame Color (if applicable): BLK Black T Titanium (\$71 extra)</p>	<p><b>2nd Option:</b> Select the Base Color (if applicable): BLK Black T Titanium</p>	<p><b>3rd Option:</b> Select the Back Carrier Color: BLK Black G Graphite T Titanium WT White</p>	<p><b>4th Option:</b> Select the Lumbar: N No Lumbar L Lumbar (\$65 extra)</p>	<p><b>5th Option:</b> Select the Cylinder: 2 Standard 3 Short 4 Extended (stool only)</p>
MI     -   K         .         .         .         .         .         .					

Examples: MIW-KWNO.BLK.BLK.BLK.N.2.H.KM01.NR66 MLUK.WT  
MIS-KWNO.T.T.WT.L.4.T.KM03.PNS012

Model Number	COM Package			Overall			Seat			Armrests			Backrest			Ship Weight	Ship Weight per Carton	Cubes			
	COM Package	COL. Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Arms	Armrest Length	Arm Height to the Floor	Height	Width				Lumbar Height	Backrest/Seat Angle (Range)	
<b>MIW-KWNO</b>	1.0	20	36" - 41"	23"	23"	16"-21"	20"	15" - 17"	4°	6" - 11"	13" - 21"	11"	22" - 32"	23"	18"	9"	95°-113°	31½	41	11.1	
<i>Short Cylinder</i>			34"-38"			14"-18"							21" - 29"								
<b>MIS-KWNO</b>			42" - 52"	23"	23"	22"-32"	20"	15" - 17"	4°	6" - 11"	13" - 21"	11"	28" - 43"	23"	18"	9"	95°-113°	41.5	45	12.6	
<b>MIW-KHNO</b>	1.0	20	36" - 41"	23"	23"	16"-21"	20"	15" - 17"	4°	6" - 11"	20"	11"	22" - 32"	23"	18"	9"	95°-113°	31½	41	11.1	
<i>Short Cylinder</i>			34"-38"			14"-18"							21" - 29"								
<b>MIS-KHNO</b>			42" - 52"	23"	23"	22"-32"	20"	15" - 17"	4°	6" - 11"	20"	11"	28" - 43"	23"	18"	9"	95°-113°	41.5	45	12.6	
<b>MIW-KFNO</b>	1.0	20	36" - 41"	23"	23"	16"-21"	20"	15" - 17"	4°	9"	20"	11"	26" - 31"	23"	18"	9"	95°-113°	31½	41	11.1	
<i>Short Cylinder</i>			34"-38"			14"-18"							24" - 28"								
<b>MIS-KFNO</b>			42" - 52"	23"	23"	22"-32"	20"	15" - 17"	4°	9"	20"	11"	32" - 42"	23"	18"	9"	95°-113°	41.5	45	12.6	
<b>MIW-KANO</b>	1.0	20	36" - 41"	23"	23"	16"-21"	20"	15" - 17"	4°					23"	18"	9"	95°-113°	31½	41	11.1	
<i>Short Cylinder</i>			34"-38"			14"-18"															
<b>MIS-KANO</b>			42" - 52"	23"	23"	22"-32"	20"	15" - 17"	4°					23"	18"	9"	95°-113°	41.5	45	12.6	

Note: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>6th Option:</i>  <b>Select the Casters:</b>  <b>H</b> Black Hard Tread  <b>B</b> Black Multi-surface (\$55 extra)  <b>T</b> Titanium Multi-surface (\$55 extra)</p>	<p><i>7th Option:</i>  <b>Select the Knit Color:</b>  <b>KM07</b> Cherry  <b>KM02</b> Fog  <b>KM06</b> Lime  <b>KM03</b> Loft  <b>KM04</b> Meteor  <b>KM01</b> Onyx  <b>KM05</b> Regatta  <b>KM08</b> Tangelo</p>	<p><i>8th Option:</i>  <b>Select the Seat Upholstery:</b>                  See pages 348-350 for selection.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
---	---	---

Relate combines everything you want into a single collection of seating. A synchronous mechanism and a unique pivoting back provide exceptional ergonomics for more people at more tasks. Active adjustments allow you to control and customize your seating tension and support relative to any task. Replaceable high-wear parts encourage you to repair rather than replace your chairs. And, the full line of models makes coordinating office seating simple.

## KEY FEATURES

Relate's Body Adaptive Control™ combines a weight-sensing synchronized tilt mechanism with a pivoting back, resulting in improved pressure distribution, superior back support, and movement for healthy sitting.

### Synchronized Tilt

The synchronized tilt motion keeps the user's head level when reclining to improve mental focus and productivity, while reducing neck and eyestrain.

### Pivoting Back

The position of the pivoting back aligns with the natural position of the spine. This alignment keeps the spine supported in its proper curvature, which increases comfort. The adaptive, pivoting motion provides continuous back support while encouraging movement. Movement while sitting replenishes the spinal discs with nutrients, which reduces fatigue and keeps discs healthy.

### Quick Tension™ Lever

Features 5 settings to quickly adjust from low to high tension. Allows for frequent adjustment throughout the workday to provide custom support for different tasks.

### Height-Adjustable Lumbar Support

Allows users to adjust lumbar support anywhere within a 4" range on upholstered and mesh work/conference chairs. Lumbar support on mesh chairs can be adjusted asynchronously.


### Pneumatic Seat Height Adjustment

Regulates height of chair relative to the floor.


- Standard cylinder with 5" of travel accommodates average or tall users.
- Optional short cylinder with 3½" of travel keeps chair closer to the floor for shorter users, allowing all models to meet BIFMA G1-2002 solutions for VDT users.

### Seat Depth Adjustment

Adjusts from front-to-back, within a 3" range, to accommodate different leg lengths.



RL-MHW — Mesh High-back



RL-UHC — Upholstered High-back

## Fully Adjustable Arms

Arms are fully adjustable in height, width, depth, and can pivot to provide optimal support. Pivot the front of the arm pads inward to move in closer to your desk and offer support while working.

## Adjustable Arms

Adjust in height, width, and depth for optimal support of elbows and shoulders while keyboarding or conferencing.

## Fixed C and T Arms

Provide basic support for people who face a varied workday. Fixed arms limit adjustability and maintain aesthetics in conference room settings. Cast aluminum fixed C arms are available in polished aluminum or powder-coated finishes to match the frame color.

## DESIGN FEATURES

Relate seating is engineered to last a lifetime, simplify maintenance, and reduce costs.

### Base/Casters

Base is composite five-star structure. Specific models are available in polished aluminum. Dual-wheel casters feature hard tread for carpeted floors or soft tread for smooth floors.

### Link Mesh

Relate's Link Mesh is a leno weave with a polyester elastomeric and a polyester fill yarn. This construction provides responsive, conforming back support and an open, airy aesthetic. Link Mesh is 100% recyclable.

### Materials

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Relate meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Relate is warranted for multiple shifts and users up to 300 lbs.

Relate work chairs with adjustable arms ship knocked down.

## OPTIONS — RELATE WORK/CONFERENCE:

Versions include high-back and mid-back models in mesh or upholstery with adjustable arms, fixed T arm, fixed C arms, or without arms.

### Back Type:

- M** Mesh (only available in high-back)
- U** Upholstered

### Overall Size:

- H** High-back

### Armrests:

- P** Fully Adjustable Arms
- W** Adjustable Arms
- C** Fixed C Arms
- A** Armless

### Pneumatic Cylinder:

- 2** Standard, allows 5" of travel
- 3** Short, 3½" of travel to meet BIFMA G1-2002

### Casters:

- 0** 2½" Black Dual-wheel Hard Tread for carpet
- 1** 2½" Black Dual-wheel Soft Tread for smooth surfaces (\$55 extra)

### Lumbar:

- L** Height-Adjustable

Aluminum Option: (Aluminum models only — see pages 34-35)

- A1** Aluminum Base

### Fixed C arm Option:

- A3** Aluminum Base and Aluminum Fixed C Arm (add \$140)

### Aluminum Finish:

- PAL** Polished Aluminum (Aluminum models only)

### Frame Color:

- CBK** Charblack
- T** Titanium **NEW!**

Mesh Color: (for Mesh Backs Only)

*Available on Charblack (CBK) frames*

- LKM01** Carbon
- CM21** Clay
- CM30** Lime

*Available on Titanium (T) frames*

- LKM01** Carbon
- CM28** Navy
- CM23** Platinum
- CM29** Taupe

### Upholstery:

See pages 348-350 for selections.

See inside back cover for colors and codes.

**NOTE:** Mesh and upholstery work/conference chairs feature upholstered seats.





# Seating — Work/Conference

Relate®

- Features and adjustments on Relate models: Synchro-Tilt, Pivot Back, Seat Depth, and Pneumatic Adjustment.

GSA SIN 711-18

(See page 137 for COM pricing on Grades 9-22)

Armrest	Back Type	Model Number <i>Add options below</i>									Leather	
			1	2	3	4	5	6	7	8	1	2
	Mesh	RL-MHP	\$ 1305	\$ 1326	\$ 1347	\$ 1376	\$ 1402	\$ 1429	\$ 1457	\$ 1484	\$ 1905	\$ 2917
	High-Back											
	Upholstered High-Back	RL-UHP	\$ 1291	\$ 1328	\$ 1362	\$ 1408	\$ 1455	\$ 1505	\$ 1552	\$ 1601	\$ 2482	\$ 4067
	Mesh	RL-MHW	\$ 1266	\$ 1287	\$ 1308	\$ 1337	\$ 1363	\$ 1390	\$ 1418	\$ 1445	\$ 1866	\$ 2878
	High-Back											
	Upholstered High-Back	RL-UHW	\$ 1252	\$ 1289	\$ 1323	\$ 1369	\$ 1416	\$ 1466	\$ 1513	\$ 1562	\$ 2443	\$ 4028
	Mesh	RL-MHC	\$ 1334	\$ 1355	\$ 1376	\$ 1405	\$ 1431	\$ 1458	\$ 1486	\$ 1513	\$ 1934	\$ 2946
	High-Back											
	Upholstered High-Back	RL-UHC	\$ 1320	\$ 1357	\$ 1391	\$ 1437	\$ 1484	\$ 1534	\$ 1581	\$ 1630	\$ 2511	\$ 4096
	Mesh	RL-MHA	\$ 1131	\$ 1152	\$ 1173	\$ 1202	\$ 1228	\$ 1255	\$ 1283	\$ 1310	\$ 1731	\$ 2743
	High-Back											
	Upholstered High-Back	RL-UHA	\$ 1117	\$ 1154	\$ 1188	\$ 1234	\$ 1281	\$ 1331	\$ 1378	\$ 1427	\$ 2308	\$ 3893

NOTE: See pages 34-35 for polished aluminum Work/Conference models.

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Cylinder: 2 Standard, allows 5" of travel 3 Short, allows 3½" of travel</p>	<p><b>2nd Option:</b> Select the Casters: 0 2½" Black Dual-Wheel Hard Tread for carpet 1 2½" Black Dual-Wheel Soft Tread for smooth surfaces (\$55 extra)</p>	<p><b>3rd Option:</b> Select the Lumbar: L Height-Adjustable</p>
<p>RL-                 .   .</p>			<p>L   .</p>

Examples: RL-MHW.2.0.L.CBKLM01.BOX15 RL-UHC.2.0.N.CBK.BOX15  
RL-UHCFC.2.0.L.CBK.BOX15



Model Number	COM Yardage			Overall			Seat				Armrests				Backrest			Ship Weight	Ship Weight Per Carton	Cubes	
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest Seat Angle (Range)				
RL-MHP	1.3	11	39-44"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	7½-11½"	14¼-20¼"	6¼-10¼"	25°	15°	23"	17½"	5¼-9¼"	94.5°-109°	47.0	—	11.0
RL-UHP	2.0	22	40¼-45¼"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	7½-11½"	14¼-20¼"	6¼-10¼"	25°	15°	24"	17½"	5¼-9¼"	94.5°-109°	48.0	—	11.0
RL-MHW	1.3	11	39-44"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	6¼-10¼"	17¼-20¼"	9-13"	3°	3°	23"	17½"	5¼-9¼"	94.5°-109°	47.0	—	11.0
RL-UHW	2.0	22	40¼-45¼"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	6¼-10¼"	17¼-20¼"	9¼-13¼"	3°	3°	24"	17½"	5¼-9¼"	94.5°-109°	48.0	—	11.0
RL-MHC	1.3	11	39-44"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	9"	19½"	10"	—	—	23"	17½"	5¼-9¼"	94.5°-109°	53.0	—	16.7
RL-UHC	2.0	22	40¼-45¼"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	9"	19½"	11"	—	—	24"	17½"	5¼-9¼"	94.5°-109°	54.0	—	16.7
RL-MHA	1.3	11	39-44"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	—	—	—	—	—	23"	17½"	5¼-9¼"	94.5°-109°	40.0	—	16.7
RL-UHA	2.0	22	40¼-45¼"	26"	24"	17¼-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	—	—	—	—	—	24"	17½"	5¼-9¼"	94.5°-109°	41.0	—	16.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

RELATE

◀ Continued from previous page

<p><b>4th Option:</b> Select the Frame Color:</p> <p>CBK Charblack T Titanium</p>	<p><b>5th Option:</b> Select the Mesh Color: For Mesh Back only.</p> <p>Available on Charblack (CBK) frames</p> <p>LKM01 Carbon CM21 Clay CM30 Lime</p> <p>Available on Titanium (T) frames</p> <p>LKM01 Carbon CM28 Navy CM23 Platinum CM29 Taupe</p>	<p><b>6th Option:</b> Select the Upholstery:</p> <p>See pages 348-350 for selection. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	--	--





# Seating — Aluminum Work/Conference

Relate®

- Features and adjustments on Relate models: Synchro-Tilt, Pivot Back, Seat Depth, Pneumatic Adjustment, and Polished Aluminum Base.

GSA SIN 711-18

(See page 137 for COM pricing on Grades 9-22)

Armrest	Back Type	Model Number <i>Add options below</i>									Leather	
			1	2	3	4	5	6	7	8	1	2
<b>Fully Adjustable Arms</b> 	Mesh High-Back	<b>RLA-MHP</b>	\$ 1541	\$ 1562	\$ 1583	\$ 1612	\$ 1638	\$ 1665	\$ 1693	\$ 1720	\$ 2141	\$ 3153
	Upholstered High-Back	<b>RLA-UHP</b>	\$ 1527	\$ 1564	\$ 1598	\$ 1644	\$ 1691	\$ 1741	\$ 1788	\$ 1837	\$ 2718	\$ 4303
<b>Adjustable Arms</b> 	Mesh High-Back	<b>RLA-MHW</b>	\$ 1502	\$ 1523	\$ 1544	\$ 1573	\$ 1599	\$ 1626	\$ 1654	\$ 1681	\$ 2102	\$ 3114
	Upholstered High-Back	<b>RLA-UHW</b>	\$ 1488	\$ 1525	\$ 1559	\$ 1605	\$ 1652	\$ 1702	\$ 1749	\$ 1798	\$ 2679	\$ 4264
<b>Fixed C Arms</b> 	Mesh High-Back	<b>RLA-MHC</b>	\$ 1570	\$ 1591	\$ 1612	\$ 1641	\$ 1667	\$ 1694	\$ 1722	\$ 1749	\$ 2170	\$ 3182
	Upholstered High-Back	<b>RLA-UHC</b>	\$ 1556	\$ 1593	\$ 1627	\$ 1673	\$ 1720	\$ 1770	\$ 1817	\$ 1866	\$ 2747	\$ 4332
<b>Armless</b> 	Mesh High-Back	<b>RLA-MHA</b>	\$ 1367	\$ 1388	\$ 1409	\$ 1438	\$ 1464	\$ 1491	\$ 1519	\$ 1546	\$ 1967	\$ 2979
	Upholstered High-Back	<b>RLA-UHA</b>	\$ 1353	\$ 1390	\$ 1424	\$ 1470	\$ 1517	\$ 1567	\$ 1614	\$ 1663	\$ 2544	\$ 4129

RELATE

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Cylinder: 2 Standard, allows 5" of travel 3 Short, allows 3½" of travel</p>	<p><b>2nd Option:</b> Select the Casters: 0 2½" Black Dual-Wheel Hard Tread for carpet 1 2½" Black Dual-Wheel Soft Tread for smooth surfaces (\$55 extra)</p>	<p><b>3rd Option:</b> Select the Lumbar: L Height-Adjustable</p>	<p><b>4th Option:</b> Select the Aluminum Option: A1 Aluminum Base <b>Fixed C Arm Option:</b> A3 Aluminum Base and Fixed C Arms (add \$140)</p>
<p>R   L   -                 .     .</p>				<p>A     .</p>

Examples: RLA-MHW.2.0.L.A1.PAL.CBKLM01.RS01 RLA-UHC.2.0.N.A3.PAL.CBK.BOX15

	COM Yardage			Overall			Seat				Armrests				Backrest				Ship Weight	Ship Weight Per Carton	Cubes
	COL	Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest Seat Angle (Range)			
RLA-MHP	1.3	11	39-44"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	7½-11½"	14¼-20¼"	6¼-10¼"	25°	15°	23"	17½"	5¼-9¼"	94.5°-109°	47.0	—	11.0
RLA-UHP	2.0	22	40¼-45¼"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	7½-11½"	14¼-20¼"	6¼-10¼"	25°	15°	24"	17½"	5¼-9¼"	94.5°-109°	48.0	—	11.0
RLA-MHW	1.3	11	39-44"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	6¼-10¼"	17½-20½"	9-13"	3°	3°	23"	17½"	5¼-9¼"	94.5°-109°	47.0	—	11.0
RLA-UHW	2.0	22	40¼-45¼"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	6¼-10¼"	17½-20½"	9¼-13¼"	3°	3°	24"	17½"	5¼-9¼"	94.5°-109°	48.0	—	11.0
RLA-MHC	1.3	11	39-44"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	9"	19½"	10"	—	—	23"	17½"	5¼-9¼"	94.5°-109°	53.0	—	16.7
RLA-UHC	2.0	22	40¼-45¼"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	9"	19½"	11"	—	—	24"	17½"	5¼-9¼"	94.5°-109°	54.0	—	16.7
RLA-MHA	1.3	11	39-44"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	—	—	—	—	—	23"	17½"	5¼-9¼"	94.5°-109°	40.0	—	16.7
RLA-UHA	2.0	22	40¼-45¼"	26"	24"	17½-22¼" 14½-18"	19"	15-18"	3.5° to 8.5°	—	—	—	—	—	24"	17½"	5¼-9¼"	94.5°-109°	41.0	—	16.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

RELATE

◀ Continued from previous page

<p><i>5th Option:</i> <b>Select the Aluminum Finish:</b> PAL Polished Aluminum</p>	<p><i>6th Option:</i> <b>Select the Frame Color:</b> CBK Charblack T Titanium</p>	<p><i>7th Option:</i> <b>Select the Mesh Color:</b> For Mesh Back only. <i>Available on Charblack (CBK) frames</i> LKM01 Carbon CM21 Clay CM30 Lime <i>Available on Titanium (T) frames</i> LKM01 Carbon CM28 Navy CM23 Platinum CM29 Taupe</p>	<p><i>8th Option:</i> <b>Select the Upholstery:</b> See pages 348-350 for selection. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
P   A   L   .		.	

Relate offers a full line of seating in complementary finishes making it simple to coordinate seating for the entire office. The Relate work stool is the perfect solution for anyplace where work happens at a standing height position. Relate work stools feature all of the same intuitive, ergonomic adjustments as the Relate work/conference chair.

### KEY FEATURES

Relate's Body Adaptive Control™ combines a weight-sensing synchronized tilt mechanism with a pivoting back, resulting in improved pressure distribution, superior back support, and movement for healthy sitting.

#### Synchronized Tilt

The synchronized tilt motion keeps the user's head level when reclining to improve mental focus and productivity, while reducing neck and eyestrain.

#### Pivoting Back

The position of the pivoting back aligns with the natural position of the spine. This alignment keeps the spine supported in its proper curvature, which increases comfort. The adaptive, pivoting motion provides continuous back support while encouraging movement. Movement while sitting replenishes the spinal discs with nutrients, which reduces fatigue and keeps discs healthy.

#### Quick Tension™ Lever

Features 5 settings to quickly adjust from low to high tension. Allows for frequent adjustment throughout the workday to provide custom support for different tasks.

#### Height-Adjustable Lumbar Support

Allows users to adjust lumbar support anywhere within a 4" range on upholstered and mesh work stools. Lumbar support on mesh work stools can be adjusted asynchronously.

#### Pneumatic Seat Height Adjustment


Regulates height of stool relative to the floor. Includes extended range height pneumatic cylinder with 10" of vertical travel.

#### Seat Depth Adjustment

Adjusts from front-to-back, within a 3" range, to accommodate different leg lengths.

#### Height-Adjustable Footring

Travels 8" to ensure users have comfortable support of their feet and legs. The footring has a 20" diameter.



RLS-MHW — Mesh High-back

**Fully Adjustable Arms**

Arms are fully adjustable in height, width, depth, and can pivot to provide optimal support. Pivot the front of the arm pads inward to move in closer to your desk and offer support while working.

**Adjustable Arms**

Adjust in height, width, and depth for optimal support of elbows and shoulders while keyboarding or conferencing.

**Fixed C Arms**

Provide basic support for people who face a varied workday. Fixed arms limit adjustability and maintain aesthetics in conference room settings. Cast aluminum fixed C arms are available in powder-coated finishes to match the frame color.

**DESIGN FEATURES**

Relate seating is engineered to last a lifetime, simplify maintenance, and reduce costs.

**Base/Casters**

Base is composite five-star structure. Dual-wheel casters feature hard tread for carpeted floors or soft tread for smooth floors.

**Link Mesh**

Relate's Link Mesh is a leno weave with a polyester elastomeric and a polyester fill yarn. This construction provides responsive, conforming back support and an open, airy aesthetic. Link Mesh is 100% recyclable.

**Materials**

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Relate meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Relate Work Stools are warranted for multiple shifts and users up to 300 lbs.

**OPTIONS — RELATE WORK STOOL:**

Versions include high-back and mid-back models in mesh or upholstery with adjustable arms, fixed T arms, fixed C arms, or without arms.

Back Type:

**M** Mesh

Overall Size:

**H** High-back

Armrests:

**P** Fully Adjustable Arms

**W** Adjustable Arms

**C** Fixed C Arms

**A** Armless

Pneumatic Cylinder:

**4** Extended Range, allows 10" of travel

Casters/Glides:

**0** 2½" Black Dual-Wheel Hard Tread Casters for carpet

**1** 2½" Black Dual-Wheel Soft Tread Casters for smooth surfaces (\$55 extra)

**2** Glides

Lumbar:

**L** Height-adjustable

Frame Color:

**CBK** Charblack

**T** Titanium

Mesh Color: (for Mesh Backs Only)

*Available on Charblack (CBK) frames*

**LKM01** Carbon

**CM21** Clay

**CM30** Lime

*Available on Titanium (T) frames*

**LKM01** Carbon

**CM28** Navy

**CM23** Platinum

**CM29** Taupe

Upholstery:

See pages 348-350 for selections.

See inside back cover for colors and codes.

**NOTE:** Mesh and upholstery work stools feature upholstered seats.



Model Number	COM Yardage		Overall				Seat				Armrests				Backrest						
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes	
RLS-MHP	1.3	11	46-56"	27½"	25½"	24-34"	19"	15-18"	3.5° to 8.5°	7"-11½"	14¼-20¼"	6¼-10¼"	25°	15°	23"	17½"	5¼-9¼"	94.5°-109°	57.0	—	12.6
RLS-MHW	1.3	11	46-56"	27½"	25½"	24-34"	19"	15-18"	3.5° to 8.5°	6¼-10¼"	17¼-20¼"	9-13"	3°	3°	23"	17½"	5¼-9¼"	94.5°-109°	57.0	—	12.6
RLS-MHC	1.3	11	46-56"	27½"	25½"	24-34"	19"	15-18"	3.5° to 8.5°	9"	19½"	10"	—	—	23"	17½"	5¼-9¼"	94.5°-109°	63.0	—	12.6
RLS-MHA	1.3	11	46-56"	27½"	25½"	24-34"	19"	15-18"	3.5° to 8.5°	—	—	—	—	—	23"	17½"	5¼-9¼"	94.5°-109°	50.0	—	12.6

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

RELATE

◀ Continued from previous page

<p><b>4th Option:</b> Select the Frame Color:</p> <p>CBK Charblack T Titanium</p>	<p><b>5th Option:</b> Select the Mesh Color: For Mesh Back only.</p> <p>Available on Charblack (CBK) frames</p> <p>LKM01 Carbon CM21 Clay CM30 Lime</p> <p>Available on Titanium (T) frames</p> <p>LKM01 Carbon CM28 Navy CM23 Platinum CM29 Taupe</p>	<p><b>6th Option:</b> Select the Upholstery:</p> <p>See pages 348-350 for selection. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	--	--

Relate multi-purpose side chairs provide an ideal solution for busy work areas such as training rooms, gathering areas, informal conferencing, cafés, and more. With a stackable design and pivoting back, Relate side chairs provide the perfect combination of versatility and unexpected comfort.

## MODELS AND OPTIONS

Relate offers side chair models with **back types** in mesh, upholstery, and wood in three frame colors.

Side chairs feature **arm and armless models** with casters or glides.

**Glides** are available in nylon, nickel-plated, or felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-shine floor surfaces.

**Multi-surface casters** are also available.

**Chairs ship up to two per carton to minimize waste.**


## CONSTRUCTION

**Steel frames and structural moldings** create a durable design that performs in a variety of environments.


**Seat and back upholstery** are easily field replaceable allowing users to extend the lifecycle of the chairs.

Multi-purpose side chairs **stack up to 4-high** on the floor.

Mesh chairs feature Link™ Mesh. **Link Mesh** is a leno weave with a polyester elastomeric and a polyester fill yarn. This construction provides responsive, conforming back support and an open, airy aesthetic. Link Mesh is 100% recyclable.



RLM-WUGO — Wood Back and Upholstered Seat



RLM-UUCA — Upholstered Back and Upholstered Seat



## UPHOLSTERY AND CONTOURING

Relate multi-purpose side chairs feature a pivoting back that provides unexpected comfort in any application. The **pivoting back** provides support while encouraging movement that makes for healthy sitting. The **backrest** features a contoured lumbar support to help relieve stress on the back. Added movement and support allow the Relate multi-purpose side chair to go from project conference rooms to teaming areas to training rooms with ease.

The upholstered seat features a generous 2" of high-resiliency molded foam padding for comfort and long-term support.

All upholstery foams are **CFC-free**.

All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.

**Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Relate meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Relate side chairs are warranted for users up to 300 lbs.

## OPTIONS — RELATE MULTI-PURPOSE SIDE:

Versions include arm and armless models with glides or casters in an upholstered seat and mesh, upholstered, or wood back.

Back Type:

- M** Mesh
- U** Upholstered
- W** Wood (Wood, as a natural material, is subject to nature's quality control with variations in grain pattern and tone.)

Seat Type:

- U** Upholstered

Frame Type:

- C** Casters
- G** Glides

Arm Option:

- O** Arms
- A** Armless

Glides/Casters:

- 0** Nylon Glides for hard surfaces and commercial carpet
- 1** Nickel-plated Glides for carpet (\$16 extra)
- 2** Felt Glides for wood, tile, or high sheen surfaces. (\$16 extra)
- 3** Multi-surface Casters

Frame Color: (mesh frame black for all but Titanium)

- CBK** Charblack
- T** Titanium
- PR6** Silver (arms are Charblack)

Mesh Color: (for Mesh Backs Only)

*Available on Charblack (CBK) mesh frames (CBK, PR6 frame color choices)*

- LKM01** Carbon
- CM21** Clay
- CM30** Lime

*Available on Titanium (T) mesh frames (T frame color choice)*

- LKM01** Carbon
- CM28** Navy
- CM23** Platinum
- CM29** Taupe

Wood Finish: (for Wood Backs Only)

- NE800** Natural Maple
- NC777** Burnished Cherry
- NC701** Light Cherry

Select the Upholstery: (for upholstered seats or upholstered backs)

See pages 348-350 for selections.

See inside back cover for colors and codes.



Model Number	COM Yachage			Overall			Seat			Armrests			Backrest			Ship Weight	Ship Weight Per Carton	Cubes		
	COM	Yachage	Feet	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Arm Height to the Floor	Height (Range)	Width				Lumbar Height (Range)	Backrest/Seat Angle (Range)
RLM-MUGO	1.0	11.5	33½"	24½"	21½"	18½"	17½"	16"	7°	9¼"	20½"	15"	26¼"	18½"	16¼"	9½"	95°-100°	24.0	-	13.2
RLM-UUGO	1.8	19.5	33½"	24½"	21½"	18½"	17½"	16¼"	7°	9¼"	20½"	15"	26¼"	18½"	16¼"	8"	95°-100°	24.0	-	13.2
RLM-WUGO	1.0	11.5	33"	24½"	21½"	18½"	17½"	17"	7°	9¼"	20½"	15"	26¼"	17¼"	16¼"	8"	95°-100°	25.0	-	13.2
RLM-MUGA	1.0	11.5	33½"	22½"	21½"	18½"	17½"	16"	7°	-	-	-	-	18½"	16¼"	9½"	95°-100°	21.0	-	13.2
RLM-UUGA	1.8	19.5	33½"	22½"	21½"	18½"	17½"	16¼"	7°	-	-	-	-	18½"	16¼"	8"	95°-100°	21.0	-	13.2
RLM-WUGA	1.0	11.5	33"	22½"	21½"	18½"	17½"	17"	7°	-	-	-	-	17¼"	16¼"	8"	95°-100°	22.0	-	13.2
RLM-MUCO	1.0	11.5	33½"	24½"	21½"	18½"	17½"	16"	7°	9¼"	20½"	15"	26¼"	18½"	16¼"	9½"	95°-100°	24.0	-	13.2
RLM-UUCO	1.8	19.5	33½"	24½"	21½"	18½"	17½"	16¼"	7°	9¼"	20½"	15"	26¼"	18½"	16¼"	8"	95°-100°	24.0	-	13.2
RLM-WUCO	1.0	11.5	33"	24½"	21½"	18½"	17½"	17"	7°	9¼"	20½"	15"	26¼"	17¼"	16¼"	8"	95°-100°	25.0	-	13.2
RLM-MUCA	1.0	11.5	33½"	22½"	21½"	18½"	17½"	16"	7°	-	-	-	-	18½"	16¼"	9½"	95°-100°	21.0	-	13.2
RLM-UUCA	1.8	19.5	33½"	22½"	21½"	18½"	17½"	16¼"	7°	-	-	-	-	18½"	16¼"	8"	95°-100°	21.0	-	13.2
RLM-WUCA	1.0	11.5	33"	22½"	21½"	18½"	17½"	17"	7°	-	-	-	-	17¼"	16¼"	8"	95°-100°	22.0	-	13.2

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

RELATE

◀ Continued from previous page

<p><b>3rd Option:</b>  <b>Select the Mesh Color:</b>                  For Mesh Back only.</p> <p>Available on Charblack <b>CBK</b> and Silver <b>PR6</b> frames</p> <p><b>LKM01</b> Carbon  <b>CM21</b> Clay  <b>CM30</b> Lime</p> <p>Available on Titanium <b>T</b> frames</p> <p><b>LKM01</b> Carbon  <b>CM28</b> Navy  <b>CM23</b> Platinum  <b>CM29</b> Taupe</p>	<p><b>4th Option:</b>  <b>Select the Wood Finish</b>                  (if applicable):</p> <p><b>NE800</b> Natural Maple  <b>NC777</b> Burnished Cherry  <b>NC701</b> Light Cherry</p>	<p><b>5th Option:</b>  <b>Select the Upholstery:</b></p> <p>See pages 348-350 for selection.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
---	--	--

Relate four-legged stools are the perfect solution for any application where people prefer a standing height position such as cafés, standing height workstations, touchdown areas, and coffee bars. Similar to the side chair, Relate four-legged stools feature a pivoting back for exceptional comfort and support.

## MODELS AND OPTIONS


Relate four-legged stools are available with mesh, upholstered or wood backs. Four-legged stools feature arm and armless models with glides.

**Glides** are available in nylon, nickel-plated, or felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-sheen floor surfaces.


## CONSTRUCTION

**Steel frames and structural moldings** create a durable design that performs in a variety of environments.

**Seat upholstery** is easily field replaceable allowing users to extend the lifecycle of the chairs.



RLC-WUGO —  
Wood Back



RLC-WUGA —  
Wood Back

## UPHOLSTERY AND CONTOURING

Relate four-legged stools feature a pivoting back that provides unexpected comfort in any application. The **pivoting back** provides support while encouraging movement that makes for healthy sitting. The **backrest** features a contoured lumbar support to help relieve stress on the back.

The upholstered seat features a generous 2" of high-resiliency molded foam padding for comfort and long-term support.

All upholstery foams are **CFC-free**.

All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.

**Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Relate meets the requirements set forth in ANSI/BIFMA X5.1-2011 and G1-2002. Relate four-legged stools are warranted for users up to 300 lbs.

## OPTIONS — FOUR-LEGGED STOOL:

Four-legged stools are available in arm or armless models with glides, an upholstered seat and wood back.

Back Type:

- M** Mesh
- U** Upholstered
- W** Wood (Wood, as a natural material, is subject to nature's quality control with variations in grain pattern and tone.)

Seat Type:

- U** Upholstered

Frame Type:

- G** Glides

Arm Option:

- O** Arms
- A** Armless

Glides:

- 0** Nylon Glides for hard surfaces and commercial carpet
- 1** Nickel-plated Glides for carpet (\$16 extra)
- 2** Felt Glides for wood, tile, or high sheen surfaces. (\$16 extra)

Frame Color: (mesh frame black for all but Titanium)

- CBK** Charblack
- T** Titanium
- PR6** Silver (arms are Charblack)

Mesh Color (for Mesh Backs only):

*Available on Charblack (CBK) mesh frames (CBK, PR6 frame color choices)*

- LKM01** Carbon
- CM21** Clay
- CM30** Lime

*Available on Titanium (T) mesh frames (T frame color choice)*

- LKM01** Carbon
- CM28** Navy
- CM23** Platinum
- CM29** Taupe

Wood Finishes (for Wood Backs only):

- NE800** Natural Maple
- NC777** Burnished Cherry
- NC701** Light Cherry

Select the Seat Upholstery:

See pages 348-350 for selections.  
See inside back cover for colors and codes.



Model Number	COM Yards			Overall			Seat		Armrests			Backrest					
	COM Yards	COM Sq. Ft.	Height	Width	Depth	Height Range	Width	Depth Range	Width Between Armrests	Armrest Height	Arm Height to the Floor	Height	Width	Lumbar Height	Seat/Back Angle	Ship Weight	Cubes
RLC-MUGO	1.0	11.5	44½"	24½"	23½"	29½"	17½"	16"	20½"	9¼"	37½"	18½"	16¼"	9¼"	95°-100°	34.5	17.5
RLC-UUGO	1.8	19.5	44½"	24½"	23½"	29½"	17½"	16¼"	20½"	9¼"	37½"	18½"	16½"	8"	95°-100°	33.5	17.5
RLC-WUGO	1.0	11.5	44½"	24½"	23½"	29½"	17½"	17"	20½"	9¼"	37½"	17¼"	16½"	8"	95°-100°	34.5	17.5
RLC-MUGA	1.0	11.5	44½"	22"	23½"	29½"	17½"	16"	-	-	-	18½"	16¼"	9¼"	95°-100°	31.5	17.5
RLC-UUGA	1.8	19.5	44½"	22"	23½"	29½"	17½"	16¼"	-	-	-	18½"	16½"	8"	95°-100°	30.5	17.5
RLC-WUGA	1.0	11.5	44½"	22"	23½"	29½"	17½"	17"	-	-	-	17¼"	16½"	8"	95°-100°	31.5	17.5

Dimensions are in accordance with BIFMA/G1 Guidelines — see illustration of guidelines on page 10.

RELATE


◀ Continued from previous page

<p><b>3rd Option:</b>  <b>Select the Mesh Color:</b>                  For Mesh Back only.</p> <p>Available on Charblack <b>CBK</b> and Silver <b>PR6</b> frames</p> <table border="0"> <tr> <td><b>LKM01</b> Carbon</td> <td>Available on Titanium frames</td> </tr> <tr> <td><b>CM21</b> Clay</td> <td><b>LKM01</b> Carbon</td> </tr> <tr> <td><b>CM30</b> Lime</td> <td><b>CM28</b> Navy</td> </tr> <tr> <td></td> <td><b>CM23</b> Platinum</td> </tr> <tr> <td></td> <td><b>CM29</b> Taupe</td> </tr> </table>	<b>LKM01</b> Carbon	Available on Titanium frames	<b>CM21</b> Clay	<b>LKM01</b> Carbon	<b>CM30</b> Lime	<b>CM28</b> Navy		<b>CM23</b> Platinum		<b>CM29</b> Taupe	<p><b>4th Option:</b>  <b>Select the Wood Finish</b>                  (if applicable):</p> <table border="0"> <tr> <td><b>NE800</b> Natural Maple</td> </tr> <tr> <td><b>NC777</b> Burnished Cherry</td> </tr> <tr> <td><b>NC701</b> Light Cherry</td> </tr> </table>	<b>NE800</b> Natural Maple	<b>NC777</b> Burnished Cherry	<b>NC701</b> Light Cherry	<p><b>5th Option:</b>  <b>Select the Upholstery:</b></p> <p>See pages 348-350 for selection.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
<b>LKM01</b> Carbon	Available on Titanium frames														
<b>CM21</b> Clay	<b>LKM01</b> Carbon														
<b>CM30</b> Lime	<b>CM28</b> Navy														
	<b>CM23</b> Platinum														
	<b>CM29</b> Taupe														
<b>NE800</b> Natural Maple															
<b>NC777</b> Burnished Cherry															
<b>NC701</b> Light Cherry															


The Lyric family of seating provides a multitude of choices. Make a serious statement with subdued colors or create a fun and playful vibe with a bold mix of mesh and upholstery. Lyric's comfort and intuitive functionality, paired with its simple but striking lines, make it perfect from the workstation to the training room to the conference room.




Lyric Task  
CWW-MHHNO



Lyric Stool  
CSS-MHHNO



Lyric Large & Tall  
CLL-MLHNO



Lyric Multi-Purpose  
CMP-PPGONO



# Seating

## DESIGN FEATURES

Choose the control, back, arm, and lumbar option specific to your needs.

### Basic synchro control

Manual crank tension adjustment with knob and an upright lock.

### Enhanced synchro-tilt control

Manual crank tension adjustment with easily reached lever and three locking positions for the back.

### Weight activated control

Automatic tension control with an upright lock and tilt limiter.

### Mesh and Upholstered Mesh Backs

Mesh back chairs are available in six mesh colors. Upholstered mesh back chairs are available with Centurion fabric in one of 18 colors (see codes on page 354). Upholstery is inset with mesh and chair back frame is exposed. Mesh color is predetermined by frame color selection.

### 4D fully adjustable arms

Lyric's 4D arms are fully adjustable in height, width, depth, and can pivot to provide optimal support. Pivot the front of the arm pads inward to move in closer to your desk and offer support while working.

### 2D adjustable arms

Provides height and width adjustments for optimal support of elbows and shoulders while keyboarding or conferencing while providing ease of entry/exit.

### Fixed arms

Provide basic support for users engaging in a variety of tasks throughout the day. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

### Pneumatic seat height adjustment

Regulates height of task chair relative to the floor. Standard 5" of travel accommodates average to tall users. Stools offer 10" of travel.

### Seat depth adjustment

Allows seat cushion to manually adjust front to back.

### Base and casters

Task chair and stool bases are a five-star design. Dual-wheel casters are available in hard tread for carpet, or multi-surface for any floor surface.

### Materials

- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CTB117. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric only tests such as CTB117. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS - WORK/CONFERENCE

### Chair Types:

<b>CWW</b>	Weight Activated Work Chair
<b>CSW</b>	Synchro-Tilt Work Chair
<b>CBW</b>	Basic Synchro Work Chair
<b>CSS</b>	Synchro-Tilt Stool

### Back (see pages 60-61 for Upholstered Mesh Back Work Chairs):

<b>MH</b>	Mesh High-Back
<b>MM</b>	Mesh Mid-Back
<b>UH</b>	Upholstered Mesh High-Back
<b>UM</b>	Upholstered Mesh Mid-Back

### Arms:

<b>W</b>	4D Fully Adjustable
<b>H</b>	2D Adjustable
<b>F</b>	Fixed
<b>A</b>	Armless

### Frame Color (Predetermines Mesh Color on Upholstered Models):

<b>BLK</b>	Black (Carbon Mesh on Upholstered Models)
<b>T</b>	Titanium (Platinum Mesh on Upholstered Models)

### Base Color:

<b>BLK</b>	Black
<b>T</b>	Titanium
<b>PAL</b>	Polished Aluminum (add \$135)

### Lumbar:

<b>N</b>	No Lumbar
<b>L</b>	Lumbar (add \$20)

### Lumbar Color:

<b>BLK</b>	Black
<b>T</b>	Titanium

### Cylinder:

<b>2</b>	Standard
<b>3</b>	Short
<b>4</b>	Extended (stool only)

### Casters:

<b>H</b>	Black Hard Tread
<b>B</b>	Black Multi-Surface (add \$55)
<b>T</b>	Titanium Multi-Surface (add \$55)
<b>PAL</b>	Polished Aluminum (add \$128)

### Mesh Back Material or for Upholstered Models, Centurion Fabric Code (see page 354):

<b>AM01</b>	Carbon	<b>AM28</b>	Navy
<b>AM21</b>	Clay	<b>AM23</b>	Platinum
<b>AM22</b>	Graphite	<b>AM25</b>	Poppy

### Seat Upholstery:

See pages 348-350 for selections, colors, and codes.









# Seating — Work/Conference with Mesh Back

Lyric™

High-Back GSA SIN 711-18, Others Pending GSA Approval

For Upholstered Mesh see pages 60-61.

(See page 138 for COM pricing on Grades 9-22)

Armrest	Control	Back	Model Number Add options below									Leather	
				1	2	3	4	5	6	7	8	1	2
 	Weight	Mesh High-Back	CWW-MHW	\$ 890	\$ 900	\$ 910	\$ 930	\$ 950	\$ 970	\$ 990	\$ 1010	\$ 1030	\$ 1550
	Activated	Mesh Mid-Back	CWW-MMW	\$ 870	\$ 880	\$ 890	\$ 910	\$ 930	\$ 950	\$ 970	\$ 990	\$ 1010	\$ 1530
	Synchro	Mesh High-Back	CSW-MHW	\$ 815	\$ 825	\$ 835	\$ 855	\$ 875	\$ 895	\$ 915	\$ 935	\$ 955	\$ 1475
		Mesh Mid-Back	CSW-MMW	\$ 795	\$ 805	\$ 815	\$ 835	\$ 855	\$ 875	\$ 895	\$ 915	\$ 935	\$ 1455
	Basic	Mesh High-Back	CBW-MHW	\$ 780	\$ 790	\$ 800	\$ 820	\$ 840	\$ 860	\$ 880	\$ 900	\$ 920	\$ 1440
	Synchro	Mesh Mid-Back	CBW-MMW	\$ 760	\$ 770	\$ 780	\$ 800	\$ 820	\$ 840	\$ 860	\$ 880	\$ 900	\$ 1420
 	Weight	Mesh High-Back	CWW-MHH	\$ 845	\$ 855	\$ 865	\$ 885	\$ 905	\$ 925	\$ 945	\$ 965	\$ 985	\$ 1505
	Activated	Mesh Mid-Back	CWW-MMH	\$ 825	\$ 835	\$ 845	\$ 865	\$ 885	\$ 905	\$ 925	\$ 945	\$ 965	\$ 1485
	Synchro	Mesh High-Back	CSW-MHH	\$ 770	\$ 780	\$ 790	\$ 810	\$ 830	\$ 850	\$ 870	\$ 890	\$ 910	\$ 1430
		Mesh Mid-Back	CSW-MMH	\$ 750	\$ 760	\$ 770	\$ 790	\$ 810	\$ 830	\$ 850	\$ 870	\$ 890	\$ 1410
	Basic	Mesh High-Back	CBW-MHH	\$ 735	\$ 745	\$ 755	\$ 775	\$ 795	\$ 815	\$ 835	\$ 855	\$ 875	\$ 1395
	Synchro	Mesh Mid-Back	CBW-MMH	\$ 715	\$ 725	\$ 735	\$ 755	\$ 775	\$ 795	\$ 815	\$ 835	\$ 855	\$ 1375
 	Weight	Mesh High-Back	CWW-MHF	\$ 852	\$ 862	\$ 872	\$ 892	\$ 912	\$ 932	\$ 952	\$ 972	\$ 992	\$ 1512
	Activated	Mesh Mid-Back	CWW-MMF	\$ 832	\$ 842	\$ 852	\$ 872	\$ 892	\$ 912	\$ 932	\$ 952	\$ 972	\$ 1492
	Synchro	Mesh High-Back	CSW-MHF	\$ 777	\$ 787	\$ 797	\$ 817	\$ 837	\$ 857	\$ 877	\$ 897	\$ 917	\$ 1437
		Mesh Mid-Back	CSW-MMF	\$ 757	\$ 767	\$ 777	\$ 797	\$ 817	\$ 837	\$ 857	\$ 877	\$ 897	\$ 1417
	Basic	Mesh High-Back	CBW-MHF	\$ 742	\$ 752	\$ 762	\$ 782	\$ 802	\$ 822	\$ 842	\$ 862	\$ 882	\$ 1402
	Synchro	Mesh Mid-Back	CBW-MMF	\$ 722	\$ 732	\$ 742	\$ 762	\$ 782	\$ 802	\$ 822	\$ 842	\$ 862	\$ 1382
 	Weight	Mesh High-Back	CWW-MHA	\$ 770	\$ 780	\$ 790	\$ 810	\$ 830	\$ 850	\$ 870	\$ 890	\$ 910	\$ 1430
	Activated	Mesh Mid-Back	CWW-MMA	\$ 750	\$ 760	\$ 770	\$ 790	\$ 810	\$ 830	\$ 850	\$ 870	\$ 890	\$ 1410
	Synchro	Mesh High-Back	CSW-MHA	\$ 695	\$ 705	\$ 715	\$ 735	\$ 755	\$ 775	\$ 795	\$ 815	\$ 835	\$ 1355
		Mesh Mid-Back	CSW-MMA	\$ 675	\$ 685	\$ 695	\$ 715	\$ 735	\$ 755	\$ 775	\$ 795	\$ 815	\$ 1335
	Basic	Mesh High-Back	CBW-MHA	\$ 660	\$ 670	\$ 680	\$ 700	\$ 720	\$ 740	\$ 760	\$ 780	\$ 800	\$ 1320
	Synchro	Mesh Mid-Back	CBW-MMA	\$ 640	\$ 650	\$ 660	\$ 680	\$ 700	\$ 720	\$ 740	\$ 760	\$ 780	\$ 1300
Lumbar Kit			LLUK	\$ 20									

LYRIC

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add either <b>NO</b> for no; or <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Frame Color: <b>BLK</b> Black <b>T</b> Titanium</p>	<p><b>2nd Option:</b> Select the Base Color: <b>BLK</b> Black <b>T</b> Titanium <b>PAL</b> Polished Aluminum (\$135 extra)</p>	<p><b>3rd Option:</b> Select the Lumbar: <b>N</b> No Lumbar <b>L</b> Lumbar (\$20 extra)</p>	<p><b>4th Option:</b> Select the Lumbar Color (if applicable): <b>BLK</b> Black <b>T</b> Titanium</p>
---	--	--	--	---

Examples: CWW-MHWNO.T.T.LT.2.T.AM21.AI26 LLUK.BLK  
CBW-MMWFC.BLK.BLK.N.2.H.AM25.CU19

## High-Back GSA SIN 711-18, Others Pending GSA Approval

Model Number	COM Yandage			Overall				Seat		Armrests				Backrest								
	COL Sq. Feet	Height (Range)		Width	Depth	Height Std (Range)	Short Range (15-18 1/2")	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Arms	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cu Yds
CWW-MHW	0.72	20	38 3/4" - 43 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CWW-MMW	0.72	20	35 3/4" - 40 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CSW-MHW	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CSW-MMW	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CBW-MHW	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
CBW-MMW	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	7 1/4" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
														Arm to Floor								
CWW-MHH	0.72	20	38 3/4" - 43 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	24 1/2" - 32 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CWW-MMH	0.72	20	35 3/4" - 40 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	24 1/2" - 32 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CSW-MHH	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CSW-MMH	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CBW-MHH	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CBW-MMH	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CWW-MHF	0.72	20	38 3/4" - 43 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CWW-MMF	0.72	20	35 3/4" - 40 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CSW-MHF	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CSW-MMF	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CBW-MHF	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CBW-MMF	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CWW-MHA	0.72	20	38 3/4" - 43 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°						24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CWW-MMA	0.72	20	35 3/4" - 40 3/4"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4°						24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CSW-MHA	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°						24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CSW-MMA	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/4" - 18 1/2"	11.7°						24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CBW-MHA	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°						24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
CBW-MMA	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7°						24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	

Note: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p>5th Option: Select the Cylinder:</p> <p>2 Standard 3 Short</p>	<p>6th Option: Select the Casters:</p> <p>H Black Hard Tread B Black Multi-Surface (\$55 extra) T Titanium Multi-Surface (\$55 extra) PAL Polished Aluminum Multi-Surface (\$128 extra)</p>	<p>7th Option: Select the Mesh:</p> <p>AM01 Carbon AM21 Clay AM22 Graphite AM28 Navy AM23 Platinum AM25 Poppy</p>	<p>8th Option: Select the Upholstery:</p> <p>See pages 348-350 for selection, colors, and codes.</p>
---	---	---	--



# Seating — Work Stool

Lyric™

Pending GSA Approval

Model Number	COM Yandage			Overall			Seat			Armrests			Backrest							
	COL Sq. Feet	Height (Range)		Width	Depth	Height Std (Range) Short Range (15"-18 1/2")	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Arms	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton
CSS-MHW	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MMW	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UHW	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UMW	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MHH	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MMH	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UHH	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UMH	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/4" - 14 1/4"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MHF	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9"	20 1/2"	14"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MMF	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9"	20 1/2"	14"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UHF	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9"	20 1/2"	14"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UMF	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°	9"	20 1/2"	14"	30 1/4" - 44 1/4"	24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MHA	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°					24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-MMA	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°					24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UHA	0.72	20	46" - 56"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°					24"	19"	9"	94 1/2° - 110°	43	53	11.3
CSS-UMA	0.72	20	43" - 53"	26"	26"	22 1/4" - 32 1/4"	19 1/2"	16 1/4" - 18 1/2"	11.7°					24"	19"	9"	94 1/2° - 110°	43	53	11.3

Note: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

LYRIC

◀ Continued from previous page

<p>5th Option: <b>Select the Cylinder:</b></p> <p>4 Extended range work stool cylinder allows 10" of travel</p>	<p>6th Option: <b>Select the Casters:</b></p> <p>H Black Hard Tread B Black Multi-Surface (\$ 55 extra) T Titanium Multi-Surface (\$55 extra) PAL Polished Aluminum Multi-Surface (\$128 extra)</p>	<p>7th Option: <b>Select the Mesh for non-upholstered Models, (if applicable):</b></p> <p>AM01 Carbon AM21 Clay AM22 Graphite AM28 Navy AM23 Platinum AM25 Poppy</p>	<p>8th Option: <b>Select Centurion Upholstery Color Code from page 354 for Upholstered Mesh Models (if applicable):</b></p>	<p>9th Option: <b>Select the Seat Upholstery:</b></p> <p>See pages 348-350 for selection, colors, and codes.</p>
4   .	.	.	CU       .	

# Seating — Large & Tall

GSA Reference Page

## DESIGN FEATURES

### Mesh and Upholstered Mesh Backs

Mesh back Large & Tall chairs are available in Black mesh. Upholstered mesh back chairs are available with Centurion fabric in one of 18 colors (see codes on page 354). Upholstery is inset with mesh and chair back frame is exposed. Mesh color is predetermined by frame color selection.

### 2D adjustable arms

Provides height and width adjustments for optimal support of elbows and shoulders while keyboarding or conferencing while providing ease of entry/exit.

### Fixed arms

Provide basic support for users engaging in a variety of tasks throughout the day. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

### Pneumatic seat height adjustment

Regulates height of task chair relative to the floor. Standard 5" of travel accommodates average to tall users.

### Base and casters

Bases are a five-star design. Dual-wheel casters in multi-surface for any floor surface.

### Materials

- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CTB117. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric only tests such as CTB117. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS — LARGE & TALL

Chair Types:

**CLL** Large & Tall

Back:

**ML** Mesh Large & Tall

**UL** Upholstered Mesh Large & Tall

Arms:

**H** 2D Adjustable

**F** Fixed

**A** Armless

Frame Color (Predetermines Mesh Color on Upholstered Models):

**BLK** Black (Carbon Mesh on Upholstered Models)

**T** Titanium (Carbon Mesh on Upholstered Models)

Base Color:

**BLK** Black

**T** Titanium

Lumbar:

**N** No Lumbar

**L** Lumbar (add \$20)

Lumbar Color:

**BLK** Black

**T** Titanium

Cylinder:

**2** Standard

Casters:

**B** Black Multi-Surface

**T** Titanium Multi-Surface (add \$55)

Mesh Back Material or for Upholstered Models, Centurion Fabric Code (see page 354):

**AM01** Carbon

Seat Upholstery:

See pages 348-350 for selections, colors, and codes.

# Seating — Multi-Purpose

GSA Reference Page

Lyric multi-purpose chairs go with the flow of your business. They're light, yet durable, so you can easily shift from one meeting to the next. Stow some away for the department lunch and learn. Then pull more off a stack to set up for the all-company awards celebration. Choose a bright shell color to create a bold look, or play it safe with a neutral color that blends seamlessly with your space. For whatever awaits, write the next line with Lyric, the family of chairs that fit everywhere.

## KEY FEATURES

The perforated back on Lyric multi-purpose chair provides ventilation and distributed support. The waterfall seat front reduces pressure points and the intuitive back design offers built-in lumbar support.

## MODELS AND OPTIONS

Arm and armless models available. Shell color options from sophisticated to playful and leg options from sled-base to four-legged with casters or glides.

Glide options include nylon, polycarbonate, nickel-plated, or felt. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-sheen floor surfaces.

Multi-surface casters are also available on four leg models and are designed for use on hard or soft surfaces.

Lyric multi-purpose chairs offer the ability to stack up to ten chairs high on the floor.

Chairs ship up to four per carton to minimize waste. Model numbers and prices are per chair.

## OPTIONS — MULTI-PURPOSE

### Chair Types:

- CMP** Four Leg Multi-Purpose Chair
- CWS** Wire Stacker Multi-Purpose Chair

### Back/Seat Material:

- PP** Polymer Back and Seat

### Casters/Glides:

- C** Casters
- G** Glides

### Arms:

- O** Fixed
- A** Armless

### Fire code:

- NO** No Fire Code
- FC** Fire Code

### Type of Caster or Glide:

- 0** Nylon Glide (\$16 extra, four leg models only)
- 0** Polycarbonate (wire stacker models only)
- 1** Nickel Glide (\$16 extra)
- 2** Felt Glide \$16 extra)
- 5** Rubber Glide (four leg models only)
- 3** Multi-Surface Caster (four leg models only)

### Arm Cap:

- H** Non-flexible

### Frame Finish:

- P71** Black
- PR6** Silver
- POL** Chrome (wire stacker models only)

### Polymer Colors:




- BW** Brownstone
- CP** Calypso
- CR** Cherry
- LA** Lava
- RE** Regatta
- TI** Titanium
- WT** White
- ZE** Zest

# Seating — Large & Tall

Lyric™

GSA SIN 711-18

(See page 138 for COM pricing on Grades 9-22)

Armrest	Control	Back	Model Number	1	2	3	4	5	6	7	8	Leather	
												1	2
	Basic	Mesh High-Back	CLL-MLH	\$ 1150	\$ 1160	\$ 1170	\$ 1190	\$ 1210	\$ 1230	\$ 1250	\$ 1270	\$ 1290	\$ 1810
		Upholstered	CLL-ULH										
	Mesh High-Back			\$ 1245	\$ 1258	\$ 1271	\$ 1304	\$ 1336	\$ 1369	\$ 1401	\$ 1434	\$ 1466	\$ 2155
	Basic	Mesh High-Back	CLL-MLF	\$ 1157	\$ 1167	\$ 1177	\$ 1197	\$ 1217	\$ 1237	\$ 1257	\$ 1277	\$ 1297	\$ 1817
		Upholstered	CLL-ULF										
	Mesh High-Back			\$ 1252	\$ 1265	\$ 1278	\$ 1311	\$ 1343	\$ 1376	\$ 1408	\$ 1441	\$ 1473	\$ 2162
	Basic	Mesh High-Back	CLL-MLA	\$ 1075	\$ 1085	\$ 1095	\$ 1115	\$ 1135	\$ 1155	\$ 1175	\$ 1195	\$ 1215	\$ 1735
		Upholstered	CLL-ULA										
	Mesh High-Back			\$ 1170	\$ 1183	\$ 1196	\$ 1229	\$ 1261	\$ 1294	\$ 1326	\$ 1359	\$ 1391	\$ 2080
L & T Lumbar Kit			LLUK-LT	\$ 20									

LYRIC

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add either <b>NO</b> for no; or <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) FC option is not available on upholstered models.</p>	<p><b>1st Option:</b> Select the Frame Color: (Frame color determines upholstered mesh color.) <b>BLK</b> Black (Carbon Mesh) <b>T</b> Titanium (Platinum Mesh)</p>	<p><b>2nd Option:</b> Select the Base Color: <b>BLK</b> Black <b>T</b> Titanium</p>	<p><b>3rd Option:</b> Select the Lumbar: <b>N</b> No Lumbar <b>L</b> Lumbar (\$20 extra)</p>	<p><b>4th Option:</b> Select the Lumbar Color (if applicable): <b>BLK</b> Black <b>T</b> Titanium</p>
---	---	---	--	---

Examples: CLL-MLHFC.T.T.LT.2.T.AM29.AI26 LLUK-LT.BLK  
CLL-ULANO.BLK.BLK.N.2.B.CU42.BST07



# Seating — Large & Tall

Lyric™

Pending GSA Approval

Model Number	COM Package			Overall			Seat			Armrests			Backrest			Ship Weight	Ship Weight Per Carton	Ctbs
	COL Sq. Feet	Height (Range)	Height Std (Range)	Width	Depth	Width	Depth	Ran Angle (Range)	Armrest Height	Width Between Arms	Depth (Range)	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)			
CLL-MLH		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	42	7.3	
CLL-ULH		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	42	7.3	
CLL-MLF		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	42	7.3	
CLL-ULF		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	42	7.3	
CLL-MLA		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	41	7.3	
CLL-ULA		41" - 46"	28"	28"	16"-21"	22"	16 1/4" - 18 1/4"	15.8°	7 1/2" - 11 1/2"	19 1/4" - 22 1/4"	14 1/2" - 15 1/2"	25 1/2"	21 1/2"	11"	93°-105°	41	7.3	





**Note:** Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10 of the Seating, Collaboration, and Tables price list.

LYRIC

◀ Continued from previous page

<p>5th Option: <b>Select the Cylinder:</b> 2 Standard</p>	<p>6th Option: <b>Select the Casters:</b> B Black Multi-Surface T Titanium Multi-Surface (\$55 extra)</p>	<p>7th Option: <b>Select the Mesh for non-upholstered Models, (if applicable):</b> AM01 Carbon</p>	<p>8th Option: <b>Select Centurion Upholstery Color Code from page 354 for Upholstered Mesh Models (if applicable):</b></p>	<p>9th Option: <b>Select the Seat Upholstery:</b> See pages 348-350 for selection, colors, and codes.</p>
2   .	.	AM01   .	CU       .	.

(See page 138 for COM pricing on Grades 9-22)

Base and Arms		Model Number	List Price
<b>4 Leg w/Arms</b> 	with Glides	<b>CMP-PPGO</b>	<b>\$ 345</b>
	with Casters	<b>CMP-PPCO</b>	<b>\$ 345</b>
<b>4 Leg Armless</b> 	with Glides	<b>CMP-PPGA</b>	<b>\$ 261</b>
	with Casters	<b>CMP-PPCA</b>	<b>\$ 261</b>
<b>Wire Stacker w/Arms</b> 	with Glides	<b>CWS-PPGO</b>	<b>\$ 395</b>
<b>Wire Stacker Armless</b> 	with Glides	<b>CWS-PPGA</b>	<b>\$ 311</b>

LYRIC

<p><b>How to specify —</b>                  Select the Model Number from above.                  Add <b>NO</b> for No Fire Code</p>	<p><b>1st Option:</b>                  Select the Frame Color:</p> <ul style="list-style-type: none"> <li>0 Nylon Glide (4 leg models only, \$16 extra)</li> <li>0 Polycarbonate (wire stacker models only)</li> <li>1 Nickel Glide (\$16 extra)</li> <li>2 Felt Glide (\$16 extra)</li> <li>5 Rubber Glide (4 leg models only)</li> <li>3 Multi-Surface Caster (4 leg models only)</li> </ul>	<p><b>2nd Option:</b>                  Arm Cap (if applicable):</p> <ul style="list-style-type: none"> <li>H Non-flexible</li> </ul>	<p><b>3rd Option:</b>                  Frame Finish:</p> <ul style="list-style-type: none"> <li>P71 Black</li> <li>PR6 Silver</li> <li>POL Chrome (wire stacker models only)</li> </ul>	<p><b>4th Option:</b>                  Polymer Color:</p> <ul style="list-style-type: none"> <li>BW Brownstone</li> <li>CP Calypso</li> <li>CR Cherry</li> <li>LA Lava</li> <li>RE Regatta</li> <li>TI Titanium</li> <li>WT White</li> <li>ZE Zest</li> </ul>
<p>C [ ] [ ] - P [ ] [ ] NO [ ] . [ ] .</p>		<p>H [ ] .</p>	<p>[ ] [ ] [ ] .</p>	<p>[ ] [ ]</p>

Examples: CMP-PPGONO.1.H.PR6.CR  
 CWS-PPGANO.0.POL.WT

Model Number	Overall			Seat			Armrests			Backrest					Shipping				
	COM Yards	COL Sq. Feet	Height (Range)	Width	Depth	Height Std (Range)	Width	Depth	Rear Angle (Range)	Armrest Height	Width Between Arms	Depth	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
CMP-PPGO			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°	9"	20¼"	6½"	18¼"	17"	9¼"	93¼°-99¼°	14	62	20 4 per carton
CMP-PPCO			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°	9"	20¼"	6½"	18¼"	17"	9¼"	93¼°-99¼°	14	62	20 4 per carton
CMP-PPGA			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°				18¼"	17"	9¼"	93¼°-99¼°	12	54	20 4 per carton
CMP-PPCA			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°				18¼"	17"	9¼"	93¼°-99¼°	12	54	20 4 per carton
CWS-PPGO			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°	9"	20¼"	6½"	18¼"	17"	9¼"	93¼°-99¼°	16	70	20 4 per carton
CWS-PPGA			33¼"	21"	21½"	17¼"	18"	16¼"	6.6°	9"	20¼"	6½"	18¼"	17"	9¼"	93¼°-99¼°	15	66	20 4 per carton

**Note:** Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

Lyric Multi-Purpose chairs ship up to four per carton to minimize waste. Chairs stack on floor up to 10-high.

Model numbers and prices are per chair.







# Seating — Work/Conference with Upholstered Mesh Back

Lyric™

Pending GSA Approval

For Mesh only back models see pages 50-51.

(See page 138 for COM pricing on Grades 9-22)

Armrest	Control	Back	Model Number Add options below									Leather	
				1	2	3	4	5	6	7	8	1	2
	Weight	Upholstered Mesh High-Back	CWW-UHWNO	\$ 985	\$ 990	\$ 995	\$ 1008	\$ 1020	\$ 1033	\$ 1045	\$ 1058	\$ 1070	\$ 1335
	Activated	Upholstered Mesh Mid-Back	CWW-UMWNO	\$ 965	\$ 975	\$ 985	\$ 1005	\$ 1025	\$ 1045	\$ 1065	\$ 1085	\$ 1105	\$ 1625
	Synchro	Upholstered Mesh High-Back	CSW-UHWNO	\$ 910	\$ 915	\$ 920	\$ 933	\$ 945	\$ 958	\$ 970	\$ 983	\$ 995	\$ 1260
		Upholstered Mesh Mid-Back	CSW-UMWNO	\$ 890	\$ 900	\$ 910	\$ 930	\$ 950	\$ 970	\$ 990	\$ 1010	\$ 1030	\$ 1550
	Basic	Upholstered Mesh High-Back	CBW-UHWNO	\$ 875	\$ 880	\$ 885	\$ 898	\$ 910	\$ 923	\$ 935	\$ 948	\$ 960	\$ 1225
		Upholstered Mesh Mid-Back	CBW-UMWNO	\$ 855	\$ 865	\$ 875	\$ 895	\$ 915	\$ 935	\$ 955	\$ 975	\$ 995	\$ 1515
	Weight	Upholstered Mesh High-Back	CWW-UHHNO	\$ 940	\$ 945	\$ 950	\$ 963	\$ 975	\$ 988	\$ 1000	\$ 1013	\$ 1025	\$ 1290
	Activated	Upholstered Mesh Mid-Back	CWW-UMHNO	\$ 920	\$ 930	\$ 940	\$ 960	\$ 980	\$ 1000	\$ 1020	\$ 1040	\$ 1060	\$ 1580
	Synchro	Upholstered Mesh High-Back	CSW-UHHNO	\$ 865	\$ 875	\$ 885	\$ 905	\$ 925	\$ 945	\$ 965	\$ 985	\$ 1005	\$ 1525
		Upholstered Mesh Mid-Back	CSW-UMHNO	\$ 845	\$ 850	\$ 855	\$ 868	\$ 880	\$ 893	\$ 905	\$ 918	\$ 930	\$ 1195
	Basic	Upholstered Mesh High-Back	CBW-UHHNO	\$ 830	\$ 835	\$ 840	\$ 853	\$ 865	\$ 878	\$ 890	\$ 903	\$ 915	\$ 1180
		Upholstered Mesh Mid-Back	CBW-UMHNO	\$ 810	\$ 820	\$ 830	\$ 850	\$ 870	\$ 890	\$ 910	\$ 930	\$ 950	\$ 1470
	Weight	Upholstered Mesh High-Back	CWW-UHFNO	\$ 947	\$ 952	\$ 957	\$ 970	\$ 982	\$ 995	\$ 1007	\$ 1020	\$ 1032	\$ 1297
	Activated	Upholstered Mesh Mid-Back	CWW-UMFNO	\$ 927	\$ 937	\$ 947	\$ 967	\$ 987	\$ 1007	\$ 1027	\$ 1047	\$ 1067	\$ 1587
	Synchro	Upholstered Mesh High-Back	CSW-UHFNO	\$ 872	\$ 877	\$ 882	\$ 895	\$ 907	\$ 920	\$ 932	\$ 945	\$ 957	\$ 1222
		Upholstered Mesh Mid-Back	CSW-UMFNO	\$ 852	\$ 862	\$ 872	\$ 892	\$ 912	\$ 932	\$ 952	\$ 972	\$ 992	\$ 1512
	Basic	Upholstered Mesh High-Back	CBW-UHFNO	\$ 837	\$ 847	\$ 857	\$ 877	\$ 897	\$ 917	\$ 937	\$ 957	\$ 977	\$ 1497
		Upholstered Mesh Mid-Back	CBW-UMFNO	\$ 817	\$ 827	\$ 837	\$ 857	\$ 877	\$ 897	\$ 917	\$ 937	\$ 957	\$ 1477
	Weight	Upholstered Mesh High-Back	CWW-UHANO	\$ 865	\$ 875	\$ 885	\$ 905	\$ 925	\$ 945	\$ 965	\$ 985	\$ 1005	\$ 1525
	Activated	Upholstered Mesh Mid-Back	CWW-UMANO	\$ 845	\$ 855	\$ 865	\$ 885	\$ 905	\$ 925	\$ 945	\$ 965	\$ 985	\$ 1505
	Synchro	Upholstered Mesh High-Back	CSW-UHANO	\$ 790	\$ 795	\$ 800	\$ 813	\$ 825	\$ 838	\$ 850	\$ 863	\$ 875	\$ 1140
		Upholstered Mesh Mid-Back	CSW-UMANO	\$ 770	\$ 780	\$ 790	\$ 810	\$ 830	\$ 850	\$ 870	\$ 890	\$ 910	\$ 1430
	Basic	Upholstered Mesh High-Back	CBW-UHANO	\$ 755	\$ 765	\$ 775	\$ 795	\$ 815	\$ 835	\$ 855	\$ 875	\$ 895	\$ 1415
		Upholstered Mesh Mid-Back	CBW-UMANO	\$ 735	\$ 740	\$ 745	\$ 758	\$ 770	\$ 783	\$ 795	\$ 808	\$ 820	\$ 1085

LYRIC

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Frame Color: BLK Black (comes with AM01 Carbon Mesh) T Titanium (comes with AM23 Platinum Mesh)</p>	<p><b>2nd Option:</b> Select the Base Color: BLK Black T Titanium PAL Polished Aluminum (\$135 extra)</p>	<p><b>3rd Option:</b> Select the Lumbar: N No Lumbar L Lumbar (\$20 extra)</p>	<p><b>4th Option:</b> Select the Lumbar Color (if applicable): BLK Black T Titanium</p>
<p>C   M   U     N   O   .       .</p>				

Examples: CWW-UHWNO.T.T.LT.2.T.CU62.AI10

CBW-UMWNO.BLK.BLK.N.2.H.CU42.BST08

# Seating — Work/Conference with Upholstered Mesh Back

Lyric™

Pending GSA Approval

Model Number	COM Yandage			Overall				Seat			Armrests				Backrest							
	COL Sq. Feet	Height (Range)		Width	Depth	Height Std (Range)	Short Range (15-18 1/2")	Width	Depth	Ran Angle (Range)	Armrest Height	Width Between Arms	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Ctbs
CWW-UHW	0.72	20	38 1/2" - 43 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CWW-UMW	0.72	20	35 1/2" - 40 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CSW-UHW	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CSW-UMW	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CBW-UHW	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
CBW-UMW	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	7 1/2" - 11 1/2"	13" - 20"	11" - 14"	30°	30°	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
														Arm to Floor								
CWW-UHH	0.72	20	38 1/2" - 43 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	24 1/2" - 32 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CWW-UMH	0.72	20	35 1/2" - 40 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	24 1/2" - 32 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CSW-UHH	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CSW-UMH	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CBW-UHH	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CBW-UMH	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	7 1/2" - 11 1/2"	17 1/4" - 20 1/2"	14 1/2" - 14 1/2"	23 1/2" - 32 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CWW-UHF	0.72	20	38 1/2" - 43 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CWW-UMF	0.72	20	35 1/2" - 40 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94° - 116°	37	48	11.3		
CSW-UHF	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CSW-UMF	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3		
CBW-UHF	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CBW-UMF	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"	9 1/2"	20 1/2"	14"	25 1/2" - 30 1/2"	24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3		
CWW-UHA	0.72	20	38 1/2" - 43 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"						24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CWW-UMA	0.72	20	35 1/2" - 40 1/2"	26"	26"	16 1/2" - 21 1/2"	19 1/2"	15 1/2" - 18 1/2"	6.4"						24"	19"	9 1/2"	94° - 116°	37	48	11.3	
CSW-UHA	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"						24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CSW-UMA	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	16 1/2" - 18 1/2"	11.7"						24"	19"	9 1/2"	94 1/2° - 110°	38	48	11.3	
CBW-UHA	0.72	20	38" - 43"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"						24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	
CBW-UMA	0.72	20	35" - 40"	26"	26"	16" - 21"	19 1/2"	15 1/4" - 17 1/2"	9.7"						24"	19"	9 1/2"	95 1/2° - 104°	37	45	11.3	

Note: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p>5th Option: Select the Cylinder:</p> <p>2 Standard 3 Short</p>	<p>6th Option: Select the Casters:</p> <p>H Black Hard Tread B Black Multi-Surface (\$55 extra) T Titanium Multi-Surface (\$55 extra)</p>	<p>7th Option: Select Centurion Upholstery Color Code from page 354:</p>	<p>8th Option: Select the Upholstery:</p> <p>See pages 348-350 for selection, colors, and codes.</p>
.	.	CU       .	

LYRIC





Access offers a light scale aesthetic that complements today's working environments with a price that fits from the workstation to the conference room, and from private office to call centers. Access provides a sleek, modern design that strikes the most common ergonomic and aesthetic features that customers are seeking today within a flexible price range.

## POSTURE CONTROL SYSTEMS

Versatility of performance and the scalability of features provide a range of applications and adaptable comfort, allowing the user to easily adjust for a customized fit.


### Active Ergonomics With A Synchro-Tilt Mechanism

Synchro-tilt allows the back to recline at a 2-to-1 ratio relative to the seat. This motion opens the angle between the legs and torso, providing increased circulation. Tilt lock allows the user to secure the chair in the upright posture, or tilt freely. Synchro-tilt models feature side mounted adjustable tension, that modifies the level of resistance to allow the user a custom fit. Basic synchro models feature a center tension knob.

### Basic Synchro-Tilt Mechanism

An economical solution for individuals performing a variety of light tasks throughout the day, or for conferencing applications, where seat depth adjustment is not required.

The basic synchro-tilt allows the back to recline at a 2-to-1 ratio relative to the seat. This motion opens the angle between the legs and torso, providing increased circulation. Tilt lock allows the user to secure the chair in the upright posture, or tilt freely. Center mounted adjustable tension modifies the level of resistance to allow the user a custom fit.



## PROPORTIONAL CONTROLS

### Height Adjustable Lumbar Support

Allows user to adjust lumbar anywhere within a 4" range on mesh work chairs and mesh work stools. Lumbar support slides can be adjusted asynchronously to suit the individual user.

### Adjustable Back Height (Upholstered models only)


Upholstered models feature a standard height adjustment. Position the lumbar support in one of five positions within a 2½" range. Can be adjusted easily from a seated position.

### Pneumatic Seat Height Adjustment

Regulates height of the chair relative to the floor. Standard 4½" of travel on work chairs accommodates average to tall users. Work stools have an extended range that allows 10" of travel.

### Seat Depth Adjustment

Allows seat support to travel front-to-back and lock within a 3" range (mesh and upholstered work chair models). Seat depth adjustment not available on basic synchro models.





## Adjustable Arms

Height and width adjustable arms will adjust 4" in height and 3" in width for optimal support of elbows and shoulders while keyboarding or conferencing.

Multi-adjustable arms offer 30 degrees of pivot inward and outward as well as up to 4½" of depth adjustment.

## Fixed C Arms

Provide basic support for users engaging in a variety of tasks throughout the day. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

Fixed C arms are available in a black urethane material or polished aluminum with protective black urethane arm pads.

## DESIGN FEATURES

Access seating is engineered to support a variety of work and conference applications through its versatile performance and aesthetic options.

### Mesh Back

A breathable mesh back offers a modern aesthetic along with an accentuated lumbar curve, provides superior comfort.

### Upholstered Back

A fully upholstered back satisfies the discerning user, featuring an enhanced lumbar support and standard integrated height adjustment mechanism.

### Base/Casters

Base is a composite five-star structure. Dual-wheel casters are available in hard tread for carpet, or soft tread for hard surfaces

### Materials

- All upholstery foams are CFC-free
- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics and foam meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.
- Access meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Access is warranted for multiple shifts and users up to 300 lbs.
- Access synchro-tilt work chairs and work stools ship knocked down. Basic Synchro work chairs ship fully assembled.

## OPTIONS — ACCESS WORK/CONFERENCE AND STOOL

### Back Types:

- M** Mesh Back
- U** Upholstered Back

### Armrests:

- H** Height and Width Adjustable (manual width adjustment)
- W** Pivot and Depth Adjustment (includes height and width adjustment)
- F** Fixed C-Arms (urethane)
- P** Fixed Polished Aluminum C-Arms (work chairs only)
- A** Armless

### Pneumatic Cylinder:

- 2** Standard, allows 4.5" of travel for work chairs
- 4** Extended Range, allows 10" of travel for stools

### Casters:

- 0** 2½" Dual-wheel Hard Tread for carpets
- 1** 2½" Dual-wheel Soft Tread for smooth surfaces (\$55 extra)

### Frame Color:

- BLK** Black

### Base:

- BLK** Black
- PAL** Polished Aluminum (add \$142) work chairs only




### Access Mesh:

- AM10** Black (Access mesh is only available in Black)

### Upholstery:

See pages 348-350 for selections. See inside back cover for colors and codes.

(See page 139 for COM pricing on Grades 9-22)

Armrest	Back	Control	Arms	Model Number	List Price										
					1	2	3	4	5	6	7	8	L1	L2	
	Mesh	Synchro-tilt	Multi-adjustable	ESW-MW	\$ 808	\$ 825	\$ 845	\$ 869	\$ 893	\$ 918	\$ 942	\$ 966	\$1243	\$2323	
			Height/Width	ESW-MH	\$ 760	\$ 777	\$ 797	\$ 821	\$ 845	\$ 870	\$ 894	\$ 918	\$1195	\$2275	
		Basic Synchro	Multi-adjustable	EBW-MW	\$ 772	\$ 789	\$ 809	\$ 833	\$ 857	\$ 882	\$ 906	\$ 930	\$1207	\$2287	
			Height/Width	EBW-MH	\$ 724	\$ 741	\$ 761	\$ 785	\$ 809	\$ 834	\$ 858	\$ 882	\$1159	\$2239	
	Upholstered	Synchro-tilt	Multi-adjustable	ESW-UW	\$ 908	\$ 940	\$ 968	\$1006	\$1048	\$1087	\$1127	\$1164	\$1624	\$3036	
			Height/Width	ESW-UH	\$ 860	\$ 892	\$ 920	\$ 958	\$1000	\$1039	\$1079	\$1116	\$1576	\$2988	
		Basic Synchro	Multi-adjustable	EBW-UW	\$ 872	\$ 904	\$ 932	\$ 970	\$1012	\$1051	\$1091	\$1128	\$1588	\$3000	
			Height/Width	EBW-UH	\$ 824	\$ 856	\$ 884	\$ 922	\$ 964	\$1003	\$1043	\$1080	\$1540	\$2952	
	Mesh	Synchro-tilt	Polished Aluminum	ESW-MP	\$ 843	\$ 860	\$ 880	\$ 904	\$ 928	\$ 953	\$ 977	\$1001	\$1278	\$2358	
			Black	ESW-MF	\$ 731	\$ 748	\$ 768	\$ 792	\$ 816	\$ 841	\$ 865	\$ 889	\$1166	\$2246	
		Basic Synchro	Polished Aluminum	EBW-MP	\$ 807	\$ 824	\$ 844	\$ 868	\$ 892	\$ 917	\$ 941	\$ 965	\$1242	\$2322	
			Black	EBW-MF	\$ 695	\$ 712	\$ 732	\$ 756	\$ 780	\$ 805	\$ 829	\$ 853	\$1130	\$2210	
	Upholstered	Synchro-tilt	Polished Aluminum	ESW-UP	\$ 943	\$ 975	\$1003	\$1041	\$1083	\$1122	\$1162	\$1199	\$1659	\$3071	
			Black	ESW-UF	\$ 831	\$ 863	\$ 891	\$ 929	\$ 971	\$1010	\$1050	\$1087	\$1547	\$2959	
		Basic Synchro	Polished Aluminum	EBW-UP	\$ 907	\$ 939	\$ 967	\$1005	\$1047	\$1086	\$1126	\$1163	\$1623	\$3035	
			Black	EBW-UF	\$ 795	\$ 827	\$ 855	\$ 893	\$ 935	\$ 974	\$1014	\$1051	\$1511	\$2923	
	Mesh	Synchro-tilt		ESW-MA	\$ 689	\$ 706	\$ 726	\$ 750	\$ 774	\$ 799	\$ 823	\$ 847	\$1124	\$2204	
		Basic Synchro		EBW-MA	\$ 653	\$ 670	\$ 690	\$ 714	\$ 738	\$ 763	\$ 787	\$ 811	\$1088	\$2168	
	Upholstered	Synchro-tilt			ESW-UA	\$ 789	\$ 821	\$ 849	\$ 887	\$ 929	\$ 968	\$1008	\$1045	\$1505	\$2917
			Basic Synchro		EBW-UA	\$ 753	\$ 785	\$ 813	\$ 851	\$ 893	\$ 932	\$ 972	\$1009	\$1469	\$2881

ACCESS

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add either <b>NO</b> for no; or <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Cylinder (if applicable): 2 Standard, allows 4½" of travel</p>	<p><b>2nd Option:</b> Select the Casters (if applicable): 0 2½" Dual-Wheel Hard Tread for carpets 1 2½" Dual-Wheel Soft Tread for smooth surfaces (\$55 extra)</p>	<p><b>3rd Option:</b> Select the Frame Color (if applicable): BLK Black</p>	<p><b>4th Option:</b> Select the Base (if applicable): BLK Black PAL Polished Aluminum (\$142 extra)</p>
E       -         .	2   .	.	B   L   K   .	.

Examples: ESW-MWNO.2.0.BLK.AM10.CU62  
ESW-MPFC.2.1.BLK.PAL.AM10.BOX14

Model Number	COM Package			Overall			Seat				Armrests				Backrest					
	COM Package	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Armrest Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Cubes
ESW-MW	1.05	20	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	17½ - 20½"	11 - 15½"	30°	30°	23½"	18"	6" - 10"	90° - 112°	51	10.6
ESW-MH	1.05	20	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	17½ - 20½"	14 - 15"	—	—	23½"	18"	6" - 10"	90° - 112°	51	10.6
EBW-MW	1.05	20	37¼ - 42¼"	26"	25"	15 - 19½"	19½"	17¼"	1 - 10°	7 - 11"	17½ - 20½"	11 - 15½"	30°	30°	24½"	18"	6¼ - 10¼"	92° - 110°	45	17.3
EBW-MH	1.05	20	37¼ - 42¼"	26"	25"	15 - 19½"	19½"	17¼"	1 - 10°	7 - 11"	17½ - 20½"	14 - 15"	—	—	24½"	18"	6¼ - 10¼"	92° - 110°	45	17.3
ESW-UW	2.1	45	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	17½ - 20½"	11 - 15½"	30°	30°	23 - 25½"	18"	6" - 10"	90° - 112°	51	10.6
ESW-UH	2.1	45	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	17½ - 20½"	14 - 15"	—	—	23 - 25½"	18"	6" - 10"	90° - 112°	51	10.6
EBW-UW	2.1	45	36½ - 43½"	26"	25"	15 - 19½"	19½"	17½"	1 - 10°	7 - 11"	17½ - 20½"	11 - 15½"	30°	30°	24 - 26½"	18"	8½" - 11"	92° - 110°	52	17.3
EBW-UH	2.1	45	36½ - 43½"	26"	25"	15 - 19½"	19½"	17½"	1 - 10°	7 - 11"	17½ - 20½"	14 - 15"	—	—	24 - 26½"	18"	8½" - 11"	92° - 110°	52	17.3
ESW-MP	1.05	20	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	9½"	20¼"	13½"	—	—	23½"	18"	6" - 10"	90° - 112°	50	10.6
ESW-MF	1.05	20	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	9½"	20¼"	13½"	—	—	23½"	18"	6" - 10"	90° - 112°	50	10.6
EBW-MP	1.05	20	37¼ - 42¼"	26"	25"	15 - 19½"	19½"	17¼"	1 - 10°	9½"	20¼"	13½"	—	—	24½"	18"	6¼ - 10¼"	92° - 110°	52	17.3
EBW-MF	1.05	20	37¼ - 42¼"	26"	25"	15 - 19½"	19½"	17¼"	1 - 10°	9½"	20¼"	13½"	—	—	24½"	18"	6¼ - 10¼"	92° - 110°	52	17.3
ESW-UP	2.1	45	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	20¼"	11 - 15½"	30°	30°	23½"	18"	6" - 10"	90° - 112°	50	10.6
ESW-UF	2.1	45	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°	7 - 11"	20¼"	14 - 15"	—	—	23½"	18"	6" - 10"	90° - 112°	50	10.6
EBW-UP	2.1	45	36½ - 43½"	26"	25"	15 - 19½"	19½"	17½"	1 - 10°	9½"	20¼"	13½"	—	—	24 - 26½"	18"	8½" - 11"	92° - 110°	52	17.3
EBW-UF	2.1	45	36½ - 43½"	26"	25"	15 - 19½"	19½"	17½"	1 - 10°	9½"	20¼"	13½"	—	—	24 - 26½"	18"	8½" - 11"	92° - 110°	52	17.3
ESW-MA	1.05	20	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°						23½"	18"	6" - 10"	90° - 112°	52	10.6
EBW-MA	1.05	20	37¼ - 42¼"	26"	25"	15 - 19½"	19½"	17¼"	1 - 10°						24½"	18"	8½" - 11"	92° - 112°	46	17.3
ESW-UA	2.1	45	38½ - 43"	26"	25"	16 - 20½"	19½"	15½ - 18½"	1 - 10°						23 - 25½"	18"	6" - 10"	90° - 112°	52	10.6
EBW-UA	2.1	45	36½ - 43½"	26"	25"	15 - 19½"	19½"	17½"	1 - 10°						24 - 26½"	18"	8½" - 11"	92° - 112°	46	17.3




ACCESS

◀ Continued from previous page

<p>5th Option:  <b>Select the Mesh</b>                  (if applicable):  <b>AM10</b> Access Mesh – Black</p>	<p>6th Option:  <b>Select the Upholstery:</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
---	--

AM10 | .

(See page 139 for COM pricing on Grades 9-22)

Armrest	Back	Control	Arms	Model Number	List Price									
					1	2	3	4	5	6	7	8	L1	L2
	Mesh	Synchro-tilt	Multi-adjustable	ESS-MW	\$1072	\$1089	\$1109	\$1133	\$1157	\$1182	\$1206	\$1230	\$1507	\$2587
			Height/Width	ESS-MH	\$1024	\$1041	\$1061	\$1085	\$1109	\$1134	\$1158	\$1182	\$1459	\$2539
	Upholstered	Synchro-tilt	Multi-adjustable	ESS-UW	\$1175	\$1207	\$1235	\$1273	\$1315	\$1354	\$1394	\$1431	\$1891	\$3303
			Height/Width	ESS-UH	\$1127	\$1159	\$1187	\$1225	\$1267	\$1306	\$1346	\$1383	\$1843	\$3255
	Mesh	Synchro-tilt	Black Arms	ESS-MF	\$ 995	\$1012	\$1032	\$1056	\$1080	\$1105	\$1129	\$1153	\$1430	\$2510
	Upholstered	Synchro-tilt	Black Arms	ESS-UF	\$1098	\$1130	\$1158	\$1196	\$1238	\$1277	\$1317	\$1354	\$1814	\$3226
	Mesh	Synchro-tilt		ESS-MA	\$ 962	\$ 979	\$ 999	\$1023	\$1047	\$1072	\$1096	\$1120	\$1397	\$2477
	Upholstered	Synchro-tilt		ESS-UA	\$1065	\$1097	\$1125	\$1163	\$1205	\$1244	\$1284	\$1321	\$1781	\$3193

ACCESS

Continued on next page ►

<p><b>How to specify —</b> Select the <b>Model Number</b> from above. Add either <b>NO</b> for no; or <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> <b>Select the Cylinder:</b> 4 Extended range work stool cylinder, allows 10" of travel</p>	<p><b>2nd Option:</b> <b>Select the Casters:</b> 0 2½" Dual-Wheel Hard Tread for carpets 1 2½" Dual-Wheel Soft Tread for smooth surfaces (\$55 extra)</p>	<p><b>3rd Option:</b> <b>Select the Frame Color:</b> BLK Black</p>	<p><b>4th Option:</b> <b>Select the Base:</b> BLK Black</p>
E   S   S   -           .	4   .	.	B   L   K   .	B   L   K   .

Examples: ESS-MWNO.4.0.BLK.BLK.AM10.CU62  
ESS-UHFC.4.1.BLK.BLK.BOX14

Model Number	COM Yandage			Overall			Seat			Armrests					Backrest					
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Armrest Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Cubes	
ESS-MW	1.05	20	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	7-11"	17½-20½"	11-15½"	30°	30°	23½"	18"	6"-10"	92°-112°	56	10.6
ESS-MH	1.05	20	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	7-11"	17½-20½"	14-15"	—	—	23½"	18"	6"-10"	92°-112°	56	10.6
ESS-UW	2.1	45	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	7-11"	17½-20½"	11-15½"	30°	30°	23-25½"	18"	6"-10"	92°-112°	56	10.6
ESS-UH	2.1	45	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	7-11"	17½-20½"	14-15"	—	—	23-25½"	18"	6"-10"	92°-112°	56	10.6
ESS-MF	1.05	20	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	9½"	20½"	13½"	—	—	23½"	18"	6"-10"	92°-112°	56	10.6
ESS-UF	2.1	45	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	9½"	20½"	13½"	—	—	23-25½"	18"	6"-10"	92°-112°	56	10.6
ESS-MA	1.05	20	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	—	—	—	—	—	23½"	18"	6"-10"	92°-112°	50	10.6
ESS-UA	2.1	45	47-57"	26"	25"	23½-33½"	19½"	15½-16¼"	1°-10°	—	—	—	—	—	23-25½"	18"	6"-10"	92°-112°	50	10.6

ACCESS

◀ Continued from previous page

<p>5th Option:  <b>Select the Mesh</b>                  (if applicable):  <b>AM10</b> Access Mesh – Black</p>	<p>6th Option:  <b>Select the Upholstery:</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
---	--

AM10 | .

*The Scout Chair reveals a new direction in mid-price seating. A direction that combines contemporary design with superior comfort, unites simplicity with high-performing functionality, resulting in best-in-class value, assuring durability and a long life.*

## POSTURE CONTROL SYSTEM

### Active Ergonomics with a Synchro-Tilt Mechanism

For individuals who balance computing and other activities.

Synchro-tilt allows the back to recline at a 2-to-1 ratio relative to the seat. This motion opens the angle between the legs and torso, providing increased circulation. Tilt lock allows the user to secure the chair in the upright posture, three reclined positions, or tilt freely. Side mounted adjustable tension modifies the level of resistance to suit the user.

## PROPORTIONAL CONTROLS

To fit the chair to the worker

### Adjustable Back Height (Upholstered models only)

Position the lumbar support in one of five positions within a 3" range. Can be adjusted easily from seated position.


### Pneumatic Seat Height Adjustment

Regulates height of chair relative to the floor.

- Standard 4¼" of travel accommodates average to tall users.
- Optional 3" of travel keeps chair closer to the floor for shorter users

### Seat Depth Adjustment

Allows seat support to travel front-to-back and lock within a 2¼" range.



**Adjustable Arms**

Provide height and width adjustments for optimal support of elbows and shoulders while keyboarding or conferencing.

**Fixed Loop Arms**

Provide basic support for users who face a variety of tasks. Fixed arms limit adjustability and maintain a preferred aesthetic in conference room settings.

**DESIGN FEATURES****Base/Casters**

Base is composite five-star structure. Dual-wheel casters are available in hard tread for carpet, or soft tread for hard surfaces.

**Materials**

- All upholstery foams are CFC-free.
- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics and foam meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Scout meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002 (except lowest cylinder height).

Scout is warranted for multiple shifts and users up to 300 lbs.

Scout chairs ship knockdown.

**OPTIONS — SCOUT****Back Types:**

- M** Mesh Back
- U** Upholstered Back

**Armrests:**

- W** Height Adjustment (Manual Width Adjustment)
- L** Fixed Loop Arms
- A** Armless

**Back:**

- A** Adjustable Back (add \$48)
- F** Fixed Back

**NOTE:** Adjustable back is only available on upholstered model. Mesh models are not available with a back height adjustment.

**Pneumatic Cylinder:**

- 2** Standard; allows 4¼" travel
- 3** Short; non-standard 3" of travel

**Casters:**

- 0** 2½" Dual-Wheel Hard Tread for carpets
- 1** 2½" Dual-Wheel Soft Tread for smooth surfaces

**Frame Color:**

- P71** Black

**Mesh Color:**







Mesh is only available in black.

**Upholstery:**

See pages 348-350 for selections.

See inside back cover for colors and codes.

(See page 140 for COM pricing on Grades 9-22)

Overall Size		Adjustments and Features	Model Number									Leather	
Armrest				1	2	3	4	5	6	7	8	1	2
Universal Back Mesh Adjustable Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-MW	\$ 727	\$ 769	\$ 808	\$ 846	\$ 886	\$ 922	\$ 963	\$ 1002	\$ 1118	\$ 1341
Universal Back Mesh Loop Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-ML	\$ 693	\$ 735	\$ 774	\$ 812	\$ 852	\$ 888	\$ 929	\$ 968	\$ 1084	\$ 1307
Universal Back Mesh Armless		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-MA	\$ 578	\$ 620	\$ 659	\$ 697	\$ 737	\$ 773	\$ 814	\$ 853	\$ 969	\$ 1192
Universal Back Upholstered Adjustable Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-UW	\$ 910	\$ 957	\$ 1001	\$ 1046	\$ 1090	\$ 1132	\$ 1177	\$ 1222	\$ 1353	\$ 1606
Universal Back Upholstered Loop Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-UL	\$ 876	\$ 923	\$ 967	\$ 1012	\$ 1056	\$ 1098	\$ 1143	\$ 1188	\$ 1319	\$ 1572
Universal Back Upholstered Armless		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-UA	\$ 761	\$ 808	\$ 852	\$ 897	\$ 941	\$ 983	\$ 1028	\$ 1073	\$ 1204	\$ 1457

SCOUT

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Back: A Upholstered Back Height Adj. (Add \$48) F Fixed Back <b>NOTE:</b> Mesh models are not available with a back height adjustment.</p>	<p><b>2nd Option:</b> Select the Cylinder: 2 Standard, allows 4 1/4" of travel 3 Short, allows 3" of travel</p>	<p><b>3rd Option:</b> Select the Casters: 0 2 1/2" Dual-Wheel Hard Tread for carpets 1 2 1/2" Dual-Wheel Soft Tread for smooth surfaces</p>
--	---	---	---

Examples: SCU-UW.A.2.0.P71.PNL03 SCU-MA.F.3.0.P71.EMR03  
SCU-UAFC.A.2.1.P71.PNL04



Model Number	COM Yardage			Overall			Seat			Armrests				Backrest							
	COM	Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Armrest Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
SCU-MW	1.05	30	38"-43"	26½"	25"	17-21¼" 16-19"	19"	16-18¼"	2° to 19°	6"-10¼"	17½- 20¼"	10%- 11¼"	—	—	23¼"	18½"	6"	98°-111°	52	—	10.8
SCU-ML	1.05	30	38"-43"	26½"	25"	17-21¼" 16-19"	19"	16-18¼"	2° to 19°	8¼"	19"	13"	—	—	23¼"	18½"	6"	98°-111°	52	—	10.8
SCU-MA	1.05	30	38"-43"	26½"	25"	17-21¼" 16-19"	19"	16-18¼"	2° to 19°	—	—	—	—	—	23¼"	18½"	6"	98°-111°	52	—	10.8
SCU-UW	1.7	46	39-43¼" 38"-46"	26½"	25"	17-21¼" 16-19"	19"	15¼-18"	2° to 19°	6"-10¼"	17½- 20¼"	10%- 11¼"	—	—	23¼" 23-26"	18½"	6" 5¼-8¼"	97°-113°	52	—	10.8
SCU-UL	1.7	46	39-43¼" 38"-46"	26½"	25"	17-21¼" 16-19"	19"	15¼-18"	2° to 19°	8¼"	19"	13"	—	—	23¼" 23-26"	18½"	6" 5¼-8¼"	97°-113°	52	—	10.8
SCU-UA	1.7	46	39-43¼" 38"-46"	26½"	25"	17-21¼" 16-19"	19"	15¼-18"	2° to 19°	—	—	—	—	—	23¼" 23-26"	18½"	6" 5¼-8¼"	97°-113°	52	—	10.8



◀ Continued from previous page

<p><b>4th Option:</b> Select the Frame Color: P71 Black</p>	<p><b>5th Option:</b> Select the Upholstery: See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	--

P | 7 | 1 | .

*The Scout Stool reveals a new direction in mid-price seating. A direction that combines contemporary design with superior comfort. A direction that unites simplicity with high-performing functionality. A direction that results in best-in-class value and assures durability and a long life.*

*The new Scout Stool has the same design, comfort and functionality as the Scout Work/Conference chair while offering a perfect solution for anywhere work is done at standing height.*

## POSTURE CONTROL SYSTEM

### Active Ergonomics with a Synchro-Tilt Mechanism

For individuals who balance computing and other activities.

Synchro-Tilt allows the back to recline at a 2-to-1 ratio relative to the seat. This motion opens the angle between the legs and torso, providing increased circulation. Tilt lock allows the user to secure the chair in the upright posture, three reclined positions, or tilt freely. Side mounted adjustable tension modifies the level of resistance to suit the user.

## PROPORTIONAL CONTROLS

To fit the chair to the worker.

### Adjustable Back Height (Upholstered models only)

Position the lumbar support in one of five positions within a 3" range. Can be adjusted easily from seated position.

### Pneumatic Seat Height Adjustment

Regulates height of chair relative to the floor.


- Extended range cylinder allows 10" of travel.

### Seat Depth Adjustment


Allows seat support to travel front-to-back and lock within a 2¼" range.

### Height Adjustable Footring

Travels 8" to ensure users have comfortable support of their feet and legs. The footring has a 20" diameter.



SCU-SMW



SCU-SUL

## Adjustable Arms

Provide height and width adjustments for optimal support of elbows and shoulders while keyboarding or conferencing.

## Fixed Loop Arms

Provide basic support for users who face a variety of tasks. Fixed arms limit adjustability and maintain a preferred aesthetic in conference room settings.

## DESIGN FEATURES

### Base/Casters

Base is composite five-star structure. Dual-wheel casters are available in hard tread for carpet, or soft tread for hard surfaces.

### Materials

- All upholstery foams are CFC-free.
- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics and foam meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Scout meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002 (except lowest cylinder height).

Scout is warranted for multiple shifts and users up to 300 lbs.

Scout Stool ships fully assembled.

## OPTIONS — SCOUT STOOL

### Back Types:

- M** Mesh Back
- U** Upholstered Back

### Armrests:

- W** Height Adjustment (manual width adjustment)
- L** Fixed Loop Arms
- A** Armless

### Back:

- A** Adjustable Back (add \$48)
- F** Fixed Back

**NOTE:** Adjustable back is only available on upholstered model. Mesh models are not available with a back height adjustment.

### Pneumatic Cylinder:

- 4** Extended Range Cylinder; allows 10" of travel

### Casters:

- 0** 2½" Dual-Wheel Hard Tread for carpets
- 1** 2½" Dual-Wheel Soft Tread for smooth surfaces

### Frame Color:

- P71** Black

### Mesh Color:







Mesh is only available in black.

### Upholstery:

See pages 348-350 for selections.

See inside back cover for colors and codes.

(See page 139 for COM pricing on Grades 9-22)

Overall Size		Adjustments and Features	Model Number									Leather 1
Armrest				1	2	3	4	5	6	7	8	
Universal Back Mesh Adjustable Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SMW	\$ 1080	\$ 1125	\$ 1165	\$ 1207	\$ 1249	\$ 1289	\$ 1330	\$ 1372	\$ 1496
Universal Back Mesh Loop Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SML	\$ 1045	\$ 1090	\$ 1130	\$ 1172	\$ 1214	\$ 1254	\$ 1295	\$ 1337	\$ 1461
Universal Back Mesh Armless		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SMA	\$ 922	\$ 967	\$ 1007	\$ 1049	\$ 1091	\$ 1131	\$ 1172	\$ 1214	\$ 1338
Universal Back Upholstered Adjustable Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SUW	\$ 1172	\$ 1217	\$ 1257	\$ 1299	\$ 1341	\$ 1381	\$ 1422	\$ 1464	\$ 1588
Universal Back Upholstered Loop Arms		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SUL	\$ 1137	\$ 1182	\$ 1222	\$ 1264	\$ 1306	\$ 1346	\$ 1387	\$ 1429	\$ 1553
Universal Back Upholstered Armless		Synchro-tilt Tilt Lock Pneumatic Adj. Seat Depth	SCU-SUA	\$ 1014	\$ 1059	\$ 1099	\$ 1141	\$ 1183	\$ 1223	\$ 1264	\$ 1306	\$ 1430

SCOUT

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Back: A Upholstered Back Height Adj. (Add \$48) F Fixed Back <b>NOTE:</b> Mesh models are not available with a back height adjustment.</p>	<p><b>2nd Option:</b> Select the Cylinder: 4 Extended Range work stool cylinder, allows 10" of travel</p>	<p><b>3rd Option:</b> Select the Casters: 0 2½" Dual-Wheel Hard Tread for carpets 1 2½" Dual-Wheel Soft Tread for smooth surfaces</p>
--	---	---	---

Examples: SCU-SUL.A.4.0.P71.CU62 SCU-SMA.F.4.1.P71.BOX14

Model Number	COM Yardage			Overall			Seat			Armrests				Backrest							
	COM	Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Armrest Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
SCU-SMW	1.05	30	46%-56%"	27"	25"	24%-34%"	19"	16-17%"	2° to 14°	6%-10%"	17½-20%"	10%-11½"	—	—	23½"	18½"	8"	95°-109°	63	—	21.4
SCU-SML	1.05	30	46%-56%"	27"	25"	24%-34%"	19"	16-17%"	2° to 14°	8½"	19"	13"	—	—	23½"	18½"	8"	95°-109°	63	—	21.4
SCU-SMA	1.05	30	46%-56%"	27"	25"	24%-34%"	19"	16-17%"	2° to 14°	—	—	—	—	—	23½"	18½"	8"	95°-109°	63	—	21.4
SCU-SUW	1.7	46	46%-56%"	27"	25"	24%-34%"	19"	15½-17½"	2° to 14°	6%-10%"	17½-20%"	10%-11½"	—	—	23½" 23-26"	18½"	8" 5½-8½"	95°-109°	63	—	21.4
SCU-SUL	1.7	46	46%-56%"	27"	25"	24%-34%"	19"	15½-17½"	2° to 14°	8½"	19"	13"	—	—	23½" 23-26"	18½"	8" 5½-8½"	95°-109°	63	—	21.4
SCU-SUA	1.7	46	46%-56%"	27"	25"	24%-34%"	19"	15½-17½"	2° to 14°	—	—	—	—	—	23½" 23-26"	18½"	8" 5½-8½"	95°-109°	63	—	21.4



Continued from previous page

<p><b>4th Option:</b> Select the Frame Color: P71 Black</p>	<p><b>5th Option:</b> Select the Upholstery: See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
<p><b>P   7   1   .</b></p>	<p>_____</p>

Two comfort systems make Trooper fit for whatever assignment you face, and allow one visual design to be used to meet a variety of use patterns and price points.


## POSTURE CONTROL SYSTEMS — to fit the worker to the task

### HIGH-PERFORMANCE — ASYNCHRONOUS MECHANISM

Recommended for computer-intensive work environments.

The multifunctional asynchronous mechanism allows the user to independently position and lock the angle of the back relative to the seat, and the angle of the seat relative to the floor.

Free-floating tilt and infinite locking within a fixed range can both be achieved providing fine-tuned adjustability. Adjustable tension modifies the level of resistance to suit the user. The forward angle adjustment allows users to transfer some of their body weight to the floor, and opens the angle of the legs relative to the torso for improved circulation to the legs and a welcome alternative in posture for long-term computer use.



### PASSIVE ERGONOMICS — MID-RANGE KNEE TILT

...an economical solution, suited for people who perform a variety of tasks. Knee tilt with upright lock allows workers to recline easily while keeping their feet on the floor. This takes weight off the spine and encourages circulation to the legs. Adjustable tension modifies the level of resistance to suit the user. Tilt lock allows the chair to tilt freely, or to be secured in an upright position.

## PROPORTIONAL CONTROLS — to fit the chair to the worker


### Quick-adjust back height

Positions the lumbar support in one of five positions within a 2½" range on all Trooper models. Can be adjusted easily from seated position.

### Pneumatic seat height adjustment

Regulates height of chair relative to floor.

- Standard 5" travel accommodates average or taller users.
- **Optional 3" travel** keeps chair closer to floor for shorter users.



\* Arm Width and Height Adjustment on select models.

## Seat depth

Allows seat cushion to travel front-to-back, and locked within a 2½" range. (**Active Ergonomic** – 2" and **High-Performance** – 2½" models.)

## Adjustable arms

Height and manual width adjustments position elbows and shoulders for optimal support during keyboarding or conferencing while providing ease of entry/exit.

## Fixed position "T" arms

Provide basic support for people who face a variety of tasks.

## DESIGN FEATURES

### Deeply contoured cushions

- Back and seat are formed of opposing compound curves to provide firm lumbar support and a subtle "wraparound" effect that gently hugs the body. Inner support is molded from polypropylene. These molded-in contours provide optimum support.
- The detailed back rest is offered in high-back and mid-back styles, suitable for use by upper management, technical/professional staff, or administrative personnel.
- Molded polymer outer back is available upholstered or in textured matte black.
- **Seat cushion** features a **waterfall** front edge that promotes circulation to the lower legs.

### Base/casters

Base is a composite five-star structure. Dual-wheel casters feature hard tread for carpet, or soft tread for smooth surfaces.

### Materials

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB 117. Allsteel must test a complete chair to supply a certificate of compliance with CTB 133.

Trooper meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002.

Trooper Asynchronous, Synchro-Tilt, and Work Stool models are warranted for multiple shifts and users up to 300 lbs.

## OPTIONS — TROOPER WORK CHAIR:

### Overall Size:

- H** High-back
- M** Mid-back

### Armrests:

- A** Armless
- O** Open Arms/Non-Adjustable
- W** Width- and Height-Adjustable

### Ergonomic Motion:

- K** Mid-range Knee Tilt
- M** Asynchronous Tilt

### Pneumatic Cylinder:

- 2** Standard Cylinder; allows 5" of travel
- 3** Short Cylinder; non-standard 3" of travel

### Casters: (Black)

- 0** 2½" Dual-Wheel Hard Tread for Carpets
- 1** 2½" Dual-Wheel Soft Tread for Smooth Surfaces

### Outer Back Shell:

- N** Non-Upholstered
- U** Upholstered (\$121 extra)

### Frame Color:

- P71** Black

### Arm Pad:

- S** Soft
- H** Hard

### Upholstery:

See pages 348-350 for selections.  
See inside back cover for colors and codes.





Model Number	COM Yachage			Overall			Seat			Armrests				Backrest			Ship Weight	Ship Weight Per Carton	Cubes		
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)				Backrest Seat Angle (Range)	
TR-HWK	1.3	15.0	40"-45 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	7 1/2"-11 1/2"	17 1/2"-20 1/4"	11 1/2"-12 1/2"	-	-	22 1/2"-25 1/4"	18 1/2"	6-8 1/2"	97°	59.0	-	19.3
TR-HWM	1.3	15.0	42"-47 1/4"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2"	-12.5° to 12.5°	7 1/2"-11 1/2"	17 1/2"-20 1/4"	10"-11 1/2"	-	-	22 1/2"-25 1/4"	18 1/2"	7 1/4"-9 1/4"	89°-115°	65.0	-	19.3
TR-HOK	1.3	15.0	40"-45 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	9"	18"	12"	-	-	22 1/2"-25 1/4"	18 1/2"	6-8 1/2"	97°	58.0	-	19.3
TR-HOM	1.3	15.0	42"-47 1/4"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2"	-12.5° to 12.5°	9"	18"	10 1/2"	-	-	22 1/2"-25 1/4"	18 1/2"	7 1/4"-9 1/4"	89°-115°	64.0	-	19.3
TR-HAK	1.3	15.0	40"-45 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	-	-	-	-	-	22 1/2"-25 1/4"	18 1/2"	6-8 1/2"	97°	51.0	-	19.3
TR-HAM	1.3	15.0	42"-47 1/4"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2"	-12.5° to 12.5°	-	-	-	-	-	22 1/2"-25 1/4"	18 1/2"	7 1/4"-9 1/4"	89°-115°	56.0	-	19.3
TR-MWK	1.2	14.0	36"-41 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	7 1/2"-11 1/2"	17 1/2"-20 1/4"	11 1/2"-12 1/2"	-	-	19 1/2"-21 1/2"	18 1/2"	6-8 1/2"	97°	59.0	-	16.5
TR-MWM	1.2	14.0	38"-43 1/2"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2"	-12.5° to 12.5°	7 1/2"-11 1/2"	17 1/2"-20 1/4"	10"-11 1/2"	-	-	19 1/2"-21 1/2"	18 1/2"	6"-9"	89°-115°	65.0	-	16.5
TR-MOK	1.2	14.0	36"-41 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	9"	18"	12"	-	-	19 1/2"-21 1/2"	18 1/2"	6-8 1/2"	97°	58.0	-	16.5
TR-MOM	1.2	14.0	38"-43 1/2"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2" 15-17 1/2"	-12.5° to 12.5°	9"	18"	10 1/2"	-	-	19 1/2"-21 1/2"	18 1/2"	6"-9"	89°-115°	64.0	-	16.5
TR-MAK	1.2	14.0	36"-41 1/4"	26"	25"	17-22"	18"	16 1/2"	-1° to 14°	-	-	-	-	-	19 1/2"-21 1/2"	18 1/2"	6-8 1/2"	97°	51.0	-	16.5
TR-MAM	1.2	14.0	38"-43 1/2"	26"	25"	18"-23 3/4" 16"-19 1/4"	18"	15-17 1/2"	-12.5° to 12.5°	-	-	-	-	-	19 1/2"-21 1/2"	18 1/2"	6"-9"	89°-115°	56.0	-	16.5
High-back	0.8	7.0																			
Mid-back	0.6	5.5																			

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>4th Option:</i> <b>Select the Frame Color:</b> P71 Black</p>	<p><i>5th Option:</i> <b>Select the Arm Pad:</b> S Soft H Hard</p>	<p><i>6th Option:</i> <b>Select the Upholstery:</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
P   7   1   .	.	

TROOPER

*The Trooper LT model is designed for those larger or taller individuals expecting great design and functionality in a work chair. Truly making Trooper the right chair for every situation.....and every body.*

## POSTURE CONTROL SYSTEM —

### Swivel-Tilt

An economical solution, suited for larger or taller people up to 500 lbs, who perform a variety of tasks. With swivel-tilt control, the reclining pivot point is directly above the center stem. Tilt lock secures the chair in an upright position for computing.

## PROPORTIONAL CONTROLS — to fit the chair to the worker

### Quick-adjust back height

Positions the lumbar support in one of five positions within a 3" range. Can be adjusted easily from seated position.

### Pneumatic seat height adjustment

Regulates height of chair relative to floor.

- Standard 5" travel accommodates average or taller users.
- Optional 3" travel keeps chair closer to floor for shorter users.

### Seat Adjustment

Allows seat cushion to manually adjust front to back from 17" to 19".

### Adjustable arms

Height and manual width adjustments position elbows and shoulders for optimal support during keyboarding or conferencing while providing ease of entry/exit.

## DESIGN FEATURES

### Deeply contoured cushions

- Back and seat are formed of opposing compound curves to provide firm lumbar support and a subtle “wraparound” effect that gently hugs the body.
- The detailed back rest is suitable for use by upper management, technical/professional staff, or administrative personnel.
- Molded polymer outer back is available upholstered or in textured matte black.
- **Seat cushion** features a **waterfall** front edge that promotes circulation to the lower legs.

### Base/casters

27" diameter 5-star composite base provides greater strength and stability than standard bases. Large 75mm dual-wheel casters work on any floor surface.

### Materials

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB 117. Allsteel must test a complete chair to supply a certificate of compliance with CTB 133.

Trooper LT meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002.

82 | Allsteel

## OPTIONS — TROOPER LT:

### Pneumatic Cylinder:

- 2** Standard; allows 5½" of travel
- 3** Short; allows 4½" of travel

### Casters: (Black)

- 1** 75mm Multi-Surface Dual-Wheel

### Outer Back Shell:

- N** Non-Upholstered
- U** Upholstered (\$121 extra)

### Frame Color:


- P71** Black

### Arm Pad:

- S** Soft
- H** Hard

### Upholstery:

See pages 348-350 for selections.  
See inside back cover for colors and codes.



TR-SPR

## WORK STOOL — Extended range pneumatic plus adjustable footring

Recommended for banking, laboratory, and engineering environments. The extended range cylinder travels a full 10". Top position (32") meets design standards for banking operations. The swivel tilt control mechanism allows the chair seat and back to recline 10 degrees. The control mechanism may also be locked in the fully upright position.

### Height-adjustable footring

Travels 8" to ensure users have comfortable support of their feet and legs. The footring has a 20" diameter.

### Adjustable arms

Height and width adjustments position elbows and shoulders for optimal support during keyboarding or conferencing while providing ease of entry/exit.

### Quick-adjust back height

Positions the lumbar support in one of five positions within a 2½" range. Can be adjusted easily from seated position.

### Pneumatic seat height adjustment

Regulates height of chair relative to floor.

## DESIGN FEATURES

### Deeply contoured cushions

- Back and seat are formed of opposing compound curves to provide firm lumbar support and a subtle “wraparound” effect that gently hugs the body. Inner support is molded from polypropylene. These molded-in contours provide optimum support.
- Molded polymer outer back is available upholstered or in textured matte black.
- **Seat cushion** features a **waterfall** front edge that provides circulation to the lower legs.

### Base/casters

Base is a composite five-star structure. Dual-wheel casters feature hard tread for carpeted floors, or soft tread for smooth surfaces.

### Materials

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability and applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB 117. Allsteel must test a complete chair to supply a certificate of compliance with CTB 133.

Trooper meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002.

Trooper Work Stool models are warranted for multiple shifts and users up to 300 lbs.

## OPTIONS — TROOPER:

Overall Size:

- M** Mid-back

Armrests:

- A** Armless
- W** Width- and Height-Adjustable

Ergonomic Motion:

- P** Swivel Tilt

Pneumatic Cylinder:

- 4** Extended Range Cylinder; allows 10" of travel

Casters: (Black)

- 0** 2½" Dual-wheel Hard Tread for carpets
- 1** 2½" Dual-wheel Soft Tread for smooth surfaces

Outer Back Shell:

- N** Non-upholstered
- U** Upholstered (\$121 extra)

Frame Colors:

- P71** Black


Arm Pad:

- S** Soft
- H** Hard

Upholstery:

See pages 348-350 for selections.



See inside back cover for colors and codes.



TR-SMWP

TROOPER

(See page 140 for COM pricing on Grades 9-22)

Overall Size Armrest	Adjustments and Features	Model Number <i>Add options below</i>									Leather	
			1	2	3	4	5	6	7	8	1	2
High-back Adjustable Arms	 Swivel Tilt Pneumatic Adj.	TR-SPR	\$ 2385	\$ 2531	\$ 2652	\$ 2768	\$ 2884	\$ 3002	\$ 3120	\$ 3239	\$ 3738	N/A
High-back Armless	 Swivel Tilt Pneumatic Adj.	TR-SRA	\$ 2194	\$ 2340	\$ 2461	\$ 2577	\$ 2693	\$ 2811	\$ 2929	\$ 3048	\$ 3547	N/A
Fully Upholstered Outer Back	High-Back											

TROOPER

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Cylinder: 2 Standard, allows 5½" of travel 3 Short, allows 4½" of travel</p>	<p><b>2nd Option:</b> Select the Casters: 1 75mm Black Dual-Wheel Multi-Surface</p>	<p><b>3rd Option:</b> Select the Outer Back Shell Treatment: N Non-Upholstered U Upholstered (\$121 extra)</p>
<p>T   R   -   S           .   .</p>	<p>  .</p>	<p>1   .</p>	<p>  .</p>

Examples: TR-SPR.2.1.N.P71.H.CHD15 TR-SPRFC.2.1.N.S.BOX14

Model Number	COM Yachage			Overall			Seat			Armrests				Backrest							
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Calbs	
TR-SPR	2.5	18.0	37½-44½"	32½"	32¼"	17½-23¾" 15½-20¼"	23½"	17-19"	2.5° to 13.5°	7½-11½"	22¼-25"	14-15"	-	-	22-25"	22¼"	7-10"	95°	66.0	-	21.9
TR-SRA	2.5	18.0	37½-44½"	29½"	32¼"	17½-23¾" 15½-20¼"	23½"	17-19"	2.5° to 13.5°	-	-	-	-	-	22-25"	22¼"	7-10"	95°	63.0	-	21.9
High-Back	0.8	7.0																			



Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

TROOPER

◀ Continued from previous page

<p><i>4th Option:</i> <b>Select the Frame Color:</b> P71 Black</p>	<p><i>5th Option:</i> <b>Select the Arm Pad:</b> S Soft H Hard</p>	<p><i>6th Option:</i> <b>Select the Upholstery:</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
P   7   1   .	.	

(See page 140 for COM pricing on Grades 9-22)

Overall Size Armrest	Adjustments and Features	Model Number <i>Add options below</i>	1	2	3	4	5	6	7	8	Leather		
											1	2	
Mid-back Work Stool Adjustable Arms	 Swivel Tilt Extended Range Pneumatic Adj.	TR-SMWP	\$ 1222	\$ 1281	\$ 1326	\$ 1368	\$ 1414	\$ 1458	\$ 1502	\$ 1546	\$ 1869	N/A	
Mid-back Work Stool Armless	 Swivel Tilt Extended Range Pneumatic Adj.	TR-SMAP	\$ 1035	\$ 1094	\$ 1139	\$ 1181	\$ 1227	\$ 1271	\$ 1315	\$ 1359	\$ 1682	N/A	
Fully Upholstered Outer Back	Mid-back All Vinyls												

TROOPER

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>TR   R   —                 .   4   .</p>	<p><b>1st Option:</b> Select the Cylinder: 4 Extended range work stool cylinder, allows 10" of travel</p>	<p><b>2nd Option:</b> Select the Casters: 0 2½" Black Dual-Wheel Hard Tread for carpet 1 2½" Black Dual-Wheel Soft Tread for smooth surfaces</p>	<p><b>3rd Option:</b> Select the Outer Back Shell Treatment: N Non-upholstered U Upholstered (\$121 extra)</p>
--	---	--	--

Examples: TR-SMAP.4.0.N.P71.H.BOX14 TR-SMAPFC.4.0.N.P71.S.BOX14

Model Number	COM Yardage			Overall			Seat			Armrests				Backrest							
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Tilt Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cu/Yds	
TR-SMWP	1.2	14.0	42½-52¼"	27¼"	27¼"	22½-32¼"	18"	17"	-0.5° to 0.5°	7½-11½"	17½-20"	13½-14½"	-	-	19½-21½"	18½"	6-8½"	98°-108°	70.0	-	19.3
TR-SMAP	1.2	14.0	42½-52¼"	26½"	27¼"	22½-32¼"	18"	17"	-0.5° to 0.5°	-	-	-	-	-	19½-21½"	18½"	6-8½"	98°-108°	62.0	-	19.3
Mid-back	0.6	5.5																			
All Vinyls	0.5																				

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>4th Option:</i>  <b>Select the Frame Color:</b>                  P71 Black</p>	<p><i>5th Option:</i>  <b>Select the Arm Pad:</b>                  S Soft                  H Hard</p>	<p><i>6th Option:</i>  <b>Select the Upholstery:</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
P   7   1   .	.	

TROOPER

*With two frame finishes and six mesh color options that allow you to create your own aesthetic, Quip acts as a clever commentary on your company's personality.*

**Exceed expectations, not your budget.**

Quip is the prize fighter of task chairs and work stools. This is a hard-working, no-nonsense chair that supports you through heads-down work, lunch breaks, and whatever else the day brings.

**All comfort. No fuss.**

Easy-to-use adjustments, including seat depth, make Quip a comfortable sit.

1. Height-adjustable arms adjust side-to-side and front-to-back. Fixed arms and armless options are also available.
2. Intuitive standard controls include height adjustment, tilt tension, tilt lock, and seat depth, an adjustment that customizes the chair to your body.
3. Lumbar support has been engineered into the back. Optional lumbar support allows users to adapt the chair to their needs with minimal effort.



QUIP TASK STNO



QUIP STOOL MODEL STSNO



## DESIGN FEATURES

The jack-of-all-trades functionality you need. The attention-commanding look everyone loves. Quip wraps it all up in one smart investment.

### Frame finishes

A Black or White finish pairs with any of the mesh and upholstery color options for a stylish chair.

### Mesh and upholstery colors

From playful to traditional and every stop in between, there's a color combination that fits your space. You can even mix and match mesh and upholstery colors to get the exact look you want.

### 3D Adjustable arms

3D adjustable arms adjust up and down with armpads that adjust side-to-side and front-to-back to allow support during work tasks.

### Fixed arms

Provide basic support for users engaging in a variety of tasks throughout the day. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

### Optional adjustable lumbar support

Adjustable lumbar support to accommodate personal preference. An optional external lumbar support can be added at any time.

### Pneumatic seat height adjustment

Regulates height of task chair relative to the floor. Standard 5" of travel accommodates average to tall users. Stools offer 10" of travel.

### Base and Casters

Task chair and stool bases are a five-star design. Dual-wheel casters are available in hard tread for carpet, or multi-surface for any floor surface.

### Materials

- All mesh only models meet CAL133.
- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CTB117. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB117. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS — TASK / VALUE TASK / STOOL

**ST** Task Chair

**VST** Value Task

**STS** Stool

Fire Code:

**FC** Fire Code

**NO** No Fire Code

Frame Color:

**BLK** Black

**WT** White

Armrests:

**W** Fully Adjustable (add \$90)

**A** Armless

**F** Fixed Arms (Value Task only)

Lumbar:

**N** No Lumbar Adjustment

**L** Lumbar Adjustment

Cylinder:

**2** Standard

**3** Short (ST only)

**4** Extended (Stool Only)

Casters: (Value H only)

**H** Black Hard Tread

**S** Black Multi-surface (add \$55)

Quip Mesh:

**SBM01** Carbon **SBM03** Loft





**SBM22** Graphite **SBM28** Navy

**SBM30** Lime **SBM25** Poppy

Upholstery:

See pages 348-350 for selections, colors, and codes.

(See page 140 for COM pricing on Grades 9-22)

Back	Type	Model Number Add options below									Leather	
			1	2	3	4	5	6	7	8	1	2
Mesh	Task Chair	ST	\$ 535	\$ 549	\$ 563	\$ 619	\$ 647	\$ 675	\$ 703	\$ 731	\$ 675	\$1195
												
Mesh	Value Task	VST	\$ 545									
												
Mesh	Task Stool	STS	\$ 565	\$ 579	\$ 593	\$ 649	\$ 677	\$ 705	\$ 733	\$ 761	\$ 705	\$1225
												
	Quip Lumbar Kit	STLUK	\$ 55									

QUIP

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Add either <b>NO</b> for no: Add <b>FC</b> to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>_____ .</p>	<p><b>1st Option:</b> Select the Frame Color: <b>BLK</b> Black <b>WT</b> White</p> <p>(Value Task <b>BLK</b> only)</p> <p>_____ .</p>	<p><b>2nd Option:</b> Select the Arms (if applicable): <b>W</b> Fully Adjustable (\$90 extra) <b>A</b> Armless</p> <p>(Value Task <b>F</b> Fixed Arms only)</p> <p>_____ .</p>	<p><b>3rd Option:</b> Select the Lumbar (if applicable): <b>N</b> No Lumbar <b>L</b> Lumbar</p> <p>(Value Task <b>N</b> only)</p> <p>_____ .</p>	<p><b>4th Option:</b> Select the Cylinder (if applicable): <b>2</b> Standard <b>3</b> Short <b>4</b> Extended (STS only)</p> <p>(Value Task <b>2</b> only)</p> <p>_____ .</p>
--	---	--	--	---

Examples: STNO.WT.W.L.3.B.SBM25.NR10 VSTFC.BLK.F.N.2.H.SBM01.CU42

STLUK.WT

Model Number	COM Yards			Overall			Seat			Armrests			Backrest					Pending GSA Approval	
	COL Sq. Feet	Height (Range)	Height (Range)	Width	Depth	Height	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Arms	Armrest Length	Arm Height to the Floor	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight Per Carton	Ctbs
<b>ST</b>	1.0	20	38" - 43½"	26"	26"	16"-21"	19½"	15¼" - 17½"	10°	7½" - 11½"	19½" - 21¼"	9"	23¼" - 32¾"	24"	17"	8¼" - 10½"	96° - 110°	48	11.1
<i>Short Cylinder</i>						14½"-18"													
<b>VST</b>	1.0	20	38" - 43½"	26"	26"	16"-21"	19½"	15¼" - 17½"	10°	8½"	20½"	6"	24¼" - 29¾"	24"	17"		96° - 110°	46	11.1
<b>STS</b>	1.0	20	44¼" - 54"	26"	26"	21½"-31¼"	19½"	15¼" - 17½"	10°	7½" - 11½"	19½" - 21¼"	9"	23¼" - 32¾"	24"	17"	8¼" - 10½"	96° - 110°	51	11.1

**Note:** Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10 of the Seating, Collaboration, and Tables price list.

QUIP

◀ Continued from previous page

<p><i>5th Option:</i>  <b>Select the Casters</b>                  (if applicable):  <b>H</b> Black Hard Tread  <b>S</b> Black Multi-Surface (\$55 extra)</p> <p>(Value Task <b>H</b> only)</p>	<p><i>6th Option:</i>  <b>Select the Mesh</b>                  (if applicable):  <b>SBM01</b> Carbon (Black)  <b>SBM22</b> Graphite  <b>SBM30</b> Lime  <b>SBM03</b> Loft  <b>SBM28</b> Navy  <b>SBM25</b> Poppy</p> <p>(Value Task <b>SBM01</b> only)</p>	<p><i>7th Option:</i>  <b>Select the Upholstery</b>                  (if applicable):                  VST Value Task limited to Grade 1 Centurion <b>CU</b> upholstery option in any colorway.</p>
--	--	---

*Sum® is designed to help workers keep their eyes on their work and connected to their task. It's an ergonomic chair that fits 90% of the worker population. Sum's unique design knows exactly how and where customized comfort and support is needed for each user, and provides it responsively. Quality, intuitive functionality, and timeless style. It all adds up with Sum.*

**POSTURE CONTROL SYSTEM —**

Avatar 2® ensures the chair back and seat remain positioned for optimal ergonomics and comfort, while maximizing the back-to-seat ratio. This motion expands the torso and allows for better circulation while preventing fatigue. The tilt lock allows the user to secure the chair in an upright position, or to tilt freely.

**PROPORTIONAL CONTROL SYSTEM —**

AutoFit™ uses air displacement technology to provide customized back support. Air displacement technology fills the space between the user's back and the chair back, automatically adjusting from top-to-bottom and side-to-side to provide optimal lumbar support. The result is lasting comfort throughout the workday.


**Pneumatic Seat Height Adjustment**

Regulates height of chair relative to the floor.


- Standard 5" of travel accommodates average or tall users.
- Optional 3½" of travel keeps chair closer to the floor for shorter users, allowing all models to meet BIFMA G1-2002 solutions for VDT users.

**Seat Depth Adjustment**

Allows seat support to travel front-to-back and lock within a 3" range.




**SUM-MO** 



**SUM-SHO** 

 Discontinued 6/30/2017



**SUM-HW** 

SUM

**Height Adjustable Footring — Sum Stool**

Travels 8" to ensure users have comfortable support of their feet and legs. The footring has a 20" diameter.

**Adjustable Arms**

Are fully adjustable in height, width, and depth. Allows optimal support for elbows and shoulders while keyboarding or conferencing. Provides the ability to position the user close to their work area.

**Fixed Position Arms**

Provide basic support for people who face a varied work day. Fixed arms limit adjustability and maintain aesthetics in conference room settings. Fixed arms have polymer uprights and urethane armpads.

**DESIGN FEATURES****Base/Casters**

Base is composite five-star structure. A1/PAL option includes polished aluminum base and polished aluminum yoke. All painted and polymer parts are black on black. Dual-wheel casters feature hard tread for carpeted floors, or soft tread for smooth surfaces.

**Materials**

- All upholstery foams are **CFC-free**.
- All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 348-350. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

Sum meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Sum Work Chair and Stool are warranted for multiple shifts and users up to 300 lbs.

Sum adjustable arm models ship knocked down.

**OPTIONS — SUM:** 

Available in six versions: high-back with adjustable, fixed, or without arms and mid-back with adjustable, fixed, or without arms.

**Overall Size:**

- H** High-back
- M** Mid-back

**Armrests:**

- W** Adjustable Arms
- O** Fixed Arms
- A** Armless

**Model Type:**

- A** Aluminum (aluminum models only — see pages 96-97)

**Pneumatic Cylinder:**

- 2** Standard Cylinder; allows 5" of travel
- 3** Short Cylinder; non-standard 3½" of travel to meet BIFMA G1-2002
- 4** Extended Range Cylinder; allows 10" of travel (Stool only)

**Casters:**

- 0** 2½" Dual-Wheel Hard Tread for carpets
- 1** 2½" Dual-Wheel Soft Tread for smooth surfaces
- 2** Glides (Stool only)

**Aluminum Option:**

- A1** Aluminum Base/Yoke (aluminum models only)

**Aluminum Finish:**

- PAL** Polished Aluminum (aluminum models only)

**Frame Color:**







- BLK** Black

**Upholstery:**

- See pages 348-350 for selections.
- See inside back cover for colors and codes.

**D** Discontinued 6/30/2017

(See page 140 for COM pricing on Grades 9-22)

Overall Size Armrest	Adjustments and Features	Model Number <i>Add options below</i>	1	2	3	4	5	6	7	8	Leather	
											1	2
High-back Adjustable Arms	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-HW <b>D</b>	\$ 1596	\$ 1644	\$ 1679	\$ 1710	\$ 1741	\$ 1775	\$ 1806	\$ 1840	\$ 2443	\$ 4594
High-back Fixed Arms	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-HO <b>D</b>	\$ 1512	\$ 1560	\$ 1595	\$ 1626	\$ 1657	\$ 1691	\$ 1722	\$ 1756	\$ 2359	\$ 4510
High-back Armless	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-HA <b>D</b>	\$ 1429	\$ 1477	\$ 1512	\$ 1543	\$ 1574	\$ 1608	\$ 1639	\$ 1673	\$ 2276	\$ 4427
Mid-back Adjustable Arms	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-MW <b>D</b>	\$ 1554	\$ 1602	\$ 1637	\$ 1668	\$ 1699	\$ 1733	\$ 1764	\$ 1798	\$ 2401	\$ 4518
Mid-back Fixed Arms	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-MO <b>D</b>	\$ 1470	\$ 1518	\$ 1553	\$ 1584	\$ 1615	\$ 1649	\$ 1680	\$ 1714	\$ 2317	\$ 4434
Mid-back Armless	 Tilt Lock Pneumatic Adj. Seat Depth Avatar 2	SUM-MA <b>D</b>	\$ 1387	\$ 1435	\$ 1470	\$ 1501	\$ 1532	\$ 1566	\$ 1597	\$ 1631	\$ 2234	\$ 4351

NOTE: See pages 76-77 for polished aluminum Work/Conference models.

**D** Discontinued 6/30/2017

Continued on next page ►

<p><b>How to specify —</b> Select the <b>Model Number</b> from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the <b>Cylinder:</b> 2 Standard, allows 5" of travel 3 Short, allows 3½" of travel</p>	<p><b>2nd Option:</b> Select the <b>Casters:</b> 0 2½" Black Dual-Wheel Hard Tread for carpet 1 2½" Black Dual-Wheel Soft Tread for smooth surfaces</p>
<p>SUM-           .     .</p>		

Examples: SUM-HW.2.0.BLK.CHD15 SUM-MAFC.2.0.BLK.BOX14

Model Number	COM			Overall			Seat				Armrests				Backrest						
	Yardage	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
SUM-HW <input type="checkbox"/>	1.5	22	40-45"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	7½- 11½"	16½-19"	9-12"	3°	3°	24"	15½"	AutoFit	93.5°-117.5°	53.0	-	11.0
SUM-HO <input type="checkbox"/>	1.5	22	40-45"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	9¼"	19"	11¼"	-	-	24"	15½"	AutoFit	93.5°-117.5°	51.0	-	16.7
SUM-HA <input type="checkbox"/>	1.5	22	40-45"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	-	-	-	-	-	24"	15½"	AutoFit	93.5°-117.5°	48.0	-	16.7
SUM-MW <input type="checkbox"/>	1.4	20	37-42"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	7½- 11½"	16½-19"	9-12"	3°	3°	21"	15½"	AutoFit	93.5°-117.5°	52.0	-	11.0
SUM-MO <input type="checkbox"/>	1.4	20	37-42"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	9¼"	19"	11¼"	-	-	21"	15½"	AutoFit	93.5°-117.5°	50.0	-	16.7
SUM-MA <input type="checkbox"/>	1.4	20	37-42"	25¼"	25"	17-22" 14½-18"	18"	15-18"	3°	-	-	-	-	-	21"	15½"	AutoFit	93.5°-117.5°	47.0	-	16.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

Discontinued 6/30/2017

◀ Continued from previous page

<p><b>3rd Option:</b> Select the <b>Frame Color:</b> BLK Black</p>	<p><b>4th Option:</b> Select the <b>Upholstery:</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>				
<p><b>B   L   K   .</b></p>	<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>				







Model Number	COM			Overall			Seat				Armrests				Backrest						
	Yardage	Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
SUM-HWA <b>D</b>	1.5	22	40-45"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	7½-11½"	16½-19"	9-12"	3°	3°	24"	15½"	AutoFit	93.5°-117.5°	55.0	-	11.0
SUM-HOA <b>D</b>	1.5	22	40-45"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	9¼"	19"	11¼"	-	-	24"	15½"	AutoFit	93.5°-117.5°	53.0	-	16.7
SUM-HAA <b>D</b>	1.5	22	40-45"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	-	-	-	-	-	24"	15½"	AutoFit	93.5°-117.5°	50.0	-	16.7
SUM-MWA <b>D</b>	1.4	20	37-42"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	7½-11½"	16½-19"	9-12"	3°	3°	21"	15½"	AutoFit	93.5°-117.5°	54.0	-	11.0
SUM-MOA <b>D</b>	1.4	20	37-42"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	9¼"	19"	11¼"	-	-	21"	15½"	AutoFit	93.5°-117.5°	52.0	-	16.7
SUM-MAA <b>D</b>	1.4	20	37-42"	25½"	25"	17-22" 14½-18"	18"	15-18"	3°	-	-	-	-	-	21"	15½"	AutoFit	93.5°-117.5°	49.0	-	16.7

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

**D** Discontinued 6/30/2017

◀ Continued from previous page

<p>4th Option: <b>Select the Aluminum finish:</b> PAL Polished Aluminum</p> <p><b>PAL</b> .</p>	<p>5th Option: <b>Select the Frame Color:</b> BLK Black</p> <p><b>BLK</b> .</p>	<p>6th Option: <b>Select the Upholstery:</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	---	--





Model Number	Overall			Seat				Armrests				Backrest									
	COM Yardage	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes
SUM-SHW <b>D</b>	1.5	22	46-56"	27"	27"	24-34"	18"	15-18"	3°	7½-11½"	16½-19"	9-12"	3°	3°	24"	15½"	AutoFit	93.5°-117.5°	63.0	-	22.9
SUM-SHO <b>D</b>	1.5	22	46-56"	27"	27"	24-34"	18"	15-18"	3°	9¾"	19"	11¼"	-	-	24"	15½"	AutoFit	93.5°-117.5°	61.0	-	22.9
SUM-SHA <b>D</b>	1.5	22	46-56"	27"	27"	24-34"	18"	15-18"	3°	-	-	-	-	-	24"	15½"	AutoFit	93.5°-117.5°	58.0	-	22.9
SUM-SMW <b>D</b>	1.4	20	43-53"	27"	27"	24-34"	18"	15-18"	3°	7½-11½"	16½-19"	9-12"	3°	3°	21"	15½"	AutoFit	93.5°-117.5°	59.0	-	22.9
SUM-SMO <b>D</b>	1.4	20	43-53"	27"	27"	24-34"	18"	15-18"	3°	9¾"	19"	11¼"	-	-	21"	15½"	AutoFit	93.5°-117.5°	57.0	-	22.9
SUM-SMA <b>D</b>	1.4	20	43-53"	27"	27"	24-34"	18"	15-18"	3°	-	-	-	-	-	21"	15½"	AutoFit	93.5°-117.5°	54.0	-	22.9

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

**D** Discontinued 6/30/2017

◀ Continued from previous page

**4th Option:**

**Select the Upholstery:**

See pages 348-350 for selections.  
See inside back cover for colors and codes.  
See pages 332-333 for COM guidelines.

--	--	--	--	--	--	--	--	--	--



*Clarity offers a clean, simple design that preserves only the essential elements of form and function. Designed in collaboration with BMW Group DesignworksUSA, Clarity combines a pure, honest aesthetic that transcends the floor plan with an unexpected comfort that anticipates your every posture.*

### Form

The streamlined design creates a unique visual interest that inspires your imagination without distracting your focus. Clarity's frame and base are constructed of aluminum, offering superior quality and durability. Choose from several chair styles, nine mesh colors, and a variety of frame finishes to complement spaces from formal to casual. Wherever you work, it goes.

### Function

The continuous mesh seat and back offer instant comfort and support with minimal adjustment. You can sit upright. Side sit. Turn around. Or lean over the back. With no fussing and less fine-tuning. Anywhere you go, and any way you sit, it works.

### Versatility

Because form and function are simplified, Clarity adapts to any space you're in, as well as any type of work you're doing. From focused heads-down work to engaged collaboration to active lounging. It's always a reflection of the space it's in and the people who use it.



C50MFC



C40MFC



CLOMFC

## DESIGN FEATURES

Clarity seating is engineered to support a variety of work, conference, and lounge applications that share a simple, intuitive, and active design.

### Fixed Arms

Provide basic support for users engaging in a variety of tasks throughout the day. Arms come with protective urethane arm pads. Fixed arms limit adjustability but provide consistent aesthetics in conference room settings.

### Arm Covers

Optional soft arm pad sleeves are available as a set, one left and one right. Pad sleeves slip over existing arms on a Clarity task, guest, or lounge chair. Sleeves are made of 1/8" thick santoprene and are available in G Graphite or T Titanium.

### Pneumatic Seat Height Adjustment

Regulates height of task chair relative to the floor. Standard 5" of travel accommodates average to tall users.

### Base/Casters/Glides

Task chair bases are a five-star design, C5 models are aluminum and polymer base task models are composite. Dual-wheel casters are available in hard tread for carpet, or multi-surface for any floor surface.

Glides on guest and lounge chairs provide stability as user changes position. Cylinders return chairs to center position.

### Materials

- All models meet CAL133.
- All COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/ COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS — CLARITY

### Chair Type:

- C5** Task
- CV** Polymer Base Task
- C4** Guest
- CL** Lounge

### Armrests:

- O** Fixed Arms
- A** Armless

### Jacket:

- M** None (mesh chair)
- U** Upholstered Leather Jacket (mesh chair)

### Fire Code:

- FC** Fire Code

### Mesh Color:

- |                      |                      |
|----------------------|----------------------|
| <b>CM21</b> Clay     | <b>CM23</b> Platinum |
| <b>CM20</b> Flint    | <b>CM25</b> Poppy    |
| <b>CM22</b> Graphite | <b>CM26</b> Sky      |
| <b>CM30</b> Lime     | <b>CM29</b> Taupe    |
| <b>CM28</b> Navy     |                      |

### Frame Color:

- P4Q** Carbon
- PR6** Silver
- PQ8** White (add \$130)
- PAL** Polished (add \$231)

### Mesh Carrier and Arm Pads:

- G** Graphite
- T** Titanium

### Base:

- |                   |                                 |
|-------------------|---------------------------------|
| <b>P71</b> Black  | <b>PQ8</b> White (add \$80)     |
| <b>P4Q</b> Carbon | <b>PAL</b> Polished (add \$122) |
| <b>PR6</b> Silver |                                 |

### Pneumatic Cylinder:

- 2** Task, allows 5" of travel
- 5** Guest, returns to center
- 6** Lounge, returns to center

### Casters or Glides:




- GLD** Glides (Guest and Lounge)
- BHT** Black Hard Tread Casters for carpets
- P4Q** Carbon Multi-surface Casters (add \$56)
- PR6** Silver Multi-surface Casters (add \$56)
- PAL** Polished Multi-surface Casters (add \$87)

### Jacket:

An optional "Jacket Only" model is available allowing an upholstered jacket to be added to mesh only chairs at a future date. Upholstery on Clarity jacket models are subject to creases and gathers. Fabric selection includes a subset of the Standard Upholstery Options to optimize customer satisfaction.

### Jacket Upholstery (leather only):

See pages 348-350 for selections and inside back cover for colors and codes.

Model	Armrest	Jacket	Model Number <i>Add options below</i>	List Price	Leather	
					1	2
<b>Task</b> 	Arms	None	<b>C5OMFC</b>	\$ 863		
		Upholstered Leather	<b>C5OUFC</b>	—	\$ 1552	\$ 2439
	Armless	None	<b>C5AMFC</b>	\$ 818		
		Upholstered Leather	<b>C5AUFC</b>	—	\$ 1507	\$ 2394
<b>Polymer Base Task</b> 	Arms	None	<b>CVOMFC</b>	\$ 806		
		Armless	None	<b>CVAMFC</b>	\$ 762	
	Arms	None	<b>C4OMFC</b>	\$ 814		
		Upholstered Leather	<b>C4OUFC</b>	—	\$ 1502	\$ 2389
Armless	None	<b>C4AMFC</b>	\$ 769			
	Upholstered Leather	<b>C4AUFC</b>	—	\$ 1458	\$ 2345	
<b>Lounge</b> 	Arms	None	<b>CLOMFC</b>	\$ 1317		
		Upholstered Leather	<b>CLOUFC</b>	—	\$ 2095	\$ 2982
	Armless	None	<b>CLAMFC</b>	\$ 1248		
		Upholstered Leather	<b>CLAUFC</b>	—	\$ 2025	\$ 2912
<b>Jacket Only for Task or Guest</b>			<b>CJSMFC</b>	—	\$ 690	\$ 1577
<b>Jacket Only for Lounge</b>			<b>CJLGFC</b>	—	\$ 778	\$ 1665
<b>Soft Arm Pad Sleeve Set</b>			<b>CZSAP</b>	\$ 50		

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Note FC on end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority. All models meet CAL133.</p>	<p><b>1st Option</b> Select the Mesh Color (if applicable):</p> <p><b>CM21</b> Clay <b>CM20</b> Flint <b>CM22</b> Graphite <b>CM30</b> Lime <b>CM28</b> Navy <b>CM23</b> Platinum <b>CM25</b> Poppy <b>CM26</b> Sky <b>CM29</b> Taupe</p>	<p><b>2nd Option:</b> Select the Frame Color (if applicable):</p> <p>(Polymer Base Task <b>P4Q</b> Carbon only):</p> <p><b>P4Q</b> Carbon <b>PR6</b> Silver <b>PQ8</b> White (\$130 extra) <b>PAL</b> Polished (\$231 extra)</p>	<p><b>3rd Option:</b> Select the Mesh Carrier Frame and Arm Pads Color (if applicable):</p> <p>(Polymer Base Task <b>G</b> Graphite only)</p> <p><b>G</b> Graphite <b>T</b> Titanium</p>	<p><b>4th Option:</b> Select the Base Color (if applicable):</p> <p>(Polymer Base Task <b>P71</b> Black only):</p> <p><b>P4Q</b> Carbon <b>PR6</b> Silver <b>PQ8</b> White (\$80 extra) <b>PAL</b> Polished (\$122 extra)</p>	<p><b>5th Option:</b> Select the Cylinder (if applicable):</p> <p><b>2</b> Task <b>5</b> Guest <b>6</b> Lounge</p>
C . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .

Examples: C5OMFC.CM21.PR6.G.PR6.2.PR6 C4OUFC.CM20.PAL.T.PAL.5.GLD.WTH01

CJSMFC.WTH01 CZSAP.G

Model Number	COM Yachage*			Overall			Seat			Armrests			Backrest							
	COL Sq. Feet**	Height (Range)	Width	Depth	Height (Range)	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Armrests	Armrest Length	Arm Height to the Floor	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Slip Weight	Slip Weight Per Carton	Cubes	
C50MFC	—	—	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	9½"	21"	11½"	25-30"	19½"	19"	9½"	98°-110°	41	—	11.1
C50UFC	—	25**	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	9½"	21"	11½"	25-30"	19½"	19"	9½"	98°-110°	42	—	11.1
C5AMFC	—	—	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	—	—	—	—	—	9½"	98°-110°	38	—	11.1	
C5AUFC	—	25**	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	—	—	—	—	—	9½"	98°-110°	39	—	11.1	
CV0MFC	—	—	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	9½"	21"	11½"	25-30"	19½"	19"	9½"	98°-110°	39	—	11.1
CVAMFC	—	—	32½-37½"	25"	26"	15½-20½"	19"	16½"	4.7°-5.3°	—	—	—	—	—	9½"	98°-110°	36	—	11.1	
C40MFC	—	—	34¼"	28"	28"	17½"	19"	16½"	4.5°-6.4°	9½"	21"	11½"	26½"	19½"	19"	9½"	98°-110°	38	—	11.1
C40UFC	—	25**	34¼"	28"	28"	17½"	19"	16½"	4.5°-6.4°	9½"	21"	11½"	26½"	19½"	19"	9½"	98°-110°	38	—	11.1
C4AMFC	—	—	34¼"	28"	28"	17½"	19"	16½"	4.5°-6.4°	—	—	—	—	—	9½"	98°-110°	34	—	11.1	
C4AUFC	—	25**	34¼"	28"	28"	17½"	19"	16½"	4.5°-6.4°	—	—	—	—	—	9½"	98°-110°	35	—	11.1	
CLOMFC	—	—	31¼"	29¼"	28¼"	16½"	22"	17½"	11.1°-13.0°	8½"	24"	12½"	24"	20¼"	21½"	9½"	98°-110°	40	—	11.1
CLOUFC	—	25**	31¼"	29¼"	28¼"	16½"	22"	17½"	11.1°-13.0°	8½"	24"	12½"	24"	20¼"	21½"	9½"	98°-110°	41	—	11.1
CLAMFC	—	—	31¼"	28"	28¼"	16½"	22"	17½"	11.1°-13.0°	—	—	—	—	—	9½"	98°-110°	37	—	11.1	
CLAUFC	—	25**	31¼"	28"	28¼"	16½"	22"	17½"	11.1°-13.0°	—	—	—	—	—	9½"	98°-110°	38	—	11.1	
CJSMFC	—	25**																1	—	0.3
CJLGFC	—	25**																1	—	0.3
CZSAP										+ ½"	- ¼"	+ ½"	+ ½"					5	—	0.2

NOTE: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

\*Upholstered jacket is limited to leather.

\*\*For COL quantities greater than one contact Allsteel Customer Support for guidance — less leather may be adequate.

◀ Continued from previous page

<p>6th Option:  <b>Select the Glides/Casters</b>                  (if applicable):  <b>GLD</b> Glide (Guest and Lounge)  <b>Casters</b>                  (Polymer Base Task BHT only)  <b>BHT</b> Black Hard Tread for carpet  <b>P4Q</b> Carbon Multi-surface (\$56 extra)  <b>PR6</b> Silver Multi-surface (\$56 extra)  <b>PAL</b> Polished Multi-surface (\$87 extra)</p>	<p>7th Option:  <b>Select the Jacket Upholstery — leather only</b>                  (if applicable):                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COL guidelines.</p>
---	---

*Seek is a multi-purpose chair designed for today's ever-changing corporate environments that require durability, versatility, and beauty. Its light-weight mobile design is ideal for multi-purpose settings such as adjunct teaming areas, conference rooms, classrooms, training rooms, and cafés.*

*The idea has always been to provide seating that one can sit in...not on. Seek achieves this with a deceptively simple design that conforms to the shape and movement of each user's body. Its pivoting back allows for natural shifts in posture while intuitively distributing lumbar support. The contoured seat reduces pressure points and evenly distributes weight for long-term comfort. So sit back, relax, and let Seek do all the work.*

## MODELS AND OPTIONS

With Seek, extended periods of sitting are refreshingly comfortable. Designed to move with the body and minimize pressure points, Seek conforms to each user's body movement, so no matter how they sit — or how long they stay — they stay comfortable.

**Weight-assisted pivot back** technology intuitively provides balance and lumbar support for ergonomic recline.

**Contoured seat design** distributes weight evenly, stabilizing the sitting bones during forward and reclined comfort. Universal fitting, Seek comfortably accommodates 95% of users.


**Arm and armless** models available. The curved shape of the arms accommodates differences in elbow height. The downward curve helps when approaching worksurfaces.

**Casters or glides** are available. Glide options include nylon, nickel-plated, or felt. The versatile multi-surface casters are designed for use on hard or soft surfaces.


**Seek offers the ability to stack, to nest, and to nest the stacks** for optimum space efficiency. The seat folds up so multiple chairs nest together like grocery carts. Four nested chairs can move or store together in a discrete 37-inches of space. Each additional nested chair adds 5 $\frac{1}{8}$ " of depth. Multiple chairs can stack up to four high in a space of 53"H x 28"W x 22"D. Each additional stack of nested chairs adds 15" of depth.

A Seek stack height of 4 chairs is recommended for storage density that allows the stacks to nest together. A maximum stack height of 6 chairs should not be exceeded when transporting the stacks of chairs.



**Chairs ship two per carton to minimize waste.** Model numbers and prices are per chair.



K-MUCO



K-PPCA





## CONSTRUCTION

The solid construction meets or exceeds industry standards for performance. Seek's flexible molded-polymer backrest facilitates heat-reducing airflow. Optional mesh back lets light and air through for added comfort.

Seek's polymer shells are made from recyclable color-matched polymers with UV resistance to preserve colorfastness and ensure long-term durability. Allsteel paint finishes (for frames) are formulated for optimum hardness and chip resistance.

Seek meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Seek is level®2 certified. Seek is warranted for multiple shifts and users up to 300 lbs. Its lightweight construction makes it easy to move.

Allsteel fabrics and foam meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

## OPTIONS — SEEK:

### Backrest Style:

- M** Mesh Back (Dusk Mesh only)
- P** Polymer Back

### Seat Style:

- U** Upholstered Seat
- P** Polymer Seat

### Casters/Glides:

- C** Casters
- G** Glides

### Armrests:

- O** Arm Chair
- A** Armless

### Frame Finish:

- B** Black
- S** Silver

### Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)

### Polymer Color:

- BLK** Black (formerly Onyx)
- BU** Surf
- BW** Brownstone
- GN** Sprout
- GY** Summit
- RD** Cayenne
- RG** Tangelo
- WT** White (formerly Frost)

**NOTE:** Polymer seat models with fire code option available in Onyx polymer shell only.

### Type of Glides/Casters:

- 0** Nylon Glides
- 1** Nickel-plated Glides (\$16 extra)
- 2** Felt Glides (\$16 extra)
- 3** Multi-surface Casters





### Upholstery:

See pages 348-350 for Selections and inside back cover for Color Codes.

### Seat (polymer seat models):

- POLYST** Polymer Seat

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Glides or Casters	Model Number <i>Add options below</i>	Model Number										
				1	2	3	4	5	6	7	8	L1	L2	
<b>Mesh Back Arms</b> 	Upholstered Seat	Glides	K-MUGO	\$ 748	\$ 767	\$ 780	\$ 800	\$ 819	\$ 837	\$ 858	\$ 876	\$ 935	\$ 1035	
		Casters	K-MUCO	\$ 748	\$ 767	\$ 780	\$ 800	\$ 819	\$ 837	\$ 858	\$ 876	\$ 935	\$ 1035	
	Polymer Seat	Glides	K-MPGO	\$ 686	—	—	—	—	—	—	—	—	—	—
		Casters	K-MPCO	\$ 686	—	—	—	—	—	—	—	—	—	—
<b>Mesh Back Armless</b> 	Upholstered Seat	Glides	K-MUGA	\$ 715	\$ 734	\$ 747	\$ 767	\$ 786	\$ 804	\$ 825	\$ 843	\$ 902	\$ 1002	
		Casters	K-MUCA	\$ 715	\$ 734	\$ 747	\$ 767	\$ 786	\$ 804	\$ 825	\$ 843	\$ 902	\$ 1002	
	Polymer Seat	Glides	K-MPGA	\$ 653	—	—	—	—	—	—	—	—	—	—
		Casters	K-MPCA	\$ 653	—	—	—	—	—	—	—	—	—	—
<b>Polymer Back Arms</b> 	Upholstered Seat	Glides	K-PUGO	\$ 622	\$ 641	\$ 654	\$ 674	\$ 693	\$ 711	\$ 732	\$ 750	\$ 809	\$ 909	
		Casters	K-PUCO	\$ 622	\$ 641	\$ 654	\$ 674	\$ 693	\$ 711	\$ 732	\$ 750	\$ 809	\$ 909	
	Polymer Seat	Glides	K-PPGO	\$ 560	—	—	—	—	—	—	—	—	—	—
		Casters	K-PPCO	\$ 560	—	—	—	—	—	—	—	—	—	—
<b>Polymer Back Armless</b> 	Upholstered Seat	Glides	K-PUGA	\$ 589	\$ 608	\$ 621	\$ 641	\$ 660	\$ 678	\$ 699	\$ 717	\$ 776	\$ 876	
		Casters	K-PUCA	\$ 589	\$ 608	\$ 621	\$ 641	\$ 660	\$ 678	\$ 699	\$ 717	\$ 776	\$ 876	
	Polymer Seat	Glides	K-PPGA	\$ 527	—	—	—	—	—	—	—	—	—	—
		Casters	K-PPCA	\$ 527	—	—	—	—	—	—	—	—	—	—

Continued on next page ▶

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>K</b> - [ ] [ ] [ ] [ ] [ ]</p>	<p><b>1st Option:</b> Select the Frame Finish:</p> <p><b>B</b> for Black frame finish <b>S</b> for Silver frame finish</p>	<p><b>2nd Option:</b> Select the Fire Code:</p> <p>Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>3rd Option:</b> Select the Polymer Color:</p> <p><b>BLK</b> Black (formerly <b>CB</b> – Onyx) <b>BU</b> Surf <b>BW</b> Brownstone <b>GN</b> Sprout <b>GY</b> Summit <b>RD</b> Cayenne <b>RG</b> Tangelo <b>WT</b> White (formerly Frost)</p>
--	--	---	--

Examples: K-MUGOBNO.CB.1.BOX15    K-PUCASFC.BU.3.DOD10  
K-MPGOBFC.CB.0.POLYST

Model Number	COM Yandage		COL Sq. Feet Seat		COL Sq. Feet Back		COL Sq. Feet Arms		Overall			Seat			Armrests			Backrest			Ship Weight per Carton	Cubes
	COM Yandage	COL Sq. Feet Seat	COL Sq. Feet Back	COL Sq. Feet Arms	Height (Range)	Width	Depth	Height	Width	Depth	Pan Angle	Height	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height	Width	Lumbar Height (Initial)	Backrest/Seat Angle (Range)		
K-MUGO	0.7	4	—	—	35½"	28"	22"	19"	18"	17¼"	4°	8½"	23"	12¼"	—	—	19"	19½"	9½"	95°-103°	41	19.0 (2 per carton)
K-MUCO	0.7	4	—	—	35½"	28"	22"	19"	18"	17¼"	4°	8½"	23"	12¼"	—	—	19"	19½"	9½"	95°-103°	41.6	19.0 (2 per carton)
K-MPGO	—	—	—	—	35½"	28"	22"	18½"	17½"	17¼"	6°	9½"	23"	12¼"	—	—	19½"	19½"	8½"	92°-100°	39.4	19.0 (2 per carton)
K-MPCO	—	—	—	—	35½"	28"	22"	18½"	17½"	17¼"	6°	9½"	23"	12¼"	—	—	19½"	19½"	8½"	92°-100°	40	19.0 (2 per carton)
K-MUGA	0.7	4	—	—	35½"	23¼"	22"	19"	18"	17¼"	4°	—	—	—	—	—	19"	19½"	9½"	95°-103°	37.4	19.0 (2 per carton)
K-MUCA	0.7	4	—	—	35½"	23¼"	22"	19"	18"	17¼"	4°	—	—	—	—	—	19"	19½"	9½"	95°-103°	38	19.0 (2 per carton)
K-MPGA	—	—	—	—	35½"	23¼"	22"	18½"	17½"	17¼"	6°	—	—	—	—	—	19½"	19½"	8½"	92°-100°	35.8	19.0 (2 per carton)
K-MPCA	—	—	—	—	35½"	23¼"	22"	18½"	17½"	17¼"	6°	—	—	—	—	—	19½"	19½"	8½"	92°-100°	36.4	19.0 (2 per carton)
K-PUGO	0.7	4	—	—	35½"	28"	22"	19"	18"	17¼"	4°	8½"	23"	12¼"	—	—	19"	19½"	9½"	95°-103°	41	19.0 (2 per carton)
K-PUCO	0.7	4	—	—	35½"	28"	22"	19"	18"	17¼"	4°	8½"	23"	12¼"	—	—	19"	19½"	9½"	95°-103°	41.6	19.0 (2 per carton)
K-PPGO	—	—	—	—	35½"	28"	22"	18½"	17½"	17¼"	6°	9½"	23"	12¼"	—	—	19½"	19½"	8½"	92°-100°	37.4	19.0 (2 per carton)
K-PPCO	—	—	—	—	35½"	28"	22"	18½"	17½"	17¼"	6°	9½"	23"	12¼"	—	—	19½"	19½"	8½"	92°-100°	38	19.0 (2 per carton)
K-PUGA	0.7	4	—	—	35½"	23¼"	22"	19"	18"	17¼"	4°	—	—	—	—	—	19"	19½"	9½"	95°-103°	39.4	19.0 (2 per carton)
K-PPCA	0.7	4	—	—	35½"	23¼"	22"	19"	18"	17¼"	4°	—	—	—	—	—	19"	19½"	9½"	95°-103°	40	19.0 (2 per carton)
K-PPGA	—	—	—	—	35½"	23¼"	22"	18½"	17½"	17¼"	6°	—	—	—	—	—	19½"	19½"	8½"	92°-100°	35.8	19.0 (2 per carton)
K-PPCA	—	—	—	—	35½"	23¼"	22"	18½"	17½"	17¼"	6°	—	—	—	—	—	19½"	19½"	8½"	92°-100°	36.4	19.0 (2 per carton)

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

Seek chairs ship in cartons containing 2 chairs. Model numbers and prices are per chair.

◀ Continued from previous page

<p><b>4th Option:</b> Select the Glide/Casters:</p> <ul style="list-style-type: none"> <li>0 Nylon Glides</li> <li>1 Nickel-plated Glides (\$16 extra)</li> <li>2 Felt Glides (\$16 extra)</li> <li>3 Multi-surface Casters</li> </ul>	<p><b>5th Option:</b> Select the Upholstery (if applicable):</p> <p>See pages 348-350 for selections. See inside back cover for colors and codes.</p> <p>See pages 332-333 for COM guidelines.</p>	<p><b>5th Option:</b> Select the Seat Option (if applicable):</p> <p><b>POLYST</b> Polymer Seat</p>
POLYST		

*Inspire is designed to support a multitude of higher education environments. In Allsteel's second collaboration with Bruce Fifield of Milan-based Design Continuum Italia, Inspire responds to the specific needs of today's dynamic learning environments. Incorporating automatic comfort technologies, students can now stay comfortable longer promoting active, engaged learning.*

*Inspire has achieved SCS Indoor Advantage Gold Certification and level® 2 certification. Inspire is designed and manufactured to have minimal impact on both the physical and social environment, made with no PVC components, and ranges in percent recyclable from 59% to 98%.*

## KEY FEATURES

### TriFit™ Comfort Technologies

Inspire encourages interaction and involvement through unrestricted freedom of movement. The TriFit technology incorporates seat suspension, back recline, and seat flexure in a non-mechanical system that allows users to move freely and learn comfortably.

### Breadth of Line

Today's learning environments are extending beyond the classroom. Spaces are needed that invite interaction and support collaboration. With Inspire's broad statement of line, versatile spaces are created not only in classrooms, but also in active learning environments – cafés, libraries, labs, and team project rooms – throughout campus.

### Lasting Performance

Higher education environments mandate lasting performance. With Inspire's 4-sided welded steel frame construction, it creates a durable design that withstands active environments and is warranted to users up to 300 pounds. The back recline and seat movement technologies are robust and non-mechanical to provide long-lasting, quiet use.

## MODELS AND OPTIONS

Inspire models are available with arms or armless. Arm models feature two arm cap options: non-flexible for high-use environments and flexible for enhanced comfort.

Seat and back upholstery options are available on all models. Upholstery can be field-installed and is field-replaceable.

## MATERIALS AND FINISHES

Polymer shells are offered in eight energizing colors and are made from recyclable material.

Trisect seating upholstery provides a high performance, sustainable fabric option to complement the eight polymer shell colors. This EIP antimony-free fabric incorporates Greenshield finish. Additional upholstery options also available.

- All upholstery foams are CFC-free.
- All COMs/COLs must be approved for upholsterability and applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.
- Allsteel fabrics and foam meet requirements for CAL TB117-2013. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.
- Flammability code compliance of Allsteel textiles and seating is listed on pages 348-350 of the Seating Pricer. COM/ COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013.
- Allsteel must test a complete chair to supply a certificate of compliance with CTB133.


Inspire meets the requirements set forth in ANSI/BIFMA X5.1-2011. Inspire is warranted for multiple shifts and users up to 300 pounds. Inspire four-leg stack and sled base chairs ship two per carton. All other models ship one per carton. Work chairs and work stools ship fully assembled. Model numbers and pricing are per chair.

## Four-leg Stack Chair

Four-leg stack chairs can stack five high.

Glides are available in nylon, nickel-plated steel, or nylon with felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated steel glides are recommended for carpet. Nylon with felt glides are recommended for wood, tile, or high-sheen floor surfaces.

Multi-surface casters are also available.



### OPTIONS — FOUR-LEG STACK CHAIR

Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Glides/Casters:

- G** Glides
- C** Casters

Armrests:

- O** Fixed Arms
- A** Armless

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Type of Glides/Casters:

- 0** Nylon Glides
- 1** Nickel-plated Steel Glides (\$16 extra)
- 2** Nylon with Felt Glides (\$16 extra)
- 3** Multi-surface Casters

Arm Cap:

- N** No Arm
- H** Non-Flexible
- F** Flexible (\$21 extra)

Frame Finish:

- PR6** Silver
- CBK** Charblack

Polymer Shell Color:

- |  |                                  |
|--|----------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                 |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                |
| <b>GN</b> Sprout                           | <b>WT</b> White (formerly Frost) |

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.


Upholstery

See pages 348-350 for selections and inside back cover for color codes.

## Sled Base Stack Chair

Sled base stack chairs can stack five high.

Glides are available in polycarbonate, polycarbonate with felt or no glide options. Polycarbonate glides are recommended for hard surfaces, commercial carpet, and damp environments. Felt glides are recommended for wood, tile, or high-sheen floor surfaces.



### OPTIONS — SLED STACK CHAIR

Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Armrests:

- O** Fixed Arms
- A** Armless

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Type of Glides:

- 0** Polycarbonate Glides
- 2** Felt Covered Polycarbonate Glides (\$16 extra)
- 4** No Glides

Arm Cap:

- N** No Arm
- H** Non-Flexible
- F** Flexible (\$21 extra)

Frame Finish:

- PR6** Silver
- CBK** Charblack

Polymer Shell Color:

- |  |                                  |
|--|----------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                 |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                |
| <b>GN</b> Sprout                           | <b>WT</b> White (formerly Frost) |

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

Upholstery

See pages 348-350 for selections and inside back cover for color codes.

## Four-leg Tablet Arm Stack Chair

Four-leg tablet arm stack chairs can stack three high.

Tablets are field-installed to the chairs.



Tablet material consists of 3/4" thick 11-ply laminated Baltic Birch plywood.

Flip-and-fold tablet option provides 6 degrees of lateral rotation in the use position to accommodate a wider range of user types. It also flips up 90 degrees and rotates back 180 degrees to store when a tablet is not needed.

Glides are available in nylon, nickel-plated steel, or nylon with felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments.

Nickel-plated glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-shine floor surfaces.

Multi-surface casters are also available.



**Flip & Fold  
Right Hand Four-Leg  
Tablet Arm Stack**

## OPTIONS — FOUR-LEG TABLET ARM STACK CHAIR

### Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

### Glides/Casters:

- G** Glides
- C** Casters

### Armrests:

- A** Armless

### Tablet Arm:

- FR** Flip & Fold Right Hand
- FL** Flip & Fold Left Hand

### Tablet Size:

- S** Standard

### Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

### Type of Glides/Casters:

- 0** Nylon Glides
- 1** Nickel-plated Steel Glides (\$16 extra)
- 2** Nylon with Felt Glides (\$16 extra)
- 3** Multi-surface Casters

### Arm Cap:

- N** No Arm

### Frame Finish:

- PR6** Silver
- CBK** Charblack

### Polymer Shell Color:

- |  |                                  |
|--|----------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                 |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                |
| <b>GN</b> Sprout                           | <b>WT</b> White (formerly Frost) |

### Tablet Laminate:


- LT3E** Ebony
- LT8C** Pewter Mesh
- LT8A** Grey Mesh
- LT8D** Silver Mesh
- LWD** Natural Maple

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

### Upholstery

See pages 348-350 for selections and inside back cover for color codes.

## TABLET ARM DIMENSIONS



## Sled Base Tablet Arm Chair


Sled base tablet arm chairs do not stack.

Tablets are field-installed to the chairs.

Tablet material consists of 3/4" thick 11-ply laminated Baltic Birch plywood.

Flip-and-fold table option provides 6 degrees of lateral rotation in the use position to accommodate a wider range of user types. It also flips up 90 degrees and rotates back 180 degrees for times when a tablet is not needed

Glides are available in polycarbonate, polycarbonate with felt or no glide options. Polycarbonate glides are recommended for hard surfaces, commercial carpet, and damp environments. Felt glides are recommended for wood, tile, or high-sheen floor surfaces.



## OPTIONS — SLED BASE TABLET ARM CHAIR

Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Armrests:

- A** Armless

Tablet Arm:

- FR** Flip & Fold Right Hand
- FL** Flip & Fold Left Hand

Tablet Size:

- S** Standard

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Type of Glides

- 0** Polycarbonate Glides
- 2** Felt Covered Polycarbonate Glides (\$16 extra)
- 4** No Glides

Arm Cap:

- N** No Arm

Frame Finish:

- PR6** Silver
- CBK** Charblack

Polymer Shell Color:

- BLK** Black (formerly **CB** Onyx)
- BU** Surf
- BW** Brownstone
- GN** Sprout
- GY** Summit
- RD** Cayenne
- RG** Tangelo
- WT** White (formerly Frost)

## RECOMMENDED TABLET LAMINATE MATRIX

Tablet arm chairs may be specified with any of the five laminate options. The following matrix identifies the recommended options to best coordinate with each shell color.

Shell Color	Laminate Color	Allsteel Code	Laminate Color	Allsteel Code
Black	Ebony	LT3E	Maple	LWD
Brownstone	Pewter Mesh	LT8C	Ebony	LT3E
Summit	Grey Mesh	LT8A	Ebony	LT3E
White	Silver Mesh	LT8D	Ebony	LT3E
Surf	Silver Mesh	LT8D	Ebony	LT3E
Sprout	Maple	LWD	Ebony	LT3E
Cayenne	Maple	LWD	Ebony	LT3E
Tangelo	Maple	LWD	Ebony	LT3E

Tablet Laminate:

- LT3E** Ebony
- LT8C** Pewter Mesh
- LT8A** Grey Mesh
- LT8D** Silver Mesh
- LWD** Natural Maple

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

Upholstery

See pages 348-350 for selections and inside back cover for color codes.

## WORK CHAIR

### Base/Casters

Base is a black colored composite five-star structure. Dual-wheel casters feature hard tread for carpeted floors or soft tread for smooth floors.



### Pneumatic Seat Height Adjustment

Regulates height of chair relative to the floor.

- Standard cylinder with 5" of travel accommodates average or tall users.
- Optional short cylinder with 3½" of travel keeps chair closer to the floor for shorter users, allowing all models to meet BIFMA G1-2002 solutions for VDT users.

## OPTIONS — WORK CHAIR

Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Armrests:

- O** Fixed Arms
- A** Armless

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Pneumatic Cylinder:

- 2** Standard; allows 5" of travel
- 3** Short; non-standard 3½" of travel to meet BIFMA G1-2002

Type Casters:

- 0** 2½" Black Dual-wheel Hard Tread for Carpet
- 1** 2½" Black Dual-wheel Soft Tread for Smooth Surfaces

Arm Cap:

- N** No Arm
- H** Non-Flexible
- F** Flexible (\$21 extra)

Frame Finish:

- PR6** Silver (with Charblack base)
- CBK** Charblack

Polymer Shell Color:

- |  |                                  |
|--|----------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                 |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                |
| <b>GN</b> Sprout                           | <b>WT</b> White (formerly Frost) |

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

Upholstery

See pages 348-350 for selections and inside back cover for color codes.

## WORK STOOL

### Base/Casters

Base is a black colored composite five-star structure. Dual-wheel casters feature hard tread for carpeted floors or soft tread for smooth floors.



### Height-Adjustable Footring

Travels 8" to ensure users have comfortable support of their feet and legs. The footring has a 20" diameter.

### Pneumatic Seat Height Adjustment

Regulates height of stool relative to the floor.

Includes extended-range height pneumatic cylinder with 10" of vertical travel.

## OPTIONS — WORK STOOL

Upholstery Option:

- N** None (Polymer seat and back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Armrests:

- O** Fixed Arms
- A** Armless

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Pneumatic Cylinder:

- 4** Extended Range Cylinder; allows 10" of travel

Type Casters:

- 0** 2½" Black Dual-wheel Hard Tread for Carpet
- 1** 2½" Black Dual-wheel Soft Tread for Smooth Surfaces
- 2** Glides

Arm Cap:

- N** No Arm
- H** Non-Flexible
- F** Flexible (\$21 extra)

Frame Finish:

- PR6** Silver (with Charblack base)
- CBK** Charblack

Polymer Shell Color:

- |  |                                  |
|--|----------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                 |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                |
| <b>GN</b> Sprout                           | <b>WT</b> White (formerly Frost) |

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

Upholstery


See pages 348-350 for selections and inside back cover for color codes.



## FOUR-LEG STOOL

Four-leg stools do not stack.

Glides are available in nylon, nickel-plated steel, or nylon with felt options. Nylon glides are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated steel glides are recommended for carpet. Nylon with felt glides are recommended for wood, tile, or high-sheen floor surfaces.



## OPTIONS — FOUR-LEG STOOL

Upholstery Option:

- N** None (Polymer Seat and Back)
- S** Upholstered Seat Pad
- U** Upholstered Seat and Back Pad

Glides:

- G** Glides

Armrests:

- O** Fixed Arms
- A** Armless

Firecode:

- NO** Standard Upholstery, No Fire Code
- FC** Firecode Option for CTB 133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra) *See note below.*

Type of Glides:

- 0** Nylon Glides
- 1** Nickel-plated Steel Glides (\$16 extra)
- 2** Nylon with Felt Glides (\$16 extra)

Arm Cap:

- N** No Arm
- H** Non-Flexible
- F** Flexible (\$21 extra)

Frame Finish:

- PR6** Silver
- CBK** Charblack

Polymer Shell Color:

- |  |                                     |
|--|-------------------------------------|
| <b>BLK</b> Black (formerly <b>CB</b> Onyx) | <b>GY</b> Summit                    |
| <b>BU</b> Surf                             | <b>RD</b> Cayenne                   |
| <b>BW</b> Brownstone                       | <b>RG</b> Tangelo                   |
| <b>GN</b> Sprout                           | <b>WT</b> White<br>(formerly Frost) |

**NOTE:** Models with the fire code option are available in Onyx polymer shell only.

Upholstery


See pages 348-350 for selections and inside back cover for color codes.

### Inspire Room Typicals

*These eight typicals show various arrangements featuring Inspire.*


#### CLASSROOM

Collaborative areas feature Inspire four-leg stack chairs with casters around Merge® Power Bay™ tables. Instructor has an Inspire work stool at a variable height table.




#### CLASSROOM

Inspire sled base tablet arm chairs with center aisle. Instructor has an Inspire work stool with a variable height table. Break-out areas feature Inspire work chairs with tables.




#### TEAM ROOM

Inspire four-leg stack chair with casters around a Merge Power Bay table. Stride high credenza along wall.




#### U SHAPE CLASSROOM

Inspire four-leg stack chair with glides around tables. Instructor has an Inspire work stool with a variable height table.




## CAFÉ/TRIUM

Inspire four-leg stack chairs with glides around Merge tables.  
Inspire four-leg stools with Merge standing height tables occupy the perimeter.




## COMPUTER LAB

Inspire work chairs with tables. Instructor has an Inspire work stool at a variable height table.




## FACULTY OFFICE

Inspire four-leg stack chairs with casters around a Merge table create a teaming area in a Stride office with an Acuity® chair.









## SEMINAR

Inspire four-leg stack chairs with casters around a Merge Power Bay table.



(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Glide or Caster	Model Number <i>Add options below</i>	Model Number								Leather*	
				1	2	3	4	5	6	7	8	1	2
<b>Polymer Back Arms</b> 	Polymer Seat	Glide	INST-NGO	\$ 492	—	—	—	—	—	—	—	—	—
		Caster	INST-NCO	\$ 517	—	—	—	—	—	—	—	—	—
<b>Polymer Back Armless</b> 	Polymer Seat	Glide	INST-NGA	\$ 410	—	—	—	—	—	—	—	—	—
		Caster	INST-NCA	\$ 435	—	—	—	—	—	—	—	—	—
<b>Polymer Back Arms</b> 	Upholstered Seat Pad	Glide	INST-SGO	\$ 600	\$ 621	\$ 638	\$ 658	\$ 679	\$ 702	\$ 721	\$ 745	\$ 810	\$ 940
		Caster	INST-SCO	\$ 625	\$ 646	\$ 663	\$ 683	\$ 704	\$ 727	\$ 746	\$ 770	\$ 835	\$ 965
<b>Polymer Back Armless</b> 	Upholstered Seat Pad	Glide	INST-SGA	\$ 518	\$ 539	\$ 556	\$ 576	\$ 597	\$ 620	\$ 639	\$ 663	\$ 728	\$ 858
		Caster	INST-SCA	\$ 543	\$ 564	\$ 581	\$ 601	\$ 622	\$ 645	\$ 664	\$ 688	\$ 753	\$ 883
<b>Upholstered Back Pad Arms</b> 	Upholstered Seat Pad	Glide	INST-UGO	\$ 696	\$ 728	\$ 758	\$ 798	\$ 836	\$ 873	\$ 913	\$ 951	\$ 1067	\$ 1297
		Caster	INST-UCO	\$ 721	\$ 753	\$ 783	\$ 823	\$ 861	\$ 898	\$ 938	\$ 976	\$ 1092	\$ 1322
<b>Upholstered Back Pad Armless</b> 	Upholstered Seat Pad	Glide	INST-UGA	\$ 614	\$ 646	\$ 676	\$ 716	\$ 754	\$ 791	\$ 831	\$ 869	\$ 985	\$ 1215
		Caster	INST-UCA	\$ 639	\$ 671	\$ 701	\$ 741	\$ 779	\$ 816	\$ 856	\$ 894	\$ 1010	\$ 1240

Continued on next page ▶

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>2nd Option:</b> Select the Glide or Caster Option: 0 Nylon Glides 1 Nickel-plated Glides (\$16 extra) 2 Felt Glides (\$16 extra) 3 Multi-surface Casters</p>	<p><b>3rd Option:</b> Select the Arm Cap: N No Arm H Non-Flexible F Flexible (\$21 extra)</p>	<p><b>4th Option:</b> Select the Frame Color: PR6 Silver CBK Charblack</p>
<p>I N S T   —        </p>	<p>      .</p>	<p>  .</p>	<p>  .</p>	<p>        .</p>

Example: INST-NCONO.3.H.CBK.CB

Model Number	COM Yandage			Overall				Seat			Armrests				Backrest			One Pack Ship Weight	Two Pack Ship Weight	Cubes	
	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)				
INST-NGO	—	—	34"	24¼"	22¼"	18¼"	18¼"	18"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	23.8	39.0	15.4
INST-NCO	—	—	34"	24¼"	22¼"	18¼"	18¼"	18"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	24.0	39.4	15.4
INST-NGA	—	—	34"	21¼"	22¼"	18¼"	18¼"	18"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	22.0	35.4	15.4
INST-NCA	—	—	34"	21¼"	22¼"	18¼"	18¼"	18"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	22.2	35.8	15.4
INST-SGO	.6	6	34"	24¼"	22¼"	18¼"	18¼"	18"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	25.6	42.5	15.4
INST-SCO	.6	6	34"	24¼"	22¼"	18¼"	18¼"	18"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	25.8	42.9	15.4
INST-SGA	.6	6	34"	21¼"	22¼"	18¼"	18¼"	18"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	23.8	38.9	15.4
INST-SCA	.6	6	34"	21¼"	22¼"	18¼"	18¼"	18"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	24.0	39.3	15.4
INST-UGO	1.0	9.5	34"	24¼"	22¼"	18¼"	18¼"	17¼"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	27.1	45.6	15.4
INST-UCO	1.0	9.5	34"	24¼"	22¼"	18¼"	18¼"	17¼"	4	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	27.3	46.0	15.4
INST-UGA	1.0	9.5	34"	21¼"	22¼"	18¼"	18¼"	17¼"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	25.3	42.0	15.4
INST-UCA	1.0	9.5	34"	21¼"	22¼"	18¼"	18¼"	17¼"	4	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	25.5	42.4	15.4







Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.  
Four-leg stack chairs ship in cartons containing 2 chairs. Model numbers and prices are per chair.

◀ Continued from previous page

<p><i>5th Option:</i> <b>Select the Polymer Shell Color:</b> BLK Black (formerly CB – Onyx) BU Surf BW Brownstone GN Sprout GY Summit RD Cayenne RG Tangelo WT White (formerly Frost)</p>	<p><i>6th Option:</i> <b>Select the Upholstery (if applicable):</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	---

INSPIRE

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Model Number Add options below									Leather*		
			1	2	3	4	5	6	7	8	1	2	
Polymer Back Arms 	Polymer Seat	INSL-NO	\$ 491	—	—	—	—	—	—	—	—	—	—
Polymer Back Armless 	Polymer Seat	INSL-NA	\$ 410	—	—	—	—	—	—	—	—	—	—
Polymer Back Arms 	Upholstered Seat Pad	INSL-SO	\$ 599	\$ 620	\$ 637	\$ 657	\$ 678	\$ 701	\$ 720	\$ 744	\$ 809	\$ 939	
Polymer Back Armless 	Upholstered Seat Pad	INSL-SA	\$ 518	\$ 539	\$ 556	\$ 576	\$ 597	\$ 620	\$ 639	\$ 663	\$ 728	\$ 858	
Upholstered Back Pad Arms 	Upholstered Seat Pad	INSL-UO	\$ 695	\$ 727	\$ 757	\$ 797	\$ 835	\$ 872	\$ 912	\$ 950	\$ 1066	\$ 1296	
Upholstered Back Pad Armless 	Upholstered Seat Pad	INSL-UA	\$ 614	\$ 646	\$ 676	\$ 716	\$ 754	\$ 791	\$ 831	\$ 869	\$ 985	\$ 1215	

Continued on next page ▶

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>INS L - [ ] [ ]</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>[ ] [ ] .</p>	<p><b>2nd Option:</b> Select the Glide Option: <b>0</b> Polycarbonate Glides <b>2</b> Felt Covered Polycarbonate Glides (\$16 extra) <b>4</b> No Glides</p> <p>[ ] .</p>	<p><b>3rd Option:</b> Select the Arm Cap: <b>N</b> No Arm <b>H</b> Non-Flexible <b>F</b> Flexible (\$21 extra)</p> <p>[ ] .</p>	<p><b>4th Option:</b> Select the Frame Color: <b>PR6</b> Silver <b>CBK</b> Charblack</p> <p>[ ] [ ] [ ] .</p>
---	---	--	---	---

Example: INSL-SANO.2.N.PR6.BU.TSC96

Model Number	Overall							Seat			Armrests				Backrest			One Back Ship Weight	Two Back Ship Weight	Cubes	
	COM Yardage	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)				Backrest/Seat Angle (Range)
INSL-NO	—	—	34"	24¼"	22¼"	18¼"	18¼"	18"	4°	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	25.2	41.8	15.4
INSL-NA	—	—	34"	21¼"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	23.4	38.2	15.4
INSL-SO	.6	6	34"	24¼"	22¼"	18¼"	18¼"	18"	4°	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	27.0	45.3	15.4
INSL-SA	.6	6	34"	21¼"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	25.2	41.7	15.4
INSL-UO	1.0	9.5	34"	24¼"	22¼"	18¼"	18¼"	17¼"	4°	8¼"	20¼"	11"	—	—	18¼"	18¼"	8¼"	96 - 103°	28.5	48.4	15.4
INSL-UA	1.0	9.5	34"	21¼"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	—	18¼"	18¼"	8¼"	96 - 103°	26.7	44.8	15.4







Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.  
Sled base stack chairs ship in cartons containing 2 chairs. Model numbers and prices are per chair.

◀ Continued from previous page

<p><i>5th Option:</i> <b>Select the Polymer Shell Color:</b> BLK Black (formerly CB – Onyx) BU Surf BW Brownstone GN Sprout GY Summit RD Cayenne RG Tangelo WT White (formerly Frost)</p>	<p><i>6th Option:</i> <b>Select the Upholstery (if applicable):</b> See pages 348-350 for selections. See inside back cover for colors and codes. See pages 332-333 for COM guidelines.</p>
---	---

INSPIRE

(See page 141 for COM pricing on Grades 9-22)

Backrest Style	Seat Construction	Tablet Style	Glide or Caster	Model Number <i>Add options below</i>											Leather*	
					1	2	3	4	5	6	7	8	1	2		
<b>FLIP &amp; FOLD TABLET — FOUR-LEG STACK</b>																
	Polymer Seat	Flip & Fold Right	Glide	INSTT-NGAFRS	\$ 673	—	—	—	—	—	—	—	—	—	—	
		Flip & Fold Right	Caster	INSTT-NCAFRS	\$ 698	—	—	—	—	—	—	—	—	—	—	—
		Flip & Fold Left	Glide	INSTT-NGAFLS	\$ 673	—	—	—	—	—	—	—	—	—	—	—
		Flip & Fold Left	Caster	INSTT-NCAFLS	\$ 698	—	—	—	—	—	—	—	—	—	—	—
	Upholstered Seat Pad	Flip & Fold Right	Glide	INSTT-SGAFRS	\$ 772	\$ 793	\$ 810	\$ 830	\$ 852	\$ 876	\$ 895	\$ 919	\$ 985	\$ 1118		
		Flip & Fold Right	Caster	INSTT-SCAFRS	\$ 797	\$ 818	\$ 835	\$ 855	\$ 877	\$ 901	\$ 920	\$ 944	\$ 1010	\$ 1143		
		Flip & Fold Left	Glide	INSTT-SGAFLS	\$ 772	\$ 793	\$ 810	\$ 830	\$ 852	\$ 876	\$ 895	\$ 919	\$ 985	\$ 1118		
		Flip & Fold Left	Caster	INSTT-SCAFLS	\$ 797	\$ 818	\$ 835	\$ 855	\$ 877	\$ 901	\$ 920	\$ 944	\$ 1010	\$ 1143		
	Upholstered Back Pad	Flip & Fold Right	Glide	INSTT-UGAFRS	\$ 881	\$ 913	\$ 943	\$ 985	\$ 1023	\$ 1061	\$ 1101	\$ 1141	\$ 1258	\$ 1493		
		Flip & Fold Right	Caster	INSTT-UCAFRS	\$ 906	\$ 938	\$ 968	\$ 1010	\$ 1048	\$ 1086	\$ 1126	\$ 1166	\$ 1283	\$ 1518		
		Flip & Fold Left	Glide	INSTT-UGAFLS	\$ 881	\$ 913	\$ 943	\$ 985	\$ 1023	\$ 1061	\$ 1101	\$ 1141	\$ 1258	\$ 1493		
		Flip & Fold Left	Caster	INSTT-UCAFLS	\$ 906	\$ 938	\$ 968	\$ 1010	\$ 1048	\$ 1086	\$ 1126	\$ 1166	\$ 1283	\$ 1518		
<b>FLIP &amp; FOLD TABLET — SLED BASE</b>																
	Polymer Back	Flip & Fold Right		INSLT-NAFRS	\$ 673	—	—	—	—	—	—	—	—	—		
		Flip & Fold Left		INSLT-NAFLS	\$ 673	—	—	—	—	—	—	—	—	—	—	
	Polymer Back	Flip & Fold Right		INSLT-SAFRS	\$ 783	\$ 804	\$ 821	\$ 841	\$ 863	\$ 887	\$ 906	\$ 930	\$ 996	\$ 1129		
		Flip & Fold Left		INSLT-SAFLS	\$ 783	\$ 804	\$ 821	\$ 841	\$ 863	\$ 887	\$ 906	\$ 930	\$ 996	\$ 1129		
	Upholstered Back Pad	Flip & Fold Right		INSLT-UAFRS	\$ 881	\$ 913	\$ 943	\$ 985	\$ 1023	\$ 1061	\$ 1101	\$ 1141	\$ 1258	\$ 1493		
		Flip & Fold Left		INSLT-UAFLS	\$ 881	\$ 913	\$ 943	\$ 985	\$ 1023	\$ 1061	\$ 1101	\$ 1141	\$ 1258	\$ 1493		

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>2nd Option:</b> Select the Glide or Caster Option: 0 Nylon Glides 1 Nickel-plated Glides for Four-Leg only (\$16 extra) 2 Felt Glides (\$16 extra) 3 Multi-surface Casters for Four-Leg only 4 No Glides for Sled Base only</p>	<p><b>3rd Option:</b> Select the Arm Cap: N No Arm</p>	<p><b>4th Option:</b> Select the Frame Color: PR6 Silver CBK Charblack</p>
INSIT  —			N	

Example: INSTT-NGAFRSNO.2.N.CBK.RD.LT3E



Model Number	COM Yandage			Overall			Seat			Armrests			Backrest			One Back Ship Weight	Cubes		
	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width			Lumbar Height (Range)	Backrest Seat Angle (Range)
<b>FOUR-LEG STACK</b>																			
<b>INSTT-NGAFRS</b>	—	—	34"	25½"		18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	32.8	15.4
<b>INSTT-NCAFRS</b>	—	—	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	33.0	15.4
<b>INSTT-NGAFLS</b>	—	—	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	32.8	15.4
<b>INSTT-NCAFLS</b>	—	—	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	33.0	15.4
				22¼"															
<b>INSTT-SGAFRS</b>	.6	6	34"	25½"		18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.6	15.4
<b>INSTT-SCAFRS</b>	.6	6	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.8	15.4
<b>INSTT-SGAFLS</b>	.6	6	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.6	15.4
<b>INSTT-SCAFLS</b>	.6	6	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.8	15.4
				22¼"															
<b>INSTT-UGAFRS</b>	1.0	9.5	34"	25½"		18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.1	15.4
<b>INSTT-UCAFRS</b>	1.0	9.5	34"	25½"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.3	15.4
<b>INSTT-UGAFLS</b>	1.0	9.5	34"	25½"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.1	15.4
<b>INSTT-UCAFLS</b>	1.0	9.5	34"	25½"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.3	15.4
				22¼"															
<b>SLED BASE</b>																			
<b>INSLT-NAFRS</b>	—	—	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.2	15.4
<b>INSLT-NAFLS</b>	—	—	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	34.2	15.4
<b>INSLT-SAFRS</b>	.6	6	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.0	15.4
<b>INSLT-SAFLS</b>	.6	6	34"	25½"	22¼"	18¼"	18¼"	18"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	36.0	15.4
<b>INSLT-UAFRS</b>	1.0	9.5	34"	25½"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	37.5	15.4
<b>INSLT-UAFLS</b>	1.0	9.5	34"	25½"	22¼"	18¼"	18¼"	17¼"	4°	—	—	—	—	18¼"	18¼"	8¼"	96-103°	37.5	15.4







Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>5th Option:</i>  <b>Select the Polymer Shell Color:</b>                  BLK Black (formerly CB – Onyx)                  BU Surf                  BW Brownstone                  GN Sprout                  GY Summit                  RD Cayenne                  RG Tangelo                  WT White (formerly Frost)</p>	<p><i>6th Option:</i>  <b>Select the Tablet Laminare Color:</b>                  LT3E Ebony                  LT8C Pewter Mesh                  LT8A Grey Mesh                  LT8D Silver Mesh                  LWD Natural Maple</p>	<p><i>7th Option:</i>  <b>Select the Upholstery (if applicable):</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
--	--	---

INSPIRE

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Model Number Add options below									Leather*		
			1	2	3	4	5	6	7	8	1	2	
Polymer Back Arms 	Polymer Seat	INTK-NO	\$ 659	—	—	—	—	—	—	—	—	—	—
Polymer Back Armless 	Polymer Seat	INTK-NA	\$ 577	—	—	—	—	—	—	—	—	—	—
Polymer Back Arms 	Upholstered Seat Pad	INTK-SO	\$ 767	\$ 788	\$ 805	\$ 825	\$ 846	\$ 869	\$ 888	\$ 912	\$ 977	\$ 1107	
Polymer Back Armless 	Upholstered Seat Pad	INTK-SA	\$ 685	\$ 706	\$ 723	\$ 743	\$ 764	\$ 787	\$ 806	\$ 830	\$ 895	\$ 1025	
Upholstered Back Pad Arms 	Upholstered Seat Pad	INTK-UO	\$ 863	\$ 895	\$ 925	\$ 965	\$ 1003	\$ 1040	\$ 1080	\$ 1118	\$ 1234	\$ 1464	
Upholstered Back Pad Armless 	Upholstered Seat Pad	INTK-UA	\$ 781	\$ 813	\$ 843	\$ 883	\$ 921	\$ 958	\$ 998	\$ 1036	\$ 1152	\$ 1382	

Continued on next page ▶

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>INTK-□□</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>□□.</p>	<p><b>2nd Option:</b> Select the Cylinder Option: 2 Standard, allows 5" of travel 3 Short, allows 3½" of travel</p> <p>□.</p>	<p><b>3rd Option:</b> Select the Caster Option: 0 2½" Black Dual-wheel Hard Tread for carpet 1 2½" Black Dual-wheel Soft Tread for smooth surfaces</p> <p>□.</p>	<p><b>4th Option:</b> Select the Arm Cap: N No Arm H Non-Flexible F Flexible (\$21 extra)</p> <p>□.</p>
---	---	---	--	---

Example: INTK-UANO.2.0.N.PR6.CB.TSC94

Model Number	Overall			Seat				Armrests				Backrest				Ship Weight	Ship Weight per Carton	Cubes			
	COM Yards	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)				Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)
INTK-NO	—	—	34-39"	24½"	25"	17¼-22¼"	18½"	18"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	28.9	—	15.4
INTK-NA	—	—	34-39"	24½"	25"	17¼-22¼"	18½"	18"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	27.1	—	15.4
INTK-SO	.6	6	34-39"	24½"	25"	17¼-22¼"	18½"	18"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	30.7	—	15.4
INTK-SA	.6	6	34-39"	24½"	25"	17¼-22¼"	18½"	18"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	28.9	—	15.4
INTK-UO	1.0	9.5	34-39"	24½"	25"	17¼-22¼"	18½"	17½"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	32.2	—	15.4
INTK-UA	1.0	9.5	34-39"	24½"	25"	17¼-22¼"	18½"	17½"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	30.4	—	15.4







Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>5th Option:</i>  <b>Select the Frame Color:</b>  <b>PR6</b> Silver (with Charblack base)  <b>CBK</b> Charblack</p>	<p><i>6th Option:</i>  <b>Select the Polymer Shell Color:</b>  <b>BLK</b> Black (formerly CB – Onyx)  <b>BU</b> Surf  <b>BW</b> Brownstone  <b>GN</b> Sprout  <b>GY</b> Summit  <b>RD</b> Cayenne  <b>RG</b> Tangelo  <b>WT</b> White (formerly Frost)</p>	<p><i>7th Option:</i>  <b>Select the Upholstery (if applicable):</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
--	--	---

INSPIRE

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Model Number <i>Add options below</i>									Leather*		
			1	2	3	4	5	6	7	8	1	2	
Polymer Back Arms 	Polymer Seat	INWS-NO	\$ 816	—	—	—	—	—	—	—	—	—	—
Polymer Back Armless 	Polymer Seat	INWS-NA	\$ 734	—	—	—	—	—	—	—	—	—	—
Polymer Back Arms 	Upholstered Seat Pad	INWS-SO	\$ 924	\$ 945	\$ 962	\$ 982	\$ 1003	\$ 1026	\$ 1045	\$ 1069	\$ 1134	\$ 1264	
Polymer Back Armless 	Upholstered Seat Pad	INWS-SA	\$ 842	\$ 863	\$ 880	\$ 900	\$ 921	\$ 944	\$ 963	\$ 987	\$ 1052	\$ 1182	
Upholstered Back Pad Arms 	Upholstered Seat Pad	INWS-UO	\$ 1020	\$ 1052	\$ 1082	\$ 1122	\$ 1160	\$ 1197	\$ 1237	\$ 1275	\$ 1391	\$ 1621	
Upholstered Back Pad Armless 	Upholstered Seat Pad	INWS-UA	\$ 938	\$ 970	\$ 1000	\$ 1040	\$ 1078	\$ 1115	\$ 1155	\$ 1193	\$ 1309	\$ 1539	

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>INWS - [ ] [ ] [ ]</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>[ ] [ ] .</p>	<p><b>2nd Option:</b> Select the Cylinder Option: <b>4</b> Extended Range Work Stool Cylinder, allows 10" of travel</p> <p>[ ] [ ] .</p>	<p><b>3rd Option:</b> Select the Caster Option: <b>0</b> 2½" Black Dual-wheel Hard Tread for carpet <b>1</b> 2½" Black Dual-wheel Soft Tread for smooth surfaces <b>2</b> Glides</p> <p>[ ] [ ] .</p>	<p><b>4th Option:</b> Select the Arm Cap: <b>N</b> No Arm <b>H</b> Non-Flexible <b>F</b> Flexible (\$21 extra)</p> <p>[ ] [ ] .</p>
--	---	--	---	---

Example: INWS-NANO.4.0.N.CBK.WT

Model Number	COM Yandage			Overall			Seat				Armrests				Backrest						
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cubes	
INWS-NO	—	—	37½-47½"	24½"	25"	21½-31¾"	18½"	18"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	35.1	—	22.9
INWS-NA	—	—	37½-47½"	24½"	25"	21½-31¾"	18½"	18"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	33.3	—	22.9
INWS-SO	.6	6	37½-47½"	24½"	25"	21½-31¾"	18½"	18"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	36.9	—	22.9
INWS-SA	.6	6	37½-47½"	24½"	25"	21½-31¾"	18½"	18"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	35.1	—	22.9
INWS-UO	1.0	9.5	37½-47½"	24½"	25"	21½-31¾"	18½"	17½"	4°	8½"	20½"	11"	—	—	18½"	18½"	8½"	96-103°	38.4	—	22.9
INWS-UA	1.0	9.5	37½-47½"	24½"	25"	21½-31¾"	18½"	17½"	4°	—	—	—	—	—	18½"	18½"	8½"	96-103°	36.6	—	22.9







Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>5th Option:</i>  <b>Select the Frame Color:</b>  <b>PR6</b> Silver (with Charblack base)  <b>CBK</b> Charblack</p>	<p><i>6th Option:</i>  <b>Select the Polymer Shell Color:</b>  <b>BLK</b> Black (formerly CB – Onyx)  <b>BU</b> Surf  <b>BW</b> Brownstone  <b>GN</b> Sprout  <b>GY</b> Summit  <b>RD</b> Cayenne  <b>RG</b> Tangelo  <b>WT</b> White (formerly Frost)</p>	<p><i>7th Option:</i>  <b>Select the Upholstery (if applicable):</b>                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
--	--	---

INSPIRE

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Seat Construction	Model Number <i>Add options below</i>									Leather*		
			1	2	3	4	5	6	7	8	1	2	
Polymer Back Arms 	Polymer Seat	INFS-NGO	\$ 816	—	—	—	—	—	—	—	—	—	—
Polymer Back Armless 	Polymer Seat	INFS-NGA	\$ 734	—	—	—	—	—	—	—	—	—	—
Polymer Back Arms 	Upholstered Seat Pad	INFS-SGO	\$ 924	\$ 945	\$ 962	\$ 982	\$ 1003	\$ 1026	\$ 1045	\$ 1069	\$ 1134	\$ 1264	
Polymer Back Armless 	Upholstered Seat Pad	INFS-SGA	\$ 842	\$ 863	\$ 880	\$ 900	\$ 921	\$ 944	\$ 963	\$ 987	\$ 1052	\$ 1182	
Upholstered Back Pad Arms 	Upholstered Seat Pad	INFS-UGO	\$ 1020	\$ 1052	\$ 1082	\$ 1122	\$ 1160	\$ 1197	\$ 1237	\$ 1275	\$ 1391	\$ 1621	
Upholstered Back Pad Armless 	Upholstered Seat Pad	INFS-UGA	\$ 938	\$ 970	\$ 1000	\$ 1040	\$ 1078	\$ 1115	\$ 1155	\$ 1193	\$ 1309	\$ 1539	

Continued on next page ▶

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Fire Code (if applicable): Add either <b>NO</b> for no; or <b>FC</b> for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>2nd Option:</b> Select the Glide Option: <b>0</b> Nylon Glides <b>1</b> Nickel-plated Glides (\$16 extra) <b>2</b> Felt Glides (\$16 extra)</p>	<p><b>3rd Option:</b> Select the Arm Cap: <b>N</b> No Arm <b>H</b> Non-Flexible <b>F</b> Flexible (\$21 extra)</p>	<p><b>4th Option:</b> Select the Frame Color: <b>PR6</b> Silver <b>CBK</b> Charblack</p>
INFS-□□□□	□□.	□.	□.	□□□□.

Example: INSF-UGANO.0.F.PR6.GY.TSC89

Model Number	Overall				Seat			Armrests				Backrest			Ship Weight	Ship Weight per Carton	Cubes		
	COM Length	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Arms (Range)	Depth (Range)	Height (Range)	Width				Lumbar Height (Range)	Backrest/Seat Angle (Range)
INFS-NGO	—	—	45 1/2"	24 1/4"	24 1/4"	30"	18 1/2"	18"	4°	8 1/4"	20 1/2"	11"	18 1/4"	18 1/4"	8 1/4"	96-103°	29.6	—	22.9
INFS-NGA	—	—	45 1/2"	22"	24 1/4"	30"	18 1/2"	18"	4°	—	—	—	18 1/4"	18 1/4"	8 1/4"	96-103°	27.8	—	22.9
INFS-SGO	.6	6	45 1/2"	24 1/4"	24 1/4"	30 1/2"	18 1/2"	18"	4°	8 1/4"	20 1/2"	11"	18 1/4"	18 1/4"	8 1/4"	96-103°	31.4	—	22.9
INFS-SGA	.6	6	45 1/2"	22"	24 1/4"	30 1/2"	18 1/2"	18"	4°	—	—	—	18 1/4"	18 1/4"	8 1/4"	96-103°	29.6	—	22.9
INFS-UGO	1.0	9.5	45 1/2"	24 1/4"	24 1/4"	30 1/2"	18 1/2"	17 1/4"	4°	8 1/4"	20 1/2"	11"	18 1/4"	18 1/4"	8 1/4"	96-103°	32.9	—	22.9
INFS-UGA	1.0	9.5	45 1/2"	22"	24 1/4"	30 1/2"	18 1/2"	17 1/4"	4°	—	—	—	18 1/4"	18 1/4"	8 1/4"	96-103°	31.1	—	22.9

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

◀ Continued from previous page

<p><i>5th Option:</i></p> <p><b>Select the Polymer Shell Color:</b></p> <p><b>BLK</b> Black (formerly <b>CB</b> – Onyx)  <b>BU</b> Surf  <b>BW</b> Brownstone  <b>GN</b> Sprout  <b>GY</b> Summit  <b>RD</b> Cayenne  <b>RG</b> Tangelo  <b>WT</b> White (formerly Frost)</p>	<p><i>6th Option:</i></p> <p><b>Select the Upholstery (if applicable):</b></p> <p>See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
---	---

INSPIRE

*Tolleson Side chairs are versatile as they can move from office to conference room to waiting area applications. The menu of back shapes, finishes, and arm and armless options change the appearance, but the excellent comfort and consistent durability remain throughout.*

*Designed by Greg Saul and Tom Tolleson of Tolleson/Design.*

### MODELS AND OPTIONS

Tolleson side chair models feature a generous and inviting **scale** suited for waiting areas, conference, office, cafeteria or guest chair applications.

The **two backrest shapes** create versatile options which can coordinate with other Allsteel seating lines and any environment. Even though the backrest shape changes the comfort stays consistent.

**Arm and armless** models are available. Armcaps are wide to support the arm. The curved shape accommodates differences in elbow heights. The arm curves downward to help approach worksurfaces.

The **arm caps** are washable, impact-resistant nylon. Arm caps are easily field replaced using two machine screws per arm cap.

**Armless** models feature a metal cap which finishes the ends of the tubes.

**Glides** are standard with nickel-plated or nylon options. Nickel-plated glides are recommended for carpeted applications. The plastic surface of the black nylon glide is recommended for other surfaces or damp environments.

**Casters** are available on armed models to add mobility for training rooms and multi-purpose applications.

**Chairs ship up to two per carton to minimize waste.** Model numbers and prices are per chair.


### CONSTRUCTION

The construction meets or exceeds industry standards for performance. The strong, 1" round, 16 gauge steel tubular frame construction provides exceptional strength and durability suitable for waiting areas and office applications. All connections are **steel-to-steel**.


The **steel tubular frame** extends the length of the armrest for superior strength while the chair is being lifted or stacked. The chair is lifted by the steel frame and not just an arm cap.

The backrest features a double-shell plywood construction with compound contouring for lumbar support.


The **seat** features an injection molded **polypropylene** seat which surrounds the tubular frame. The bottom of the seat is always black. It features a smooth profile so the chair can be stacked.




Keystone



Keystone  
Armless



Square



Square  
Armless

Arm and armless chairs can be **stacked up to five high** on the floor. On the cart, chairs can be stacked up to eight high.



**UPHOLSTERY AND CONTOURING**

The **outer back shell** is upholstered in a fabric to match the inner seat and back for a tailored appearance.

The **seat** features a generous 2½" of high-resiliency molded foam padding for comfort and long-term support. The **backrest** features contoured lumbar support to help relieve stress in the spine.

All upholstery foams are **CFC-free**.

All **COMs/COLs** must be approved for upholsterability or applicable fire code compliance prior to order entry. See COM ordering instructions on pages 332-333.

**Flammability** code compliance of Allsteel textiles and seating is listed below. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB 117. Allsteel must test a complete chair to supply a certificate of compliance for CTB 133.

Tolleson Side meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002.

Tolleson side chair with glides is warranted for users up to 300 lbs. Tolleson side chair with casters is warranted for users up to 225 lbs.

**OPTIONS — TOLLESON SIDE CHAIR:**

Backrest Shapes:

- Keystone
- Square

Armrests:

- Armless
- Arms

Glides:

- 0** 1" Diameter Nickel-plated Glides for carpets
- 1** 1" Diameter Nylon Glides for hard surfaces

Casters: (not available on armless versions)

- 3** 2½" Dual-wheel Soft Tread for smooth surfaces (\$50 extra)

Tubular Frame Colors:

- P71** Black
- PR6** Silver





Plastic Arm Cap Finishes:


- P71** Black


Upholstery:

- See pages 348-350 for selections.
- See inside back cover for colors and codes.

(See page 141 for COM pricing on Grades 9-22)

Backrest Style Arm Style	Model Number <i>Add options below</i>	1	2	3	4	5	6	7	8	Leather	
										1	2
Keystone Arms 	T-KLOP	\$ 536	\$ 574	\$ 607	\$ 641	\$ 672	\$ 709	\$ 745	\$ 778	\$ 1018	N/A
Armless 	T-KLAP	\$ 481	\$ 519	\$ 552	\$ 586	\$ 617	\$ 654	\$ 690	\$ 723	\$ 963	N/A
Square Arms 	T-SLOP	\$ 536	\$ 574	\$ 607	\$ 641	\$ 672	\$ 709	\$ 745	\$ 778	\$ 1018	N/A
Armless 	T-SLAP	\$ 481	\$ 519	\$ 552	\$ 586	\$ 617	\$ 654	\$ 690	\$ 723	\$ 963	N/A

Product	Model Number	Dimensions	Number Per Package	Ship Weight	Cube	List Price Per Package
Chair-to-Chair Ganging Brackets 	RT-CGB	(1 front and 1 rear bracket)	2	3 <b>S</b>	0.1	\$ 72
	Open Market					

Product	Model Number	Dimensions	Ship Weight	Cube	List Price
Side Chair Cart 	T-CART (Black only)	19"W x 46.31"D x 33.32"H (with handle extended)	35	10.5	\$ 615

**S** Shippable by small-package carrier.

Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p> <p>_____ .</p>	<p><b>1st Option:</b> Select the Glide or Caster: 0 1" Nickel-Plated Glides (carpet) 1 1" Nylon Glides (hard surfaces) 3 Soft Tread Casters (\$50 extra) (Casters not available on armless versions)</p> <p>_____ .</p>	<p><b>2nd Option:</b> Select the Tubular Frame Color: P71 Black PR6 Silver</p> <p><b>P</b> _____ .</p>
---	---	--

Examples: T-KLOP.3.PR6.P71.BOX15 T-KLOPFC.3.P71.P71.BOX15

Model Number	COM Yachage			Overall				Seat			Armrests				Backrest					
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Arm Height to the Floor	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight Per Carton	Cu Yds	
T-KLOP	1.8	17.0	34"	24"	22"	18½"	17½"	16½"	4.5°	10"	19½"	16"	27½"	18"	17½"	7"	97.5°	24.5	-	13.2
T-KLAP	1.8	17.0	34"	22"	22"	18½"	17½"	16½"	4.5°	-	-	-	-	18"	17½"	7"	97.5°	21.5	-	13.2
T-SLOP	1.8	17.0	33½"	24"	22"	18½"	17½"	16½"	4.5°	10"	19½"	16"	27½"	17½"	17½"	7"	97.5°	24.5	-	13.2
T-SLAP	1.8	17.0	33½"	22"	22"	18½"	17½"	16½"	4.5°	-	-	-	-	17½"	17½"	7"	97.5°	21.5	-	13.2

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10. Tolleson meets the requirements set forth in ANSI/BIFMA X5.1-2011.

Tolleson Side chairs ship up to two per carton to minimize waste. Chairs stacked 5-high = 44". Model numbers and prices are per chair.

◀ Continued from previous page

<p><b>3rd Option:</b>                  Select the Arm Cap Finish:                  P71 Black</p>	<p><b>4th Option:</b>                  Select the Upholstery:                  See pages 348-350 for selections.                  See inside back cover for colors and codes.                  See pages 332-333 for COM guidelines.</p>
--	--

P | 7 | 1 | .



*Nimble is a high density stacking solution that is both extremely durable and surprisingly comfortable. Durable because we use the thickest wire frame in the industry. Comfortable because of the hidden front support bar, the contoured polypropylene back and seat along with the flexibility of the frame. The clean design will appeal to designers and facility managers alike.*

## MODELS AND OPTIONS

The Nimble chair is suited for team conference, cafeterias, auditoriums, or visitor's chair applications.

Nimble **stacks 36 chairs high** in 66"H by 50"D by 22"W (on a cart). A maximum of 12 chairs can be stacked without a cart with a dimension of 40"H by 33"D by 19½"W.



The **cart** is available in black epoxy paint finish with black casters. The cart angles chairs in a neat vertical arrangement that fits through doorways and can be moved by one person. Carts are shipped one per carton.

## SEATS AND BACKS

The seat features a **waterfall** edge to *enhance circulation* and *reduce fatigue*. The backrest features contoured **lumbar** support to help *relieve stress in the spine*.

The **seat and backrest shells** are color-impregnated, washable polypropylene with U.V. inhibitors.

The polypropylene shells are easily **field replaceable** with simple hand tools for long life.



## GLIDES

Nimble offers glide options for different types of flooring.

**Polycarbonate glide** is standard and well-suited for carpet and vinyl flooring.


**Stainless steel glide** can provide extra protection when used on rough, gritty, or hard surfaces (concrete).

**Felt-covered polycarbonate glide** is recommended for wood, tile, or high-sheen gloss floor surfaces to protect the finish longer.

## GANGING BRACKETS

Brackets securely connect Nimble chairs together for a neat, aligned row. The brackets are snapped in place over the chair glide (two brackets per chair). To connect the chairs, snap the bracket from one chair leg to the adjacent chair leg. To disconnect, unsnap the bracket. The chairs stack with the brackets in place.

Brackets are sold in packages of eight (for four chairs). The brackets can be added to Nimble chairs at any time.



## FRAMES

The sturdy, **12mm wire frame** provides clean lines and excellent strength, ideal for high-density stacking.

The **chrome, black or silver epoxy powder-coated frame** is durable and scuff-resistant and complements any environment.

**Powder coating** is a non-hazardous and solvent-free process which provides an environmentally friendly, baked-on, durable finish. **Chrome** is recommended for high-intensity stacking applications due to its chip-resistant properties.

## SHIPPING

Nimble chairs **ship in cartons containing 4 chairs** to reduce packaging waste.

## STANDARDS

Nimble meets the requirements set forth in ANSI/BIFMA X5.1-2011 and BIFMA G1-2002. Nimble is warranted for users up to 300 lbs.

All Nimble models meet CTB133 fire code standards.

## OPTIONS — NIMBLE SEATING:

### Description:

- Stacking Chair
- Ganging Brackets (Black only)
- Cart for Stacking and Transportation

### Upholstery Options:

- Polypropylene Shells

### Glide Options:

- 0** Polycarbonate Glides
- 1** Stainless Steel Glides (\$26 extra per chair)
- 2** Felt Covered Polycarbonate Glides (\$16 extra per chair)

### Frame Colors:

- Chrome
- P71** Black
- PR6** Silver
- Carts are always Black.

### Plastic Shell Colors:

- Opaque Colors —
- BLK** Black (formerly **CB Onyx**)
- BU** Surf
- BW** Brownstone
- GN** Sprout
- GY** Summit
- RD** Cayenne
- RG** Tangelo
- WT** White (formerly Frost)

Description	Frame Finish	Model Number <i>Add options below</i>	List Price
Plastic Shells	Chrome	NMBL-1FC	\$ 207
	Powder Coat	NMBL-2FC	\$ 207



Nimble chairs ship in cartons containing 4 chairs. Model numbers and price are per chair.  
Ganging brackets available on page 109.

Model Number	Overall					Seat			Armrests				Backrest								
	COM Yardage	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width Between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)	Unit Weight	Ship Weight Per Carton	Cubes
NMBL-1FC	-	-	31 1/2"	19 1/4"	21 1/2"	18"	18"	17 1/2"	4°	-	-	-	-	-	16 1/2"	19"	6"	96°	15.0	65.0	11.9 4 per carton
NMBL-2FC	-	-	31 1/2"	19 1/4"	21 1/2"	18"	18"	17 1/2"	4°	-	-	-	-	-	16 1/2"	19"	6"	96°	15.0	65.0	11.9 4 per carton

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

Nimble meets CAL-133 Flammability Requirements with all shell colors listed below.

\*\*Calculate 21"W per chair with ganging bracket.

**How to specify —**

Select the Model Number from above.

**1st Option:**

Select the Glide (if applicable):

- 0 Polycarbonate Glides
- 1 Stainless Steel Glide Caps (\$26 per chair extra)
- 2 Felt Covered Polycarbonate Glides (\$16 per chair extra)

**2nd Option:**

Select the Frame Color (for NMBL-2FC only):

- P71 Black
- PR6 Silver

**3rd Option:**

Select the Shell (seat and back) Color (if applicable):

- Opaque:**
- BLK Black (formerly CB – Onyx)
  - BU Surf
  - BW Brownstone
  - GN Sprout
  - GY Summit
  - RD Cayenne
  - RG Tangelo
  - WT White (formerly Frost)

NMBL - . . . . .

P . . . . .

Examples: NMBL-1FC.0.WT NMBL-2FC.2.P71.RD

Description	Frame Finish	Model Number <i>Add options below</i>	List Price
Plastic Shells	Chrome	<b>GSA-NMBL-1FC</b>	\$ 229
	Powder Coat	<b>GSA-NMBL-2FC</b>	\$ 229
	Ganging Brackets	<b>NMBL-GANG</b> (Package of 8 brackets for 4 chairs – Black only)	\$ 54



Nimble chairs ship in cartons containing 4 chairs. Model numbers and price are per chair.


Model Number	Overall					Seat				Armrests				Backrest				Ship Weight Per Carton	Cubes			
	COM Yardage	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width between Armrests (Range)	Depth (Range)	Pivot Inwards	Pivot Outwards	Height (Range)	Width	Lumbar Height (Range)			Backrest/Seat Angle (Range)	Unit Weight	
<b>NMBL-1FC</b>	-	-	31 1/2"	19 3/4"	21 1/2"	18"	18"	17 1/2"	4°	-	-	-	-	-	16 1/2"	19"	6"	96°	15.0	65.0	11.9	4 per carton
<b>NMBL-2FC</b>	-	-	31 1/2"	19 3/4"	21 1/2"	18"	18"	17 1/2"	4°	-	-	-	-	-	16 1/2"	19"	6"	96°	15.0	65.0	11.9	4 per carton
<b>NMBL-GANG</b>	-	-	1/2"	3"	1 1/2"	**	**	**	**	**	**	**	**	**	**	**	**	**	0.6	0.1	package of 8	

Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.

Nimble meets CAL-133 Flammability Requirements with all shell colors listed below.

\*\*Calculate 21"W per chair with ganging bracket.

Description	Dimensions	Model Number	List Price
Cart	29"H x 21"W x 34"D*	<b>NMBL-CART</b>	\$ 606



\*Depth dimension above does not include the handle

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Glide (if applicable):</p> <p><b>0</b> Polycarbonate Glides <b>1</b> Stainless Steel Glide Caps (\$26 per chair extra) <b>2</b> Felt Covered Polycarbonate Glides (\$16 per chair extra)</p>	<p><b>2nd Option:</b> Select the Frame Color (for GSA-NMBL-2FC only):</p> <p><b>P71</b> Black <b>PR6</b> Silver</p>	<p><b>3rd Option:</b> Select the Shell (seat and back) Color (if applicable):</p> <p><b>Opaque:</b> <b>BLK</b> Black (formerly CB – Onyx) <b>BU</b> Surf <b>BW</b> Brownstone <b>GN</b> Sprout <b>GY</b> Summit <b>RD</b> Cayenne <b>RG</b> Tangelo <b>WT</b> White (formerly Frost)</p>
--	---	---	--

Examples: GSA-NMBL-1FC.0.WT    GSA-NMBL-2FC.2.P71.RD    NMBL-CART

# Seating

## Fabric Grades 9-22 Pricing

GSA SIN 711-18

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>#19 — Pages 12-15</b>														
A19-HWB	\$ 2272	\$ 2299	\$ 2328	\$ 2361	\$ 2395	\$ 2429	\$ 2463	\$ 2497	\$ 2531	\$ 2564	\$ 2598	\$ 2632	\$ 2666	\$ 2700
A19-HWS	\$ 2272	\$ 2299	\$ 2328	\$ 2361	\$ 2395	\$ 2429	\$ 2463	\$ 2497	\$ 2531	\$ 2564	\$ 2598	\$ 2632	\$ 2666	\$ 2700
<b>ACUITY — Pages 16-21</b>														
AAFG	\$ 2318	\$ 2384	\$ 2450	\$ 2529	\$ 2609	\$ 2688	\$ 2768	\$ 2847	\$ 2927	\$ 3006	\$ 3086	\$ 3166	\$ 3245	\$ 3325
AAFP	\$ 2669	\$ 2735	\$ 2801	\$ 2880	\$ 2960	\$ 3039	\$ 3119	\$ 3198	\$ 3278	\$ 3357	\$ 3437	\$ 3517	\$ 3596	\$ 3676
AAFS	\$ 2318	\$ 2384	\$ 2450	\$ 2529	\$ 2609	\$ 2688	\$ 2768	\$ 2847	\$ 2927	\$ 3006	\$ 3086	\$ 3166	\$ 3245	\$ 3325
AAMG	\$ 1775	\$ 1815	\$ 1853	\$ 1899	\$ 1945	\$ 1991	\$ 2037	\$ 2082	\$ 2128	\$ 2174	\$ 2220	\$ 2266	\$ 2312	\$ 2358
AAMP	\$ 2126	\$ 2166	\$ 2204	\$ 2250	\$ 2296	\$ 2342	\$ 2388	\$ 2433	\$ 2479	\$ 2525	\$ 2571	\$ 2617	\$ 2663	\$ 2709
AAMS	\$ 1775	\$ 1815	\$ 1853	\$ 1899	\$ 1945	\$ 1991	\$ 2037	\$ 2082	\$ 2128	\$ 2174	\$ 2220	\$ 2266	\$ 2312	\$ 2358
AFFG	\$ 2506	\$ 2572	\$ 2638	\$ 2717	\$ 2797	\$ 2876	\$ 2956	\$ 3035	\$ 3115	\$ 3194	\$ 3274	\$ 3354	\$ 3433	\$ 3513
AFPP	\$ 2857	\$ 2923	\$ 2989	\$ 3068	\$ 3148	\$ 3227	\$ 3307	\$ 3386	\$ 3466	\$ 3545	\$ 3625	\$ 3705	\$ 3784	\$ 3864
AFFS	\$ 2506	\$ 2572	\$ 2638	\$ 2717	\$ 2797	\$ 2876	\$ 2956	\$ 3035	\$ 3115	\$ 3194	\$ 3274	\$ 3354	\$ 3433	\$ 3513
AFMG	\$ 1963	\$ 2003	\$ 2041	\$ 2087	\$ 2133	\$ 2179	\$ 2225	\$ 2270	\$ 2316	\$ 2362	\$ 2408	\$ 2454	\$ 2500	\$ 2546
AFMP	\$ 2314	\$ 2354	\$ 2392	\$ 2438	\$ 2484	\$ 2530	\$ 2576	\$ 2621	\$ 2667	\$ 2713	\$ 2759	\$ 2805	\$ 2851	\$ 2897
AFMS	\$ 1963	\$ 2003	\$ 2041	\$ 2087	\$ 2133	\$ 2179	\$ 2225	\$ 2270	\$ 2316	\$ 2362	\$ 2408	\$ 2454	\$ 2500	\$ 2546
AWFG	\$ 2442	\$ 2508	\$ 2574	\$ 2653	\$ 2733	\$ 2812	\$ 2892	\$ 2971	\$ 3051	\$ 3130	\$ 3210	\$ 3290	\$ 3369	\$ 3449
AWFP	\$ 2793	\$ 2859	\$ 2925	\$ 3004	\$ 3084	\$ 3163	\$ 3243	\$ 3322	\$ 3402	\$ 3481	\$ 3561	\$ 3641	\$ 3720	\$ 3800
AWFS	\$ 2442	\$ 2508	\$ 2574	\$ 2653	\$ 2733	\$ 2812	\$ 2892	\$ 2971	\$ 3051	\$ 3130	\$ 3210	\$ 3290	\$ 3369	\$ 3449
AWMG	\$ 1899	\$ 1939	\$ 1977	\$ 2023	\$ 2069	\$ 2115	\$ 2161	\$ 2206	\$ 2252	\$ 2298	\$ 2344	\$ 2390	\$ 2436	\$ 2482
AWMP	\$ 2250	\$ 2290	\$ 2328	\$ 2374	\$ 2420	\$ 2466	\$ 2512	\$ 2557	\$ 2603	\$ 2649	\$ 2695	\$ 2741	\$ 2787	\$ 2833
AWMS	\$ 1899	\$ 1939	\$ 1977	\$ 2023	\$ 2069	\$ 2115	\$ 2161	\$ 2206	\$ 2252	\$ 2298	\$ 2344	\$ 2390	\$ 2436	\$ 2482
<b>ACUITY SIDE — Pages 22-25</b>														
ACM-MUGO	\$ 943	\$ 979	\$ 1014	\$ 1064	\$ 1114	\$ 1164	\$ 1214	\$ 1265	\$ 1315	\$ 1365	\$ 1415	\$ 1466	\$ 1516	\$ 1566
ACM-MUCO	\$ 996	\$ 1032	\$ 1067	\$ 1117	\$ 1167	\$ 1217	\$ 1267	\$ 1318	\$ 1368	\$ 1418	\$ 1468	\$ 1519	\$ 1569	\$ 1619
ACM-MUGA	\$ 902	\$ 938	\$ 973	\$ 1023	\$ 1073	\$ 1123	\$ 1173	\$ 1224	\$ 1274	\$ 1324	\$ 1374	\$ 1425	\$ 1475	\$ 1525
ACM-MUCA	\$ 955	\$ 991	\$ 1026	\$ 1076	\$ 1126	\$ 1176	\$ 1226	\$ 1277	\$ 1327	\$ 1377	\$ 1427	\$ 1478	\$ 1528	\$ 1578
<b>MIMEO — Pages 26-29</b>														
MIW-KWNO	\$ 1308	\$ 1329	\$ 1348	\$ 1372	\$ 1395	\$ 1419	\$ 1442	\$ 1465	\$ 1489	\$ 1512	\$ 1536	\$ 1559	\$ 1583	\$ 1606
MIS-KWNO	\$ 1549	\$ 1570	\$ 1589	\$ 1613	\$ 1636	\$ 1660	\$ 1683	\$ 1706	\$ 1730	\$ 1753	\$ 1777	\$ 1800	\$ 1824	\$ 1847
MIW-KHNO	\$ 1277	\$ 1298	\$ 1317	\$ 1341	\$ 1364	\$ 1388	\$ 1411	\$ 1434	\$ 1458	\$ 1481	\$ 1505	\$ 1528	\$ 1552	\$ 1575
MIS-KHNO	\$ 1518	\$ 1539	\$ 1558	\$ 1582	\$ 1605	\$ 1629	\$ 1652	\$ 1675	\$ 1699	\$ 1722	\$ 1746	\$ 1769	\$ 1793	\$ 1816
MIW-KFNO	\$ 1247	\$ 1268	\$ 1287	\$ 1311	\$ 1334	\$ 1358	\$ 1381	\$ 1404	\$ 1428	\$ 1451	\$ 1475	\$ 1498	\$ 1522	\$ 1545
MIS-KFNO	\$ 1488	\$ 1509	\$ 1528	\$ 1552	\$ 1575	\$ 1599	\$ 1622	\$ 1645	\$ 1669	\$ 1692	\$ 1716	\$ 1739	\$ 1763	\$ 1786
MIW-KANO	\$ 1145	\$ 1166	\$ 1185	\$ 1209	\$ 1232	\$ 1256	\$ 1279	\$ 1302	\$ 1326	\$ 1349	\$ 1373	\$ 1396	\$ 1420	\$ 1443
MIS-KANO	\$ 1386	\$ 1407	\$ 1426	\$ 1450	\$ 1473	\$ 1497	\$ 1520	\$ 1543	\$ 1567	\$ 1590	\$ 1614	\$ 1637	\$ 1661	\$ 1684



# Seating

## Fabric Grades 9-22 Pricing

GSA SIN 711-18

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>RELATE — Pages 30-35</b>														
RL-MHA	\$ 1340	\$ 1365	\$ 1392	\$ 1433	\$ 1475	\$ 1516	\$ 1558	\$ 1600	\$ 1641	\$ 1683	\$ 1724	\$ 1766	\$ 1808	\$ 1849
RL-MHC	\$ 1543	\$ 1568	\$ 1595	\$ 1636	\$ 1678	\$ 1719	\$ 1761	\$ 1803	\$ 1844	\$ 1886	\$ 1927	\$ 1969	\$ 2011	\$ 2052
RL-MHP	\$ 1514	\$ 1539	\$ 1566	\$ 1607	\$ 1649	\$ 1690	\$ 1732	\$ 1774	\$ 1815	\$ 1857	\$ 1898	\$ 1940	\$ 1982	\$ 2023
RL-MHW	\$ 1475	\$ 1500	\$ 1527	\$ 1568	\$ 1610	\$ 1651	\$ 1693	\$ 1735	\$ 1776	\$ 1818	\$ 1859	\$ 1901	\$ 1943	\$ 1984
RL-UHA	\$ 1474	\$ 1522	\$ 1571	\$ 1638	\$ 1704	\$ 1771	\$ 1837	\$ 1904	\$ 1970	\$ 2037	\$ 2103	\$ 2170	\$ 2237	\$ 2303
RL-UHC	\$ 1677	\$ 1725	\$ 1774	\$ 1841	\$ 1907	\$ 1974	\$ 2040	\$ 2107	\$ 2173	\$ 2240	\$ 2306	\$ 2373	\$ 2440	\$ 2506
RL-UHP	\$ 1648	\$ 1696	\$ 1745	\$ 1812	\$ 1878	\$ 1945	\$ 2011	\$ 2078	\$ 2144	\$ 2211	\$ 2277	\$ 2344	\$ 2411	\$ 2477
RL-UHW	\$ 1609	\$ 1657	\$ 1706	\$ 1773	\$ 1839	\$ 1906	\$ 1972	\$ 2039	\$ 2105	\$ 2172	\$ 2238	\$ 2305	\$ 2372	\$ 2438
<b>RELATE ALUMINUM — Pages 30-35</b>														
RLA-MHA	\$ 1576	\$ 1601	\$ 1628	\$ 1669	\$ 1711	\$ 1752	\$ 1794	\$ 1836	\$ 1877	\$ 1919	\$ 1960	\$ 2002	\$ 2044	\$ 2085
RLA-MHC	\$ 1779	\$ 1804	\$ 1831	\$ 1872	\$ 1914	\$ 1955	\$ 1997	\$ 2039	\$ 2080	\$ 2122	\$ 2163	\$ 2205	\$ 2247	\$ 2288
RLA-MHP	\$ 1750	\$ 1775	\$ 1802	\$ 1843	\$ 1885	\$ 1926	\$ 1968	\$ 2010	\$ 2051	\$ 2093	\$ 2134	\$ 2176	\$ 2218	\$ 2259
RLA-MHW	\$ 1711	\$ 1736	\$ 1763	\$ 1804	\$ 1846	\$ 1887	\$ 1929	\$ 1971	\$ 2012	\$ 2054	\$ 2095	\$ 2137	\$ 2179	\$ 2220
RLA-UHA	\$ 1710	\$ 1758	\$ 1807	\$ 1874	\$ 1940	\$ 2007	\$ 2073	\$ 2140	\$ 2206	\$ 2273	\$ 2339	\$ 2406	\$ 2473	\$ 2539
RLA-UHC	\$ 1913	\$ 1961	\$ 2010	\$ 2077	\$ 2143	\$ 2210	\$ 2276	\$ 2343	\$ 2409	\$ 2476	\$ 2542	\$ 2609	\$ 2676	\$ 2742
RLA-UHP	\$ 1884	\$ 1932	\$ 1981	\$ 2048	\$ 2114	\$ 2181	\$ 2247	\$ 2314	\$ 2380	\$ 2447	\$ 2513	\$ 2580	\$ 2647	\$ 2713
RLA-UHW	\$ 1845	\$ 1893	\$ 1942	\$ 2009	\$ 2075	\$ 2142	\$ 2208	\$ 2275	\$ 2341	\$ 2408	\$ 2474	\$ 2541	\$ 2608	\$ 2674
<b>RELATE WORK STOOL — Pages 36-39</b>														
RLS-MHA	\$ 1767	\$ 1792	\$ 1819	\$ 1860	\$ 1902	\$ 1943	\$ 1985	\$ 2027	\$ 2068	\$ 2110	\$ 2151	\$ 2193	\$ 2235	\$ 2276
RLS-MHC	\$ 1970	\$ 1995	\$ 2022	\$ 2063	\$ 2105	\$ 2146	\$ 2188	\$ 2230	\$ 2271	\$ 2313	\$ 2354	\$ 2396	\$ 2438	\$ 2479
RLS-MHP	\$ 1941	\$ 1966	\$ 1993	\$ 2034	\$ 2076	\$ 2117	\$ 2159	\$ 2201	\$ 2242	\$ 2284	\$ 2325	\$ 2367	\$ 2409	\$ 2450
RLS-MHW	\$ 1902	\$ 1927	\$ 1954	\$ 1995	\$ 2037	\$ 2078	\$ 2120	\$ 2162	\$ 2203	\$ 2245	\$ 2286	\$ 2328	\$ 2370	\$ 2411
<b>RELATE SIDE — Pages 40-43</b>														
RLM-MUCA	\$ 879	\$ 914	\$ 948	\$ 998	\$ 1047	\$ 1096	\$ 1145	\$ 1194	\$ 1244	\$ 1293	\$ 1342	\$ 1391	\$ 1440	\$ 1490
RLM-MUCO	\$ 919	\$ 954	\$ 988	\$ 1038	\$ 1087	\$ 1136	\$ 1185	\$ 1234	\$ 1284	\$ 1333	\$ 1382	\$ 1431	\$ 1480	\$ 1530
RLM-MUGA	\$ 827	\$ 862	\$ 896	\$ 946	\$ 995	\$ 1044	\$ 1093	\$ 1142	\$ 1192	\$ 1241	\$ 1290	\$ 1339	\$ 1388	\$ 1438
RLM-MUGO	\$ 867	\$ 902	\$ 936	\$ 986	\$ 1035	\$ 1084	\$ 1133	\$ 1182	\$ 1232	\$ 1281	\$ 1330	\$ 1379	\$ 1428	\$ 1478
RLM-UUCA	\$ 968	\$ 1013	\$ 1060	\$ 1133	\$ 1206	\$ 1279	\$ 1351	\$ 1424	\$ 1497	\$ 1570	\$ 1642	\$ 1715	\$ 1788	\$ 1861
RLM-UUCO	\$ 1006	\$ 1051	\$ 1097	\$ 1170	\$ 1243	\$ 1315	\$ 1388	\$ 1461	\$ 1534	\$ 1607	\$ 1679	\$ 1752	\$ 1825	\$ 1898
RLM-UUGA	\$ 919	\$ 964	\$ 1011	\$ 1085	\$ 1159	\$ 1233	\$ 1307	\$ 1380	\$ 1454	\$ 1528	\$ 1602	\$ 1676	\$ 1749	\$ 1823
RLM-UUGO	\$ 957	\$ 1002	\$ 1048	\$ 1121	\$ 1194	\$ 1267	\$ 1339	\$ 1412	\$ 1485	\$ 1558	\$ 1630	\$ 1703	\$ 1776	\$ 1849
RLM-WUCA	\$ 905	\$ 940	\$ 974	\$ 1024	\$ 1073	\$ 1122	\$ 1171	\$ 1220	\$ 1270	\$ 1319	\$ 1368	\$ 1417	\$ 1466	\$ 1516
RLM-WUCO	\$ 945	\$ 980	\$ 1014	\$ 1064	\$ 1113	\$ 1162	\$ 1211	\$ 1260	\$ 1310	\$ 1359	\$ 1408	\$ 1457	\$ 1506	\$ 1556
RLM-WUGA	\$ 853	\$ 888	\$ 922	\$ 972	\$ 1021	\$ 1070	\$ 1119	\$ 1168	\$ 1218	\$ 1267	\$ 1316	\$ 1365	\$ 1414	\$ 1464
RLM-WUGO	\$ 893	\$ 928	\$ 962	\$ 1012	\$ 1061	\$ 1110	\$ 1159	\$ 1208	\$ 1258	\$ 1307	\$ 1356	\$ 1405	\$ 1454	\$ 1504
<b>RELATE FOUR-LEGGED STOOL — Pages 44-47</b>														
RLC-MUGA	\$ 1122	\$ 1157	\$ 1191	\$ 1241	\$ 1290	\$ 1339	\$ 1388	\$ 1437	\$ 1487	\$ 1536	\$ 1585	\$ 1634	\$ 1683	\$ 1733
RLC-MUGO	\$ 1162	\$ 1197	\$ 1231	\$ 1281	\$ 1330	\$ 1379	\$ 1428	\$ 1477	\$ 1527	\$ 1576	\$ 1625	\$ 1674	\$ 1723	\$ 1773
RLC-UUGA	\$ 1202	\$ 1246	\$ 1291	\$ 1362	\$ 1432	\$ 1503	\$ 1574	\$ 1645	\$ 1715	\$ 1786	\$ 1857	\$ 1927	\$ 1998	\$ 2069
RLC-UUGO	\$ 1241	\$ 1284	\$ 1330	\$ 1401	\$ 1471	\$ 1542	\$ 1613	\$ 1684	\$ 1754	\$ 1825	\$ 1896	\$ 1966	\$ 2037	\$ 2108
RLC-WUGA	\$ 1148	\$ 1183	\$ 1217	\$ 1267	\$ 1316	\$ 1365	\$ 1414	\$ 1463	\$ 1513	\$ 1562	\$ 1611	\$ 1660	\$ 1709	\$ 1759
RLC-WUGO	\$ 1188	\$ 1223	\$ 1257	\$ 1307	\$ 1356	\$ 1405	\$ 1454	\$ 1503	\$ 1553	\$ 1602	\$ 1651	\$ 1700	\$ 1749	\$ 1799

# Seating

## Fabric Grades 9-22 Pricing

GSA SIN 711-18, 711-19

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>LYRIC TASK — Pages 48-51</b>														
CWW-MHW	\$ 1030	\$ 1050	\$ 1070	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1280	\$ 1310	\$ 1340	\$ 1370	\$ 1430
CWW-MMW	\$ 1010	\$ 1030	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1170	\$ 1200	\$ 1230	\$ 1260	\$ 1290	\$ 1320	\$ 1350	\$ 1410
CSW-MHW	\$ 955	\$ 975	\$ 995	\$ 1025	\$ 1055	\$ 1085	\$ 1115	\$ 1145	\$ 1175	\$ 1205	\$ 1235	\$ 1265	\$ 1295	\$ 1355
CSW-MMW	\$ 935	\$ 955	\$ 975	\$ 1005	\$ 1035	\$ 1065	\$ 1095	\$ 1125	\$ 1155	\$ 1185	\$ 1215	\$ 1245	\$ 1275	\$ 1335
CBW-MHW	\$ 920	\$ 940	\$ 960	\$ 990	\$ 1020	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1170	\$ 1200	\$ 1230	\$ 1260	\$ 1320
CBW-MMW	\$ 900	\$ 920	\$ 940	\$ 970	\$ 1000	\$ 1030	\$ 1060	\$ 1090	\$ 1120	\$ 1150	\$ 1180	\$ 1210	\$ 1240	\$ 1300
CWW-MHH	\$ 985	\$ 1005	\$ 1025	\$ 1055	\$ 1085	\$ 1115	\$ 1145	\$ 1175	\$ 1205	\$ 1235	\$ 1265	\$ 1295	\$ 1325	\$ 1385
CWW-MMH	\$ 965	\$ 985	\$ 1005	\$ 1035	\$ 1065	\$ 1095	\$ 1125	\$ 1155	\$ 1185	\$ 1215	\$ 1245	\$ 1275	\$ 1305	\$ 1365
CSW-MHH	\$ 910	\$ 930	\$ 950	\$ 980	\$ 1010	\$ 1040	\$ 1070	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1310
CSW-MMH	\$ 890	\$ 910	\$ 930	\$ 960	\$ 990	\$ 1020	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1170	\$ 1200	\$ 1230	\$ 1290
CBW-MHH	\$ 875	\$ 895	\$ 915	\$ 945	\$ 975	\$ 1005	\$ 1035	\$ 1065	\$ 1095	\$ 1125	\$ 1155	\$ 1185	\$ 1215	\$ 1275
CBW-MMH	\$ 855	\$ 875	\$ 895	\$ 925	\$ 955	\$ 985	\$ 1015	\$ 1045	\$ 1075	\$ 1105	\$ 1135	\$ 1165	\$ 1195	\$ 1255
CWW-MHF	\$ 992	\$ 1012	\$ 1032	\$ 1062	\$ 1092	\$ 1122	\$ 1152	\$ 1182	\$ 1212	\$ 1242	\$ 1272	\$ 1302	\$ 1332	\$ 1392
CWW-MMF	\$ 972	\$ 992	\$ 1012	\$ 1042	\$ 1072	\$ 1102	\$ 1132	\$ 1162	\$ 1192	\$ 1222	\$ 1252	\$ 1282	\$ 1312	\$ 1372
CSW-MHF	\$ 917	\$ 937	\$ 957	\$ 987	\$ 1017	\$ 1047	\$ 1077	\$ 1107	\$ 1137	\$ 1167	\$ 1197	\$ 1227	\$ 1257	\$ 1317
CSW-MMF	\$ 897	\$ 917	\$ 937	\$ 967	\$ 997	\$ 1027	\$ 1057	\$ 1087	\$ 1117	\$ 1147	\$ 1177	\$ 1207	\$ 1237	\$ 1297
CBW-MHF	\$ 882	\$ 902	\$ 922	\$ 952	\$ 982	\$ 1012	\$ 1042	\$ 1072	\$ 1102	\$ 1132	\$ 1162	\$ 1192	\$ 1222	\$ 1282
CBW-MMF	\$ 862	\$ 882	\$ 902	\$ 932	\$ 962	\$ 992	\$ 1022	\$ 1052	\$ 1082	\$ 1112	\$ 1142	\$ 1172	\$ 1202	\$ 1262
CWW-MHA	\$ 910	\$ 930	\$ 950	\$ 980	\$ 1010	\$ 1040	\$ 1070	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1310
CWW-MMA	\$ 890	\$ 910	\$ 930	\$ 960	\$ 990	\$ 1020	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1170	\$ 1200	\$ 1230	\$ 1290
CSW-MHA	\$ 835	\$ 855	\$ 875	\$ 905	\$ 935	\$ 965	\$ 995	\$ 1025	\$ 1055	\$ 1085	\$ 1115	\$ 1145	\$ 1175	\$ 1235
CSW-MMA	\$ 815	\$ 835	\$ 855	\$ 885	\$ 915	\$ 945	\$ 975	\$ 1005	\$ 1035	\$ 1065	\$ 1095	\$ 1125	\$ 1155	\$ 1215
CBW-MHA	\$ 800	\$ 820	\$ 840	\$ 870	\$ 900	\$ 930	\$ 960	\$ 990	\$ 1020	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1200
CBW-MMA	\$ 780	\$ 800	\$ 820	\$ 850	\$ 880	\$ 910	\$ 940	\$ 970	\$ 1000	\$ 1030	\$ 1060	\$ 1090	\$ 1120	\$ 1180
<b>LYRIC STOOL — Pages 52-53</b>														
CSS-MHW	\$ 1520	\$ 1540	\$ 1560	\$ 1590	\$ 1620	\$ 1650	\$ 1680	\$ 1710	\$ 1740	\$ 1770	\$ 1800	\$ 1830	\$ 1860	\$ 1920
CSS-MMW	\$ 1500	\$ 1520	\$ 1540	\$ 1570	\$ 1600	\$ 1630	\$ 1660	\$ 1690	\$ 1720	\$ 1750	\$ 1780	\$ 1810	\$ 1840	\$ 1900
CSS-MHH	\$ 1475	\$ 1495	\$ 1515	\$ 1545	\$ 1575	\$ 1605	\$ 1635	\$ 1665	\$ 1695	\$ 1725	\$ 1755	\$ 1785	\$ 1815	\$ 1875
CSS-MMH	\$ 1455	\$ 1475	\$ 1495	\$ 1525	\$ 1555	\$ 1585	\$ 1615	\$ 1645	\$ 1675	\$ 1705	\$ 1735	\$ 1765	\$ 1795	\$ 1855
CSS-MHF	\$ 1482	\$ 1502	\$ 1522	\$ 1552	\$ 1582	\$ 1612	\$ 1642	\$ 1672	\$ 1702	\$ 1732	\$ 1762	\$ 1792	\$ 1822	\$ 1882
CSS-MMF	\$ 1462	\$ 1482	\$ 1502	\$ 1532	\$ 1562	\$ 1592	\$ 1622	\$ 1652	\$ 1682	\$ 1712	\$ 1742	\$ 1772	\$ 1802	\$ 1862
CSS-MHA	\$ 1400	\$ 1420	\$ 1440	\$ 1470	\$ 1500	\$ 1530	\$ 1560	\$ 1590	\$ 1620	\$ 1650	\$ 1680	\$ 1710	\$ 1740	\$ 1800
CSS-MMA	\$ 1380	\$ 1400	\$ 1420	\$ 1450	\$ 1480	\$ 1510	\$ 1540	\$ 1570	\$ 1600	\$ 1630	\$ 1660	\$ 1690	\$ 1720	\$ 1780
<b>LYRIC L &amp; T — Pages 54-57</b>														
CLL-MLH	\$ 1290	\$ 1310	\$ 1330	\$ 1360	\$ 1390	\$ 1420	\$ 1450	\$ 1480	\$ 1510	\$ 1540	\$ 1570	\$ 1600	\$ 1630	\$ 1690
CLL-MLF	\$ 1297	\$ 1317	\$ 1337	\$ 1367	\$ 1397	\$ 1427	\$ 1457	\$ 1487	\$ 1517	\$ 1547	\$ 1577	\$ 1607	\$ 1637	\$ 1697
CLL-MLA	\$ 1215	\$ 1235	\$ 1255	\$ 1285	\$ 1315	\$ 1345	\$ 1375	\$ 1405	\$ 1435	\$ 1465	\$ 1495	\$ 1525	\$ 1555	\$ 1615
<b>LYRIC UPHOLSTERED TASK — Pages 60-61</b>														
CWW-UHW	\$ 1070	\$ 1083	\$ 1095	\$ 1110	\$ 1125	\$ 1140	\$ 1155	\$ 1170	\$ 1185	\$ 1200	\$ 1215	\$ 1230	\$ 1245	\$ 1275
CWW-UMW	\$ 1105	\$ 1125	\$ 1145	\$ 1175	\$ 1205	\$ 1235	\$ 1265	\$ 1295	\$ 1325	\$ 1355	\$ 1385	\$ 1415	\$ 1445	\$ 1505
CSW-UHW	\$ 995	\$ 1008	\$ 1020	\$ 1035	\$ 1050	\$ 1065	\$ 1080	\$ 1095	\$ 1110	\$ 1125	\$ 1140	\$ 1155	\$ 1170	\$ 1200
CSW-UMW	\$ 1030	\$ 1050	\$ 1070	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1280	\$ 1310	\$ 1340	\$ 1370	\$ 1430
CBW-UHW	\$ 960	\$ 973	\$ 985	\$ 1000	\$ 1015	\$ 1030	\$ 1045	\$ 1060	\$ 1075	\$ 1090	\$ 1105	\$ 1120	\$ 1135	\$ 1165
CBW-UMW	\$ 995	\$ 1015	\$ 1035	\$ 1065	\$ 1095	\$ 1125	\$ 1155	\$ 1185	\$ 1215	\$ 1245	\$ 1275	\$ 1305	\$ 1335	\$ 1395
CWW-UHH	\$ 1025	\$ 1038	\$ 1050	\$ 1065	\$ 1080	\$ 1095	\$ 1110	\$ 1125	\$ 1140	\$ 1155	\$ 1170	\$ 1185	\$ 1200	\$ 1230
CWW-UMH	\$ 1060	\$ 1080	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1280	\$ 1310	\$ 1340	\$ 1370	\$ 1400	\$ 1460
CSW-UHH	\$ 1005	\$ 1025	\$ 1045	\$ 1075	\$ 1105	\$ 1135	\$ 1165	\$ 1195	\$ 1225	\$ 1255	\$ 1285	\$ 1315	\$ 1345	\$ 1405
CSW-UMH	\$ 930	\$ 943	\$ 955	\$ 970	\$ 985	\$ 1000	\$ 1015	\$ 1030	\$ 1045	\$ 1060	\$ 1075	\$ 1090	\$ 1105	\$ 1135
CBW-UHH	\$ 915	\$ 928	\$ 940	\$ 955	\$ 970	\$ 985	\$ 1000	\$ 1015	\$ 1030	\$ 1045	\$ 1060	\$ 1075	\$ 1090	\$ 1120
CBW-UMH	\$ 950	\$ 970	\$ 990	\$ 1020	\$ 1050	\$ 1080	\$ 1110	\$ 1140	\$ 1170	\$ 1200	\$ 1230	\$ 1260	\$ 1290	\$ 1350
CWW-UHF	\$ 1032	\$ 1045	\$ 1057	\$ 1072	\$ 1087	\$ 1102	\$ 1117	\$ 1132	\$ 1147	\$ 1162	\$ 1177	\$ 1192	\$ 1207	\$ 1237
CWW-UMF	\$ 1067	\$ 1087	\$ 1107	\$ 1137	\$ 1167	\$ 1197	\$ 1227	\$ 1257	\$ 1287	\$ 1317	\$ 1347	\$ 1377	\$ 1407	\$ 1467
CSW-UHF	\$ 957	\$ 970	\$ 982	\$ 997	\$ 1012	\$ 1027	\$ 1042	\$ 1057	\$ 1072	\$ 1087	\$ 1102	\$ 1117	\$ 1132	\$ 1162
CSW-UMF	\$ 992	\$ 1012	\$ 1032	\$ 1062	\$ 1092	\$ 1122	\$ 1152	\$ 1182	\$ 1212	\$ 1242	\$ 1272	\$ 1302	\$ 1332	\$ 1392
CBW-UHF	\$ 977	\$ 997	\$ 1017	\$ 1047	\$ 1077	\$ 1107	\$ 1137	\$ 1167	\$ 1197	\$ 1227	\$ 1257	\$ 1287	\$ 1317	\$ 1377
CBW-UMF	\$ 957	\$ 977	\$ 997	\$ 1027	\$ 1057	\$ 1087	\$ 1117	\$ 1147	\$ 1177	\$ 1207	\$ 1237	\$ 1267	\$ 1297	\$ 1357
CWW-UHA	\$ 1005	\$ 1025	\$ 1045	\$ 1075	\$ 1105	\$ 1135	\$ 1165	\$ 1195	\$ 1225	\$ 1255	\$ 1285	\$ 1315	\$ 1345	\$ 1405
CWW-UMA	\$ 985	\$ 1005	\$ 1025	\$ 1055	\$ 1085	\$ 1115	\$ 1145	\$ 1175	\$ 1205	\$ 1235	\$ 1265	\$ 1295	\$ 1325	\$ 1385
CSW-UHA	\$ 875	\$ 888	\$ 900	\$ 915	\$ 930	\$ 945	\$ 960	\$ 975	\$ 990	\$ 1005	\$ 1020	\$ 1035	\$ 1050	\$ 1080
CSW-UMA	\$ 910	\$ 930	\$ 950	\$ 980	\$ 1010	\$ 1040	\$ 1070	\$ 1100	\$ 1130	\$ 1160	\$ 1190	\$ 1220	\$ 1250	\$ 1310
CBW-UHA	\$ 895	\$ 915	\$ 935	\$ 965	\$ 995	\$ 1025	\$ 1055	\$ 1085	\$ 1115	\$ 1145	\$ 1175	\$ 1205	\$ 1235	\$ 1295
CBW-UMA	\$ 820	\$ 833	\$ 845	\$ 860	\$ 875	\$ 890	\$ 905	\$ 920	\$ 935	\$ 950	\$ 965	\$ 980	\$ 995	\$ 1025

# Seating

## Fabric Grades 9-22 Pricing

GSA SIN 711-18, 711-19

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>LYRIC UPHOLSTERED STOOL — Page 52-53</b>														
CSS-UHW	\$ 1615	\$ 1635	\$ 1655	\$ 1685	\$ 1715	\$ 1745	\$ 1775	\$ 1805	\$ 1835	\$ 1865	\$ 1895	\$ 1925	\$ 1955	\$ 2015
CSS-UMW	\$ 1595	\$ 1615	\$ 1635	\$ 1665	\$ 1695	\$ 1725	\$ 1755	\$ 1785	\$ 1815	\$ 1845	\$ 1875	\$ 1905	\$ 1935	\$ 1995
CSS-UHH	\$ 1570	\$ 1590	\$ 1610	\$ 1640	\$ 1670	\$ 1700	\$ 1730	\$ 1760	\$ 1790	\$ 1820	\$ 1850	\$ 1880	\$ 1910	\$ 1970
CSS-UMH	\$ 1550	\$ 1570	\$ 1590	\$ 1620	\$ 1650	\$ 1680	\$ 1710	\$ 1740	\$ 1770	\$ 1800	\$ 1830	\$ 1860	\$ 1890	\$ 1950
CSS-UHF	\$ 1577	\$ 1597	\$ 1617	\$ 1647	\$ 1677	\$ 1707	\$ 1737	\$ 1767	\$ 1797	\$ 1827	\$ 1857	\$ 1887	\$ 1917	\$ 1977
CSS-UMF	\$ 1557	\$ 1577	\$ 1597	\$ 1627	\$ 1657	\$ 1687	\$ 1717	\$ 1747	\$ 1777	\$ 1807	\$ 1837	\$ 1867	\$ 1897	\$ 1957
CSS-UHA	\$ 1495	\$ 1515	\$ 1535	\$ 1565	\$ 1595	\$ 1625	\$ 1655	\$ 1685	\$ 1715	\$ 1745	\$ 1775	\$ 1805	\$ 1835	\$ 1895
CSS-UMA	\$ 1475	\$ 1495	\$ 1515	\$ 1545	\$ 1575	\$ 1605	\$ 1635	\$ 1665	\$ 1695	\$ 1725	\$ 1755	\$ 1785	\$ 1815	\$ 1875
<b>LYRIC UPHOLSTERED L &amp; T — Page 54-57</b>														
CLL-ULH	\$ 1466	\$ 1499	\$ 1531	\$ 1570	\$ 1609	\$ 1648	\$ 1687	\$ 1726	\$ 1765	\$ 1804	\$ 1843	\$ 1882	\$ 1921	\$ 1999
CLL-ULF	\$ 1473	\$ 1506	\$ 1538	\$ 1577	\$ 1616	\$ 1655	\$ 1694	\$ 1733	\$ 1772	\$ 1811	\$ 1850	\$ 1889	\$ 1928	\$ 2006
CLL-ULA	\$ 1391	\$ 1424	\$ 1456	\$ 1495	\$ 1534	\$ 1573	\$ 1612	\$ 1651	\$ 1690	\$ 1729	\$ 1768	\$ 1807	\$ 1846	\$ 1924
<b>ACCESS — Pages 64-69</b>														
EBW-MA	\$ 836	\$ 859	\$ 883	\$ 914	\$ 944	\$ 974	\$ 1004	\$ 1034	\$ 1064	\$ 1095	\$ 1125	\$ 1155	\$ 1185	\$ 1215
EBW-MF	\$ 878	\$ 901	\$ 925	\$ 956	\$ 986	\$ 1016	\$ 1046	\$ 1076	\$ 1106	\$ 1137	\$ 1167	\$ 1197	\$ 1227	\$ 1257
EBW-MH	\$ 907	\$ 930	\$ 954	\$ 985	\$ 1015	\$ 1045	\$ 1075	\$ 1105	\$ 1135	\$ 1166	\$ 1196	\$ 1226	\$ 1256	\$ 1286
EBW-MP	\$ 990	\$ 1013	\$ 1037	\$ 1068	\$ 1098	\$ 1128	\$ 1158	\$ 1188	\$ 1218	\$ 1249	\$ 1279	\$ 1309	\$ 1339	\$ 1369
EBW-MW	\$ 955	\$ 978	\$ 1002	\$ 1033	\$ 1063	\$ 1093	\$ 1123	\$ 1153	\$ 1183	\$ 1214	\$ 1244	\$ 1274	\$ 1304	\$ 1334
EBW-UA	\$ 1049	\$ 1089	\$ 1129	\$ 1180	\$ 1231	\$ 1282	\$ 1333	\$ 1384	\$ 1435	\$ 1486	\$ 1537	\$ 1588	\$ 1639	\$ 1690
EBW-UF	\$ 1091	\$ 1131	\$ 1171	\$ 1222	\$ 1273	\$ 1324	\$ 1375	\$ 1426	\$ 1477	\$ 1528	\$ 1579	\$ 1630	\$ 1681	\$ 1732
EBW-UH	\$ 1120	\$ 1160	\$ 1200	\$ 1251	\$ 1302	\$ 1353	\$ 1404	\$ 1455	\$ 1506	\$ 1557	\$ 1608	\$ 1659	\$ 1710	\$ 1761
EBW-UP	\$ 1203	\$ 1243	\$ 1283	\$ 1334	\$ 1385	\$ 1436	\$ 1487	\$ 1538	\$ 1589	\$ 1640	\$ 1691	\$ 1742	\$ 1793	\$ 1844
EBW-UW	\$ 1168	\$ 1208	\$ 1248	\$ 1299	\$ 1350	\$ 1401	\$ 1452	\$ 1503	\$ 1554	\$ 1605	\$ 1656	\$ 1707	\$ 1758	\$ 1809
ESS-MA	\$ 1145	\$ 1168	\$ 1192	\$ 1223	\$ 1253	\$ 1283	\$ 1313	\$ 1343	\$ 1373	\$ 1404	\$ 1434	\$ 1464	\$ 1494	\$ 1524
ESS-MF	\$ 1178	\$ 1201	\$ 1225	\$ 1256	\$ 1286	\$ 1316	\$ 1346	\$ 1376	\$ 1406	\$ 1437	\$ 1467	\$ 1497	\$ 1527	\$ 1557
ESS-MH	\$ 1207	\$ 1230	\$ 1254	\$ 1285	\$ 1315	\$ 1345	\$ 1375	\$ 1405	\$ 1435	\$ 1466	\$ 1496	\$ 1526	\$ 1556	\$ 1586
ESS-MW	\$ 1255	\$ 1278	\$ 1302	\$ 1333	\$ 1363	\$ 1393	\$ 1423	\$ 1453	\$ 1483	\$ 1514	\$ 1544	\$ 1574	\$ 1604	\$ 1634
ESS-UA	\$ 1361	\$ 1401	\$ 1441	\$ 1492	\$ 1543	\$ 1594	\$ 1645	\$ 1696	\$ 1747	\$ 1798	\$ 1849	\$ 1900	\$ 1951	\$ 2002
ESS-UF	\$ 1394	\$ 1434	\$ 1474	\$ 1525	\$ 1576	\$ 1627	\$ 1678	\$ 1729	\$ 1780	\$ 1831	\$ 1882	\$ 1933	\$ 1984	\$ 2035
ESS-UH	\$ 1423	\$ 1463	\$ 1503	\$ 1554	\$ 1605	\$ 1656	\$ 1707	\$ 1758	\$ 1809	\$ 1860	\$ 1911	\$ 1962	\$ 2013	\$ 2064
ESS-UW	\$ 1471	\$ 1511	\$ 1551	\$ 1602	\$ 1653	\$ 1704	\$ 1755	\$ 1806	\$ 1857	\$ 1908	\$ 1959	\$ 2010	\$ 2061	\$ 2112
ESW-MA	\$ 872	\$ 895	\$ 919	\$ 950	\$ 980	\$ 1010	\$ 1040	\$ 1070	\$ 1100	\$ 1131	\$ 1161	\$ 1191	\$ 1221	\$ 1251
ESW-MF	\$ 914	\$ 937	\$ 961	\$ 992	\$ 1022	\$ 1052	\$ 1082	\$ 1112	\$ 1142	\$ 1173	\$ 1203	\$ 1233	\$ 1263	\$ 1293
ESW-MH	\$ 943	\$ 966	\$ 990	\$ 1021	\$ 1051	\$ 1081	\$ 1111	\$ 1141	\$ 1171	\$ 1202	\$ 1232	\$ 1262	\$ 1292	\$ 1322
ESW-MP	\$ 1026	\$ 1049	\$ 1073	\$ 1104	\$ 1134	\$ 1164	\$ 1194	\$ 1224	\$ 1254	\$ 1285	\$ 1315	\$ 1345	\$ 1375	\$ 1405
ESW-MW	\$ 991	\$ 1014	\$ 1038	\$ 1069	\$ 1099	\$ 1129	\$ 1159	\$ 1189	\$ 1219	\$ 1250	\$ 1280	\$ 1310	\$ 1340	\$ 1370
ESW-UA	\$ 1085	\$ 1125	\$ 1165	\$ 1216	\$ 1267	\$ 1318	\$ 1369	\$ 1420	\$ 1471	\$ 1522	\$ 1573	\$ 1624	\$ 1675	\$ 1726
ESW-UF	\$ 1127	\$ 1167	\$ 1207	\$ 1258	\$ 1309	\$ 1360	\$ 1411	\$ 1462	\$ 1513	\$ 1564	\$ 1615	\$ 1666	\$ 1717	\$ 1768
ESW-UH	\$ 1156	\$ 1196	\$ 1236	\$ 1287	\$ 1338	\$ 1389	\$ 1440	\$ 1491	\$ 1542	\$ 1593	\$ 1644	\$ 1695	\$ 1746	\$ 1797
ESW-UP	\$ 1239	\$ 1279	\$ 1319	\$ 1370	\$ 1421	\$ 1472	\$ 1523	\$ 1574	\$ 1625	\$ 1676	\$ 1727	\$ 1778	\$ 1829	\$ 1880
ESW-UW	\$ 1204	\$ 1244	\$ 1284	\$ 1335	\$ 1386	\$ 1437	\$ 1488	\$ 1539	\$ 1590	\$ 1641	\$ 1692	\$ 1743	\$ 1794	\$ 1845
<b>SCOUT — Pages 70-77</b>														
SCU-MA	\$ 892	\$ 931	\$ 969	\$ 1016	\$ 1064	\$ 1111	\$ 1158	\$ 1206	\$ 1253	\$ 1300	\$ 1348	\$ 1395	\$ 1442	\$ 1489
SCU-ML	\$ 1007	\$ 1046	\$ 1084	\$ 1131	\$ 1179	\$ 1226	\$ 1273	\$ 1321	\$ 1368	\$ 1415	\$ 1463	\$ 1510	\$ 1557	\$ 1604
SCU-MW	\$ 1041	\$ 1080	\$ 1118	\$ 1165	\$ 1213	\$ 1260	\$ 1307	\$ 1355	\$ 1402	\$ 1449	\$ 1497	\$ 1544	\$ 1591	\$ 1638
SCU-SMA	\$ 1256	\$ 1298	\$ 1338	\$ 1388	\$ 1437	\$ 1487	\$ 1536	\$ 1586	\$ 1635	\$ 1685	\$ 1734	\$ 1784	\$ 1833	\$ 1883
SCU-SML	\$ 1379	\$ 1421	\$ 1461	\$ 1511	\$ 1560	\$ 1610	\$ 1659	\$ 1709	\$ 1758	\$ 1808	\$ 1857	\$ 1907	\$ 1956	\$ 2006
SCU-SMW	\$ 1414	\$ 1456	\$ 1496	\$ 1546	\$ 1595	\$ 1645	\$ 1694	\$ 1744	\$ 1793	\$ 1843	\$ 1892	\$ 1942	\$ 1991	\$ 2041
SCU-SUA	\$ 1348	\$ 1390	\$ 1430	\$ 1480	\$ 1529	\$ 1579	\$ 1628	\$ 1678	\$ 1727	\$ 1777	\$ 1826	\$ 1876	\$ 1925	\$ 1975
SCU-SUL	\$ 1471	\$ 1513	\$ 1553	\$ 1603	\$ 1652	\$ 1702	\$ 1751	\$ 1801	\$ 1850	\$ 1900	\$ 1949	\$ 1999	\$ 2048	\$ 2098
SCU-SUW	\$ 1506	\$ 1548	\$ 1588	\$ 1638	\$ 1687	\$ 1737	\$ 1786	\$ 1836	\$ 1885	\$ 1935	\$ 1984	\$ 2034	\$ 2083	\$ 2133
SCU-UA	\$ 1117	\$ 1161	\$ 1204	\$ 1257	\$ 1309	\$ 1362	\$ 1415	\$ 1468	\$ 1521	\$ 1573	\$ 1626	\$ 1679	\$ 1732	\$ 1785
SCU-UL	\$ 1232	\$ 1276	\$ 1319	\$ 1372	\$ 1424	\$ 1477	\$ 1530	\$ 1583	\$ 1636	\$ 1688	\$ 1741	\$ 1794	\$ 1847	\$ 1900
SCU-UW	\$ 1266	\$ 1310	\$ 1353	\$ 1406	\$ 1458	\$ 1511	\$ 1564	\$ 1617	\$ 1670	\$ 1722	\$ 1775	\$ 1828	\$ 1881	\$ 1934

# Seating

## Fabric Grades 9-22 Pricing

GSA SIN 711-18, 711-19

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>TROOPER — Pages 78-87</b>														
TR-HAK	\$ 1322	\$ 1365	\$ 1407	\$ 1460	\$ 1512	\$ 1565	\$ 1618	\$ 1671	\$ 1724	\$ 1776	\$ 1829	\$ 1882	\$ 1935	\$ 1988
TR-HAM	\$ 1540	\$ 1583	\$ 1625	\$ 1678	\$ 1730	\$ 1783	\$ 1836	\$ 1889	\$ 1942	\$ 1994	\$ 2047	\$ 2100	\$ 2153	\$ 2206
TR-HOK	\$ 1414	\$ 1457	\$ 1499	\$ 1552	\$ 1604	\$ 1657	\$ 1710	\$ 1763	\$ 1816	\$ 1868	\$ 1921	\$ 1974	\$ 2027	\$ 2080
TR-HOM	\$ 1632	\$ 1675	\$ 1717	\$ 1770	\$ 1822	\$ 1875	\$ 1928	\$ 1981	\$ 2034	\$ 2086	\$ 2139	\$ 2192	\$ 2245	\$ 2298
TR-HWK	\$ 1509	\$ 1552	\$ 1594	\$ 1647	\$ 1699	\$ 1752	\$ 1805	\$ 1858	\$ 1911	\$ 1963	\$ 2016	\$ 2069	\$ 2122	\$ 2175
TR-HWM	\$ 1727	\$ 1770	\$ 1812	\$ 1865	\$ 1917	\$ 1970	\$ 2023	\$ 2076	\$ 2129	\$ 2181	\$ 2234	\$ 2287	\$ 2340	\$ 2393
TR-MAK	\$ 1230	\$ 1273	\$ 1315	\$ 1368	\$ 1420	\$ 1473	\$ 1526	\$ 1579	\$ 1632	\$ 1684	\$ 1737	\$ 1790	\$ 1843	\$ 1896
TR-MAM	\$ 1448	\$ 1491	\$ 1533	\$ 1586	\$ 1638	\$ 1691	\$ 1744	\$ 1797	\$ 1850	\$ 1902	\$ 1955	\$ 2008	\$ 2061	\$ 2114
TR-MOK	\$ 1322	\$ 1365	\$ 1407	\$ 1460	\$ 1512	\$ 1565	\$ 1618	\$ 1671	\$ 1724	\$ 1776	\$ 1829	\$ 1882	\$ 1935	\$ 1988
TR-MOM	\$ 1540	\$ 1583	\$ 1625	\$ 1678	\$ 1730	\$ 1783	\$ 1836	\$ 1889	\$ 1942	\$ 1994	\$ 2047	\$ 2100	\$ 2153	\$ 2206
TR-MWK	\$ 1417	\$ 1460	\$ 1502	\$ 1555	\$ 1607	\$ 1660	\$ 1713	\$ 1766	\$ 1819	\$ 1871	\$ 1924	\$ 1977	\$ 2030	\$ 2083
TR-MWM	\$ 1635	\$ 1678	\$ 1720	\$ 1773	\$ 1825	\$ 1878	\$ 1931	\$ 1984	\$ 2037	\$ 2089	\$ 2142	\$ 2195	\$ 2248	\$ 2301
TR-SMAP	\$ 1404	\$ 1447	\$ 1489	\$ 1542	\$ 1594	\$ 1647	\$ 1700	\$ 1753	\$ 1806	\$ 1858	\$ 1911	\$ 1964	\$ 2017	\$ 2070
TR-SMWP	\$ 1591	\$ 1634	\$ 1676	\$ 1729	\$ 1781	\$ 1834	\$ 1887	\$ 1940	\$ 1993	\$ 2045	\$ 2098	\$ 2151	\$ 2204	\$ 2257
<b>TROOPER LT — Pages 78-87</b>														
TR-SPR	\$ 3356	\$ 3503	\$ 3619	\$ 3760	\$ 3900	\$ 4041	\$ 4182	\$ 4323	\$ 4464	\$ 4604	\$ 4745	\$ 4886	\$ 5027	\$ 5168
TR-SRA	\$ 3165	\$ 3312	\$ 3428	\$ 3569	\$ 3709	\$ 3850	\$ 3991	\$ 4132	\$ 4273	\$ 4413	\$ 4554	\$ 4695	\$ 4836	\$ 4977
<b>QUIP — Pages 88-91</b>														
ST	\$ 759	\$ 759	\$ 787	\$ 829	\$ 871	\$ 913	\$ 955	\$ 997	\$ 1039	\$ 1081	\$ 1123	\$ 1165	\$ 1207	\$ 1291
STS	\$ 789	\$ 789	\$ 817	\$ 859	\$ 901	\$ 943	\$ 985	\$ 1027	\$ 1069	\$ 1111	\$ 1153	\$ 1195	\$ 1237	\$ 1321
<b>SUM — Pages 92-99</b>														
SUM-HA	\$ 1701	\$ 1735	\$ 1768	\$ 1830	\$ 1892	\$ 1953	\$ 2015	\$ 2076	\$ 2138	\$ 2200	\$ 2261	\$ 2323	\$ 2384	\$ 2446
SUM-HAA	\$ 1996	\$ 2030	\$ 2063	\$ 2125	\$ 2187	\$ 2248	\$ 2310	\$ 2371	\$ 2433	\$ 2495	\$ 2556	\$ 2618	\$ 2679	\$ 2741
SUM-HO	\$ 1784	\$ 1818	\$ 1851	\$ 1913	\$ 1975	\$ 2036	\$ 2098	\$ 2159	\$ 2221	\$ 2283	\$ 2344	\$ 2406	\$ 2467	\$ 2529
SUM-HOA	\$ 2079	\$ 2113	\$ 2146	\$ 2208	\$ 2270	\$ 2331	\$ 2393	\$ 2454	\$ 2516	\$ 2578	\$ 2639	\$ 2701	\$ 2762	\$ 2824
SUM-HW	\$ 1868	\$ 1902	\$ 1935	\$ 1997	\$ 2059	\$ 2120	\$ 2182	\$ 2243	\$ 2305	\$ 2367	\$ 2428	\$ 2490	\$ 2551	\$ 2613
SUM-HWA	\$ 2163	\$ 2197	\$ 2230	\$ 2292	\$ 2354	\$ 2415	\$ 2477	\$ 2538	\$ 2600	\$ 2662	\$ 2723	\$ 2785	\$ 2846	\$ 2908
SUM-MA	\$ 1659	\$ 1693	\$ 1726	\$ 1788	\$ 1850	\$ 1911	\$ 1973	\$ 2034	\$ 2096	\$ 2158	\$ 2219	\$ 2281	\$ 2342	\$ 2404
SUM-MAA	\$ 1954	\$ 1988	\$ 2021	\$ 2083	\$ 2145	\$ 2206	\$ 2268	\$ 2329	\$ 2391	\$ 2453	\$ 2514	\$ 2576	\$ 2637	\$ 2699
SUM-MO	\$ 1742	\$ 1776	\$ 1809	\$ 1871	\$ 1933	\$ 1994	\$ 2056	\$ 2117	\$ 2179	\$ 2241	\$ 2302	\$ 2364	\$ 2425	\$ 2487
SUM-MOA	\$ 2037	\$ 2071	\$ 2104	\$ 2166	\$ 2228	\$ 2289	\$ 2351	\$ 2412	\$ 2474	\$ 2536	\$ 2597	\$ 2659	\$ 2720	\$ 2782
SUM-MW	\$ 1826	\$ 1860	\$ 1893	\$ 1955	\$ 2017	\$ 2078	\$ 2140	\$ 2201	\$ 2263	\$ 2325	\$ 2386	\$ 2448	\$ 2509	\$ 2571
SUM-MWA	\$ 2121	\$ 2155	\$ 2188	\$ 2250	\$ 2312	\$ 2373	\$ 2435	\$ 2496	\$ 2558	\$ 2620	\$ 2681	\$ 2743	\$ 2804	\$ 2866
SUM-SHA	\$ 2174	\$ 2208	\$ 2241	\$ 2303	\$ 2365	\$ 2426	\$ 2488	\$ 2549	\$ 2611	\$ 2673	\$ 2734	\$ 2796	\$ 2857	\$ 2919
SUM-SHO	\$ 2257	\$ 2291	\$ 2324	\$ 2386	\$ 2448	\$ 2509	\$ 2571	\$ 2632	\$ 2694	\$ 2756	\$ 2817	\$ 2879	\$ 2940	\$ 3002
SUM-SHW	\$ 2341	\$ 2375	\$ 2408	\$ 2470	\$ 2532	\$ 2593	\$ 2655	\$ 2716	\$ 2778	\$ 2840	\$ 2901	\$ 2963	\$ 3024	\$ 3086
SUM-SMA	\$ 2132	\$ 2166	\$ 2199	\$ 2261	\$ 2323	\$ 2384	\$ 2446	\$ 2507	\$ 2569	\$ 2631	\$ 2692	\$ 2754	\$ 2815	\$ 2877
SUM-SMO	\$ 2215	\$ 2249	\$ 2282	\$ 2344	\$ 2406	\$ 2467	\$ 2529	\$ 2590	\$ 2652	\$ 2714	\$ 2775	\$ 2837	\$ 2898	\$ 2960
SUM-SMW	\$ 2299	\$ 2333	\$ 2366	\$ 2428	\$ 2490	\$ 2551	\$ 2613	\$ 2674	\$ 2736	\$ 2798	\$ 2859	\$ 2921	\$ 2982	\$ 3044
<b>SEEK — Pages 104-107</b>														
K-MUCA	\$ 864	\$ 883	\$ 902	\$ 927	\$ 951	\$ 976	\$ 1000	\$ 1025	\$ 1050	\$ 1074	\$ 1099	\$ 1123	\$ 1148	\$ 1173
K-MUCO	\$ 897	\$ 916	\$ 935	\$ 960	\$ 984	\$ 1009	\$ 1033	\$ 1058	\$ 1083	\$ 1107	\$ 1132	\$ 1156	\$ 1181	\$ 1206
K-MUGA	\$ 864	\$ 883	\$ 902	\$ 927	\$ 951	\$ 976	\$ 1000	\$ 1025	\$ 1050	\$ 1074	\$ 1099	\$ 1123	\$ 1148	\$ 1173
K-MUGO	\$ 897	\$ 916	\$ 935	\$ 960	\$ 984	\$ 1009	\$ 1033	\$ 1058	\$ 1083	\$ 1107	\$ 1132	\$ 1156	\$ 1181	\$ 1206
K-PUCA	\$ 738	\$ 757	\$ 776	\$ 801	\$ 825	\$ 850	\$ 874	\$ 899	\$ 924	\$ 948	\$ 973	\$ 997	\$ 1022	\$ 1047
K-PUCO	\$ 771	\$ 790	\$ 809	\$ 834	\$ 858	\$ 883	\$ 907	\$ 932	\$ 957	\$ 981	\$ 1006	\$ 1030	\$ 1055	\$ 1080
K-PUGA	\$ 738	\$ 757	\$ 776	\$ 801	\$ 825	\$ 850	\$ 874	\$ 899	\$ 924	\$ 948	\$ 973	\$ 997	\$ 1022	\$ 1047
K-PUGO	\$ 771	\$ 790	\$ 809	\$ 834	\$ 858	\$ 883	\$ 907	\$ 932	\$ 957	\$ 981	\$ 1006	\$ 1030	\$ 1055	\$ 1080

# Seating

## Fabric Grades 9-22 Pricing


GSA SIN 711-18, 711-19

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>INSPIRE</b> — Pages 108-127														
INFS-SGA	\$ 1008	\$ 1030	\$ 1052	\$ 1078	\$ 1105	\$ 1131	\$ 1158	\$ 1184	\$ 1211	\$ 1237	\$ 1264	\$ 1290	\$ 1317	\$ 1343
INFS-SGO	\$ 1090	\$ 1112	\$ 1134	\$ 1160	\$ 1187	\$ 1213	\$ 1240	\$ 1266	\$ 1293	\$ 1319	\$ 1346	\$ 1372	\$ 1399	\$ 1425
INFS-UGA	\$ 1231	\$ 1270	\$ 1309	\$ 1355	\$ 1401	\$ 1446	\$ 1492	\$ 1538	\$ 1584	\$ 1630	\$ 1676	\$ 1722	\$ 1768	\$ 1814
INFS-UGO	\$ 1313	\$ 1352	\$ 1391	\$ 1437	\$ 1483	\$ 1528	\$ 1574	\$ 1620	\$ 1666	\$ 1712	\$ 1758	\$ 1804	\$ 1850	\$ 1896
INSL-SA	\$ 684	\$ 706	\$ 728	\$ 754	\$ 781	\$ 807	\$ 834	\$ 860	\$ 887	\$ 913	\$ 940	\$ 966	\$ 993	\$ 1019
INSL-SO	\$ 765	\$ 787	\$ 809	\$ 835	\$ 862	\$ 888	\$ 915	\$ 941	\$ 968	\$ 994	\$ 1021	\$ 1047	\$ 1074	\$ 1100
INSL-UA	\$ 907	\$ 946	\$ 985	\$ 1031	\$ 1077	\$ 1122	\$ 1168	\$ 1214	\$ 1260	\$ 1306	\$ 1352	\$ 1398	\$ 1444	\$ 1490
INSL-UO	\$ 988	\$ 1027	\$ 1066	\$ 1112	\$ 1158	\$ 1203	\$ 1249	\$ 1295	\$ 1341	\$ 1387	\$ 1433	\$ 1479	\$ 1525	\$ 1571
INSLT-SAFLS	\$ 952	\$ 974	\$ 996	\$ 1022	\$ 1049	\$ 1075	\$ 1102	\$ 1128	\$ 1155	\$ 1181	\$ 1208	\$ 1234	\$ 1261	\$ 1287
INSLT-SAFRS	\$ 952	\$ 974	\$ 996	\$ 1022	\$ 1049	\$ 1075	\$ 1102	\$ 1128	\$ 1155	\$ 1181	\$ 1208	\$ 1234	\$ 1261	\$ 1287
INSLT-UAFLS	\$ 1179	\$ 1219	\$ 1258	\$ 1305	\$ 1352	\$ 1399	\$ 1446	\$ 1493	\$ 1539	\$ 1586	\$ 1633	\$ 1680	\$ 1727	\$ 1774
INSLT-UAFRS	\$ 1179	\$ 1219	\$ 1258	\$ 1305	\$ 1352	\$ 1399	\$ 1446	\$ 1493	\$ 1539	\$ 1586	\$ 1633	\$ 1680	\$ 1727	\$ 1774
INST-SCA	\$ 709	\$ 731	\$ 753	\$ 779	\$ 806	\$ 832	\$ 859	\$ 885	\$ 912	\$ 938	\$ 965	\$ 991	\$ 1018	\$ 1044
INST-SGA	\$ 684	\$ 706	\$ 728	\$ 754	\$ 781	\$ 807	\$ 834	\$ 860	\$ 887	\$ 913	\$ 940	\$ 966	\$ 993	\$ 1019
INST-SCO	\$ 791	\$ 813	\$ 835	\$ 861	\$ 888	\$ 914	\$ 941	\$ 967	\$ 994	\$ 1020	\$ 1047	\$ 1073	\$ 1100	\$ 1126
INST-SGO	\$ 766	\$ 788	\$ 810	\$ 836	\$ 863	\$ 889	\$ 916	\$ 942	\$ 969	\$ 995	\$ 1022	\$ 1048	\$ 1075	\$ 1101
INST-UCA	\$ 932	\$ 971	\$ 1010	\$ 1056	\$ 1102	\$ 1147	\$ 1193	\$ 1239	\$ 1285	\$ 1331	\$ 1377	\$ 1423	\$ 1469	\$ 1515
INST-UGA	\$ 907	\$ 946	\$ 985	\$ 1031	\$ 1077	\$ 1122	\$ 1168	\$ 1214	\$ 1260	\$ 1306	\$ 1352	\$ 1398	\$ 1444	\$ 1490
INST-UCO	\$ 1014	\$ 1053	\$ 1092	\$ 1138	\$ 1184	\$ 1229	\$ 1275	\$ 1321	\$ 1367	\$ 1413	\$ 1459	\$ 1505	\$ 1551	\$ 1597
INST-UGO	\$ 989	\$ 1028	\$ 1067	\$ 1113	\$ 1159	\$ 1204	\$ 1250	\$ 1296	\$ 1342	\$ 1388	\$ 1434	\$ 1480	\$ 1526	\$ 1572
INSTT-SCAFLS	\$ 966	\$ 988	\$ 1010	\$ 1036	\$ 1063	\$ 1089	\$ 1116	\$ 1142	\$ 1169	\$ 1195	\$ 1222	\$ 1248	\$ 1275	\$ 1301
INSTT-SCAFRS	\$ 966	\$ 988	\$ 1010	\$ 1036	\$ 1063	\$ 1089	\$ 1116	\$ 1142	\$ 1169	\$ 1195	\$ 1222	\$ 1248	\$ 1275	\$ 1301
INSTT-SGAFLS	\$ 941	\$ 963	\$ 985	\$ 1011	\$ 1038	\$ 1064	\$ 1091	\$ 1117	\$ 1144	\$ 1170	\$ 1197	\$ 1223	\$ 1250	\$ 1276
INSTT-SGAFRS	\$ 941	\$ 963	\$ 985	\$ 1011	\$ 1038	\$ 1064	\$ 1091	\$ 1117	\$ 1144	\$ 1170	\$ 1197	\$ 1223	\$ 1250	\$ 1276
INSTT-UCAFLS	\$ 1204	\$ 1244	\$ 1283	\$ 1330	\$ 1377	\$ 1424	\$ 1471	\$ 1518	\$ 1564	\$ 1611	\$ 1658	\$ 1705	\$ 1752	\$ 1799
INSTT-UCAFRS	\$ 1204	\$ 1244	\$ 1283	\$ 1330	\$ 1377	\$ 1424	\$ 1471	\$ 1518	\$ 1564	\$ 1611	\$ 1658	\$ 1705	\$ 1752	\$ 1799
INSTT-UGAFLS	\$ 1179	\$ 1219	\$ 1258	\$ 1305	\$ 1352	\$ 1399	\$ 1446	\$ 1493	\$ 1539	\$ 1586	\$ 1633	\$ 1680	\$ 1727	\$ 1774
INSTT-UGAFRS	\$ 1179	\$ 1219	\$ 1258	\$ 1305	\$ 1352	\$ 1399	\$ 1446	\$ 1493	\$ 1539	\$ 1586	\$ 1633	\$ 1680	\$ 1727	\$ 1774
INTK-SA	\$ 851	\$ 873	\$ 895	\$ 921	\$ 948	\$ 974	\$ 1001	\$ 1027	\$ 1054	\$ 1080	\$ 1107	\$ 1133	\$ 1160	\$ 1186
INTK-SO	\$ 933	\$ 955	\$ 977	\$ 1003	\$ 1030	\$ 1056	\$ 1083	\$ 1109	\$ 1136	\$ 1162	\$ 1189	\$ 1215	\$ 1242	\$ 1268
INTK-UA	\$ 1074	\$ 1113	\$ 1152	\$ 1198	\$ 1244	\$ 1289	\$ 1335	\$ 1381	\$ 1427	\$ 1473	\$ 1519	\$ 1565	\$ 1611	\$ 1657
INTK-UO	\$ 1156	\$ 1195	\$ 1234	\$ 1280	\$ 1326	\$ 1371	\$ 1417	\$ 1463	\$ 1509	\$ 1555	\$ 1601	\$ 1647	\$ 1693	\$ 1739
INWS-SA	\$ 1008	\$ 1030	\$ 1052	\$ 1078	\$ 1105	\$ 1131	\$ 1158	\$ 1184	\$ 1211	\$ 1237	\$ 1264	\$ 1290	\$ 1317	\$ 1343
INWS-SO	\$ 1090	\$ 1112	\$ 1134	\$ 1160	\$ 1187	\$ 1213	\$ 1240	\$ 1266	\$ 1293	\$ 1319	\$ 1346	\$ 1372	\$ 1399	\$ 1425
INWS-UA	\$ 1231	\$ 1270	\$ 1309	\$ 1355	\$ 1401	\$ 1446	\$ 1492	\$ 1538	\$ 1584	\$ 1630	\$ 1676	\$ 1722	\$ 1768	\$ 1814
INWS-UO	\$ 1313	\$ 1352	\$ 1391	\$ 1437	\$ 1483	\$ 1528	\$ 1574	\$ 1620	\$ 1666	\$ 1712	\$ 1758	\$ 1804	\$ 1850	\$ 1896
<b>TOLLESON SIDE</b> — Pages 128-131														
T-KLAP	\$ 758	\$ 791	\$ 826	\$ 871	\$ 916	\$ 961	\$ 1006	\$ 1051	\$ 1097	\$ 1142	\$ 1187	\$ 1232	\$ 1277	\$ 1322
T-KLOP	\$ 813	\$ 846	\$ 881	\$ 926	\$ 971	\$ 1016	\$ 1061	\$ 1106	\$ 1152	\$ 1197	\$ 1242	\$ 1287	\$ 1332	\$ 1377
T-SLAP	\$ 758	\$ 791	\$ 826	\$ 871	\$ 916	\$ 961	\$ 1006	\$ 1051	\$ 1097	\$ 1142	\$ 1187	\$ 1232	\$ 1277	\$ 1322
T-SLOP	\$ 813	\$ 846	\$ 881	\$ 926	\$ 971	\$ 1016	\$ 1061	\$ 1106	\$ 1152	\$ 1197	\$ 1242	\$ 1287	\$ 1332	\$ 1377


Gather is Allsteel's answer for teaming spaces, areas outside of the primary workstation where workers can go to collaborate and be productive.

## Gather™ Seating


**Rise™** pages 144-147




**Mind-Share®** pages 148-153




**Linger™** pages 154-155




**Parallel™** pages 156-161




**Scooch™** pages 162-163



**Take-5™** pages 164-167




**Vicinity™ Seating** pages 168-171




## Gather Space Division


**Clubhouse™** pages 172-183



**Reflect™** pages 184-185




**Hedge™** pages 186-189




## Gather Conferencing

**Sketch™** pages 190-191




**View™** pages 192-197



Credenza

Media Credenza


**Involve® for additional soft seating** — see Storage Price List pages 128-129




---

## Gather Tables


All-Around™ pages 198-214




Harvest™ Original pages 216-222




Harvest Rustic and Metal pages 224-227



Community pages 232-237




Vicinity™ pages 238-239




---

## Gather Occasional Tables

Transfer™ pages 240-241




Belong® pages 242-243



Take collaboration to a new level.

Rise transforms any space into a meeting space. It is tiered and modular upholstered seating that allows a number of people to gather without taking over an entire room.



**Single-sided application:**  
3-tier, 2-tier, 3-tier, 2-tier

**MODELS AND OPTIONS**

Rise is available in two-tier and three-tier models that can be combined into a variety of configurations. Rise is available as non-powered or power-ready. Rise is not intended for use as stairs.

**APPLICATION**


Use Rise back-to-back or side-by-side against a wall in atriums, open plan areas, brainstorming/huddle rooms, conference room, cafés, waiting areas, or lounges.

**KEY FEATURES**

Rise is constructed of fabric covered foam with upholstery-grade FSC plywood core, box joint, and corner block construction.


Rise has glides that are adjustable up to 2".

Ganging brackets with screws are included for connecting multiple units. Two brackets are required to connect two Rise units together.




**Double-sided application:**  
2-tier, 3-tier, 2-tier, 3-tier

**DIMENSIONS**



**RISE 2-TIER**

**2-Tier** — 34"H x 36"W x 40"D  
**2-Tier Corner\*** — 34"H x 40"W x 40"D  
 Tiers 1 and 2 — 17"H x 20"D




**RISE 3-TIER**

**3-Tier** — 34"H x 36"W x 40"D  
 Tier 1 — 9½"H x 12"D  
 Tier 2 — 16"H x 18"D  
 Tier 3 — 8½"H x 10"D

**\*NOTE:** Dimension of unit may not fit through standard door, check installation site prior to ordering.

**MATERIALS**

The outside cover on Rise is fully upholstered. Rise can be specified in a solid color or two-tone.



- Due to the dimension of the seat Rise fabric will be pattern cut.
- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 351-353. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete model to supply a certificate of compliance with CTB133.

Rise is warranted up to 300 lbs per unit.

**OPTIONS — RISE**

Description:

- 2-Tier or 2-Tier Power-Ready
- 2-Tier Inside Corner
- 3-Tier or 3-Tier Power-Ready

FSC Certified Wood:


- FSC** FSC Certified Wood

See pages 351-353 for upholstery selections.  
 See inside back cover for colors and codes.



**CORNER MODELS**

Corner Rise models are available in two-tier models and are 40"W x 40"D. Units can be specified in a solid color or two-tone.



**Corner Application:**  
2-Tier, 2-Tier Inside Corner, 2-Tier

**POWER-READY MODELS**


Power-ready Rise models have a cut-out on the front right side of the lower tier (see below) that will accept a Rise Power Port (ordered separately). The opening is 6 5/8"W x 3/4"H and is located 2 3/4" in from the right side 1 5/8" off of the floor.

Rise Power Ports are UL listed and constructed out of anodized aluminum with a painted, steel faceplate and three water-proof outlets. Three power options with 72" of cord are available:

- Corded — plugs a single unit into standard outlet
- Hardwire — connects a single unit to power source by a licensed electrician
- 4-Wire used for powering multiple units — requires 4-Wire In-feed Kit. 4-wire Jumper Kit(s) may also be required when powering multiple units from the same in-feed. See examples.

It's the customer's responsibility to ensure that installation and use of the electrical system, the number of receptacles used on a given circuit, and connections to the building power supply meets all local and national electrical codes.

**Front view of 3-Tier Rise Unit**




**STEPS FOR ORDERING RISE 4-WIRE POWER KITS:**

1. Determine the number and location of Powered Rise units in configuration. A maximum of eight Powered Rise units can be connected on one Infeed.
  2. Order one 4-Wire Power Port for each Powered Rise unit.
  3. Order one Infeed Kit. Each Infeed Kit includes H-Connector which can power either:
    - Three Rise units.
    - Two Rise units and one Jumper.
    - One Rise unit and two Jumpers.
    - Three Jumpers.
  4. Determine if Jumper with H-Connector Kits are needed for connecting multiple Powered Rise units.
    - A Jumper Kit is required if the distance between the H-Connector on the end of Infeed or Jumper is greater than 72" to the Power Port cut-out in Rise unit.
    - Jumper Kits are available in 36", 72", 108" and 144" lengths.
    - Infeeds and Jumpers can't plug directly into Power Port.
- See examples below.


**Example 1 — Single-sided Application (Top View)**

- 5 – 4-Wire Power Ports
- 1 – Infeed Kit
- 1 – 108" Jumper Kit




**Example 2 — Double-sided Application (Top View)**

- 5 – 4-Wire Power Ports
- 1 – Infeed Kit
- 1 – 72" Jumper Kit



(See page 246 for COM pricing on Grades 9-22)

GATHER SEATING



Description	Model Number	List Price							
		1	2	3	4	5	6	7	8
<b>2-Tier Rise</b>									
Non-Powered	S922S2	\$ 2035	\$ 2121	\$ 2209	\$ 2331	\$ 2459	\$ 2592	\$ 2731	\$ 2878
Power-Ready	S922S2P	\$ 2094	\$ 2180	\$ 2268	\$ 2390	\$ 2518	\$ 2651	\$ 2790	\$ 2937
<b>2-Tier Rise Non-Powered Corner</b>									
Inside Corner	S922S2IC	\$ 2779	\$ 2882	\$ 2986	\$ 3130	\$ 3280	\$ 3438	\$ 3602	\$ 3774
Outside Corner	S922S2OC	\$ 2779	\$ 2882	\$ 2986	\$ 3130	\$ 3280	\$ 3438	\$ 3602	\$ 3774
<b>3-Tier Rise</b>									
Non-Powered	S922S3	\$ 2262	\$ 2348	\$ 2436	\$ 2558	\$ 2686	\$ 2819	\$ 2958	\$ 3105
Power-Ready	S922S3P	\$ 2320	\$ 2406	\$ 2494	\$ 2616	\$ 2744	\$ 2877	\$ 3016	\$ 3163

Description	Model Number	Base List Price	Upcharge List Price — Add to Base Price								
			1	2	3	4	5	6	7	8	
<b>Two-tone 2-Tier Rise</b>											
Non-Powered	S922S2T	\$ 2206	Seat Upholstery	\$ 0	\$ 52	\$ 104	\$ 177	\$ 255	\$ 332	\$ 418	\$ 503
Power-Ready	S922S2TP	\$ 2262	Side Upholstery	\$ 0	\$ 36	\$ 70	\$ 118	\$ 169	\$ 223	\$ 278	\$ 335
<b>Two-tone 2-Tier Rise Non-Powered Corner</b>											
Inside Corner	S922S2TIC	\$ 2939	Seat Upholstery	\$ 0	\$ 67	\$ 133	\$ 228	\$ 326	\$ 429	\$ 534	\$ 647
			Side Upholstery	\$ 0	\$ 37	\$ 72	\$ 122	\$ 174	\$ 230	\$ 288	\$ 348
Outside Corner	S922S2TOC	\$ 2939	Seat Upholstery	\$ 0	\$ 67	\$ 133	\$ 228	\$ 326	\$ 429	\$ 534	\$ 647
			Side Upholstery	\$ 0	\$ 37	\$ 72	\$ 122	\$ 174	\$ 233	\$ 288	\$ 348
<b>Two-tone 3-Tier Rise</b>											
Non-Powered	S922S3T	\$ 2432	Seat Upholstery	\$ 0	\$ 52	\$ 104	\$ 177	\$ 255	\$ 332	\$ 418	\$ 503
Power-Ready	S922S3TP	\$ 2489	Side Upholstery	\$ 0	\$ 36	\$ 70	\$ 118	\$ 169	\$ 223	\$ 278	\$ 335

<b>Two-tone Pricing Example:</b>	Model/Options	Base Price/Upcharges
Step 1: Select Model	S922S2T	\$ 2206
Step 2: Select Seat Upholstery	Grade 5 Wooly Charcoal	\$ 255 upcharge
Step 3: Select Side Upholstery	Grade 1 Diode	\$ 0 upcharge
Add Base + applicable Upcharges for Total List Price =		\$ 2461

Description	Model Number	Ship Weight	Cubes	List Price		
				P1 Core	P2 Select	P3 Accent
<b>Rise Accessories</b>						
Rise Tray 10"D x 15 1/4"W	S922T	5.0	0.6	\$ 85	\$ 97	\$ 120

Shippable by small-package carrier.

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$310 extra)</p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood</p>	<p><b>1st Option:</b> Tray Paint Color (if applicable): C S A See inside front cover for finishes.</p>	<p><b>2nd Option:</b> Select the Upholstery (if applicable): See pages 351-353 for selections.</p>	<p><b>3rd Option:</b> Select the Side Upholstery for Two-tone models (if applicable): See pages 351-353 for selections.</p>
S   9   2   2                     .   F   S   C   .   P				

Examples: S922S2.FSC.WOL003 S922S3.FSC.TSC97  
S922S2TP.FSC.WOL004.WSP17 S922T.PR5

RISE DIMENSIONS

GSA SIN 711-16

Model Number	Overall			Tier 1			Tier 2			Tier 3			Ship Weight	Cubes	
	COM Yardage	Height	Width	Depth	Height	Width	Depth	Height	Width	Depth	Height	Width			Depth
S922S2	5.5	34"	36"	40"	17"	36"	20"	17"	36"	20"	—	—	—	90	37.5
S922S2P	5.5	34"	36"	40"	17"	36"	20"	17"	36"	20"	—	—	—	90	37.5
S922S2IC	6.5	34"	40"	40"	17"	40"	20"	17"	40"	20"	—	—	—	99	37.5
S922S2OC	6.25*	34"	40"	40"	17"	40"	40"	17"	20"	20"	—	—	—	90	37.5
S922S3	4.75	34"	36"	40"	9½"	36"	12"	16"	36"	18"	8½"	36"	10"	90	37.5
S922S3P	4.75	34"	36"	40"	9½"	36"	12"	16"	36"	18"	8½"	36"	10"	90	37.5
<b>2-Tier</b>															
S922S2T	5.5	34"	36"	40"	17"	36"	20"	17"	36"	20"	—	—	—	90	37.5
S922S2TP	5.5	34"	36"	40"	17"	36"	20"	17"	36"	20"	—	—	—	90	37.5
Seat Side	3.25														
S922S2TIC	6.5*	34"	40"	40"	17"	40"	20"	17"	40"	20"	—	—	—	99	37.5
S922S2TOC	6.25*	34"	40"	40"	17"	40"	40"	17"	20"	20"	—	—	—	90	37.5
<b>3-Tier</b>															
Seat Side	3.25														
S922S3T	5.25	34"	36"	40"	9½"	36"	12"	16"	36"	18"	8½"	36"	10"	90	37.5
S922S3TP	5.25	34"	36"	40"	9½"	36"	12"	16"	36"	18"	8½"	36"	10"	90	37.5

\*Two-Tone Inside Corner — Seat 4.25 yds. + Side 2.25 yds. = 6.5 yards. Outside Corner — Seat 4.0 yds. + Side 2.25 yds. = 6.25 yards.

RISE ELECTRICAL COMPONENTS

Description	Model Number	PVC Free Model	Ship Weight	Cubes	List Price	PVC Free List Price		
<b>Rise Electrical</b>								
Power Port — Corded 72" (shown)	S922PC	S	N/A	5.0	0.4	\$ 255		
Power Port — Hardwire 72"	S922PH	S	N/A	5.0	0.4	\$ 284		
Power Port — 4-Wire 72"	S922P4T	S	N/A	5.0	0.4	\$ 294		
<b>Electrical, 4-Wire In-Feed Kits (black only)</b>								
72" Sealtight Cable with H-Connector	S922P4S72K	S	N/A	2.1	0.7	\$ 192		
144" Sealtight Cable with H-Connector	S922P4S144K	S	N/A	3.7	0.7	\$ 282		
72" Flexible Conduit with H-Connector	N/A	S	S922P472KC	2.1	0.7	N/A		
144" Flexible Conduit with H-Connector	N/A	S	S922P4144KC	3.7	0.7	N/A		
<b>Electrical, 4-Wire Jumper Kits</b>								
36" Jumper with H-Connector	S922P436JK	S	S922P436JKC	S	1.3	0.4	\$ 106	\$ 116
72" Jumper with H-Connector	S922P472JK	S	S922P472JKC	S	2.0	0.7	\$ 166	\$ 182
108" Jumper with H-Connector	S922P4108JK	S	S922P4108JKC	S	2.8	0.9	\$ 216	\$ 237
144" Jumper with H-Connector	S922P4144JK	S	S922P4144JKC	S	3.6	0.9	\$ 253	\$ 282
<b>Hardwire, 4-wire In-feed (New York Code)</b>								
4-Wire In-feed with H-Connector	S922P4NYK	S	N/A	4.5	0.4	\$ 282	N/A	

**S** Shippable by small-package carrier.

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Power Port Color**  
(if applicable):  
BLK Black  
WHT White

Examples: S922PC.WHT S922P4S72K.BLK S922P436JK

*A bench. A screen. A micro-environment.*

*Mind-Share is high-back, modular, upholstered, banquette-style seating. It can be used to create one, two, and three sided micro-environments. The bench can also be specified without the back for versatile seating in open spaces.*

**MODELS AND OPTIONS**

Mind-Share is available in four different options: Bench, Bench with Bolster, Bench with equal width Screen, and Bench with extended width Screen. On units with extended screen, the bench can be installed either right or left handed.


**APPLICATION**

Use Mind-Share as booths, micro-environments or bench seating in café areas, lobbies, open plan, atrium spaces, or reception areas.


**KEY FEATURES**

Mind-Share is constructed of fabric covered foam with upholstery-grade FSC plywood core, box joint, and corner block construction.


Each bench has glides that can be adjusted up to ¾".




**Mind-Share Bench  
S925B60**



**Mind-Share Bolster Bench  
S925B60BOL**




**Mind-Share micro-environment includes  
1 – 60"W Bench with 80"W Screen  
1 – 60"W Bench**



**Mind-Share Bench with Screen  
S925B60F60**

**MATERIALS AND FINISHES**

All fabric on Mind-Share is Railroad cut.



- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 of the Seating and Tables Price List for COM ordering instructions.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 351-353. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete model to supply a certificate of compliance with CTB133.

Mind-Share is warranted for users up to 300 lbs.

**OPTIONS — MIND-SHARE**

Description:

- Bench
- Bench with Bolster
- Bench with Screen

Base/Foot Paint:

**PR6** Silver

FSC Certified Wood:

**FSC** FSC Certified Wood

Bench Upholstery:

See pages 351-353 for upholstery selections.  
See inside back cover for colors and codes.




Bolster Upholstery:




See pages 351-353 for upholstery selections.  
See inside back cover for colors and codes.

Screen Upholstery:

See pages 351-353 for upholstery selections.  
See inside back cover for colors and codes.

(See page 246 for COM pricing on Grades 9-22)

Description	Model Number	List Price							
		1	2	3	4	5	6	7	8
52"W Bench Seat 	S925B52 FC Upcharge \$160	\$ 1577	\$ 1622	\$ 1666	\$ 1730	\$ 1796	\$ 1863	\$ 1934	\$ 2007
60"W Bench Seat 	S925B60 FC Upcharge \$189	\$ 1689	\$ 1741	\$ 1794	\$ 1868	\$ 1944	\$ 2024	\$ 2106	\$ 2192
72"W Bench Seat 	S925B72 FC Upcharge \$241	\$ 2027	\$ 2095	\$ 2162	\$ 2256	\$ 2354	\$ 2457	\$ 2564	\$ 2674

Description	Model Number	Base List Price	Upcharge							
			1	2	3	4	5	6	7	8
52"W Bolster Bench 	S925B52BOL	\$ 2815	—	—	—	—	—	—	—	—
	Seat Upholstery — add to base price		\$ 0	\$ 46	\$ 90	\$ 154	\$ 221	\$ 288	\$ 360	\$ 434
	Bolster Upholstery — add to base price		\$ 0	\$ 32	\$ 60	\$ 103	\$ 145	\$ 191	\$ 239	\$ 288
	FC Upcharge \$270									
60"W Bolster Bench 	S925B60BOL	\$ 3209	—	—	—	—	—	—	—	—
	Seat Upholstery — add to base price		\$ 0	\$ 53	\$ 106	\$ 180	\$ 257	\$ 338	\$ 421	\$ 507
	Bolster Upholstery — add to base price		\$ 0	\$ 39	\$ 76	\$ 128	\$ 183	\$ 240	\$ 299	\$ 362
	FC Upcharge \$320									
72"W Bolster Bench 	S925B72BOL	\$ 3829	—	—	—	—	—	—	—	—
	Seat Upholstery — add to base price		\$ 0	\$ 69	\$ 136	\$ 231	\$ 330	\$ 434	\$ 542	\$ 653
	Bolster Upholstery — add to base price		\$ 0	\$ 46	\$ 90	\$ 154	\$ 221	\$ 288	\$ 360	\$ 434
	FC Upcharge \$402									

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (See FC upcharge above)</p>	<p><b>1st Option:</b> Select the Base/Foot Paint Color: PR6 Silver</p>	<p><b>2nd Option:</b> FSC Certified Wood: FSC Select for FSC Certified Wood</p>	<p><b>3rd Option:</b> Select the Bench Upholstery: See pages 351-353 for selections. <b>NOTE:</b> Upholstery will be railroad cut.</p>	<p><b>4th Option:</b> Select the Bolster Upholstery (if applicable): See pages 351-353 for selections. <b>NOTE:</b> Upholstery will be railroad cut.</p>
S   9   2   5   B                             .   P   R   6   .		F   S   C   .		







Examples: S925B60.PR6.FSC.DOL726 S925B60BOL.PR6.FSC.DOL726.DOL718

Model Number	Overall					
	COM Yardage	Height	Width	Depth	Ship Weight	Cubes
S925B52	2.0	18"	49½"	20"	89	20.25
S925B60	2.25	18"	57½"	20"	95.3	23.25
S925B72	3.0	18"	69½"	20"	110	27.75
S925B52F52BOL	4.0	28"	52"	22½"	106	20.25
Seat	2.0	18"	52"	20"		
Bolster	2.0	28"	47"	2½"		
S925B60F60BOL	4.25	28"	60"	22½"	113	23.25
Seat	2.25	18"	60"	20"		
Bolster	2.0	28"	55"	2½"		
S925B72F72BOL	5.5	28"	72"	22½"	126	27.75
Seat	3.0	18"	72"	20"		
Bolster	2.5	28"	67"	2½"		

GATHER SEATING

(See page 246 for COM pricing on Grades 9-22)

GATHER SEATING

Description	Model Number	Base List Price	Upcharge							
			1	2	3	4	5	6	7	8
52"W Bench with 52"W Screen 	S925B52F52	\$ 3378	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 45	\$ 88	\$ 150	\$ 216	\$ 282	\$ 351	\$ 424	
	Bolster Upholstery — add to base price	\$ 0	\$ 16	\$ 32	\$ 52	\$ 74	\$ 95	\$ 120	\$ 143	
	Screen Upholstery — add to base price	\$ 0	\$ 47	\$ 93	\$ 159	\$ 227	\$ 297	\$ 372	\$ 449	
	FC Upcharge \$382									
60"W Bench with 60"W Screen 	S925B60F60	\$ 3883	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 52	\$ 104	\$ 175	\$ 250	\$ 329	\$ 412	\$ 494	
	Bolster Upholstery — add to base price	\$ 0	\$ 25	\$ 46	\$ 77	\$ 109	\$ 143	\$ 180	\$ 218	
	Screen Upholstery — add to base price	\$ 0	\$ 55	\$ 108	\$ 184	\$ 264	\$ 347	\$ 432	\$ 523	
	FC Upcharge \$459									
72"W Bench with 72"W Screen 	S925B72F72	\$ 4729	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 66	\$ 132	\$ 226	\$ 323	\$ 424	\$ 528	\$ 636	
	Bolster Upholstery — add to base price	\$ 0	\$ 32	\$ 60	\$ 103	\$ 145	\$ 191	\$ 239	\$ 288	
	Screen Upholstery — add to base price	\$ 0	\$ 61	\$ 124	\$ 211	\$ 300	\$ 394	\$ 492	\$ 593	
	FC Upcharge \$569									
52"W Bench with 72"W Screen* 	S925B52F72X	\$ 3603	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 45	\$ 88	\$ 150	\$ 216	\$ 282	\$ 351	\$ 424	
	Bolster Upholstery — add to base price	\$ 0	\$ 16	\$ 32	\$ 52	\$ 74	\$ 95	\$ 120	\$ 143	
	Screen Upholstery — add to base price	\$ 0	\$ 61	\$ 124	\$ 211	\$ 300	\$ 394	\$ 492	\$ 593	
	FC Upcharge \$438									
60"W Bench with 80"W Screen* 	S925B60F80X	\$ 3997	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 52	\$ 104	\$ 175	\$ 250	\$ 329	\$ 412	\$ 494	
	Bolster Upholstery — add to base price	\$ 0	\$ 25	\$ 46	\$ 77	\$ 109	\$ 143	\$ 180	\$ 218	
	Screen Upholstery — add to base price	\$ 0	\$ 70	\$ 139	\$ 236	\$ 339	\$ 444	\$ 552	\$ 667	
	FC Upcharge \$513									
72"W Bench with 92"W Screen* 	S925B72F92X	\$ 4842	—	—	—	—	—	—	—	
	Seat Upholstery — add to base price	\$ 0	\$ 66	\$ 132	\$ 226	\$ 323	\$ 424	\$ 528	\$ 636	
	Bolster Upholstery — add to base price	\$ 0	\$ 32	\$ 60	\$ 103	\$ 145	\$ 191	\$ 239	\$ 288	
	Screen Upholstery — add to base price	\$ 0	\$ 77	\$ 154	\$ 262	\$ 374	\$ 491	\$ 614	\$ 739	
	FC Upcharge \$625									

\*Configure as left- or right-handed.

<b>Pricing Example:</b>	<b>Model/Options</b>	<b>Base Price / Upcharges</b>
Step 1: Select Model	S925B52F52	\$ 3378
Step 2: Select Seat Upholstery	Grade 4 Dolce Artesian	\$ 150 upcharge
Step 3: Select Bolster Upholstery	Grade 5 Wooly Black	\$ 74 upcharge
Step 4: Select Screen Upholstery	Grade 1 Perennial Bark	\$ 0 upcharge
Add Base + applicable Upcharges for Total List Price =		\$ 3602

Continued on next page ►

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (See FC upcharge above)</p>	<p><b>1st Option:</b></p> <p>Select the Base/Foot Paint Color:</p> <p>PR6 Silver</p>	<p><b>2nd Option:</b></p> <p>FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood</p>	<p><b>3rd Option:</b></p> <p>Select the Bench Upholstery:</p> <p>See pages 351-353 for selections.</p> <p><b>NOTE:</b> Upholstery will be railroad cut.</p>	<p><b>4th Option:</b></p> <p>Select the Bolster Upholstery:</p> <p>See pages 351-353 for selections.</p> <p><b>NOTE:</b> Upholstery will be railroad cut.</p>
--	--	---	---	---

S | 9 | 2 | 5 | B | . | P | R | 6 | . | F | S | C | .

Examples: S925B52F52.PR6.FSC.CTU62.BOX14.BST01



Model Number	Overall				Seat				Ship Weight	Cubes
	COM Yardage	Height	Width	Depth	Height	Width	Depth			
<b>S925B52F52</b>	8.0	50"	52"	25"	18"	49½"	19"	153	28.25	
Seat	2.0									
Bolster	2.0									
Screen	4.0									
<b>S925B60F60</b>	8.55	50"	60"	25"	18"	57½"	19"	163.2	32.25	
Seat	2.25									
Bolster	2.0									
Screen	4.3									
<b>S925B72F72</b>	9.75	50"	72"	25"	18"	69½"	19"	181.4	38.5	
Seat	3.0									
Bolster	2.25									
Screen	4.5									
<b>S925B52F72X</b>	8.5	50"	72"	25"	18"	49½"	19"	161	31	
Seat	2.0									
Bolster	2.0									
Screen	4.5									
<b>S925B60F80X</b>	9.05	50"	80"	25"	18"	57½"	19"	172.2	35.5	
Seat	2.25									
Bolster	2.0									
Screen	4.8									
<b>S925B72F92X</b>	10.75	50"	92"	25"	18"	69½"	19"	190.4	41.25	
Seat	3.0									
Bolster	2.25									
Screen	5.5									

GATHER SEATING

◀ Continued from previous page

*5th Option:*

**Select the Screen Upholstery:**

See pages 351-353 for selections.

**NOTE:** Upholstery will be railroad cut.

*Linger is a lounge chair that accommodates a variety of postures. Take a seat for longer meetings, sit upright, lounge, or swing your legs over the side. Perch on the back for shorter interactions when you don't want to commit to the sit.*

## MODELS AND OPTIONS

Linger is available in one size with an upholstered seat and a base that can be painted or polished aluminum. Linger is available in solid or two-tone upholstery options.

## APPLICATION

Place Linger in open areas, public or neighborhood spaces, small conference rooms, dedicated collaboration rooms, dormitory lounges, libraries, or hospitality waiting areas.

## KEY FEATURES

Linger is constructed of upholstery over frame and foam with either a painted or polished aluminum base. The core is upholstery-grade FSC plywood with box joint and corner block construction. The base swivels so you can engage the whole room. Plus it self-centers to its original position when not in use to keep spaces ready for the next meeting. Upholster the seat and sides in two different fabrics to create a unique aesthetic. Linger accommodates multiple postures, including the ability to sit on the back ledge.

## MATERIALS AND FINISHES

Linger has a fully upholstered seat that can be specified as a single upholstery or two-tone.

- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 of the Seating and Tables Price List for COM ordering instructions.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 351-353. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete model to supply a certificate of compliance with CTB133.

Linger is warranted for users up to 300 lbs.

## OPTIONS — LINGER

Base Color:


- PR6** Painted Silver
- PAL** Polished Aluminum

FSC Certified Wood:

- FSC** FSC Certified Wood


Upholstery:

- See pages 351-353 for upholstery selections.
- See inside back cover for colors and codes.




(See page 246 for COM pricing on Grades 9-22)

Description	Base Option	Model Number	List Price							
			1	2	3	4	5	6	7	8
Linger	Painted	S924BS	\$ 1797	\$ 1866	\$ 1933	\$ 2030	\$ 2130	\$ 2236	\$ 2345	\$ 2461
	Polished	S924SS	\$ 1971	\$ 2040	\$ 2107	\$ 2204	\$ 2304	\$ 2410	\$ 2519	\$ 2635



(See page 246 for COM upcharge pricing on Grades 9-22)

Description	Base Option	Model Number	Upcharge							
			1	2	3	4	5	6	7	8
Two-tone Linger	Painted	S924BT	\$ 1971	—	—	—	—	—	—	—
		Seat Upholstery – add to base price	\$ 0	\$ 42	\$ 85	\$ 145	\$ 209	\$ 274	\$ 341	\$ 413
		Side Upholstery – add to base price	\$ 0	\$ 27	\$ 51	\$ 87	\$ 125	\$ 165	\$ 204	\$ 247
	Polished	S924ST	\$ 2145	—	—	—	—	—	—	—
		Seat Upholstery – add to base price	\$ 0	\$ 42	\$ 85	\$ 145	\$ 209	\$ 274	\$ 341	\$ 413
		Side Upholstery – add to base price	\$ 0	\$ 27	\$ 51	\$ 87	\$ 125	\$ 165	\$ 204	\$ 247



<b>Two-tone Pricing Example:</b>	<b>Model/Options</b>	<b>Base Price / Upcharges</b>
Step 1: Select Model	S924BT	\$ 1971
Step 2: Select Seat Upholstery	Grade 2 Trisect Marine	\$ 42 upcharge
Step 3: Select Side Upholstery	Grade 1 Whisper Vinyl Bone	\$ 0 upcharge
<b>Add Base + applicable Upcharges for Total List Price = \$ 2013</b>		


Model Number	Overall			Seat			Cubbs			
	COM Yachage	COL Sq. Feet	Height (Range)	Width	Depth	Height/Width (Range)		Depth (Range)	Slip Weight	
S924BS	3.75	63 3/4	30 1/2"	29"	27 1/2"	17 1/4"	27"	23 3/4"	52	27.6
S924SS	3.75	63 3/4	30 1/2"	29"	27 1/2"	17 1/4"	27"	23 3/4"	52	27.6
S924BT	3.75	63 3/4	30 1/2"	29"	27 1/2"	17 1/4"	27"	23 3/4"	52	27.6
Seat	2.5	42 1/2								
Side	1.25	21 1/4								
S924ST	3.75	63 3/4	30 1/2"	29"	27 1/2"	17 1/4"	27"	23 3/4"	52	27.6
Seat	2.5	42 1/2								
Side	1.25	21 1/4								

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$248 extra)</p>	<p><b>1st Option:</b></p> <p>Select the Base Finish:</p> <p>PR6 Silver PAL Polished Aluminum</p>	<p><b>2nd Option:</b></p> <p>FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood</p>	<p><b>3rd Option:</b></p> <p>Select the Upholstery:</p> <p>See pages 351-353 for selections and inside back cover for colors and codes.</p>	<p><b>4th Option:</b></p> <p>Select the Side Upholstery for Two-tone models (if applicable):</p> <p>See pages 351-353 for selections and inside back cover for colors and codes.</p>
S   9   2   4   .	P   .	F   S   C   .	.   .   .   .   .   .   .   .	.   .   .   .   .   .   .   .


Example: S924SS.PAL.FSC.STX17 S924BT.PR6.FSC.TSC97.WSP17

*Introducing Parallel, a collection of soft seating and coordinating tables that adapts to a variety of spaces. Parallel is at home in reception areas and collaborative workspaces, accommodating different functions while maintaining a consistent aesthetic. With HBF Textiles, Allsteel fabrics, or a designer's own material, Parallel provides a canvas to make a strong first impression anywhere it's used.*

*Designed in partnership with Chris Adamick.*



Club Plus Lounge  
CLCPCNO



**DESIGN FEATURES****Functional Versatility**

*Flexible and functional, Parallel soft seating can be considered a workhorse in helping meet a company's workplace needs, whether it be casual conference areas, lobby and reception settings, or collaborative hubs.*

The variety of sizing and features allows Parallel to adapt from reception to collaborative areas throughout a workspace. The clean lines work well with current and future furniture settings. Generous sizing and thoughtful comfort considerations make the sit comfortable for five minutes or two hours.

**Design Versatility**

*Cutting a sleek profile with tapered ellipse legs and a slim, stylistic reveal, Parallel is intended to work with your favorite Allsteel platforms without overpowering the space. The sharp tailoring of the upholstery paired with the dual-density foam means comfort without sacrificing aesthetics.*

The Parallel club chair, club plus lounge, and sofa options, as well as the coordinating side and coffee tables, enable a diverse array of setups, from structured stylized formal, to a warmer domesticated corporate vibe, to flexible collaborative in combination with other Allsteel products. A variety of upholstery materials and frame colors celebrates beautiful form while telling a strong design story.

**Wide Arms**

6" wide arms with high-density foam allow for a comfortable surface for device usage, and the optional removable sleeve accessory, available in three finishes, makes a stable worksurface on the arm. Designed for comfort but also with the intent that all surfaces are sitting surfaces, Parallel is built to handle perching on the arms and back.

**Design Nuances**

- Legs – Ellipse, tapered shape set to the very edge of the frame
- Reveal – Slim reveal around the entire perimeter
- Tailored upholstery – Available with a channeled design detail for a more refined aesthetic

**Materials**

- All COMs/COLs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- Allsteel fabrics meet requirements for CTB117. Contact Allsteel Customer Support for CTB133. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CTB117. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

**OPTIONS**

Chair Type:

- CLC** Club Chair
- CLCP** Club Plus Lounge
- CLS** Sofa

Seat and Back Upholstery:

- C** Channeled

Fire Code:

- FC** Fire Code
- NO** No Fire Code

Base Colors:

- P4Q** Carbon
- PR6** Silver
- PQ8** Brilliant White (add \$95 Club Chair / \$100 Club Plus Lounge / \$150 Sofa)
- POL** Polished Chrome (add \$250 Club Chair / \$280 Club Plus Lounge / \$350 Sofa)

FSC Certified Wood:

- FSC** FSC Certified Wood

Seat and Back Upholstery:

See pages 351-353 for colors and codes

Optional Arm Sleeve Paint Colors:

- P4Q** Carbon
- PR6** Silver
- PQ8** Brilliant White (add \$10)

See inside front cover for colors and codes

Table Bases:

- P4Q** Carbon
- PR6** Silver
- PQ8** Brilliant White (add \$95 Side / \$125 Coffee)
- POL** Polished Chrome (add \$160 Side / \$200 Coffee)

Laminate Tabletops:

- L1** Core / Natural Maple / Shaker Cherry
- L2** Woodgrain (add \$53 Side / \$69 Coffee)
- L3** Textured Woodgrain (add \$106 Side / \$138 Coffee)

See inside front cover for finishes and codes




Veneer Tabletops:

- V1** Stratawood
- V3** Natural-1 (add \$180 Side / \$223 Coffee)
- V5** Natural-2 (add \$360 Side / \$445 Coffee)

See inside front cover for finishes and codes

(See page 247 for COM pricing on Grades 9-22)

GATHER SEATING

Seating Style	Upholstery	Model Number <i>Add options below</i>											Leather*	
			1	2	3	4	5	6	7	8	1	2		
	Non-Channeled	CLCNO	\$ 2745	\$ 2823	\$ 2907	\$ 2988	\$ 3096	\$ 3204	\$ 3312	\$ 3420	\$ 4210	\$ 8069		
		CLCFC	\$ 2975	\$ 3053	\$ 3137	\$ 3218	\$ 3326	\$ 3434	\$ 3542	\$ 3650	\$ 4440	\$ 8299		
	Channeled	CLCCNO	\$ 3095	\$ 3173	\$ 3257	\$ 3338	\$ 3446	\$ 3554	\$ 3662	\$ 3770	\$ 4560	\$ 8419		
		CLCCFC	\$ 3555	\$ 3633	\$ 3717	\$ 3798	\$ 3906	\$ 4014	\$ 4122	\$ 4230	\$ 5020	\$ 8879		
	Non-Channeled	CLCPNO	\$ 2895	\$ 2977	\$ 3066	\$ 3152	\$ 3266	\$ 3380	\$ 3494	\$ 3608	\$ 4436	\$ 8498		
		CLCPFC	\$ 3140	\$ 3222	\$ 3311	\$ 3397	\$ 3511	\$ 3625	\$ 3739	\$ 3853	\$ 4681	\$ 8743		
	Channeled	CLCPCNO	\$ 3270	\$ 3352	\$ 3441	\$ 3527	\$ 3641	\$ 3755	\$ 3869	\$ 3983	\$ 4811	\$ 8873		
		CLCPCFC	\$ 3760	\$ 3842	\$ 3931	\$ 4017	\$ 4131	\$ 4245	\$ 4359	\$ 4473	\$ 5301	\$ 9363		
	Non-Channeled	CLSNO	\$ 4600	\$ 4721	\$ 4852	\$ 4978	\$ 5146	\$ 5314	\$ 5482	\$ 5650	\$ 6864	\$ 12836		
		CLSFC	\$ 4985	\$ 5106	\$ 5237	\$ 5363	\$ 5531	\$ 5699	\$ 5867	\$ 6035	\$ 7249	\$ 13221		
	Channeled	CLSCNO	\$ 5100	\$ 5221	\$ 5352	\$ 5478	\$ 5646	\$ 5814	\$ 5982	\$ 6150	\$ 7364	\$ 13336		
		CLSCFC	\$ 5870	\$ 5991	\$ 6122	\$ 6248	\$ 6416	\$ 6584	\$ 6752	\$ 6920	\$ 8134	\$ 14106		

	Core	Select
<b>Metal Arm Sleeve</b>	CLSLVM	
	\$ 85	\$ 95

6¼"W x 15"L x 1¼"H for use on arm of Club Chair, Club Plus Lounge, or Sofa (specify paint, see below for finishes)



<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Base Color (if applicable):</p> <p><b>PR6</b> Silver <b>P4Q</b> Carbon <b>PQ8</b> Brilliant White (add \$95 Club Chair / \$100 Club Plus Lounge / \$150 Sofa)</p> <p><b>POL</b> Polished Chrome (add \$250 Club Chair / \$280 Club Plus Lounge / \$350 Sofa)</p>	<p><b>1st Option:</b> Select the Metal Arm Sleeve Paint Color (if applicable):</p> <p><b>PR6</b> Silver <b>P4Q</b> Carbon <b>PQ8</b> Brilliant White (\$10 extra)</p>	<p><b>2nd Option:</b> FSC Certified Wood:</p> <p><b>FSC</b> Select for FSC Certified Wood</p>	<p><b>3rd Option:</b> Select the Upholstery (if applicable):</p> <p>See pages 351-353 for selections and Color Codes. See Seating Price List for COM Guidelines.</p>
<p>C   L           .</p>	<p>        .</p>	<p>       </p>	<p>F   S   C   .</p>	<p>             </p>

Examples: CLCNO.PQ8.FSC.AI19 CLSLVM.PR6

Model Number	COM Yandage			Overall			Seat			Armrests			Backrest			Cubes				
	COL Sq. Feet	Height (Range)	Width	Depth	Height	Width	Depth	Pan Angle (Range)	Armrest Height	Width Between Arms	Armrest Length	Arm Height to the Floor	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)	Ship Weight	Ship Weight per Carton	Cubes	
CLCNO	4.5	95	30"	36"	29¼"	17"	24"	20½"	4.2°	8½"	24"	21"	24¼"	14½"	24"	9½"	102°	101	101	26.6
CLCFC	4.5	95	30"	36"	29¼"	17"	24"	20½"	4.2°	8½"	24"	21"	24¼"	14½"	24"	9½"	102°	101	101	26.6
CLCCNO	4.5	95	30"	36"	29¼"	17"	24"	20½"	4.2°	8½"	24"	21"	24¼"	14½"	24"	9½"	102°	104	104	26.6
CLCCFC	4.5	95	30"	36"	29¼"	17"	24"	20½"	4.2°	8½"	24"	21"	24¼"	14½"	24"	9½"	102°	104	104	26.6
CLCPNO	4.75	100	30"	40"	29¼"	17"	28"	20½"	4.2°	8½"	28"	21"	24¼"	14½"	28"	9½"	102°	114	114	30.9
CLCPF	4.75	100	30"	40"	29¼"	17"	28"	20½"	4.2°	8½"	28"	21"	24¼"	14½"	28"	9½"	102°	114	114	30.9
CLCPNO	4.75	100	30"	40"	29¼"	17"	28"	20½"	4.2°	8½"	28"	21"	24¼"	14½"	28"	9½"	102°	117	117	30.9
CLCPF	4.75	100	30"	40"	29¼"	17"	28"	20½"	4.2°	8½"	28"	21"	24¼"	14½"	28"	9½"	102°	117	117	30.9
CLSNO	7.0	147	30"	76"	29¼"	17"	64"	20½"	4.2°	8½"	64"	21"	24¼"	14½"	64"	9½"	102°	199	199	62.2
CLSFC	7.0	147	30"	76"	29¼"	17"	64"	20½"	4.2°	8½"	64"	21"	24¼"	14½"	64"	9½"	102°	199	199	62.2
CLSCNO	7.0	147	30"	76"	29¼"	17"	64"	20½"	4.2°	8½"	64"	21"	24¼"	14½"	64"	9½"	102°	201	201	62.2
CLSCFC	7.0	147	30"	76"	29¼"	17"	64"	20½"	4.2°	8½"	64"	21"	24¼"	14½"	64"	9½"	102°	201	201	62.2

Note: Dimensions are in accordance with BIFMA G1-2002 guidelines — see illustration of guidelines on page 10.



# Tables

Parallel™

GSA SIN 711-9

- Available with laminate or veneer tops.
- Leg finish option includes painted (color specified) or polished chrome.

GATHER SEATING



Description	Model Number	Ship		L1 or V1	L2 or V3	L3 or V5
		Weight	Cubes	List Price	List Price	List Price
<b>Side Table — 22"W x 22"D x 21½"H</b>						
Laminate Flat Edge	CLSTL	49	13.7	\$ 1055	\$ 1108	\$ 1161
Veneer Square Edge	CLSTV	47	13.7	\$ 1800	\$ 1980	\$ 2160
<b>Coffee Table — 52"W x 22"D x 16"H</b>						
Laminate Flat Edge	CLCTL	68	16.3	\$ 1380	\$ 1449	\$ 1518
Veneer Square Edge	CLCTV	66	16.3	\$ 2225	\$ 2448	\$ 2670

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Add suffix:  <b>B</b> for Painted  <b>S</b> for Polished</p> <p>C   L           .</p>	<p><i>1st Option:</i>  <b>Select the Base Color:</b>  <b>PR6</b> Silver  <b>P4Q</b> Carbon  <b>PQ8</b> Brilliant White (add \$95 Side / \$125 Coffee)  <b>POL</b> Polished Chrome (add \$160 Side / \$200 Coffee)</p> <p>          .</p>	<p><i>2nd Option:</i>  <b>Select the Laminate</b> (if applicable):</p> <p>See inside front cover for selections and Color Codes.</p> <p>            .</p>	<p><i>2nd Option:</i>  <b>Select the Veneer</b> (if applicable):</p> <p>See inside front cover for selections and Finish Codes.</p> <p>              .</p>	<p><i>3rd Option:</i>  <b>Select the Edge Color</b> (Laminate only):</p> <p>See inside front cover for selections and Color Codes.</p> <p>      .</p>
---	--	---	--	---

Examples: CLSTL.PR6.LW7C.DF    CLSTV.POL.NT615    CLCTV.P4Q.NC777





*Take a seat wherever meetings take you.*

*Scooch is a lightweight pull-up seat with recessed handles, making it easy to carry and move about wherever it's needed. Simply shaped, the seat angles are designed to support multiple postures.*

## MODELS AND OPTIONS

Scooch is available in one size. The seat and side upholstery are specified separately allowing the user to decide if their Scooch will be solid or multi-colored.

## APPLICATION

Sprinkle Scooch throughout the open plan, dedicated collaboration rooms, small conference and huddle areas, media spaces and libraries, cafés, or within individual workstations

## KEY FEATURES

Scooch is constructed of fabric covered foam with upholstery-grade FSC plywood core, box joint and corner block construction.

Scooch has silver handles on each side and it has glides to provide ease when moving the unit.

## MATERIALS AND FINISHES

Specify seat and side upholstery separately.

- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 of the Seating and Tables Price List for COM ordering instructions.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 351-353. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete model to supply a certificate of compliance with CTB133.

Scooch is warranted for users up to 300 lbs.

## OPTIONS — SCOOCH

Handle Paint:

**PR6** Silver


FSC Certified Wood:

**FSC** FSC Certified Wood

Seat and Side Upholstery:

See pages 351-353 for upholstery selections.


See inside back cover for colors and codes.



**SCOOCH  
S923**

(See page 246 for COM pricing on Grades 9-22)

Description	Model and Upholstery Option	Base List Price	Upcharge							
			1	2	3	4	5	6	7	8
Scooch	S923 <input checked="" type="checkbox"/>	\$ 678	—	—	—	—	—	—	—	—
<b>Seat Upholstery</b> — add to base price			\$ 0	\$ 21	\$ 39	\$ 63	\$ 91	\$ 120	\$ 150	\$ 181
<b>Side Upholstery</b> — add to base price			\$ 0	\$ 21	\$ 39	\$ 63	\$ 91	\$ 120	\$ 150	\$ 181



Pricing Example:	Model/Options	Base Price / Upcharges
Step 1: Select Model	S923	\$ 678
Step 2: Select Seat Upholstery	Grade 2 Triset Onyx	\$ 21 upcharge
Step 3: Select Side Upholstery	Grade 4 Dolce White	\$ 63 upcharge
<b>Add Base + applicable Upcharges for Total List Price =</b>		<b>\$ 762</b>

Model Number	Overall						
	COM Yardage	Height	Width	Depth	Seat Pan Angle	Ship Weight	Cubes
S923	2.0	18"	19 1/4"	19 1/4"	5.1	16	5.3
Seat	1.3						
Side	0.8						

Shippable by small-package carrier.

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$100 extra)</p>	<p><b>1st Option:</b> Select the Handle Paint Color: PR6 Silver</p>	<p><b>2nd Option:</b> FSC Certified Wood: FSC Select for FSC Certified Wood</p>	<p><b>3rd Option:</b> Select the Seat Upholstery: See pages 351-353 for selections and inside back cover for colors and codes.</p>	<p><b>4th Option:</b> Select the Side Upholstery: See pages 351-353 for selections and inside back cover for colors and codes.</p>
S   9   2   3       .	P   R   6   .	F   S   C   .	.	.

Examples: S923.PR6.FSC.WSP20.WSP20 S923.PR6.FSC.BOX14.STX17

*Pull up a seat and take a few minutes for a quick meeting or settle in for an extended conversation. Take-5 is a simple, light and inviting chair or stool that accommodates the needs of an office while offering a highly designed, residential appeal. Specify Take-5 with a cushion for areas that accommodate longer meetings, or for a pop of color in your space.*

**MODELS AND OPTIONS**



Take-5 is available as a chair or stool with a bent plywood shell with an optional upholstered seat cushion.

**APPLICATION**

Take-5 is ideal in both office and higher education in spaces such as cafés, open areas, dedicated collaboration rooms, small conference and huddle rooms, neighborhood areas, libraries, commons, and as an office side chair.

**KEY FEATURES**

The shell on Take-5 is constructed of bent plywood with a painted or chrome frame. An optional upholstered cushion can be added to top the seat. It stacks up to 6 high for easy storage. The sophisticated wire frame of Take-5 is durable yet lightweight, so it is easy to move from space to space.



**MATERIALS AND FINISHES**

The optional seat cushion is fully upholstered. Take-5 is available in four stain colors of stratawood veneer.

- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.
- **Flammability** code compliance of Allsteel textiles and seating is listed on pages 351-353. COM/COL manufacturers supply certificates of compliance for fabric-only tests such as CAL TB117-2013. Allsteel must test a complete chair to supply a certificate of compliance with CTB133.

**NOTE:** Take-5 non-cushion models meet CTB133 / Boston Fire Code / NY/NJ Port Authority.

Take-5 is warranted for users up to 300 lbs.

**OPTIONS — TAKE-5**

Base Color:

<b>POL</b>	Polished Chrome
<b>P27</b>	Black
<b>PQ8</b>	Brilliant White
<b>PR6</b>	Silver

Shell Color:

**Stratawood Veneer:**

<b>SE800</b>	Clear Maple
<b>SC701</b>	Light Cherry
<b>SC777</b>	Burnished Cherry
<b>SF331</b>	Dark Rift Oak

Glide Options:

- 0** Polycarbonate Glides
- 1** Stainless Steel Glides (\$26 extra per chair)
- 2** Felt Covered Polycarbonate Glides (\$16 extra per chair)

Upholstery:

See pages 351-353 for upholstery selections.  
See inside back cover for colors and codes.



Model Number	COM Yachage			Overall				Seat				Back			Ship Weight	Cubes
	COL Sq. Feet	Height (Range)	Width	Depth	Height (Range)	Width	Depth (Range)	Pan Angle (Range)	Height (Range)	Width	Lumbar Height (Range)	Backrest/Seat Angle (Range)				
S927WWB	—	—	34½"	23½"	23½"	17¼"	18½"	16¼"	4°	19¼"	17½"	—	104°	31	16.0	
S927WWS	—	—	34½"	23½"	23½"	17¼"	18½"	16¼"	4°	19¼"	17½"	—	104°	31	16.0	
S927SWB	—	—	33"	20¼"	20½"	30¼"	15½"	15½"	5.1°	—	—	—	—	22	15.4	
S927SWS	—	—	33"	20¼"	20½"	30¼"	15½"	15½"	5.1°	—	—	—	—	22	15.4	
S927WCB	1.0	4.0	34½"	23½"	23½"	18"	18½"	16¼"	3°	19¼"	17½"	—	105°	31	16.0	
S927WCS	1.0	4.0	34½"	23½"	23½"	18"	18½"	16¼"	3°	19¼"	17½"	—	105°	31	16.0	
S927SCB	0.5	3.0	33"	20¼"	20½"	31¼"	15½"	15½"	4.7°	—	—	—	—	22	15.4	
S927SCS	0.5	3.0	33"	20¼"	20½"	31¼"	15½"	15½"	4.7°	—	—	—	—	22	15.4	

GATHER SEATING

*Introducing Vicinity, the newest addition to Allsteel's Gather™ collection of furniture.*

**Your next great idea happens here.**


*The cafeteria has evolved from a small, back-of-office nook to a vibrant, front-and-center space for planned and impromptu meetings, or for giving guests a taste of your company's culture. Vicinity meets these needs with the flexibility to fit more spaces around your office and a style that's distinctively yours. It's perfect for creative breaks, standing meetings, relaxed eating, or heads-down work.*

*The best ideas are born from connection. Vicinity gives you the space you need to discover what's possible.*


Choose from multiple color and finish combinations to fit the style of your office.

Simple, clean lines serve as the calling card for your company's personality.


Lightweight pieces are easy to move and utilize for whatever your office needs.




CSG-PGANO



CSL-PGANO



CCS-PGANO



CBS-PGANO



**MODELS AND OPTIONS**

Vicinity seating is available at seated, counter, or standing heights, with formed wire-frame or tube legs. Vicinity seating is produced using material-efficient processes; little waste is generated during the manufacture of these chairs and what is generated can be recycled into new components. The seating bases all contain at least 25% post-consumer recycled content.

Glides are available in nylon or polycarbonate, nickel-plated or steel, and felt or rubber. Nylon glides or polycarbonate are recommended for hard surfaces, commercial carpet, and damp environments. Nickel-plated and steel glides are recommended for carpet. Felt glides are recommended for wood, tile, or high-sheen floor surfaces.

Vicinity offers 8 different polymer shell colors and seven frame finish colors. 4-Leg and sled base chairs stack up to 10 chairs high in 44"H. Chairs ship up to four per carton to minimize waste. Model number and prices are per chair.

**OPTIONS — CHAIR / STOOL**

- SG** 4-Leg Chair
- SL** Sled Base Chair
- CS** Counter Stool
- BS** Bar Stool

Glides 4-Leg / Stool:

- 0** Nylon for hard surfaces
- 1** Nickel for carpets (add \$16)
- 2** Felt (add \$16)
- 5** Rubber (add \$16)

Glides Sled Base:





- 0** Polycarbonate (add \$16)
- 1** Steel (add \$16)
- 2** Felt (add \$16)

Frame Finish:

- P71** Black
- PQ8** Brilliant White
- PJF** Bullseye
- POL** Chrome
- P02** Flint
- PJE** Pyrite
- PR6** Silver

Poly Shell Colors:

- BW** Brownstone
- CP** Calypso
- CR** Cherry
- LA** Lava
- RE** Regatta
- TI** Titanium
- WT** White
- ZE** Zest

Back Style	Arm Style	Model Number <i>Add options below</i>	List Price
Polymer Armless	4-Leg	CSG-PGANO	\$ 350
			
Polymer Armless	Sled Base	CSL-PGANO	\$ 395
			
Polymer Armless	Counter Stool	CCS-PGANO	\$ 495
			
Polymer Armless	Bar Stool	CBS-PGANO	\$ 495
			

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>C         P   G   A   N   O   .     .</p>	<p><b>1st Option:</b> <b>Select the Glide:</b></p> <ul style="list-style-type: none"> <li>0 Nylon for hard surfaces</li> <li>0 Polycarbonate (sled base, add \$16)</li> <li>1 Nickel for carpets (add \$16)</li> <li>1 Steel (sled base, add \$16)</li> <li>2 Felt (add \$16)</li> <li>5 Rubber (add \$16)</li> </ul> <p>Rubber not available on sled base</p>	<p><b>2nd Option:</b> <b>Select the Frame Finish:</b></p> <ul style="list-style-type: none"> <li>P71 Black</li> <li>PQ8 Brilliant White</li> <li>PJF Bullseye</li> <li>POL Chrome</li> <li>P02 Flint</li> <li>PJE Pyrite</li> <li>PR6 Silver</li> </ul>	<p><b>3rd Option:</b> <b>Select the Poly Shell Color:</b></p> <ul style="list-style-type: none"> <li>BW Brownstone</li> <li>CP Calypso</li> <li>CR Cherry</li> <li>LA Lava</li> <li>RE Regatta</li> <li>TI Titanium</li> <li>WT White</li> <li>ZE Zest</li> </ul>
---	--	---	---

Examples: CSG-PGANO.1.P71.CR    CSL-PGANO.2.POL.WT

Model Number	Overall			Seat				Backrest					Ship Weight Per Chair	Ship Weight Per Carton	Cartons
	Height (Range)	Width	Depth	Height	Width	Depth	Ran Angle	Height	Width	Lumbar Height	Backrest/Seat Angle (Range)				
CSG-PGANO	31"	24"	21½"	17½"	17½"	16½"	2.4°	14"	17"	10"	100°-106°	24	66	16	
CSL-PGANO	30½"	23½"	21"	17½"	17½"	16½"	2.4°	14"	17"	10"	100°-106°	24	66	16	
CCS-PGANO	37½"	18"	18½"	24¼"	17½"	16½"	0.7°	14"	17"	10"	99°-105°	25	25	14	
CBS-PGANO	43½"	18½"	18½"	30¼"	17½"	16½"	0.7°	14"	17"	10"	99°-105°	25	25	14	

**Note:** Dimensions are in accordance with BIFMA G1-2002 guidelines - see illustration of guidelines on page 10 of the Seating, Collaboration, and Tables price list.

Vicinity 4-Leg and Sled Base chairs ship up to four per carton to minimize waste. Model numbers and prices are per chair. Stools ship one per carton. Vicinity 4-Leg and Sled Base chairs can be stacked up to 10-high = 44"H.

The best work happens when the right people come together in the right space. A space that facilitates uninterrupted thought and sets team members up for everyday office victories.

Meet Clubhouse, the newest addition to Allsteel's Gather collection of furniture.


It's where seating, surface and seclusion come together. Clubhouse is easy to set up in any space and fits however your team works. Its framed design serves a dual purpose: promoting collaboration while reducing outside distractions by communicating to others that work is happening inside.

Great things happen in your go-to place. That's the beauty of Clubhouse – the get-together getaway space.

**AVAILABLE CONFIGURATIONS**

Clubhouse is available in fourteen unique configurations that span between two different heights. Optional console and storage components provide ancillary worksurface support, media wall applications support technology and a wide array of fabrics and finishes allow for creative expression.

GATHER SPACE DIVISION



**APPLICATION**

Like its sister products, Clubhouse addresses the modern workplace's need for flexibility in an open office design. By forming — not filling — a room, Clubhouse creates a secluded space within any place:

- The brainstorm retreat.
- A private area for the job interview.
- The temporary office for writing that memo to the boss.

**KEY FEATURES**

*Spatial Delineation*

- Microarchitectural-like frame forms a 3D boundary and creates a space within a space.
- Semi-translucent back and side screening elements visually establish privacy and communicate unavailability

*Extended Use Comfort*

- Soft seating provides long-term comfort for small to mid-sized groups.
- Optional console and storage components provide ancillary work surface support.

*Support for Technology*

- Optional media wall and table support digital content sharing and power distribution.
- Integrated power within console and storage pieces further enable the usage of technology.

**CONSTRUCTION**

The construction of Clubhouse meets or exceeds industry standards for performance.

- Aluminum vertical uprights and horizontal extrusions are robust yet maintain a stream-line design.
- Back and side screens are made from durable polyester yarns. Screens are securely fastened across the top and a magnetic connection across the bottom allows the screen not to be damaged if impacted.
- Seating and console units are constructed of fabric covered foam with a plywood core.

**ELECTRICAL**


Electrical is to be separately specified and can be integrated within media walls, consoles and storage components. Standard, Chicago and New York electrical-coded models are available for specification throughout each of the previously indicated items.

When a media wall electrical assembly is specified, table top power integration is automatically included.

Console and storage power integration is only available on a single side of a Clubhouse configuration and is to be called out during the specification process.

Please refer to page 182 for additional information on electrical and power for Clubhouse.


**NOTE:** Clubhouse Typicals can be found at [www.allsteeloffice.com/TypicalsGallery](http://www.allsteeloffice.com/TypicalsGallery)



Clubhouse with Table and Media Wall, power ready.  
**GA84HMW**  
 84"D x 102"W x 83"H



**SPECIFICATION**

*Fabric Specification*





Frontboard, backboard and storage upholstery will match in specified fabric material.

Fabric is railroad cut.




Seating top, back, seat and seat front upholstery will match in specified fabric material.

Fabric is pattern cut



Seating side and console upholstery will match in specified fabric material.

Fabric is pattern cut



**OPTIONS**

Description:

**GAxxM** Medium Height (54"H x 102"W)

**GAxxH** High Height (83"H x 102"W)

Depth, Configuration, and Power:

56¾"D Seating – Non-powered

70"D Console (Upholstered or Laminate) – Powered or Non-Powered

70"D Storage – Powered L or R; or Non-Powered

70"D Table and Powered Media Wall

84"D Seating – Non-powered

84"D Storage – Powered L or R; or Non-Powered

84"D Table and Powered Media Wall

Frame Paint/Finish Color:

**P7A** Textured Flint

**PR8** Textured Silver

**P7I** Textured White

Back and Sides Screen Material:

**CHK** Chalk

**GRS** Greystone

**PEW** Pewter

Table and Console Laminate with Matching Edge (*if applicable*):

**GRADE L1**

Solid Color

**LM14EW** Frosty White/White

**LM15EU** Muslin/Muslin

**LM11EV** Loft/Loft

**LM16E9** Flint/Flint

Woodgrain

**LWDDD** Natural Maple/Natural Maple

**LW7CDF** Shaker Cherry/Shaker Cherry

**GRADE L2**

**LWACDA** Amber Cherry/Amber Cherry

**LWBEDE** Beigewood/Beigewood

**LWBRDB** Brazilwood/Brazilwood

**LWZDZ** Columbian Walnut/Columbian Walnut

**GRADE L3**

**LWCDG** Cafelle/Cafelle

**LWCWDC** Charcoal Walnut/Charcoal Walnut



**LWNWDN** Natural Walnut/Natural Walnut

Frontboard, Backboard, and Storage Upholstery (*if applicable*):  
 See *upholstery selection on pages 351-353*.



Seating Top, Back, Seat, and Seat Front Upholstery:  
 See *upholstery selection on pages 351-353*.

Seating Side and Console Upholstery (*if applicable*):  
 See *upholstery selection on pages 351-353*.



**56¾"D x 102"W x 54"H with Seating – GA56MSE** Units are non-powered.





**70"D x 102"W x 54"H with Console – GA70MCO** Units available as power ready or as non-powered; center consoles are upholstered or laminate.




**70"D x 102"W x 54"H with Storage – GA70MST** Units available as power ready left or right, or as non-powered.





**70"D x 102"W x 54"H with Table and Media Wall – GA70MM** Units are power ready and available with or without end of bench consoles – either laminate or upholstered.





Media Wall 28¾"W  
 Table is 26⅞"H




**84"D x 102"W x 54"H with Seating – GA84MSE** Units are non-powered.



**84"D x 102"W x 54"H with Table and Media Wall – GA84MMW** Units are power ready.





**84"D x 102"W x 54"H with Table, Media Wall and Storage – GA84MST** Units available as power ready left or right of seat; or as non-powered.





Above power is right of seat.



**57½"D x 102"W x 83"H with Seating – GA56HSE** *Units are non-powered.*



**70"D x 102"W x 83"H with Console – GA70HCO** *Units available as power ready or as non-powered; center consoles are upholstered or laminate.*





**70"D x 102"W x 83"H with Storage – GA70HST** *Units available as powered left or right of seat, or as non-powered.*




Above power is right of seat.



**70"D x 102"W x 83"H with Table and Media Wall – GA70HM** *Units are power ready and available with or without end of bench consoles – either laminate or upholstered.*









**84"D x 102"W x 83"H with Seating – GA84HSE** *Units are non-powered.*




**84"D x 102"W x 83"H with Table and Media Wall – GA84HMW** *Units are power ready.*



Media Wall 28¾"W  
 Table is 26⅞"H



**84"D x 102"W x 83"H with Table, Media Wall and Storage – GA84HST** *Units available as powered left or right of seat; or as non-powered.*



Above power is right of seat.

GATHER SPACE DIVISION

All units below are 54"H x 102"W

(See page 248 for COM pricing on 54"H Grades 7-18)

GATHER SPACE DIVISION

	Description	Model Options	Model Number	Base List Price	Option Upcharges by Grade Selected					
					1	2	3	4	5	6
56 1/4" D Seating	56 1/4" D Seating, No Power		GA56MSE	\$ 12099	—	—	—	—	—	—
	FC Upcharge \$1054	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side Upholstery			\$ 0	\$ 34	\$ 68	\$ 136	\$ 204	\$ 272
70" D Consoles	70" D Uph. Consoles, Power Ready		GA70MCOUHP	\$ 16112	—	—	—	—	—	—
	70" D Uph. Consoles, No Power		GA70MCOUNP	\$ 16110	—	—	—	—	—	—
	FC Upcharge \$1522	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 140	\$ 280	\$ 560	\$ 840	\$ 1120
		Seating Side/Console Upholstery			\$ 0	\$ 120	\$ 240	\$ 480	\$ 720	\$ 960
		70" D Lam. Consoles, Power Ready		GA70MCOLHP	\$ 16502	—	—	—	—	—
	70" D Lam. Consoles, No Power		GA70MCOLNP	\$ 16500	—	—	—	—	—	—
	FC Upcharge \$1522	Console Laminate/Laminate Edge			\$ 0	\$ 26	\$ 50	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 140	\$ 280	\$ 560	\$ 840	\$ 1120
		Seating Side/Console Upholstery			\$ 0	\$ 120	\$ 240	\$ 480	\$ 720	\$ 960
70" D Storage	70" D Storage, Power Ready (Right of Seat — shown)		GA70MSTHR	\$ 15579	—	—	—	—	—	—
	70" D Storage, Power Ready (Left of Seat)		GA70MSTHL	\$ 15579	—	—	—	—	—	—
	70" D Storage, No Power		GA70MSTNP	\$ 15578	—	—	—	—	—	—
	FC Upcharge \$1054	Storage Laminate/Laminate Edge			\$ 0	\$ 96	\$ 192	—	—	—
		Frontboard/Backboard/Storage Uph.			\$ 0	\$ 70	\$ 140	\$ 280	\$ 420	\$ 560
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side Upholstery			\$ 0	\$ 34	\$ 68	\$ 136	\$ 204	\$ 272
70" D Media Wall & Consoles	70" D Media Wall*, Uph. Consoles, Power Ready		GA70MMCU	\$ 17869	—	—	—	—	—	—
	FC Upcharge \$1404	Table/Media Wall Lam./Lam. Edge			\$ 0	\$ 125	\$ 250	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side/Console Upholstery			\$ 0	\$ 94	\$ 188	\$ 376	\$ 564	\$ 752
		70" D Media Wall*, Lam. Consoles, Power Ready		GA70MMCL	\$ 18259	—	—	—	—	—
	FC Upcharge \$1404	Table/Media Wall/Console Lam./Lam. Edge			\$ 0	\$ 151	\$ 300	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side/Console Upholstery			\$ 0	\$ 94	\$ 188	\$ 376	\$ 564	\$ 752
84" D Seating	84" D Seating, No Power		GA84MSE	\$ 16819	—	—	—	—	—	—
	FC Upcharge \$1758	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 210	\$ 420	\$ 840	\$ 1,260	\$ 1680
		Seating Side Upholstery			\$ 0	\$ 90	\$ 180	\$ 360	\$ 540	\$ 720
84" D Media Wall	84" D Media Wall*, Power Ready		GA84MMW	\$ 19610	—	—	—	—	—	—
	FC Upcharge \$1758	Table/Media Wall Laminate/Laminate Edge			\$ 0	\$ 129	\$ 257	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 210	\$ 420	\$ 840	\$ 1,260	\$ 1680
		Seating Side Upholstery			\$ 0	\$ 90	\$ 180	\$ 360	\$ 540	\$ 720
84" D Storage	84" D Storage, Power Ready (Right of Seat — shown)		GA84MSTHR	\$ 18872	—	—	—	—	—	—
	84" D Storage, Power Ready (Left of Seat)		GA84MSTHL	\$ 18872	—	—	—	—	—	—
	84" D Storage, No Power		GA84MSTNP	\$ 18871	—	—	—	—	—	—
	FC Upcharge \$1520	Storage Laminate/Laminate Edge			\$ 0	\$ 96	\$ 192	—	—	—
		Frontboard/Backboard/Storage Uph.			\$ 0	\$ 70	\$ 140	\$ 280	\$ 420	\$ 560
		Seating Upholstery			\$ 0	\$ 134	\$ 268	\$ 536	\$ 804	\$ 1072
		Seating Side Upholstery			\$ 0	\$ 126	\$ 252	\$ 504	\$ 756	\$ 1008

\*Order TV or Monitor Wall Mount separately. See page 183.

Continued on next page ▶

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add either <b>NO</b> for no; or <b>FC</b> to the end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (See <b>FC</b> upcharge by model above.)</p>	<p><b>1st Option:</b></p> <p>Select the Frame Paint/Finish Color:</p> <p><b>P7A</b> Textured Flint  <b>PR8</b> Textured Silver  <b>P7I</b> Textured White</p>	<p><b>2nd Option:</b></p> <p>Select the Back and Side Screen Material:</p> <p><b>CHK</b> Chalk  <b>GRS</b> Greystone  <b>PEW</b> Pewter</p>	<p><b>3rd Option:</b></p> <p>Select the Laminate Finish and Edge for internal Table, Storage and Console Components (if applicable):</p> <p>See page 173 for laminate and edge selections.</p>
GA                     .	.	.	.

Examples: GA56MSENO.P7A.GRS.CTU18.AI19.CTU18

GA84MMWFC.P71.GRS.LWBEDE.CTU62.AI62.BOX10

Model Number	COM Yardage					Seat		Arms			Seat Back		Console or Storage		Table		Cubes	
	Front/Backboard and Storage	Seat — Front, Seat, Back, Top	Seat Side and Console	Height from Floor (Plant leveling glide variance)	Width	Depth to Bolster	Pan Angle	Height from Seat	Arm Pad Length	Arm Pad Width	Height	Inclination from Vertical	Depth	Width	Length	Width		Ship Weight
GA56MSE	4	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	—	—	—	—	698	150
GA70MCOUHP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	843	163
GA70MCOUNP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	843	163
GA70MCOUHP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	843	163
GA70MCOUNP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	843	163
GA70MCOUHP	6.5	9	6.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	853	166
GA70MCOUNP	6.5	9	6.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	853	166
GA70MSTHR	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	839	182
GA70MSTHL	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	839	182
GA70MSTNP	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	839	182
GA70MMCU	6.5	8.5	5.5	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	63½"	27"	1155	202
GA70MMCL	6.5	8.5	4.5	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	63½"	27"	1165	204
GA84MSE	5	13.5	6	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	—	—	—	—	926	193
GA84MMW	5	13.5	6	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	—	—	77½"	27"	1236	215
GA84MSTHR	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1020	215
GA84MSTHL	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1020	215
GA84MSTNP	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1020	215

◀ Continued from previous page

<p><i>4th Option:</i>  <b>Select the Frontboard/Backboard and Storage Upholstery</b>  <i>(if applicable):</i>                  See pages 351-353 for upholstery selections.</p>	<p><i>5th Option:</i>  <b>Select the Seating Upholstery:</b>                  See pages 351-353 for upholstery selections.</p>	<p><i>6th Option:</i>  <b>Select the Seating Side and Console Upholstery</b>  <i>(if applicable):</i>                  See pages 351-353 for upholstery selections.</p>
---	--	---

All units below are 83"H x 102"W

(See page 249 for COM pricing on 83"H Grades 7-18)

GATHER SPACE DIVISION

	Description	Model Options	Model Number	Base List Price	Option Upcharges by Grade Selected					
					1	2	3	4	5	6
56 1/2" D Seating	56 1/2" D Seating, No Power		GA56HSE	\$ 13904	—	—	—	—	—	—
	FC Upcharge \$1054	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side Upholstery			\$ 0	\$ 34	\$ 68	\$ 136	\$ 204	\$ 272
70" D Consoles	70" D Upholstered Consoles, Power Ready		GA70HCOUHP	\$ 17981	—	—	—	—	—	—
	70" D Upholstered Consoles, No Power		GA70HCOUNP	\$ 17979	—	—	—	—	—	—
	FC Upcharge \$1522	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 140	\$ 280	\$ 560	\$ 840	\$ 1120
		Seating Side/Console Upholstery			\$ 0	\$ 120	\$ 240	\$ 480	\$ 720	\$ 960
	70" D Laminate Consoles, Power Ready		GA70HCOLHP	\$ 18371	—	—	—	—	—	—
70" D Laminate Consoles, No Power		GA70HCOLNP	\$ 18369	—	—	—	—	—	—	
FC Upcharge \$1522	Console Laminate/Laminate Edge				\$ 0	\$ 26	\$ 50	—	—	—
	Frontboard/Backboard Upholstery				\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
	Seating Upholstery				\$ 0	\$ 140	\$ 280	\$ 560	\$ 840	\$ 1120
	Seating Side/Console Upholstery				\$ 0	\$ 120	\$ 240	\$ 480	\$ 720	\$ 960
70" D Storage	70" D Storage, Power Ready (Right of Seat — shown)		GA70HSTHR	\$ 16531	—	—	—	—	—	—
	70" D Storage, Power Ready (Left of Seat)		GA70HSTHL	\$ 16531	—	—	—	—	—	—
	70" D Storage, No Power		GA70HSTNP	\$ 16530	—	—	—	—	—	—
	FC Upcharge \$1054	Storage Laminate/Laminate Edge			\$ 0	\$ 96	\$ 192	—	—	—
	Frontboard/Backboard/Storage Upholstery				\$ 0	\$ 70	\$ 140	\$ 280	\$ 420	\$ 560
	Seating Upholstery				\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
	Seating Side Upholstery				\$ 0	\$ 34	\$ 68	\$ 136	\$ 204	\$ 272
70" D Media Wall & Consoles	70" D Media Wall*, Uph. Consoles, Power Ready		GA70HMCU	\$ 19664	—	—	—	—	—	—
	FC Upcharge \$1404	Table/Media Wall Laminate/Laminate Edge			\$ 0	\$ 158	\$ 315	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
		Seating Side/Console Upholstery			\$ 0	\$ 94	\$ 188	\$ 376	\$ 564	\$ 752
	70" D Media Wall*, Lam. Consoles, Power Ready		GA70HMCL	\$ 20054	—	—	—	—	—	—
FC Upcharge \$1404	Table/Media Wall/Console Lam./Lam. Edge				\$ 0	\$ 184	\$ 365	—	—	—
	Frontboard/Backboard Upholstery				\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
	Seating Upholstery				\$ 0	\$ 146	\$ 292	\$ 584	\$ 876	\$ 1168
	Seating Side/Console Upholstery				\$ 0	\$ 94	\$ 188	\$ 376	\$ 564	\$ 752
84" D Seating	84" D Seating, No Power		GA84HSE	\$ 18741	—	—	—	—	—	—
	FC Upcharge \$1758	Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 210	\$ 420	\$ 840	\$ 1,260	\$ 1680
	Seating Side Upholstery				\$ 0	\$ 90	\$ 180	\$ 360	\$ 540	\$ 720
84" D Media Wall	84" D Media Wall*, Power Ready		GA84HMW	\$ 21455	—	—	—	—	—	—
	FC Upcharge \$1758	Table/Media Wall Laminate/Laminate Edge			\$ 0	\$ 162	\$ 322	—	—	—
		Frontboard/Backboard Upholstery			\$ 0	\$ 60	\$ 120	\$ 240	\$ 360	\$ 480
		Seating Upholstery			\$ 0	\$ 210	\$ 420	\$ 840	\$ 1,260	\$ 1680
	Seating Side Upholstery				\$ 0	\$ 90	\$ 180	\$ 360	\$ 540	\$ 720
84" D Storage	84" D Storage, Power Ready (Right of Seat — shown)		GA84HSTHR	\$ 19877	—	—	—	—	—	—
	84" D Storage, Power Ready (Left of Seat)		GA84HSTHL	\$ 19877	—	—	—	—	—	—
	84" D Storage, No Power		GA84HSTNP	\$ 19876	—	—	—	—	—	—
	FC Upcharge \$1520	Storage Laminate/Laminate Edge			\$ 0	\$ 96	\$ 192	—	—	—
		Frontboard/Backboard/Storage Upholstery				\$ 0	\$ 70	\$ 140	\$ 280	\$ 420
	Seating Upholstery				\$ 0	\$ 134	\$ 268	\$ 536	\$ 804	\$ 1072
	Seating Side Upholstery				\$ 0	\$ 126	\$ 252	\$ 504	\$ 756	\$ 1008

\*Order TV or Monitor Wall Mount separately. See page 183.

Continued on next page ▶

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add either <b>NO</b> for no; or <b>FC</b> to the end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (See <b>FC</b> upcharge by model above.)</p>	<p><b>1st Option:</b></p> <p>Select the Frame Paint/Finish Color:</p> <p><b>P7A</b> Textured Flint  <b>PR8</b> Textured Silver  <b>P7I</b> Textured White</p>	<p><b>2nd Option:</b></p> <p>Select the Back and Side Screen Material:</p> <p><b>CHK</b> Chalk  <b>GRS</b> Greystone  <b>PEW</b> Pewter</p>	<p><b>3rd Option:</b></p> <p>Select the Laminate Finish and Edge for internal Table, Storage and Console Components (if applicable):</p> <p>See page 173 for laminate and edge selections.</p>
GA                     .                     .			

Examples: GA56HSENO.P7A.GRS.CTU18.A119.CTU18

GA84HMWFC.P71.GRS.LWBEDE.CTU62. AI62.BOX10

Model Number	COM Yardage					Seat		Arms			Seat Back		Console or Storage		Table		Ship Weight	Ctbs
	Front/Backboard and Storage	Seat — Front, Seat, Back, Top	Seat Side and Console	Height from Floor (Plant leveling glide variance)	Width	Depth to Bolster	Pan Angle	Height from Seat	Arm Pad Length	Arm Pad Width	Height	Inclination from Vertical	Depth	Width	Length	Width		
GA56HSE	4	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	—	—	—	—	732	149
GA70HCOUHP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	877	162
GA70HCOUNP	6.5	9	7.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	—	—	877	162
GA70HCOLHP	6.5	9	6.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	887	166
GA70HCOLNP	6.5	9	6.5	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	887	166
GA70HSTHR	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	863	181
GA70HSTHL	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	863	181
GA70HSTNP	8.5	8.5	2	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	—	—	863	181
GA70HMCU	6.5	8.5	5.5	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	18½"	14"	63½"	27"	1209	208
GA70HMCL	6.5	8.5	4.5	16½"-18¼"	56"	20¼"	4°	—	—	—	16"	16.5	19½"	14"	63½"	27"	1219	212
GA84HSE	5	13.5	6	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	—	—	—	—	960	192
GA84HMW	5	13.5	6	16½"-18¼"	28"	20¼"	4°	—	—	—	16"	16.5	—	—	77½"	27"	1290	221
GA84HSTHR	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1044	214
GA84HSTHL	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1044	214
GA84HSTNP	10.5	8.5	8	16½"-18¼"	56"	20¼"	4°	9½"	23"	7"	16"	16.5	19½"	14"	—	—	1044	214


◀ Continued from previous page

<p><i>4th Option:</i>  <b>Select the Frontboard/ Backboard and Storage Upholstery</b>  <i>(if applicable):</i>                  See pages 351-353 for upholstery selections.</p>	<p><i>5th Option:</i>  <b>Select the Seating Upholstery:</b>                  See pages 351-353 for upholstery selections.</p>	<p><i>6th Option:</i>  <b>Select the Seating Side and Console Upholstery</b>  <i>(if applicable):</i>                  See pages 351-353 for upholstery selections.</p>
--	--	---


GATHER SPACE DIVISION

**CONSOLE AND STORAGE ELECTRICAL**


Console and storage Clubhouse units that are “power ready” require electrical module kits to be ordered separately based on local requirements. Select either Standard, Hardwire, or New York standard kits. Consult with your local electrician for the unit that is in compliance



with local and national electrical codes. Verify code requirements before ordering. Chicago requires hardwiring. Exposed power module (shown) consists of one simplex receptacle and one USB hub for powering two devices.



Standard Kit




Hardwire Kit



**Standard Electrical Kit** for Clubhouse “power ready” console or storage units comes with one power module with 72" cord, H-connector, and a 72" sealtight in-feed cable. The in-feed cable can be connected to a power monument located within the plinth base on the side where the powered console or storage unit is located; or it can be routed under the plinth base to an external power monument as shown above.

**Hardwire Electrical Kit** for Clubhouse “power ready” console or storage units comes with one power module with a 110" of flex cable. The in-feed cable can be connected to a power monument located within the plinth base on the side where the powered console or storage unit is located; or it can be routed under the plinth base to an external power monument as shown above.

**New York Electrical Kit** for Clubhouse “power ready” console or storage comes with one power module, H-connector, and cable to New York infeed box which can be attached to the inside surface of plinth base.



**MEDIA WALL ELECTRICAL**






Media Wall Clubhouse units are “power ready” and require electrical module kits to be ordered separately based on local requirements. Select either Standard, Hardwire, or New York Standard kits. Consult with your local electrician for the unit that is in compliance with local and national electrical codes. Verify code requirements before ordering. Chicago requires hardwiring. Exposed power module (shown above) consists of three simplex receptacles and a USB hub for powering two devices.

**Standard Electrical Kit** for Clubhouse “power ready” media wall units comes with one external power module (described above), one internal power module with two simplex outlets to power monitor and accessory, H-connector, and a 72" sealtight in-feed cable.







The in-feed cable for Standard or Hardwire electrical can be connected to a power monument located within the plinth base on either side of unit; or it can be routed under the plinth base to an external power monument as shown above.

**Hardwire Electrical Kit** for Clubhouse media wall units comes with one external power module (described above), one internal power module with 72" cord and two simplex outlets to power monitor and accessory, H-connector, and a 72" flex in-feed cable.

**New York Electrical Kit** for Clubhouse media wall units comes with one external power module (described above), one internal power module with 72" cord and two simplex outlets to power monitor and accessory, H-connector, and cable to New York infeed box which can be attached to the inside surface of plinth base (shown at right).



For specification information see page 182.

	Description	Model Number	List Price
	<b>Electrical Module Kits for "Power Ready" Models</b>		
	Standard Power Module Kit for Storage or Console Units	GAPWRSC	\$ 383
	Chicago (Hardwire) Power Module Kit for Storage or Console Units	GAPWRSCCN	\$ 333
	New York Power Module Kit for Storage or Console Units	GAPWRSCNY	\$ 433
	Standard Power Module with 3-prong plug; 110" cord	GAPWR	\$ 300
	<b>Tilt Wall Mount for 32" to 70" TVs or Monitors</b> 26 3/8"W x 17 3/8"H; -10° -0° Tilt Includes mounting hardware and conforms to VESA-compliant displays. Supports up to 165 lbs.	GATVMB	\$ 300
	Standard Power Module Kit for Media Wall Units	GAPWRMW	\$ 536
	Chicago (Hardwire) Power Module Kit for Media Wall Units	GAPWRMWCH	\$ 600
	New York Power Module Kit for Media Wall Units	GAPWRMWNY	\$ 650
	<b>Table Extension — Specify Paint Color for Metal Tray</b> 24"W x 13 1/4"D x 1 1/8" Thick Glides provide 7" extension toward user.	GATBLEXT	\$ 250

GATHER SPACE DIVISION

<p><i>How to specify —</i>                      Select the Model Number from above.</p> <p>G   A                     .          </p>	<p><i>1st Option:</i>  <b>Paint Colors for Table Extension:</b>                      P08 Brilliant White                      P02 Flint                      PR6 Silver</p>
--	---

Examples: GAPWRSC GAPWRMWNY GATVMB GATBLEXT.PR6

Reflect creates personal refuges around the open office — in the hallway, adjacent to a row of workstations, or near a wall of windows. Enjoy the privacy of a large, sound-stifling back that reduces distractions and communicates unavailability. Or the generous space formed from wide armrests and an oversized seat, allowing room for your laptop, paperwork, and other tools of the trade. And the comfort of padded upholstery, which cushions you as you finish that email, report, or video call.

With Reflect, going solo doesn't always mean you have to go at it alone. Arrange multiple seats into pairs or pods to give team members a new space to collaborate. Use the concealed swivel to move towards or away from others as needed.

Some time away is good for everyone. Focus your attention in the right place with Reflect.

**MODELS AND OPTIONS**

Reflect is available in one size with an upholstered seat/back and upper shell. Lower shells are veneer and each unit ships with a steel base plate for stationary placement.

**APPLICATION**

Place Reflect in open areas, public or neighborhood spaces, adjacent to workstations or in a cafe-type setting.

**KEY FEATURES**

*Surprising Functionality*

With an integrated swivel-based mechanism, Reflect enables multiple work modes — from 1:1 conversation to private office focus.

*Communicated Privacy*

Sight-blocking and sound dampening upper shell visually communicates unavailability and creates private seclusion.

*Comfortable Yet Active*


Ergonomically designed soft seating promotes upright postures and active working behaviors for the task at hand.

*Beautifully Designed*

Reflect's asymmetrical aesthetic is visually compelling and intuitively offers ancilliary worksurface support for beverages and writing with its extended width armrest.

**CONSTRUCTION**

Reflect is constructed of fabric covered foam with an upholstery-grade FSC plywood core with box joint and corner block construction.



REFLECT GAWRP

**OPTIONS — REFLECT**

FSC Certified Wood:

**FSC** FSC Certified Wood

Lower Shell Veneer Finish:

**Stratawood Veneer**

**SE800** Clear Maple

**SC701** Light Cherry

**SC777** Burnished Cherry

**SF300** Clear Oak

**SF331** Dark Rift Oak


Seat/Back Upholstery:

See pages 351-353 for upholstery selections.


Upper Shell Upholstery:

See pages 351-353 for upholstery selections.


**MATERIALS AND FINISHES**





Lower Shell Veneer Finish



Seat/Back Upholstery Pattern Cut




Upper Shell Upholstery Railroad Cut






(See page 249 for COM upcharge pricing on Grades 9-18)



Description	Model and Upholstery Option	Base List Price	Upcharge							
			1	2	3	4	5	6	7	8
Reflect	GAWRP	\$ 4500	—	—	—	—	—	—	—	—
Seat/Back Upholstery – add to base price			\$ 0	\$ 28	\$ 56	\$ 112	\$ 168	\$ 224	\$ 280	\$ 336
Upper Shell Upholstery – add to base price			\$ 0	\$ 43	\$ 86	\$ 172	\$ 258	\$ 344	\$ 430	\$ 516

Pricing Example:	Model/Options	Base Price/Upcharges
Step 1: Select Model	GAWRP	\$ 4500
Step 2: Select Seat/Back Upholstery	Grade 2 Appoint Seating Carbon	\$ 28 upcharge
Step 3: Select Upper Shell Upholstery	Grade 4 Wooly Natural Heather	\$ 172 upcharge
Add Base + applicable Upcharges for Total List Price =		\$ 4700



Model Number	Overall			Seat			Armrests			Backrest			Cats							
	COM Yardage	COL Sq. Feet	Height	Width	Depth	Height	Width	Depth	Rear Angle	Armrest Height	Width Between Arms	Depth		Arm Height to Floor	Height	Width	Lumbar Height	Backrest/Seat Angle	Ship Weight	
GAWRP			50 1/2"	44 1/4"	32 3/4"	17 1/4"	25 1/2"	20"	5.3°	7 5/8"	25 1/2"	22 3/4"	24 1/4"	24"	26"	9"	97°	196	64.4	
Seat/Back	3.25	—																		
Upper Shell	5	—																		

<p><b>How to specify —</b> Select the Model Number from above. Add FC to end of model for CTB133 / Boston Fire Code / NY/NJ Port Authority (\$200 extra)</p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood</p>	<p><b>2nd Option:</b> Select Lower Shell Veneer Finish: <b>Stratawood Veneer</b> SE800 Clear Maple SC701 Light Cherry SC777 Burnished Cherry SF300 Clear Oak SF331 Dark Rift Oak</p>	<p><b>3rd Option:</b> Select the Seat/Back Upholstery: See pages 351-353 for available colors and codes.</p>	<p><b>4th Option:</b> Select the Upper Shell Upholstery: See pages 351-353 for available Upper Shell colors and codes. CU Centurion NR Inertia WP Whisper SX Silvertex WOL Wooly</p>
GAWRP   .	F   S   C   .	S   .   .   .   .   .	.   .   .   .   .   .	.   .   .   .   .   .

Example: GAWRP.FSC.SE800.SED08.WSP42

Hedge is space division you can lean on, lounge against, and work from.

The design promotes collaborative interaction and impromptu gatherings and features a contoured front that supports a leaning posture while the back side incorporates a standing-height worksurface, sized for laptops and tablets.

**MODELS AND OPTIONS**

Hedge is available with a base in double and triple units; and without a base in single, double and triple units. Hedge models with a base are counterweighted and freestanding. Hedge models without a base must be floor anchored. Floor anchoring hardware is not provided. Hedge without base models are not recommended for use on raised floors.

The tablet height with levelers fully retracted is 45½"H. On all models, the tablet depth is 10". Each unit creates a 15 degree angle; 12 single units are required to create a semi-circle.

**APPLICATION**

Use Hedge to divide space in atriums, open plan areas, dedicated collaboration rooms, back row of conference rooms, cafés or coffee bars, and waiting areas.

**KEY FEATURES**

Hedge is constructed of fabric covered foam with upholstery-grade FSC plywood core, box joint and corner block construction.


Hedge units have glides that can be adjusted up to 1½".

**DIMENSIONS**


	With Base		Without Base	
	Width	Depth	Width	Depth
Single	N/A	N/A	32"	24"
Double	65"	29¼"	63"	26¼"
Triple	95½"	33½"	93¼"	30¾"

**LEED AND FSC POINTS**

The tablet and base would count in a LEED project toward the two recycled content points (MR 4) without impacting the FSC point (MR 7). One material, in this case the particle board, cannot be counted in more than one MR credit and it benefits the LEED project more to count the tablet and base in MR 4.




HEDGE — SINGLE WITHOUT BASE  
S921S1CL



HEDGE — DOUBLE WITH BASE  
S921B2CL

**MATERIALS AND FINISHES**

Hedge is fully upholstered with a laminate tablet and base. Each base laminate has a pre-determined coordinating edge color.



- Due to the dimension of the seat Hedge fabric will be pattern cut.
- All upholstery foams are CFC-free.
- All COMs must be approved for upholsterability or applicable fire code compliance prior to order entry. See pages 332-333 for COM ordering instructions.

**Hedge Ledges:**

- 3/4" Thick Laminate Surface and 2mm Edgebanding

**Hedge Base:**

- 3/4" Thick Laminate Surface and Urethane Edgebanding

**OPTIONS — HEDGE**

**Description:**

- Single without Base
- Double without Base
- Triple without Base
- Double with Base
- Triple with Base

**FSC Certified Wood (not base or tablet):**

- FSC** FSC Certified Wood

**Upholstery:**

- See pages 351-353 for upholstery selections.
- See inside back cover for colors and codes.

**Tablet Material:**

**L1 Solid Color Laminate**

- |                        |                          |
|------------------------|--------------------------|
| <b>LM13</b> Brownstone | <b>LM14</b> Frosty White |
| <b>LM12</b> Bungalow   | <b>LM11</b> Loft         |
| <b>LM16</b> Flint      | <b>LM15</b> Muslin       |

**L1 Patterned Laminate**

- LT5B** Canyon Zephyr
- LT5A** Desert Zephyr
- LT8B** Sheer Mesh
- LT8D** Silver Mesh

**L1 Woodgrain Laminate**

- LWD** Natural Maple

**L2 Woodgrain Laminate**

- LWBR** Brazilwood
- LWZ** Columbian Walnut

**L3 Woodgrain Laminate**

- LWNW** Natural Walnut

**Tablet Edge Color (for Laminate Tablets):**


- |                      |                            |
|----------------------|----------------------------|
| <b>EY</b> Brownstone | <b>DB</b> Brazilwood       |
| <b>EX</b> Bungalow   | <b>DZ</b> Columbian Walnut |
| <b>E9</b> Flint      | <b>DD</b> Natural Maple    |
| <b>EV</b> Loft       | <b>DN</b> Natural Walnut   |
| <b>EU</b> Muslin     |                            |
| <b>EW</b> White      |                            |

**Base Color:**

- LM12** Bungalow
- LM16** Flint






**Coordinating Base Edge Color:**

- U395** Jute (for use with Bungalow base)
- U398** Flannel (for use with Flint base)



**HEDGE — TRIPLE WITH BASE**  
**S921B3CL**

(See page 249 for COM pricing on Grades 9-22)

Description	Model Number	List Price								
		1	2	3	4	5	6	7	8	
<b>LAMINATE — WITHOUT BASE</b>										
Single 	S921S1CL	L1	\$ 1981	\$ 2027	\$ 2073	\$ 2139	\$ 2206	\$ 2276	\$ 2350	\$ 2426
		L2	\$ 1995	\$ 2041	\$ 2087	\$ 2153	\$ 2220	\$ 2290	\$ 2364	\$ 2440
		L3	\$ 2010	\$ 2056	\$ 2102	\$ 2168	\$ 2235	\$ 2305	\$ 2379	\$ 2455
Double 	S921S2CL	L1	\$ 3733	\$ 3824	\$ 3916	\$ 4043	\$ 4176	\$ 4313	\$ 4459	\$ 4606
		L2	\$ 3749	\$ 3840	\$ 3932	\$ 4059	\$ 4192	\$ 4329	\$ 4472	\$ 4622
		L3	\$ 3767	\$ 3858	\$ 3950	\$ 4077	\$ 4210	\$ 4347	\$ 4490	\$ 4640
Triple 	S921S3CL	L1	\$ 5601	\$ 5738	\$ 5876	\$ 6067	\$ 6266	\$ 6472	\$ 6689	\$ 6911
		L2	\$ 5628	\$ 5765	\$ 5903	\$ 6094	\$ 6293	\$ 6499	\$ 6716	\$ 6938
		L3	\$ 5651	\$ 5788	\$ 5926	\$ 6117	\$ 6316	\$ 6522	\$ 6739	\$ 6961
<b>LAMINATE — WITH BASE</b>										
Double 	S921B2CL	L1	\$ 5091	\$ 5182	\$ 5274	\$ 5401	\$ 5534	\$ 5671	\$ 5817	\$ 5964
		L2	\$ 5107	\$ 5198	\$ 5290	\$ 5417	\$ 5550	\$ 5687	\$ 5833	\$ 5980
		L3	\$ 5125	\$ 5216	\$ 5308	\$ 5435	\$ 5568	\$ 5705	\$ 5851	\$ 5998
Triple 	S921B3CL	L1	\$ 7300	\$ 7437	\$ 7575	\$ 7766	\$ 7965	\$ 8171	\$ 8388	\$ 8610
		L2	\$ 7327	\$ 7464	\$ 7602	\$ 7793	\$ 7992	\$ 8198	\$ 8415	\$ 8637
		L3	\$ 7350	\$ 7487	\$ 7625	\$ 7816	\$ 8015	\$ 8221	\$ 8438	\$ 8660

GATHER SPACE DIVISION

Description	Model	Ship Weight	Cubes	List Price
<b>Non-Skid Pads for Hard Surfaces</b>				
Hedge Double Non-skid Pads for Hard Surfaces	S921HS2	1.1	0.2	\$ 33
Hedge Triple Non-skid Pads for Hard Surfaces	S921HS3	1.7	0.2	\$ 50



Continued on next page ►

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> FSC Certified Wood: FSC Select for FSC Certified Wood</p>	<p><b>2nd Option:</b> Select the Upholstery (if applicable): See pages 351-353 for selections and inside back cover for colors and codes.</p>	<p><b>3rd Option:</b> Select the Tablet Laminate (if applicable): See page 187 for finishes.</p>	<p><b>4th Option:</b> Select the Tablet Edge Color (if applicable): See page 187 for finishes.</p>
S   9   2   1                 .	F   S   C   .	.	.	.

Examples: S921S1CL.FSC.BOX14.LM16.E9 S921HS2  
S921B3CL.FSC.BOX14.LM16.E9.LM16U398

Model Number	Overall					
	COM Yardage	Height	Width	Depth	Ship Weight	Cu lbs
S921S1CL	3.8	48"	32"	24"	58.2	17.8
S921S2CL	7.5	48"	63"	26 1/4"	111.5	35.9
S921S3CL	11.3	48"	93 1/2"	30 1/4"	164.8	51.1
S921B2CL	7.5	48"	65"	29 1/4"	284.1	39.4
S921B3CL	11.3	48"	95 1/2"	33 1/2"	382.6	54.9

GATHER SPACE DIVISION

◀ Continued from previous page

<p><i>5th Option:</i>  <b>Select the Base Color</b>                  (if applicable):                  LM12 Bungalow                  LM16 Flint</p>	<p><i>6th Option:</i>  <b>Select the Coordinating Base Edge Color</b>                  (if applicable):                  U395 Jute — use with Bungalow                  U398 Flannel — use with Flint</p>
<p>L        </p>	<p>U3        </p>

*Sketch is a marker board you won't want to hide away in a closet after a meeting. Highly mobile, it helps you sketch out your best ideas while making a striking design statement. It's functional, versatile, and beautiful in either a casual meeting room or a sophisticated board room.*

**MODELS AND OPTIONS**


Sketch is available with a painted wood or veneer finish. Accessory tray and hooks can be ordered separately to use on the markerboard.

**APPLICATION**

Sketch can be used in conference rooms, huddle spaces, war rooms, training rooms, open-plan spaces, and libraries.

**KEY FEATURES**

Sketch is on casters for easy movement. It can be used as a markerboard, a magnetic board, or used to hang flipcharts on removable hooks. A magnetic tray can be added anywhere on Sketch's magnetic surface. Sketch is available in four painted wood colors and four veneer stains that are plain-sliced cut or Stratawood.



GATHER CONFERENCE

**Sketch Markerboard**

- Bent ply construction. Available in paint colors or four veneer stains.
- Accommodates flipcharts with optional accessory hooks.
- Optional magnetic accessory tray available.
- Dimensions: 72"H x 29"W x 20¼"D
- On casters for easy movement.
- Composite counterweight used in Sketch consists of HDPE (high density polyethylene) and mill scale. Both ingredients are recycled

materials. Mill scale is a by-product of iron or steel billets from local manufacturing.

- Sketch is made primarily of wood, a natural material that is affected by its environmental conditions. Sketch units may have a slight variance in the angle of the markerboard due to its construction and the natural variation expected in individual selections of wood.

**Sketch Accessory Tray**

- Magnetically attachable tray for storage of accessories on the markerboard. Can be positioned anywhere on Sketch's markerboard surface.
- PR6 Silver finish.

**Sketch Paper Accessory Hooks**


- Used to hang flipcharts on Sketch Markerboard.
- PR6 Silver finish.




Description	Model	Ship Weight	Cubes	List Price
<b>Sketch Markerboard — Painted Wood</b>				
72"H x 29"W x 20¼"D	S929P	120	69.2	\$ 1584



Description	Model	Ship Weight	Cubes	Plain-Sliced List Price	Stratawood List Price
<b>Sketch Markerboard — Veneer</b>					
72"H x 29"W x 20¼"D	S929W	120	69.2	\$ 2262	\$ 2543



Description	Model	Ship Weight	Cubes	List Price
<b>Sketch Accessory Tray (PR6 Silver only)</b>				
11"W x 3"D	S929T	2.0	0.4	\$ 104



Description	Model	Ship Weight	Cubes	List Price
<b>Sketch Paper Accessory Hooks (PR6 Silver only)</b>				
Accessory Clips	S929TC	2.0	0.2	\$ 104

**How to specify —**

<p>Select the Model Number from above.</p> <p>S   9   2   9       .</p>	<p><i>1st Option:</i> <b>Painted Wood – Paint Color</b> (if applicable):</p> <p>M14 Brilliant White M13 Brownstone M16 Flint M11 Loft</p> <p>M        </p>	<p><i>1st Option:</i> <b>Veneer</b> (if applicable):</p> <p><b>Plain-Sliced</b> PC777 Burnished Cherry PF331 Dark Rift Oak PC701 Light Cherry PE800 Natural Maple</p> <p><b>Stratawood</b> SC777 Burnished Cherry SF331 Dark Rift Oak SE800 Clear Maple</p> <p>               </p>	<p><i>1st Option:</i> <b>Accessory Finish</b> (if applicable):</p> <p>PR6 Silver</p> <p>P   R   6  </p>
---	--	--	---

Examples: S929P.M14 S929W.SE800 S929T.PR6 S929TC.PR6

It's easy to create a room with a View.

View is a multi-purpose storage credenza that can be topped with an optional media frame, which can be used to mount a monitor on one side and has a marker board on the opposite side.

**MODELS AND OPTIONS**


View is available as a credenza or a credenza with media and markerboard. View can be specified in laminate or veneer.

**APPLICATION**

Pull View into open-plan meeting spaces, large or small enclosed rooms, library spaces, atrium areas, and faculty offices.


**KEY FEATURES**

View can be used as a storage credenza for electronics and supplies or as a recycling center when pull-out bins are added. With the addition of the media panel View provides a solution for viewing presentations, watching videos, and team brainstorming. Doors keep cables tucked away while the top slides open to reveal easy access power.



**View Media Credenza**

- TV/Monitor mounting bracket included.
- One adjustable-height shelves included. Can be located behind either door. Additional shelves available, order separately.
- Double sided. TV/Monitor side has two hinged doors, plus center removable panel with cord drop at top. Markerboard side has two hinged doors.
- Looks best with TV or monitor that closely fills the 27¼"H x 40¾"W x 3"D frame dimension.
- Maximum monitor weight is 75 lbs.
- Top slides forward on TV side and is hinged on marker board side for access to electrical trough and storage compartment.
- For sliding top to be functional, a maximum of 25 lbs. can be placed on top.
- Unit has four Stride legs with leveling glides.



**View Credenza**

- Single sided.
- One large shelf included inside unit.
- Three hinged doors.
- Unit has four Stride® legs with leveling glides.


**View Credenza**

	Height	Width	Depth
Case	27 <sup>7</sup> / <sub>8</sub> "	48"	22"
Case clearance from floor	¾"	—	—
<b>Shelf in middle position</b>			
Top location space (2 door side)	10 <sup>3</sup> / <sub>8</sub> "	30½"	20 <sup>3</sup> / <sub>8</sub> "
Top location space (1 door side)	10 <sup>3</sup> / <sub>8</sub> "	14½"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location space (2 door side)	10 <sup>3</sup> / <sub>8</sub> "	30½"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location space (1 door side)	10 <sup>3</sup> / <sub>8</sub> "	14½"	20 <sup>3</sup> / <sub>8</sub> "
<b>Shelf in top or bottom position</b>			
Top location (2 door side)	5"	30½"	20 <sup>3</sup> / <sub>8</sub> "
Top location (1 door side)	5"	14½"	20 <sup>3</sup> / <sub>8</sub> "
Middle location (2 door side)	9 <sup>7</sup> / <sub>8</sub> "	30½"	20 <sup>3</sup> / <sub>8</sub> "
Middle location (1 door side)	9 <sup>7</sup> / <sub>8</sub> "	14½"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location (2 door side)	5 <sup>5</sup> / <sub>8</sub> "	30½"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location (1 door side)	5 <sup>5</sup> / <sub>8</sub> "	14½"	20 <sup>3</sup> / <sub>8</sub> "

**View Media Credenza**

	Height	Width	Depth
Case	27 <sup>7</sup> / <sub>8</sub> "	48 <sup>1</sup> / <sub>8</sub> "	22"
Case clearance from floor	¾"	—	—
Underneath slide out top	2¼"	46 <sup>6</sup> / <sub>8</sub> "	8½"
Overall unit height	64½"	—	—
Top frame interior dimensions	27¼"	40¾"	—
Top frame thickness	—	3"	—
Marker Board dimensions	33¼"	47½"	—
<b>Shelf in top position</b>			
Top location space	6¼"	19"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location space	11¼"	19"	20 <sup>3</sup> / <sub>8</sub> "
<b>Shelf in bottom position</b>			
Top location space	12¼"	19"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location space	5¼"	19"	20 <sup>3</sup> / <sub>8</sub> "
<b>Shelves in top and bottom positions</b>			
Top location	6¼"	19"	20 <sup>3</sup> / <sub>8</sub> "
Middle location	5"	19"	20 <sup>3</sup> / <sub>8</sub> "
Bottom location	5¼"	19"	20 <sup>3</sup> / <sub>8</sub> "





**MONITOR MOUNTING SIDE**

**Standard Options:**

**Trim** — The top and the monitor frame have Silver trim.

**Sliding Top** — Offers easy access to audio/visual, data, and electrical.

**Removable Center Panel with cord drop** — Allows for easier access to routing audio/video and data. Cord drop at top for routing cables to adjacent All-Around™ table.

**Two Hinged Doors** — Inner open cavity allows for cords to be routed from side-to-side. Doors hinged from center.

**Shelf** — One adjustable shelf can be located behind either door.

**Electrical Trough** — Covered by sliding top, conceals wires and receptacles.

**Specifiable Options:**

**Audio/Video** — There are 4 locations in the electrical trough and 4 locations in bottom plate of the data trough. Options include: Allsteel VGA and audio plug solution; Allsteel HDMI solution; and Extron location for units not covered with the VGA and HDMI solutions.

**Data** — Data faceplates can be used to wire the electrical trough if wireless data is not available.

**Electrical** — 6 simplexes, 4 face out underneath the sliding tops, 2 facing down to power electronics inside the case. This is offered in 10 ft and 20 ft corded options and 6 ft and 12 ft hardwired options.


**Additional Shelves** — Optional View Media shelves can be added for use behind either hinged door. Maximum of two shelves per side, see page 192 for dimensions.

**MARKER BOARD SIDE**


**Standard Options:**

**Two Hinged Doors** — provides access to backside of electronics. Doors hinged from outside edge.


**Hinged Top** — Offers easy access to storage compartment that can hold markers and remotes.



Side View — Vertical Capacity



Bottom View — Bottom Capacity



GATHER CONFERRING

**View Credenza**

- Available in laminate or veneer.
- Dimensions: 48"W x 22"D x 27½"H.
- Single sided — doors are only on one side of unit.
- View Credenza has four Stride legs with leveling glides.
- Three hinged doors per unit.
- Includes one large interior shelf that is 30⅜"W x 18½"D.
- The vertical clearance inside of View is 17".

**View Credenza Small Shelf**


- For use behind single hinge door.
- Dimensions: 14⅝"W x 18½"D.

**View Credenza Large Shelf**

- For use behind double hinge door.
- Dimensions: 30⅜"W x 18½"D.

**View Credenza Pull Out Drawer**

- Can be mounted in any door location, maximum three per unit.
- Dimensions:  
Exterior — 15½"H x 13"W x 17"D;  
Interior — 11⅝"W x 16⅜"D.



Description	Model	Ship Weight	Cubes	List Price		
				L1	L2	L3
<b>View Credenza — Laminate</b>						
48"W x 22"D x 27½"H	S910C48L	182.0	20.0	\$ 3361	\$ 3528	\$ 3696

**L1 Laminates/Edge**


- LM11 Loft/EV
- LM12 Bungalow/EX
- LM13 Brownstone/EY
- LM14 Frosty White/EW
- LM15 Muslin/EU
- LM16 Flint/E9
- LWD Natural Maple/DD
- LW7C Shaker Cherry/DF

**L2 Laminates/Matching Edge**

- LWAC Amber Cherry/DA
- LWBE Beigewood/DE
- LWBR Brazilwood/DB
- LWZ Columbian Walnut/DZ

**L3 Laminates/Matching Edge**

- LWC Cafelle/DG
- LWCW Charcoal Walnut/DC
- LWNW Natural Walnut/DN



Description	Model	Ship Weight	Cubes	List Price		
				V1	V3	V5
<b>View Credenza — Veneer</b>						
48"W x 22"D x 27½"H	S910C48W	182.0	20.0	\$ 4055	\$ 4459	\$ 4865

**Stratawood – V1**


- FSCSC701 Light Cherry
- FSCSC706 Wheat Cherry
- FSCSC777 Burnished Cherry
- FSCSE800 Clear Maple
- FSCSF300 Clear Oak
- FSCSF331 Dark Rift Oak
- FSCST615 Coffee Walnut
- FSCST684 Dark Roast Walnut
- FSCST601 Light Walnut

**Natural-1 – V3**

- FSCNC777 Burnished Cherry
- FSCNC701 Light Cherry
- FSCNC706 Wheat Cherry
- FSCNE800 Natural Maple
- FSCNT615 Coffee Walnut
- FSCNT684 Dark Roast Walnut
- FSCNT601 Light Walnut

**Natural-2 – V5**

- FSCRF331 Dark Rift Oak



Description	Model	Ship Weight	Cubes	List Price
<b>Accessories</b>				
View Credenza Small Shelf — 14⅝"W x 18½"D	S910CSS <input type="checkbox"/>	5.0	1.0	\$ 47
View Credenza Large Shelf — 30⅜"W x 18½"D	S910CLS <input type="checkbox"/>	15.0	1.8	\$ 70
View Pull Out Drawer — 15½"H x 13"W x 17"D	S910PL <input type="checkbox"/>	15.0	1.7	\$ 169

Shippable by small-package carrier.

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   9   1   0           .</p>	<p><i>1st Option:</i> <b>Laminate</b> (if applicable): Add FSC prefix to code for FSC certified wood.</p> <p>         </p>	<p><i>2nd Option:</i> <b>Matching Edge Color</b> (if applicable):</p> <p>         </p>	<p><i>1st Option:</i> <b>Veneer</b> (if applicable): Add FSC prefix to code for FSC certified wood.</p> <p>F   S   C            </p>
---	--	--	--

Examples: S910C48L.LM13EY S910C48W.FSCNC777 S910CSS S910PL


**View Media**

- Available in laminate or veneer.
- Dimensions: 48"W x 22"D x 64⅝"H.
- One side has a panel for mounting media; opposite side is a marker board.
- View Media has four Stride legs with leveling glides.
- Includes interior shelf that is 20"W x 18½"D. Can be located behind either door.


- Double sided:
  - Monitor side — 2 hinged doors plus removable center panel
  - Markerboard side — 2 hinged doors plus removable center panel
- Vertical clearance inside of View is 17⅝".

**View Media Shelf**


- For use behind either hinged door in View Media Credenza.
- Dimensions: 20"W x 18½"D.



Description	Model	Ship Weight	Cubes	List Price		
				L1	L2	L3
<b>View Media Credenza — Laminate</b>						
48"W x 22"D x 64⅝"H	S910MT48L	200	47	\$ 4882	\$ 5049	\$ 5217
<b>L1 Laminates/Edge</b>		<b>L2 Laminates/Matching Edge</b>		<b>L3 Laminates/Matching Edge</b>		
LM11 Loft/EV	LWAC Amber Cherry/DA	LWC Cafelle/DG				
LM12 Bungalow/EX	LWBE Beigewood/DE	LWCW Charcoal Walnut/DC				
LM13 Brownstone/EY	LWBR Brazilwood/DB	LWNW Natural Walnut/DN				
LM14 Frosty White/EW	LWZ Columbian Walnut/DZ					
LM15 Muslin/EU						
LM16 Flint/E9						
LWD Natural Maple/DD						
LW7C Shaker Cherry/DF						



Description	Model	Ship Weight	Cubes	List Price		
				V1	V3	V5
<b>View Media Credenza — Veneer</b>						
48"W x 22"D x 64⅝"H	S910MT48W	200	47	\$ 6731	\$ 7135	\$ 7541
<b>Stratawood – V1</b>		<b>Natural-1 – V3</b>		<b>Natural-2 – V5</b>		
FSCSC701 Light Cherry	FSCNC777 Burnished Cherry	FSCRF331 Dark Rift Oak				
FSCSC706 Wheat Cherry	FSCNC701 Light Cherry					
FSCSC777 Burnished Cherry	FSCNC706 Wheat Cherry					
FSCSE800 Clear Maple	FSCNE800 Natural Maple					
FSCSF300 Clear Oak	FSCNT615 Coffee Walnut					
FSCSF331 Dark Rift Oak	FSCNT684 Dark Roast Walnut					
FSCST615 Coffee Walnut	FSCNT601 Light Walnut					
FSCST684 Dark Roast Walnut						
FSCST601 Light Walnut						



Description	Model	Ship Weight	Cubes	List Price
<b>Accessories</b>				
View Media Shelf — 20"W x 18½"D	S910MS	5	1	\$ 54

Shippable by small-package carrier.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Laminate</b> (if applicable): Add FSC prefix to code for FSC certified wood.</p>	<p><b>2nd Option:</b> <b>Matching Laminate Edge Color</b> (if applicable):</p>	<p><b>1st Option:</b> <b>View Media Shelf Paint Color</b> (if applicable): BTX Gray</p>	<p><b>1st Option:</b> <b>Veneer</b> (if applicable): Add FSC prefix to code for FSC certified wood.</p>	<p><b>3rd Option:</b> <b>Trim Paint</b> (if applicable): PR6 Silver</p>
<p>S 9 1 0           .          </p>	<p>          .</p>	<p>          .</p>	<p>B T X   .</p>	<p>F I S C           .</p>	<p>P R 6  </p>

Examples: S910MT48L.LM13EY.PR6 S910MT48W.FSCNC777.PR6 S910PL S910MS.BTX

GATHER CONFENCING

**View Corded Power**

- Use to plug View power directly into an outlet.

**View Hardwire Power**

- Use to hardwire View's power.

**View Interlink Power**







- Use to connect power from an All-Around table to View.





**VGA Kit**

- Use to connect a computer to View monitor.

**HDMI Kit**

- Use to connect a computer or other audio/video device to View monitor.

Description	Model	Ship Weight	Cubes	List Price
<b>View Corded Power</b>				
10'	S910P10C 	6.0	0.3	\$ 257
20'	S910P20C 	8.0	0.3	\$ 291
<b>View Hardwire Power</b>				
12'	S910P12H 	11.0	0.3	\$ 326
<b>View Interlink Power — for use with All-Around tables</b>				
View Interlink Main Power Box	S910P10LM 	8.0	0.4	\$ 381
<b>Media Kits</b>				
VGA Kit	S910PVG 	3.0	0.1	\$ 128
<b>NOTE:</b> VGA and Audio cables are 120" long from the back of the electrical trough face. They will reach the back of the monitor.				
HDMI Kit	S910PHK 	3.0	0.1	\$ 134
<b>NOTE:</b> VGA and Audio cables are 120" long from the back of the electrical trough face. They will reach the back of the monitor.				




 Shippable by small-package carrier.

*How to specify —*  
Select the Model Number from above.

S | 9 | 1 | 0 | | | | | | | .

Examples: S910P10C S910P12H



The surprisingly simple design of the All-Around table collection quickly connects people and technology for effective and efficient idea-sharing. It is available in three distinct heights, providing the versatility for a variety of different locations. The simple, streamlined design is also available without the technology option, so it's a perfect solution for a variety of meeting spaces.

**MODELS AND OPTIONS**

All-Around is available in three heights and four shapes: round, square, boat, and View All-Around tables can be specified in laminate or veneer.

**APPLICATION**


Use in open meeting areas, dedicated collaboration rooms, neighborhood spaces, cafés, libraries, and lounge areas.

**KEY FEATURES**


Hidden technology can be accessed by everyone around the table. You can even pair All-Around with View to create a functional teaming area in an enclosed or open space.

**Round Tables**


Lounge 22"H



Seated 29½"H




Café 42"H




**Square Tables**


Lounge 22"H



Seated 29½"H




Café 42"H




**Boat Shaped Tables**

Seated 29½"H







**View Tables**

Seated 29½"H



Materials and Edge Treatments




Laminate Edges



Flat Edge

Knife Edge

Veneer Edges




Square Edge

Knife Edge




All Around Bases


Small (model ends in "S")  
4" Diameter Column



Medium (model ends in "M")  
6" Diameter Column



Large (model ends in "L")  
12" Diameter Column



Bases can be placed over power monuments — black box represents location of a 4" x 4" box centered under base.



- 22"H Base — Lounge Height
- 29"H Base — Seated Height
- 42"H Base — Café Height
- Can be placed over power monument — see page 201.
- See matrix on page 201 for base and counterweight requirements.
- Order top separately — see page 202.
- Tops with power bases require power for pop-up or twist-and-lift function — order separately. See page 214.

	Description	Model	Ship Weight	Cubes	List Price
	<b>23" Diameter Non-Powered Bases — for use with 30" and 36" Diameter Tops</b>				
	22"H Non-Powered	S914N22S	27.0	18.9	\$ 617
	29"H Non-Powered (shown)	S914N29S	29.0	18.9	\$ 671
	42"H Non-Powered	S914N42S	32.0	25.8	\$ 729
	<b>23" Diameter Pop-up Powered Bases — for use with 30" and 36" Diameter Tops</b>				
	22"H Pop-up Powered	S914G22S	25.0	18.9	\$ 729
	29"H Pop-up Powered (shown)	S914G29S	27.0	18.9	\$ 785
	42"H Pop-up Powered	S914G42S	30.0	25.8	\$ 840
	<b>29" Diameter Non-Powered Bases — for use with 42" and 48" Diameter Tops</b>				
	22"H Non-Powered	S914N22M	35.0	18.9	\$ 671
	29"H Non-Powered (shown)	S914N29M	37.0	18.9	\$ 729
	42"H Non-Powered	S914N42M	41.0	25.8	\$ 785
	<b>29" Diameter Pop-up Powered Bases — for use with 42" and 48" Diameter Tops</b>				
	22"H Pop-up Powered	S914G22M	25.0	18.9	\$ 984
	29"H Pop-up Powered (shown)	S914G29M	27.0	18.9	\$ 1038
	42"H Pop-up Powered	S914G42M	30.0	25.8	\$ 1093
	<b>29" Diameter Twist-and-Lift Powered Bases — for use with 42" and 48" Diameter Tops</b>				
	22"H Twist-and-Lift Powered	S914P22M	50.0	18.9	\$ 1253
	29"H Twist-and-Lift Powered (shown)	S914P29M	58.0	18.9	\$ 1416
	42"H Twist-and-Lift Powered	S914P42M	60.0	25.8	\$ 1579
	<b>Counterweight Kits for All-Around Bases</b>				
	For 23" diameter base	S914CWS	60.0	0.8	\$ 196
	For 29" diameter base (shown)	S914CWM	60.0	0.8	\$ 219

GATHER TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color</b> (if applicable): PR8 Silver Textured CBK Charblack</p>	<p><i>2nd Option:</i> <b>Hardware Paint Color</b> (if applicable): PR6 Silver</p>
<p>S   9   1   4           .</p>	<p>       </p>	<p>P   R   6  </p>


Examples: S914G22S.PR8 S914P29M.CBK.PR6 S914CWS



- 22" H Base — Lounge Height
- 29" H Base — Seated Height
- 42" H Base — Café Height

- Can be placed over power monument — see page 201.
- See matrix on page 201 for base and counterweight requirements.
- Order top separately — see page 204.

- Tops with power bases require power for pop-up or twist-and-lift function — order separately. See page 214.



Description	Model	Ship Weight	Cubes	List Price
<b>29" Diameter Non-Powered Bases — for use with 42" and 48" Diameter Tops</b>				
22"H Non-Powered	S914N22M	35.0	18.9	\$ 671
29"H Non-Powered (shown)	S914N29M	37.0	18.9	\$ 729
42"H Non-Powered	S914N42M	41.0	25.8	\$ 785

<b>29" Diameter Pop-up Powered Bases — for use with 42" and 48" Diameter Tops</b>				
22"H Pop-up Powered	S914G22M	25.0	18.9	\$ 984
29"H Pop-up Powered (shown)	S914G29M	27.0	18.9	\$ 1038
42"H Pop-up Powered	S914G42M	30.0	25.8	\$ 1093

<b>29" Diameter Twist-and-Lift Powered Bases — for use with 42" and 48" Diameter Tops</b>				
22"H Twist-and-Lift Powered	S914P22M	50.0	18.9	\$ 1253
29"H Twist-and-Lift Powered (shown)	S914P29M	58.0	18.9	\$ 1416
42"H Twist-and-Lift Powered	S914P42M	60.0	25.8	\$ 1579

<b>34" Diameter Non-Powered Bases — for use with 54" and 60" Diameter Tops</b>				
29"H Non-Powered	S914N29L	49.0	22.0	\$ 896

<b>34" Diameter Pop-up Powered Bases — for use with 54" and 60" Diameter Tops</b>				
29"H Pop-up Powered	S914G29L	50.0	22.0	\$ 1116

<b>34" Diameter Twist-and-Lift Powered Bases — for use with 54" and 60" Diameter Tops</b>				
29"H Twist-and-Lift Powered	S914P29L	67.0	22.0	\$ 1686


<b>Counterweight Kits for All-Around Bases</b>				
For 29" diameter base (shown)	S914CWM	60.0	0.8	\$ 219
For 34" diameter base	S914CWL	60.0	0.8	\$ 219

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint Color</b> (if applicable): PR8 Silver Textured CBK Charblack</p>	<p><b>2nd Option:</b> <b>Pop-up Color</b> (if applicable): PR6 Silver</p>
<p>S   9   1   4           .</p>	<p>       </p>	<p>P   R   6  </p>


Examples: S914P29L.CBK.PR6 S914CWL




- 22"H Base — Lounge Height
- 29"H Base — Seated Height
- 42"H Base — Café Height
- Can be placed over power monument — see page 201.
- See matrix on page 201 for base and counterweight requirements.
- Order top separately — see page 206.
- Tops with power bases require power for pop-up or twist-and-lift function — order separately. See page 214.




Description	Model	Ship Weight	Cubes	List Price
<b>23" Diameter Non- Powered Bases — for use with 30"D and 36"D tops</b>				
22"H Non-Powered	S914N22S	27.0	18.9	\$ 617
29"H Non-Powered (shown)	S914N29S	29.0	18.9	\$ 671
42"H Non-Powered	S914N42S	32.0	25.8	\$ 729




<b>23" Diameter Pop-up Powered Bases — for use with 30"D and 36"D tops</b>				
22"H Pop-up Powered	S914G22S	25.0	18.9	\$ 729
29"H Pop-up Powered (shown)	S914G29S	27.0	18.9	\$ 785
42"H Pop-up Powered	S914G42S	30.0	25.8	\$ 840




<b>29" Diameter Non-Powered Bases — for use with 42"D and 48"D tops</b>				
22"H Non-Powered	S914N22M	35.0	18.9	\$ 671
29"H Non-Powered (shown)	S914N29M	37.0	18.9	\$ 729
42"H Non-Powered	S914N42M	41.0	25.8	\$ 785



<b>29" Diameter Pop-up Powered Bases — for use with 42"D and 48"D tops</b>				
22"H Pop-up Powered	S914G22M	25.0	18.9	\$ 984
29"H Pop-up Powered (shown)	S914G29M	27.0	18.9	\$ 1038
42"H Pop-up Powered	S914G42M	30.0	25.8	\$ 1093



<b>29" Diameter Twist-and-Lift Powered Bases — for use with 42"D and 48"D tops</b>				
22"H Twist-and-Lift Powered	S914P22M	50.0	18.9	\$ 1253
29"H Twist-and-Lift Powered (shown)	S914P29M	58.0	18.9	\$ 1416
42"H Twist-and-Lift Powered	S914P42M	60.0	25.8	\$ 1579



<b>Counterweight Kits for All-Around Bases</b>				
For 23" diameter base	S914CWS	60.0	0.8	\$ 196
For 29" diameter base (shown)	S914CWM	60.0	0.8	\$ 219

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color</b> (if applicable): PR8 Silver Textured CBK Charblack</p>	<p><i>2nd Option:</i> <b>Pop-up Color</b> (if applicable): PR6 Silver</p>
<p>S   9   1   4           .</p>	<p>        .</p>	<p>P   R   6  </p>

Examples: S914G22S.PR8 S914P29M.CBK.PR6 S914CWS






- 22" H Base — Lounge Height
- 29" H Base — Seated Height
- 42" H Base — Café Height

- Can be placed over power monument.
- See matrix on page 201 for base and counterweight requirements.
- Order top separately — see page 208.

- Tops with power bases require power for pop-up or twist-and-lift function — order separately. See page 214.



Description	Model	Ship Weight	Cubes	List Price
<b>29" Diameter Non-Powered Bases — for use with 42"D and 48"D Tops</b>				
22"H Non-Powered	S914N22M	35.0	18.9	\$ 671
29"H Non-Powered (shown)	S914N29M	37.0	18.9	\$ 729
42"H Non-Powered	S914N42M	41.0	25.8	\$ 785

<b>29" Diameter Pop-up Powered Bases — for use with 42"D and 48"D Tops</b>				
22"H Pop-up Powered	S914G22M	25.0	18.9	\$ 984
29"H Pop-up Powered (shown)	S914G29M	27.0	18.9	\$ 1038
42"H Pop-up Powered	S914G42M	30.0	25.8	\$ 1093

<b>29" Diameter Twist-and-Lift Powered Bases — for use with 42"D and 48"D Tops</b>				
22"H Twist-and-Lift Powered	S914P22M	50.0	18.9	\$ 1253
29"H Twist-and-Lift Powered (shown)	S914P29M	58.0	18.9	\$ 1416
42"H Twist-and-Lift Powered	S914P42M	60.0	25.8	\$ 1579

<b>34" Diameter Non-Powered Bases — for use with 54"D and 60"D Tops</b>				
29"H Non-Powered	S914N29L	49.0	22.0	\$ 896

<b>34" Diameter Pop-up Powered Bases — for use with 54"D and 60"D Tops</b>				
29"H Pop-up Powered	S914G29L	50.0	22.0	\$ 1116

<b>34" Diameter Twist-and-Lift Powered Bases — for use with 54"D and 60"D Tops</b>				
29"H Twist-and-Lift Powered	S914P29L	67.0	22.0	\$ 1686


<b>Counterweight Kits for All-Around Bases</b>				
For 29" diameter base (shown)	S914CWM	60.0	0.8	\$ 219
For 34" diameter base	S914CWL	60.0	0.8	\$ 219

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint Color</b> (if applicable): PR8 Silver Textured CBK Charblack</p>	<p><b>2nd Option:</b> <b>Pop-up Color</b> (if applicable): PR6 Silver</p>
<p>S   9   1   4           .</p>	<p>        .</p>	<p>P   R   6  </p>

Examples: S914N29L.PR8 S914P29L.CBK.PR6 S914CWL



- Order top separately — see page 210.
- See matrix on page 201 for base and counterweight requirements.



Description	Model	Ship Weight	Cubes	List Price
<b>20" Diameter Non-Powered Base — for use with Boat Shape Top (requires two)</b>				
29"H Non-Powered	S914N29D20	39.0	9.2	\$ 471

GATHER TABLES

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color:</b> PR8 Silver Textured CBK Charblack</p>
<p>S   9   1   4   N   2   9   D   2   0   .          </p>	

Example: S914N29D20.PR8



- Order top separately — see page 212.
- 29"H — Seated Height
- Can be placed over power monument — see page 201.
- See matrix on page 201 for base and counterweight requirements.
- Tops with power bases require power for pop-up or twist-and-lift function — order separately. See page 214.

Description	Model	Ship Weight	Cubes	List Price
<b>29" Diameter Non-Powered Base — for use with 48"D View Tops</b>				
29"H Non-Powered	S914N29M	37.0	18.9	\$ 729
<b>29" Diameter Pop-up Powered Bases — for use with 48"D View Tops</b>				
29"H Pop-up Powered	S914G29M	27.0	18.9	\$ 1038
<b>29" Diameter Twist-and-Lift Powered Base — for use with 48"D View Tops</b>				
29"H Twist-and-Lift Powered	S914P29M	58.0	18.9	\$ 1416
<b>34" Diameter Non-Powered Base — for use with 60"D and 72"D View Tops</b>				
29"H Non-Powered	S914N29L	49.0	22.0	\$ 896
<b>34" Diameter Pop-up Powered Bases — for use with 60"D and 72"D View Tops</b>				
29"H Pop-up Powered	S914G29L	50.0	22.0	\$ 1116
<b>34" Diameter Twist-and-Lift Powered Base — For use with 60"D and 72"D View Tops</b>				
29"H Twist-and-Lift Powered	S914P29L	67.0	22.0	\$ 1686
<b>Counterweight Kits for All-Around Bases</b>				
For 29" diameter base (shown)	S914CWM	60.0	0.8	\$ 219
For 34" diameter base	S914CWL	60.0	0.8	\$ 219

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color</b> (if applicable): PR8 Silver Textured CBK Charblack</p>	<p><i>2nd Option:</i> <b>Pop-up Color</b> (if applicable): PR6 Silver</p>
<p>S   9   1   4           .</p>	<p>        .</p>	<p>P   R   6  </p>

Examples: S914P29M.CBK.PR6 S914P29L.CBK.PR6 S914CWL S914N29M.PR8





Harvest brings all the collaborative potential of a multi-purpose table to the corporate environment. It's welcoming. Useful. It invites conversation and interaction whenever people meet up. So it's easy to Harvest the best ideas.

**MODELS AND OPTIONS**

Select the seated table height models for meeting and conference rooms or touchdown areas. Or specify a standing-height version for project spaces or cafés. Harvest Classic includes an optional split top that facilitates cord management and power/data hubs that allow for easy access to technology. The sliding doors in the technology trough not only provide easy access to cords from below, but are painted to add an accent color to the space. A solid top can be specified when technology access isn't as critical. Harvest tables are available in laminate or veneer.

**APPLICATIONS**


Place Harvest tables in cafés, atrium spaces, libraries, open-plan areas, and conference rooms.

**KEY FEATURES**

Harvest Classic tables are offered in a variety of sizes with power and data capability. Inspired by gathering spaces where people like to talk and share, like the dining room table or coffee area in the office, it invites conversation and interaction whenever people meet up.


**TABLE CAPACITIES**

Table Top	Seating Capacity
72"W x 36"D	4
72"W x 42"D	4
72"W x 48"D	4
96"W x 36"D	6
96"W x 42"D	6
96"W x 48"D	6
120"W x 36"D	8
120"W x 42"D	8
120"W x 48"D	8



72"W x 36"D Split Top with 42"H Powered End Panel Base

**MATERIALS AND FINISHES**




**CLEARANCE DIMENSIONS**

**Between Bases**


End panel bases are 3" D making clearance between bases 6" less than the width of top:

- 72"W top has 66" clearance
- 96"W top has 90" clearance
- 120"W top has 114" clearance



**End Panel Bases**


All end panel bases have a hidden center channel 7"W x 1 1/2" D for routing cables from floor to trough. The end panel access door can be mounted flush to bottom for a clean aesthetic or rotated to provide a one-half inch offset to allow for additional cord and cable clearance.



Powered end panel models feature cutouts for mounting a power/data hub and align with end panel center channel and the technology trough of top. Full tops (without split) can be used with powered end panels. Cutout is finished with a PR6 Silver bezel.


**Split Tops**

Split tops provide a 1 1/4" gap for routing cords and power adaptors. Inside technology trough dimensions are 7"W x 3 3/4"D.



**Wire Trough and Beam**

A recessed wire trough runs the length of all table tops. It is accessible through three sliding doors on the under side. Sliding doors can be easily removed for cleaning.



Center trough with beam is 10 1/4" wide and extends 5 1/4" below top. Clearance under top and under trough:

- 29"H End Panels provide 28 3/4"H / 23"H
- 42"H End Panels provide 40 3/4"H / 35 1/2"H

Distance from front edge of surface to trough:

- 36"D Top is 12 7/8"D
- 42"D Top is 15 7/8"D
- 48"D Top is 18 7/8"D



**HARVEST & COMMUNITY PAINT FINISHES**

**ⓐ CORE COLORS GRADE P1**

Black ..... P27  
 Brilliant White..... PQ8  
 Brownstone.....P7D  
 Bungalow .....P7C  
 Flint ..... P02  
 Loft ..... P7B  
 Muslin.....P4J

**ⓑ SELECT COLORS GRADE P2**

Champagne Metallic .....PR5  
 Gunmetal Metallic .....PR3  
 Platinum Metallic.....PR2  
 Silver.....PR6

**Ⓐ ACCENT COLORS\* GRADE P3**

Flame .....P7G  
 Ocean ..... P7H  
 Sprout ..... P7F  
 Tangelo..... P7E

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

**HARVEST RUSTIC WOOD LEG & PLANK TOP FINISHES**

Dark Brown .....LL897  
 Light Neutral .....LL815  
 Medium Grey.....LL814

**HARVEST & COMMUNITY LAMINATES**

**GRADE L1**

**CORE SOLID COLORS\*\***

Brownstone .....LM13  
 Bungalow .....LM12  
 Flint .....LM16  
 Frosty White .....LM14  
 Loft .....LM11  
 Muslin.....LM15

**WOODGRAIN**

Natural Maple .....LWD  
 Shaker Cherry .....LW7C

**GRADE L2**

Amber Cherry .....LWAC  
 Beigewood.....LWBE  
 Branded Oak **NEW!**.....LDO1  
 Brazilwood.....LWBR  
 Columbian Walnut .....LWZ  
 Ebony Recon **NEW!**.....LER1  
 Fawn Cypress **NEW!**.....LFC1  
 Lowell Ash .....LLA1  
 Mangalore Mango **NEW!**.....LMM1  
 Natural Recon .....LNR1  
 Phantom Charcoal **NEW!**.....LPC1  
 Phantom Ecu .....LPE1  
 Portico Teak .....LPT1  
 Skyline Walnut.....LSW1

**GRADE L3**

Cafelle.....LWC  
 Charcoal Walnut.....LWCW  
 Natural Walnut.....LWNW  
 \*\*Community 144"L and 168"L  
 (2 piece) Tops are limited to solid color laminates and edge colors.

**HARVEST & COMMUNITY LAMINATE EDGE COLORS**

Edge colors are predetermined based on matching laminate selection.

Amber Cherry .....DA  
 Beigewood.....DE  
 Branded Oak **NEW!**.....BO  
 Brazilwood.....DB  
 Brownstone.....EY  
 Bungalow .....EX  
 Cafelle.....DG  
 Charcoal Walnut.....DC  
 Columbian Walnut.....DZ  
 Ebony Recon **NEW!**.....DR  
 Fawn Cypress **NEW!**.....LF  
 Flint .....E9  
 Loft .....EV  
 Lowell Ash .....DL  
 Mangalore Mango **NEW!**.....MM  
 Muslin.....EU  
 Natural Maple .....DD  
 Natural Recon .....NR  
 Natural Walnut.....DN  
 Phantom Charcoal **NEW!**.....PC  
 Phantom Ecu .....PE  
 Plyband ♦ .....PL  
 Portico Teak .....DP  
 Shaker Cherry .....DF  
 Skyline Walnut.....SW  
 White .....EW

♦ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight. No T-Mold.

**HARVEST & COMMUNITY VENEERS**

**STRATAWOOD**

**GRADE V1**

**CHERRY**

Burnished Cherry .....FSCSC777  
 Light Cherry.....FSCSC701  
 Wheat Cherry.....FSCSC706

**MAPLE**

Clear Maple .....FSCSE800

**OAK**

Clear Oak .....FSCSF300  
 Dark Rift Oak.....FSCSF331

**WALNUT**

Coffee Walnut .....FSCST615  
 Dark Roast Walnut.....FSCST684  
 Light Walnut.....FSCST601

**NATURAL-1**

**GRADE V3**

**CHERRY**

Burnished Cherry .....FSCNC777  
 Light Cherry.....FSCNC701  
 Wheat Cherry.....FSCNC706

**MAPLE**

Natural Maple .....FSCNE800

**WALNUT**

Coffee Walnut .....FSCNT615  
 Dark Roast Walnut.....FSCNT684  
 Light Walnut.....FSCNT601

**NATURAL-2**

**GRADE V5**


Dark Rift Oak.....FSCRF331  
 Horizontal surfaces to be full-fill, ClearTech finish.

*The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.*

**NOTE:** Refer to individual product pages for upcharges.

**FSC Certified Wood at Allsteel**


See page 260 for more information.



Harvest Classic Table  
 120"W x 48"D Full Top with 29"H Non-Powered Base


**ELECTRICAL OPTIONS**

Harvest Classic Tables offer three power options: Corded, Interlink IQ, or Hardwire. Installation and use of electrical systems, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes. See matrix on page 219 for suggested cord length requirements. Verify code requirements before ordering. Chicago requires hard wiring. Chicago, New York, and San Francisco do not permit use of Interlink IQ components.




**Corded**

Corded models plug directly into an outlet and can be mounted back-to-back. Corded modules cannot plug into other corded power modules. In order to plug into other units the unit would need to be hardwired. When routing corded models to a wall outlet, the maximum amount of cord that can be exposed outside of the furniture is 6 feet. (New York, check local code.)




**Hardwire**

Hardwire models are provided with 20' of sealight cable. Customer must furnish junction boxes, conduit, and additional wire to be in compliance with local and national electrical codes. Hardwire surface mounted modules cannot mount back-to-back and require units to be mounted side-by-side (see below).



**Interlink IQ**


Interlink IQ provides the ability to use one 12-amp in-feed starter and power up to 8 power modules (including jumpers) off of one in-feed starter. Interlink IQ provides a visual indicator of system status. LED illuminates green when you are connected and ready to plug in. A red light indicates you have linked too many units.



**Interlink IQ Examples:**

- Example #1** – 120" Harvest Classic table with full top, power needed in end panels
  - (1) **S913P06LS** – 6' Interlink IQ starter
  - (2) **S913PLE** – Interlink IQ end panel power module
  - (1) **S913P05LJ** – Interlink IQ Jumper
- Example #2** – Two 120" Harvest Classic tables with split tops, power needed in end panels and throughout table
  - (1) **S913P06LS** – 6' Interlink IQ starter
  - (2) **S913PLE** – Interlink IQ end panel power module
  - (4) **S913PLM** – Interlink IQ surface mounted power module
  - (2) **S913HPLE** – Interlink IQ Hidden power module

Harvest Classic Electrical Routing




GATHER TABLES

**General Rules**


- Corded power modules cannot plug into other corded power modules. Corded modules can plug into hardwired modules.
- Corded power running to a wall outlet is limited to 6' of cord exposed outside of the furniture. (New York, check local code)
- An Interlink IQ Starter is required for Interlink IQ components and can support a maximum of 8 power modules (including jumpers) in any combination.
- Chicago requires hardwire. Interlink IQ can not be used in Chicago, New York, or San Francisco.

- All models below include rectangle top and beams with bottom access sliding doors to create a technology trough. Order the same depth end panel bases separately on page 221.
- Laminate tops have a flat edge that is color coordinated. Veneer tops have a matching square edge.
- Beams with sliding doors are painted metal and available in Core, Select, or Accent paint colors.

	Description	Model	Ship Weight	Cubes	List Price		
					L1 or V1	L2 or V3	L3 or V5
<b>36"D Harvest Classic Table Tops — includes Beams and Sliding Doors</b>							
Full Top	72"W Laminate Top — Full	S913LTF3672	145	0.0	\$ 1174	\$ 1202	\$ 1227
	72"W Laminate Top — Split	S913LTS3672	145	0.0	\$ 1399	\$ 1438	\$ 1475
Split Top	72"W Veneer Top — Full	S913WTF3672	145	0.0	\$ 1699	\$ 1804	\$ 1911
	72"W Veneer Top — Split	S913WTS3672	145	0.0	\$ 1933	\$ 2062	\$ 2191
Full Top	96"W Laminate Top — Full	S913LTF3696	178	0.0	\$ 1417	\$ 1450	\$ 1480
	96"W Laminate Top — Split	S913LTS3696	178	0.0	\$ 1642	\$ 1686	\$ 1729
Split Top	96"W Veneer Top — Full	S913WTF3696	178	0.0	\$ 1975	\$ 2094	\$ 2215
	96"W Veneer Top — Split	S913WTS3696	178	0.0	\$ 2209	\$ 2351	\$ 2496
Full Top	120"W Laminate Top — Full	S913LTF3620	212	0.0	\$ 1853	\$ 1898	\$ 1944
	120"W Laminate Top — Split	S913LTS3620	212	0.0	\$ 2078	\$ 2135	\$ 2194
Split Top	120"W Veneer Top — Full	S913WTF3620	212	0.0	\$ 2684	\$ 2859	\$ 3036
	120"W Veneer Top — Split	S913WTS3620	212	0.0	\$ 2918	\$ 3115	\$ 3316



Full Top



Split Top

<b>42"D Harvest Classic Table Tops — includes Beams and Sliding Doors</b>							
Full Top	72"W Laminate Top — Full	S913LTF4272	158	0.0	\$ 1287	\$ 1320	\$ 1350
	72"W Laminate Top — Split	S913LTS4272	158	0.0	\$ 1512	\$ 1556	\$ 1599
Split Top	72"W Veneer Top — Full	S913WTF4272	158	0.0	\$ 1933	\$ 2062	\$ 2191
	72"W Veneer Top — Split	S913WTS4272	158	0.0	\$ 2168	\$ 2320	\$ 2474
Full Top	96"W Laminate Top — Full	S913LTF4296	195	0.0	\$ 1529	\$ 1567	\$ 1604
	96"W Laminate Top — Split	S913LTS4296	195	0.0	\$ 1755	\$ 1804	\$ 1852
Split Top	96"W Veneer Top — Full	S913WTF4296	195	0.0	\$ 2209	\$ 2351	\$ 2496
	96"W Veneer Top — Split	S913WTS4296	195	0.0	\$ 2444	\$ 2610	\$ 2778
Full Top	120"W Laminate Top — Full	S913LTF4220	234	0.0	\$ 1965	\$ 2016	\$ 2067
	120"W Laminate Top — Split	S913LTS4220	234	0.0	\$ 2302	\$ 2364	\$ 2428
Split Top	120"W Veneer Top — Full	S913WTF4220	234	0.0	\$ 2918	\$ 3115	\$ 3316
	120"W Veneer Top — Split	S913WTS4220	234	0.0	\$ 3152	\$ 3374	\$ 3598

<b>48"D Harvest Classic Table Tops — includes Beams and Sliding Doors</b>							
Full Top	72"W Laminate Top — Full	S913LTF4872	171	0.0	\$ 1399	\$ 1437	\$ 1474
	72"W Laminate Top — Split	S913LTS4872	171	0.0	\$ 1625	\$ 1674	\$ 1722
Split Top	72"W Veneer Top — Full	S913WTF4872	171	0.0	\$ 2168	\$ 2320	\$ 2474
	72"W Veneer Top — Split	S913WTS4872	171	0.0	\$ 2400	\$ 2575	\$ 2752
Full Top	96"W Laminate Top — Full	S913LTF4896	213	0.0	\$ 1642	\$ 1685	\$ 1728
	96"W Laminate Top — Split	S913LTS4896	213	0.0	\$ 1867	\$ 1922	\$ 1976
Split Top	96"W Veneer Top — Full	S913WTF4896	213	0.0	\$ 2444	\$ 2610	\$ 2778
	96"W Veneer Top — Split	S913WTS4896	213	0.0	\$ 2678	\$ 2867	\$ 3060
Full Top	120"W Laminate Top — Full	S913LTF4820	255	0.0	\$ 2078	\$ 2134	\$ 2192
	120"W Laminate Top — Split	S913LTS4820	255	0.0	\$ 2302	\$ 2371	\$ 2439
Split Top	120"W Veneer Top — Full	S913WTF4820	255	0.0	\$ 3152	\$ 3374	\$ 3598
	120"W Veneer Top — Split	S913WTS4820	255	0.0	\$ 3387	\$ 3633	\$ 3878


GATHER TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   9   1   3            </p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable):</p> <p>FSC Select for FSC Certified Wood (72"W and 96"W only)</p> <p>X No FSC</p>	<p><b>1st Option:</b> Laminate:</p> <p>See page 217 for finishes.</p>	<p><b>1st Option:</b> Veneer:</p> <p>See page 217 for finishes.</p>	<p><b>1st Option:</b> Edge Color (Laminate only):</p> <p>Matching edge color based on laminate selection.</p>	<p><b>1st Option:</b> Beam and Door Paint Color:</p> <p>C S A</p> <p>See inside front cover for finishes.</p> <table border="1"> <thead> <tr> <th rowspan="2">Unit Width</th> <th colspan="2">PAINT UPCHARGES</th> </tr> <tr> <th>P2 Select</th> <th>P3 Accent</th> </tr> </thead> <tbody> <tr> <td>72"W</td> <td>\$29</td> <td>\$67</td> </tr> <tr> <td>96"W</td> <td>\$34</td> <td>\$82</td> </tr> <tr> <td>120"W</td> <td>\$44</td> <td>\$101</td> </tr> </tbody> </table> <p>P        </p>	Unit Width	PAINT UPCHARGES		P2 Select	P3 Accent	72"W	\$29	\$67	96"W	\$34	\$82	120"W	\$44	\$101
Unit Width	PAINT UPCHARGES																		
	P2 Select	P3 Accent																	
72"W	\$29	\$67																	
96"W	\$34	\$82																	
120"W	\$44	\$101																	


Examples: S913LTF4872.X.LM13EY.P7D S913WTS4872.FSC.SC777.P27

- Models below include two end panel bases and connecting hardware. Order matching depth tops that include beams and doors separately on page 220.
- Laminate end panel bases have a flat edge that is color coordinated. Veneer bases have a matching square edge.
- All end panel bases have a 7" W x 1½" D hidden center channel for routing cables from floor to trough.
- Powered end panel bases are power and data ready. Order electrical and data modules and cables separately. See page 222.
- Powered end panel base has cut-out for mounting end panel power/data module and space in the trough for routing cables.
- Non-Powered end panel bases do not have cut-outs.


Description	Model	Ship Weight	Cubes	List Price		
				L1 or V1	L2 or V3	L3 or V5
<b>36"D Harvest Classic Table End Panel Bases</b>						
29"H Laminate Base Pair — Non Powered	S913LNB3629	153	12.3	\$ 2427	\$ 2548	\$ 2668
29"H Laminate Base Pair — For Power	S913LPB3629	153	12.3	\$ 2652	\$ 2783	\$ 2916
29"H Veneer Base Pair — Non Powered	S913WNB3629	153	12.3	\$ 2990	\$ 3287	\$ 3586
29"H Veneer Base Pair — For Power	S913WPB3629	153	12.3	\$ 3223	\$ 3545	\$ 3866
42"H Laminate Base Pair — Non Powered	S913LNB3642	201	12.3	\$ 2652	\$ 2783	\$ 2916
42"H Laminate Base Pair — For Power	S913LPB3642	201	12.3	\$ 2876	\$ 3018	\$ 3162
42"H Veneer Base Pair — Non Powered	S913WNB3642	201	12.3	\$ 3223	\$ 3545	\$ 3866
42"H Veneer Base Pair — For Power	S913WPB3642	201	12.3	\$ 3458	\$ 3804	\$ 4147
<b>42"D Harvest Classic Table End Panel Bases</b>						
29"H Laminate Base Pair — Non Powered	S913LNB4229	172	15.9	\$ 2540	\$ 2666	\$ 2793
29"H Laminate Base Pair — For Power	S913LPB4229	172	15.9	\$ 2764	\$ 2901	\$ 3039
29"H Veneer Base Pair — Non Powered	S913WNB4229	172	15.9	\$ 3030	\$ 3449	\$ 3762
29"H Veneer Base Pair — For Power	S913WPB4229	172	15.9	\$ 3370	\$ 3705	\$ 4042
42"H Laminate Base Pair — Non Powered	S913LNB4242	227	15.9	\$ 2764	\$ 2901	\$ 3039
42"H Laminate Base Pair — For Power	S913LPB4242	227	15.9	\$ 2990	\$ 3138	\$ 3287
42"H Veneer Base Pair — Non Powered	S913WNB4242	227	15.9	\$ 3370	\$ 3705	\$ 4042
42"H Veneer Base Pair — For Power	S913WPB4242	227	15.9	\$ 3604	\$ 3962	\$ 4324
<b>48"D Harvest Classic Table End Panel Bases</b>						
29"H Laminate Base Pair — Non Powered	S913LNB4829	190	16.2	\$ 2652	\$ 2783	\$ 2916
29"H Laminate Base Pair — For Power	S913LPB4829	190	16.2	\$ 2876	\$ 3018	\$ 3162
29"H Veneer Base Pair — Non Powered	S913WNB4829	190	16.2	\$ 3282	\$ 3609	\$ 3937
29"H Veneer Base Pair — For Power	S913WPB4829	190	16.2	\$ 3515	\$ 3866	\$ 4215
42"H Laminate Base Pair — Non Powered	S913LNB4842	254	16.2	\$ 2876	\$ 3018	\$ 3162
42"H Laminate Base Pair — For Power	S913LPB4842	254	16.2	\$ 3101	\$ 3255	\$ 3411
42"H Veneer Base Pair — Non Powered	S913WNB4842	254	16.2	\$ 3604	\$ 3962	\$ 4324
42"H Veneer Base Pair — For Power	S913WPB4842	254	16.2	\$ 3838	\$ 4221	\$ 4603




29"H Non-Powered Base



29"H Powered Base



42"H Non-Powered Base
















42"H Powered Base

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   9   1   3                </p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable):</p> <p>FSC Select for FSC Certified Wood X No FSC</p> <p>(NOTE: Laminate is limited to "X" no FSC at this time.)</p>	<p><b>2nd Option:</b> Laminate (if applicable):</p> <p>See page 217 for finishes.</p>	<p><b>2nd Option:</b> Veneer (if applicable):</p> <p>See page 217 for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>Matching edge color based on laminate selection.</p>
---	--	---	---	---





Examples: S913LNB3629.X.LM13EY S913WNB3629.FSC.SC777

- Harvest Classic tables offer three power options: Corded, Interlink IQ, or Hardwire.
- Corded models plug directly into an outlet. Corded modules cannot plug into other corded power modules.
- When routing corded models to a wall outlet, the maximum amount of cord that can be exposed outside of the furniture is 6'. (New York, check local code)
- In order to plug corded models into other units the unit would need to be hardwired.
- Interlink IQ modules require a minimum of one Interlink IQ Starter.
- A maximum of 8 Interlink IQ Power Modules (including jumpers) can be “daisy chained” together in any combination off of one 12-amp in-feed starter.
- Interlink IQ provides a visual indicator of system status. LED illuminates green when you’re connected and ready to plug in.
- Hardwire models are provided with 20' of sealtight cable.
- In hardwire applications customer must furnish junction boxes, conduit, and additional wire to be in compliance with local and national electrical codes.

Description	Model	Ship Weight	Cubes	List Price
<b>Corded Power/Data Solutions for Harvest Classic Tables</b>				
6' Corded for Mounting in End Panel Base – 2 Receptacles/1 Data	S913P06CE	 6	0.3	\$ 236
12' Corded for Mounting in End Panel Base – 2 Receptacles/1 Data	S913P12CE	 8	0.3	\$ 267
20' Corded for Mounting in End Panel Base – 2 Receptacles/1 Data	S913P20CE	 11	0.3	\$ 291
6' Corded for Surface Mounting on Harvest Table – 2 Receptacles/1 Data	S913P06CM	 6	0.3	\$ 236
12' Corded for Surface Mounting on Harvest Table – 2 Receptacles/1 Data	S913P12CM	 8	0.3	\$ 267
20' Corded for Surface Mounting on Harvest Table – 2 Receptacles/1 Data	S913P20CM	 11	0.3	\$ 291

<b>Interlink IQ Power/Data Modules for Harvest Classic Tables</b>				
6' Interlink IQ Starter	S913P06LS	 8	0.4	\$ 493
10' Interlink IQ Starter	S913P10LS	 11	0.4	\$ 518
5' Interlink IQ Jumper	S913P05LJ	 8	0.4	\$ 119
Interlink IQ End Panel Base Power Module* w/5' Cord – 2 Receptacles/1 Data	S913PLE	 8	0.4	\$ 296
Interlink IQ Surface Mounted Power Module* w/5' Cord – 2 Receptacles/1 Data	S913PLM	 8	0.4	\$ 296
Interlink IQ Hidden Power Module* w/5' Cord – 2 Receptacles	S913PLHE	 8	0.4	\$ 272
Interlink IQ Hidden Power Module* w/5' Cord – 1 Receptacle/1 Data	S913PLHED	 8	0.4	\$ 272

\* Interlink IQ Power Modules require a minimum of one Interlink IQ Starter within configuration.

<b>Hardwire Power/Data Solutions for Harvest Classic Tables</b>				
20' Hard Wire for Mounting in End Panel Base – 2 Receptacles/1 Data	S913P20HE	 14	0.4	\$ 416
20' Hard Wire for Surface Mounting on Harvest Table – 2 Receptacles/1 Data	S913P20HM	 14	0.4	\$ 416
20' Hard Wire Hidden Power Module for Harvest Table – 2 Receptacles	S913P20HHE	 14	0.4	\$ 355
20' Hard Wire Hidden Power Module for Harvest Table – 1 Receptacle/1 Data	S913P20HHED	 14	0.4	\$ 355

 Shippable by small-package carrier.

**How to specify —**

Select the Model Number from above.

S | 9 | 1 | 3 | | | | | | | | | | | | | | | | |

Examples: S913P06CE S913P06LS S913P20HE

The Harvest Rustic table is designed to help you feel at ease hosting gatherings of all kinds. Seated- and standing-height tables are perfect for everything from the brainstorm to the weekly donut club. All the necessities of the office mixed with an appealing, familiar aesthetic. Bring your team together around the Harvest Rustic table.

### MODELS AND OPTIONS




Harvest Rustic offers three wood finish options for the legs to mix and match a wide selection of laminate top finishes or select a rustic plank top in matching finish. Perfect for cafés, atriums, open-plan areas, and collaboration spaces.

Choose between seated- and standing-height tables, square and rectangular shapes. Standing-height tables have a footrest for added comfort.

Harvest Rustic powered tables include built-in power and USB capabilities to power equipment.

### POWERED TABLES

Each table includes six simplex electrical outlets and six double USB ports (illustrated below) that are recessed at 6 locations within the 12" D x 3" H cubbies located just below table top on the two longest sides. Cubby area provides ample room for power supplies, excess cord, phone, and other paper, binders, or supplies — keeping the table top clear for the work at hand.




### NON-POWERED TABLES

Non-powered models feature a wooden apron on all four sides of the table (no cubbies). Without cubbies, non-powered tables cannot be easily converted to powered tables.


The beauty of wood is the natural variation of grain patterns and colors that make each piece unique. This variation is also influenced by lighting conditions, orientation of mated parts, and varying acceptance of the finishing process. The varying colors and physical characteristics naturally occur in all wood species but are most pronounced in lighter colored woods, and are especially evident in natural finishes.

GATHER TABLES

- Table comes complete with laminate or plank top with flat edges, solid wood legs — 29"H seated or 42"H standing height, painted metal support structure, and electrical — assembly required.
- Each powered table includes 6 simplex electrical outlets and 6 double USB ports recessed within the 12"D x 3"H cubbies located just below table top on the two longest sides. See page 223.
- See page 225 for non-powered tables.
- Electrical is corded with plug; for hardwired add "HW" suffix and \$100 upcharge. Cord to power is 10' long from center of table top.
- Rustic powered tables come with wire clips and painted metal wire management cover for routing cable down table leg. Cover attaches with double faced tape.




Seated Height




Standing Height

Description	Model Number Add "L" for Laminate or "P" for Plank	Ship Weight	Cubes	Laminate List Price			List Price Plank Top
				L1	L2	L3	
<b>36"D Harvest Rustic — includes top, legs, metal under supports, and electrical</b>							
72"W x 29"H	S942 □ TSE3672	209	19	\$ 3221	\$ 3245	\$ 3269	\$ 6288
84"W x 29"H	S942 □ TSE3684	259	24	\$ 3407	\$ 3436	\$ 3465	\$ 6800
96"W x 29"H	S942 □ TSE3696	277	27	\$ 3584	\$ 3619	\$ 3655	\$ 7356
120"W x 29"H	S942 □ TSE36120	305	29	\$ 3665	\$ 3706	\$ 3748	\$ 7663
72"W x 42"H	S942 □ TST3672	240	30	\$ 3948	\$ 3972	\$ 3996	\$ 7015
84"W x 42"H	S942 □ TST3684	293	36	\$ 4154	\$ 4183	\$ 4212	\$ 7547
96"W x 42"H	S942 □ TST3696	313	40	\$ 4373	\$ 4408	\$ 4444	\$ 8145
120"W x 42"H	S942 □ TST36120	343	44	\$ 4602	\$ 4643	\$ 4685	\$ 8600
<b>42"D Harvest Rustic — includes top, legs, metal under supports, and electrical</b>							
72"W x 29"H	S942 □ TSE4272	223	21	\$ 3517	\$ 3546	\$ 3575	\$ 6427
84"W x 29"H	S942 □ TSE4284	277	26	\$ 3693	\$ 3727	\$ 3761	\$ 7057
96"W x 29"H	S942 □ TSE4296	299	29	\$ 3871	\$ 3911	\$ 3952	\$ 7542
120"W x 29"H	S942 □ TSE42120	328	31	\$ 3953	\$ 3999	\$ 4046	\$ 7950
72"W x 42"H	S942 □ TST4272	270	32	\$ 4426	\$ 4455	\$ 4484	\$ 7336
84"W x 42"H	S942 □ TST4284	327	38	\$ 4622	\$ 4656	\$ 4690	\$ 7986
96"W x 42"H	S942 □ TST4296	351	42	\$ 4842	\$ 4882	\$ 4923	\$ 8513
120"W x 42"H	S942 □ TST42120	382	46	\$ 5072	\$ 5118	\$ 5165	\$ 9069
<b>48"D Harvest Rustic — includes top, legs, metal under supports, and electrical</b>							
72"W x 29"H	S942 □ TSE4872	237	22	\$ 3925	\$ 3959	\$ 3993	\$ 6855
84"W x 29"H	S942 □ TSE4884	296	28	\$ 4138	\$ 4177	\$ 4216	\$ 7304
96"W x 29"H	S942 □ TSE4896	322	31	\$ 4221	\$ 4266	\$ 4312	\$ 7711
120"W x 29"H	S942 □ TSE48120	350	33	\$ 4392	\$ 4443	\$ 4495	\$ 8378
72"W x 42"H	S942 □ TST4872	285	34	\$ 4972	\$ 5006	\$ 5040	\$ 7902
84"W x 42"H	S942 □ TST4884	347	40	\$ 5205	\$ 5244	\$ 5283	\$ 8371
96"W x 42"H	S942 □ TST4896	375	45	\$ 5330	\$ 5375	\$ 5421	\$ 8820
120"W x 42"H	S942 □ TST48120	405	49	\$ 5649	\$ 5700	\$ 5752	\$ 9635
<b>Square Harvest Rustic — includes top, legs, metal under supports, and electrical</b>							
54" Square x 29"H	S942 □ TSE54SQR	214	19	\$ 3222	\$ 3251	\$ 3280	\$ 6555
60" Square x 29"H	S942 □ TSE60SQR	241	22	\$ 3441	\$ 3476	\$ 3512	\$ 7214
54" Square x 42"H	S942 □ TST54SQR	242	30	\$ 3910	\$ 3939	\$ 3968	\$ 7243
60" Square x 42"H	S942 □ TST60SQR	273	34	\$ 4210	\$ 4245	\$ 4281	\$ 7983

**Note:** Add suffix "HW" to model number for Hardwire, \$100 upcharge. *Example:* S943LTSE3672HW



Seated Height



Standing Height


GATHER TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>FSC Certified Wood:</b> X No FSC</p>	<p><i>2nd Option:</i> <b>Laminate:</b> See page 217 for Harvest Rustic finishes.</p>	<p><i>3rd Option:</i> <b>Edge Color:</b> See page 217 for Harvest Rustic finishes.</p>	<p><i>4th Option:</i> <b>Harvest Rustic Wood Leg Color:</b> LL814 Medium Grey LL815 Light Neutral LL897 Dark Brown</p>	<p><i>4th Option:</i> <b>Paint Color for Metal Under Supports and Wire Cover:</b> C S See page 217 for paint colors and codes. Select upcharge: \$30 on 29"H, \$44 on 42"H</p>
	<p>S   9   4   2   .   X   .</p>	<p>. . . . .</p>	<p>. . . . .</p>	<p>. . . . .</p>	<p>L   L   8   . . . . .</p>


*Examples:* S942LTSE3672.X.LPE1.PE.LL814.P02 S942PTSE3672.X.LL814.P02




- Table comes complete with laminate top with flat edges, solid wood legs — 29"H seated or 42"H standing height, and painted metal support structure — assembly required.
- Non-powered tables feature a wooden apron on all four sides and cannot be easily converted to powered tables.
- See page 224 for powered tables.




Seated Height



Standing Height



Seated Height



Standing Height

Description	Model Number Add "L" for Laminate or "P" for Plank	Ship Weight	Cubes	Laminate List Price			List Price Plank Top
				L1	L2	L3	
<b>36"D Harvest Rustic Non-Powered — includes top, legs, and metal under supports</b>							
72"W x 29"H	S942 □ TSE3672NP	209	19	\$ 2721	\$ 2745	\$ 2769	\$ 5788
84"W x 29"H	S942 □ TSE3684NP	259	24	\$ 2907	\$ 2936	\$ 2965	\$ 6300
96"W x 29"H **	S942 □ TSE3696NP	277	27	\$ 3084	\$ 3119	\$ 3155	\$ 6856
120"W x 29"H **	S942 □ TSE36120NP	305	29	\$ 3165	\$ 3206	\$ 3248	\$ 7163
72"W x 42"H	S942 □ TST3672NP	240	30	\$ 3448	\$ 3472	\$ 3496	\$ 6515
84"W x 42"H	S942 □ TST3684NP	293	36	\$ 3654	\$ 3683	\$ 3712	\$ 7047
96"W x 42"H **	S942 □ TST3696NP	313	40	\$ 3873	\$ 3908	\$ 3944	\$ 7645
120"W x 42"H **	S942 □ TST36120NP	343	44	\$ 4102	\$ 4143	\$ 4185	\$ 8100
<b>42"D Harvest Rustic Non-Powered — includes top, legs, and metal under supports</b>							
72"W x 29"H	S942 □ TSE4272NP	223	21	\$ 3017	\$ 3046	\$ 3075	\$ 5927
84"W x 29"H	S942 □ TSE4284NP	277	26	\$ 3193	\$ 3227	\$ 3261	\$ 6557
96"W x 29"H	S942 □ TSE4296NP	299	29	\$ 3371	\$ 3411	\$ 3452	\$ 7042
120"W x 29"H	S942 □ TSE42120NP	328	31	\$ 3453	\$ 3499	\$ 3546	\$ 7450
72"W x 42"H	S942 □ TST4272NP	270	32	\$ 3927	\$ 3956	\$ 3985	\$ 6837
84"W x 42"H	S942 □ TST4284NP	327	38	\$ 4123	\$ 4157	\$ 4191	\$ 7487
96"W x 42"H	S942 □ TST4296NP	351	42	\$ 4343	\$ 4383	\$ 4424	\$ 8014
120"W x 42"H	S942 □ TST42120NP	382	46	\$ 4573	\$ 4619	\$ 4666	\$ 8570
<b>48"D Harvest Rustic Non-Powered — includes top, legs, and metal under supports</b>							
72"W x 29"H	S942 □ TSE4872NP	237	22	\$ 3425	\$ 3459	\$ 3493	\$ 6355
84"W x 29"H	S942 □ TSE4884NP	296	28	\$ 3638	\$ 3677	\$ 3716	\$ 6804
96"W x 29"H	S942 □ TSE4896NP	322	31	\$ 3721	\$ 3766	\$ 3812	\$ 7211
120"W x 29"H	S942 □ TSE48120NP	350	33	\$ 3892	\$ 3943	\$ 3995	\$ 7878
72"W x 42"H	S942 □ TST4872NP	285	34	\$ 4473	\$ 4507	\$ 4541	\$ 7403
84"W x 42"H	S942 □ TST4884NP	347	40	\$ 4706	\$ 4745	\$ 4784	\$ 7872
96"W x 42"H	S942 □ TST4896NP	375	45	\$ 4831	\$ 4876	\$ 4922	\$ 8321
120"W x 42"H	S942 □ TST48120NP	405	49	\$ 5150	\$ 5201	\$ 5253	\$ 9136
<b>Square Harvest Rustic Non-Powered — includes top, legs, and metal under supports</b>							
54" Square x 29"H	S942 □ TSE54SQRNP	214	19	\$ 2740	\$ 2769	\$ 2798	\$ 6073
60" Square x 29"H	S942 □ TSE60SQRNP	241	22	\$ 2923	\$ 2958	\$ 2994	\$ 6696
54" Square x 42"H	S942 □ TST54SQRNP	242	30	\$ 3428	\$ 3457	\$ 3486	\$ 6761
60" Square x 42"H	S942 □ TST60SQRNP	273	34	\$ 3692	\$ 3727	\$ 3763	\$ 7465

GATHER TABLES

<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> FSC Certified Wood: X No FSC	<b>2nd Option:</b> Laminate: See page 217 for Harvest Rustic laminate finishes.	<b>3rd Option:</b> Edge Color: See page 217 for Harvest Rustic edge finishes.	<b>4th Option:</b> Harvest Rustic Wood Leg Color: LL814 Medium Grey LL815 Light Neutral LL897 Dark Brown	<b>4th Option:</b> Paint Color for Metal Under Supports: <b>C S</b> See page 217 for paint colors and codes. Select upcharge: \$30 on 29"H, \$44 on 42"H
S   9   4   2                 .   X   .				L   L   8         .	

Examples: S942LTSE3672NP.X.LPE1.PE.LL814.P02 S942PTSE3672NP.X.LL814.PR6


The Harvest Metal table is designed to help you feel at ease hosting gatherings of all kinds. Seated- and standing-height tables are perfect for everything from the brainstorm to the weekly robotics club. All the necessities of the office mixed with an appealing, familiar aesthetic. Bring your team together around the Harvest Metal table.

### MODELS AND OPTIONS

Harvest Metal offers numerous painted options for the metal legs to mix and match a wide selection of laminate and veneer top finishes. Perfect for cafés, atriums, open-plan areas, and collaboration spaces.



Choose between seated- and standing-height tables, square and rectangular shapes. Standing-height table has a footrest for added comfort.

Harvest Metal powered tables include built-in power and USB capabilities to power equipment.



### POWERED TABLES


Each table includes six simplex electrical outlets and six double USB ports (illustrated below) that are recessed at 6 locations within the 12"D x 3"H cubbies located just below table top on the two longest sides. Cubby area provides ample room for power supplies, excess cord, phone, and other paper, binders, or supplies — keeping the table top clear for the work at hand.




### NON-POWERED TABLES

Non-powered metal models feature cubbies, but without any knock-outs for receptacles. Non-powered tables cannot be easily converted to powered tables.


- Table comes complete with laminate or veneer top, painted metal legs — 29"H seated or 42"H standing height, support structure, and electrical — assembly required.
- Each powered table includes 6 simplex electrical outlets and 6 double USB ports recessed within the 12"D x 3"H cubbies located just below table top on the two longest sides. See page 226.
- See page 228 for non-powered tables.
- Electrical is corded with plug; for hardwired add "HW" suffix and \$100 upcharge. Cord to power is 10' long from center of table top.
- Tables come with painted metal wire management cover for routing cable down table leg. Cover attaches with double faced tape.




Seated Height



Standing Height



Seated Height



Standing Height

Description	Model Number add "L" for Laminate or "V" for Veneer	Ship Weight	Cubes	Laminate List Price			Veneer List Price		
				L1	L2	L3	V1	V3	V5
<b>36"D Harvest Metal — includes top, legs, metal under supports, and electrical.</b>									
72"W x 29"H	S943 □ TSE3672	209	19	\$ 3156	\$ 3180	\$ 3204	\$ 5232	\$ 5351	\$ 5517
84"W x 29"H	S943 □ TSE3684	259	24	\$ 3342	\$ 3371	\$ 3400	\$ 5662	\$ 5800	\$ 5993
96"W x 29"H	S943 □ TSE3696	277	27	\$ 3519	\$ 3554	\$ 3590	\$ 6127	\$ 6286	\$ 6508
120"W x 29"H	S943 □ TSE36120	305	29	\$ 3600	\$ 3641	\$ 3683	\$ 6376	\$ 6545	\$ 6781
72"W x 42"H	S943 □ TST3672	240	30	\$ 3868	\$ 3892	\$ 3916	\$ 5944	\$ 6063	\$ 6229
84"W x 42"H	S943 □ TST3684	293	36	\$ 4070	\$ 4099	\$ 4128	\$ 6390	\$ 6528	\$ 6721
96"W x 42"H	S943 □ TST3696	313	40	\$ 4285	\$ 4320	\$ 4356	\$ 6893	\$ 7052	\$ 7274
120"W x 42"H	S943 □ TST36120	343	44	\$ 4509	\$ 4550	\$ 4592	\$ 7285	\$ 7454	\$ 7690

<b>42"D Harvest Metal — includes top, legs, metal under supports, and electrical.</b>									
72"W x 29"H	S943 □ TSE4272	223	21	\$ 3446	\$ 3475	\$ 3504	\$ 5336	\$ 5449	\$ 5607
84"W x 29"H	S943 □ TSE4284	277	26	\$ 3622	\$ 3656	\$ 3690	\$ 5866	\$ 6003	\$ 6195
96"W x 29"H	S943 □ TSE4296	299	29	\$ 3800	\$ 3840	\$ 3881	\$ 6271	\$ 6426	\$ 6643
120"W x 29"H	S943 □ TSE42120	328	31	\$ 3882	\$ 3928	\$ 3975	\$ 6604	\$ 6773	\$ 7010
72"W x 42"H	S943 □ TST4272	270	32	\$ 4337	\$ 4366	\$ 4395	\$ 6227	\$ 6340	\$ 6498
84"W x 42"H	S943 □ TST4284	327	38	\$ 4529	\$ 4563	\$ 4597	\$ 6773	\$ 6910	\$ 7102
96"W x 42"H	S943 □ TST4296	351	42	\$ 4745	\$ 4785	\$ 4826	\$ 7216	\$ 7371	\$ 7588
120"W x 42"H	S943 □ TST42120	382	46	\$ 4970	\$ 5016	\$ 5063	\$ 7692	\$ 7861	\$ 8098

<b>48"D Harvest Metal — includes top, legs, metal under supports, and electrical.</b>									
72"W x 29"H	S943 □ TSE4872	237	22	\$ 3845	\$ 3879	\$ 3913	\$ 5684	\$ 5801	\$ 5965
84"W x 29"H	S943 □ TSE4884	296	28	\$ 4058	\$ 4097	\$ 4136	\$ 6080	\$ 6214	\$ 6403
96"W x 29"H	S943 □ TSE4896	322	31	\$ 4141	\$ 4186	\$ 4232	\$ 6403	\$ 6551	\$ 6759
120"W x 29"H	S943 □ TSE48120	350	33	\$ 4312	\$ 4363	\$ 4415	\$ 6953	\$ 7126	\$ 7369
72"W x 42"H	S943 □ TST4872	385	34	\$ 4873	\$ 4907	\$ 4941	\$ 6712	\$ 6829	\$ 6993
84"W x 42"H	S943 □ TST4884	347	40	\$ 5102	\$ 5141	\$ 5180	\$ 7124	\$ 7258	\$ 7447
96"W x 42"H	S943 □ TST4896	375	45	\$ 5223	\$ 5268	\$ 5314	\$ 7485	\$ 7633	\$ 7841
120"W x 42"H	S943 □ TST48120	405	49	\$ 5537	\$ 5588	\$ 5640	\$ 8178	\$ 8351	\$ 8594

<b>Square Harvest Metal — includes top, legs, metal under supports, and electrical.</b>									
54" Square x 29"H**	S943 □ TSE54SQR	214	19	\$ 3157	\$ 3186	\$ 3215	\$ 5476	\$ 5607	\$ 5790
60" Square x 29"H**	S943 □ TSE60SQR	241	22	\$ 3376	\$ 3411	\$ 3447	\$ 6058	\$ 6214	\$ 6433
54" Square x 42"H**	S943 □ TST54SQR	242	30	\$ 3832	\$ 3861	\$ 3890	\$ 6151	\$ 6282	\$ 6465
60" Square x 42"H**	S943 □ TST60SQR	273	34	\$ 4126	\$ 4161	\$ 4197	\$ 6808	\$ 6964	\$ 7183

\*\* 54" and 60" square veneer tops ship in two pieces.

**Note:** Add suffix "HW" to model number for Hardwire, \$100 upcharge. **Example:** S943LTST3672HW

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   9   4   3  </p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>X No FSC</p>	<p><b>2nd Option:</b> Veneer Finish (Veneer only):</p> <p>FF Full Finish OP Open pore</p>	<p><b>3rd Option:</b> Laminate or Veneer:</p> <p>See page 217 for Harvest Metal finishes.</p>	<p><b>4th Option:</b> Edge Color (Laminate only):</p> <p>See page 217 for Harvest Metal finishes.</p>	<p><b>5th Option:</b> Paint Color for Metal Legs, Supports, and Wire Cover:</p> <p>ⓐ ⓑ</p> <p>See page 217 for Core and Select paint colors and codes. Select upcharge: \$30 on 29"H, \$44 on 42"H</p>
	<p>Example: S943LTSE3672.X.LPE1.PE.P02 S943LTSE3672.X.FF.SC777.P02</p>				









**Where people want to meet.**


*Sometimes the best collaborations happen with a change of scenery. For a fun shift in pace, the stylish Community tables differ from your ordinary meeting table. They're ideal for impromptu lunch gatherings in your café space, private one-on-ones in a small meeting room, or larger team meetings in your conference room.*

**MODELS AND OPTIONS**

Community Tables offer painted metal legs in a variety of colors to mix and match the wide selection of finishes. Perfect for cafés, atriums, open-plan areas, and collaboration spaces.

Choose between laminate or veneer tops in round, square, and rectangular shapes.


Legs feature a wire management channel to maintain a clean aesthetic. Optional power/data cutout accommodates surface mounted power module, ordered separately.




GATHER TABLES



Leg Clearance Dimensions




Top View




Model	E Distance from leg to edge	L Distance from leg to furthest leg	D Distance from leg to closest leg	C Distance from center leg to edge
36" x 60"	9¼"	32¼"	8¼"	—
36" x 72"	9¼"	44¼"	8¼"	—
36" x 84"	9¼"	56¼"	8¼"	—
36" x 96"	9¼"	68¼"	8¼"	—
36" x 120"	9¼"	2 – 43½"	8¼"	5⅜"
36" x 144"	9¼"	2 – 57¼"	8¼"	5⅜"
36" x 168"	9¼"	2 – 67½"	8¼"	5⅜"
42" x 72"	11⅛"	40"	10"	—
42" x 84"	11⅛"	52"	10"	—
42" x 96"	11⅛"	64"	10"	—
42" x 120"	11⅛"	2 – 43½"	10"	8⅜"
42" x 144"	11⅛"	2 – 57¼"	10"	8⅜"
42" x 168"	11⅛"	2 – 67½"	10"	8⅜"
48" x 84"	11⅛"	52"	16"	—
48" x 96"	11⅛"	64"	16"	—
48" x 120"	11⅛"	2 – 43½"	16"	11⅜"
48" x 144"	11⅛"	2 – 57¼"	16"	11⅜"
48" x 168"	11⅛"	2 – 67½"	16"	11⅜"
54" Square	11⅛"	22"	22"	—
60" Square	11⅛"	28"	28"	—
66" Square	16⅞"	22⅞"	22⅞"	—
54" Round	9⅞"	16⅞"	16⅞"	—
60" Round	9⅞"	20⅞"	20⅞"	—
66" Round	14⅞"	25⅞"	25⅞"	—


Undersurface Mount Power — Cord lengths between modules.

Model	Size	A	B	C	D
S941USPS	Small	20"	40"	40"	60"
S941USPM	Medium	20"	33"	17"	54"
S941USPL	Large	20"	63"	16"	73"







- Community tables are the newest addition to Allsteel's Gather collection of furniture. They are designed for active teamwork like a quick touch base, coffee talk, or papers-down work.
- Tops are available in laminate and veneer in three shapes: round, square, and rectangular.
- Order tops and set of legs separately.
- See page 233 for dimensions between legs.
- Centered power/data cutout is optional, order surface power module separately based on needs and local code. See units below.
- 60" and 66" Round or Square tops ship with an external stiffener that extends 1½" below the surface.
- Each leg provides a recessed channel with cover for routing of a cord from the bottom of the table top to the floor. Hardwire surface model available.




Top with C1 Cutout




Top with C1 Cutout



Top View



Side View



Description	Model	Ship Weight	Cubes	List Price		
				L1 or V1	L2 or V3	L3 or V5
<b>Round Table Top</b>						
54" Diameter — Laminate Flat Edge	S941LF54RNDT	75	7.5	\$ 634	\$ 666	\$ 697
54" Diameter (2 pieces) — Veneer Square Edge	S941VF54RNDT	97	7.6	\$ 2699	\$ 2969	\$ 3239
54" Diameter (2 pieces) — Veneer Knife	S941VK54RNDT	97	7.6	\$ 2955	\$ 3251	\$ 3547
60" Diameter — Laminate Flat Edge	S941LF60RNDT	100	10.1	\$ 714	\$ 750	\$ 785
60" Diameter (2 pieces) — Veneer Square Edge	S941VF60RNDT	146	12.6	\$ 3008	\$ 3310	\$ 3610
60" Diameter (2 pieces) — Veneer Knife	S941VK60RNDT	146	12.6	\$ 3294	\$ 3624	\$ 3954
66" Diameter (2 pieces) — Laminate Flat Edge	S941LF66RNDT	183	14.6	\$ 898	\$ 943	\$ 988
66" Diameter (2 pieces) — Veneer Square Edge	S941VF66RNDT	196	16.2	\$ 3224	\$ 3546	\$ 3870
66" Diameter (2 pieces) — Veneer Knife	S941VK66RNDT	196	16.2	\$ 3530	\$ 3884	\$ 4236
<b>Square Table Top</b>						
54" Square — Laminate Flat Edge	S941LF54SQRT	93	7.5	\$ 610	\$ 641	\$ 671
54" Square — Laminate Knife Edge	S941LK54SQRT	93	7.5	\$ 1007	\$ 1057	\$ 1109
54" Square (2 pieces) — Veneer Square Edge	S941VF54SQRT	97	7.6	\$ 2699	\$ 2969	\$ 3239
54" Square (2 pieces) — Veneer Knife Edge	S941VK54SQRT	97	7.6	\$ 2955	\$ 3251	\$ 3547
60" Square — Laminate Flat Edge	S941LF60SQRT	122	10.1	\$ 690	\$ 725	\$ 759
60" Square — Laminate Knife Edge	S941LK60SQRT	122	10.1	\$ 1240	\$ 1302	\$ 1364
60" Square (2 pieces) — Veneer Square Edge	S941VF60SQRT	146	12.6	\$ 3008	\$ 3310	\$ 3610
60" Square (2 pieces) — Veneer Knife Edge	S941VK60SQRT	146	12.6	\$ 3294	\$ 3624	\$ 3954
66" Square (2 pieces) — Laminate Flat Edge	S941LF66SQRT	196	16.2	\$ 880	\$ 902	\$ 924
66" Square (2 pieces) — Laminate Knife Edge	S941LK66SQRT	196	16.2	\$ 1452	\$ 1526	\$ 1598
66" Square (2 pieces) — Veneer Square Edge	S941VF66SQRT	196	16.2	\$ 3224	\$ 3546	\$ 3870
66" Square (2 pieces) — Veneer Knife Edge	S941VK66SQRT	196	16.2	\$ 3530	\$ 3884	\$ 4236

Description	Model	Hardwire Model	Ship Weight	Cubes	Core Paint List Price	Select Paint List Price
<b>Community Table Legs — Painted</b>						
Set of 4 Legs	S941PL4	S941PL4HW*	58	4.4	\$ 1046	\$ 1074


\*Hardwire model has added hardwire ports on 2 legs.

Description	Model	Ship Weight	Cubes	List Price
<b>Community Table Surface Power Modules — 11⅝" x 5⅝"</b>				
6' corded power includes 4 power/2 data ports	S941P3	5	0.3	\$ 394
6' corded power includes 3 power/1 Extron cut out	S941P4	5	0.3	\$ 357
10' corded power includes 3 power/1 USB/2 data ports	S941P1	5	0.3	\$ 436
10' corded power includes 3 power/1 Extron cut out	S941P2	5	0.3	\$ 382
10' hardwire power includes 3 power/1 USB/2 data ports	S941P1HW	5	0.3	\$ 484
10' hardwire power includes 3 power/1 Extron cut out	S941P2HW	5	0.3	\$ 430



<b>Undersurface Mount Power — 4 Power/USB ports and 6' corded power. See page 233.</b>				
Description	Model	Ship Weight	Cubes	List Price
Short for Square or Round Table Tops	S941USPS	5	0.3	\$ 897
Medium for 60" and 72" Rectangular or 2 Sets on 120" and 144"	S941USPM	5	0.3	\$ 909
Long for 84", 96", and 120" or 2 Sets on 144" and 168"	S941USPL	5	0.3	\$ 918

How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood X No FSC	2nd Option: Laminate or Veneer Finish (if applicable): See Harvest Laminates and Veneers on page 217.	3rd Option: Veneer (if applicable): FF Full Finish OP Open Pore	4th Option: Paint (if applicable): C S See Harvest Paints on page 217.	5th Option: Laminate Edge (if applicable): See page 217 for predetermined edges.	6th Option: Power/Data Port Cutout (if applicable): C0 None C1 Centered
S   9   4   1						


Examples: S941LF3660T.X.LM13.EY.C1 S941PL4.PR6.WW S941USPS



- Community tables are the newest addition to Allsteel's Gather collection of furniture. They are designed for active teamwork like a quick touch base, coffee talk, or heads-down work.
- Tops are available in laminate and veneer in three shapes: rectangular, square, and round.
- Order tops and set of legs separately. 120"L, 144"L, and 168"L tops require 6 legs.
- See page 233 for dimensions between legs.
- Centered power/data cutout in top is optional, order power module separately based on needs and local code. See units below.
- Rectangular tops ship with an external stiffener that extends 1½" below the surface.
- Each leg provides a recessed channel with cover for routing of a cord from the bottom of the table top to the floor.




Top with C1 Cutout



120", 144", or 168" Top with C2 Cutouts

Description	Model	Ship Weight	Cubes	List Price		
				L1 or V1	L2 or V3	L3 or V5
<b>36"D Rectangle Table Tops</b>						
60"L — Laminate Flat Edge	S941LF3660T	80	6.3	\$ 297	\$ 312	\$ 327
60"L — Laminate Knife Edge	S941LK3660T	86	7.1	\$ 560	\$ 588	\$ 616
60"L — Veneer Square Edge	S941VF3660T	86	7.1	\$ 1496	\$ 1646	\$ 1795
60"L — Veneer Knife Edge	S941VK3660T	86	7.1	\$ 1638	\$ 1802	\$ 1966
72"L — Laminate Flat Edge	S941LF3672T	94	7.5	\$ 343	\$ 360	\$ 377
72"L — Laminate Knife Edge	S941LK3672T	103	8.5	\$ 690	\$ 725	\$ 759
72"L — Veneer Square Edge	S941VF3672T	103	8.5	\$ 1684	\$ 1852	\$ 2021
72"L — Veneer Knife Edge	S941VK3672T	103	8.5	\$ 1844	\$ 2028	\$ 2213
84"L — Laminate Flat Edge	S941LF3684T	111	8.9	\$ 516	\$ 542	\$ 568
84"L — Laminate Knife Edge	S941LK3684T	121	10.3	\$ 851	\$ 894	\$ 936
84"L — Veneer Square Edge	S941VF3684T	121	10.3	\$ 1742	\$ 1916	\$ 2090
84"L — Veneer Knife Edge	S941VK3684T	121	10.3	\$ 1907	\$ 2098	\$ 2288
96"L — Laminate Flat Edge	S941LF3696T	128	9.9	\$ 620	\$ 651	\$ 682
96"L — Laminate Knife Edge	S941LK3696T	139	11.3	\$ 1023	\$ 1074	\$ 1125
96"L — Veneer Square Edge	S941VF3696T	139	11.3	\$ 1957	\$ 2153	\$ 2348
96"L — Veneer Knife Edge	S941VK3696T	139	11.3	\$ 2143	\$ 2357	\$ 2572
120"L — Laminate Flat Edge	S941LF36120T	170	17.3	\$ 753	\$ 791	\$ 828
120"L — Laminate Knife Edge	S941LK36120T	170	17.3	\$ 1242	\$ 1304	\$ 1366
120"L — Veneer Square Edge	S941VF36120T	170	17.3	\$ 2259	\$ 2485	\$ 2711
120"L — Veneer Knife Edge	S941VK36120T	170	17.3	\$ 2474	\$ 2721	\$ 2969
144"L — Laminate Flat Edge (2 piece)**	S941LF36144T	188	15	\$ 884	\$ 906	\$ 928
144"L — Laminate Knife Edge (2 piece)**	S941LK36144T	188	15	\$ 1458	\$ 1532	\$ 1604
144"L — Veneer Square Edge (2 piece)**	S941VF36144T	188	15	\$ 2458	\$ 2704	\$ 2950
144"L — Veneer Knife Edge (2 piece)**	S941VK36144T	188	15	\$ 2692	\$ 2962	\$ 3230
168"L — Laminate Flat Edge (2 piece)**	S941LF36168T	221	17.8	\$ 1008	\$ 1033	\$ 1110
168"L — Laminate Knife Edge (2 piece)**	S941LK36168T	221	17.8	\$ 1664	\$ 1748	\$ 1830
168"L — Veneer Square Edge (2 piece)**	S941VF36168T	221	17.8	\$ 2668	\$ 2936	\$ 3202
168"L — Veneer Knife Edge (2 piece)**	S941VK36168T	221	17.8	\$ 2922	\$ 3214	\$ 3506


\*\*144"L and 168"L Tops limited to Solid Color laminates.





Description	Model	Hardwire Model	Ship Weight	Cubes	Core Paint P1 List Price	Select Paint P2 List Price
<b>Community Table Legs — Painted</b>						
Set of 4 Legs	S941PL4	S941PL4HW*	58	4.4	\$ 1046	\$ 1074
Set of 6 Legs (for 120"L, 144"L, 168"L)	S941PL6	S941PL6HW*	87	6.7	\$ 1569	\$ 1611

\*Hardwire model has added hardwire ports on 2 legs.


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   9   4   1</p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood X No FSC</p>	<p><b>2nd Option:</b> Laminate (if applicable): See Harvest Laminates on page 217.</p>	<p><b>3rd Option:</b> Veneer (if applicable): FF Full Finish OP Open Pore</p>	<p><b>4th Option:</b> Paint (if applicable): C S See Harvest Paints on page 217.</p>	<p><b>5th Option:</b> Laminate Edge (if applicable): See page 217 for predetermined edges.</p>	<p><b>6th Option:</b> Power/Data Port Cutout (if applicable): C0 None C1 Centered C2 Two Centered for 120", 144", or 168" tops</p>
	<p>Examples: S941LF3660T.X.LM13.EY.C1 S941PL4.PR6.WW</p>					



- Community tables are the newest addition to Allsteel's Gather collection of furniture. They are designed for active teamwork like a quick touch base, coffee talk, or heads-down work.
- Tops are available in laminate and veneer in three shapes: round, square, and rectangular.
- Order tops and set of legs separately. 120"L, 144"L, and 168"L tops require 6 legs.
- See page 233 for dimensions between legs.
- Centered power/data cutout in top is optional, order power module separately based on needs and local code. See units below.
- Rectangular tops ship with an external stiffener that extends 1½" below the surface.
- Each leg provides a recessed channel with cover for routing of a cord from the bottom of the table top to the floor.




Top with C1 Cutout



120", 144", or 168" Top with C2 Cutouts

Description	Model	Ship Weight	Cubes	List Price		
				L1 or V1	L2 or V3	L3 or V5
<b>42"D Rectangle Table Tops</b>						
72"L — Laminate Flat Edge	S941LF4272T	109	8.9	\$ 544	\$ 571	\$ 598
72"L — Laminate Knife Edge	S941LK4272T	118	9.9	\$ 898	\$ 943	\$ 988
72"L — Veneer Square Edge	S941VF4272T	118	9.9	\$ 1916	\$ 2108	\$ 2299
72"L — Veneer Knife Edge	S941VK4272T	118	9.9	\$ 2098	\$ 2308	\$ 2518
84"L — Laminate Flat Edge	S941LF4284T	129	10.6	\$ 658	\$ 691	\$ 724
84"L — Laminate Knife Edge	S941LK4284T	139	12	\$ 1086	\$ 1140	\$ 1195
84"L — Veneer Square Edge	S941VF4284T	139	12	\$ 2007	\$ 2208	\$ 2408
84"L — Veneer Knife Edge	S941VK4284T	139	21.1	\$ 2198	\$ 2418	\$ 2638
96"L — Laminate Flat Edge	S941LF4296T	147	11.8	\$ 798	\$ 838	\$ 878
96"L — Laminate Knife Edge	S941LK4296T	158	13.2	\$ 1317	\$ 1383	\$ 1449
96"L — Veneer Square Edge	S941VF4296T	158	13.2	\$ 2188	\$ 2407	\$ 2626
96"L — Veneer Knife Edge	S941VK4296T	158	13.2	\$ 2396	\$ 2636	\$ 2875
120"L — Laminate Flat Edge	S941LF42120T	192	19.4	\$ 876	\$ 920	\$ 964
120"L — Laminate Knife Edge	S941LK42120T	192	19.4	\$ 1445	\$ 1517	\$ 1590
120"L — Veneer Square Edge	S941VF42120T	192	19.4	\$ 2491	\$ 2740	\$ 2989
120"L — Veneer Knife Edge	S941VK42120T	192	19.4	\$ 2728	\$ 3001	\$ 3274
144"L — Laminate Flat Edge (2 piece)**	S941LF42144T	218	17.8	\$ 1012	\$ 1064	\$ 1114
144"L — Laminate Knife Edge (2 piece)**	S941LK42144T	218	17.8	\$ 1670	\$ 1754	\$ 1838
144"L — Veneer Square Edge (2 piece)**	S941VF42144T	218	17.8	\$ 2642	\$ 2906	\$ 3170
144"L — Veneer Knife Edge (2 piece)**	S941VK42144T	218	17.8	\$ 2894	\$ 3184	\$ 3474
168"L — Laminate Flat Edge (2 piece)**	S941LF42168T	257	21.1	\$ 1142	\$ 1200	\$ 1199
168"L — Laminate Knife Edge (2 piece)**	S941LK42168T	257	21.1	\$ 1884	\$ 1978	\$ 2072
168"L — Veneer Square Edge (2 piece)**	S941VF42168T	257	21.1	\$ 2808	\$ 3090	\$ 3370
168"L — Veneer Knife Edge (2 piece)**	S941VK42168T	257	21.1	\$ 3076	\$ 3384	\$ 3692

\*\*144"L and 168"L Tops limited to Solid Color laminates.




Description	Model	Hardwire Model	Ship Weight	Cubes	Core Paint P1 List Price	Select Paint P2 List Price
<b>Community Table Legs — Painted</b>						
Set of 4 Legs	S941PL4	S941PL4HW*	58	4.4	\$ 1046	\$ 1074
Set of 6 Legs (for 120"L, 144"L, 168"L)	S941PL6	S941PL6HW*	87	6.7	\$ 1569	\$ 1611

\*Hardwire model has added hardwire ports on 2 legs.



How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood X No FSC	2nd Option: Laminate (if applicable): See Harvest Laminates on page 217.	3rd Option: Veneer (if applicable): FF Full Finish OP Open Pore	4th Option: Paint (if applicable): C S See Harvest Paints on page 217.	5th Option: Laminate Edge (if applicable): See page 217 for predetermined edges.	6th Option: Power/Data Port Cutout (if applicable): C0 None C1 Centered C2 Two Centered for 120", 144", or 168" tops
S   9   4   1						

Examples: S941LF4272T.X.LM13.EY.C1 S941PL4.PR6.WW


GSA SIN 711-11



- Community tables are the newest addition to Allsteel's Gather collection of furniture. They are designed for active teamwork like a quick touch base, coffee talk, or heads-down work.
- Tops are available in laminate and veneer in three shapes: round, square, and rectangular.
- Order tops and set of legs separately. 120"L, 144"L, and 168"L tops require 6 legs.
- See page 233 for dimensions between legs.
- Centered power/data cutout is optional, order power module separately based needs and local code.
- Rectangular tops ship with an external stiffener that extends 1½" below the surface.
- Each leg provides a recessed channel with cover for routing of a cord from the bottom of the table top to the floor.




Top with C1 Cutout



120", 144", or 168" Top with C2 Cutouts

Description	Model	Ship Weight	Cubes	List Price		
				L1 or V1	L2 or V3	L3 or V5
<b>48"D Rectangle Table Tops</b>						
84"L — Laminate Flat Edge	S941LF4884T	146	11.6	\$ 853	\$ 896	\$ 939
84"L — Laminate Knife Edge	S941LK4884T	156	13	\$ 1407	\$ 1477	\$ 1548
84"L — Veneer Square Edge	S941VF4884T	156	13	\$ 2134	\$ 2347	\$ 2561
84"L — Veneer Knife Edge	S941VK4884T	156	13	\$ 2337	\$ 2571	\$ 2804
96"L — Laminate Flat Edge	S941LF4896T	165	12.9	\$ 912	\$ 962	\$ 1012
96"L — Laminate Knife Edge	S941LK4896T	176	14.3	\$ 1505	\$ 1580	\$ 1656
96"L — Veneer Square Edge	S941VF4896T	176	14.3	\$ 2321	\$ 2553	\$ 2785
96"L — Veneer Knife Edge	S941VK4896T	176	14.3	\$ 2541	\$ 2795	\$ 3049
120"L — Laminate Flat Edge	S941LF48120T	200	20	\$ 1006	\$ 1056	\$ 1107
120"L — Laminate Knife Edge	S941LK48120T	200	20	\$ 1660	\$ 1743	\$ 1826
120"L — Veneer Square Edge	S941VF48120T	200	20	\$ 2568	\$ 2825	\$ 3082
120"L — Veneer Knife Edge	S941VK48120T	200	20	\$ 2812	\$ 3093	\$ 3374
144"L — Laminate Flat Edge (2 piece)**	S941LF48144T	254	20.4	\$ 1150	\$ 1179	\$ 1266
144"L — Laminate Knife Edge (2 piece)**	S941LK48144T	254	20.4	\$ 1898	\$ 1994	\$ 2088
144"L — Veneer Square Edge (2 piece)**	S941VF48144T	254	20.4	\$ 2780	\$ 3058	\$ 3336
144"L — Veneer Knife Edge (2 piece)**	S941VK48144T	254	20.4	\$ 3044	\$ 3348	\$ 3654
168"L — Laminate Flat Edge (2 piece)**	S941LF48168T	291	23.1	\$ 1286	\$ 1318	\$ 1416
168"L — Laminate Knife Edge (2 piece)**	S941LK48168T	291	23.1	\$ 2122	\$ 2228	\$ 2334
168"L — Veneer Square Edge (2 piece)**	S941VF48168T	291	23.1	\$ 3188	\$ 3508	\$ 3826
168"L — Veneer Knife Edge (2 piece)**	S941VK48168T	291	23.1	\$ 3492	\$ 3842	\$ 4190

\*\*144"L and 168"L Tops limited to Solid Color laminates.




Description	Model	Hardwire Model	Ship Weight	Cubes	Core Paint P1 List Price	Select Paint P2 List Price
<b>Community Table Legs — Painted</b>						
Set of 4 Legs	S941PL4	S941PL4HW*	58	4.4	\$ 1046	\$ 1074
Set of 6 Legs (for 120"L, 144"L, 168"L)	S941PL6	S941PL6HW*	87	6.7	\$ 1569	\$ 1611

\*Hardwire model has added hardwire parts on 2 legs.

How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood X No FSC	2nd Option: Laminate (if applicable): See Harvest Laminates on page 217.	3rd Option: Veneer (if applicable): FF Full Finish OP Open Pore	4th Option: Paint (if applicable): C S See Harvest Paints on page 217.	5th Option: Laminate Edge (if applicable): See page 217 for predetermined edges.	6th Option: Power/Data Port Cutout (if applicable): C0 None C1 Centered C2 Two Centered for 120", 144", or 168" tops
S   9   4   1						


Examples: S941LF4884T.X.LM13.EY.C1 S941PL4.PR6.WW






- Order table top separately — see page 238.
- Base requires some assembly.
- Base height listed includes laminate top and four 1" leveling glides fully retracted.
- 29"H Base — Seated Height.
- 36"H Base — Counter Height.
- 42"H Base — Cafe Height with or without footrest.
- Bases for 30"-36" tops are 18" square.
- Bases for 42"-48" tops are 24" square.


- AC simplex power features spill-proof technology designed to fill 1¼" C1 cut out in table top comes with a 6' AC cord.
- USB provides 2 amp per port dual charging, designed to fill 1¼" C1 cut out in table top and comes with a 6' AC cord.



Description	Model	Ship Weight	Cubes	List Price
<b>Table Bases — Specify Textured Paint Color</b>				
29"H for 30"-36" Round or Square Top	S933DB29S	60	3.4	\$ 540
29"H for 42"-48" Round or Square Top	S933DB29L	95	4.3	\$ 600
36"H for 30"-36" Round or Square Top	S933DB36S	63	4.0	\$ 590
36"H for 42"-48" Round or Square Top	S933DB36L	98	4.9	\$ 650
42"H for 30"-36" Round or Square Top	S933DB42S	66	4.5	\$ 690
42"H for 30"-36" Round or Square Top with Footrest	S933DB42SFR	78	10.3	\$ 932
42"H for 42"-48" Round or Square Top	S933DB42L	101	5.4	\$ 750
42"H for 48" Round or Square Top with Footrest	S933DB42LFR	113	11.2	\$ 992



<b>Table Bases with Chrome Column &amp; Footrests — Base Plate Textured Black Paint</b>				
29"H for 30"-36" Round or Square Top	S933DB29SC	60	3.4	\$ 906
29"H for 42"-48" Round or Square Top	S933DB29LC	95	4.3	\$ 966
36"H for 30"-36" Round or Square Top	S933DB36SC	63	4.0	\$ 956
36"H for 42"-48" Round or Square Top	S933DB36LC	98	4.9	\$ 1016
42"H for 30"-36" Round or Square Top	S933DB42SC	66	4.5	\$ 1057
42"H for 30"-36" Round or Square Top with Footrest	S933DB42SFRC	78	10.3	\$ 1299
42"H for 42"-48" Round or Square Top	S933DB42LC	101	5.4	\$ 1117
42"H for 42"-48" Round or Square Top with Footrest	S933DB42LFRC	113	11.2	\$ 1359



<b>Electrical for Vicinity Table Cut Outs — Specify Black or White</b>				
Single AC Power	S933PWR	0.1	1.5	\$ 72
USB Power	S933USB	0.1	1.7	\$ 196

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Table Base Textured Paint Color</b> <i>(if applicable):</i> <b>P6P</b> Textured Black <b>PR8</b> Textured Silver <b>P7i</b> Textured White  Chrome models limited to <b>P6P</b> Textured Black</p>	<p><i>1st Option:</i> <b>Electrical Component Color</b> <i>(if applicable):</i> <b>BLK</b> Black <b>WHT</b> White</p>
<p><b>S   9   3   3               .        </b></p>		

Examples: S933DB29S.P6P    S933DB29SC.P6P    S933PWR.WHT

*Transfer makes it easy to move from brainstorming and sharing ideas, to capturing your thoughts on paper, to using your laptop or tablet. Its lightweight design pulls up comfortably to lounge chairs or side seating, creating an instant worksurface.*

**MODELS AND OPTIONS**

Available in two top shapes, oval or trapezoid, and in a variety of finish options, it complements your work as well as your work area aesthetic.

The three-star base is available painted with painted stem or polished with black stem. Tops are available in laminate.


**APPLICATION**

Sprinkle throughout dedicated collaboration rooms, small conference rooms, huddle spaces, libraries, cafés, and reception and waiting areas.


**KEY FEATURES**

The unique, slender base design allows you to pull the table close while leaving room to tuck your feet comfortably underneath.

**Transfer Trapezoid Table**



**Transfer Oval Table**






### Transfer Tables

- Trapezoid or Oval shaped tops.
- 3-star painted or polished base.
- Laminate tops.
- Trapezoid dimensions: 26"H x 24"W x 16"D
- Oval dimensions: 26"H x 25"W x 18"D

- Painted base has matching painted stem.
- Polished base has black stem.



Description	Model	Ship Weight	Cubes	L1 List Price	L2 List Price	L3 List Price
<b>Transfer Trapezoid Tables — Laminate Top</b>						
Painted Base	S911TBTL	20.0	4.7	\$ 674	\$ 684	\$ 691
Polished Base	S911TSTL	20.0	4.7	\$ 815	\$ 825	\$ 832



Description	Model	Ship Weight	Cubes	L1 List Price	L2 List Price	L3 List Price
<b>Transfer Oval Tables — Laminate Top</b>						
Painted Base	S911TBRL	20.0	4.7	\$ 645	\$ 652	\$ 659
Polished Base	S911TSRL	20.0	4.7	\$ 786	\$ 793	\$ 800

### Transfer Laminate Options

L1 Solid Color Laminates		L1 Patterned Laminates		L1 Woodgrain Laminates		L3 Woodgrain Laminates	
LM13	Brownstone	LT5B	Canyon Zephyr	LWD	Natural Maple	LWNW	Natural Walnut
LM12	Bungalow	LT5A	Desert Zephyr				
LM16	Flint	LT8B	Sheer Mesh	<b>L2 Woodgrain Laminates</b>			
LM14	Frosty White	LT8D	Silver Mesh	LWBR	Brazilwood		
LM11	Loft			LWZ	Columbian Walnut		
LM15	Muslin						

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): PR6 Silver P27 Black</p>	<p><i>1st Option:</i> <b>Polished Aluminum</b> (if applicable):</p>	<p><i>2nd Option:</i> <b>Laminate:</b> See above for options.</p>	<p><i>3rd Option:</i> <b>Edge Color</b> (if applicable): See inside front cover for finishes.</p>
<p>S   9   1   1   T           .   P         .   P   A   L   .           .        </p>				

Examples: S911TBTL.PR6.LM14.EW S911TSTL.PAL.LM13.EY

*The spun aluminum Belong occasional tables offer needed horizontal surfaces for small group meeting areas while providing a pleasing aesthetic.*

**MODELS AND OPTIONS**

The sculptural curved shape and lightweight design are available in two sizes — Coffee (16"H x 32" diameter) or Side (21"H x 16 diameter). The Belong tops are available in laminate, veneer, or glass with painted pan.


**APPLICATION**

Place in lounge and reception areas, small conference and huddle rooms, media and library areas, and cafés.


**KEY FEATURES**

Belong offers ample horizontal writing surface as a side table next to a chair or bench, or as a small coffee table surrounded by seating. Its organic hourglass shape provides legroom for users to sit up close when using laptops or tablets.

**Belong Side Table**



**Belong Coffee Table**




## Belong Side Tables


- Feature a 16" diameter top.
- Available in with four top finishes: laminate, glass, and veneer.
- Belong Side Table Base is 21"H.
- Specify top and base separately.

## Belong Coffee Tables


- Feature a 32" diameter top.
- Available in three top finishes: laminate, glass with painted pan, and veneer.
- Belong Coffee Table Base is 16"H.
- Specify top and base separately.




Description	Model	Ship Weight	Cubes	L1 List Price	L2 List Price	L3 List Price
<b>Belong Laminate Table Tops</b>						
16" Diameter for Side Table	S912T16L	5.0	1.0	\$ 192	\$ 203	\$ 213
32" Diameter for Coffee Table	S912T32L	19.0	2.5	\$ 266	\$ 280	\$ 295



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select Paint P2 List Price	Accent Paint P3 List Price
<b>Belong Glass Table Tops with Painted Pan</b>						
16" Diameter for Side Table	S912T16G	19.0	1.0	\$ 385	\$ 397	\$ 420
32" Diameter for Coffee Table	S912T32G	38.0	2.5	\$ 498	\$ 523	\$ 566



Description	Model	Ship Weight	Cubes	V1 List Price	V3 List Price	V5 List Price
<b>Belong Veneer Table Tops</b>						
16" Diameter for Side Table	S912T16V	10.0	1.0	\$ 854	\$ 888	\$ 929
32" Diameter for Coffee Table	S912T32V	25.0	2.5	\$ 1100	\$ 1144	\$ 1196



Description	Model	Ship Weight	Cubes	Core P1 List Price	Select P2 List Price
<b>Belong Side Table Base</b>					
21"H x 16" Diameter — Painted Aluminum	S912B2116	13.0	4.5	\$ 656	\$ 691
<b>Belong Coffee Table Base</b>					
16"H x 32" Diameter — Painted Aluminum	S912B1632	16.0	12.7	\$ 821	\$ 877

NOTE: Add FSC prefix to laminate code for FSC certified wood.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Select the Top Material</b> (if applicable): Laminate, Glass – C Clear, or Veneer.  See inside front cover for finishes.</p>	<p><i>2nd Option:</i> <b>Edge Color for Laminate Tops</b> (if applicable): See inside front cover for finishes.</p>	<p><i>2nd Option:</i> <b>Paint for Glass Top</b> (if applicable): <b>C S A</b> Core, Select, or Accent Paint.</p>	<p><i>1st Option:</i> <b>Paint for Base</b> (if applicable): <b>C S</b> See inside front cover for finishes.</p>
S 9 1 2                                 .	.		P	P

Examples: S912T16L.LWDEDD.DZ S912T16V.SC701 S912B2116.P4J S912T32G.C.P7B





Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>RISE — Pages 144-147</b>														
S922S2	\$ 3008	\$ 3136	\$ 3259	\$ 3381	\$ 3503	\$ 3626	\$ 3748	\$ 3871	\$ 3993	\$ 4115	\$ 4238	\$ 4360	\$ 4483	\$ 4605
S922S2P	\$ 3067	\$ 3195	\$ 3318	\$ 3440	\$ 3562	\$ 3685	\$ 3807	\$ 3930	\$ 4052	\$ 4174	\$ 4297	\$ 4419	\$ 4542	\$ 4664
S922S2IC	\$ 3927	\$ 4081	\$ 4226	\$ 4371	\$ 4516	\$ 4660	\$ 4805	\$ 4950	\$ 5095	\$ 5240	\$ 5385	\$ 5529	\$ 5674	\$ 5819
S922S3	\$ 3235	\$ 3363	\$ 3486	\$ 3608	\$ 3730	\$ 3853	\$ 3975	\$ 4098	\$ 4220	\$ 4342	\$ 4465	\$ 4587	\$ 4710	\$ 4832
S922S3P	\$ 3293	\$ 3421	\$ 3544	\$ 3666	\$ 3788	\$ 3911	\$ 4033	\$ 4156	\$ 4278	\$ 4400	\$ 4523	\$ 4645	\$ 4768	\$ 4890
<b>S922S2T, S922S2TP, S922S3T, and S922S3TP Upcharges</b>														
Seat	\$ 583	\$ 660	\$ 734	\$ 807	\$ 881	\$ 954	\$ 1028	\$ 1101	\$ 1175	\$ 1248	\$ 1321	\$ 1395	\$ 1468	\$ 1542
Side	\$ 388	\$ 440	\$ 489	\$ 538	\$ 587	\$ 636	\$ 685	\$ 734	\$ 783	\$ 832	\$ 881	\$ 930	\$ 979	\$ 1028
<b>S922S2TIC Upcharges</b>														
Seat	\$ 746	\$ 846	\$ 940	\$ 1034	\$ 1128	\$ 1221	\$ 1315	\$ 1409	\$ 1503	\$ 1597	\$ 1691	\$ 1785	\$ 1878	\$ 1972
Side	\$ 400	\$ 455	\$ 506	\$ 557	\$ 608	\$ 659	\$ 710	\$ 761	\$ 812	\$ 863	\$ 914	\$ 965	\$ 1016	\$ 1067
<b>MIND-SHARE — Pages 148-153</b>														
S925B52	\$ 2073	\$ 2140	\$ 2202	\$ 2264	\$ 2326	\$ 2388	\$ 2451	\$ 2513	\$ 2575	\$ 2637	\$ 2700	\$ 2762	\$ 2824	\$ 2886
S925B60	\$ 2269	\$ 2346	\$ 2420	\$ 2493	\$ 2567	\$ 2640	\$ 2714	\$ 2787	\$ 2860	\$ 2934	\$ 3007	\$ 3081	\$ 3154	\$ 3228
S925B72	\$ 2773	\$ 2872	\$ 2966	\$ 3060	\$ 3154	\$ 3247	\$ 3341	\$ 3435	\$ 3529	\$ 3623	\$ 3717	\$ 3810	\$ 3904	\$ 3998
<b>S925B52BOL Upcharges</b>														
Seat	\$ 500	\$ 568	\$ 631	\$ 694	\$ 757	\$ 821	\$ 884	\$ 947	\$ 1010	\$ 1074	\$ 1137	\$ 1200	\$ 1263	\$ 1327
Bolster	\$ 333	\$ 378	\$ 420	\$ 462	\$ 503	\$ 545	\$ 587	\$ 629	\$ 671	\$ 712	\$ 754	\$ 796	\$ 838	\$ 880
<b>S925B60BOL Upcharges</b>														
Seat	\$ 580	\$ 657	\$ 731	\$ 804	\$ 878	\$ 951	\$ 1025	\$ 1098	\$ 1171	\$ 1245	\$ 1318	\$ 1392	\$ 1465	\$ 1539
Bolster	\$ 418	\$ 475	\$ 528	\$ 581	\$ 634	\$ 687	\$ 740	\$ 793	\$ 846	\$ 899	\$ 952	\$ 1005	\$ 1058	\$ 1111
<b>S925B72BOL Upcharges</b>														
Seat	\$ 753	\$ 853	\$ 948	\$ 1043	\$ 1138	\$ 1233	\$ 1328	\$ 1422	\$ 1517	\$ 1612	\$ 1707	\$ 1802	\$ 1897	\$ 1992
Bolster	\$ 500	\$ 568	\$ 631	\$ 694	\$ 757	\$ 821	\$ 884	\$ 947	\$ 1010	\$ 1074	\$ 1137	\$ 1200	\$ 1263	\$ 1327
<b>S925B52F52 Upcharges</b>														
Seat	\$ 489	\$ 554	\$ 616	\$ 677	\$ 738	\$ 799	\$ 860	\$ 922	\$ 983	\$ 1044	\$ 1105	\$ 1166	\$ 1228	\$ 1289
Bolster	\$ 166	\$ 188	\$ 209	\$ 229	\$ 249	\$ 270	\$ 290	\$ 311	\$ 331	\$ 351	\$ 372	\$ 392	\$ 413	\$ 433
Screen	\$ 520	\$ 587	\$ 652	\$ 718	\$ 783	\$ 848	\$ 913	\$ 979	\$ 1044	\$ 1109	\$ 1175	\$ 1240	\$ 1305	\$ 1370
<b>S925B60F60 Upcharges</b>														
Seat	\$ 570	\$ 648	\$ 721	\$ 793	\$ 865	\$ 938	\$ 1010	\$ 1083	\$ 1155	\$ 1228	\$ 1300	\$ 1372	\$ 1445	\$ 1517
Bolster	\$ 250	\$ 283	\$ 315	\$ 346	\$ 378	\$ 410	\$ 441	\$ 473	\$ 504	\$ 536	\$ 568	\$ 599	\$ 631	\$ 663
Screen	\$ 600	\$ 682	\$ 757	\$ 833	\$ 908	\$ 984	\$ 1059	\$ 1135	\$ 1210	\$ 1286	\$ 1361	\$ 1437	\$ 1512	\$ 1588
<b>S925B72F72 Upcharges</b>														
Seat	\$ 734	\$ 832	\$ 925	\$ 1017	\$ 1110	\$ 1203	\$ 1296	\$ 1389	\$ 1482	\$ 1574	\$ 1667	\$ 1760	\$ 1853	\$ 1946
Bolster	\$ 333	\$ 378	\$ 420	\$ 462	\$ 503	\$ 545	\$ 587	\$ 629	\$ 671	\$ 712	\$ 754	\$ 796	\$ 838	\$ 880
Screen	\$ 685	\$ 778	\$ 864	\$ 951	\$ 1038	\$ 1125	\$ 1211	\$ 1298	\$ 1385	\$ 1471	\$ 1558	\$ 1645	\$ 1731	\$ 1818
<b>S925B52F72X Upcharges</b>														
Seat	\$ 489	\$ 554	\$ 616	\$ 677	\$ 738	\$ 799	\$ 860	\$ 922	\$ 983	\$ 1044	\$ 1105	\$ 1166	\$ 1228	\$ 1289
Bolster	\$ 166	\$ 188	\$ 209	\$ 229	\$ 249	\$ 270	\$ 290	\$ 311	\$ 331	\$ 351	\$ 372	\$ 392	\$ 413	\$ 433
Screen	\$ 685	\$ 778	\$ 864	\$ 951	\$ 1038	\$ 1125	\$ 1211	\$ 1298	\$ 1385	\$ 1471	\$ 1558	\$ 1645	\$ 1731	\$ 1818
<b>S925B60F80X Upcharges</b>														
Seat	\$ 570	\$ 648	\$ 721	\$ 793	\$ 865	\$ 938	\$ 1010	\$ 1083	\$ 1155	\$ 1228	\$ 1300	\$ 1372	\$ 1445	\$ 1517
Bolster	\$ 250	\$ 283	\$ 315	\$ 346	\$ 378	\$ 410	\$ 441	\$ 473	\$ 504	\$ 536	\$ 568	\$ 599	\$ 631	\$ 663
Screen	\$ 770	\$ 872	\$ 969	\$ 1065	\$ 1162	\$ 1259	\$ 1356	\$ 1453	\$ 1550	\$ 1647	\$ 1744	\$ 1841	\$ 1938	\$ 2034
<b>S925B72F92X Upcharges</b>														
Seat	\$ 734	\$ 832	\$ 925	\$ 1017	\$ 1110	\$ 1203	\$ 1296	\$ 1389	\$ 1482	\$ 1574	\$ 1667	\$ 1760	\$ 1853	\$ 1946
Bolster	\$ 333	\$ 378	\$ 420	\$ 462	\$ 503	\$ 545	\$ 587	\$ 629	\$ 671	\$ 712	\$ 754	\$ 796	\$ 838	\$ 880
Screen	\$ 853	\$ 969	\$ 1076	\$ 1183	\$ 1290	\$ 1397	\$ 1504	\$ 1611	\$ 1718	\$ 1825	\$ 1932	\$ 2040	\$ 2147	\$ 2254
<b>LINGER — Pages 154-155</b>														
S924BS	\$ 2564	\$ 2665	\$ 2760	\$ 2856	\$ 2952	\$ 3048	\$ 3144	\$ 3240	\$ 3336	\$ 3432	\$ 3527	\$ 3623	\$ 3719	\$ 3815
S924SS	\$ 2738	\$ 2839	\$ 2934	\$ 3030	\$ 3126	\$ 3222	\$ 3318	\$ 3414	\$ 3510	\$ 3606	\$ 3701	\$ 3797	\$ 3893	\$ 3989
<b>S924BT Upcharges</b>														
Seat	\$ 478	\$ 542	\$ 602	\$ 663	\$ 723	\$ 783	\$ 843	\$ 903	\$ 963	\$ 1024	\$ 1084	\$ 1144	\$ 1204	\$ 1264
Side	\$ 286	\$ 325	\$ 361	\$ 396	\$ 432	\$ 468	\$ 503	\$ 539	\$ 575	\$ 610	\$ 646	\$ 682	\$ 718	\$ 753
<b>S924ST Upcharges</b>														
Seat	\$ 478	\$ 542	\$ 602	\$ 663	\$ 723	\$ 783	\$ 843	\$ 903	\$ 963	\$ 1024	\$ 1084	\$ 1144	\$ 1204	\$ 1264
Side	\$ 286	\$ 325	\$ 361	\$ 396	\$ 432	\$ 468	\$ 503	\$ 539	\$ 575	\$ 610	\$ 646	\$ 682	\$ 718	\$ 753

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>PARALLEL CLUB CHAIR — Pages 158-159</b>														
CLCNO	\$ 3528	\$ 3636	\$ 3735	\$ 3834	\$ 3933	\$ 4032	\$ 4131	\$ 4230	\$ 4329	\$ 4428	\$ 4527	\$ 4626	\$ 4725	\$ 4824
CLCFC	\$ 3758	\$ 3866	\$ 3965	\$ 4064	\$ 4163	\$ 4262	\$ 4361	\$ 4460	\$ 4559	\$ 4658	\$ 4757	\$ 4856	\$ 4955	\$ 5054
<b>PARALLEL CLUB PLUS LOUNGE — Pages 158-159</b>														
CLCPNO	\$ 3722	\$ 3836	\$ 3941	\$ 4046	\$ 4151	\$ 4256	\$ 4361	\$ 4466	\$ 4571	\$ 4676	\$ 4781	\$ 4886	\$ 4991	\$ 5096
CLCPF	\$ 3967	\$ 4081	\$ 4186	\$ 4291	\$ 4396	\$ 4501	\$ 4606	\$ 4711	\$ 4816	\$ 4921	\$ 5026	\$ 5131	\$ 5236	\$ 5341
<b>PARALLEL SOFA — Pages 158-159</b>														
CLSNO	\$ 5818	\$ 5986	\$ 6140	\$ 6294	\$ 6448	\$ 6602	\$ 6756	\$ 6910	\$ 7064	\$ 7218	\$ 7372	\$ 7526	\$ 7680	\$ 7834
CLSFC	\$ 6203	\$ 6371	\$ 6525	\$ 6679	\$ 6833	\$ 6987	\$ 7141	\$ 7295	\$ 7449	\$ 7603	\$ 7757	\$ 7911	\$ 8065	\$ 8219
<b>SCOOCH — Pages 162-163</b>														
<b>S923 Upcharges</b>														
Seat	\$ 210	\$ 237	\$ 264	\$ 290	\$ 317	\$ 343	\$ 370	\$ 396	\$ 423	\$ 449	\$ 476	\$ 502	\$ 529	\$ 555
Side	\$ 210	\$ 237	\$ 264	\$ 290	\$ 317	\$ 343	\$ 370	\$ 396	\$ 423	\$ 449	\$ 476	\$ 502	\$ 529	\$ 555
<b>TAKE-5 — Pages 164-167</b>														
<b>S927WCB</b>														
Rotary Cut	\$ 1132	\$ 1157	\$ 1180	\$ 1204	\$ 1227	\$ 1251	\$ 1274	\$ 1298	\$ 1322	\$ 1345	\$ 1369	\$ 1392	\$ 1416	\$ 1440
<b>S927WCB Stratawood</b>														
Rotary Cut	\$ 1132	\$ 1157	\$ 1180	\$ 1204	\$ 1227	\$ 1251	\$ 1274	\$ 1298	\$ 1322	\$ 1345	\$ 1369	\$ 1392	\$ 1416	\$ 1440
<b>S927WCS</b>														
Rotary Cut	\$ 1132	\$ 1157	\$ 1180	\$ 1204	\$ 1227	\$ 1251	\$ 1274	\$ 1298	\$ 1322	\$ 1345	\$ 1369	\$ 1392	\$ 1416	\$ 1440
<b>S927WCS Stratawood</b>														
Rotary Cut	\$ 1132	\$ 1157	\$ 1180	\$ 1204	\$ 1227	\$ 1251	\$ 1274	\$ 1298	\$ 1322	\$ 1345	\$ 1369	\$ 1392	\$ 1416	\$ 1440
<b>S927SCB</b>														
Rotary Cut	\$ 1186	\$ 1211	\$ 1234	\$ 1258	\$ 1281	\$ 1305	\$ 1328	\$ 1352	\$ 1376	\$ 1399	\$ 1423	\$ 1446	\$ 1470	\$ 1494
<b>S927SCB Stratawood</b>														
Rotary Cut	\$ 1186	\$ 1211	\$ 1234	\$ 1258	\$ 1281	\$ 1305	\$ 1328	\$ 1352	\$ 1376	\$ 1399	\$ 1423	\$ 1446	\$ 1470	\$ 1494
<b>S927SCS</b>														
Rotary Cut	\$ 1186	\$ 1211	\$ 1234	\$ 1258	\$ 1281	\$ 1305	\$ 1328	\$ 1352	\$ 1376	\$ 1399	\$ 1423	\$ 1446	\$ 1470	\$ 1494
<b>S927SCS Stratawood</b>														
Rotary Cut	\$ 1186	\$ 1211	\$ 1234	\$ 1258	\$ 1281	\$ 1305	\$ 1328	\$ 1352	\$ 1376	\$ 1399	\$ 1423	\$ 1446	\$ 1470	\$ 1494

From Page 178

Option Upcharges — Add to Base Model Price

Clubhouse Model Number	Base Model List Price	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18
<b>Options</b>													
<b>GA56MSE</b>	<b>\$12099</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side Upholstery		\$ 340	\$ 408	\$ 476	\$ 544	\$ 612	\$ 714	\$ 816	\$ 918	\$ 1020	\$ 1122	\$ 1224	\$ 1326
<b>GA70MCOUHP</b>	<b>\$16112</b>												
<b>GA70MCOUNP</b>	<b>\$16110</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1400	\$ 1680	\$ 1960	\$ 2240	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4200	\$ 4620	\$ 5040	\$ 5460
Seating Side/Console Upholstery		\$ 1200	\$ 1440	\$ 1680	\$ 1920	\$ 2160	\$ 2520	\$ 2880	\$ 3240	\$ 3600	\$ 3960	\$ 4320	\$ 4680
<b>GA70MCOLHP</b>	<b>\$16502</b>												
<b>GA70MCOLNP</b>	<b>\$16500</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1400	\$ 1680	\$ 1960	\$ 2240	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4200	\$ 4620	\$ 5040	\$ 5460
Seating Side/Console Upholstery		\$ 1200	\$ 1440	\$ 1680	\$ 1920	\$ 2160	\$ 2520	\$ 2880	\$ 3240	\$ 3600	\$ 3960	\$ 4320	\$ 4680
<b>GA70MSTHR</b>	<b>\$15579</b>												
<b>GA70MSTHL</b>	<b>\$15579</b>												
<b>GA70MSTNP</b>	<b>\$15578</b>												
Frontboard/Backboard/Storage Upholstery		\$ 700	\$ 840	\$ 980	\$ 1120	\$ 1260	\$ 1470	\$ 1680	\$ 1890	\$ 2100	\$ 2310	\$ 2520	\$ 2730
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side Upholstery		\$ 340	\$ 408	\$ 476	\$ 544	\$ 612	\$ 714	\$ 816	\$ 918	\$ 1020	\$ 1122	\$ 1224	\$ 1326
<b>GA70MMCU</b>	<b>\$17869</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side/Console Upholstery		\$ 940	\$ 1128	\$ 1316	\$ 1504	\$ 1692	\$ 1974	\$ 2256	\$ 2538	\$ 2820	\$ 3102	\$ 3384	\$ 3666
<b>GA70MMCL</b>	<b>\$18259</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side/Console Upholstery		\$ 940	\$ 1128	\$ 1316	\$ 1504	\$ 1692	\$ 1974	\$ 2256	\$ 2538	\$ 2820	\$ 3102	\$ 3384	\$ 3666
<b>GA84MSE</b>	<b>\$16819</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 2100	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4410	\$ 5040	\$ 5670	\$ 6300	\$ 6930	\$ 7560	\$ 8190
Seating Side Upholstery		\$ 900	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1890	\$ 2160	\$ 2430	\$ 2700	\$ 2970	\$ 3240	\$ 3510
<b>GA84MMW</b>	<b>\$19610</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 2100	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4410	\$ 5040	\$ 5670	\$ 6300	\$ 6930	\$ 7560	\$ 8190
Seating Side Upholstery		\$ 900	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1890	\$ 2160	\$ 2430	\$ 2700	\$ 2970	\$ 3240	\$ 3510
<b>GA84MSTHR</b>	<b>\$18872</b>												
<b>GA84MSTHL</b>	<b>\$18872</b>												
<b>GA84MSTNP</b>	<b>\$18871</b>												
Frontboard/Backboard/Storage Upholstery		\$ 700	\$ 840	\$ 980	\$ 1120	\$ 1260	\$ 1470	\$ 1680	\$ 1890	\$ 2100	\$ 2310	\$ 2520	\$ 2730
Seating Upholstery		\$ 1340	\$ 1608	\$ 1876	\$ 2144	\$ 2412	\$ 2814	\$ 3216	\$ 3618	\$ 4020	\$ 4422	\$ 4824	\$ 5226
Seating Side Upholstery		\$ 1260	\$ 1512	\$ 1764	\$ 2016	\$ 2268	\$ 2646	\$ 3024	\$ 3402	\$ 3780	\$ 4158	\$ 4536	\$ 4914



From Page 180

Option Upcharges — Add to Base Model Price

Clubhouse Model Number	Base Model List Price	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18
<b>Options</b>													
<b>GA56HSE</b>	<b>\$13904</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side Upholstery		\$ 340	\$ 408	\$ 476	\$ 544	\$ 612	\$ 714	\$ 816	\$ 918	\$ 1020	\$ 1122	\$ 1224	\$ 1326
<b>GA70HCOUHP</b>	<b>\$17981</b>												
<b>GA70HCOUNP</b>	<b>\$17979</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1400	\$ 1680	\$ 1960	\$ 2240	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4200	\$ 4620	\$ 5040	\$ 5460
Seating Side/Console Upholstery		\$ 1200	\$ 1440	\$ 1680	\$ 1920	\$ 2160	\$ 2520	\$ 2880	\$ 3240	\$ 3600	\$ 3960	\$ 4320	\$ 4680
<b>GA70HCOLHP</b>	<b>\$18371</b>												
<b>GA70HCOLNP</b>	<b>\$18369</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1400	\$ 1680	\$ 1960	\$ 2240	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4200	\$ 4620	\$ 5040	\$ 5460
Seating Side/Console Upholstery		\$ 1200	\$ 1440	\$ 1680	\$ 1920	\$ 2160	\$ 2520	\$ 2880	\$ 3240	\$ 3600	\$ 3960	\$ 4320	\$ 4680
<b>GA70HSTHR</b>	<b>\$16531</b>												
<b>GA70HSTHL</b>	<b>\$16531</b>												
<b>GA70HSTNP</b>	<b>\$16530</b>												
Frontboard/Backboard/Storage Upholstery		\$ 700	\$ 840	\$ 980	\$ 1120	\$ 1260	\$ 1470	\$ 1680	\$ 1890	\$ 2100	\$ 2310	\$ 2520	\$ 2730
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side Upholstery		\$ 340	\$ 408	\$ 476	\$ 544	\$ 612	\$ 714	\$ 816	\$ 918	\$ 1020	\$ 1122	\$ 1224	\$ 1326
<b>GA70HMCU</b>	<b>\$19664</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side/Console Upholstery		\$ 940	\$ 1128	\$ 1316	\$ 1504	\$ 1692	\$ 1974	\$ 2256	\$ 2538	\$ 2820	\$ 3102	\$ 3384	\$ 3666
<b>GA70HMCL</b>	<b>\$20054</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 1460	\$ 1752	\$ 2044	\$ 2336	\$ 2628	\$ 3066	\$ 3504	\$ 3942	\$ 4380	\$ 4818	\$ 5256	\$ 5694
Seating Side/Console Upholstery		\$ 940	\$ 1128	\$ 1316	\$ 1504	\$ 1692	\$ 1974	\$ 2256	\$ 2538	\$ 2820	\$ 3102	\$ 3384	\$ 3666
<b>GA84HSE</b>	<b>\$18741</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 2100	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4410	\$ 5040	\$ 5670	\$ 6300	\$ 6930	\$ 7560	\$ 8190
Seating Side Upholstery		\$ 900	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1890	\$ 2160	\$ 2430	\$ 2700	\$ 2970	\$ 3240	\$ 3510
<b>GA84HMW</b>	<b>\$21455</b>												
Frontboard/Backboard Upholstery		\$ 600	\$ 720	\$ 840	\$ 960	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1800	\$ 1980	\$ 2160	\$ 2340
Seating Upholstery		\$ 2100	\$ 2520	\$ 2940	\$ 3360	\$ 3780	\$ 4410	\$ 5040	\$ 5670	\$ 6300	\$ 6930	\$ 7560	\$ 8190
Seating Side Upholstery		\$ 900	\$ 1080	\$ 1260	\$ 1440	\$ 1620	\$ 1890	\$ 2160	\$ 2430	\$ 2700	\$ 2970	\$ 3240	\$ 3510
<b>GA84HSTHR</b>	<b>\$19877</b>												
<b>GA84HSTHL</b>	<b>\$19877</b>												
<b>GA84HSTNP</b>	<b>\$19876</b>												
Frontboard/Backboard/Storage Upholstery		\$ 700	\$ 840	\$ 980	\$ 1120	\$ 1260	\$ 1470	\$ 1680	\$ 1890	\$ 2100	\$ 2310	\$ 2520	\$ 2730
Seating Upholstery		\$ 1340	\$ 1608	\$ 1876	\$ 2144	\$ 2412	\$ 2814	\$ 3216	\$ 3618	\$ 4020	\$ 4422	\$ 4824	\$ 5226
Seating Side Upholstery		\$ 1260	\$ 1512	\$ 1764	\$ 2016	\$ 2268	\$ 2646	\$ 3024	\$ 3402	\$ 3780	\$ 4158	\$ 4536	\$ 4914

From Page 185


<b>Reflect GAWRP</b>	<b>\$4500</b>												
Seat/Back Upholstery		\$ 280	\$ 336	\$ 392	\$ 448	\$ 504	\$ 588	\$ 672	\$ 756	\$ 840	\$ 924	\$ 1008	\$ 1092
Upper Shell Upholstery		\$ 430	\$ 516	\$ 602	\$ 688	\$ 774	\$ 903	\$ 1032	\$ 1161	\$ 1290	\$ 1419	\$ 1548	\$ 1677

Upholstery Grades 9 to 22 Pricing

Model Number	Grade 9	Grade 10	Grade 11	Grade 12	Grade 13	Grade 14	Grade 15	Grade 16	Grade 17	Grade 18	Grade 19	Grade 20	Grade 21	Grade 22
<b>HEDGE — Pages 186-189</b>														
S921S1CL	\$ 2496	\$ 2563	\$ 2627	\$ 2691	\$ 2756	\$ 2820	\$ 2884	\$ 2948	\$ 3013	\$ 3077	\$ 3141	\$ 3206	\$ 3270	\$ 3334
S921S2CL	\$ 4742	\$ 4875	\$ 5002	\$ 5129	\$ 5256	\$ 5383	\$ 5510	\$ 5637	\$ 5764	\$ 5891	\$ 6018	\$ 6145	\$ 6272	\$ 6399
S921S3CL	\$ 7116	\$ 7315	\$ 7505	\$ 7695	\$ 7885	\$ 8075	\$ 8265	\$ 8455	\$ 8645	\$ 8835	\$ 9025	\$ 9215	\$ 9405	\$ 9595
S921B2CL	\$ 6100	\$ 6233	\$ 6360	\$ 6487	\$ 6614	\$ 6741	\$ 6868	\$ 6995	\$ 7122	\$ 7249	\$ 7376	\$ 7503	\$ 7630	\$ 7757
S921B3CL	\$ 8815	\$ 9014	\$ 9204	\$ 9394	\$ 9584	\$ 9774	\$ 9964	\$ 10154	\$ 10344	\$ 10534	\$ 10724	\$ 10914	\$ 11104	\$ 11294

# Tables

## Altitude® Height-Adjustable pages 252-259



3-Stage Electric  
T-Leg Base with  
Rectangular Worksurface


3-Stage Electric  
T-Leg Base with  
Corner Cove Worksurface

2-Stage Electric  
C-Leg Base with  
Rectangular Worksurface

2-Stage Electric  
C-Leg Base with  
Corner Cove Worksurface


## Aware® pages 260-293

### Folding Tables




T-Legs\*

### Nesting Tables




T-Legs




V-Legs

### Fixed Legs (available seated or standing height)




T-Legs\*



V-Legs\*

### Accessories



Modesty Panels



Universal Hooks and  
Ganging Brackets






Table Truck



Optional Table Tops


### Electrical & Data




Wire Trough



Wire Manager Covers




Interlink IQ  
Power Harnesses





Power/Data Ports


### Aware Collection has additional models



Credenzas



Marker Boards




Lectern

\* Models with glides or casters.

### Merge®

**Power Bay Tables** pages 298-299




**Adaptive Tables** pages 302-303



**Height Adjustable Tables** page 304




**Standard Tables** pages 305-331




Altitude height-adjustable bases are available in four styles:


ALTITUDE TABLES



### Clearance Dimensions



### Bottom Views



Base Style:	3-Stage T-Leg Base				2-Stage C-Leg Base			
Dimension Location:	E1	W1	W2	E2	E1	W1	W2	E2
<b>Altitude Top:</b> (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg	Edge of table to the outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle*	—	—	—	—	2"	38"	—	12 7/8"
24" x 54" Rectangle	2 1/2"	41 1/4"	—	10 1/8"	2"	44"	—	12 7/8"
24" x 60" Rectangle	2 1/2"	47 1/4"	—	10 1/8"	2"	50"	—	12 7/8"
24" x 66" Rectangle	2 1/2"	53 3/4"	—	10 1/8"	2"	56"	—	12 7/8"
24" x 72" Rectangle	2 1/2"	59 3/4"	—	10 1/8"	2"	62"	—	12 7/8"
30" x 48" Rectangle	—	—	—	—	2"	38"	—	17 7/8"
30" x 54" Rectangle	2 1/2"	41 1/4"	—	13 3/8"	2"	44"	—	17 7/8"
30" x 60" Rectangle	2 1/2"	47 1/4"	—	13 3/8"	2"	50"	—	17 7/8"
30" x 66" Rectangle	2 1/2"	53 3/4"	—	13 3/8"	2"	56"	—	17 7/8"
30" x 72" Rectangle	2 1/2"	59 3/4"	—	13 3/8"	2"	62"	—	17 7/8"
60" x 36" Corner Cove	—	—	—	—	7 1/8"	43 3/4"	26 7/8"	—
60" x 48" Corner Cove	2 1/2"	43"	31"	—	7 1/8"	43 3/4"	37 7/8"	—
72" x 36" Corner Cove	—	—	—	—	7 1/8"	55 1/4"	26 7/8"	—
72" x 48" Corner Cove	2 1/2"	55"	31"	—	7 1/8"	55 1/4"	37 7/8"	—

\*3-Stage T-Leg will work with a 48"W full-width top (not undersized Altitude tops Axx5RS4824 on page 254) and used freestanding in an open space that is at least 50"W to provide 1" of clearance on each side.

**Height-Adjustable Worksurfaces, Bases, and Controls**

**Height-Adjustable Worksurfaces** (page 254)

- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side). Corner cove depth is nominal, actual is 1" less.
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Any open span 60" and greater requires an external support channel. Altitude corner cove and 66"-72"W rectangular worksurfaces include an external support channel.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- Load capacity is 300 pounds for 2-leg models and 450 pounds for 3-leg model, including weight of worksurface.

**Height-Adjustable Bases** (page 255)

- Electric height-adjustable base units are available in four styles: 3-Stage with T-Leg, 3-Stage T-Legs with three legs, 2-Stage with C-Legs, or 2-Stage C-Legs with three legs.
- T-Leg models are only available in Platinum, no paint color code is required.
- 3-Stage models travel at 1.3" per second. 2-Stage models travel at 1.5" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on C-Leg models are 10'; and 6'6" on T-Leg model.
- Pedestals taller than 24½" for C-leg models and 21" for T-Leg model when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 252.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ⅛" adjustment on C-legs and ½" adjustment on T-Legs.
- The no crossbar design of the C-Leg exceeds knee clearance recommendations and provides optimal undersurface mounting capability.
- 3-Stage T-Leg will work with a 48"W full-width top (not undersized Altitude tops Axx5RS4824 on page 254) and used freestanding in an open space that is at least 50"W to provide 1" of clearance on each side.
- 3-Leg bases can accommodate configurations from 24"D x 48"W x 48"W to 30"D x 60"W x 72"W.

**Corner Cove Extension Kit** (page 255)

- Add this extension kit to 2-leg T-bases to support right-handed or left-handed corner cove worksurfaces up to 48".


**Caster Kit** (page 255)

- Add-on kit with 4 field-installable locking casters. 2-Leg bases require 4 casters. 3-leg bases require 5 casters, order an additional kit. 5 Kits will do four 3-Leg tables. Exact quantity available as a special for less tables.


**Memory Controls** (page 255)

- Optional control box allows for 3 memory set user heights with C-Leg model, or 4 memory set user heights with T-Leg model.

**Cable & Wire Management**





Cable Management Tray



Wire Management Channel

**Wire Basket attaches under worksurface**



**Cable Management Tray** (page 254)

- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, specify paint color.

**Wire Management Channel** (page 254)

- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the 2-cavity profile.
- Each cavity provides space for a maximum of six .22" dia. cables. Total capacity = 1 sq. in.




**Wire Basket** (page 254)

- Offered in 42", 54", and 66" widths – actual dimensions are 40½", 52½", 64½". Mounts below a worksurface.
- Model includes basket and two vertical hanging supports.
- Verticals must be placed 18" or more apart from one another and must be within 15" from each end of a basket.
- Vertical must be centered on basket width
- Wire basket is made of 0.148" diameter steel wire.
- Basket is PR6 (silver) powder paint and support verticals are silver ABS plastic.
- Data capacity: 72 cables.
- Maximum load is 25 pounds.

**Under Worksurface Trough** (page 254)

- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs — see illustrations below.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.





**Cross-sectional Area Inside Under Worksurface Troughs**



For specification information see pages 252-253.

GSA SIN 711-1

ALTITUDE TABLES







Description	Laminate w/Flat Edge Model	Veneer w/Square Edge Model	Ship Weight	List Price Laminate w/Flat Edge			List Price Veneer w/Square Edge		
				L1	L2	L3	V1	V3	V5
<b>Rectangular Laminate Tops — 24"D</b>									
48"W	AF5RS4824	AVF5RS4824	46	\$ 364	\$ 383	\$ 400	\$ 1157	\$ 1272	\$ 1387
54"W	AF5RS5424	AVF5RS5424	48	\$ 394	\$ 414	\$ 433	\$ 1214	\$ 1335	\$ 1456
60"W	AF5RS6024	AVF5RS6024	53	\$ 418	\$ 439	\$ 459	\$ 1272	\$ 1399	\$ 1525
66"W	AF5RS6624D	AVF5RS6624D	74	\$ 497	\$ 519	\$ 539	\$ 1350	\$ 1477	\$ 1604
72"W	AF5RS7224D	AVF5RS7224D	82	\$ 514	\$ 536	\$ 556	\$ 1412	\$ 1539	\$ 1675

<b>Rectangular Laminate Tops — 30"D</b>									
48"W	AF5RS4830	AVF5RS4830	52	\$ 409	\$ 429	\$ 449	\$ 1272	\$ 1399	\$ 1525
54"W	AF5RS5430	AVF5RS5430	59	\$ 464	\$ 486	\$ 509	\$ 1329	\$ 1461	\$ 1593
60"W	AF5RS6030	AVF5RS6030	63	\$ 477	\$ 501	\$ 522	\$ 1387	\$ 1524	\$ 1663
66"W	AF5RS6630D	AVF5RS6630D	78	\$ 571	\$ 596	\$ 619	\$ 1466	\$ 1603	\$ 1743
72"W	AF5RS7230D	AVF5RS7230D	87	\$ 588	\$ 613	\$ 637	\$ 1527	\$ 1670	\$ 1814

<b>Corner Cove Laminate Tops — 24"D Extended Left</b>									
60" x 36"W	A5822ELS		54	\$ 606	\$ 634	\$ 662	—	—	—
60" x 48"W	A5622ELS		75	\$ 664	\$ 695	\$ 726	—	—	—
72" x 36"W	A5922ELS		63	\$ 673	\$ 704	\$ 735	—	—	—
72" x 48"W	A5722ELS		86	\$ 842	\$ 882	\$ 920	—	—	—

<b>Corner Cove Laminate Tops — 24"D Extended Right</b>									
36" x 60"W	A5822ERS		54	\$ 606	\$ 634	\$ 662	—	—	—
48" x 60"W	A5622ERS		75	\$ 664	\$ 695	\$ 726	—	—	—
36" x 72"W	A5922ERS		63	\$ 673	\$ 704	\$ 735	—	—	—
48" x 72"W	A5722ERS		86	\$ 842	\$ 882	\$ 920	—	—	—



Description	Model	List Price
<b>Cable Management Tray (specify paint color)</b>		
24" Tray	CMT24 <input type="checkbox"/>	\$ 74
36" Tray	CMT36 <input type="checkbox"/>	\$ 89

<b>Wire Management Channel (Black only)</b>		
92" Long	AEV920 <input type="checkbox"/>	\$ 134

<b>Wire Basket— PR6 Silver Only</b>		
42"W Mounted Below Beam	U942BWB <input type="checkbox"/>	\$ 193
54"W Mounted Below Beam	U954BWB <input type="checkbox"/>	\$ 211
66"W Mounted Below Beam	U966BWB <input type="checkbox"/>	\$ 222

<b>Under Worksurface Trough — Black Only</b>		
17"W — Single Pack	Z617UWTRGH	\$ 59
17"W — Ten Pack	Z61710UWTRGH	\$ 567
36"W — Single Pack	Z636UWTRGH	\$ 100
36"W — Ten Pack	Z63610UWTRGH	\$ 958


How to specify — Select the Model Number from above.	1st Option: Laminate or Veneer Type and Finish (if applicable): See inside front cover for finishes.	2nd Option: Paint (if applicable): See inside front cover for finishes.	3rd Option: Laminate Edge Color (if applicable): See inside front cover for finishes.	4th Option: Grommet Location (if applicable): GC Grommet Center (Rectangular only) GB Grommet LH and RH (Cove only) \$22 upcharge GO No Grommet	5th Option: Grommet Type (if applicable): P Oval Plastic M Oval Metal S Square Metal (Add \$11 per grommet for metal.)	6th Option: Grommet Color (if applicable):
_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____	_____ . _____ . _____ . _____ . _____ . _____

Examples: AF5RS4824.LM14EW.GO AVF5RS4824.SC777.GC.SEL Z617UWTRGH


CMT24.P4J AEV920 U942BWB.PR6

For specification information see pages 252-253.


GSA SIN 711-1



Description	Model	List Price
<b>3-Stage T-leg Electric Powered Base with 2 legs — 25"H – 50½"H (Platinum only)</b>		
For 24"D-30"D Rectangular Worksurfaces 54"W-72"W*	<b>ATBT3S24</b>	<b>\$ 1748</b>
*Will work with a 48"W full-width top, see pages 252-253.		




<b>Corner Cove Extension Kit — use with 2-leg T-leg base to support Corner Cove Top</b>		
For use with right-hand Corner Cove Top up to 48"W	<b>ATBTEXTL</b>	<b>\$ 129</b>
For use with left-hand Corner Cove Top up to 48"W	<b>ATBTEXTR</b>	<b>\$ 129</b>




<b>3-Stage T-leg Electric Powered Base with 3 legs — 25"H – 50½"H (Platinum only)</b>		
For 24"D-30"D Corner Cove Worksurfaces 48"W-72"W	<b>ATBT3S3L</b>	<b>\$ 2748</b>




<b>T-Leg Caster Add-On Kit (Black only)</b>		
4 – 2½"H Casters, field installable to T-Legs	<b>ATBTCASTER</b>	<b>\$ 99</b>



<b>2-Stage C-leg Electric Powered Base with 2 legs — 27¼"H – 47¾"H</b>		
For 24"D-30"D Rectangular Worksurfaces 48"W-72"W	<b>ATBC2S</b>	<b>\$ 2224</b>



<b>2-Stage C-leg Electric Powered Base with 3 legs — 27¼"H – 47¾"H</b>		
For 24"D-30"D Corner Cove Worksurfaces 48"W-72"W	<b>ATBC2S3L</b>	<b>\$ 3377</b>



<b>Memory Controls</b>		
For T-Leg base (4 position)	<b>ATBTMEM*</b>	<b>\$ 123</b>
For C-Leg base (3 position)	<b>ATBCMC*</b>	<b>\$ 146</b>


\*Memory controls are intended for use with Allsteel table tops and are approved under GSA SIN 711-1. When purchased separately and used without an Allsteel top, these models marked by (\*) are considered open market.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color</b> (if applicable): <b>Altitude Base</b> <b>Paint Color:</b> P27 Black** PQ8 Brilliant White** PR6 Silver  **Only available on C-legs.</p>
--	--


Examples: ATBT3S24 ATBC2S.PQ8 ATBTMEM

Shippable by small-package carrier.


### Rail Accessories



Side View





Top View



Phone/ Tablet Stand      Pencil Holder      Rail Mounted Shelf      Vertical Paper Tray

Front View



### Worksurface Mounted Rail (page 257)

- Aluminum extrusion designed to mount to flat edge worksurfaces. Comes with rail and hardware for mounting.
- Mounted rail extends 3/4" on underside of worksurface which may interfere with the mounting of storage and screens.
- Widths available for Altitude tables 12" through 66" in 6" increments. Can pass across seams of ganged worksurfaces in tethered applications.
- Passes behind worksurface bracket on tethered applications.
- For freestanding applications rail should be 6" shorter than worksurface (i.e. 54" rail for 60" worksurface).

### Rail Mounted Accessories

Not recommended for use on panel systems with attached worksurfaces due to fit up issues created with worksurface and panel. Adding accessory rail shifts worksurface — 3/8" away from panel along that edge. Forcing worksurface into place crushes fabric tile and with tiles of other material (steel, marker board, etc) is likely to scratch, dent, or otherwise damage tile during installation.


### U9TM Phone/Tablet Stand (page 257)

- 6 1/2"H x 4 1/4"W and angles back 1 1/4".
- Has a 1/4" x 1" slot in bottom flange to allow for routing cables. Requires 1 1/4" space behind worksurface edge in order to be used.




### U9TP Pencil Holder (page 257)

- 2 5/8"H x 6"W x 3"D.
- Holds approximately twenty #2 pencils.



### U9TS Rail Mounted Shelf (page 257)

- 8"W x 4 1/2"D and sits 2 3/8" higher than top of worksurface.
- Holds up to 8 pounds.



### U9TF Vertical Paper Tray (page 257)

- Sits 12"H x 1 1/2"W x 12"D from back of worksurface.
- Folder front stands 9" high from worksurface top, 1 1/4" space holds about 280 sheets of copy paper.



### U9WTC Cord Organizer (page 257)

- Can attach to both bottom of worksurface or slides into rail.
- 4"W x 7/8"D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 - .250" diameter and 2 - .147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.



### Universal Hook (page 257)

- Mounts to underside of worksurface and provides storage for bags, coats and purses. Can be used as a horizontal wire manager.

### Privacy Screens available for Altitude Tables

Altitude Table Top	Stride Elevated Tackable Fabric Screen <i>See Stride Price List Page 228</i>	Stride Landscape Surface Screen <i>See Stride Price List Page 135</i>	Stride Painted Wood Screen <i>See Stride Price List Page 135</i>	Involve Laminate End Screen <i>See Storage Price List Page 149</i>	Involve Glass End Screen <i>See Storage Price List Page 149</i>
48"W	30", 36", 42", 48"W	—	—	36"W	—
54"W	30", 36", 42", 48", 54"W	48"W	48"W	36"W	48"W
60"W	30", 36", 42", 48", 54", 60"W	30"W	30", 36"W	36", 42", 48"W	—
66"W	30", 36", 42", 48", 54", 60"W	30", 36", 42"W	30", 36", 42"W	36", 42", 48", 54", 60"W	36", 42"W
72"W	30", 36", 42", 48", 54", 60"W	30", 36", 42", 48"W	30", 36", 42", 48"W	36", 42", 48", 54", 60"W	36", 42", 48"W























# Accessories

## Worksurface Mounted Rail and Accessories

For specification information see page 256.

GSA SIN 711-1

Description	Model	List Price		
		P1 Core	P2 Select	P3 Accent
<b>Accessories Rail — Worksurface Mounted</b>				
12"W	U912WTR 	\$ 70	\$ 73	\$ 76
18"W	U918WTR 	\$ 75	\$ 78	\$ 81
24"W	U924WTR 	\$ 86	\$ 89	\$ 92
30"W	U930WTR 	\$ 95	\$ 101	\$ 107
36"W	U936WTR 	\$ 107	\$ 113	\$ 119
42"W	U942WTR 	\$ 117	\$ 123	\$ 129
48"W	U948WTR 	\$ 123	\$ 132	\$ 141
54"W	U954WTR 	\$ 128	\$ 137	\$ 146
60"W	U960WTR 	\$ 134	\$ 145	\$ 156
66"W	U966WTR 	\$ 160	\$ 171	\$ 182
<b>Rail Mounted Accessories</b>				
Phone/Tablet Stand — 6½"H x 4¼"W	U9TM 	\$ 105	\$ 113	\$ 121
Pencil Holder — 2½"H x 6"W x 3"D	U9TP 	\$ 64	\$ 70	\$ 76
Shelf — 8"W x 4½"D; 2½" above top of worksurface	U9TS 	\$ 78	\$ 84	\$ 90
Vertical Paper Tray — 12"H x 1⅝"W x 12"D	U9TF 	\$ 115	\$ 123	\$ 131
<b>Cord Organizer</b>				
4"W x ⅞"D Metal with 4 cable cutouts	U9WTC 	\$ 114	\$ 119	\$ 124
<b>Universal Hook (Black only)</b>				
Package of 2	AGSAUHK 	\$ 77	—	—







ALTIUDE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>U   9                     .</p>	<p><b>1st Option:</b> <b>Paint:</b></p> <p>         </p>
---	--

Examples: U912WTR.PR6 U9TF.P7G AGSAUHK.P27

 Shippable by small-package carrier.

MONITOR ARMS	ZW8 Single	ZW8 Dual	ZW8 Single-HD	ZW8 Dual-HD
Allsteel Model:	ZW810S	ZW820D	ZW810H	ZW820DH
				
Features:				
Monitor rotation	180°	180°	180°	180°
Monitor Extension	21"	21"	22¼"	26¾"
Monitor retraction	3½"	3½"	3½"	3½"
Monitor tilt adjustment	+30°/-25°	+30°/-25°	+85°/-25°	+35°/-25°
Arm Height adjustment	6½" to 19½" (13")	6½" to 19½" (13")	9" to 23" (14")	9" to 23" (14")
Monitor Weight capacity (maximum approved weight)	6½ to 18 lbs.	6½ to 18 lbs. per arm	17½ to 44 lbs.	12 to 38.5 lbs. each
Mounting option	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included
360° lockout feature	Yes	Yes	No	No
VESA compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Laptop Tray compatible	Yes	Yes	No	No
Tool Tile / Stride Bench compatible	No	No	No	No
Pole height	N/A	N/A	N/A	N/A
Maximum width per monitor	N/A	25"	25"	25"
Worksurface requirements — Desk Clamp	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick
Worksurface requirements — Grommet Mount	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"	¾" to 2" thick; hole diameter ⅝" to 2"
Environmental info	99% Recycled content	99% Recycled content	99% Recycled content	99% Recycled content

### ZW8 Series Monitor Arms (page 259)

- Versatile adjustability with a refined design and effortless, pneumatic fingertip adjustment.
- Multiple points of adjustment, including 360° swivel at two points, 21" extension and 13" of height adjustment, and a 180° lockout feature.
- Monitor tilts +30°/-25°.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Maximize use of worksurface with ability to retract to minimal footprint of 3½", making ZW8 ideal for shallow worksurfaces.
- Model includes grommet and worksurface mounting options.
- Integrated cable management.
- Desk clamp mounts to surfaces ¾" to 2" thick; grommet mount requires hole diameter of ⅝" to 2" wide, and accommodates surfaces up to 2" thick.
- Single arm supports 6½ to 18 lbs.; dual arm offers perfect horizontal alignment, and each arm supports 6½ to 18 lbs.
- ZW810S and ZW820D will fit all depths of Stride double-sided benches. Interference with support beam on 54" bench, desk clamp will not install flush to edge of worksurface, but will allow power access door to close completely.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.
- VESA 75mm and VESA 100mm compatible.
- Quick release feature simplifies monitor installation and exchanges.

### ZW8 Heavy Duty Series (page 259)

- ZW810H heavy duty arm supports 7.6 to 44 lbs. in total weight.
- ZW820DH supports weight capacity 12 to 38.5 lbs. combined (to accommodate 5.5 lbs. weight of crossbar).
- Single arm features 22¼" extension, dual arm extends 26¾".
- Height adjustment range of 9" to 23" (14" total).
- Features 360° rotation at 3 points.
- Integrated cable management.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Quick release feature simplifies monitor installation and exchanges.
- Monitor rotates 180° and tilts +85°/-35°.
- Dual arm crossbar length of 41"; monitors can be positioned by sliding along crossbar to accommodate various sizes. Can accommodate up to two 24" diagonal monitors (total outside casing dimension of 38" wide).
- Cannot be installed on 54" Stride double-sided bench due to interference with support beam.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.





**Aware Collection**

Allsteel designed a flexible and comprehensive collection of active learning furniture. The Aware Collection consists of buffet and recycle credenzas, mobile and wall-hung marker boards, and unique shaped table tops that offer a timeless design. Look to the Aware Collection brochure for full details.


**Materials and Edge Treatments**

Aware tables offer functional flexibility and aesthetic versatility to provide one, simple solution for the entire office. The broad selection of materials and finishes ensure that the tables look beautiful in any application.

**Laminate Edges**



**Veneer Edge**



T-mold tops will have a 3/4" radius on all corners.

24"D or 30"D Knife edge rectangle tops feature a shaped edge on all four sides. Eased edge tops feature a shaped edge on one side.

Allsteel Fluid Form is an advanced surface material that offers a seamless solid base layer with protective coating. Its seamless 3-dimensional edge profile eliminates the need for edge banding or T-mold making it ideal for horizontal surfaces.

**FSC Certified Wood at Allsteel**

Forest Stewardship Council® (FSC) certification promotes the sustainable harvesting of forests worldwide. The FSC program sets requirements for the management of the forest and for everyone that handles the wood from forest to product. Allsteel has an FSC Chain of Custody and can provide FSC certified products to customers who choose to order them. FSC products can contribute to LEED projects. To order FSC products, the "FSC" option must be selected in the model code at time of order. For more information, please contact Customer Support at 888-255-7833.

FSC Trademark License code FSC-C014704.

AWARE TABLES

Aware Table Options		Top Finish and Edge Options				
		Laminate				Veneer
Leg Options		Flat	T-Mold	Knife	Eased	Square
T-Leg	Fixed	X	X		X	X
	Nesting	X	X		X	X
	Folding	X	X		X	
V-Leg	Fixed	X	X	X	X	X
	Nesting	X	X		X	X

Aware Table Sizes	Table Top Sizes*			
Style of Legs	18"D	24"D	30"D	36"D
T-Leg – Folding	60"-72"W	60"-72"W	60"-72"W	
T-Leg – Fixed or Nesting	48"-72"W	36"-96"W	36"-96"W	48"-72"W
V-Leg – Fixed or Nesting		36"-96"W	36"-96"W	

\*Widths are available in 6" or 12" increments of range listed.

Aware Standing Height Table Sizes	Table Top Sizes*	
Style of Legs	24"D	30"D
T-Leg Fixed		54"-84"W
V-Leg Fixed	54"-84"W	

\*Widths are available in 6" or 12" increments of range listed.

**Table Capacities**


Table Tops	Seating Capacity	Table Tops	Seating Capacity
18" x 48" Rectangle	2	24" x 36" Rectangle	1
18" x 54" Rectangle	2	24" x 42" Rectangle	1
18" x 60" Rectangle	2	24" x 48" Rectangle	2
18" x 66" Rectangle	2	24" x 54" Rectangle	2
18" x 72" Rectangle	3	24" x 60" Rectangle	2
		24" x 66" Rectangle	2
		24" x 72" Rectangle	3

Table Tops	Seating Capacity	Table Tops	Seating Capacity
30" x 36" Rectangle	2	36" x 48" Rectangle	4
30" x 42" Rectangle	2	36" x 54" Rectangle	4
30" x 48" Rectangle	4	36" x 60" Rectangle	4
30" x 54" Rectangle	4	36" x 66" Rectangle	6
30" x 60" Rectangle	4	36" x 72" Rectangle	6
30" x 66" Rectangle	4		
30" x 72" Rectangle	6		
30" x 84" Rectangle	6		
30" x 96" Rectangle	8		

Fixed

Nesting

Folding



Leg Type:	T-Leg Fixed			T-Leg Nesting			V-Leg Fixed or Nesting			T-Leg Folding		
Dimension:	E1	W	E2	E1	W	E2	E1	W	E2	E1	W	E2
<b>Aware Table Rectangle Top Size:</b>	Edge of Table to outside of leg	Between Legs	Edge of table to the outside of leg	Edge of Table to outside of leg	Between Legs	Edge of table to the outside of leg	Edge of Table to outside of leg	Between Legs	Edge of table to the outside of leg	Edge of Table to outside of leg	Between Legs	Edge of table to the outside of leg
18" x 36"	—	—	—	—	—	—	-	-	-	-	-	-
18" x 42"	—	—	—	—	—	—	-	-	-	-	-	-
18" x 48"	2 7/8"	39 3/8"	7 7/8"	2 7/8"	40 3/8"	7 7/8"	-	-	-	-	-	-
18" x 54"	2 7/8"	45 3/8"	7 7/8"	2 7/8"	46 3/8"	7 7/8"	-	-	-	-	-	-
18" x 60"	2 7/8"	51 3/8"	7 7/8"	2 7/8"	52 3/8"	7 7/8"	-	-	-	2 1/4"	51 1/4"	7 7/8"
18" x 66"	2 7/8"	57 3/8"	7 7/8"	2 7/8"	58 3/8"	7 7/8"	-	-	-	2 1/4"	57 1/4"	7 7/8"
18" x 72"	2 7/8"	63 3/8"	7 7/8"	2 7/8"	64 3/8"	7 7/8"	-	-	-	2 1/4"	63 1/4"	7 7/8"
18" x 84"	-	-	-	-	-	-	-	-	-	-	-	-
18" x 96"	-	-	-	-	-	-	-	-	-	-	-	-
24" x 36"	2 7/8"	27 3/8"	10 3/8"	2 7/8"	28 3/8"	10 3/8"	5 1/8"	22 3/8"	10 3/8"	-	-	-
24" x 42"	2 7/8"	33 3/8"	10 3/8"	2 7/8"	34 3/8"	10 3/8"	5 1/8"	28 3/8"	10 3/8"	-	-	-
24" x 48"	2 7/8"	39 3/8"	10 3/8"	2 7/8"	40 3/8"	10 3/8"	5 1/8"	34 3/8"	10 3/8"	-	-	-
24" x 54"	2 7/8"	45 3/8"	10 3/8"	2 7/8"	46 3/8"	10 3/8"	5 1/8"	40 3/8"	10 3/8"	-	-	-
24" x 60"	2 7/8"	51 3/8"	10 3/8"	2 7/8"	52 3/8"	10 3/8"	5 1/8"	46 3/8"	10 3/8"	2 1/4"	51 1/4"	10 3/8"
24" x 66"	2 7/8"	57 3/8"	10 3/8"	2 7/8"	58 3/8"	10 3/8"	5 1/8"	52 3/8"	10 3/8"	2 1/4"	57 1/4"	10 3/8"
24" x 72"	2 7/8"	63 3/8"	10 3/8"	2 7/8"	64 3/8"	10 3/8"	5 1/8"	58 3/8"	10 3/8"	2 1/4"	63 1/4"	10 3/8"
24" x 84"	2 7/8"	75 3/8"	10 3/8"	2 7/8"	76 3/8"	10 3/8"	5 1/8"	70 3/8"	10 3/8"	-	-	-
24" x 96"	2 7/8"	87 3/8"	10 3/8"	2 7/8"	88 3/8"	10 3/8"	5 1/8"	82 3/8"	10 3/8"	-	-	-
30" x 36"	2 7/8"	27 3/8"	13 3/8"	2 7/8"	28 3/8"	13 3/8"	5 1/8"	22 3/8"	13 3/8"	-	-	-
30" x 42"	2 7/8"	33 3/8"	13 3/8"	2 7/8"	34 3/8"	13 3/8"	5 1/8"	28 3/8"	13 3/8"	-	-	-
30" x 48"	2 7/8"	39 3/8"	13 3/8"	2 7/8"	40 3/8"	13 3/8"	5 1/8"	34 3/8"	13 3/8"	-	-	-
30" x 54"	2 7/8"	45 3/8"	13 3/8"	2 7/8"	46 3/8"	13 3/8"	5 1/8"	40 3/8"	13 3/8"	-	-	-
30" x 60"	2 7/8"	51 3/8"	13 3/8"	2 7/8"	52 3/8"	13 3/8"	5 1/8"	46 3/8"	13 3/8"	2 1/4"	51 1/4"	13 3/8"
30" x 66"	2 7/8"	57 3/8"	13 3/8"	2 7/8"	58 3/8"	13 3/8"	5 1/8"	52 3/8"	13 3/8"	2 1/4"	57 1/4"	13 3/8"
30" x 72"	2 7/8"	63 3/8"	13 3/8"	2 7/8"	64 3/8"	13 3/8"	5 1/8"	58 3/8"	13 3/8"	2 1/4"	63 1/4"	13 3/8"
30" x 84"	2 7/8"	75 3/8"	13 3/8"	2 7/8"	76 3/8"	13 3/8"	5 1/8"	70 3/8"	13 3/8"	-	-	-
30" x 96"	2 7/8"	87 3/8"	13 3/8"	2 7/8"	88 3/8"	13 3/8"	5 1/8"	82 3/8"	13 3/8"	-	-	-
36" x 36"	-	-	-	-	-	-	-	-	-	-	-	-
36" x 42"	-	-	-	-	-	-	-	-	-	-	-	-
36" x 48"	2 7/8"	39 3/8"	16 3/8"	2 7/8"	40 3/8"	16 3/8"	-	-	-	-	-	-
36" x 54"	2 7/8"	45 3/8"	16 3/8"	2 7/8"	46 3/8"	16 3/8"	-	-	-	-	-	-
36" x 60"	2 7/8"	51 3/8"	16 3/8"	2 7/8"	52 3/8"	16 3/8"	-	-	-	-	-	-
36" x 66"	2 7/8"	57 3/8"	16 3/8"	2 7/8"	58 3/8"	16 3/8"	-	-	-	-	-	-
36" x 72"	2 7/8"	63 3/8"	16 3/8"	2 7/8"	64 3/8"	16 3/8"	-	-	-	-	-	-
36" x 84"	-	-	-	-	-	-	-	-	-	-	-	-
36" x 96"	-	-	-	-	-	-	-	-	-	-	-	-

AWARE TABLES

**Space Requirement Guidelines**

Tables:

- 24"-30"W per person depending on materials
- 4' between tables
- Breakout Rooms 10-12 sq. ft. per person
- Computer Training 20 sq. ft. per person

**Aware Tables — Maximum Space Reduction**

Space reduction when storing:


- up to 71% by nesting
- up to 82% with table truck
- up to 86% by folding

Percentage will vary with quantity and size of tables.


**Space Savings With Nesting Tables**

1. Start with table size in nested position:  
 18"D table = 18"D  
 24"D table = 24"D  
 30"D table = 30"D  
 36"D table = 36"D
2. Add 7¼"D for each additional nested table (no additional required if modesty panel is attached).  
 Example: A 24"D table in nested position is 24"D.  
 Add 9 additional nested tables  
 (9 x = 69¾"D).  
 Depth requirement for ten nested tables is 93¾"D.
3. Add 1½"W for each additional nested T-Leg table to the width of the widest table. Maximum 6" additional width. (3"W for V-Leg; maximum 12" additional width)  
 Example: Ten 72"W tables are nested.  
 72" + 6" = 78"W
4. Total space for 10 nested tables above is 93¾"D x 78"W.
5. Space saved by nesting is over \_\_\_ square feet.
6. Table height of Aware nested tables:  
 18"D table = 37⅞"H nested  
 24"D table = 41⅞"H nested  
 30"D table = 44⅞"H nested  
 36"D table = 47⅞"H nested


**Folded Tables Standard — Side View**



**T-Leg Nested — Top View**




**V-Leg Nested — Top View**




**POWER/DATA PORT CUTOUTS FOR AWARE TABLES**

When specifying Aware tables, grommets or power/data port cutouts may be specified for power/data. Grommets are available in plastic or oval (shown at right). If cutouts are specified, a pop-up power/data port must be specified for use in the cutout. Cutouts are unfinished and cannot be used as grommet openings. The chart below indicates which grommet or cutout options are available on Aware tables.


- Code**    **Position**
- AGO**    No grommets or cutouts.
- AG1**    Single grommet, centered left to right, 2" from back of surface.
- AG2**    Pair of grommets, approximately 3" in from each side, 2" from back of surface.
- ATC**    One cutout for Pop-up Power, centered left-to-right and front-to-back. Only on 30"D and 36"D tables. Do not specify on folding or nesting tables.
- ATE**    One cutout for Pop-up Power, centered left-to-right, 2" in from back of surface.



**Grommet Locations**




**Cutout Locations**




Dimension	AGO	AG1	AG2	ATC	ATE
18"D x 48"W	•	•	•		•
18"D x 54"W	•	•	•		•
18"D x 60"W	•	•	•		•
18"D x 66"W	•	•	•		•
18"D x 72"W	•	•	•		•
24"D x 36"W	•	•	•		•
24"D x 42"W	•	•	•		•
24"D x 48"W	•	•	•		•
24"D x 54"W	•	•	•		•
24"D x 60"W	•	•	•		•
24"D x 66"W	•	•	•		•
24"D x 72"W	•	•	•		•
24"D x 84"W	•	•	•		•
24"D x 96"W	•	•	•		•
30"D x 36"W	•	•	•	•	•
30"D x 42"W	•	•	•	•	•
30"D x 48"W	•	•	•	•	•
30"D x 54"W	•	•	•	•	•
30"D x 60"W	•	•	•	•	•
30"D x 66"W	•	•	•	•	•
30"D x 72"W	•	•	•	•	•
30"D x 84"W	•	•	•	•	•
30"D x 96"W	•	•	•	•	•
36"D x 48"W	•	•	•	•	•
36"D x 54"W	•	•	•	•	•
36"D x 60"W	•	•	•	•	•
36"D x 66"W	•	•	•	•	•
36"D x 72"W	•	•	•	•	•


**WIRE MANAGER CABLE CAPACITY**



21 voice/data cables (.25" dia.) at 60% fill ratio



2 electrical infeed at 60% fill ratio



13 voice/data cables (.25" dia.) at 60% fill ratio



AWARE TABLES

**ELECTRICAL OPTIONS**

Aware Tables offer three power options: Corded, Interlink IQ, or Hardwire. Installation and use of electrical systems, the number of receptacles used on a given circuit, and connections to the building power supply should be in compliance with all local and national electrical codes. Verify code requirements before ordering. Chicago requires hard wiring. Chicago, New York, and San Francisco do not permit use of Interlink IQ components.

**Corded**

Corded models plug directly into an outlet. Corded modules cannot plug into other corded power modules. In order to plug into other units the unit would need to be hardwired. When routing corded models to a wall outlet, the maximum amount of cord that can be exposed outside of the furniture is 6 feet. (New York, check local code.)




**Interlink IQ**

Interlink IQ provides the ability to use one 15-amp in-feed starter and power up to 8 power modules (including jumpers) off of one in-feed starter. Interlink IQ provides a visual indicator of system status. LED illuminates green when you are connected and ready to plug in. A red light indicates you have linked too many units. See page 263 for examples of multiple tables using Interlink IQ components.


**Hardwire**

Hardwire models are provided with 10' of sealtight cable. Customer must furnish junction boxes, conduit, and additional wire to be in compliance with local and national electrical codes.




**Wire Trough**

Attach wire trough as needed to the underside of tables to support cords.









AWARE TABLES

The example below utilizes the following Interlink IQ components to power five 72"W Aware tables:

- 5 – Interlink IQ 60" Power Harnesses model number: AW4QH60P (provides two AC power receptacles per unit)
- 2 – Interlink IQ 36" Jumpers model number: AW4QJ36
- 1 – Interlink IQ Starter model number: AW4QBI



- Order folding legs separately — see options on page 267.
- Specify grommet location, type, and color — see page 263.
- Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model	Ship Weight	Cubes	List Price			
				L1	L2	L3	FF
<b>18"D Folding Table Tops</b>							
60"W Laminate – Flat Edge	AW3LF1860F	52	4.6	\$ 387	\$ 407	\$ 426	—
60"W Laminate – T-Mold Edge	AW3LT1860F	36	4.6	\$ 339	\$ 356	\$ 371	—
60"W Fluid Form – Eased Edge	AW3FE1860F	52	4.6	—	—	—	\$ 508
66"W Laminate – Flat Edge	AW3LF1866F	57	5.0	\$ 436	\$ 459	\$ 479	—
66"W Laminate – T-Mold Edge	AW3LT1866F	44	5.0	\$ 370	\$ 389	\$ 405	—
66"W Fluid Form – Eased Edge	AW3FE1866F	57	5.0	—	—	—	\$ 576
72"W Laminate – Flat Edge	AW3LF1872F	62	5.5	\$ 452	\$ 475	\$ 497	—
72"W Laminate – T-Mold Edge	AW3LT1872F	52	5.5	\$ 384	\$ 403	\$ 420	—
72"W Fluid Form – Eased Edge	AW3FE1872F	62	5.5	—	—	—	\$ 632
<b>24"D Folding Table Tops</b>							
60"W Laminate – Flat Edge	AW3LF2460F	53	5.9	\$ 423	\$ 445	\$ 465	—
60"W Laminate – T-Mold Edge	AW3LT2460F	53	5.9	\$ 357	\$ 375	\$ 390	—
60"W Fluid Form – Eased Edge	AW3FE2460F	53	5.9	—	—	—	\$ 517
66"W Laminate – Flat Edge	AW3LF2466F	64	6.4	\$ 452	\$ 475	\$ 497	—
66"W Laminate – T-Mold Edge	AW3LT2466F	64	6.4	\$ 384	\$ 403	\$ 420	—
66"W Fluid Form – Eased Edge	AW3FE2466F	64	6.4	—	—	—	\$ 632
72"W Laminate – Flat Edge	AW3LF2472F	75	6.9	\$ 478	\$ 503	\$ 525	—
72"W Laminate – T-Mold Edge	AW3LT2472F	75	6.9	\$ 409	\$ 429	\$ 447	—
72"W Fluid Form – Eased Edge	AW3FE2472F	75	6.9	—	—	—	\$ 747
<b>30"D Folding Table Tops</b>							
60"W Laminate – Flat Edge	AW3LF3060F	78	7.1	\$ 470	\$ 494	\$ 516	—
60"W Laminate – T-Mold Edge	AW3LT3060F	78	7.1	\$ 394	\$ 414	\$ 431	—
60"W Fluid Form – Eased Edge	AW3FE3060F	78	7.1	—	—	—	\$ 604
66"W Laminate – Flat Edge	AW3LF3066F	86	7.7	\$ 506	\$ 532	\$ 557	—
66"W Laminate – T-Mold Edge	AW3LT3066F	86	7.7	\$ 434	\$ 455	\$ 478	—
66"W Fluid Form – Eased Edge	AW3FE3066F	86	7.7	—	—	—	\$ 678
72"W Laminate – Flat Edge	AW3LF3072F	93	8.4	\$ 540	\$ 567	\$ 594	—
72"W Laminate – T-Mold Edge	AW3LT3072F	93	8.4	\$ 472	\$ 495	\$ 519	—
72"W Fluid Form – Eased Edge	AW3FE3072F	93	8.4	—	—	—	\$ 752

AWARE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Suffix: F for use with folding legs</p> <p><b>AW3</b>                     <b>F</b> .</p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p> <p>          .</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p> <p>          .</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p> <p>          .</p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back</p> <p><b>A</b>          </p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p> <p>         </p>	<p><b>6th Option:</b> Grommet Color:</p> <p><b>E</b>          </p>
--	--	--	--	--	---	--

Examples: AW3LT1860F.X.LM13EY.AG2PEY  
AW3FE3072F.FSC.TF33.AG0

**S** Shippable by small-package carrier.



- Order legs separately — see options on page 269. “T” suffix top for T-legs.
- Specify grommet location, type, and color — see page 263.
- Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model	Ship Weight	Cubes	List Price				
				L1 or V1	L2	L3 or V3	FF or V5	
<b>18"D Table Tops</b>								
48"W Laminate – Flat Edge	AW3LF1848T	36	<input checked="" type="checkbox"/> 3.8	\$ 331	\$ 349	\$ 364	—	
48"W Laminate – T-Mold Edge	AW3LT1848T	36	<input checked="" type="checkbox"/> 3.8	\$ 309	\$ 325	\$ 338	—	
48"W Fluid Form – Eased Edge	AW3FE1848T	36	<input checked="" type="checkbox"/> 3.8	—	—	—	\$ 493	
48"W Veneer – Square Edge	AW3VF1848T	36	<input checked="" type="checkbox"/> 3.8	\$ 1693	—	\$ 1860	\$ 2029	
<hr/>								
54"W Laminate – Flat Edge	AW3LF1854T	44	<input checked="" type="checkbox"/> 4.2	\$ 352	\$ 371	\$ 388	—	
54"W Laminate – T-Mold Edge	AW3LT1854T	44	<input checked="" type="checkbox"/> 4.2	\$ 322	\$ 339	\$ 352	—	
54"W Fluid Form – Eased Edge	AW3FE1854T	44	<input checked="" type="checkbox"/> 4.2	—	—	—	\$ 498	
54"W Veneer – Square Edge	AW3VF1854T	44	<input checked="" type="checkbox"/> 4.2	\$ 1766	—	\$ 1942	\$ 2118	
<hr/>								
60"W Laminate – Flat Edge	AW3LF1860T (shown)	52	<input checked="" type="checkbox"/> 4.6	\$ 387	\$ 407	\$ 426	—	
60"W Laminate – T-Mold Edge	AW3LT1860T	52	<input checked="" type="checkbox"/> 4.6	\$ 339	\$ 356	\$ 371	—	
60"W Fluid Form – Eased Edge	AW3FE1860T	52	<input checked="" type="checkbox"/> 4.6	—	—	—	\$ 508	
60"W Veneer – Square Edge	AW3VF1860T	52	<input checked="" type="checkbox"/> 4.6	\$ 1840	—	\$ 2022	\$ 2206	
<hr/>								
66"W Laminate – Flat Edge	AW3LF1866T	57	<input checked="" type="checkbox"/> 5.0	\$ 436	\$ 459	\$ 479	—	
66"W Laminate – T-Mold Edge	AW3LT1866T	57	<input checked="" type="checkbox"/> 5.0	\$ 370	\$ 389	\$ 405	—	
66"W Fluid Form – Eased Edge	AW3FE1866T	57	<input checked="" type="checkbox"/> 5.0	—	—	—	\$ 576	
66"W Veneer – Square Edge	AW3VF1866T	57	<input checked="" type="checkbox"/> 5.0	\$ 1953	—	\$ 2147	\$ 2341	
<hr/>								
72"W Laminate – Flat Edge	AW3LF1872T	62	<input checked="" type="checkbox"/> 5.5	\$ 452	\$ 475	\$ 497	—	
72"W Laminate – T-Mold Edge	AW3LT1872T	62	<input checked="" type="checkbox"/> 5.5	\$ 384	\$ 403	\$ 420	—	
72"W Fluid Form – Eased Edge	AW3FE1872T	62	<input checked="" type="checkbox"/> 5.5	—	—	—	\$ 632	
72"W Veneer – Square Edge	AW3VF1872T	62	<input checked="" type="checkbox"/> 5.5	\$ 1989	—	\$ 2186	\$ 2386	

AWARE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AW3          </p> <p>          T  </p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood</p> <p>X No FSC</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets</p> <p>AG1 Centered Oval (Add \$11)</p> <p>AG2 Pair Ovals (Add \$22)</p> <p>ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back</p> <p>A      </p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p>	<p><b>6th Option:</b> Grommet Color:</p> <p>E    </p>
--	--	---	---	--	--	---

Examples: AW3LT1848T.X.LM13EY.AG2PEY  
AW3VF1848T.FSC.NC777.AG1.P

Shippable by small-package carrier.



- Order legs separately — see options on page 271. “T” suffix top for T-legs and “V” suffix top for V-legs.
- Specify grommet location, type, and color — see page 263.
- Knife edge tops feature shaped edge on all sides. Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model + Suffix "T" T-leg / "V" V-leg	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>24"D Table Tops</b>							
36"W Laminate – Flat Edge	AW3LF2436 □	36 [S]	3.7	\$ 311	\$ 327	\$ 342	—
36"W Laminate – T-Mold Edge	AW3LT2436 □	36 [S]	3.7	\$ 298	\$ 314	\$ 326	—
36"W Laminate – Knife Edge*	AW3LK2436V	36 [S]	3.7	\$ 998	\$ 1047	\$ 1096	—
36"W Fluid Form – Eased Edge	AW3FE2436 □	36 [S]	3.7	—	—	—	\$ 488
36"W Veneer – Square Edge	AW3VF2436 □	36 [S]	3.7	\$ 1619	—	\$ 1779	\$ 1941
<hr/>							
42"W Laminate – Flat Edge	AW3LF2442 □ (shown)	41 [S]	4.2	\$ 331	\$ 349	\$ 364	—
42"W Laminate – T-Mold Edge	AW3LT2442 □	41 [S]	4.2	\$ 309	\$ 325	\$ 338	—
42"W Laminate – Knife Edge	AW3LK2442V	41 [S]	4.2	\$ 1003	\$ 1052	\$ 1101	—
42"W Fluid Form – Eased Edge	AW3FE2442 □	41 [S]	4.2	—	—	—	\$ 493
42"W Veneer – Square Edge	AW3VF2442 □	41 [S]	4.2	\$ 1693	—	\$ 1860	\$ 2029
<hr/>							
48"W Laminate – Flat Edge	AW3LF2448 □	46 [S]	4.8	\$ 352	\$ 371	\$ 388	—
48"W Laminate – T-Mold Edge	AW3LT2448 □	46 [S]	4.8	\$ 322	\$ 339	\$ 352	—
48"W Laminate – Knife Edge	AW3LK2448V	46 [S]	4.8	\$ 1007	\$ 1056	\$ 1106	—
48"W Fluid Form – Eased Edge	AW3FE2448 □	46 [S]	4.8	—	—	—	\$ 498
48"W Veneer – Square Edge	AW3VF2448 □	46 [S]	4.8	\$ 1766	—	\$ 1942	\$ 2118
<hr/>							
54"W Laminate – Flat Edge	AW3LF2454 □	49 [S]	5.3	\$ 387	\$ 407	\$ 426	—
54"W Laminate – T-Mold Edge	AW3LT2454 □	49 [S]	5.3	\$ 339	\$ 356	\$ 371	—
54"W Laminate – Knife Edge	AW3LK2454V	49 [S]	5.3	\$ 1011	\$ 1061	\$ 1110	—
54"W Fluid Form – Eased Edge	AW3FE2454 □	49 [S]	5.3	—	—	—	\$ 508
54"W Veneer – Square Edge	AW3VF2454 □	49 [S]	5.3	\$ 1840	—	\$ 2022	\$ 2206

\*V-legs are the only option offered for knife edge table tops.


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Suffix: T for use with T legs V for use with V legs (Knife “V” only)</p> <p><b>AW3</b>            </p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p> <p>           </p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p> <p>           </p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p> <p>           </p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back</p> <p><b>A</b>            </p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p> <p>           </p>	<p><b>6th Option:</b> Grommet Color:</p> <p>           </p>
--	--	--	--	--	---	---

Examples: AW3LT2436T.X.LM13EY.AG2PEY  
AW3VF2454V.FSC.NC777.P

[S] Shippable by small-package carrier.



- Order legs separately — see options on page 273. “T” suffix top for T-legs and “V” suffix top for V-legs.
- Specify grommet location, type, and color — see page 263.
- Knife edge tops feature shaped edge on all sides. Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model + Suffix "T" T-leg / "V" V-leg	Ship Weight	Cubes	List Price				
				L1 or V1	L2	L3 or V3	FF or V5	
<b>24"D Table Tops</b>								
60"W Laminate – Flat Edge	AW3LF2460 □	53 <input checked="" type="checkbox"/>	5.9	\$ 423	\$ 445	\$ 465	—	
60"W Laminate – T-Mold Edge	AW3LT2460 □	53 <input checked="" type="checkbox"/>	5.9	\$ 357	\$ 375	\$ 390	—	
60"W Laminate – Knife Edge*	AW3LK2460V	53 <input checked="" type="checkbox"/>	5.9	\$ 1017	\$ 1067	\$ 1117	—	
60"W Fluid Form – Eased Edge	AW3FE2460 □	53 <input checked="" type="checkbox"/>	5.9	—	—	—	\$ 517	
60"W Veneer – Square Edge	AW3VF2460 □	53 <input checked="" type="checkbox"/>	5.9	\$ 1915	—	\$ 2105	\$ 2296	
<hr/>								
66"W Laminate – Flat Edge	AW3LF2466 □	64 <input checked="" type="checkbox"/>	6.4	\$ 452	\$ 475	\$ 497	—	
66"W Laminate – T-Mold Edge	AW3LT2466 □	64 <input checked="" type="checkbox"/>	6.4	\$ 384	\$ 403	\$ 420	—	
66"W Laminate – Knife Edge*	AW3LK2466V	64 <input checked="" type="checkbox"/>	6.4	\$ 1062	\$ 1114	\$ 1167	—	
66"W Fluid Form – Eased Edge	AW3FE2466 □	64 <input checked="" type="checkbox"/>	6.4	—	—	—	\$ 632	
66"W Veneer – Square Edge	AW3VF2466 □	64 <input checked="" type="checkbox"/>	6.4	\$ 1989	—	\$ 2186	\$ 2386	
<hr/>								
72"W Laminate – Flat Edge	AW3LF2472 □	75 <input checked="" type="checkbox"/>	6.9	\$ 478	\$ 503	\$ 525	—	
72"W Laminate – T-Mold Edge	AW3LT2472 □	75 <input checked="" type="checkbox"/>	6.9	\$ 409	\$ 429	\$ 447	—	
72"W Laminate – Knife Edge*	AW3LK2472V	75 <input checked="" type="checkbox"/>	6.9	\$ 1109	\$ 1163	\$ 1218	—	
72"W Fluid Form – Eased Edge	AW3FE2472 □	75 <input checked="" type="checkbox"/>	6.9	—	—	—	\$ 747	
72"W Veneer – Square Edge	AW3VF2472 □	75 <input checked="" type="checkbox"/>	6.9	\$ 2064	—	\$ 2267	\$ 2475	
<hr/>								
84"W Laminate – Flat Edge	AW3LF2484 □	91 <input checked="" type="checkbox"/>	8.0	\$ 551	\$ 579	\$ 606	—	
84"W Laminate – T-Mold Edge	AW3LT2484 □	91 <input checked="" type="checkbox"/>	8.0	\$ 473	\$ 496	\$ 520	—	
84"W Laminate – Knife Edge*	AW3LK2484V	91 <input checked="" type="checkbox"/>	8.0	\$ 1222	\$ 1281	\$ 1341	—	
84"W Fluid Form – Eased Edge	AW3FE2484 □	91 <input checked="" type="checkbox"/>	8.0	—	—	—	\$ 1039	
84"W Veneer – Square Edge	AW3VF2484 □	91 <input checked="" type="checkbox"/>	8.0	\$ 2251	—	\$ 2475	\$ 2698	
<hr/>								
96"W Laminate – Flat Edge	AW3LF2496 □	100	9.1	\$ 664	\$ 697	\$ 729	—	
96"W Laminate – T-Mold Edge	AW3LT2496 □	100	9.1	\$ 575	\$ 602	\$ 630	—	
96"W Laminate – Knife Edge*	AW3LK2496V	100	9.1	\$ 1403	\$ 1471	\$ 1541	—	
96"W Fluid Form – Eased Edge	AW3FE2496 □	100	9.1	—	—	—	\$ 1500	
96"W Veneer – Square Edge	AW3VF2496 □	100	9.1	\$ 2550	—	\$ 2804	\$ 3059	

\*V-legs are the only option offered for knife edge table tops.


AWARE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Suffix: T for use with T legs V for use with V legs (Knife “V” only)</p> <p><b>AW3</b>                    </p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back</p> <p><b>A</b>          </p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p>	<p><b>6th Option:</b> Grommet Color:</p> <p><b>E</b>          </p>
	<p>Examples: <b>AW3LT2460T.X.LM13EY.AG2PEY</b> <b>AW3VF2472V.FSC.SC777.P</b></p>	<p><input checked="" type="checkbox"/> Shippable by small-package carrier.</p>				





- Order legs separately — see options on page 275. “T” suffix top for T-legs and “V” suffix top for V-legs.
- Specify grommet location, type, and color — see page 263.
- Knife edge tops feature shaped edge on all sides. Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model + Suffix "T" T-leg / "V" V-leg	Ship Weight	Cubes	List Price				
				L1 or V1	L2	L3 or V3	FF or V5	
<b>30"D Table Tops</b>								
36"W Laminate – Flat Edge	AW3LF3036 □	43 [S]	4.4	\$ 331	\$ 349	\$ 364	—	
36"W Laminate – T-Mold Edge	AW3LT3036 □	43 [S]	4.4	\$ 309	\$ 325	\$ 338	—	
36"W Laminate – Knife Edge*	AW3LK3036V	43 [S]	4.4	\$ 1003	\$ 1052	\$ 1101	—	
36"W Fluid Form – Eased Edge	AW3FE3036 □	43 [S]	4.4	—	—	—	\$ 493	
36"W Veneer – Square Edge	AW3VF3036 □	43 [S]	4.4	\$ 1693	—	\$ 1860	\$ 2029	
<hr/>								
42"W Laminate – Flat Edge	AW3LF3042 □	51 [S]	5.1	\$ 352	\$ 371	\$ 388	—	
42"W Laminate – T-Mold Edge	AW3LT3042 □	51 [S]	5.1	\$ 322	\$ 339	\$ 352	—	
42"W Laminate – Knife Edge	AW3LK3042V	51 [S]	5.1	\$ 1007	\$ 1056	\$ 1106	—	
42"W Fluid Form – Eased Edge	AW3FE3042 □	51 [S]	5.1	—	—	—	\$ 498	
42"W Veneer – Square Edge	AW3VF3042 □	51 [S]	5.1	\$ 1766	—	\$ 1942	\$ 2118	
<hr/>								
48"W Laminate – Flat Edge	AW3LF3048 □	58 [S]	5.8	\$ 381	\$ 401	\$ 419	—	
48"W Laminate – T-Mold Edge	AW3LT3048 □	58 [S]	5.8	\$ 334	\$ 351	\$ 365	—	
48"W Laminate – Knife Edge	AW3LK3048V	58 [S]	5.8	\$ 996	\$ 1045	\$ 1094	—	
48"W Fluid Form – Eased Edge	AW3FE3048 □	58 [S]	5.8	—	—	—	\$ 515	
48"W Veneer – Square Edge	AW3VF3048 □	58 [S]	5.8	\$ 1876	—	\$ 2061	\$ 2250	
<hr/>								
54"W Laminate – Flat Edge	AW3LF3054 □	65 [S]	6.4	\$ 427	\$ 449	\$ 469	—	
54"W Laminate – T-Mold Edge	AW3LT3054 □	65 [S]	6.4	\$ 365	\$ 383	\$ 400	—	
54"W Laminate – Knife Edge	AW3LK3054V	65 [S]	6.4	\$ 1052	\$ 1103	\$ 1156	—	
54"W Fluid Form – Eased Edge	AW3FE3054 □	65 [S]	6.4	—	—	—	\$ 559	
54"W Veneer – Square Edge	AW3VF3054 □	65 [S]	6.4	\$ 1943	—	\$ 2136	\$ 2330	

\*V-legs are the only option offered for knife edge table tops.

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Suffix: T for use with T legs V for use with V legs (Knife “V” only)</p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p>	<p><b>4th Option:</b> Grommet or Cutout Location (Laminate only):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back ATC Cutout – Centered Side-to-Side, Front-to-Back (Not for Nesting)</p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p>	<p><b>6th Option:</b> Grommet Color:</p>
AW3				A		E

Examples: AW3LT3036T.X.LM13EY.AG2PEY  
AW3VF3054V.FSC.SC777.P

[S] Shippable by small-package carrier.



- Order legs separately — see options on page 275. “T” suffix top for T-legs and “V” suffix top for V-legs.
- Specify grommet location, type, and color — see page 263.
- Knife edge tops feature shaped edge on all sides. Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.


Description	Model + Suffix "T" T-leg / "V" V-leg	Ship Weight	Cubes	List Price				
				L1 or V1	L2	L3 or V3	FF or V5	
<b>30"D Table Tops</b>								
60"W Laminate – Flat Edge	AW3LF3060 □	78	5	7.1	\$ 470	\$ 494	\$ 516	—
60"W Laminate – T-Mold Edge	AW3LT3060 □	78	5	7.1	\$ 394	\$ 414	\$ 431	—
60"W Laminate – Knife Edge*	AW3LK3060V	78	5	7.1	\$ 1107	\$ 1161	\$ 1216	—
60"W Fluid Form – Eased Edge	AW3FE3060 □	78	5	7.1	—	—	—	\$ 604
60"W Veneer – Square Edge	AW3VF3060 □	78	5	7.1	\$ 2010	—	\$ 2209	\$ 2410
<hr/>								
66"W Laminate – Flat Edge	AW3LF3066 □	86	5	7.7	\$ 506	\$ 532	\$ 557	—
66"W Laminate – T-Mold Edge	AW3LT3066 □	86	5	7.7	\$ 434	\$ 455	\$ 478	—
66"W Laminate – Knife Edge	AW3LK3066V	86	5	7.7	\$ 1160	\$ 1216	\$ 1274	—
66"W Fluid Form – Eased Edge	AW3FE3066 □	86	5	7.7	—	—	—	\$ 678
66"W Veneer – Square Edge	AW3VF3066 □	86	5	7.7	\$ 2078	—	\$ 2283	\$ 2492
<hr/>								
72"W Laminate – Flat Edge	AW3LF3072 □	93	5	8.4	\$ 540	\$ 567	\$ 594	—
72"W Laminate – T-Mold Edge	AW3LT3072 □	93	5	8.4	\$ 472	\$ 495	\$ 519	—
72"W Laminate – Knife Edge	AW3LK3072V	93	5	8.4	\$ 1212	\$ 1270	\$ 1330	—
72"W Fluid Form – Eased Edge	AW3FE3072 □	93	5	8.4	—	—	—	\$ 752
72"W Veneer – Square Edge	AW3VF3072 □	93	5	8.4	\$ 2144	—	\$ 2359	\$ 2571
<hr/>								
84"W Laminate – Flat Edge	AW3LF3084 □	109	9	9.7	\$ 663	\$ 696	\$ 728	—
84"W Laminate – T-Mold Edge	AW3LT3084 □	109	9	9.7	\$ 568	\$ 595	\$ 623	—
84"W Laminate – Knife Edge	AW3LK3084V	109	9	9.7	\$ 1437	\$ 1508	\$ 1580	—
84"W Fluid Form – Eased Edge	AW3FE3084 □	109	9	9.7	—	—	—	\$ 1043
84"W Veneer – Square Edge	AW3VF3084 □	109	9	9.7	\$ 2384	—	\$ 2620	\$ 2859
<hr/>								
96"W Laminate – Flat Edge	AW3LF3096 □	123	11	11.0	\$ 902	\$ 947	\$ 991	—
96"W Laminate – T-Mold Edge	AW3LT3096 □	123	11	11.0	\$ 798	\$ 836	\$ 876	—
96"W Laminate – Knife Edge	AW3LK3096V	123	11	11.0	\$ 1827	\$ 1918	\$ 2009	—
96"W Fluid Form – Eased Edge	AW3FE3096 □	123	11	11.0	—	—	—	\$ 1546
96"W Veneer – Square Edge	AW3VF3096 □	123	11	11.0	\$ 2842	—	\$ 3124	\$ 3409

\*V-legs are the only option offered for knife edge table tops.

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>Suffix: T for use with T legs V for use with V legs (Knife “V” only)</p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back ATC Cutout – Centered Side-to-Side, Front-to-Back (Not for Nesting)</p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p>	<p><b>6th Option:</b> Grommet Color:</p>
AW3				A		E

Examples: AW3LT3060T.X.LM13EY.AG2PEY  
AW3VF3060V.FSC.NC777.P

**[S]** Shippable by small-package carrier.





- Order "T" legs separately — see options on page 279.
- Specify grommet location, type, and color — see page 263.
- Eased edge tops feature shaped edge on front side.
- Optional electrical components, wire trough, modesty panel, and ganging hardware ordered separately — see pages 284-287.



Description	Model	Ship Weight	Cubes	List Price				
				L1 or V1	L2	L3 or V3	FF or V5	
<b>36"D Table Tops</b>								
48"W Laminate – Flat Edge	AW3LF3648T	58	6.8	\$ 500	\$ 526	\$ 550	—	
48"W Laminate – T-Mold Edge	AW3LT3648T	58	6.8	\$ 429	\$ 450	\$ 471	—	
48"W Fluid Form – Eased Edge	AW3FE3648T	58	6.8	—	—	—	\$ 627	
48"W Veneer – Square Edge	AW3VF3648T	58	6.8	\$ 2246	—	\$ 2469	\$ 2692	
<hr/>								
54"W Laminate – Flat Edge	AW3LF3654T	65	7.5	\$ 538	\$ 565	\$ 592	—	
54"W Laminate – T-Mold Edge	AW3LT3654T	65	7.5	\$ 474	\$ 497	\$ 521	—	
54"W Fluid Form – Eased Edge	AW3FE3654T	65	7.5	—	—	—	\$ 634	
54"W Veneer – Square Edge	AW3VF3654T	65	7.5	\$ 2320	—	\$ 2551	\$ 2782	
<hr/>								
60"W Laminate – Flat Edge	AW3LF3660T (shown)	73	8.3	\$ 576	\$ 605	\$ 633	—	
60"W Laminate – T-Mold Edge	AW3LT3660T	73	8.3	\$ 519	\$ 544	\$ 570	—	
60"W Fluid Form – Eased Edge	AW3FE3660T	73	8.3	—	—	—	\$ 642	
60"W Veneer – Square Edge	AW3VF3660T	73	8.3	\$ 2393	—	\$ 2630	\$ 2869	
<hr/>								
66"W Laminate – Flat Edge	AW3LF3666T	86	9.1	\$ 607	\$ 637	\$ 667	—	
66"W Laminate – T-Mold Edge	AW3LT3666T	86	9.1	\$ 554	\$ 580	\$ 608	—	
66"W Fluid Form – Eased Edge	AW3FE3666T	86	9.1	—	—	—	\$ 796	
66"W Veneer – Square Edge	AW3VF3666T	86	9.1	\$ 2464	—	\$ 2708	\$ 2956	
<hr/>								
72"W Laminate – Flat Edge	AW3LF3672T	93	9.9	\$ 640	\$ 672	\$ 703	—	
72"W Laminate – T-Mold Edge	AW3LT3672T	93	9.9	\$ 588	\$ 616	\$ 644	—	
72"W Fluid Form – Eased Edge	AW3FE3672T	93	9.9	—	—	—	\$ 949	
72"W Veneer – Square Edge	AW3VF3672T	93	9.9	\$ 2532	—	\$ 2785	\$ 3038	

\*V-legs are the only option offered for knife edge table tops.

AWARE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> FSC Certified Wood:</p> <p>FSC Select for FSC Certified Wood X No FSC</p>	<p><b>2nd Option:</b> Laminate or Fluid Form:</p> <p>See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (Laminate only):</p> <p>See inside front cover for finishes.</p>	<p><b>4th Option:</b> Grommet or Cutout Location (see page 263):</p> <p>AG0 No Grommets AG1 Centered Oval (Add \$11) AG2 Pair Ovals (Add \$22) ATE Pop-up Power Cutout – Centered Side-to-Side, 2" from Back ATC Cutout – Centered Side-to-Side, Front-to-Back (Not for Nesting)</p>	<p><b>5th Option:</b> Grommet Type (if applicable):</p> <p>P Oval Plastic (woodgrains predetermined based on finish selection)</p>	<p><b>6th Option:</b> Grommet Color:</p>
<p>AW3                    </p>	<p>                   </p>	<p>                   </p>	<p>                   </p>	<p>A                    </p>	<p>                   </p>	<p>E                    </p>

Examples: AW3LT2436T.X.LM13EY.AG2PEY  
AW3VF2454V.FSC.NC777.P

**[S]** Shippable by small-package carrier.













**Modesty Panels:**

- 9¼"H x ½"D.
- Modesty panel must be removed from tables prior to folding.
- Tables may be nested with modesty panel attached to table. Nesting depth of additional tables does not increase.
- Modesty panel is undersized by 9¾" from width of table top.
- Nesting V-leg models require one size smaller modesty panel than T-leg. Example: 42"W Nesting V-leg table requires AW4HM36. See below.

**Universal Hook**

Mounts to underside of worksurface and provides storage for bags, coats and purses. Hooks can be used as a horizontal wire manager under worksurface.


**Ganging Bracket**

- One-step tool-free operation.
- Tables have pre-drilled holes for proper installation and alignment of ganging mechanism.
- Includes two ganging links and two screws. Recommend one package of 2 brackets per table.

**Table Truck**

- Mobile storage for up to 6 folding tables.
- Bumpers protect walls and tables.
- Integral safety strap for keeping tables secure during transport.
- Table truck requires assembly. Requires T27 Torx™ screwdriver.


AWARE TABLES



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price
<b>Hinged Metal Modesty Panels for Aware Tables with T-Legs</b>					
26¾"W — for 36"W table with T-Legs	AW4HM36	8	1.7	\$ 187	\$ 194
32¾"W — for 42"W table with T-Legs	AW4HM42	9	1.9	\$ 198	\$ 205
38¾"W — for 48"W table with T-Legs	AW4HM48	11	2.2	\$ 211	\$ 218
44¾"W — for 54"W table with T-Legs	AW4HM54	12	2.5	\$ 222	\$ 229
50¾"W — for 60"W table with T-Legs	AW4HM60	14	3.1	\$ 237	\$ 244
56¾"W — for 66"W table with T-Legs	AW4HM66	16	3.1	\$ 261	\$ 268
62¾"W — for 72"W table with T-Legs	AW4HM72	17	3.7	\$ 295	\$ 302
74¾"W — for 84"W table with T-Legs	AW4HM84	20	4.4	\$ 329	\$ 336
86¾"W — for 96"W table with T-Legs	AW4HM96	21	4.4	\$ 352	\$ 359

**Hinged Metal Modesty Panels for Aware Tables with V-Legs**

26¾"W — for 42"W table with V-Legs	AW4HM36	8	1.7	\$ 187	\$ 194
32¾"W — for 48"W table with V-Legs	AW4HM42	9	1.9	\$ 198	\$ 205
38¾"W — for 54"W table with V-Legs	AW4HM48	11	2.2	\$ 211	\$ 218
44¾"W — for 60"W table with V-Legs	AW4HM54	12	2.5	\$ 222	\$ 229
50¾"W — for 66"W table with V-Legs	AW4HM60	14	3.1	\$ 237	\$ 244
56¾"W — for 72"W table with V-Legs	AW4HM66	16	3.1	\$ 261	\$ 268
68¾"W — for 84"W table with V-Legs	AW4HM78	20	4.4	\$ 318	\$ 325
80¾"W — for 96"W table with V-Legs	AW4HM90	21	4.4	\$ 345	\$ 352



Description	Model	Ship Weight	Cubes	List Price
<b>Universal Hook (Black only)</b>				
Package of 2	AGSAUHK	3	0.2	\$ 77
<b>Ganging Bracket</b>				
Bracket includes Hardware	AW4GANG	0.2	0.0	\$ 57
<b>Table Truck (Flint only)</b>				
Truck for Storing Tables	AGSAFTC	65	11.5	\$ 1845

Table Truck Dimensions:  
Truck only – 62¼"W x 31¼"D x 42¾"H

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint Color</b> (if applicable):</p>
--	---


Examples: AW4HM60.P27    AW4HM42.PQ8    AW4GANG

Shippable by small-package carrier.

**Laptop Drawer**


- Drawer body made of sheet metal.
- Drawer front made of 3/4" particle board with high pressure laminate on both sides and fused laser edge banding.
- Core removable lock is located on right side drawer front
- 17 7/8" W x 18" D x 3 3/8" H Outside (interior 13" W x 16" D x 1 7/8" H)
- Minimum surface depth is 21" for surfaces not using an external stiffener; and 27" for surfaces using an external stiffener.
- Drawer extends 16"

- Maximum load: 45 lbs (functional BIFMA load)
- Drawer assembly and cover have cut out in back to allow for cables to exit drawer.
- Distance from floor to bottom of unit w/ glides fully retracted is 24 3/4".
- Can be used with rabbet edge worksurface models but there will be a larger reveal between surface and drawer.
- Can be used with knife edge worksurface models but reveal and depth need to be considered.




**Aware®**

Front View



Top View




**Aware Tables**

- Can only be used on 30" deep surfaces due to interference with internal stiffener.
- Can only be used with fixed legs; no nesting or folding legs.
- Cannot be used with an external stiffener.
- T-legs- drawer must be offset from worksurface edge by edge to leg distance + 3/4" to clear leg mounting plate.
- V-legs- drawer must be offset from worksurface edge by edge to leg distance + 3/4" to clear leg mounting plate
- See illustrations at left.

**Not on Merge® or Altitude® Tables**

- Cannot be used with Merge tables due to interference with internal stiffener; and Altitude tables due to interference with external stiffener.



GSA SIN 711-1

Description	Model	List Price		
		P1 Core	P2 Select	P3 Accent
<b>Laptop Drawer - Locking, laminate front, metal case</b>				
17 7/8" W x 18" D x 3 3/8" H (Interior 13" W x 16" D x 1 7/8" H)	U7WDA [5]	\$ 999	\$ 1016	\$ 1032

<b>How to specify —</b> Select the Model Number from above.	1st Option: <b>Laminate</b> (Drawer front if applicable): See inside front cover for finishes.	2nd Option: <b>Edge</b> (Drawer edge if applicable): See inside front cover for finishes.	3rd Option: <b>Paint</b> (If drawer, list exterior case color here): See inside front cover for finishes.	4th Option: <b>Paint</b> (Interior Drawer if applicable): See inside front cover for finishes.	5th Option: <b>Lock</b> (if applicable): <b>STD</b> Standard <b>OMT</b> Omit	6th Option: <b>Lock Color</b> (if applicable): <b>EL</b> Silver
U           .		.	.	.	.	

Example: U7WDA.LM11EV.P27.PR6.STDEL

[5] Shippable by small-package carrier.

**Wire Trough**

- Accepts cords for routing
- Wire trough adheres and screws to underside of table surface

**Wire Manager Covers**

- Attaches to leg and conceals power, voice, and data cables.
- Will not work on large T folding legs.
- Cable capacity shown on page 263.

**Power/Data Ports**

- Corded has 10' cord and plug.
- Hardwire has 10' cord.

**Interlink IQ Electrical Modules**

- Pluggable, single circuit electrical system
- UL recognized as a powered table system and meets the requirements of UL 962
- Interlink IQ modules require a minimum of one Interlink IQ starter.
- A maximum of 8 Interlink IQ power modules (including jumpers) can be "daisy chained" together in any combination off of one 15-amp in-feed starter.

- System status indicator:
  - Red light indicates too many units connected
  - Green light indicates appropriate use
- All models include wire management clips and hardware
- Power harness includes 60" cord and 11" tail. Daisy chained tables in line over 60" require 36" jumper between modules.

AWARE TABLES

Description	Model	Ship Weight	Cubes	List Price
<b>Wire Trough (Black only)</b>				
17¼"W Trough for 48"W and shorter Tables	AW4W48 <span style="border: 1px solid black; padding: 0 2px;">S</span>	2	0.2	\$ 58
34"W Trough for 54"W or 60"W Tables	AW4W60 <span style="border: 1px solid black; padding: 0 2px;">S</span>	3	0.4	\$ 103
42¼"W Trough for 66"W or 72"W Tables	AW4W72 <span style="border: 1px solid black; padding: 0 2px;">S</span>	5	0.4	\$ 127
58"W Trough for 84"W or 96"W Tables	AW4W84 <span style="border: 1px solid black; padding: 0 2px;">S</span>	5	0.9	\$ 162
<b>Wire Manager Covers</b>				
For small T (AW2TS prefix) and medium V (AW2VM prefix) leg models	AWCVRG <span style="border: 1px solid black; padding: 0 2px;">S</span>	5.0	4.1	\$ 104
For large T (AW2TL prefix, except folding) and caster models	AWCVRC <span style="border: 1px solid black; padding: 0 2px;">S</span>	5.5	4.1	\$ 104
<b>Power/Data Ports</b>				
Corded – 2 receptacles/2 data cutouts	AW4P2C <span style="border: 1px solid black; padding: 0 2px;">S</span>	3	1.9	\$ 351
Hardwire – 2 receptacles/2 data cutouts	AW4P2H <span style="border: 1px solid black; padding: 0 2px;">S</span>	3	1.9	\$ 351
<b>Interlink IQ Electrical Modules</b>				
Interlink IQ Starter with 72" In-feed cord	AW4QBI <span style="border: 1px solid black; padding: 0 2px;">S</span>	2	0.2	\$ 487
Interlink IQ 60" Power Harness with Pop-Up — 2 Receptacles/2Data	AW4QH60P <span style="border: 1px solid black; padding: 0 2px;">S</span>	3	1.9	\$ 346
Interlink IQ 36" Jumper	AW4QJ36 <span style="border: 1px solid black; padding: 0 2px;">S</span>	2	0.2	\$ 99

**How to specify —**  
 Select the Model Number from above.

**AW4** | | | | |

Examples: AW4W48 AW4P2C AW4QBI

S Shippable by small-package carrier.

**Technology Modules**

- Can be mounted by clamping to worksurface or mounting flush to the worksurface top.
- The USB hub allows simultaneous powering of four USB-A devices.
- Opening size needed to flush mount in worksurface.



Model	Depth of Cut	Width of Cut
A87P2U1R	4"	8"
A87P2D1R	4"	8"


**Byrne's Docking Station for iPod® and iPhone®**

- The iDoc charges and syncs with patent pending Roc.in.Doc technology eliminating the need for charging adapters.
- The mount provides quick access to the iPod or iPhone display for easy user control.
- Contact Byrne to check for compatibility with the latest technology.

**Workspace Power/Data Module**

- Provides easy access to technology at primary worksurface.
- Mounts to edge of a worksurface and requires 3/8" gap. Consider whether 3/8" gap will work with layout.

Description	Model	List Price
<b>Technology Modules — Flush Mount (EL Silver only)</b>		
2 Power, 1 USB Hub	A87P2U1R 	\$ 645
2 Power, 1 iPod Hub	A87P2D1R 	\$ 780
<b>Workspace Power/Data Module (PR6 Silver only)</b>		
2 Simplex receptacles, 1 data position	A870302	\$ 227



<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Technology Module Color:</b> EL Silver</p>						
<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%;"></td> </tr> </table>		

Examples: A87P2U1R.EL A870302

 Shippable by small-package carrier.

# Aware® Laminate Credenzas

## Buffet Credenza

GSA SIN 711-11

- 2- and 3-Bay credenzas ship fully assembled.
- Available in solid and woodgrain laminate colors. You can select one laminate for the case and a second laminate for the front doors and back panels. Credenza top including front edge is the same color as the case.
- Painted mesh in Brilliant White, Flint, or Silver at top and bottom of the front and back sides of unit provides passive ventilation.
- Edge guards on mesh and wire manager protects cords and fingers.
- Grommet models feature square Silver metal grommet.
- Six leveling glides on 72"W, four glides on 48"W. Leveling range is 1".
- Credenzas are constructed from ¾" thick high-pressure laminated particleboard with 1 mm edge banding and European cam-and-pin construction.
- Units are shipped with either lock cores removed or as non-locking. Core removable lock option allows key numbers to be easily changed in the field. Cores available in Storage price list on page 181.
- Shelves are painted metal. Base shelves are secured, except center shelf in 72"W credenza.
- Interior bay dimensions are 22"W x 28½"H x 22¾"D. Secured bottom shelves are 19"D to account for ventilation and wire management. Rated for 50 lbs.
- Removable back(s) snap on for easy component installation.
- Bottom wire management channel runs entire width of credenza.
- Optional top hung drawers (8½"H) use full extension slides; limit of one drawer per bay. Drawers cannot be used in same bay with AV rack, waste pullout, and will limit size of refrigerator.
- Slide out A/V storage rack features EIA spacing with twelve useable rack spaces.
- Units ship with one adjustable shelf per bay. Shelves are adjustable in 6" increments.
- Additional metal shelves are field-installed using supplied template, maximum of three per bay.

AWARE TABLES

Description	Model	Ship Weight	Cubes	Solid Laminate List Price	UPCHARGES*			
					L2 Laminate Case		L3 Laminate Case	
					Front/Back	Front/Back	Case	Front/Back
<b>Buffet Credenza — 34"H x 24"D</b>								
72"W with Grommet / Removable Back Left and Right	AW4BC7224	336	56	\$ 5273	\$ 184	\$ 79	\$ 369	\$ 158
72"W no Grommet / Removable Back Left and Right	AW4BC7224NG	336	56	\$ 5267	\$ 184	\$ 79	\$ 369	\$ 158
<b>48"W with Grommet /</b>								
Removable Back Left (shown)	AW4BC4824L	235	38	\$ 3843	\$ 134	\$ 58	\$ 269	\$ 115
48"W no Grommet / Removable Back Left (shown)	AW4BC4824LNG	235	38	\$ 3836	\$ 134	\$ 58	\$ 269	\$ 115
<b>48"W with Grommet /</b>								
Removable Back Right	AW4BC4824R	235	38	\$ 3843	\$ 134	\$ 58	\$ 269	\$ 115
48"W no Grommet / Removable Back Right	AW4BC4824RNG	235	38	\$ 3836	\$ 134	\$ 58	\$ 269	\$ 115

Description	Model	Ship Weight	Cubes	List Price
<b>Credenza Storage Drawer</b> (Laminate front LM16 Flint only)				
Interior: 14½"W x 14¾"D x 2¾"H Particleboard body in a metal case	AW4DRAWER	30	4.1	\$ 503
<b>Slide Out Audio/Visual Storage Rack</b> (Black only, not specified) Weight capacity 125 lbs.				
19¾"W x 18¾"D x 22¾"H Metal frame with 10-32 threaded holes	AW4AVRACK	29	4.8	\$ 1815
<b>Trash/Recycling Slide Out</b> (Platinum only, not specified) Weight capacity 100 lbs.				
14¾"W x 22½"D x 18¾"H Comes with 2 – 35 qt bins	AW4TRASH	36	2.8	\$ 379
<b>Metal Interior Shelf</b> (Painted in Flint, Brilliant White, or Silver only)				
23"W x 21"D x 2"H Weight capacity 50 lbs.	AW4SHELF	5	1.6	\$ 136


How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood (if applicable): FSC Certified X No FSC	2nd Option: Case Laminate (if applicable):	3rd Option: Matching Edge Color (if applicable):	4th Option: 2nd Laminate Color (Front) (if applicable):	5th Option: Matching Edge Color (if applicable):	6th Option: Paint Color (if applicable): PQ8 Brilliant White P02 Flint PR6 Silver (No upcharge for PR6)	7th Option: Lock (if applicable): OMT Omit Cores NL No Locks or Holes
AW4							

Examples: AW4BC7224.X.LM14EW.LWDDD.PR6.NL AW4DRAWER.LM16E9




- 2- and 3-Bay credenzas ship fully assembled.
- Available in solid and woodgrain laminate colors. You can select one laminate for the case and back, and a second laminate for the front doors. Credenza top including front edge is the same color as the case.
- Painted mesh in Brilliant White, Flint, or Silver at bottom of the front side of unit matches buffet credenza.
- Waste bins and inserts are not included with Recycle Credenzas. Recommend 25 gallon waste bins 16¼" x 16¼" x 27"H by Tough Guy, Rubbermaid, Continental, or Safco. Order inserts separately.
- Credenzas are constructed from ¾" thick high-pressure laminated particleboard with 1 mm edge banding and European cam-and-pin construction.
- Front plates and optional inserts are metal.
- Septums in 3-Bay units provide separation and support.
- Units come with 3 of each label with 57"W units; and 2 of each label with 36"W units. Silver and white units come with Black labels; Flint comes with White labels.
- Back is inset ¾" for easy handling and flush fit against wall.
- Leveling glide range is 1".


Description	Model	Ship Weight	Cubes	Solid Laminate List Price	UPCHARGES*			
					L2 Laminate Case/Back	L2 Laminate Front	L3 Laminate Case/Back	L3 Laminate Front
<b>Recycle Credenza — 40"H x 20"D (Front plate and mesh in Brilliant White, Flint or Silver)</b>								
57"W Three Bays – Interior each 17"W x 28"H x 17¼"D (Shown with paper and bottle/can inserts – order separately below)	<b>AW4WC5720</b>	275	43	\$ 5021	\$ 176	\$ 75	\$ 351	\$ 151
36"W Two Bays – Interior 34½"W x 28"H x 17¼"D (Shown with bottle/can and paper inserts – order separately below)	<b>AW4WC3620</b>	180	35	\$ 3776	\$ 132	\$ 57	\$ 264	\$ 113



Description	Model	Ship Weight	Cubes	List Price	
				P1 Core	P3 Accent
<b>Paper Insert for Recycle Credenza (Painted metal in Brilliant White, Flint, Silver, Ocean or Sprout)</b>					
For 57"W Recycle Credenza	<b>AW4WCTIP57W</b>	3	0.5	\$ 136	\$ 151
For 36"W Recycle Credenza	<b>AW4WCTIP36W</b>	3	0.5	\$ 136	\$ 151
<b>Bottle/Can Insert for Recycle Credenza (Painted metal in Brilliant White, Flint, Silver, Ocean or Sprout)</b>					
For 57"W Recycle Credenza	<b>AW4WCTIBC57W</b>	3	0.5	\$ 136	\$ 151
For 36"W Recycle Credenza	<b>AW4WCTIBC36W</b>	3	0.5	\$ 136	\$ 151



Description	Model	Ship Weight	Cubes	List Price
<b>Waste Credenza Labels (Bottle/Cans, Paper, Recycle, Trash – SPECIFY Black or White)</b>				
12 Labels — 3 of each	<b>AW4WC57LABEL</b>	0.1	0.1	\$ 67
8 Labels — 2 of each	<b>AW4WC36LABEL</b>	0.1	0.1	\$ 48



**Note:** Recycle Credenzas come with 3 of each label with 57"W units; and 2 of each label with 36"W units.

How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood (if applicable): FSC Certified X No FSC	2nd Option: Case Laminate (if applicable):	3rd Option: Matching Edge Color (if applicable):	4th Option: 2nd Laminate Color (Front) (if applicable):	5th Option: Matching Edge Color (if applicable):	6th Option: Paint (if applicable): PQ8 Brilliant White P02 Flint PR6 Silver (no upcharge) P7H Ocean (Accent upcharge) P7F Sprout (Accent upcharge)	7th Option: Label Color (if applicable): BLK Black WHT White
AW4							

Examples: AW4WC5720.X.LM14EW.LWDDD.PR6 AW4WCTIP57W.P7H

- Mobile marker boards are available in porcelain or laminated glass.
- Mobile tack boards are two-sided with platinum fabric and silver frames.
- Feet are 24"D x 3"H on 50"H and 30"D x 3"H on 72"H units. The low profile foot fits under most footed panels and storage.
- Foot design allows multiple boards to be nested.
- Mobile boards have two locking casters.
- Boards are shipped with feet unattached in same package.
- Porcelain boards are two-sided white, magnetic, and can be used for projection. Smooth, dry-erase porcelain surface for easy writing and clean erasing. Low odor markers are not recommended.
- Laminated glass boards are two-sided white, non-magnetic. For best results use bold marker colors. Low odor markers are not recommended.
- Marker and eraser holder comes with suction cups for attachment.
- Optional hooks are designed to hold large easel pads with slots.

AWARE TABLES


Description	Model	Ship Weight	Cubes	List Price
<b>Mobile Marker Boards — Porcelain</b>				
72"H x 60"W x 30" feet	AW4MB7260P	150	15	\$ 3485
72"H x 48"W x 30" feet	AW4MB7248P	123	12.2	\$ 2664
72"H x 36"W x 30" feet	AW4MB7236P	95	9.5	\$ 2491
50"H x 48"W x 24" feet	AW4MB5048P	85	8.8	\$ 2424
50"H x 36"W x 24" feet	AW4MB5036P	75	6.8	\$ 2330
<b>Mobile Marker Boards — Laminated Glass</b>				
72"H x 48"W x 30" feet	AW4MB7248G	175	12.2	\$ 4843
72"H x 36"W x 30" feet	AW4MB7236G	147	9.5	\$ 3909
50"H x 48"W x 24" feet	AW4MB5048G	137	8.8	\$ 3606
50"H x 36"W x 24" feet	AW4MB5036G	127	6.8	\$ 2997
<b>Mobile Tack Boards — Platinum Fabric</b>				
72"H x 60"W x 30" feet	AW4TB7260P	98	15	\$ 3485
72"H x 48"W x 30" feet	AW4TB7248P	80	12.2	\$ 2664
72"H x 36"W x 30" feet	AW4TB7236P	62	9.5	\$ 2491
50"H x 48"W x 24" feet	AW4TB5048P	55	8.8	\$ 2424
50"H x 36"W x 24" feet	AW4TB5036P	49	6.8	\$ 2330

Description	Model	Ship Weight	Cubes	P1 Core	List Price P2 Select	P3 Accent
<b>Marker and Eraser Holder</b> (Specify Paint — Core, Select or Accent)						
4½"H x 4¼"W x 2½"D	AW4BACC	0.8 <span style="border: 1px solid black; padding: 0 2px;">S</span>	0.1	\$ 127	\$ 132	\$ 137
<b>Marker and Tack Board Hooks</b> (Specify Paint — PR6 Silver Only)						
2 Hooks 1¼"W x 2½"D x 2¼"H	AW4BHOOK	0.8 <span style="border: 1px solid black; padding: 0 2px;">S</span>	0.1	\$ 80	\$ 85	\$ 90

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint:</b> PR6 Silver (No upcharge)</p>	<p><i>1st Option</i> <b>Marker and Eraser Holder:</b> <b>Paint:</b> C S A</p>
<b>AW4</b>	<b>PR6</b>	

Examples: AW4MB7260P.PR6 AW4BHOOK.PR6 AW4BACC.P7F S Shippable by small-package carrier.

- Wall-hung marker boards are available in porcelain or back painted glass.
- Porcelain boards are white, magnetic, and can be used for projection. Smooth, dry-erase porcelain surface for easy writing and clean erasing. Low odor markers are not recommended. Slim frame design, front of frame is 5/32". Frame is anodized aluminum with mitered corners and extends 3/4" from the wall.
- Porcelain boards can hang either vertical or horizontal. Galvanized steel Z-brackets are included. Wall fasteners not included.
- Glass boards are white, back painted glass that are easy to clean and erase. Constructed with 1/4" tempered safety glass with beveled corners, polished edges, and a steel back. Boards are magnetic. Frameless, floating mounted board extends 1/2" from wall. For best results use bold marker colors. Low odor markers are not recommended.
- Wall-hung boards are designed to easily attach to a solid wall without exposed hardware for an integrated appearance.
- Hanging instructions provided. See glass note below.
- Marker and eraser holder comes with suction cups for attachment.



Description	Model	Ship Weight	Cubes	List Price
<b>Wall-Hung Marker Boards — Porcelain</b>				
48"H x 96"W	AW4WB4896P	90	7.6	\$ 1209
48"H x 72"W	AW4WB4872P	70	5.8	\$ 979
48"H x 60"W	AW4WB4860P	50	4.9	\$ 836
48"H x 48"W	AW4WB4848P	45	4	\$ 697
36"H x 48"W	AW4WB3648P	35	3.1	\$ 603
<b>Wall-Hung Marker Boards — Back Painted Glass</b>				
48"H x 96"W	AW4WB4896G	250	9	\$ 4158
48"H x 72"W	AW4WB4872G	190	6.9	\$ 3452
48"H x 60"W	AW4WB4860G	157	5.8	\$ 3018
48"H x 48"W	AW4WB4848G	126	4.7	\$ 2491
36"H x 48"W	AW4WB3648G	95	3.4	\$ 2009

**Note:** If multiple boards are being installed on the same wall, use caution when positioning glass panels next to each other. Due to the weakest point of tempered glass being along the edges, the edges should be protected as much as possible. To insure a successful installation, leave a gap of one quarter inch between boards to prevent damage to the glass. Allsteel will not be held responsible for damage caused by improper installation.



Description	Model	Ship Weight	Cubes	P1 Core	List Price P2 Select	P3 Accent
<b>Marker and Eraser Holder (Specify Paint — Core, Select or Accent)</b>						
4 1/8"H x 4 3/4"W x 2 1/2"D	AW4BACC	0.8	0.1	\$ 127	\$ 132	\$ 137

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option Marker Boards:</i> <b>Paint:</b> PR6 Silver (No upcharge)</p>	<p><i>1st Option Marker and Eraser Holder:</i> <b>Paint:</b> C S A</p>
<p>AW4                     .                              </p>	<p>P   R   6</p>	<p>         </p>

Examples: AW4MB7260P.PR6 AW4MB5036P.PR6 AW4BACC.P7F

# Aware® Lectern

## Lectern and Accessories



GSA SIN 711-11

- Lectern features laminate construction with painted metal base and accents.
- Angled surface is 24"W x 11½"D with ⅜" lip at bottom.
- Removable back panel provides easy power and cord routing from bottom of unit to top.
- Recessed area at top right for water or beverage.

- Metal surface at top left, front for mounting microphone holder or light is 5"W x 7"D. Requires end-user to drill applicable holes for mounting.
- Recessed center area at top front provides room for cords and power supplies. Flip-up laminate door provides easy access and hides cords. Area has an Extron cut-out

- and two simplex cutouts for mounting two AW4LECTPWR power units below. Extron super plate unit purchased separately.
- Storage shelf below angled surface is 4"H x 24¼"W x 10"D. Cut-out at front of compartment for routing cords.
- Four 2¼" casters for mobility, all are locking for lectern to remain stationary when necessary.

Description	Model	Ship Weight	Cubes	List Price		
				L1	L2	L3
<b>Lectern — Laminate and Painted Metal</b>						
Technology Ready 26"W x 19"D x 43¾"H	AW4LECT	170	32	\$ 2896	\$ 3041	\$ 3186



Description	Model	Ship Weight	Cubes	List Price
<b>Lectern Power Unit — White or Black</b>				
Single AC power unit, bracket, and 6' cord w/plug	AW4LECTPWR	0.9	1.6	\$ 91

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> FSC Certified Wood (if applicable): FSC Certified X No FSC</p>	<p><b>2nd Option:</b> Laminate (if applicable): See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Edge Color (if applicable): See inside front cover for finishes.</p>	<p><b>4th Option:</b> Paint (if applicable): PQ8 Brilliant White P02 Flint PR6 Silver (No upcharges)</p>	<p><b>5th Option:</b> Electrical (if applicable): BLK Black WHT White</p>
<p>AW4LECT . . . . .</p>	<p>. . . . .</p>	<p>. . . . .</p>	<p>. . . . .</p>	<p>. . . . .</p>	<p>. . . . .</p>

Examples: AW4LECT.X.LWDDD.PR6 AW4LECT.FSC.LM13EY.PR6 AW4LECTPWR.BLK

AWARE TABLES

## Setting the table for change.


Today's corporate training room can take many forms, including lectures, brainstorms, and breakouts – sometimes requiring multiple transformations in a single day. Whether you're planning for an hour-long meeting or an aggressive all-day agenda with various room changes, the Aware collection can easily create the space you need right now and adapt to create the space you'll need in a few hours.

### Aware Kit-of-Parts in Typical Below


Line	Qty	Model Number	Description
1	1	AW4WC5720	40"H x 57"W x 20"D Recycle Credenza
2	2	AW4BC7224NG	34"H x 72"W x 24"D Buffet Credenza – No Grommet
3	4	AW4WB4896P	48"H x 96"W Wall Hung Marker Board – Porcelain
4	8	AW4MB7236P	72"H x 36"W Mobile Marker Board – Porcelain
5	13	AW3LF2460V	24"D x 60"W Aware Top Lam Flat Edge
6	13	AW2VM24N60CS	Aware 24"D x 60"W Nesting V-Leg – Polished w/Caster
7	12	AW3LFT2460T	24"D x 60"W Aware Trapezoid Top Laminate Flat Edge
8	12	AW2TS24N42CB	Aware 24"D x 42"W Nesting T-Leg – Polished w/Caster
9	2	AW3LFH2448V	24"D x 48"W Aware Half-Round Top Laminate Flat Edge
10	2	AW2VM24N36CB	Aware 24"D x 36"W Nesting V-Leg – Polished w/Caster

### Seating, Merge®, and Gather™ Kit-of-Parts In Typical Below


Line	Qty	Model Number	Description
11	50	K-MUCOSNO	Seek Work Fixed Arms Mesh Back Upholstered Seat
12	1	ALM36RND	36" Dia. Round Top, Laminate, Flat Edge
13	1	S925B72	72"W Mind-Share Bench Seat
14	1	S925B72F72	72"W Mind-Share Bench with 72"W Screen
15	2	S910MT48L	View Media 48" Laminate
16	1	S914CWS	Counterweight for 23" dia. base All-Around
17	1	S914N22S	22"H x 23"D Non-Powered All-Around Base
18	2	S923	Scooch
19	2	S921B2CL	Hedge w/Base 10" Laminate Tablet – Double
20	2	S922S2TOC	Two-Tone – 2 Tier Outside Corner Rise
21	2	S922S2	Rise – 2 Tier




9:00 am



12:00 pm



3:45 pm




7:00 pm

**Merge Advanced Function Tables**

Merge Advanced Function Tables offer innovative features that integrate technology and encourage collaboration.


**Merge Power Bay™ Tables**

Merge Power Bay Tables feature a storage and connectivity compartment perfect for storing conference room technology between meetings. Merge Power Bay Tables are available with conference arc or rectangle table tops.



**Adaptive Tables**


Merge Adaptive Tables convert any space (private office, workstation, etc.) into a meeting space. Adaptive Tables lift, lower, and dock to provide optimal versatility. Merge Adaptive Tables are available with round or square table tops.



MERGE TABLES

**Merge Height Adjustable Tables**

Merge Height Adjustable Tables feature a gas cylinder, similar to the Adaptive Tables, to provide smooth, quiet height adjustment. Merge Height Adjustable Tables are available with round, conference end, and square tops. Tables adjust from 26"H to 33"H.



**Merge Standard Tables**

Merge Standard Tables offer a wide selection of table tops and bases in a variety of materials and finishes for use in multiple applications. Standard table tops and bases are specified separately. See the individual product pages 306-331 for table top and base compatibility information.


**Standard Table Tops**



Round




Conference End




Square




D-End



Rectangle




Conference Oval




Conference Arc


**Seated Height Table Bases and Legs**



Large T Base — 36" D




Medium T Base\* — 25" D




Small T Base\* — 20" D


\* Models available with glides or casters.



Large X Base — 36" Dia.




Medium X Base\* — 28" Dia.




Large X Base — 36" Dia. (Powered)  
Model conceals power, voice, and data wires.




Medium X Base\* — 28" Dia. (Powered)  
Model conceals power, voice, and data wires.



Disc Base — 26" Dia.




Fixed Height Post Leg\*



Lift & Release™ Post Leg\*


**Standing Height Table Bases**



Medium "X" Base — 28" Dia.



Medium "X" Base — 28" Dia. (Powered)  
Model conceals power, voice, and data wires.




Disc Base — 26" Dia.

MERGE TABLES

**Materials and Edge Treatments**

Merge tables offer functional flexibility and aesthetic versatility to provide one, simple solution for the entire office. The broad selection of materials and finishes ensure that the tables look beautiful in any application.


**Laminate Edges**



T-mold tops will have a 3/4" radius on all corners.


24" D or 30" D Eased and Knife edge rectangle tops feature a square edge on three sides and a shaped edge on one side. Eased and Knife D-End tops feature a square edge on the straight side and a shaped edge on the curved side.

**Fluid Form Edges**



Allsteel Fluid Form is an advanced surface material that offers a seamless solid base layer with protective coating. Its seamless 3-dimensional edge profile eliminates the need for edge banding or T-mold making it ideal for horizontal surfaces.

**Veneer Edges**



\* Power Bay and Adaptive Table Models are not available with T-Mold Edge.

**FSC Certified Wood at Allsteel**

Forest Stewardship Council® (FSC) certification promotes the sustainable harvesting of forests worldwide. The FSC program sets requirements for the management of the forest and for everyone that handles the wood from forest to product. Allsteel has an FSC Chain of Custody and can provide FSC certified products to customers who choose to order them. FSC products can contribute to LEED projects. To order FSC products, the "FSC" option must be selected in the model code at time of order. For more information, please contact Customer Support at 888-255-7833.

FSC Trademark License code FSC-C014704.

**Table Capacities**


Table Tops	Seating Capacity
<b>Conference Arc w/ Power Bay</b>	
42" x 72" Conference Arc .....	6
42" x 96" Conference Arc .....	8
42" x 120" Conference Arc .....	10
<b>Rectangle w/ Power Bay</b>	
42" x 72" Rectangle .....	6
42" x 96" Rectangle .....	8
42" x 120" Rectangle .....	10
<b>Adaptive Round</b>	
36" Round .....	4
<b>Adaptive Square</b>	
36" Square .....	4
<b>Round</b>	
30" Round .....	2
36" Round .....	4
42" Round .....	4
48" Round .....	5
<b>Conference End</b>	
24" Conference End .....	2
30" Conference End .....	3

Table Tops	Seating Capacity
<b>Square</b>	
30" Square .....	2
36" Square .....	4
42" Square .....	4
48" Square .....	4
<b>D-End</b>	
48" x 30" D-End .....	3
<b>Conference Oval</b>	
36" x 72" Conference Oval .....	6
42" x 84" Conference Oval .....	6
48" x 96" Conference Oval .....	8
<b>Conference Arc</b>	
36" x 72" Conference Arc .....	6
42" x 84" Conference Arc .....	6
48" x 96" Conference Arc .....	8

Table Tops	Seating Capacity
<b>Rectangle</b>	
24" x 36" Rectangle .....	1
24" x 48" Rectangle .....	2
24" x 60" Rectangle .....	2
24" x 72" Rectangle .....	3
30" x 48" Rectangle .....	4
30" x 60" Rectangle .....	4
30" x 72" Rectangle .....	6
36" x 48" Rectangle .....	4
36" x 60" Rectangle .....	4
36" x 72" Rectangle .....	6
36" x 84" Rectangle .....	6
36" x 96" Rectangle .....	8
48" x 60" Rectangle .....	6
48" x 72" Rectangle .....	6
48" x 84" Rectangle .....	8
48" x 96" Rectangle .....	8



"T" Base, "X" Base, and Post Leg Clearance Dimensions




Approximate dimensions shown in inches	"T" Table Base			"X" Table Base	Disc Table Base	Post Legs			
	E1	W	E2	E2	E2	E1	W	E2	D
	Edge of table to outside of leg	Between Legs	Edge of table to outside of leg			Edge of table to outside of leg	Between Legs	Edge of table to outside of leg	Between Legs
30" Round	—	—	—	13¾"	13¾"	—	—	—	—
36" Round	—	—	—	16¾"	16¾"	—	—	—	—
42" Round	—	—	—	19¾"	19¾"	1"	23"	1"	23"
48" Round	—	—	—	22¾"	22¾"	1"	27½"	1"	27½"
30" Square	—	—	—	13¾"	13¾"	—	—	—	—
36" Square	—	—	—	16¾"	16¾"	1½"	27"	1½"	27"
42" Square	—	—	—	19¾"	—	1½"	33"	1½"	33"
48" Square	—	—	—	22¾"	—	1½"	39"	1½"	39"
D — End	10¾"	24⅞"	—	—	—	2¼"	38⅞", 24¾"	7"	25"
24" x 36" Rectangle	1" **	31"	10⅞"	—	—	1½"	27"	1½"	15"
24" x 48" Rectangle	1" **	43"	10⅞"	—	—	1½"	39"	1½"	15"
24" x 60" Rectangle	1" **	55"	10⅞"	—	—	1½"	51"	1½"	15"
24" x 72" Rectangle	1" **	67"	10⅞"	—	—	1½"	63"	1½"	15"
30" x 48" Rectangle	1" **	43"	13⅞"	—	—	1½"	39"	1½"	21"
30" x 60" Rectangle	1" **	55"	13⅞"	—	—	1½"	51"	1½"	21"
30" x 72" Rectangle	1" **	67"	13⅞"	—	—	1½"	63"	1½"	21"
36" x 48" Rectangle	1"	42"	16⅞"	—	—	1½"	39"	1½"	27"
36" x 60" Rectangle	9"	38"	16⅞"	—	—	1½"	51"	1½"	27"
36" x 72" Rectangle	9"	50"	16⅞"	—	—	1½"	63"	1½"	27"
36" x 84" Rectangle	17"	46"	16⅞"	—	—	1½"	75"	1½"	27"
36" x 96" Rectangle	17"	58"	16⅞"	—	—	1½"	87"	1½"	27"
48" x 60" Rectangle	9"	38"	22⅞"	—	—	1½"	39"	1½"	39"
48" x 72" Rectangle	9"	50"	22⅞"	—	—	1½"	63"	1½"	39"
48" x 84" Rectangle	15"	50"	22⅞"	—	—	1½"	75"	1½"	39"
48" x 96" Rectangle	17"	58"	22⅞"	—	—	1½"	87"	1½"	39"
36" x 72" Conference Oval	9"	50"	14⅞"	—	—	9¼"	49½"	1"	20½"
42" x 84" Conference Oval	15"	50"	17⅞"	—	—	13¾"	53½"	1"	27"
48" x 96" Conference Oval	17"	58"	20⅞"	—	—	17¼"	57½"	1"	33⅞"
36" x 72" Conference Arc	9"	50"	14⅞"	—	—	1¼"	63¾"	1¼"	23"
42" x 84" Conference Arc	15"	50"	17⅞"	—	—	1¼"	75¼"	1¼"	27"
48" x 96" Conference Arc	17"	58"	20⅞"	—	—	1¼"	86¾"	1¼"	30½"
42" x 72" Power Bay™	9"	50"	19⅞"	—	—	—	—	—	—
42" x 96" Power Bay	17"	58"	19⅞"	—	—	—	—	—	—
42" x 120" Power Bay	17"	82"	19⅞"	—	—	—	—	—	—

\*\* 3¼" inset option available. This option would reduce the "W" (between) dimension listed above by 5½".

MERGE TABLES


**Merge Power Bay Tables provide an innovative solution for managing technology.**

Merge Power Bay Tables feature sliding table tops that open to reveal a storage compartment ideal for storing conference room technology such as speaker phones, projectors, laptops, and PDAs. Power Bay Tables are available with conference arc or rectangular shaped tops.




**Organize and Store Conference Room Technology**

One storage compartment is located beneath the center of each table to provide technology storage. The storage compartment has a ¾" opening when the table top is closed to allow wires and cords for conferencing equipment to remain connected. The compartment has an 11½" x 36" or 60" opening when the table top is open to provide easy access to stored items. Storage compartment dimensions vary depending on the width of the table — see below and page 299.



**Combine Table Surfaces and Base Finishes**

The wide variety of material options and base finishes allow Power Bay tables to integrate seamlessly into any space. Table tops are available in laminate, fluid form, or veneer. Laminate table tops are available with Flat edge or Knife edge treatments. Fluid form tops are available with Eased edge treatments. Veneer tops are available with Square or Knife edge treatments. Cast aluminum table bases are available with painted or polished aluminum finishes. Polished aluminum models feature black vertical columns and stretcher bars.




**Storage Compartment Dimensions**

Power Bay Tables	Width	Depth	Height
72" W Power Bay Table	43¾"	12¼"	3⅞"
96" W Power Bay Table	51¾"	12¼"	3⅞"
120" W Power Bay Table	75¾"	12¼"	3⅞"

Merge tables exceed BIFMA Standards and are backed by the Allsteel lifetime warranty. Die-cast and extruded aluminum components are lightweight, yet highly durable.

**Stay Connected with the Power Bay PVD Wedge**


A PVD Wedge provides power, voice, and data capabilities inside the storage compartments allowing equipment to remain powered and connected at all times. Each wedge is equipped with four electrical receptacles and one 2⅛" x 1⅜" opening for two data positions. (Order Data Faceplate Models TADF3 or TADF4 for additional data ports — see Systems Pricer.) PVD Wedges include a faceplate with two openings for adapters to allow use of commercially available data terminals and a blank faceplate to fill unused openings. Storage compartments on 72" W and 96" W Power Bay Tables accommodate a maximum of four PVD Wedges. Storage compartments on 120" W Power Bay Tables accommodate a maximum of six PVD Wedges. Wedges are equipped with a 72" power cord.



Wire Manager Covers safely conceal wires and cords to and from the storage compartment.

One Wire Manager Cover accommodates up to three power cords and eight data cables to support three PVD Wedges.







Cables should be placed side-by-side and be neatly organized to prevent overlapping. Cable quantities listed are at 60% fill ratio.



Cross-Sectional View of Wire Manager Cover Showing Capacity



**Power Bay Table Dimensions**

Power Bay Tables are available in two shapes (rectangle or conference arc) and three sizes (42"D x 72"W, 42"D x 96"W, and 42"D x 120"W).





**Power Bay Grain Directions**



Woodgrain Laminate Grain Direction



Natural Veneer Grain Direction



Stratawood Veneer Grain Direction



MERGE TABLES


Power Bay Tables

- Tables feature a storage compartment for storing conference room technology.
- Table tops slide open to provide access to the storage compartment. Storage compartment opening is 11½" when open and ¾" when closed. The ¾" gap allows wires and cords for electronics to remain connected when the compartment is closed.

- Tables are available with painted or polished aluminum bases. Polished aluminum models feature black vertical columns and stretcher bars.
- Tables ship unassembled in multiple packages.

Electrical Components for Power Bay

- PVD Wedges, ordered separately, provide power and voice/data capabilities in the storage compartment.
- Compartments on 72"W and 96"W tables hold up to four wedges and 120"W tables hold up to six.
- Wire Manager Covers, ordered separately, conceal power, voice, and data wires.



Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Conference Arc Tables w/ Power Bay</b>							
42"D x 72"W, Laminate – Flat Edge	ALM4272PC	169	14.6	\$ 3211	\$ 3261	\$ 3297	—
42"D x 72"W, Laminate – Knife Edge	ALN4272PC	169	14.6	\$ 5997	\$ 6107	\$ 6221	—
42"D x 72"W, Fluid Form – Eased Edge	AT4272PC	169	14.6	—	—	—	\$ 3085
42"D x 72"W, Veneer – Square Edge	AVS4272PC	169	14.6	\$ 5425	—	\$ 5820	\$ 6344
42"D x 72"W, Veneer – Knife Edge	AVK4272PC	169	14.6	\$ 5646	—	\$ 6061	\$ 6618
42"D x 96"W, Laminate – Flat Edge	ALM4296PC	214	17.1	\$ 3528	\$ 3582	\$ 3624	—
42"D x 96"W, Laminate – Knife Edge	ALN4296PC	214	17.1	\$ 6630	\$ 6756	\$ 6882	—
42"D x 96"W, Fluid Form – Eased Edge	AT4296PC	214	17.1	—	—	—	\$ 3562
42"D x 96"W, Veneer – Square Edge	AVS4296PC	214	17.1	\$ 5901	—	\$ 6332	\$ 6904
42"D x 96"W, Veneer – Knife Edge	AVK4296PC	214	17.1	\$ 6147	—	\$ 6600	\$ 7205
42"D x 120"W, Laminate – Flat Edge	ALM4220PC	248	19.9	\$ 4022	\$ 4082	\$ 4134	—
42"D x 120"W, Laminate – Knife Edge	ALN4220PC	248	19.9	\$ 7572	\$ 7718	\$ 7864	—
42"D x 120"W, Fluid Form – Eased Edge	AT4220PC	248	19.9	—	—	—	\$ 4220
42"D x 120"W, Veneer – Square Edge	AVS4220PC	248	19.9	\$ 6469	—	\$ 6936	\$ 7556
42"D x 120"W, Veneer – Knife Edge	AVK4220PC	248	19.9	\$ 6733	—	\$ 7225	\$ 7881

Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price
PVD Wedge	AAAP4VD2.BLK	4	0.3	\$ 262	N/A
Wire Manager Cover	AAT34CVR	4	0.3	\$ 108	\$ 129

NOTE: Specify black Wire Manager Covers for polished aluminum models.

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add suffix "P" to model number for Polished Aluminum (add \$136)</p> <p>_____ .</p>	<p><i>1st Option:</i></p> <p><b>Laminate</b> (if applicable):</p> <p>See inside front cover for finishes.</p> <p>_____ .</p>	<p><i>1st Option:</i></p> <p><b>Fluid Form</b> (if applicable):</p> <p>See inside front cover for finishes.</p> <p>T   F   _____ .</p>	<p><i>1st Option:</i></p> <p><b>Veneer</b> (if applicable):</p> <p>See inside front cover for finishes.</p> <p>_____ .</p>	<p><i>2nd Option:</i></p> <p><b>Edge Color</b> (Laminate Only):</p> <p>See inside front cover for finishes.</p> <p>_____ .</p>
--	--	--	--	--

Continued below ▼

<p><i>3rd Option:</i></p> <p><b>Power Bay Finish:</b></p> <p>P27 Black</p> <p>P   2   7   .</p>	<p><i>4th Option:</i></p> <p><b>Paint Finish (Painted Table Bases or Wire Manager Covers Only):</b></p> <p>C S</p> <p>See inside front cover for finishes. For Select Paint Bases — add \$42.</p> <p>P       .</p>	<p><i>4th Option:</i></p> <p><b>Column Finish For Polished Aluminum Table Base:</b></p> <p>P27 Black</p> <p>P   2   7   .</p>
---	--	---

Examples: ALM4296PC.TM33.EU.P27.PR2 ALM4296PCP.TM33.EU.P27.P27 AT4296PC.TF33.P27.PR2  
AVS4296PCP.SE800.P27.P27 AAAP4VD2.BLK AAT34CVR.P27

### Power Bay Tables


- Tables feature a storage compartment for storing conference room technology. PVD Wedges (sold separately) provide power and voice/data capabilities.
- Table tops slide open to provide access to the storage compartment. Storage compartment opening is 11½" when open and ¾" when

closed. The ¾" gap allows wires and cords for electronics to remain connected when the compartment is closed.


- Tables are available with painted or polished aluminum bases. Polished aluminum models feature black vertical columns and stretcher bars.
- Tables ship unassembled in multiple packages.

### Electrical Components for Power Bay

- PVD Wedges, ordered separately, provide power and voice/data capabilities in the storage compartment.
- Compartments on 72"W and 96"W tables hold up to four wedges and 120"W tables hold up to six.
- Wire Manager Covers, ordered separately, conceal power, voice, and data wires.



Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Rectangle Tables w/ Power Bay</b>							
42"D x 72"W, Laminate - Flat Edge	ALM4272PR	169	14.6	\$ 2883	\$ 2922	\$ 2956	—
42"D x 72"W, Laminate - Knife Edge	ALN4272PR	169	14.6	\$ 5151	\$ 5243	\$ 5335	—
42"D x 72"W, Fluid Form - Eased Edge	AT4272PR	169	14.6	—	—	—	\$ 2909
42"D x 72"W, Veneer - Square Edge	AVS4272PR	169	14.6	\$ 4777	—	\$ 5107	\$ 5547
42"D x 72"W, Veneer - Knife Edge	AVK4272PR	169	14.6	\$ 4998	—	\$ 5349	\$ 5820
42"D x 96"W, Laminate - Flat Edge	ALM4296PR	214	17.1	\$ 3200	\$ 3244	\$ 3283	—
42"D x 96"W, Laminate - Knife Edge	ALN4296PR	214	17.1	\$ 5784	\$ 5886	\$ 5996	—
42"D x 96"W, Fluid Form - Eased Edge	AT4296PR	214	17.1	—	—	—	\$ 3370
42"D x 96"W, Veneer - Square Edge	AVS4296PR	214	17.1	\$ 5197	—	\$ 5558	\$ 6036
42"D x 96"W, Veneer - Knife Edge	AVK4296PR	214	17.1	\$ 5441	—	\$ 5826	\$ 6337
42"D x 120"W, Laminate - Flat Edge	ALM4220PR	248	19.9	\$ 3694	\$ 3745	\$ 3789	—
42"D x 120"W, Laminate - Knife Edge	ALN4220PR	248	19.9	\$ 6724	\$ 6842	\$ 6972	—
42"D x 120"W, Fluid Form - Eased Edge	AT4220PR	248	19.9	—	—	—	\$ 4024
42"D x 120"W, Veneer - Square Edge	AVS4220PR	248	19.9	\$ 5705	—	\$ 6096	\$ 6615
42"D x 120"W, Veneer - Knife Edge	AVK4220PR	248	19.9	\$ 5968	—	\$ 6383	\$ 6940



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price
<b>Electrical Components for Power Bay</b>					
PVD Wedge	AAAP4VD2.BLK	4	0.3	\$ 262	N/A
Wire Manager Cover	AAT34CVR	4	0.3	\$ 108	\$ 129

**NOTE:** Specify black Wire Manager Covers for polished aluminum models.

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add suffix "P" to model number for Polished Aluminum (add \$136)</p> <p>  .</p>	<p><i>1st Option:</i></p> <p><b>Laminate</b></p> <p>(if applicable):</p> <p>See inside front cover for finishes.</p> <p>            .</p>	<p><i>1st Option:</i></p> <p><b>Fluid Form</b></p> <p>(if applicable):</p> <p>See inside front cover for finishes.</p> <p>T   F         .</p>	<p><i>1st Option:</i></p> <p><b>Veneer</b></p> <p>(if applicable):</p> <p>See inside front cover for finishes.</p> <p>            .</p>	<p><i>2nd Option:</i></p> <p><b>Edge Color</b></p> <p>(Laminate Only):</p> <p>See inside front cover for finishes.</p> <p>      .</p>
--	---	---	---	---


Continued below ▼

<p><i>3rd Option:</i></p> <p><b>Power Bay Finish:</b></p> <p>P27 Black</p> <p>P   2   7     .</p>	<p><i>4th Option:</i></p> <p><b>Paint Finish (Painted Table Bases or Wire Manager Covers Only):</b></p> <p>C S</p> <p>See inside front cover for finishes.</p> <p>For Select Paint Bases — add \$42.</p> <p>P           .</p>	<p><i>4th Option:</i></p> <p><b>Column Finish For Polished Aluminum Table Base:</b></p> <p>P27 Black</p> <p>P   2   7     .</p>
---	---	---

Examples: ALM4296PR.TM33.EU.P27.PR2 ALM4296PRP.TM33.EU.P27.P27 AT4296PR.TF33.P27.PR2


**Merge Adaptive Tables convert any space into a meeting space.**

Adaptive Tables feature a self-centering drop leaf and height-adjustable table top to provide a solution that quickly lifts, lowers, and docks to adapt to spontaneous changes in work and space requirements.



**Add Workspace to Existing Worksurfaces**

Adaptive Tables feature a self-centering drop leaf and height-adjustable table top allowing the tables to effortlessly dock next to existing worksurfaces. Simply drop the leaf, adjust the height, and dock. The drop leaf is designed to tuck under the worksurface while docking to provide a seamless transition from worksurface to table.




**Store Tables Beneath Existing Worksurfaces**


Adaptive Tables tuck beneath existing worksurfaces by adjusting the height. Adaptive Tables feature a gas cylinder to provide quiet, smooth movement. Simply pull the height-adjustment lever and push down on the center of the table top to lower the height of the table.

To raise the height of the table, simply pull the height-adjusting lever beneath the edge of the table top and the table will automatically rise. Release the height-adjustment lever to set the table height. Adaptive Tables adjust from 26"H to 33"H.


Adaptive table tops are 36" W with the drop leaf up and 22¼" W with the drop leaf down. The bases are 28" in diameter.




Square w/Drop Leaf Up



Round w/Drop Leaf Up



Square w/Drop Leaf Down




Round w/Drop Leaf Down

**Convert Table Position from Docked to Freestanding**

Adaptive tables quickly convert from a docked position to freestanding by simply pulling the drop leaf up. The self-centering mechanism ensures that the base remains in the center of the table top whether the drop leaf is up or down.


**Combine Table Surfaces and Base Finishes**

The wide variety of material options and base finishes allow Adaptive Tables to integrate seamlessly into any space. Table tops are available in laminate, fluid form, or veneer. Laminate table tops are available with Flat edge or Knife edge treatments. Fluid form tops are available with Eased edge treatments. Veneer tops are available with Square or Knife edge treatments. Cast aluminum table bases are available with painted or polished aluminum finishes. Polished Aluminum models feature black vertical columns.





Merge tables exceed BIFMA Standards and are backed by the Allsteel lifetime warranty. Die-cast and extruded aluminum components are lightweight, yet highly durable. The self-centering drop leaf has a maximum load capacity of 125 pounds.



- Tables feature a self-centering drop leaf and height-adjustable table top. See page 302 .
- Table tops are 36" W with drop leaf up and 22¼" W with drop leaf down.
- Tables adjust from 26" H to 33" H.
- Tables feature urethane tread locking casters.
- Round tables have a 35" interface when the drop leaf is down.
- Tables will allow slight rotational movement of the worksurface relative to the base because of the functionality of the height adjustable cylinder.



Stratawood Veneer  
Grain Direction




Woodgrain Laminate and Natural Veneer  
Grain Direction




Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Round Adaptive Tables</b>							
36" Diameter, Laminate – Flat Edge	ALM36ARND	80	8.6	\$ 1388	\$ 1418	\$ 1446	—
36" Diameter, Laminate – Knife Edge	ALN36ARND	80	8.6	\$ 2326	\$ 2402	\$ 2477	—
36" Diameter, Fluid Form – Eased Edge	AT36ARND	80	8.6	—	—	—	\$ 1465
36" Diameter, Veneer – Square Edge	AVS36ARND	80	8.6	\$ 2668	—	\$ 2852	\$ 3100
36" Diameter, Veneer – Knife Edge	AVK36ARND	80	8.6	\$ 3238	—	\$ 3477	\$ 3801


<b>Square Adaptive Tables</b>							
36" D x 36" W, Laminate – Flat Edge	ALM36ASQR	90	8.6	\$ 1412	\$ 1443	\$ 1472	—
36" D x 36" W, Laminate – Knife Edge	ALN36ASQR	90	8.6	\$ 2385	\$ 2464	\$ 2541	—
36" D x 36" W, Fluid Form – Eased Edge	AT36ASQR	90	8.6	—	—	—	\$ 1536
36" D x 36" W, Veneer – Square Edge	AVS36ASQR	90	8.6	\$ 2297	—	\$ 2442	\$ 2641
36" D x 36" W, Veneer – Knife Edge	AVK36ASQR	90	8.6	\$ 2895	—	\$ 3101	\$ 3380




Round  
w/Drop Leaf Up



Round  
w/Drop Leaf Down



Square  
w/Drop Leaf Up



Square  
w/Drop Leaf Down


<p><b>How to specify —</b> Select the Model Number from above. Add suffix "P" to model number for Polished Aluminum (add \$92)</p>	<p>1st Option: <b>Laminate</b> (if applicable): See inside front cover for finishes.</p>	<p>1st Option: <b>Fluid Form</b> (if applicable): See inside front cover for finishes.</p>	<p>1st Option: <b>Veneer</b> (if applicable): See inside front cover for finishes.</p>
	<p>_____ .</p>	<p>_____ .</p>	<p><b>T F</b> _____ .</p>

Continued below ▼


<p>2nd Option: <b>Edge Color (Laminate Only):</b> See inside front cover for finishes.</p>	<p>3rd Option: <b>Paint Finish (Painted Table Bases Only):</b> C S See inside front cover for finishes. For Select Paints — add \$21</p>	<p>3rd Option: <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>
<p>_____ .</p>	<p><b>P</b> _____</p>	<p><b>P 2 7</b> _____</p>

Examples: ALM36ARND.TM33.EU.PR2 ALM36ARNDP.TM33.EU.P27  
AT36ASQR.TF33.PR2 AVS36ASQR.P27

- Tables adjust from 26"H to 33"H.
- Tables feature urethane tread locking casters.
- Tables will allow slight rotational movement of the worksurface relative to the base because of the functionality of the height adjustable cylinder.



Stratawood Veneer  
Grain Direction




Woodgrain Laminate  
and Natural Veneer  
Grain Direction



Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Round Height Adjustable Tables</b>							
30" Diameter, Laminate – Flat Edge	ALM30HRND	58	8.0	\$ 1117	\$ 1142	\$ 1161	—
30" Diameter, Laminate – T-Mold Edge	ALA30HRND	58	8.0	\$ 962	\$ 978	\$ 991	—
30" Diameter, Laminate – Knife Edge	ALN30HRND	58	8.0	\$ 1850	\$ 1907	\$ 1967	—
30" Diameter, Fluid Form – Eased Edge	AT30HRND	58	8.0	—	—	—	\$ 1085
30" Diameter, Veneer – Square Edge	AVS30HRND	58	8.0	\$ 2123	—	\$ 2268	\$ 2467
30" Diameter, Veneer – Knife Edge	AVK30HRND	58	8.0	\$ 2674	—	\$ 2871	\$ 3136



<b>Round Height Adjustable Tables</b>							
36" Diameter, Laminate – Flat Edge	ALM36HRND	70	8.6	\$ 1198	\$ 1226	\$ 1251	—
36" Diameter, Laminate – T-Mold Edge	ALA36HRND	70	8.6	\$ 979	\$ 995	\$ 1010	—
36" Diameter, Laminate – Knife Edge	ALN36HRND	70	8.6	\$ 2014	\$ 2077	\$ 2147	—
36" Diameter, Fluid Form – Eased Edge	AT36HRND	70	8.6	—	—	—	\$ 1190
36" Diameter, Veneer – Square Edge	AVS36HRND	70	8.6	\$ 2168	—	\$ 2323	\$ 2533
36" Diameter, Veneer – Knife Edge	AVK36HRND	70	8.6	\$ 2730	—	\$ 2932	\$ 3206



<b>Conference End Height Adjustable Tables</b>							
24" interface, Laminate – Flat Edge	ALM24HFRND	56	8.0	\$ 1132	\$ 1160	\$ 1186	—
24" interface, Veneer – Square Edge	AVS24HFRND	56	8.0	\$ 2131	—	\$ 2274	\$ 2468
(24" interface table tops with 30" diameter — see illustration)							
30" interface, Laminate – Flat Edge	ALM30HFRND	56	8.0	\$ 1210	\$ 1238	\$ 1264	—
30" interface, Laminate – T-mold Edge	ALA30HFRND	56	8.0	\$ 993	\$ 1011	\$ 1025	—
30" interface, Veneer – Square Edge	AVS30HFRND	56	8.0	\$ 2356	—	\$ 2521	\$ 2744
(30" interface table tops with 37 1/2" diameter — see illustration)							



<b>Square Height Adjustable Tables</b>							
30"D x 30"W, Laminate – Flat Edge	ALM30HSQR	66	8.0	\$ 972	\$ 989	\$ 1003	—
30"D x 30"W, Laminate – T-Mold Edge	ALA30HSQR	66	8.0	\$ 970	\$ 986	\$ 1000	—
30"D x 30"W, Laminate – Knife Edge	ALN30HSQR	66	8.0	\$ 1556	\$ 1599	\$ 1645	—
30"D x 30"W, Fluid Form – Eased Edge	AT30HSQR	66	8.0	—	—	—	\$ 1091
30"D x 30"W, Veneer – Square Edge	AVS30HSQR	66	8.0	\$ 1903	—	\$ 2022	\$ 2187
30"D x 30"W, Veneer – Knife Edge	AVK30HSQR	66	8.0	\$ 2305	—	\$ 2465	\$ 2679

<b>Square Height Adjustable Tables</b>							
36"D x 36"W, Laminate – Flat Edge	ALM36HSQR	80	8.6	\$ 1007	\$ 1026	\$ 1042	—
36"D x 36"W, Laminate – T-Mold Edge	ALA36HSQR	80	8.6	\$ 985	\$ 1003	\$ 1016	—
36"D x 36"W, Laminate – Knife Edge	ALN36HSQR	80	8.6	\$ 1681	\$ 1731	\$ 1780	—
36"D x 36"W, Fluid Form – Eased Edge	AT36HSQR	80	8.6	—	—	—	\$ 1192
36"D x 36"W, Veneer – Square Edge	AVS36HSQR	80	8.6	\$ 1957	—	\$ 2083	\$ 2253
36"D x 36"W, Veneer – Knife Edge	AVK36HSQR	80	8.6	\$ 2370	—	\$ 2536	\$ 2762

<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add suffix "P" to model number for Polished Aluminum (add \$59)</p> <p>_____ .</p>	<p><b>1st Option:</b></p> <p>Laminate, Fluid Form, or Veneer (if applicable):</p> <p>See inside front cover for finishes.</p> <p>_____ .</p>	<p><b>2nd Option:</b></p> <p>Edge Color (Laminate Only):</p> <p>See inside front cover for finishes.</p> <p>_____ .</p>	<p><b>3rd Option:</b></p> <p>Paint Finish (Painted Table Bases Only):</p> <p>Ⓞ Ⓢ</p> <p>See inside front cover for finishes.</p> <p>For Select Paints — add \$21</p> <p>P      </p>	<p><b>3rd Option:</b></p> <p>Column Finish For Polished Aluminum Table Base:</p> <p>P27 Black</p> <p>P   2   7</p>
---	--	---	---	--

Examples: ALM24HFRND.TM33.EU.PR2 ALM24HFRNDP.TM33.EU.P27  
AVS24HFRNDP.SE800.P27



**Merge Standard Tables — Pop-up Power/Grommet Options**

Merge standard tables are available with the option to specify tops equipped with Pop-up Power or grommets. Pop-up Power allows you to remain powered and connected by providing two electrical receptacles and two data positions per Pop-up Power Caddy. Pop-up Power Caddy includes two openings for adapters to allow use of commercially available data terminals and blank faceplate adapters to fill unused openings. The Pop-up Power Caddy has an anodized aluminum bezel and a cord that is 120" (10 ft.) long.

Add suffix T1 for a table top with one Pop-up Power Caddy or T2 for two. The appropriate number of Pop-up Power Caddies will be supplied with the table.


Table tops with grommets are available by specifying grommet options G1 or G2. Table tops without grommets are available by specifying grommet option C0.

The chart below indicates which options are available on Merge standard tables. See Merge table top pages 306-331 for specification instructions and examples.


Table	Dimensions	C0	T1	T2	G1	G2
Round	30" Diameter	•	•		•	
	36" Diameter	•	•		•	
	42" Diameter	•	•		•	
	48" Diameter	•	•		•	
Conference End	24" Interface	•				
	30" Interface	•				
Square	30" x 30"	•	•		•	
	36" x 36"	•	•		•	
	42" x 42"	•	•		•	
	48" x 48"	•	•		•	
D-End	30" x 48"	•				
Rectangle	24" x 36"	•	•		•	
	24" x 48"	•	•		•	
	24" x 60"	•	•		•	
	24" x 72"	•	•		•	
	30" x 48"	•	•		•	
	30" x 60"	•	•		•	
	30" x 72"	•	•	•	•	•
	36" x 48"	•	•		•	
	36" x 60"	•	•		•	
	36" x 72"	•	•	•	•	•
	36" x 84"	•	•	•	•	•
	36" x 96"	•	•	•	•	•
	48" x 60"	•	•		•	
	48" x 72"	•	•	•	•	•
48" x 84"	•	•	•	•	•	
48" x 96"	•	•	•	•	•	
Conference Oval	36" x 72"	•	•	•	•	•
	42" x 84"	•	•	•	•	•
	48" x 96"	•	•	•	•	•
Conference Arc	36" x 72"	•	•	•	•	•
	42" x 84"	•	•	•	•	•
	48" x 96"	•	•	•	•	•

**Code Cutout Position**




- C0** No cutouts
- T1** One cutout for Pop-up Power, centered front-to-back and left-to-right. (\$348 upcharge includes Pop-up Power)
- T2** Pair of cutouts, for Pop-up Power, centered front-to-back and approximately 12" in from each side. (\$696 upcharge includes Pop-up Power)



T1




T2




**Code Cutout Position**



- G1** Single grommet, centered front-to-back and left-to-right.
- G2** Pair of grommets, centered front-to-back and approximately 12" in from each side.



G1



G2



MERGE TABLES







- “X” table bases are available with painted or polished aluminum finishes. Disc bases are available with textured finish only. Post legs are only available with painted finishes.
- Polished aluminum bases feature black vertical columns.
- Post legs are available with glides or casters.
- All casters are urethane tread locking casters.
- “X” base and post leg glides provide ½" of adjustment.
- Fixed and seated height tables are 29"H.


- Standing height tables are 42"H.
- Lift & Release post leg tables adjust from 27"H to 36"H.
- Post legs ship two per package. Round tops require four post legs — 2 packages.
- Bases require some assembly.
- Powered “X” bases conceal power, voice, and data wires in vertical column profile. Required for use with T1 and G1 table top used on an “X” or Disc base.

**Counterweight Kit**

- A seated height Disc base requires one counterweight kit for added stability when used with 42" and 48" diameter round tops.
- Kits are field installed.

**Wire Manager Cover**

- Conceals power, voice, and data wires.
- Recommended with T1 or G1 table tops.



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price	Textured List Price
<b>Large “X” Table Bases</b>							
Seated Height with Glides	ABX34FG*	36	13.0	\$ 485	\$ 506	\$ 594	N/A
Seated Height with Glides, Powered	ABX34FGE*	36	13.0	\$ 592	\$ 613	\$ 702	N/A

<b>Disc Table Bases</b>							
Seated Height	ABD26F*	24	3.3	N/A	N/A	N/A	\$ 532

**NOTE:** Specify a counterweight kit for Disc base used with 42" and 48" round table tops.

\*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (\*) are considered open market.

<b>Counterweight Kit for Disc Base</b>							
For 42" and 48" Round Table Tops	MDB-CW	16	0.5	\$ 177	N/A	N/A	N/A

<b>Post Legs</b>							
Pair, Fixed Height with Casters	ABPFC	10	1.5	\$ 313	\$ 334	N/A	N/A
Pair, Fixed Height with Glides	ABPFG	10	1.5	\$ 313	\$ 334	N/A	N/A
Pair, Lift & Release with Casters	ABPBAC	14	1.5	\$ 532	\$ 567	N/A	N/A
Pair, Lift & Release with Glides	ABPBAG	14	1.5	\$ 532	\$ 567	N/A	N/A

**NOTE:** Post legs ship two per package. Round tops require four post legs per table. Order two packages of post legs.

<b>Wire Manager Cover</b>							
For Post Leg	AAT34CVR	4	0.3	\$ 108	\$ 129	N/A	N/A


Table Top See page 308	Large Seated Ht. "X" Base	Seated Ht. Disc Base	Fixed Ht. Post Legs	Lift & Release Post Legs
42" Round	•	•	•	•
48" Round	•	•	•	•

<p><b>How to specify —</b> Select the Model Number from above. Add suffix "P" to "X" Table Base model number for Polished Aluminum.</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): C S See inside front cover for finishes.</p>	<p><i>1st Option:</i> <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>	<p><i>1st Option:</i> <b>Finish For Disc Base:</b> CBK Charblack PR8 Textured Silver</p>
<p>_____ . <b>P</b> _____</p>		<p><b>P</b>   <b>2</b>   <b>7</b>  </p>	<p>_____   _____   _____</p>

Examples: ABX34FG.P52 ABX34FGP.P27 ABD26F.PR8 MDB-CW ABPBAG.P52



- Available with painted or polished aluminum finishes.
- Polished aluminum bases feature black vertical columns.
- Available with glides or casters.
- All casters are urethane tread locking casters.
- Glides provide ½" of adjustment.
- Fixed height tables are 29"H.
- Bases require some assembly.



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price
<b>Medium "X" Table Bases</b>						
Fixed Height with Casters	ABX27FC*	15	2.0	\$ 425	\$ 446	\$ 522
Fixed Height with Glides	ABX27FG*	17	2.0	\$ 425	\$ 446	\$ 522

\*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (\*) are considered open market.

Table Top See page 310	Medium "X" Base
24" Conf. End	•
30" Conf. End	•

<p><b>How to specify —</b> Select the Model Number from above. Add suffix "P" to model number for Polished Aluminum</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): C S See inside front cover for finishes.</p>	<p><i>1st Option:</i> <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>
<p>ABX 2 7 F      . P      </p>		<p>P 2 7 </p>

Examples: ABX27FC.P52 ABX27FCP.P27









- “X” table bases are available with painted or polished aluminum finishes. Post legs are only available with painted finishes.
- Polished aluminum bases feature black vertical columns.
- All post legs are available with glides or casters.
- All casters are urethane tread locking casters.
- Glides provide ½" of adjustment.


- Fixed and seated height tables are 29"H.
- Lift & Release post leg tables adjust from 27"H to 36"H.
- Post legs ship two per package. Square tops require four post legs — 2 packages.
- Bases require some assembly.
- Powered “X” bases conceal power, voice, and data wires. Required for use with T1 and G1 table top used on an “X” base.

**Wire Manager Cover**

- Conceals power, voice, and data wires.
- Recommended for use with T1 or G1 table tops.

Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price
<b>Large “X” Table Bases</b>						
Seated Height with Glides	ABX34FG*	18	3.7	\$ 485	\$ 506	\$ 594
Seated Height with Glides, Powered	ABX34FGE*	18	3.7	\$ 592	\$ 613	\$ 702

\*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (\*) are considered open market.



**Fixed Height Post Legs**

Pair, Fixed Height with Casters	ABPFC	10	1.5	\$ 313	\$ 334	N/A
Pair, Fixed Height with Glides	ABPFG	10	1.5	\$ 313	\$ 334	N/A

**NOTE:** Post legs ship two per package. Square tops require four post legs per table. Order two packages of post legs.

**Lift & Release Post Legs**

Pair, Lift & Release with Casters	ABPBAC	14	1.5	\$ 532	\$ 567	N/A
Pair, Lift & Release with Glides	ABPBAG	14	1.5	\$ 532	\$ 567	N/A

**NOTE:** Post legs ship two per package. Square tops require four post legs per table. Order two packages of post legs.

**Wire Manager Cover**

For Post Leg	AAT34CVR	4	0.3	\$ 108	\$ 129	N/A
--------------	----------	---	-----	--------	--------	-----




Table Top See page 314	Large Seated Ht. “X” Base	Fixed Ht. Post Legs	Lift & Release Post Legs
42" Square	•	•	•
48" Square	•	•	•

<p><b>How to specify —</b> Select the Model Number from above. Add suffix “P” to “X” Table Base model number for Polished Aluminum.</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): C S See inside front cover for finishes.</p>	<p><i>1st Option:</i> <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>
<p>A                                   .</p>	<p>P        </p>	<p>P   2   7  </p>

Examples: ABX34FG.P52 ABX34FGP.P27 ABPBAG.P52



- “T” table bases are available with painted or polished aluminum finishes. Post legs are only available with painted finishes.
- Polished aluminum bases feature black vertical columns.
- Available with glides or casters.
- All casters are urethane tread locking casters.
- Glides provide ½" of adjustment.
- Fixed height tables are 29"H.


- Lift & Release post leg tables adjust from 27"H to 36"H.
- Post legs ship two per package. D-End tops require four post legs — 2 packages.
- Bases require some assembly.

**Wire Manager Cover**

- Conceals power, voice, and data wires.

**Ganging Bracket**

- One-step tool-free operation.
- Tables with “T” bases have pre-drilled holes for proper installation and alignment of ganging mechanism.
- Recommend one package of 2 plastic brackets per table.



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price
-------------	-------	-------------	-------	--------------------------	----------------------	------------------------------

**Medium “T” Table Bases**

Pair, Fixed Height with Casters	ABT24FC*	17	2.2	\$ 533	\$ 554	\$ 650
Pair, Fixed Height with Glides	ABT24FG*	17	2.2	\$ 533	\$ 554	\$ 650

\*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (\*) are considered open market.

**Post Legs**

Pair, Fixed Height with Casters	ABPFC	10	1.5	\$ 313	\$ 334	N/A
Pair, Fixed Height with Glides	ABPFG	10	1.5	\$ 313	\$ 334	N/A
Pair, Lift & Release with Casters	ABPBAC	14	1.5	\$ 532	\$ 567	N/A
Pair, Lift & Release with Glides	ABPBAG	14	1.5	\$ 532	\$ 567	N/A


**NOTE:** Post legs ship two per package. D-End tops require four post legs per table.  
Order two packages of post legs.

**Wire Manager Covers**

For Small or Medium “T” Table Bases	AAT2024CVR	4	0.3	\$ 108	\$ 129	N/A
For Post Leg or Large “T” Table Bases	AAT34CVR	4	0.3	\$ 108	\$ 129	N/A

Table Top See page 316	Medium “T” Bases	Fixed Height Post Legs	Lift & Release Post Legs
48" x 30" D End	•	•	•

Description	Model	Ship Weight	Cubes	List Price
<b>Ganging Bracket (Flint only)</b>				
Package of 2	AGSAGNB	1 <span style="border: 1px solid black; padding: 0 2px;">S</span>	0.1	\$ 89




<p><b>How to specify —</b> Select the Model Number from above. Add suffix “P” to “T” Table Base model number for Polished Aluminum</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): <b>C S</b> See inside front cover for finishes.</p>	<p><i>1st Option:</i> <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>	<p>_____ . <b>P</b> _____</p> <p><b>P   2   7</b></p>
--	---	--	---

Examples: ABT20FC.P52    ABT20FC.P27    ABPFG.P52    AGSAGNB

S Shippable by small-package carrier.

For Eased and Knife tops the shaded side indicates a shaped edge, non-shaded sides indicates a square edge.\*

- Order "T" bases or post legs separately — see page 319.
- 24"D Rectangle tops require two small "T" bases or four post legs.
- 24"D Eased and Knife Rectangle tops feature a shaped edge on one side and a square edge on three sides to allow for ganging tables.



Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Rectangle Table Tops</b>							
24"D x 36"W, Laminate – Flat Edge	ALM2436RE	36	2.0	\$ 337	\$ 356	\$ 370	—
24"D x 36"W, Laminate – T-mold Edge	ALA2436RE	36	2.0	\$ 317	\$ 333	\$ 348	—
24"D x 36"W, Laminate – Knife Edge*	ALN2436RE	36	2.0	\$ 1039	\$ 1090	\$ 1139	—
24"D x 36"W, Fluid Form – Eased Edge*	AT2436RE	36	2.0	—	—	—	\$ 511
24"D x 36"W, Veneer – Square Edge	AVS2436RE	36	2.0	\$ 1662	—	\$ 1825	\$ 2045
24"D x 36"W, Veneer – Knife Edge*	AVK2436RE	36	2.0	\$ 1755	—	\$ 1925	\$ 2157
<hr/>							
24"D x 48"W, Laminate – Flat Edge	ALM2448RE	46	2.5	\$ 388	\$ 409	\$ 427	—
24"D x 48"W, Laminate – T-mold Edge	ALA2448RE	46	2.5	\$ 348	\$ 367	\$ 381	—
24"D x 48"W, Laminate – Knife Edge*	ALN2448RE	46	2.5	\$ 1051	\$ 1103	\$ 1154	—
24"D x 48"W, Fluid Form – Eased Edge*	AT2448RE	46	2.5	—	—	—	\$ 530
24"D x 48"W, Veneer – Square Edge	AVS2448RE	46	2.5	\$ 1816	—	\$ 1995	\$ 2233
24"D x 48"W, Veneer – Knife Edge*	AVK2448RE	46	2.5	\$ 1926	—	\$ 2115	\$ 2369
<hr/>							
24"D x 60"W, Laminate – Flat Edge	ALM2460RE	53	3.1	\$ 464	\$ 489	\$ 510	—
24"D x 60"W, Laminate – T-mold Edge	ALA2460RE	53	3.1	\$ 386	\$ 406	\$ 423	—
24"D x 60"W, Laminate – Knife Edge*	ALN2460RE	53	3.1	\$ 1061	\$ 1113	\$ 1165	—
24"D x 60"W, Fluid Form – Eased Edge*	AT2460RE	53	3.1	—	—	—	\$ 548
24"D x 60"W, Veneer – Square Edge	AVS2460RE	53	3.1	\$ 1968	—	\$ 2161	\$ 2419
24"D x 60"W, Veneer – Knife Edge*	AVK2460RE	53	3.1	\$ 2086	—	\$ 2289	\$ 2567
<hr/>							
24"D x 72"W, Laminate – Flat Edge	ALM2472RE	75	3.7	\$ 519	\$ 546	\$ 570	—
24"D x 72"W, Laminate – T-mold Edge	ALA2472RE	75	3.7	\$ 436	\$ 458	\$ 479	—
24"D x 72"W, Laminate – Knife Edge*	ALN2472RE	75	3.7	\$ 1154	\$ 1210	\$ 1267	—
24"D x 72"W, Fluid Form – Eased Edge*	AT2472RE	75	3.7	—	—	—	\$ 783
24"D x 72"W, Veneer – Square Edge	AVS2472RE	75	3.7	\$ 2119	—	\$ 2325	\$ 2605
24"D x 72"W, Veneer – Knife Edge*	AVK2472RE	75	3.7	\$ 2248	—	\$ 2470	\$ 2765

**NOTE:** Add suffix "T1" to model number for one Pop-up Power Caddy centered front-to-back and left-to-right, \$348 upcharge. See page 305.

MERGE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Laminate, Fluid Form, or Veneer:  See inside front cover for finishes.</p>	<p><b>2nd Option:</b> Edge Color (Laminate only):  See inside front cover for finishes.</p>	<p><b>3rd Option:</b> Power Caddy Color (if applicable):  EL Matte Silver</p>	<p><b>3rd Option:</b> Grommet Type (if applicable — see page 305):  C0 None G1 Centered</p>	<p><b>4th Option:</b> Grommet Type (if applicable):  P Plastic M Metal (add \$11)</p>	<p><b>5th Option:</b> Grommet Color (if applicable):  See inside front cover for finishes.</p>
A	.	.	E L			E

Examples: ALM2436RET1.TM33.EU.EL AT2460RE.TF35.C0 AVK2472RE.SE800.G1P

- “T” table bases are available with painted or polished aluminum finishes. Post legs are only available with painted finishes.
- Polished aluminum bases feature black vertical columns.
- Available with glides or casters.
- All casters are urethane tread locking casters.
- Glides provide ½" of adjustment.
- Fixed height tables are 29"H.

- Lift & Release post leg tables adjust from 27"H to 36"H.
- Post legs ship two per package. 24" Rectangle tops require four post legs — 2 packages.
- Bases require some assembly.

### External Support Channel


- Extends 1½" below the worksurface.
- Can be added to a table top for additional support.

### Wire Manager Cover

- Conceals power, voice, and data wires.
- Recommended for use with T1 or G1 table tops.

### Ganging Bracket

- One-step tool-free operation.
- Tables with “T” bases have pre-drilled holes for proper installation and alignment of ganging mechanism.
- Recommend one package of 2 plastic brackets per table.



Description	Model	Ship Weight	Cubes	Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price
-------------	-------	-------------	-------	--------------------------	----------------------	------------------------------

### Small “T” Table Bases

Pair, Fixed Height with Casters	ABT20FC*	15	2.0	\$ 490	\$ 511	\$ 606
Pair, Fixed Height with Glides	ABT20FG*	15	2.0	\$ 490	\$ 511	\$ 606

\*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (\*) are considered open market.

### Post Legs

Pair, Fixed Height with Casters	ABPFC	10	1.5	\$ 313	\$ 334	N/A
Pair, Fixed Height with Glides	ABPFG	10	1.5	\$ 313	\$ 334	N/A
Pair, Lift & Release with Casters	ABPBAC	14	1.5	\$ 532	\$ 567	N/A
Pair, Lift & Release with Glides	ABPBAG	14	1.5	\$ 532	\$ 567	N/A

**NOTE:** Post legs ship two per package. 24"D Rectangle tops require four post legs per table. Order two packages of post legs.

### External Table Top Support Channel (no color option)

48"W for 60"W Table Top	Z5SC60	8.3	0.5	\$ 64	N/A	N/A
60"W for 72"W Table Top	Z5SC72	9.9	0.5	\$ 79	N/A	N/A

### Wire Manager Covers


For Small and Medium “T” Table Bases	AAT2024CVR	4	0.3	\$ 108	\$ 129	N/A
For Post Leg or Large “T” Table Bases	AAT34CVR	4	0.3	\$ 108	\$ 129	N/A

Table Top See page 318	Small “T” Bases	Fixed Height Post Legs	Lift & Release Post Legs
24" x 36" Rectangle	•	•	•
24" x 48" Rectangle	•	•	•
24" x 60" Rectangle	•	•	•
24" x 72" Rectangle	•	•	•

Description	Model	Ship Weight	Cubes	List Price
-------------	-------	-------------	-------	------------

### Ganging Bracket (Flint only)

Package of 2	AGSAGNB	1	<span style="border: 1px solid black; padding: 0 2px;">S</span> 0.1	\$ 89
--------------	---------	---	---	-------



<p><b>How to specify —</b> Select the Model Number from above. Add suffix “P” to “T” Table Base model number for Polished Aluminum</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): <b>C S</b> See inside front cover for finishes.</p>	<p><i>1st Option:</i> <b>Column Finish For Polished Aluminum Table Base:</b> P27 Black</p>
<div style="border-bottom: 1px solid black; width: 100%; display: flex; justify-content: space-between;"> <span style="font-size: 1.2em;">P</span> <span style="font-size: 1.2em;">P 2 7</span> </div>		

Examples: ABT20FC.P52 ABT20FCP.P27 ABPFG.P02  
Z5SC60 AAT2024CVR.P52 AGSAGNB

S Shippable by small-package carrier.









- "T" table bases are available with painted or polished aluminum finishes. Post legs are only available with painted finishes.
- Polished aluminum bases feature black vertical columns.
- Available with glides or casters.
- All casters are urethane tread locking casters.
- Glides provide ½" of adjustment.
- Fixed height tables are 29"H.

- Lift & Release post leg tables adjust from 27"H to 36"H.
- Post legs ship two per package. 36"D x 48"W, 36"D x 60"W, and 36"D x 72"W Rectangle tops require four post legs — 2 packages.
- Bases require some assembly.

### External Support Channel

- Extends 1½" below the worksurface.
- Can be added to a table top for additional support.

### Wire Manager Cover

- Conceals power, voice, and data wires.
- Recommended for use with T1, T2, G1, or G2 table tops.

Description	Model	Ship		Core Paint P1 List Price	Select P2 List Price	Polished Aluminum List Price
		Weight	Cubes			
<b>Medium "T" Table Bases</b>						
Pair, Fixed Height with Casters	ABT24FC*	17	2.2	\$ 533	\$ 554	\$ 650
Pair, Fixed Height with Glides	ABT24FG*	17	2.2	\$ 533	\$ 554	\$ 650
*Table bases are intended for use with Allsteel table tops and are approved under GSA SIN 711-11. When purchased separately and used without an Allsteel top, those bases marked by (*) are considered open market.						
<b>Post Legs</b>						
Pair, Fixed Height with Casters	ABPFC	10	1.5	\$ 313	\$ 334	N/A
Pair, Fixed Height with Glides	ABPFG	10	1.5	\$ 313	\$ 334	N/A
Pair, Lift & Release with Casters	ABPBAC	14	1.5	\$ 532	\$ 567	N/A
Pair, Lift & Release with Glides	ABPBAG	14	1.5	\$ 532	\$ 567	N/A
<b>NOTE:</b> Post legs ship two per package. 36"D x 48"W, 36"D x 60"W, and 36"D x 72"W Rectangle tops require four post legs per table. Order two packages of post legs.						
<b>External Table Top Support Channel (no color option)</b>						
48"W for 60"W Table Top	Z5SC60	8.3	0.5	\$ 64	N/A	N/A
60"W for 72"W Table Top	Z5SC72	9.9	0.5	\$ 79	N/A	N/A
<b>Wire Manager Covers</b>						
For Small or Medium "T" Table Bases	AAT2024CVR	4	0.3	\$ 108	\$ 129	N/A
For Post Leg or Large "T" Table Bases	AAT34CVR	4	0.3	\$ 108	\$ 129	N/A





Table Top See page 322	Medium "T" Bases	Fixed Height Post Legs	Lift & Release Post Legs
36" x 48" Rectangle	•	•	•
36" x 60" Rectangle	•	•	•
36" x 72" Rectangle	•	•	•


<p><b>How to specify —</b></p> <p>Select the Model Number from above.</p> <p>Add suffix "P" to "T" Table Base model number for Polished Aluminum.</p>	<p><i>1st Option:</i></p> <p><b>Paint</b> (if applicable):</p> <p><b>C S</b></p> <p>See inside front cover for finishes.</p>	<p><i>1st Option:</i></p> <p><b>Column Finish For Polished Aluminum Table Base:</b></p> <p><b>P27</b> Black</p>
<p><b>A</b>                 .</p>	<p><b>P</b>      </p>	<p><b>P</b>   <b>2</b>   <b>7</b>  </p>

Examples: ABT24FC.P52 ABT24FC.P27 ABPFG.P02 Z5SC60 AAT2024CVR.P52


- Order "T" bases or post legs separately — see page 325.
- 36"D x 84"W and 36"D x 96"W Rectangle tops require two medium "T" bases or six fixed height post legs.
- 36"D Eased and Knife Rectangle tops feature a shaped edge on all sides.



Stratawood Veneer  
Grain Direction



Woodgrain Laminate and Natural Veneer  
Grain Direction



Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Rectangle Table Tops</b>							
36"D x 84"W, Laminate – Flat Edge	ALM3684RE	100	8.1	\$ 848	\$ 890	\$ 932	—
36"D x 84"W, Laminate – T-mold Edge	ALA3684RE	100	8.1	\$ 850	\$ 891	\$ 935	—
36"D x 84"W, Laminate – Knife Edge	ALN3684RE	100	8.1	\$ 1979	\$ 2075	\$ 2274	—
36"D x 84"W, Fluid Form – Eased Edge	AT3684RE	100	8.1	—	—	—	\$ 1000
36"D x 84"W, Veneer – Square Edge	AVS3684RE	100	8.1	\$ 2736	—	\$ 3004	\$ 3367
36"D x 84"W, Veneer – Knife Edge	AVK3684RE	100	8.1	\$ 3045	—	\$ 3345	\$ 3748
36"D x 96"W, Laminate – Flat Edge	ALM3696RE	116	9.4	\$ 1126	\$ 1181	\$ 1237	—
36"D x 96"W, Laminate – T-mold Edge	ALA3696RE	116	9.4	\$ 1030	\$ 1080	\$ 1131	—
36"D x 96"W, Laminate – Knife Edge	ALN3696RE	116	9.4	\$ 2065	\$ 2165	\$ 2268	—
36"D x 96"W, Fluid Form – Eased Edge	AT3696RE	116	9.4	—	—	—	\$ 1013
36"D x 96"W, Veneer – Square Edge	AVS3696RE	116	9.4	\$ 2885	—	\$ 3170	\$ 3551
36"D x 96"W, Veneer – Knife Edge	AVK3696RE	116	9.4	\$ 3204	—	\$ 3521	\$ 3944

**NOTE:** 1) Add suffix "T1" to model number for one Pop-up Power Caddy centered front-to-back and left-to-right, \$348 upcharge. See page 305.  
 2) Add suffix "T2" to model number of Table Tops 72"W or wider for two Pop-up Power Caddies centered front-to-back, \$696 upcharge. See page 305.

MERGE TABLES

<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> Laminate, Fluid Form, or Veneer:  See inside front cover for finishes.	<b>2nd Option:</b> Edge Color (Laminate only):  See inside front cover for finishes.	<b>3rd Option:</b> Power Caddy Color (if applicable):  EL Matte Silver	<b>3rd Option:</b> Grommet (if applicable — see page 305):  C0 None G1 Centered G2 Pair	<b>4th Option:</b> Grommet Type (if applicable):  P Plastic M Metal (add \$11 per grommet)	<b>5th Option:</b> Grommet Color (if applicable):  See inside front cover for finishes.
	A	.	.	EL		

Examples: ALM3684RET1.LM15.EU.EL AT3696RE.TF33.C0  
 AVK3696RE.NC777.G1ME4















- Order “T” bases or post legs separately — see page 331.
- 36"D x 72"W Conference arc tops require two medium “T” bases or four post legs.
- 42"D x 84"W and 48" x 96" Conference arc tops require two large “T” bases or six fixed height post legs.
- A conference arc table with two large “T” bases requires a Stretcher Bar for added stability. Order Stretcher Bars separately — See page 331.
- Eased and Knife Conference Arc tops feature a shaped edge on all sides.



Stratawood Veneer  
Grain Direction



Woodgrain Laminate and Natural Veneer  
Grain Direction

Description	Model	Ship Weight	Cubes	List Price			
				L1 or V1	L2	L3 or V3	FF or V5
<b>Conference Arc Table Tops</b>							
36"D x 72"W, Laminate – Flat Edge	ALM3672CA	85	6.9	\$ 1047	\$ 1099	\$ 1147	—
36"D x 72"W, Laminate – T-mold Edge	ALA3672CA	85	6.9	\$ 715	\$ 750	\$ 782	—
36"D x 72"W, Laminate – Knife Edge	ALN3672CA	85	6.9	\$ 1900	\$ 1993	\$ 2088	—
36"D x 72"W, Fluid Form – Eased Edge	AT3672CA	85	6.9	—	—	—	\$ 1101
36"D x 72"W, Veneer – Square Edge	AVS3672CA	85	6.9	\$ 2853	—	\$ 3135	\$ 3509
36"D x 72"W, Veneer – Knife Edge	AVK3672CA	85	6.9	\$ 3120	—	\$ 3427	\$ 3838
<hr/>							
42"D x 84"W, Laminate – Flat Edge	ALM4284CA	150	7.4	\$ 1398	\$ 1467	\$ 1537	—
42"D x 84"W, Laminate – T-mold Edge	ALA4284CA	150	7.4	\$ 1084	\$ 1136	\$ 1190	—
42"D x 84"W, Laminate – Knife Edge	ALN4284CA	150	7.4	\$ 2660	\$ 2791	\$ 2924	—
42"D x 84"W, Fluid Form – Eased Edge	AT4284CA	150	7.4	—	—	—	\$ 1420
42"D x 84"W, Veneer – Square Edge	AVS4284CA	150	7.4	\$ 3047	—	\$ 3347	\$ 3750
42"D x 84"W, Veneer – Knife Edge	AVK4284CA	150	7.4	\$ 3293	—	\$ 3619	\$ 4051
<hr/>							
48"D x 96"W, Laminate – Flat Edge	ALM4896CA	178	8.4	\$ 1431	\$ 1502	\$ 1573	—
48"D x 96"W, Laminate – T-mold Edge	ALA4896CA	178	8.4	\$ 1402	\$ 1468	\$ 1541	—
48"D x 96"W, Laminate – Knife Edge	ALN4896CA	178	8.4	\$ 2810	\$ 2948	\$ 3090	—
48"D x 96"W, Fluid Form – Eased Edge	AT4896CA	178	8.4	—	—	—	\$ 1435
48"D x 96"W, Veneer – Square Edge	AVS4896CA	178	8.4	\$ 3303	—	\$ 3630	\$ 4066
48"D x 96"W, Veneer – Knife Edge	AVK4896CA	178	8.4	\$ 3576	—	\$ 3929	\$ 4402

**NOTE:** 1) Add suffix “T1” to model number for one Pop-up Power Caddy centered front-to-back and left-to-right, \$348 upcharge. See page 305.  
2) Add suffix “T2” to model number for two Pop-up Power Caddies centered front-to-back, \$696 upcharge. See page 305.

MERGE TABLES

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Laminate, Fluid Form, or Veneer:</b></p> <p>See inside front cover for finishes.</p>	<p><i>2nd Option:</i> <b>Edge Color (Laminate only):</b></p> <p>See inside front cover for finishes.</p>	<p><i>3rd Option:</i> <b>Power Caddy Color (if applicable):</b></p> <p>EL Matte Silver</p>	<p><i>3rd Option:</i> <b>Grommet Type (if applicable — see page 305):</b></p> <p>C0 None G1 Centered G2 Pair</p>	<p><i>4th Option:</i> <b>Grommet Type (if applicable):</b></p> <p>P Plastic M Metal (add \$11 per grommet)</p>	<p><i>5th Option:</i> <b>Grommet Color (if applicable):</b></p> <p>See inside front cover for finishes.</p>
A			EL			E

Examples: ALM4896CAT2.LM15.EU.EL AT3672CA.TF33.C0  
AVS4284CA.NC777.G1ME4



**COM Program**

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel's standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under "Allsteel to Supply." If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under "Dealer to Supply". Find out more about Allsteel's COM process by emailing our COM Department at [ASICSCOM@allsteeloffice.com](mailto:ASICSCOM@allsteeloffice.com).

**Allsteel to Supply:**

1. Select the fabric you wish to use and check the COM Search on Synergy. You need the COM supplier's name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code. **Make sure to mark on the top of the order "Allsteel to Supply."** If your fabric is not listed as approved, you will need to select the "Request COM Test" link on the COM Search website. Allsteel will arrange to obtain test fabric and you will be notified of the results within 3 to 5 working days of receipt of the test yardage by Allsteel.
3. If the fabric is approved, you will receive an email summary from Allsteel with the correct price grade and fabric code for order purposes. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

**Dealer to Supply:**

1. Select the fabric you wish to use and check the COM Search on Synergy or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.

You need to have the COM supplier's name, fabric pattern name, and color name for this inquiry.

2. If your fabric is listed as approved, and it is not a Partnership fabric, you may request a "Dealer to Supply" code and estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.

3. If your fabric is not listed as already tested and approved, you will need to complete a COM Test Request on Synergy. You will need to arrange for the test fabric to be sent to:

HNI Fabric Testing  
Attn: COM Dept.  
2210 2nd Avenue  
Muscatine, IA 52761

Allsteel requires 3 yards of fabric and 2 memo samples for each panel system fabric being tested; and 4 - 8" x 8" memo samples for all seating testing. You will be notified of the test results within 3 to 5 working days of receipt of the test yardage by Allsteel.

4. Make sure to use a "Dealer to Supply" COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All "Dealer to Supply" orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All "Dealer to Supply" fabric must be sent on a fabric roll.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

**HNI Fabric Distribution Center — Dealer PO Number  
COM Production Yardage**  
Docks 20-22  
200 Oak Street  
Muscatine, IA 52761

Information that **MUST** be included in the packing slip attached to the fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 7 days, while the COM Expeditor attempts to identify the order. After 7 days, Allsteel will return the fabric to sender. There are no exceptions to this policy.

Any cancelled orders are subject to cancellation charges up to the full value of the Allsteel product cancelled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

**Additional Policy Information:**

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The Company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation within 7 working days of receipt of test materials.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier. Excess yardage will be disposed of at Allsteel's discretion.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then cancelled prior to shipment are subject to cancellation costs up to the full value of the product cancelled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on Synergy or by calling Allsteel Customer Support. COM testing will require 3-5 working days from receipt of test yardage.

COM testing will require 3-5 working days from receipt of test yardage.



All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).

**Fire Retardant**

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

*For more information, please contact Allsteel Customer Support.*


**YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS**

Fabric Width	Plain Fabric	2"– 14" Repeat	15"– 19" Repeat	20"– 27" Repeat	28"– 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%


Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

- Sample yardage is available for both Seating upholstery and Systems fabrics.
- Samples have sewn edges, a grommet, and identifying label.
- Not available in COM fabrics.
- Swatch cards and 4" x 5" memo samples are available through Allsteel Advantage at 1-866-ALLSTEEL.



Model	Ship Weight	Cubes	List Price by Grade							
			1	2	3	4	5	6		
<b>Seating Upholstery Sample — 16"H x 20"W</b>										
SYSTG	.4 <span style="border: 1px solid black; padding: 0 2px;">S</span>	.2	\$ 113	\$ 126	\$ 134	\$ 141	\$ 154	N/A		
			7	8	9	10	Leather 1	Leather 2	11	12
			\$ 170	\$ 181	\$ 190	\$ 199	\$ 228	N/A	N/A	\$ 220



Model	Ship Weight	Cubes	List Price by Grade					
			A	B	C	D	E	F
<b>Systems Fabric Sample — 16"H x 20"W</b>								
SYSFS	.4 <span style="border: 1px solid black; padding: 0 2px;">S</span>	.2	\$ 91	\$ 98	\$ 103	\$ 113	N/A	N/A

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Upholstery or Fabric:</b> See inside back cover for upholsteries. See inside back cover of either Systems Price Lists for panel fabrics.</p>
--	---

S | Y | S | | | | .

| | | | | | | |

Example: SYSFS.ECH902 SYSTG.PNS012

S Shippable by small-package carrier.

Cleaning instructions are listed on the back of our fabric cards and are available in written form upon request.

### CLEANING CODES

- D** Dry clean only.
- L** Clean with warm water and mild soap, using clean cloth, as soon as possible.
- P** Clean with detergent and water or perchlorethylene.
- R** Detailed recommended cleaning and/or disinfecting procedures are available upon request.
- S** Only pure, water-free solvents may be used. CAUTION: Use of water-based or detergent-based solvents may cause shrinking and/or permanent water stains.
- SM** Same as S. Do not brush.
- SW** Clean with water-based cleaning agents, foam or pure water-free solvents (Energine, Carbona, Renuzit, or other similar products). Vacuuming or light brushing is recommended to prevent dust and soil buildup.
- W** Water-based cleaning agents or foam may be used.
- WS** See SW.
- X** Brush or vacuum only.
- XS** Brush and vacuum only, NO liquid cleaners.

### CLEANING VINYL

Vinyl-coated fabrics are perhaps the most maintenance-free fabrics ever produced and certainly will provide exceptional service life if given proper care. Almost all vinyl manufacturers now provide information concerning the necessary cleaning procedures for their products. In reality, all care and maintenance instructions are the same for all coated fabrics regardless of their manufacturing origin.

**Everyday soil** — A gentle mixture of any mild soap and warm water will generally dissipate most common soil from the surface. Using a soft cloth, wash the area to be cleaned and rinse. If stubborn dirt remains, such as a stain imbedded in the grain of the vinyl, use a soft brush, and if necessary, a touch of cleaning powder. In both situations, rinse and dry with a soft cloth.

**Gum** — Remove as much chewing gum as possible prior to the application of Naptha or Kerosene, worked in with a soft cloth. If gum cannot be removed, ice may be used to harden the gum so that it separates itself from the vinyl surface. (This same method is also useful in removing wax.)

**Ink Spots** — You must work quickly! Magic Marker, India ink, and ballpoint pen immediately will affect pigments, and, for the most part, are difficult to remove. It is recommended that a solution of water and rubbing alcohol be applied and gently rubbed on the spot as soon as possible. Hair sprays containing alcohol are sometimes effective in emergencies for removing ink.

**Nail Polish and Polish Remover** — These products will immediately damage vinyl surfaces and, to retard further damage, should be carefully wiped clean.

**Paint** — Try to remove as soon as possible. It is not recommended that any paint removers or brush cleaners be used. Clean oil-based paints with a soft clean cloth and Naptha. To clean latex-based paints, use the same method as recommended for everyday soil.

**Tar, Asphalt, Etc.** — Petroleum-based products will stain all vinyl if allowed to stand too long. Clean as soon as possible with a cloth followed by the immediate application of Kerosene or Naptha.

Products are now on the market that are manufactured to enhance the beauty and service life of all vinyl. However, by using the methods described above with sensible care and attention, the consumer should enjoy years of satisfaction and pride with any vinyl-coated fabrics.

### CLEANING LEATHER

Because leather is a natural product, it needs very little or no care during normal usage.

**Spots and Spills** — Wipe excess liquid up immediately with a clean, absorbent cloth or sponge. If necessary, use clean lukewarm water only and let dry naturally. If water is used, clean the entire area where the spot occurred. An example would be the entire seat cushion or the entire arm. Do not dry wet areas with hair dryers, etc.

**Stubborn Spots and Stains** — Use a mild, non-detergent cleaner such as bar or Ivory soap. Apply the soap to a clean, wet sponge and wash, then rinse well. Allow to dry naturally.

**Butter, Oil, or Grease** — Wipe excess butter, oil or grease off of the leather with a clean dry cloth, then leave it alone as the spot should dissipate into the leather in a short period of time. Do not apply water or try to wash a butter, oil, or grease spot.

**DO NOT USE** saddle soap, cleaning solvent, furniture polish, oils, varnish, abrasive cleaners, soaps, window cleaner, or ammonia water.

Allsteel, as an HNI company, adheres to the HNI Enterprise Sustainability Policy of 2008 and its related procedures. The Design for the Environment Procedure directs the product design process to consider potential environmental impacts of the product; including materials selection, packaging and transport, product use, and design for disassembly at the end of the product's useful life. The Manufacture for the Environment Procedure sets goals related to energy efficiency, waste recycling, air emissions reductions, worker safety, water efficiency, increased renewable energy, and chemical reductions.

The Enterprise Sustainability Policy sets goals and measures results, driven by the ANSI/BIFMA e3 Furniture Sustainability Standard and evaluated in the 3rd party certification called level®. Rigorous quantitative evaluation criteria cover four categories: materials, energy and atmosphere, human and ecosystem health, and social responsibility. The audit process evaluates the individual products, the manufacturing site(s), and the corporation. Allsteel furniture is level 2 certified to the standard. (ANSI is the American National Standards Institute, an organization that directs the transparent development process of national standards.)

In addition, Allsteel products support requirements of LEED (Leadership in Energy and Environmental Design), the green building rating system. Whether a customer seeks to achieve LEED certification or just obtain the benefits without certification, Allsteel's products meets the standards set forth in LEED. Allsteel is proud to support sustainability initiatives in the building industry as a member of the U.S. Green Building Council (USGBC).

Allsteel complies with the Federal Trade Commission Part 260 Guide for the Use of Environmental Marketing Claims. Our third-party certifications support our environmental statements and our credibility. Third-party certification involves an independent assessment declaring that specified requirements pertaining to a product, process or management system have been met. Allsteel's third party certifications include BIFMA level® 2, SCS Indoor Advantage™ Gold, and FSC®.

Nearly all of Allsteel's products are level 2 and Indoor Advantage Gold certified. FSC® certified products are available; check price lists for details.

**Visit our website for the latest Allsteel sustainability information: [allsteeloffice.com](http://allsteeloffice.com).**



# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
831124.....	282	AFFP.....	18	ALM4272PC.....	300	AT36RND.....	306	AVK48SQR.....	314
831130.....	282	AFFS.....	18	ALM4272PR.....	301	AT36SQR.....	312	AVS2436RE.....	318
A19-HWB.....	14	AFFW.....	18	ALM4284CA.....	330	AT4220PC.....	300	AVS2448RE.....	318
A19-HWS.....	14	AFLG.....	18	ALM4284CO.....	328	AT4220PR.....	301	AVS2460RE.....	318
A5622ELS.....	254	AFLP.....	18	ALM4296PC.....	300	AT4272PC.....	300	AVS2472RE.....	318
A5622ERS.....	254	AFLS.....	18	ALM4296PR.....	301	AT4272PR.....	301	AVS24HFRND.....	304
A5722ELS.....	254	AFLW.....	18	ALM42RND.....	308	AT4284CA.....	330	AVS3048RE.....	320
A5722ERS.....	254	AFMG.....	18	ALM42SQR.....	314	AT4284CO.....	328	AVS3060RE.....	320
A5822ELS.....	254	AFMP.....	18	ALM4860RE.....	326	AT4296PC.....	300	AVS3072RE.....	320
A5822ERS.....	254	AFMS.....	18	ALM4872RE.....	326	AT4296PR.....	301	AVS30HFRND.....	304
A5922ELS.....	254	AFMW.....	18	ALM4884RE.....	326	AT42RND.....	308	AVS30HRND.....	304
A5922ERS.....	254	AGSAFTC.....	284	ALM4896CA.....	330	AT42SQR.....	314	AVS30HSQR.....	304
A870302.....	287	AGSAGNB.....	317, 319, 321	ALM4896CO.....	328	AT4860RE.....	326	AVS30RND.....	306
A87P2D1R.....	287	AGSAUHK.....	257, 284	ALM4896RE.....	326	AT4872RE.....	326	AVS30SQR.....	312
A87P2U1R.....	287	ALA2436RE.....	318	ALM48DEND.....	316	AT4884RE.....	326	AVS3648RE.....	322
AAAP4VD2.BLK.....	300, 301	ALA2448RE.....	318	ALM48RND.....	308	AT4896CA.....	330	AVS3660RE.....	322
AAFG.....	18	ALA2460RE.....	318	ALM48SQR.....	314	AT4896CO.....	328	AVS3672CA.....	330
AAFP.....	18	ALA2472RE.....	318	ALN2436RE.....	318	AT4896RE.....	326	AVS3672CO.....	328
AAFS.....	18	ALA24FRND.....	310	ALN2448RE.....	318	AT48DEND.....	316	AVS3672RE.....	322
AAFW.....	18	ALA3048RE.....	320	ALN2460RE.....	318	AT48RND.....	308	AVS3684RE.....	324
AALG.....	18	ALA3060RE.....	320	ALN2472RE.....	318	AT48SQR.....	314	AVS3696RE.....	324
AALP.....	18	ALA3072RE.....	320	ALN3048RE.....	320	ATBC2S.....	255	AVS36ARND.....	303
AALS.....	18	ALA30FRND.....	310	ALN3060RE.....	320	ATBC2S3L.....	255	AVS36ASQR.....	303
AALW.....	18	ALA30HFRND.....	304	ALN3072RE.....	320	ATBCMC.....	255	AVS36HRND.....	304
AAMG.....	18	ALA30HRND.....	304	ALN30HRND.....	304	ATBT3S24.....	255	AVS36HSQR.....	304
AAMP.....	18	ALA30HSQR.....	304	ALN30HSQR.....	304	ATBT3S3L.....	255	AVS36RND.....	306
AAMS.....	18	ALA30RND.....	306	ALN30RND.....	306	ATBTCASTER.....	255	AVS36SQR.....	312
AAMW.....	18	ALA30SQR.....	312	ALN30SQR.....	312	ATBTXTL.....	255	AVS4220PC.....	300
AAT2024CVR.....	317, 319, 321, 323, 325, 329, 331	ALA3648RE.....	322	ALN3648RE.....	322	ATBTXTR.....	255	AVS4220PR.....	301
AAT34CVR.....	300, 301, 309, 313, 315, 317, 319, 321, 323, 325, 327, 329, 331	ALA3660RE.....	322	ALN3660RE.....	322	ATBTMEM.....	255	AVS4272PC.....	300
ABAR38.....	327	ALA3672CA.....	330	ALN3672CA.....	330	AVFSRS4824.....	254	AVS4272PR.....	301
ABAR50.....	327, 329, 331	ALA3672CO.....	328	ALN3672CO.....	328	AVFSRS4830.....	254	AVS4284CA.....	330
ABAR58.....	327, 329, 331	ALA3672RE.....	322	ALN3672RE.....	322	AVFSRS5424.....	254	AVS4284CO.....	328
ABD26F.....	307, 309, 313	ALA3684RE.....	324	ALN3684RE.....	324	AVFSRS5430.....	254	AVS4296PC.....	300
ABD26FU.....	307, 313	ALA3696RE.....	324	ALN3696RE.....	324	AVFSRS6024.....	254	AVS4296PR.....	301
ABPBAC.....	309, 313, 315, 317, 319, 321, 323, 329	ALA36HRND.....	304	ALN36ARND.....	303	AVFSRS6030.....	254	AVS42RND.....	308
ABPBAG.....	309, 313, 315, 317, 319, 321, 323, 329	ALA36HSQR.....	304	ALN36ASQR.....	303	AVFSRS6624D.....	254	AVS42SQR.....	314
ABPFC.....	309, 313, 315, 317, 319, 321, 323, 325, 327, 329, 331	ALA36RND.....	306	ALN36HRND.....	304	AVFSRS6630D.....	254	AVS4860RE.....	326
ABPFG.....	309, 313, 315, 317, 319, 321, 323, 325, 327, 329, 331	ALA36SQR.....	312	ALN36HSQR.....	304	AVFSRS7224D.....	254	AVS4872RE.....	326
ABT20FC.....	319	ALA4284CA.....	330	ALN36RND.....	306	AVFSRS7230D.....	254	AVS4884RE.....	326
ABT20FG.....	319	ALA4284CO.....	328	ALN36SQR.....	312	AVK2436RE.....	318	AVS4896CA.....	330
ABT24FC.....	317, 321, 323, 325, 329, 331	ALA42RND.....	308	ALN4220PC.....	300	AVK2448RE.....	318	AVS4896CO.....	328
ABT24FG.....	317, 321, 323, 325, 329, 331	ALA42RND.....	308	ALN4220PR.....	301	AVK2460RE.....	318	AVS4896RE.....	326
ABT34FG.....	327, 329, 331	ALA4860RE.....	326	ALN4272PC.....	300	AVK2472RE.....	318	AVS48DEND.....	316
ABX27FC.....	307, 311, 313	ALA4872RE.....	326	ALN4272PR.....	301	AVK3048RE.....	320	AVS48RND.....	308
ABX27FG.....	307, 311, 313	ALA4884RE.....	326	ALN4284CA.....	330	AVK3060RE.....	320	AVS48SQR.....	314
ABX27FGE.....	307, 313	ALA4896CA.....	330	ALN4284CO.....	328	AVK3072RE.....	320	AW2TL30N36CB.....	275
ABX27FGU.....	307, 313	ALA4896CO.....	328	ALN4296PC.....	300	AVK3084RE.....	320	AW2TL30N36CS.....	275
ABX27FGUE.....	307, 313	ALA4896RE.....	326	ALN4296PR.....	301	AVK30HRND.....	304	AW2TL30N42CB.....	275
ABX34FG.....	309, 315	ALA48DEND.....	316	ALN42RND.....	308	AVK30RND.....	306	AW2TL30N42CS.....	275, 281
ABX34FE.....	307, 313	ALA48RND.....	308	ALN42SQR.....	314	AVK30SQR.....	312	AW2TL30N48CB.....	275
ABX34FEU.....	309, 315	ALA48SQR.....	314	ALN42SQR.....	314	AVK30SQR.....	312	AW2TL30N48CS.....	275
ACM-MUCA.....	24	ALM2436RE.....	318	ALN4860RE.....	326	AVK3648RE.....	322	AW2TL30N54CB.....	275, 281, 283
ACM-MUCO.....	24	ALM2448RE.....	318	ALN4872RE.....	326	AVK3660RE.....	322	AW2TL30N54CS.....	275, 281, 283
ACM-MUGA.....	24	ALM2460RE.....	318	ALN4884RE.....	326	AVK3672CA.....	330	AW2TL30N60CB.....	277
ACM-MUGO.....	24	ALM2472RE.....	318	ALN4896CA.....	330	AVK3672CO.....	328	AW2TL30N60CS.....	277
AEV920.....	254	ALM24FRND.....	310	ALN4896CO.....	328	AVK3672RE.....	322	AW2TL30N66CB.....	277
AF5RS4824.....	254	ALM24HRND.....	304	ALN4896RE.....	326	AVK3684RE.....	324	AW2TL30N66CS.....	277
AF5RS4830.....	254	ALM3048RE.....	320	ALN48DEND.....	316	AVK3696RE.....	324	AW2TL30N72CB.....	277
AF5RS4842.....	254	ALM3048RE.....	320	ALN48RND.....	308	AVK36ARND.....	303	AW2TL30N72CS.....	277
AF5RS5430.....	254	ALM3060RE.....	320	ALN48SQR.....	314	AVK36ASQR.....	303	AW2TL30N84CB.....	277
AF5RS6024.....	254	ALM3072RE.....	320	AT2436RE.....	318	AVK36HRND.....	304	AW2TL30N84CS.....	277
AF5RS6030.....	254	ALM30FRND.....	310	AT2448RE.....	318	AVK36HSQR.....	304	AW2TL30N96CB.....	277
AF5RS6624D.....	254	ALM30HFRND.....	304	AT2460RE.....	318	AVK36RND.....	306	AW2TL30N96CS.....	277
AF5RS6630D.....	254	ALM30HRND.....	304	AT2472RE.....	318	AVK36SQR.....	312	AW2TL30N96CO.....	279, 283
AF5RS7224D.....	254	ALM30HSQR.....	304	AT3048RE.....	320	AVK4220PC.....	300	AW2TL30N96CS.....	277
AF5RS7230D.....	254	ALM30RND.....	306	AT3060RE.....	320	AVK4220PR.....	301	AW2TL30N96CS.....	277
AFFG.....	18	ALM30SQR.....	312	AT3072RE.....	320	AVK4272PC.....	300	AW2TL36N48CB.....	279, 283
		ALM3648RE.....	324	AT30HRND.....	304	AVK4272PR.....	301	AW2TL36N48CS.....	279, 283
		ALM3660RE.....	322	AT30HSQR.....	304	AVK4284CA.....	330	AW2TL36N54CB.....	279
		ALM3672CA.....	330	AT30RND.....	306	AVK4284CO.....	328	AW2TL36N54CS.....	279
		ALM3672CO.....	328	AT30SQR.....	312	AVK4296PC.....	300	AW2TL36N60CB.....	279
		ALM3672RE.....	322	AT3648RE.....	322	AVK4296PR.....	301	AW2TL36N60CS.....	279
		ALM3684RE.....	324	AT3660RE.....	322	AVK42RND.....	308	AW2TL36N66CB.....	279
		ALM3696RE.....	324	AT3672CA.....	330	AVK42SQR.....	314	AW2TL36N66CS.....	279
		ALM36ARND.....	303	AT3672CO.....	328	AVK4860RE.....	326	AW2TL36N72CB.....	279
		ALM36ASQR.....	303	AT3672RE.....	322	AVK4872RE.....	326	AW2TL36N72CS.....	279
		ALM36HRND.....	304	AT3684RE.....	324	AVK4884RE.....	326	AW2TLFCB.....	267
		ALM36HSQR.....	304	AT3696RE.....	324	AVK4896CA.....	330	AW2TLFCS.....	267
		ALM36RND.....	306	AT36ARND.....	303	AVK4896CO.....	328	AW2TLFGB.....	267
		ALM36SQR.....	312	AT36HRND.....	304	AVK4896RE.....	326	AW2TLFGS.....	267
		ALM4220PC.....	300	AT36SQR.....	303	AVK48DEND.....	316	AW2TLPCB.....	275, 279, 281, 283
		ALM4220PR.....	301	AT36HRND.....	304	AVK48RND.....	308		

APPENDIX & INDEX



# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
AW4BC4824LNG	288	C5OMFC	102	CSW-UHF	60	GA84MSE	178	K-PUCA	106
AW4BC4824R	288	C5OUFC	102	CSW-UHH	60	GA84MSTHL	178	K-PUCO	106
AW4BC4824RNG	288	CBS-PGANO	170	CSW-UHW	60	GA84MSTHR	178	K-PUGA	106
AW4BC7224	288	CBW-MHA	50	CSW-UMA	60	GA84MSTNP	178	K-PUGO	106
AW4BC7224NG	288	CBW-MHF	50	CSW-UMF	60	GAPWR	183	LLUK	50
AW4BHOOK	290	CBW-MHH	50	CSW-UMH	60	GAPWRMW	183	LLUK-LT	56
AW4DRAWER	288	CBW-MHW	50	CSW-UMW	60	GAPWRMWCH	183	MDB-CW	307, 309, 313
AW4GANG	284	CBW-MMA	50	CVAMFC	102	GAPWRMWNY	183	MIS-KANO	28
AW4HM36	284	CBW-MMF	50	CVOMFC	102	GAPWRSC	183	MIS-KFNO	28
AW4HM42	284	CBW-MMH	50	CWS-PPGA	58	GAPWRSCCN	183	MIS-KHNO	28
AW4HM48	284	CBW-MMW	50	CWS-PPGO	58	GAPWRSCNY	183	MIS-KWNO	28
AW4HM54	284	CBW-UHA	60	CWW-MHA	50	GATBLEXT	183	MIW-KANO	28
AW4HM60	284	CBW-UHF	60	CWW-MHF	50	GATVMB	183	MIW-KFNO	28
AW4HM66	284	CBW-UHH	60	CWW-MHH	50	GAWRP	185	MIW-KHNO	28
AW4HM72	284	CBW-UHW	60	CWW-MHW	50	GSA-NMBL-1FC	135	MIW-KWNO	28
AW4HM84	284	CBW-UMA	60	CWW-MMA	50	GSA-NMBL-2FC	135	MLUK	28
AW4HM96	284	CBW-UMF	60	CWW-MMF	50	INFES-NGA	126	NMBL-1FC	134
AW4LECT	292	CBW-UMH	60	CWW-MMH	50	INFES-NGO	126	NMBL-2FC	134
AW4LECTPWR	292	CBW-UMW	60	CWW-MMW	50	INFES-SGA	126	NMBL-CART	135
AW4MB5036G	290	CCS-PGANO	170	CWW-UHA	60	INFES-SGO	126	NMBL-GANG	135
AW4MB5036P	290	CJLGFC	102	CWW-UHF	60	INFES-UGA	126	RL-MHA	32
AW4MB5048G	290	CJSMFC	102	CWW-UHH	60	INFES-UGO	126	RL-MHC	32
AW4MB5048P	290	CLAMFC	102	CWW-UHW	60	INSL-NA	118	RL-MHP	32
AW4MB7236G	290	CLAUFC	102	CWW-UMA	60	INSL-NO	118	RL-MHW	32
AW4MB7236P	290	CLCCFC	158	CWW-UMF	60	INSL-SA	118	RL-UHA	32
AW4MB7248G	290	CLCCNO	158	CWW-UMH	60	INSL-SO	118	RL-UHC	32
AW4MB7248P	290	CLCFC	158	CWW-UMW	60	INSL-UA	118	RL-UHP	32
AW4MB7260P	290	CLCNO	158	CZSAP	102	INSL-UO	118	RL-UHW	32
AW4P2C	286	CLCPCFC	158	EBW-MA	66	INSLT-NAFLS	120	RLA-MHA	34
AW4P2H	286	CLCPCNO	158	EBW-MF	66	INSLT-NAFRS	120	RLA-MHC	34
AW4QBI	286	CLCPFC	158	EBW-MH	66	INSLT-SAFLS	120	RLA-MHW	34
AW4QH60P	286	CLCPNO	158	EBW-MP	66	INSLT-SAFRS	120	RLA-UHA	34
AW4QJ36	286	CLCTL	160	EBW-MW	66	INSLT-UAFLS	120	RLA-UHC	34
AW4SHELFL	288	CLCTV	160	EBW-UA	66	INSLT-UAFRS	120	RLA-UHW	34
AW4TB5036P	290	CLL-MLA	56	EBW-UF	66	INST-NCA	116	RLC-MUGA	46
AW4TB5048P	290	CLL-MLF	56	EBW-UH	66	INST-NCO	116	RLC-MUGO	46
AW4TB7236P	290	CLL-MLH	56	EBW-UP	66	INST-NGA	116	RLC-UUGA	46
AW4TB7248P	290	CLL-ULF	56	EBW-UW	66	INST-NGO	116	RLC-UUGO	46
AW4TB7260P	290	CLL-ULH	56	ESS-MA	68	INST-SCA	116	RLC-WUGA	46
AW4TRASH	288	CLL-ULH	56	ESS-MF	68	INST-SCO	116	RLC-WUGO	46
AW4W48	286	CLOMFC	102	ESS-MH	68	INST-SGA	116	RLM-MUCA	42
AW4W60	286	CLOUFC	102	ESS-MW	68	INST-SGO	116	RLM-MUCO	42
AW4W72	286	CLSCFC	158	ESS-UA	68	INST-UCA	116	RLM-MUGA	42
AW4W84	286	CLSCNO	158	ESS-UF	68	INST-UCO	116	RLM-MUGO	42
AW4WB3648G	291	CLSFC	158	ESS-UH	68	INST-UGA	116	RLM-UUCA	42
AW4WB3648P	291	CLSVM	158	ESS-UW	68	INST-UGO	116	RLM-UUCO	42
AW4WB4848G	291	CLSNO	158	ESW-MA	66	INSTT-NCAFLS	120	RLM-UUGA	42
AW4WB4848P	291	CLSTL	160	ESW-MF	66	INSTT-NCAFRS	120	RLM-UUGO	42
AW4WB4860G	291	CLSTV	160	ESW-MH	66	INSTT-NGAFLS	120	RLM-WUCA	42
AW4WB4860P	291	CMP-PPCA	58	ESW-MP	66	INSTT-NGAFRS	120	RLM-WUCO	42
AW4WB4872G	291	CMP-PPCO	58	ESW-MW	66	INSTT-SCAFLS	120	RLM-WUGA	42
AW4WB4872P	291	CMP-PPGA	58	ESW-UA	66	INSTT-SCAFRS	120	RLM-WUGO	42
AW4WB4896G	291	CMP-PPGO	58	ESW-UF	66	INSTT-SGAFLS	120	RLS-MHA	38
AW4WB4896P	291	CMT24	254	ESW-UH	66	INSTT-SGAFRS	120	RLS-MHC	38
AW4WC3620	289	CMT36	254	ESW-UP	66	INSTT-UCAFLS	120	RLS-MHW	38
AW4WC36LABEL	289	CSG-PGANO	170	ESW-UW	66	INSTT-UCAFRS	120	RT-CGB	130
AW4WCS720	289	CSL-PGANO	170	GA56HSE	180	INSTT-UGAFLS	120	S910C48L	195
AW4WCS72LABEL	289	CSS-MHA	52	GA56MSE	178	INSTT-UGAFRS	120	S910C48W	195
AW4WCTIBC36W	289	CSS-MHF	52	GA70HCOLHP	180	INTK-NA	122	S910CLS	195
AW4WCTIBC57W	289	CSS-MHH	52	GA70HCOLNP	180	INTK-NO	122	S910CSS	195
AW4WCTIP36W	289	CSS-MHW	52	GA70HCOUHP	180	INTK-SA	122	S910MS	196
AW4WCTIP57W	289	CSS-MMA	52	GA70HCOUNP	180	INTK-SO	122	S910MT48L	196
AWCVRC	286	CSS-MMF	52	GA70HMCL	180	INTK-UA	122	S910MT48W	196
AWCVRG	286	CSS-MMH	52	GA70HMCU	180	INTK-UO	122	S910P10C	197
AWFG	18	CSS-MMW	52	GA70HSTHL	180	INWS-NA	124	S910P10LM	197
AWFP	18	CSS-UHA	52	GA70HSTHR	180	INWS-NO	124	S910P12H	197
AWFS	18	CSS-UHF	52	GA70HSTNP	180	INWS-SA	124	S910P20C	197
AWFW	18	CSS-UHH	52	GA70MCOLHP	178	INWS-SO	124	S910PHK	197, 214
AWLG	18	CSS-UHW	52	GA70MCOLNP	178	INWS-UA	124	S910PL	195
AWLP	18	CSS-UMA	52	GA70MCOUHP	178	INWS-UO	124	S910PVG	197, 214
AWLS	18	CSS-UMF	52	GA70MCOUNP	178	K-MPCA	106	S911TBRL	241
AWLW	18	CSS-UMH	52	GA70MMCL	178	K-MPCO	106	S911TBTL	241
AWMG	18	CSS-UMW	52	GA70MMCU	178	K-MPGA	106	S911TSRL	241
AWMP	18	CSW-MHA	50	GA70MSTHL	178	K-MPGO	106	S911TSTL	241
AWMS	18	CSW-MHF	50	GA70MSTHR	178	K-MUCA	106	S912B1632	243
AWMW	18	CSW-MHH	50	GA70MSTNP	178	K-MUCO	106	S912B2116	243
C4AMFC	102	CSW-MHW	50	GA84HMW	180	K-MUGA	106	S912T16G	243
C4AUFC	102	CSW-MMA	50	GA84HSE	180	K-MUGO	106	S912T16L	243
C4OMFC	102	CSW-MMF	50	GA84HSTHL	180	K-PPCA	106	S912T16V	243
C4OUFC	102	CSW-MMH	50	GA84HSTHR	180	K-PPCO	106	S912T32G	243
C5AMFC	102	CSW-MMW	50	GA84HSTNP	180	K-PPGA	106	S912T32L	243
C5AUFC	102	CSW-UHA	60	GA84MMW	178	K-PPGO	106	S912T32V	243

# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
S913LNB3629	221		205, 207, 209	S914LKQ54N	208	S914VKB3060N	210	S925B60F80X	152
S913LNB3642	221	S914G22S	203, 207	S914LKQ54P	208	S914VKB3072N	210	S925B72	150
S913LNB4229	221	S914G29L	205, 209, 213	S914LKQ60G	208	S914VKB3652N	210	S925B72BOL	150
S913LNB4242	221	S914G29M	203, 205, 207, 209, 213	S914LKQ60N	208	S914VKB3660N	210	S925B72F72	152
S913LNB4829	221			S914LKQ60P	208	S914VKB3672N	210	S925B72F92X	152
S913LNB4842	221	S914G29S	203, 207	S914LKR30G	202	S914VKM4854G	212	S927SCB	166
S913LPB3629	221	S914G42M	203, 205, 207, 209	S914LKR30N	202	S914VKM4854N	212	S927SCS	166
S913LPB3642	221			S914LKR36G	202	S914VKM4854P	212	S927SWB	166
S913LPB4229	221	S914G42S	203, 207	S914LKR36N	202	S914VKM6054G	212	S927SWS	166
S913LPB4242	221	S914LFB3052N	210	S914LKR42G	202	S914VKM6054N	212	S927WCB	166
S913LPB4829	221	S914LFB3060N	210	S914LKR42N	202	S914VKM6054P	212	S927WCS	166
S913LPB4842	221	S914LFB3072N	210	S914LKR42P	202	S914VKM7254G	212	S927WWB	166
S913LTF3620	220	S914LFB3652N	210	S914LKR48G	204	S914VKM7254N	212	S927WWS	166
S913LTF3672	220	S914LFB3660N	210	S914LKR48N	204	S914VKM7254P	212	S929P	191
S913LTF3696	220	S914LFB3672N	210	S914LKR48P	204	S914VKQ30G	206	S929T	191
S913LTF4220	220	S914LFM4854G	212	S914LKR54G	204	S914VKQ30N	206	S929TC	191
S913LTF4272	220	S914LFM4854N	212	S914LKR54N	204	S914VKQ36G	206	S929W	191
S913LTF4296	220	S914LFM4854P	212	S914LKR54P	204	S914VKQ36N	206	S933DB29L	239
S913LTF4820	220	S914LFM6054G	212	S914LKR60G	204	S914VKQ42G	206	S933DB29LC	239
S913LTF4872	220	S914LFM6054N	212	S914LKR60N	204	S914VKQ42N	206	S933DB29S	239
S913LTF4896	220	S914LFM6054P	212	S914LKR60P	204	S914VKQ42P	206	S933DB29SC	239
S913LTS3620	220	S914LFM7254G	212	S914LN22M	203, 205, 207, 209	S914VKQ48G	208	S933DB36L	239
S913LTS3672	220	S914LFM7254N	212			S914VKQ48N	208	S933DB36LC	239
S913LTS3696	220	S914LFM7254P	212	S914N22S	203, 207	S914VKQ48P	208	S933DB36S	239
S913LTS4220	220	S914LFQ30G	206	S914N29D20	211	S914VKR30G	202	S933DB36SC	239
S913LTS4272	220	S914LFQ30N	206	S914N29L	205, 209, 213	S914VKR30N	202	S933DB42L	239
S913LTS4296	220	S914LFQ36G	206	S914N29M	203, 205, 207, 209, 213	S914VKR36G	202	S933DB42LC	239
S913LTS4820	220	S914LFQ36N	206			S914VKR36N	202	S933DB42LFR	239
S913LTS4872	220	S914LFQ42G	206	S914N29S	203, 207	S914VKR42G	202	S933DB42LFR	239
S913LTS4896	220	S914LFQ42N	206	S914N42M	203, 205, 207, 209	S914VKR42N	202	S933DB42LFR	239
S913P05LJ	222	S914LFQ42P	206			S914VKR42P	202	S933DB42SC	239
S913P06CE	222	S914LFQ48G	208	S914N42S	203, 207	S914VKR48G	204	S933DB42SFR	239
S913P06CM	222	S914LFQ48N	208	S914P06C	214	S914VKR48N	204	S933DB42SFR	239
S913P06LS	222	S914LFQ48P	208	S914P06GC	214	S914VKR48P	204	S933LF30RND	238
S913P10LS	222	S914LFQ54G	208	S914P06GH	214	S921B2CL	188	S933LF30SQR	238
S913P12CE	222	S914LFQ54N	208	S914P06H	214	S921B3CL	188	S933LF36RND	238
S913P12CM	222	S914LFQ54P	208	S914P06LM	214	S921H52	188	S933LF36SQR	238
S913P20CE	222	S914LFQ60G	208	S914P12C	214	S921HS3	188	S933LF42RND	238
S913P20CM	222	S914LFQ60N	208	S914P12H	214	S921S1CL	188	S933LF42SQR	238
S913P20HE	222	S914LFQ60P	208	S914P22M	203, 205, 207, 209	S921S2CL	188	S933LF48RND	238
S913P20HHE	222	S914LFR30G	202			S921S3CL	188	S933LF48SQR	238
S913P20HHED	222	S914LFR30N	202	S914P29L	205, 209, 213	S922P4108JK	147	S933PWR	239
S913P20HM	222	S914LFR36G	202	S914P29M	203, 205, 207, 209, 213	S922P4144JK	147	S933USB	239
S913PLE	222	S914LFR36N	202			S922P4144JK	147	S941LF36120T	235
S913PLHE	222	S914LFR42G	202	S914P42M	203, 205, 207, 209	S922P4144JK	147	S941LF36144T	235
S913PLHED	222	S914LFR42N	202			S922P4144JK	147	S941LF36168T	235
S913PLM	222	S914LFR42P	202	S914VFB3052N	210	S922P436JK	147	S941LF3660T	235
S913WNB3629	221	S914LFR48G	204	S914VFB3060N	210	S922P436JK	147	S941LF3660T	235
S913WNB3642	221	S914LFR48N	204	S914VFB3072N	210	S922P472JK	147	S941LF3672T	235
S913WNB4229	221	S914LFR48P	204	S914VFB3652N	210	S922P472JK	147	S941LF3672T	235
S913WNB4242	221	S914LFR54G	204	S914VFB3660N	210	S922P472JK	147	S941LF3684T	235
S913WNB4829	221	S914LFR54N	204	S914VFB3672N	210	S922P484JK	147	S941LF3684T	235
S913WNB4842	221	S914LFR54P	204	S914VFM4854G	212	S922P4S144K	147	S941LF3696T	235
S913WNB4896	221	S914LFR60G	204	S914VFM4854N	212	S922P4S27K	147	S941LF3696T	235
S913WPB3629	221	S914LFR60N	204	S914VFM4854P	212	S922P4T	147	S941LF42120T	236
S913WPB3642	221	S914LFR60P	204	S914VFM6054G	212	S922PC	147	S941LF42144T	236
S913WPB4229	221	S914LKB3052N	210	S914VFM6054N	212	S922PH	147	S941LF42168T	236
S913WPB4242	221	S914LKB3060N	210	S914VFM6054P	212	S922S2	146	S941LF4272T	236
S913WPB4829	221	S914LKB3072N	210	S914VFM7254G	212	S922S2IC	146	S941LF4272T	236
S913WPB4842	221	S914LKB3652N	210	S914VFM7254N	212	S922S2OC	146	S941LF4284T	236
S913WTF3620	220	S914LKB3660N	210	S914VFM7254P	212	S922S2P	146	S941LF4284T	236
S913WTF3672	220	S914LKB3672N	210	S914VFQ30G	206	S922S2T	146	S941LF4296T	236
S913WTF3696	220	S914LKM4854G	212	S914VFQ30N	206	S922S2TIC	146	S941LF4296T	236
S913WTF4220	220	S914LKM4854N	212	S914VFQ36G	206	S922S2TOC	146	S941LF48120T	237
S913WTF4272	220	S914LKM4854P	212	S914VFQ36N	206	S922S2TP	146	S941LF48144T	237
S913WTF4296	220	S914LKM6054G	212	S914VFQ42G	206	S922S3	146	S941LF48168T	237
S913WTF4820	220	S914LKM6054N	212	S914VFQ42N	206	S922S3P	146	S941LF4884T	237
S913WTF4872	220	S914LKM6054P	212	S914VFQ42P	206	S922S3T	146	S941LF4884T	237
S913WTF4896	220	S914LKM7254G	212	S914VFQ48G	208	S922S3TP	146	S941LF4896T	237
S913WTS3620	220	S914LKM7254N	212	S914VFQ48N	208	S922T	146	S941LF4896T	237
S913WTS3672	220	S914LKM7254P	212	S914VFQ48P	208	S923	163	S941LF54RNDT	234
S913WTS3696	220	S914LKQ30G	206	S914VFR30G	202	S924BS	155	S941LF54SQR	234
S913WTS4220	220	S914LKQ30N	206	S914VFR30N	202	S924BT	155	S941LF60RNDT	234
S913WTS4272	220	S914LKQ36G	206	S914VFR36G	202	S924SS	155	S941LF60SQR	234
S913WTS4296	220	S914LKQ36N	206	S914VFR36N	202	S924ST	155	S941LF66RNDT	234
S913WTS4820	220	S914LKQ42G	206	S914VFR42G	202	S925BS2	150	S941LF66SQR	234
S913WTS4872	220	S914LKQ42N	206	S914VFR42N	202	S925BS2BOL	150	S941LK36120T	235
S913WTS4896	220	S914LKQ42P	206	S914VFR42P	202	S925BS2F52	152	S941LK36144T	235
S914CWL	205, 209, 213	S914LKQ48G	208	S914VFR48G	204	S925BS2F72X	152	S941LK36168T	235
S914CWM	203, 205, 207, 209, 213	S914LKQ48N	208	S914VFR48N	204	S925B60	150	S941LK3660T	235
S914CWS	203, 207	S914LKQ48P	208	S914VFR48P	204	S925B60BOL	150	S941LK3672T	235
S914G22M	203,	S914LKQ54G	208	S914VKB3052N	210	S925B60F60	152	S941LK3684T	235

# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
S941LK3696T.....	235	S942LTSE3696.....	224	S942PTST3684.....	224	S943VTSE3672.....	227	SUM-SHO.....	98
S941LK42120T.....	236	S942LTSE3696NP.....	225	S942PTST3684NP.....	225	S943VTSE3672NP.....	228	SUM-SHW.....	98
S941LK42144T.....	236	S942LTSE42120.....	224	S942PTST3696.....	224	S943VTSE3684.....	227	SUM-SMA.....	98
S941LK42168T.....	236	S942LTSE42120NP.....	225	S942PTST3696NP.....	225	S943VTSE3684NP.....	228	SUM-SMO.....	98
S941LK4272T.....	236	S942LTSE4272.....	224	S942PTST42120.....	224	S943VTSE3696.....	227	SUM-SMW.....	98
S941LK4284T.....	236	S942LTSE4272NP.....	225	S942PTST42120NP.....	225	S943VTSE3696NP.....	228	SYSES.....	334
S941LK4296T.....	236	S942LTSE4284.....	224	S942PTST4272.....	224	S943VTSE42120.....	227	SYSTG.....	334
S941LK48120T.....	237	S942LTSE4284NP.....	225	S942PTST4272NP.....	225	S943VTSE42120NP.....	228	T-CART.....	130
S941LK48144T.....	237	S942LTSE4296.....	224	S942PTST4284.....	224	S943VTSE4272NP.....	228	T-KLAP.....	130
S941LK48168T.....	237	S942LTSE4296NP.....	225	S942PTST4284NP.....	225	S943VTSE4284.....	227	T-KLOP.....	130
S941LK4884T.....	237	S942LTSE48120.....	224	S942PTST4296.....	224	S943VTSE4284NP.....	228	T-SLAP.....	130
S941LK4896T.....	237	S942LTSE48120NP.....	225	S942PTST4296NP.....	225	S943VTSE4296.....	227	T-SLOP.....	130
S941LK545QR.....	234	S942LTSE4872.....	224	S942PTST48120.....	224	S943VTSE4296NP.....	228	TR-HAK.....	80
S941LK605QR.....	234	S942LTSE4872NP.....	225	S942PTST48120NP.....	225	S943VTSE48120.....	227	TR-HAM.....	80
S941LK665QR.....	234	S942LTSE4884.....	224	S942PTST4872.....	224	S943VTSE48120NP.....	228	TR-HOK.....	80
S941IP1.....	224, 234	S942LTSE4884NP.....	225	S942PTST4872NP.....	225	S943VTSE4872.....	227	TR-HOM.....	80
S941IP1HW.....	224, 234	S942LTSE4896.....	224	S942PTST4884.....	224	S943VTSE4872NP.....	228	TR-HWK.....	80
S941IP2.....	224, 234	S942LTSE4896NP.....	225	S942PTST4884NP.....	225	S943VTSE4884.....	227	TR-HWM.....	80
S941IP2HW.....	224, 234	S942LTSE545QR.....	224	S942PTST4896.....	224	S943VTSE4884NP.....	228	TR-MAK.....	80
S941IP3.....	224, 234	S942LTSE545QRNP.....	225	S942PTST4896NP.....	225	S943VTSE4896.....	227	TR-MAM.....	80
S941IP4.....	224, 234	S942LTSE605QR.....	224	S942PTST545QR.....	224	S943VTSE4896NP.....	228	TR-MOK.....	80
S941IP4A.....	234-237	S942LTSE605QRNP.....	225	S942PTST545QRNP.....	225	S943VTSE545QR.....	227	TR-MOM.....	80
S941IP4HW.....	234-237	S942LTST36120.....	224	S942PTST605QR.....	224	S943VTSE545QRNP.....	228	TR-MWK.....	80
S941IP6.....	235-237	S942LTST36120NP.....	225	S942PTST605QRNP.....	225	S943VTSE605QR.....	227	TR-MWM.....	80
S941IP6FW.....	235-237	S942LTST3672.....	224	S943LTSE36120.....	227	S943VTSE605QRNP.....	228	TR-SMAP.....	86
S941IUSPL.....	224, 234	S942LTST3672NP.....	225	S943LTSE36120NP.....	228	S943VTST36120.....	227	TR-SMWP.....	86
S941IUSPM.....	224, 234	S942LTST3684.....	224	S943LTSE3672.....	227	S943VTST36120NP.....	228	TR-SPR.....	84
S941IUSPS.....	224, 234	S942LTST3684NP.....	225	S943LTSE3672NP.....	228	S943VTST3672.....	227	TR-SRA.....	84
S941V36120T.....	235	S942LTST3696.....	224	S943LTSE3684.....	227	S943VTST3672NP.....	228	U7WDA.....	285
S941V36144T.....	235	S942LTST3696NP.....	225	S943LTSE3684NP.....	228	S943VTST3684.....	227	U912WTR.....	257
S941V36168T.....	235	S942LTST42120.....	224	S943LTSE3684NP.....	227	S943VTST3684NP.....	228	U918WTR.....	257
S941V3660T.....	235	S942LTST42120NP.....	225	S943LTSE3696NP.....	228	S943VTST3696.....	227	U924WTR.....	257
S941V3672T.....	235	S942LTST4272.....	224	S943LTSE42120.....	227	S943VTST3696NP.....	228	U930WTR.....	257
S941V3684T.....	235	S942LTST4272NP.....	225	S943LTSE42120NP.....	228	S943VTST42120.....	227	U936WTR.....	257
S941V3696T.....	235	S942LTST4284.....	224	S943LTSE4272.....	227	S943VTST42120NP.....	228	U942WBW.....	254
S941VF42120T.....	236	S942LTST4284NP.....	225	S943LTSE4272NP.....	228	S943VTST4272.....	227	U942WTR.....	257
S941VF42144T.....	236	S942LTST4296.....	224	S943LTSE4284.....	227	S943VTST4284.....	227	U948WTR.....	257
S941VF42168T.....	236	S942LTST4296NP.....	225	S943LTSE4284NP.....	228	S943VTST4284NP.....	228	U954WBW.....	254
S941VF4272T.....	236	S942LTST48120.....	224	S943LTSE4296.....	227	S943VTST4296.....	227	U954WTR.....	257
S941VF4284T.....	236	S942LTST48120NP.....	225	S943LTSE4296NP.....	228	S943VTST4296NP.....	228	U960WTR.....	257
S941VF4296T.....	236	S942LTST4872.....	224	S943LTSE48120.....	227	S943VTST48120.....	227	U966WBW.....	254
S941VF48120T.....	237	S942LTST4872NP.....	225	S943LTSE48120NP.....	228	S943VTST48120NP.....	228	U966WTR.....	257
S941VF48144T.....	237	S942LTST4884.....	224	S943LTSE4872.....	227	S943VTST4872.....	227	U9TF.....	257
S941VF48168T.....	237	S942LTST4884NP.....	225	S943LTSE4872NP.....	228	S943VTST4872NP.....	228	U9TM.....	257
S941VF4884T.....	237	S942LTST4896.....	224	S943LTSE4884.....	227	S943VTST4884.....	227	U9TP.....	257
S941VF4896T.....	237	S942LTST4896NP.....	225	S943LTSE4884NP.....	228	S943VTST4884NP.....	228	U9TS.....	257
S941VF54RNDT.....	234	S942LTST545QR.....	224	S943LTSE4896.....	227	S943VTST4896.....	227	U9WTC.....	257
S941VF545QR.....	234	S942LTST545QRNP.....	225	S943LTSE4896NP.....	228	S943VTST4896NP.....	228	VATWVG.....	20
S941VF60RNDT.....	234	S942LTST605QR.....	224	S943LTSE4896NP.....	227	S943VTST545QR.....	227	VST.....	90
S941VF60SQR.....	234	S942LTST605QRNP.....	225	S943LTSE545QR.....	227	S943VTST545QRNP.....	228	Z5SC60.....	319, 321, 323, 327
S941VF66RNDT.....	234	S942PTSE36120.....	224	S943LTSE605QR.....	227	S943VTST605QR.....	227	Z5SC72.....	319, 321, 323, 327, 329, 331
S941VF66SQR.....	234	S942PTSE36120NP.....	225	S943LTSE605QRNP.....	228	S943VTST605QRNP.....	228	Z5SC84.....	325, 327, 329, 331
S941VK36120T.....	235	S942PTSE3672.....	224	S943LTST36120.....	227	S94LTST4272NP.....	228	ZW810H.....	259
S941VK36144T.....	235	S942PTSE3672NP.....	225	S943LTST36120NP.....	228	S94VTST4272NP.....	228	ZW810S.....	259
S941VK36168T.....	235	S942PTSE3684.....	224	S943LTST3672.....	227	SCU-MA.....	72	ZW820D.....	259
S941VK3660T.....	235	S942PTSE3684NP.....	225	S943LTST3672NP.....	228	SCU-ML.....	72	ZW820DH.....	259
S941VK3672T.....	235	S942PTSE3696.....	224	S943LTST3684.....	227	SCU-MW.....	72	ZW82KIT.....	259
S941VK3684T.....	235	S942PTSE3696NP.....	225	S943LTST3684NP.....	228	SCU-SMA.....	76	ZW8LT.....	259
S941VK3696T.....	235	S942PTSE42120.....	224	S943LTST3696.....	227	SCU-SML.....	76		
S941VK42120T.....	236	S942PTSE42120NP.....	225	S943LTST3696NP.....	228	SCU-SMW.....	76		
S941VK42144T.....	236	S942PTSE4272.....	224	S943LTST42120.....	227	SCU-SUA.....	76		
S941VK42168T.....	236	S942PTSE4272NP.....	225	S943LTST42120NP.....	228	SCU-SUL.....	76		
S941VK4272T.....	236	S942PTSE4284.....	224	S943LTST4272.....	227	SCU-SUW.....	76		
S941VK4284T.....	236	S942PTSE4284NP.....	225	S943LTST4284.....	227	SCU-UA.....	72		
S941VK4296T.....	236	S942PTSE4296.....	224	S943LTST4284NP.....	228	SCU-UL.....	72		
S941VK48120T.....	237	S942PTSE4296NP.....	225	S943LTST4296.....	227	SCU-UW.....	72		
S941VK48144T.....	237	S942PTSE48120.....	224	S943LTST4296NP.....	228	ST.....	90		
S941VK48168T.....	237	S942PTSE48120NP.....	225	S943LTST4296NP.....	227	STLUK.....	90		
S941VK4884T.....	237	S942PTSE4872.....	224	S943LTST48120.....	227	STS.....	90		
S941VK4896T.....	237	S942PTSE4872NP.....	225	S943LTST48120NP.....	228	SUM-HA.....	94		
S941VK54RNDT.....	234	S942PTSE4872NP.....	225	S943LTST4872.....	227	SUM-HAA.....	96		
S941VK545QR.....	234	S942PTSE4884.....	224	S943LTST4872NP.....	228	SUM-HO.....	94		
S941VK60RNDT.....	234	S942PTSE4884NP.....	225	S943LTST4884.....	227	SUM-HOA.....	96		
S941VK60SQR.....	234	S942PTSE4896.....	224	S943LTST4884NP.....	228	SUM-HW.....	94		
S941VK66RNDT.....	234	S942PTSE4896NP.....	225	S943LTST4896.....	227	SUM-HWA.....	96		
S941VK66SQR.....	234	S942PTSE545QR.....	224	S943LTST4896NP.....	228	SUM-MA.....	94		
S942LTSE36120.....	224	S942PTSE545QRNP.....	225	S943LTST545QR.....	227	SUM-MAA.....	96		
S942LTSE36120NP.....	225	S942PTSE605QR.....	224	S943LTST545QRNP.....	228	SUM-MO.....	94		
S942LTSE3672.....	224	S942PTSE605QRNP.....	225	S943LTST605QR.....	227	SUM-MOA.....	96		
S942LTSE3672NP.....	225	S942PTST36120.....	224	S943LTST605QRNP.....	228	SUM-MOW.....	94		
S942LTSE3684.....	224	S942PTST36120NP.....	225	S943LTST605QRNP.....	227	SUM-MWA.....	96		
S942LTSE3684NP.....	225	S942PTST3672.....	224	S943VSE4272.....	227	SUM-MW.....	94		
		S942PTST3672NP.....	225	S943VTSE36120.....	227	SUM-MWA.....	96		
				S943VTSE36120NP.....	228	SUM-SHA.....	98		









Refer to pages 348-353 for current upholstery availability by model/series.

GSA Reference Page

ALLSTEEL MATERIALS PARTNERSHIP PROGRAM — See program explanation at bottom of page.

GRADE 4	GRADE 4 – continued	GRADE 4 – continued	GRADE 4 – continued	GRADE 4 – continued
<b>CF Stinson BLIP</b>	<b>Maharam MANNER</b>	<b>Maharam MESSENGER</b>	<b>Maharam METRIC</b>	<b>Momentum SKIP</b>
Earth* ..... SCFSBLP41	Ablaze ..... MAN013	<b>B, C, F, O, S, T</b>	Admiral ..... MET026	Alloy* ..... SMOMSKP58
Garnet ..... SCFSBLP44	Aquatic ..... MAN022	(78% Recycled)	Alligator ..... MET020	Captain ..... SMOMSKP69
Gecko ..... SCFSBLP34	Basin ..... MAN026	Ash ..... GRM977	Anchor ..... MET024	Chalk ..... SMOMSKP80
Grasshopper ..... SCFSBLP36	Butterscotch ..... MAN016	Aster ..... GRM967	Arabica ..... MET009	Clementine* ..... SMOMSKP91
Marble ..... SCFSBLP33	Caper ..... MAN019	Azure ..... GRM941	Bittersweet ..... MET008	Cobalt* ..... SMOMSKP02
Maui ..... SCFSBLP46	Carob ..... MAN002	Balsa ..... GRM901	Bonsai ..... MET022	Deep* ..... SMOMSKP13
Mineral ..... SCFSBLP37	Cocoa ..... MAN008	Bayou ..... GRM908	Brick ..... MET011	Elm ..... SMOMSKP24
Moonstone ..... SCFSBLP42	Cola ..... MAN010	Beyond ..... GRM985	Caramel ..... MET017	Flax* ..... SMOMSKP35
Ore* ..... SCFSBLP49	Cottage ..... MAN023	Cactus ..... GRM945	Cardinal ..... MET012	Flint* ..... SMOMSKP46
Pebble ..... SCFSBLP38	Dahlia ..... MAN024	Capri ..... GRM961	Cedar ..... MET015	Fuchsia* ..... SMOMSKP57
Pumpkin ..... SCFSBLP40	Ember ..... MAN011	Cassis ..... GRM966	Cerise ..... MET010	Keylime* ..... SMOMSKP68
Quarry ..... SCFSBLP35	Flint ..... MAN004	Cherry ..... GRM969	Driftwood ..... MET006	Mushroom ..... SMOMSKP79
Red Hot ..... SCFSBLP43	Greenway ..... MAN021	Chestnut ..... GRM952	Envy ..... MET021	Nickel ..... SMOMSKP90
Retriever* ..... SCFSBLP39	Harvest ..... MAN017	Chili ..... GRM983	Fleece ..... MET003	Onyx ..... SMOMSKP01
Scuba ..... SCFSBLP47	Hush ..... MAN005	Cloud ..... GRM931	Fog ..... MET002	Pewter ..... SMOMSKP12
Superhero* ..... SCFSBLP48	Lioness ..... MAN018	Depth ..... GRM938	Lava ..... MET013	Pool ..... SMOMSKP23
Wisteria ..... SCFSBLP45	Magic ..... MAN001	Electric ..... GRM988	Mineral ..... MET007	Ruby* ..... SMOMSKP34
<b>Momentum DECODE</b>	Nuance ..... MAN006	Everglade ..... GRM987	Oriole ..... MET014	Saffron ..... SMOMSKP45
Alloy* ..... SMOMDEC88	Parakeet ..... MAN020	Fennel ..... GRM959	Phantom ..... MET001	Sparrow* ..... SMOMSKP56
Blaze* ..... SMOMDEC10	Pathway ..... MAN009	Fireside ..... GRM982	Pollen ..... MET018	Sprite ..... SMOMSKP67
Cherry* ..... SMOMDEC27	Peel ..... MAN014	Fossil ..... GRM976	Scuba ..... MET028	Straw* ..... SMOMSKP78
Elm ..... SMOMDEC21	Penny ..... MAN015	Husk ..... GRM981	Seaport ..... MET027	Terrain ..... SMOMSKP89
Graphite ..... SMOMDEC32	Porpoise ..... MAN003	Hydrangea ..... GRM950	Sorrel ..... MET016	Vanilla* ..... SMOMSKP00
Grove ..... SMOMDEC43	Schooner ..... MAN027	Ice ..... GRM946	Sourdough ..... MET004	Yacht ..... SMOMSKP11
Nickel* ..... SMOMDEC54	Thicket ..... MAN007	Lilac ..... GRM951	Tar ..... MET023	
<b>Momentum HABIT</b>	Vivid ..... MAN025	Lumine ..... GRM954	Tea ..... MET005	
Aspen ..... SMOMHAB76	Wagon ..... MAN012	Maize ..... GRM972	Tupelo ..... MET019	
Blueprint ..... SMOMHAB87	<b>Maharam MEDIUM</b>	Mao ..... GRM925	Twilight ..... MET025	
Dune* ..... SMOMHAB79	<b>B, C, F, O, S, T</b>	Neon ..... GRM948		
Kindle ..... SMOMHAB98	Alloy ..... MDM003	Nile ..... GRM940	<b>CF Stinson RETROGRADE</b>	
Pier* ..... SMOMHAB09	Bark ..... MDM006	Onyx ..... GRM929	Aquamarine ..... SCFSRET77	
Salt* ..... SMOMHAB90	Blackberry ..... MDM052	Oyster ..... GRM979	Castlerock ..... SCFSRET73	
Tailor* ..... SMOMHAB20	Cascade ..... MDM051	Pensive ..... GRM980	Coastal ..... SCFSRET74	
<b>CF Stinson HI-FI</b>	Cosmic ..... MDM050	Peridot ..... GRM960	Eclipse* ..... SCFSRET79	
Clarity ..... SCFSHIF47	Delight ..... MDM036	Poppy ..... GRM924	Electric ..... SCFSRET70	
Frequency ..... SCFSHIF50	Espresso ..... MDM007	Robust ..... GRM984	Lava* ..... SCFSRET75	
Harmony ..... SCFSHIF49	Flax ..... MDM004	Satsuma ..... GRM971	Mercury ..... SCFSRET76	
Pitch* ..... SCFSHIF51	Hike ..... MDM047	Shadow ..... GRM907	Riverside ..... SCFSRET78	
Radio* ..... SCFSHIF44	Laser ..... MDM014	Snow ..... GRM958	Sunrise ..... SCFSRET71	
Rhythm ..... SCFSHIF46	Marina ..... MDM022	Spice ..... GRM968	<b>Momentum SCRABBLE</b>	
Sound ..... SCFSHIF43	Nasturtium ..... MDM053	Squall ..... GRM963	Abyss ..... SMOMSCR83	
Stereo ..... SCFSHIF42	Nautical ..... MDM039	Tangelo ..... GRM953	Ash* ..... SMOMSCR94	
Tone* ..... SCFSHIF45	Pacific ..... MDM049	Tobacco ..... GRM906	Brigade* ..... SMOMSCR05	
Volume* ..... SCFSHIF48	Pecan ..... MDM008	Tusk ..... GRM978	Bronze ..... SMOMSCR16	
Wavelength ..... SCFSHIF41	Persimmon ..... MDM013	Ultramarine ..... GRM962	Burnished* ..... SMOMSCR27	
<b>CF Stinson HIVE</b>	Pistachio ..... MDM029	Vibrant ..... GRM970	Charcoal* ..... SMOMSCR38	
Aegean ..... SCFSHVE77	Pool ..... MDM040	Voyage ..... GRM986	Cherry ..... SMOMSCR49	
Brick ..... SCFSHVE81	Port ..... MDM016	Zinc ..... GRM910	Cypress* ..... SMOMSCR60	
Bumble ..... SCFSHVE73	Prospect ..... MDM032		Dune ..... SMOMSCR71	
Chili ..... SCFSHVE75	Pumpkin ..... MDM012		Lazuli ..... SMOMSCR82	
Honeycomb* ..... SCFSHVE80	Raven ..... MDM001		London ..... SMOMSCR93	
Hornet* ..... SCFSHVE72	Sculpture ..... MDM045		Luna* ..... SMOMSCR04	
Slate ..... SCFSHVE71	Smoke ..... MDM002		Morpho ..... SMOMSCR15	
Violet ..... SCFSHVE79	Tangle ..... MDM048		Oak ..... SMOMSCR26	
Water ..... SCFSHVE74	Thatched ..... MDM046		Orangina* ..... SMOMSCR37	
	Washed ..... MDM044		Orchid* ..... SMOMSCR48	
	Wooded ..... MDM054		Peapod ..... SMOMSCR59	
			Platinum ..... SMOMSCR81	
			Rust* ..... SMOMSCR92	
			Sprite ..... SMOMSCR03	
			Steel ..... SMOMSCR14	
			Taupe* ..... SMOMSCR25	
			Toadstool* ..... SMOMSCR36	
			Wenge* ..... SMOMSCR47	

Multi-use fabrics are noted with the following designators: **B** – Tackboards, **C** – Concensys®, **O** – Optimize™, **S** – Stride®, **T** – Terrace®, **F** – Further™.

\* Colorway not shown on Textiles card; all Partnership Program memo samples are available from supplier. See contact information below.

## ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's Partnership Program consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, [allsteeloffice.com](http://allsteeloffice.com).

For memo samples, please contact our partners:

- Carnegie, [carnegiefabrics.com](http://carnegiefabrics.com) 1.800.727.6770
- CF Stinson, [cfstinson.com](http://cfstinson.com) 1.800.841.6279
- Edelman, [edelmanleather.com](http://edelmanleather.com) 1.800.886.8339
- HBF Textiles, [hbftextiles.com](http://hbftextiles.com) 1.877.494.5727

The intent of the Partnership Program is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

Refer to pages 348-353 for current upholstery availability by model/series.

GSA Reference Page

ALLSTEEL MATERIALS PARTNERSHIP PROGRAM — SEE PROGRAM EXPLANATION AT BOTTOM OF PAGE 345.

**GRADE 5 – continued**

<b>Momentum COVER CLOTH</b>	
Antique*	SMOMCOV11
Bouquet*	SMOMCOV22
Coffee	SMOMCOV33
Cyan	SMOMCOV44
Delft*	SMOMCOV55
Electric*	SMOMCOV66
Flame	SMOMCOV77
Fuchsia*	SMOMCOV53
Graphite	SMOMCOV88
Heirloom*	SMOMCOV64
Hickory	SMOMCOV99
Indigo	SMOMCOV10
Jet*	SMOMCOV21
Navel*	SMOMCOV32
Oat	SMOMCOV43
Platinum	SMOMCOV54
Savor	SMOMCOV65
Shire*	SMOMCOV76
Sorrel	SMOMCOV87
Taiga*	SMOMCOV09
Taupo*	SMOMCOV98
Vesper*	SMOMCOV20
Vessel*	SMOMCOV31
Zest	SMOMCOV42
<b>Momentum LEDGE</b>	
Dali	SMOMLDG98
Firenze*	SMOMLDG09
Seneca	SMOMLDG20
Verdi	SMOMLDG31
<b>Maharam MODE</b>	
Alder	SMHMMOD23
Angelfish	SMHMMOD32
Ballpoint	SMHMMOD29
Barberry	SMHMMOD25
Billygoat	SMHMMOD10
Blush	SMHMMOD21
Bonsai	SMHMMOD40
Carotene	SMHMMOD20
Celtic	SMHMMOD38
Clavicle	SMHMMOD09
Cortontail	SMHMMOD16
Crush	SMHMMOD34
Denim	SMHMMOD33
Eucalyptus	SMHMMOD39
Goldenrod	SMHMMOD15
Henge	SMHMMOD14
Hollow	SMHMMOD07
Intaglio	SMHMMOD02
Jetty	SMHMMOD35
Kermes	SMHMMOD24
Lemon	SMHMMOD12
Lichen	SMHMMOD43
Lioness	SMHMMOD17
Machine	SMHMMOD04
Mallard	SMHMMOD37
Marsh	SMHMMOD06
Odyssey	SMHMMOD28
Ominous	SMHMMOD03
Oriole	SMHMMOD18
Oxeye	SMHMMOD13
Paradise	SMHMMOD31
Petal	SMHMMOD26
Rust	SMHMMOD19
Saltwater	SMHMMOD36
Sassafras	SMHMMOD41
Spindle	SMHMMOD11
Stroll	SMHMMOD01
Sycamore	SMHMMOD08
Talus	SMHMMOD05
Toile	SMHMMOD30
Valley	SMHMMOD27
Vermilion	SMHMMOD22
Yucca	SMHMMOD42

**GRADE 5 – continued**

<b>HBF Textiles RIB STITCH</b>	
Bark*	RIB39
Bitters*	RIB35
Doeskin*	RIB37
Frost	RIB10
Pumice*	RIB18
Seal*	RIB84
Travertine	RIB16
<b>CF Stinson RIDDLE</b>	
Black Coffee*	SCFSRID26
Chalkboard	SCFSRID25
Citron	SCFSRID22
Frost	SCFSRID21
Iris	SCFSRID20
Malt	SCFSRID19
Peppercorn*	SCFSRID23
Siren	SCFSRID18
Surf	SCFSRID24
<b>Momentum RIVET</b>	
Bark*	SMOMRVT29
Campus*	SMOMRVT40
Cool*	SMOMRVT51
Dark*	SMOMRVT62
Key*	SMOMRVT73
Metal	SMOMRVT84
Opal	SMOMRVT95
Patina*	SMOMRVT06
Slice*	SMOMRVT17
Stencil*	SMOMRVT28
Surf*	SMOMRVT39
Tao	SMOMRVT50
Vibrant*	SMOMRVT61
<b>Maharam ROVE NEW!</b>	
Dijon	SMHMROV05
Drip	SMHMROV14
Fairy	SMHMROV17
Grackle	SMHMROV12
Indigo	SMHMROV13
Llama	SMHMROV10
Mum	SMHMROV06
Nasturtium	SMHMROV07
Owl	SMHMROV03
Pomelo	SMHMROV16
Rice	SMHMROV01
Rind	SMHMROV11
Roast	SMHMROV09
Soba	SMHMROV02
Till	SMHMROV04
Vixen	SMHMROV08
<b>CF Stinson SEQUENCE</b>	
Abyss	SCFSSEQ84
Alabaster	SCFSSEQ72
Burgundy	SCFSSEQ82
Cadet	SCFSSEQ81
Carbon	SCFSSEQ73
Crimson	SCFSSEQ78
Crisp	SCFSSEQ76
Navy	SCFSSEQ80
Orange	SCFSSEQ79
Peat	SCFSSEQ83
Putty	SCFSSEQ74
Silver Lining	SCFSSEQ75
Sky	SCFSSEQ77
<b>Momentum STRUT</b>	
Area	SMOMSUT83
Astral	SMOMSUT94
Chai*	SMOMSUT05
Climate*	SMOMSUT16
Coast*	SMOMSUT27
Engine*	SMOMSUT38
Galvanize*	SMOMSUT49
Isle	SMOMSUT60
Koa*	SMOMSUT71
Mission*	SMOMSUT82
Pepper*	SMOMSUT93
Plateau*	SMOMSUT04
Zeal*	SMOMSUT15

**GRADE 6**

<b>Maharam ABACUS STANDARD</b>	
Cellar	ABC011R
Extract	ABC012R
Replica	ABC010R
<b>Maharam HEDGE NEW!</b>	
Drop	SMHMHED02
Furnace	SMHMHED07
Island	SMHMHED04
Power	SMHMHED06
Safari	SMHMHED01
Stream	SMHMHED05
Succulent	SMHMHED03
Vibrant	SMHMHED08
<b>Maharam POCKET NEW!</b>	
Bud	SMHMPKT03
Cottage	SMHMPKT04
Dim	SMHMPKT06
Fireside	SMHMPKT07
Harvest	SMHMPKT02
Maritime	SMHMPKT05
Pumice	SMHMPKT01
<b>Maharam RUNNER STANDARD</b>	
Arid	RNR008R
Bluff	RNR007R
Carousel	RNR012R
Grove	RNR009R
Plot	RNR011R
Starboard	RNR010R
<b>Carnegie VERSE NEW!</b>	
50	SCARVRS50
51	SCARVRS51
52	SCARVRS52
53	SCARVRS53
54	SCARVRS54

**GRADE 7**

<b>Maharam BEVEL</b>	
Amber	BVL003
Carbon	BVL008
Cinnabar	BVL013
Geyser	BVL010
Lazuli	BVL009
<b>HBF Textiles BUMPY</b>	
Blue	BPY55
Bright Blue*	BPY51
Cool Neutral*	BPY84
Dark Blue	BPY59
Dark Yellow Green*	BPY62
Deep Cool*	BPY89
Deep Warm Neutral	BPY39
Grey*	BPY81
Light Blue Green	BPY56
Medium Warm Neutral*	BPY37
Orange	BPY45
Purple Pink	BPY77
Putty*	BPY18
Red*	BPY44
Red Orange	BPY43
True Blue	BPY58
Warm Neutral*	BPY20
White*	BPY10
Yellow*	BPY22
Yellow Green*	BPY63
<b>Maharam EXCHANGE</b>	
Buck	MEX008
Cinder	MEX001
Clay	MEX007
Gull	MEX004
Rhubarb	MEX010
Sable	MEX002

**GRADE 7 – continued**

<b>HBF Textiles HIGH RISE</b>	
Chrysler*	HIG51
Empire*	HIG67
Flatiron*	HIG22
Hancock*	HIG90
Inland Steel	HIG46
Seagram*	HIG77
Tribune	HIG18
Wainwright	HIG43
<b>Maharam PLAIT</b>	
Mesa	PLT003
Reef	PLT008
Sachet	PLT002
Sangria	PLT007
Sequoia	PLT005
Stormy	PLT009
<b>Maharam SHUTTLE STANDARD</b>	
Clam	STL016R
Plateau	STL017R
Shoal	STL018R
<b>Maharam WAXEN</b>	
Appear	WXN001
Bayou	WXN019
Ember	WXN011
Fresh	WXN014
Frozen	WXN005
Gazer	WXN017
Harvest	WXN012
Highland	WXN006
Jay	WXN016
Patina	WXN007
Ruby	WXN010
Savanna	WXN003
<b>GRADE 8</b>	
<b>Ultrafabrics BRISA*</b>	
Abyss	RS78
Apple Green	RS25
Ash	RS05
Aztec*	RS16
Bark*	RS18
Beet Root*	RS361
Birch	RS64
Black Onyx	RS01
Blossom*	RS74
Blue Sea	RS621
Bone	RS31
Cabernet	RS99
Cambridge Blue	RS17
Canyon*	RS07
Caramel	RS91
Celery	RS87
Cinnabar*	RS36
Coffee Bean*	RS33
Cookie Dough*	RS234
Cream*	RS63
Desert Clay*	RS19
Esmeralda	RS302
Evening Blue	RS620
Flamingo	RS203
French Vanilla	RS66
Ginger*	RS51
Golden*	RS67
Gravel*	RS275
Hazy Lilac*	RS310
Honeycomb*	RS233
Iceberg	RS272
Indigo	RS14
Koi	RS202
Mineral*	RS97
Moon	RS277
New Sand*	RS20
Night Navy*	RS94
Olive*	RS02
Peat*	RS00

**GRADE 8 – continued**

<b>Ultrafabrics BRISA* continued</b>	
Pompeian Red	RS83
Putty	RS08
Quicksilver	RS30
Rose Red*	RS43
Sage	RS10
Salsa	RS15
Seaweed	RS303
Shiitake*	RS22
Skyway*	RS96
Sterling Blue	RS98
Strawberry	RS359
Truffle	RS12
Turq	RS23
White	RS47
Wishbone*	RS276
Wrought Iron*	RS27
<b>HBF Textiles CROSSING THE LINE B, S, T</b>	
Black Sheep*	CRL90
Blue Moon*	CRL59
Carrot Top*	CRL45
Change of Scenery*	CRL63
Churning Butter*	CRL22
Fickle	CRL56
Four Leaf Clover*	CRL62
Laugh Out Loud*	CRL77
Secret Concoction*	CRL44
Turn the Tide*	CRL39
Veer*	CRL84
Whiteout*	CRL11
<b>Ultrafabrics PROMESSA*</b>	
Beet	PRO71
Briarwood	PRO48
Cocoa	PRO63
Corn Flour	PRO72
Ebony	PRO45
Fields	PRO41
Georgian	PRO23
Horsehair	PRO37
Parchment	PRO52
Saddle	PRO40
Scallion	PRO81
Snow	PRO15
Sun Shower	PRO58
<b>GRADE 9</b>	
<b>HBF Textiles CHATTERBOX-GI</b>	
Chris	CAT56R
Cindy*	CAT22R
Fred	CAT37R
Jane*	CAT53R
Kim	CAT44R
Lori*	CAT20R
Nora*	CAT80R
<b>HBF Textiles EQUATION</b>	
Algorithm*	EQU63
Divide*	EQU84
Exponent*	EQU62
Expression	EQU56
Factor	EQU37
Geometry*	EQU39
Multiply*	EQU89
Solution*	EQU58
Theory	EQU43
<b>HBF Textiles I-BEAM</b>	
Corten*	IBE35
High Rise*	IBE20
Molten	IBE41
Oxidized*	IBE39
Patina*	IBE56
Sky Blue	IBE55
Steel*	IBE37
Tak	IBE10

▲ Acuity Jacket Upholstery.

\* Colorway not shown on Textiles card; all Partnership Program memo samples are available from supplier. See contact information on page 345.

Refer to pages 348-353 for current upholstery availability by model/series.

GSA Reference Page

ALLSTEEL MATERIALS PARTNERSHIP PROGRAM — SEE PROGRAM EXPLANATION AT BOTTOM OF PAGE 345.

### GRADE 9 – continued

<b>Momentum SILICA</b>	
Alfresco*	SMOMSIL39
Alloy	SMOMSIL86
Appletini	SMOMSIL97
Aqua	SMOMSIL78
Bistro	SMOMSIL08
Breakwater*	SMOMSIL89
Bright Night*	SMOMSIL00
Brownstone	SMOMSIL19
Burnished	SMOMSIL30
Canyon	SMOMSIL13
Chrome	SMOMSIL35
Cloak*	SMOMSIL22
Coppercrest	SMOMSIL11
Cumulus	SMOMSIL52
Dare*	SMOMSIL33
Dewpoint*	SMOMSIL63
Eclipse	SMOMSIL38
Firelight*	SMOMSIL31
Flax*	SMOMSIL37
Gallant	SMOMSIL74
Garnet	SMOMSIL85
Ginger	SMOMSIL96
Glade*	SMOMSIL07
Go*	SMOMSIL44
Haze	SMOMSIL18
Herbal*	SMOMSIL29
Jewel	SMOMSIL42
Lemon	SMOMSIL34
Lotus	SMOMSIL46
Mane	SMOMSIL55
Manor	SMOMSIL66
Marigold	SMOMSIL40
Medal*	SMOMSIL51
Moss*	SMOMSIL77
Myth*	SMOMSIL88
Nero	SMOMSIL62
Oasis*	SMOMSIL43
Petunia	SMOMSIL36
Quartz	SMOMSIL73
Regatta*	SMOMSIL93
Sands*	SMOMSIL99
Seacoast*	SMOMSIL10
Shale*	SMOMSIL45
Sketch*	SMOMSIL21
Skyward*	SMOMSIL84
Surf*	SMOMSIL32
Terra	SMOMSIL95
Tropic*	SMOMSIL06

### Momentum

<b>SILICA ETCH</b>	
Almond*	SMOMSET84
Barley*	SMOMSET95
Brickberry	SMOMSET06
Camel	SMOMSET17
Celadon*	SMOMSET28
Chambord	SMOMSET39
Copper	SMOMSET50
Derby*	SMOMSET61
Doe*	SMOMSET72
Flint	SMOMSET94
French	SMOMSET05
Ink*	SMOMSET16
Juniper*	SMOMSET27
Manta	SMOMSET38
Mink	SMOMSET49
Mustang	SMOMSET60
Nickel	SMOMSET71
Palm*	SMOMSET82
Plum*	SMOMSET93
Rain	SMOMSET04
Sage*	SMOMSET15
Slate	SMOMSET26
Wetstone	SMOMSET37
Wistful	SMOMSET48

### GRADE 9 – continued

<b>Momentum SILICA LEATHER</b>	
Almond	SMOMSLE02
Aloe	SMOMSLE23
Barley	SMOMSLE12
Chambray*	SMOMSLE53
Denim	SMOMSLE56
Dove	SMOMSLE91
Driftwood	SMOMSLE17
Dune*	SMOMSLE08
Earthen	SMOMSLE18
Eclipse	SMOMSLE68
Eucalyptus*	SMOMSLE23
Hyacinth	SMOMSLE54
Ink	SMOMSLE67
Juniper*	SMOMSLE24
Lichen*	SMOMSLE26
Madder	SMOMSLE43
Marigold	SMOMSLE87
Mink	SMOMSLE65
Pewter	SMOMSLE95
Raisin	SMOMSLE78
Rustic	SMOMSLE35
Saddle	SMOMSLE33
Shadow	SMOMSLE94
Umber	SMOMSLE19
<b>Momentum SILICA TECH</b>	
Ash	SMOMSIT50
Calm	SMOMSIT75
Charge	SMOMSIT61
Fog	SMOMSIT86
Gleam	SMOMSIT97
Kohl	SMOMSIT08
Limelight*	SMOMSIT72
Macadamia*	SMOMSIT19
Magellan	SMOMSIT83
Mineralize	SMOMSIT30
Nightfall*	SMOMSIT94
Paloma	SMOMSIT41
Sablewood	SMOMSIT52
Sandstone	SMOMSIT63
Tangelo	SMOMSIT05
Tanzanite*	SMOMSIT16
Urbanite	SMOMSIT74
Verdigris*	SMOMSIT85
Vintage	SMOMSIT96
Willow*	SMOMSIT07

### Ultrafabrics ULTRALEATHER

<b>PRO NEW!</b>	
Aubergine	SUF554336
Blue Bird	SUF554661
Blueberry	SUF554711
Blush	SUF554200
Butterfly	SUF554216
Butternut	SUF554241
Campfire	SUF554229
Capri	SUF554522
Char	SUF554626
Chestnut	SUF554214
Cloud	SUF554648
Coastal	SUF554530
Cork	SUF554595
Cougar	SUF554209
Cranberry	SUF554357
Dark Chocolate	SUF554376
Dark Knight	SUF554618
Ember	SUF554649
Laurel	SUF554443
Mortar	SUF554733
Parfait	SUF554803
Persian Green	SUF554453
Rhubarb	SUF554329
Sailor	SUF554547
Sea Mist	SUF554478
Shore	SUF554352
Sky	SUF554530
Swan	SUF554811

### GRADE 9 – continued

<b>Ultrafabrics ULTRALEATHER PRO continued</b>	
Toasted Bagel	SUF554444
Tundra	SUF554353
Violet	SUF554395
White Wash	SUF554008
Woodcres	SUF554087

### GRADE 10

<b>HBF Textiles ANDANTE ENCORE</b>	
Bronzo*	ADE31
Bruno*	ADE39
Cammello*	ADE20
Crema	ADE11
Note Giorno*	ADE90
Pietra*	ADE16
Spezia*	ADE46

### GRADE 11

<b>HBF Textiles ABITO</b>	
Arco	ABI90
Como	ABI10
Garda	ABI80
Idro	ABI35
Lugano*	ABI84
Maggiore*	ABI39

### HBF Textiles

<b>FOUR OF A KIND</b>	
Cornflower	FOK55
Mushroom	FOK37
Robust*	FOK44
Sand*	FOK20
Tufo*	FOK39

### Carnegie FUSION NEW!

10	.....SCARFUS10
11	.....SCARFUS11
12	.....SCARFUS12
13	.....SCARFUS13
14	.....SCARFUS14
15	.....SCARFUS15
16	.....SCARFUS16
17	.....SCARFUS17

### GRADE 12

<b>Momentum SILICA DEFLECT</b>	
Adrift*	SMOMDFT02
Gull	SMOMDFT13
Oat	SMOMDFT24
Shore*	SMOMDFT35
Spruce*	SMOMDFT46
Wenge	SMOMDFT57

<b>Momentum SILICA REACH</b>	
Canvas	SMOMRCH25
Cork*	SMOMRCH36
Delta*	SMOMRCH47
Mint	SMOMRCH58
Tahini	SMOMRCH69
Thatch*	SMOMRCH80

<b>Momentum SILICA STRIDE</b>	
Burl*	SMOMSRD62
Ecu	SMOMSRD73
Limestone	SMOMSRD84
Placid	SMOMSRD95
Tidal*	SMOMSRD06
Wheat*	SMOMSRD17

### GRADE 13

<b>HBF Textiles AFGHAN</b>	
Alabaster	AFG10
Melange	AFG37
Mulch	AFG39
Putty	AFG18
Sterling Silver	AFG81
Truffle*	AFG35

### Carnegie MAZE NEW!

30	.....SCARMZE30
31	.....SCARMZE31
32	.....SCARMZE32
33	.....SCARMZE33
34	.....SCARMZE34
35	.....SCARMZE35
36	.....SCARMZE36
37	.....SCARMZE37
38	.....SCARMZE38
39	.....SCARMZE39
40	.....SCARMZE40
41	.....SCARMZE41
42	.....SCARMZE42
43	.....SCARMZE43
44	.....SCARMZE44
45	.....SCARMZE45
46	.....SCARMZE46
47	.....SCARMZE47
48	.....SCARMZE48
49	.....SCARMZE49

### GRADE 14

<b>Carnegie CHROMA NEW!</b>	
20	.....SCARCHR20
21	.....SCARCHR21
22	.....SCARCHR22
23	.....SCARCHR23
24	.....SCARCHR24
25	.....SCARCHR25

### HBF Textiles HIPSTER

Dress MacDonald*	HPT44R
Durkin Classic	HPT11R
Hunting Stark	HPT84R
Johnson Modern*	HPT22R
Willis Watch*	HPT37R

### Leather L2

<b>Edelman ALL GRAIN</b>	
Baked Bean	ALG06
Balsa	ALG18
Black	ALG05
Blue Jeans	ALG09
Burnt Orange	ALG14
Butter	ALG12
Cherry	ALG13
Cloud	ALG03
Daffodil	ALG32
Greige	ALG21
Iris	ALG31
Latte	ALG27
Merlot	ALG10
Mildew	ALG07
Naturale	ALG19
Nutmeg	ALG11
Pitch Brown	ALG01
Raw Silk	ALG17
Rose	ALG29
Shadow	ALG04
Soot	ALG08
Whiskey	ALG15
White	ALG02
Zinnia	ALG30
<b>Edelman DREAM COW</b>	
Black	DCW19
Brownie	DCW20
Chamois	DCW11
Chocolate	DCW17
Pudding	DCW15
Cola	DCW04
Deep Green	DCW02
Fresh Snow	DCW16
Fudge	DCW05
Granite	DCW06
Gray Suit	DCW06
Lemongrass	DCW49
Liberty Blue	DCW01
Pebbles	DCW10
Rouge	DCW07
Russet	DCW18
Soft Green	DCW03
Stone Wall	DCW12
Waffles	DCW13
Wet Sand	DCW14
Winter White	DCW09
<b>Edelman DREAM COW EARTH</b>	
Cement	DCWE03
Concrete	DCWE05
Flagstone	DCWE09
Limestone	DCWE07
Pale Stone	DCWE01
Sandstone	DCWE04
Sediment	DCWE02
Shale	DCWE08

▲ Acuity Jacket Upholstery.

\* Colorway not shown on Textiles card; all Partnership Program memo samples are available from supplier. See contact information on page 345.

Allsteel Seating Upholstery Selections by Model/Series, for Gather see pages 351-353.

		#19	Access	Acuity Jacket	Acuity Seat (for Side-see Relate)	Clarity Jacket	Inspire Back and Seat Pad	Lytic Mesh & Upholstered Seat	Mimeo Seat	Quip	Ped/Credenza Seat Cushion	Relate Upholstered Work	Relate Mesh Back Work	Relate Upholstered Side	Scour	Seek	Sum	Tollson Side Chair	Trooper / Trooper LT
<b>GRADE 1</b>																			
Attire	AI	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Centurion *	CU	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chatterbox	BOX		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Contourett	UR	•	•	•		◆	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Dapper	DAPR	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inertia	NR	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Optic	OP	•	•	•		◆	◆ <sup>s</sup>	•	•	•	◆ <sup>s</sup>	◆ <sup>s</sup>	•	•	•	•	•	•	•
Perennial *	PNL	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 2</b>																			
Appoint Seating	PNS		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Burst	BST	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clyde <b>NEW!</b>	CLYD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dotty	DOT	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hotspot	HTS	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Moguls *	MOG		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆
Narrative	NTV		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seed	SED		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sockhop	HOP		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆
Spin Seating	SPNN	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tempo	TPO		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tria™ 2	AS19R	◆	◆ <sup>s</sup>	◆ <sup>s</sup>	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆
Trisect	TSC		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Whisper Vinyl	WP		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 3</b>																			
In Season	ISN	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Silvertex Vinyl*	SX		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 4</b>																			
Blip ⊕	SCFSBLP	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Decode ⊕	SMOMDEC	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Dolce*	DOL	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Habit ⊕	SMOMHAB	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Hi-Fi ⊕	SCFSHIF	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Hive ⊕	SCFSHVE	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Manner ⊕	MAN	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medium ⊕	MDM		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Messenger ⊕	GRM		◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metric ⊕	MET	◆	◆	◆	◆	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retrograde ⊕	SCFSRET	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Scrabble ⊕	SMOMSCR	•	•	•	•	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Skip ⊕	SMOMSKP	•	•	•	•	•	◆ <sup>s</sup>	•	•	◆ <sup>s</sup>	◆ <sup>s</sup>	◆ <sup>s</sup>	•	•	•	•	•	•	•

<sup>P</sup>Ped Only

<sup>S</sup>Seat Only

\* Access Jacket Upholstery

⊕ Partnership Program — See page 345 for details.

◆ Available upholstery option only on select colorways.

• Available upholstery option

◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series). Creases and gathers may be visible with CTB133 Fire Code seating due to the construction of the fire barrier material used.

• Allsteel fabrics and foam meet requirements for CTB117.

• Blank spaces indicate that a product has not yet been tested or that it failed.

• Contact Allsteel Customer Support for other flammability code approvals.

Allsteel Seating Upholstery Selections by Model/Series, for Gather see pages 351-353.

		#19	Access	Acuity Jacket	Acuity Seat (for Side see Relate)	Clarity Jacket	Inspire Back and Seat Pad	Lytic Mesh & Upholstered Seat	Mimeo Seat	Quip	Ped/Credenza Seat Cushion	Relate Upholstered Work	Relate Mesh Back Work	Relate Upholstered Side	Scour	Seek	Sum	Tollson Side Chair	Trooper / Trooper LT
<b>LEATHER L1</b>																			
Allsteel Leather	WTH	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Florence Leather <b>NEW!</b>	FLOR	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>LEATHER L2</b>																			
All Grain ⊕	ALG	◆	•	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dream Cow ⊕	DCW	◆	•	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dream Cow Earth ⊕	DCWE	◆	•	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 5</b>																			
Against the Grain ⊕	AGG	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Boom II ⊕	SMOMBOO	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cover Cloth ⊕	SMOMCOV	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ledge ⊕	SMOMLDG	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Mode ⊕	SMHMMOD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rib Stitch ⊕	RIB	•	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riddle ⊕	SCFSRID	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rivet ⊕	SMOMRVT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rove ⊕ <b>NEW!</b>	SMHMROV	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Strut ⊕	SMOMSUT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wooly	WOL	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 6</b>																			
Abacus Standard ⊕	ABC	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hedge ⊕ <b>NEW!</b>	SMHMHED	•	◆ <sup>s</sup>	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pocket ⊕ <b>NEW!</b>	SMHMPKT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Runner Standard ⊕	RNR	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sequence ⊕	SCFSSEQ	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Verse ⊕ <b>NEW!</b>	SCARVRS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>GRADE 7</b>																			
Bevel ⊕	BVL	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bumpy ⊕	BPY	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exchange ⊕	MEX	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
High Rise ⊕	HIG	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Plait ⊕	PLT	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Shuttle Standard ⊕	STL	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Waxen ⊕	WXN	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 8</b>																			
Brisa ⊕	RS	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Crossing the Line ⊕	CRL	◆	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Promessa ⊕	PRO	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

<sup>P</sup>Ped Only

<sup>S</sup>Seat Only

⊕ Partnership Program — See page 345 for details.

~ Available upholstery option only on select colorways.

• Available upholstery option

◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series). Creases and gathers may be visible with CTB133 Fire Code seating due to the construction of the fire barrier material used.

Allsteel Seating Upholstery Selections by Model/Series, for Gather see pages 351-353.

		#19	Access	Acuity Jacket	Acuity Seat (for Side see Relate)	Clarity Jacket	Inspire Back and Seat Pad	Lytic Mesh & Upholstered Seat	Mind-Share Bench #	Quip	Ped/Credenza Seat Cushion	Relate Upholstered Work	Relate Mesh Back Work	Relate Upholstered Side	Scour	Seak	Sum	Tollison Side Chair	Trooper / Trooper LT
<b>GRADE 9</b>																			
Chatterbox – GI ⊕	CAT		•		•	•	•	• <sup>s</sup>		•	•	•	•	•	•	•	•	•	•
Equation ⊕	EQU	◆	◆	◆		◆	◆ <sup>s</sup>		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
I-Beam ⊕	IBE		•	◆		◆	◆ <sup>s</sup>		•	◆	◆	•	◆	•	◆	◆	◆	◆	◆
Silica ⊕	SMOMSIL	◆	◆	◆	◆		◆ <sup>s</sup>		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Silica Etch ⊕	SMOMSET	•	•	•			◆ <sup>s</sup>		•		•	•	•	•	•	•	•	•	
Silica Leather ⊕	SMOMSLE	•	•	•			◆ <sup>s</sup>		•		•	•	•	•	•	•	•	•	
Silica Tech ⊕	SMOMSIT	◆	◆	◆	◆		◆ <sup>s</sup>		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ultraleather Pro ⊕ <b>NEW!</b>	SUF554	•	•	•			•		•	•	•	•	•	•	•		•	•	•
<b>GRADE 10</b>																			
Andante Encore ⊕	ADE		◆ <sup>s</sup>		◆	◆	◆	◆ <sup>s</sup>		◆	◆ <sup>p</sup>	◆ <sup>s</sup>	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 11</b>																			
Abito ⊕	ABI		•		•		•			•	•	•	•		•	•	•	•	•
Four of a Kind ⊕	FOK		•		•		•	◆ <sup>s</sup>		•	•		•		•	•	•	•	•
Fusion ⊕ <b>NEW!</b>	SCARFUS	◆	◆	◆	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
<b>GRADE 12</b>																			
Silica Deflect ⊕	SMOMDFT	•	•		•			◆ <sup>s</sup>		•		•	•	•	•	•	•	•	
Silica Reach ⊕	SMOMRCH	•	•		•			◆ <sup>s</sup>		•		•	•	•	•	•	•	•	
Silica Stride ⊕	SMOMSRD	•	•		•			◆ <sup>s</sup>		•		•	•	•	•	•	•	•	
<b>GRADE 13</b>																			
Afghan ⊕	AFG				◆	•	•	◆ <sup>s</sup>		•	•	•	•	•	•	•	•	◆	•
Maze ⊕ <b>NEW!</b>	SCARMZE	•	•		•		•	•	•	•	•	•	•	•	•	•	•	•	•
<b>GRADE 14</b>																			
Chroma ⊕ <b>NEW!</b>	SCARCHR	•	•		•		•	•	•	•	•	•	•	•	•	•	•	•	•
Hipster ⊕	HPT		◆		◆		◆	◆ <sup>s</sup>		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

<sup>p</sup>Ped Only

<sup>s</sup>Seat Only

⊕ Partnership Program — See page 345 for details.

~ Available upholstery option only on select colorways.

• Available upholstery option

◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series). Creases and gathers may be visible with CTB133 Fire Code seating due to the construction of the fire barrier material used.

Gather Standard Upholstery Selections by Model/Series, for all other seating see pages 348-350.

		Clubhouse – Front & Back Bolster	Clubhouse – Seating / Consoles	Hedge	Linger Seat	Linger Side	Mind-Share Bench ≠	Mind-Share Bolster ≠	Mind-Share Screen ≠	Parallel	Reflect Shell ≠	Reflect Seat & Back	Rise Seat	Rise Side	Scotch Seat	Scotch Side	Take-5 Cushion
<b>GRADE 1</b>																	
Attire	AI	◆	◆	•	◆	◆	◆	◆	◆	◆	•	◆	◆	•			◆
Centurion	CU	◆	◆	•	◆	◆	◆	◆	◆	◆	•	◆	◆	◆			◆
Chatterbox	BOX	•	•	•			•	•	•	◆					•		
Contourett	UR	◆	◆	•	•	•	•	•	•		•		•	•			
Dapper	DAPR	◆	◆	◆		◆	◆	◆	◆	◆	•	•		◆	◆		◆
Inertia	NR	◆	◆	◆	◆	◆	◆	◆	◆	•	◆	•	◆	◆	◆		◆
Optic	OP						•	•					◆				
Perennial	PNL	◆	◆	•	◆	◆	◆	◆					◆	◆	◆		◆
<b>GRADE 2</b>																	
Appoint Seating	PNS	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Burst	BST	◆	◆	•	◆	◆	◆	◆	◆	◆		◆	◆	◆			◆
Clyde ⊕ <b>NEW!</b>	CLYD	•	•	•	•	•	•	•	•	≠	•	•	•	•			•
Dotty	DOT	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Hotspot	HTS	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Moguls	MOG	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Narrative	NTV	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Seed	SED	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Sockhop	HOP	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Spin Seating	SPNN	◆	◆	•	◆	◆	◆	◆	◆	◆	•	◆	◆	◆			◆
Tempo	TPO	◆	◆	•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Trisect	TSC	◆	◆	•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Whisper Vinyl	WP	◆	◆	•	◆	◆	•	•	◆	◆	•	◆	◆	◆	◆	◆	◆
<b>GRADE 3</b>																	
In Season	ISN	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Silvertex Vinyl	SX	◆	◆	•	◆	◆	◆	◆	◆	◆	•	◆	◆	◆	◆	◆	◆
<b>GRADE 4</b>																	
Blip ⊕	SCFSBLP	•	•	•	•	•	•	•	•			•	•	•			•
Cover Cloth ⊕	SMOMCOV	•	•	◆	◆	◆	◆	◆	◆	•	•	•	◆	◆			◆
Decode ⊕	SMOMDEC	•	•	•	•	•	•	•	•	•	•	•	•	•			•
Dolce	DOL	◆	◆	•	◆		◆	◆	◆		•	•	◆		◆	◆	◆
Habit ⊕	SMOMHAB	•	•	•		•	•	•	•	•	•		•	•			•
Hi-Fi ⊕	SCFSHIF	•	•	•	•	•	•	•	•			•	•	•			•
Hive ⊕	SCFSHVE	•	•	•	•	•	•	•	•			•	•	•			•
Manner ⊕	MAN	•	•	•	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆		◆
Medium ⊕	MDM	•	•	•	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆		◆
Messenger ⊕	GRM	•	•	•	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆		◆
Metric ⊕	MET	•	•	•	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆		◆
Retrograde ⊕	SCFSRET	•	•	•	•	•	•	•	•			•	•	•			•
Scrabble ⊕	SMOMSCR	•	•	•	•	•	•	•	•			•	•	•			•
Skip ⊕	SMOMSKP	•	•	•	•	•	•	•	•			•	•	•			•

- ⊕ Partnership Program — See pages 345 for details.
- ≠ Upholstery will be Railroad cut.
- Available upholstery option
- ◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series)

Gather Standard Upholstery Selections by Model/Series, for all other seating see pages 348-350.

		Clubhouse - Front & Back Btu/Swinge	Clubhouse - Seating / Consoles	Hedge	Linger Seat	Linger Side	Mind-Share Bench ≠	Mind-Share Bolster ≠	Mind-Share Screen ≠	Parallel	Reflect Shell ≠	Reflect Seat & Back	Rise Seat	Rise Side	Scotch Seat	Scotch Side	Take-5 Cushion
<b>LEATHER L1</b>																	
Allsteel Leather	WTH																◆
Florence Leather	NEW! FLOR							•									•
<b>LEATHER L2</b>																	
All Grain	ALG							◆									◆
Dream Cow	DCW							◆									
<b>GRADE 5</b>																	
Against the Grain	AGG			◆	◆	◆	◆	◆	◆		•	◆	◆	◆			◆
Boom II	SMOMBOO			•	◆	◆	•	•	•			◆	◆	◆			◆
Ledge	SMOMLDG	•	•	•	•	•	•	•	•	•	•	•	•	•			
Mode	SMHMMOD	•	•	•	•	•	•	•	•	•	•	•	•	•			•
Rib Stitch	RIB			◆	◆	◆	◆	◆	◆			◆	◆	◆			◆
Riddle	SCFSRID	•	•	•	•	•	•	•	•			•	•	•			•
Rivet	SMOMRVT	•	•	•	•	•	•	•	•			•	•	•			•
Rove	NEW! SMHMROV	•	•	•		•	•	•	•		•		•	•			•
Sequence	SCFSSEQ	•	•	•	•	•	•	•	•			•	•	•			•
Strut	SMOMSUT	•	•	•	•	•	•	•	•			•	•	•			•
Wooly	WOL	◆	◆	•	◆	◆	◆	◆	◆	◆	•	◆	◆	◆	◆	◆	◆
<b>GRADE 6</b>																	
Abacus Standard	ABC			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Hedge	NEW! SMHMHED	•	•	•		•	•	•	•	•	•		•	•			
Pocket	NEW! SMHMPKT	•	•	•		•	•	•	•	•	•		•	•			•
Runner Standard	RNR			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Verse	NEW! SCARVRS	•	•	•	•	•	•	•	•	•	•	•	•	•			•
<b>GRADE 7</b>																	
Bevel	BVL			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Bumpy	BPY	•	•	◆	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆		◆
Exchange - GI	MEX			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
High Rise	HIG	•	•	◆	•	•	◆	◆	◆	◆		•	◆	◆	◆		◆
Plait	PLT			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Shuttle Standard	STL			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
Waxen	WXN			•	◆	◆	◆	◆	◆			◆	◆	◆			◆
<b>GRADE 8</b>																	
Brisa	RS	◆	◆	•	◆	◆	◆	◆	◆		•	◆	◆	◆	◆	◆	◆
Crossing the Line	CRL	•	•	◆		◆	◆	◆	◆	◆	•	•		◆	◆		◆
Promessa	PRO	•	•	•		•	•	•	•	•		•	•	•			•

- ◆ Partnership Program — See pages 345 for details.
- ≠ Upholstery will be Railroad cut.
- Available upholstery option
- ◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series)



Gather Standard Upholstery Selections by Model/Series, for all other seating see pages 348-350.

		Clubhouse - Front & Back Btu/Springs	Clubhouse - Seating / Consoles	Hedge	Linger Seat	Linger Side	Mind-Share Bench ≠	Mind-Share Bolster ≠	Mind-Share Screen ≠	Parallel	Reflect Shell ≠	Reflect Seat & Back	Rise Seat	Rise Side	Scotch Seat	Scotch Side	Take-5 Cushion
<b>GRADE 9</b>																	
Chatterbox - GI ⊕	CAT			•	•	•	•	•	•			•	•	•			•
Equation ⊕	EQU		•	◆	◆	◆	◆	◆	◆			◆	◆	◆			◆
I-Beam ⊕	IBE			◆		◆	◆	◆	◆			◆	◆	◆			◆
Silica ⊕	SMOMSIL	•	•	•		◆	◆	◆	◆	•	•		◆	◆	•	◆	◆
Silica Etch ⊕	SMOMSET	•	•	•	◆	◆	◆	◆	◆	•	•	◆	◆	◆	•	◆	◆
Silica Leather ⊕	SMOMSLE	•	•	•	◆	◆	◆	◆	◆	•	•	◆	◆	◆	•	◆	◆
Silica Tech ⊕	SMOMSIT	•	•	•		•	•	•	•	•	•		•	•	•	•	•
Ultraleather Pro ⊕ <b>NEW!</b>	SUF554	•	•	•	•	•	•	•	•			•	•	•			
<b>GRADE 10</b>																	
Andante Encore ⊕	ADE			◆	◆	◆	◆	◆	◆			◆	◆	◆			◆
<b>GRADE 11</b>																	
Abito ⊕	ABI	•	•	◆	◆	◆	◆	◆	◆	•	•	◆	◆	◆			◆
Four of a Kind ⊕	FOK	•	•	•	•	•	•	•	◆			•	•	•			•
Fusion ⊕ <b>NEW!</b>	SCARFUS	•	•	•		•	•	•	•			•	•	•			•
<b>GRADE 12</b>																	
Silica Deflect ⊕	SMOMDFT	•	•	•	◆	◆	◆	◆	◆	•	•	◆	◆	◆	•	◆	◆
Silica Reach ⊕	SMOMRCH	•	•	•	◆	◆	◆	◆	◆	•	•	◆	◆	◆	•	◆	◆
Silica Stride ⊕	SMOMSRD	•	•	•	◆	◆	◆	◆	◆	•	•	◆	◆	◆	•	◆	◆
<b>GRADE 13</b>																	
Afghan ⊕	AFG			•		•	•	•	•				•	•			•
Maze ⊕ <b>NEW!</b>	SCARMZE	•	•	•	•	•	•	•	•			•	•	•			•
<b>GRADE 14</b>																	
Chroma ⊕ <b>NEW!</b>	SCARCHR	•	•	•		•	•	•	•			•	•		•		•
Hipster ⊕	HPT		•	•	•	•	•	•	•			•	•	•			•

- ⊕ Partnership Program — See pages 345 for details.
- ≠ Upholstery will be Railroad cut.
- Available upholstery option
- ◆ Available upholstery option with CTB133 approval — requires FC suffix added to model (FC extra, \$ varies by series)



Refer to pages 348-353 for current upholstery availability by model/series.

### GRADE 3

#### IN SEASON

Alabaster.....	ISN040
Cactus.....	ISN060
Ebony.....	ISN021
Harbor.....	ISN022
Lagoon.....	ISN050
Limestone.....	ISN041
Meadow.....	ISN010
Sandstone.....	ISN012
Shale.....	ISN013
Smoke.....	ISN020
Sunset.....	ISN030
Tundra.....	ISN011

#### SILVERTEX VINYL

STX code shortened to SX

Vinyl is Anti-Microbial.

Acid.....	SX34
Bazaar.....	SX37
Blackberry.....	SX17
Carbon.....	SX23
Celery.....	SX19
Champagne.....	SX08
Cream.....	SX07
Crème de Menthe.....	SX33
Ice.....	SX06
Imperial.....	SX38
Jet.....	SX05
Lagoon.....	SX02
Limocello.....	SX42
Luggage.....	SX13
Mandarin.....	SX11
Marine Blue.....	SX01
Meteor.....	SX24
Mocha.....	SX25
Neutra.....	SX30
Peat.....	SX35
Plata.....	SX39
Raspberry.....	SX16
Sage.....	SX18
Sapphire.....	SX04
Sterling.....	SX40
Storm.....	SX22
Sunkist.....	SX12
Taupe.....	SX09
Turquoise.....	SX03

### GRADE 4

#### DOLCE

Artesian.....	DOL726
Black.....	DOL728
Camel.....	DOL709
Chocolate.....	DOL713
Ecru.....	DOL703
Fuchsia.....	DOL720
Grass.....	DOL722
Jet.....	DOL724
Latte.....	DOL706
Meteor.....	DOL727
Mocha.....	DOL712
Mushroom.....	DOL708
Peacock.....	DOL723
Poppy.....	DOL719
Tangelo.....	DOL718
White.....	DOL701

### GRADE 5

#### WOOLY F

Bamboo.....	WOL008
Black.....	WOL005
Chaps.....	WOL014
Charcoal Flannel.....	WOL004
Framboise.....	WOL012
Geranium.....	WOL011
Grey Flannel.....	WOL003
Lawn.....	WOL009
Light Grey Mix.....	WOL002
Marine.....	WOL007
Natural Heather.....	WOL001
Squash.....	WOL010
Turquoise.....	WOL006
Violet.....	WOL013
Walnut.....	WOL015

### LEATHER L1

#### ALLSTEEL LEATHER

Atlantis.....	WTH02
Bittersweet.....	WTH03
Black.....	WTH01
Earthy.....	WTH04
Fog <b>NEW!</b> .....	WTH05
Saddle <b>NEW!</b> .....	WTH07
Smoke <b>NEW!</b> .....	WTH06

#### FLORENCE

#### LEATHER **NEW!**

Almond Biscotti.....	FLOR01
Basilica.....	FLOR12
Duomo.....	FLOR10
Espresso.....	FLOR03
Loggia.....	FLOR11
Lorenzo.....	FLOR13
Mezza Luna.....	FLOR08
Struzzo.....	FLOR09
Terra.....	FLOR02

### MESH

#### ACUITY MESH

Clay.....	C
Mist.....	M
Dusk.....	D
Navy.....	N
Lustre.....	L

#### CLARITY & RELATE MESH

Carbon**.....	LKM01
Navy.....	CM28
Clay.....	CM21
Platinum.....	CM23
Flint*.....	CM20
Poppy*.....	CM25
Graphite*.....	CM22
Sky*.....	CM26
Lime.....	CM30
Taupe.....	CM29

\*Not available on Relate

\*\*Not available on Clarity

#### QUIP MESH

Carbon.....	SBM01
Graphite.....	SBM22
Lime.....	SBM30
Loft.....	SBM03
Navy.....	SBM28
Poppy.....	SBM25

SCOUT MESH.....Black Only

SEEK MESH.....Dusk Only

### INSPIRE, SEEK

### and NIMBLE

#### POLYMER COLORS

Black (formerly Onyx).....	BLK
Brownstone.....	BW
Cayenne.....	RD
Sprout.....	GN
Summit.....	GY
Surf.....	BU
Tangelo.....	RG
White (formerly Frost).....	WT

#### VICINITY

#### POLYMER COLORS

Brownstone.....	BW
Calypso.....	CP
Cherry.....	CR
Lava.....	LA
Regatta.....	RE
Titanium.....	TI
White.....	WT
Zest.....	ZE

### SEATING

#### FRAME FINISHES

Aluma.....	P19
Black <sup>†</sup> .....	P71
Carbon.....	P4Q
Charblack.....	CBK
Charblack Metallic.....	P80
Chrome <i>Specified by Base Model</i>	
Graphite <sup>†</sup> .....	P85
Gunmetal Metallic.....	PR3
Mineral Gray.....	MGR
Platinum Metallic.....	PR2
Polished Aluminum <sup>†</sup> .....	PAL
Polished Chrome.....	POL
Silver <sup>†</sup> .....	PR6
Tungsten Metallic.....	PR1
White.....	PQ8

† Sum and Access seating use BLK for Black frame finish. Acuity Seating uses G for Graphite, P for Polished Aluminum, and S for Silver chassis colors. Seek Seating uses B for Black and S for Silver frame finishes.

▲ Acuity Jacket Upholstery

Multi-use fabrics are noted with the following designators:

**B** – Tackboards      **S** – Stride®  
**C** – Concensys®      **T** – Terrace®  
**O** – Optimize™      **F** – Further™

**Note:** See pages 345 for listing and explanation of Partnership Program upholsteries.

## **PRICE LIST 2017**

prices effective January 29

### **SHOWROOMS**

Atlanta

Boston

Chicago

Dallas

Los Angeles

New York

San Francisco

Washington, DC

Allsteel®

Allsteel Inc.  
Muscatine, Iowa 52761-5257  
[allsteeloffice.com](http://allsteeloffice.com)

©2017 Allsteel Inc.  
All registered trademarks and trademarks are the property of Allsteel Inc.