

FRAMERS MODERN™ COLLECTION



*FB-324. Optional intermediate armrest. Patented. Philadelphia, Pennsylvania, USA.**

TIMELESS SEATING

Contoured armrests, graceful castings, and matching tubular steel frames tie together the structure and the timeless aesthetics of our comfortable Framers Modern™ Collection benches. These benches offer graceful and timeless seating with simpler lines than castings found in our Classic Collection. World-renowned Victor Stanley durability and comfort with our 10-year warranty against breakage on genuine ductile-iron castings.



*FB-314. Patented.**



FM-314. Patented.*



FM-214. Patented.*



FM-324. Patented.*

FM-324 BENCH**

4, 6, 8, 12 or 16 ft (1.2, 1.8, 2.4, 3.6 or 4.8 m) length. Center cast leg with armrest standard for 12 and 16 ft (3.6 and 4.8 m). Wood slats. Surface mount.

OPTIONS: Recycled plastic slats (see CM-324 page 81). Intermediate armrests (bolt-on). Skateboard guards, US Patent D647,729 S.

FM-214 BACKLESS BENCH**

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg with armrest standard for 12 ft (3.6 m). Wood slats. Surface mount.

OPTIONS: Recycled plastic slats (see CM-214 page 81). Skateboard guards, US Patent D647,729 S.

FM-314 ARMLESS BACKLESS BENCH**

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg standard for 12 ft (3.6 m). Wood slats. Surface mount.

OPTIONS: Recycled plastic slats (see CM-314 page 81). Skateboard guards, US Patent D647,729 S.

FB-324 FULLBACK BENCH**

2, 4, 6, 8, 12 or 16 ft (0.6, 1.2, 1.8, 2.4, 3.6 or 4.8 m) length. Center cast leg with armrest standard for 12 and 16 ft (3.6 and 4.8 m). Alternating 2 x 3 in (38 x 63 mm) and 2 x 4 in (38 x 89 mm) wood slats instead of a tubular assembly. Surface mount.

OPTIONS: Intermediate armrests (bolt-on).

FB-214 BACKLESS BENCH**

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg with armrest standard for 12 ft (3.6 m). Wood slats. Surface mount.

FB-314 ARMLESS BACKLESS BENCH**

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg standard for 12 ft (3.6 m). Wood slats. Surface mount.

*Natural wood colors will vary. Weathering may occur on site which will alter the color of the wood over time.

**One or more of the following apply: US Patent(s) D523,263 S; D526,805 S; D563,689 S; D579,685 S; D579,227 S; D585,220 S; D599,570 S; Canada © 110954; 110953; 130717; 130714; 126323; EC Reg. Des. 000503297-0001.



FMBF-324. Patented.



FMBF-214. Patented.



FMBF-314. Patented.



*FMBF-324. Patented.
Annapolis, Maryland, USA.*



FMS-324. Length: 4 ft. National Harbor, Maryland, USA. Patented.

FMBF-324 BENCH*

4, 6, 8, 12 or 16 ft (1.2, 1.8, 2.4, 3.6 or 4.8 m) length. Center cast leg with armrest standard for 12 and 16 ft (3.6 and 4.8 m). Horizontal steel slats. Surface mount.

OPTIONS: Intermediate armrests (bolt-on). Skateboard guards, US Patent D647,729 S.

FMBF-214 BACKLESS BENCH*

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg with armrest standard for 12 ft (3.6 m). Horizontal steel slats. Surface mount.

OPTION: Skateboard guards, US Patent D647,729 S.

FMBF-314 ARMLESS BACKLESS BENCH*

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg standard for 12 ft (3.6 m). Horizontal steel slats. Surface mount.

OPTION: Skateboard guards, US Patent D647,729 S.

FMS-324 BENCH*

4, 6, 8, 12 or 16 ft (1.2, 1.8, 2.4, 3.6 or 4.8 m) length. Center cast leg with armrest standard for 12 and 16 ft (3.6 and 4.8 m). Horizontal steel rods. Surface mount.

OPTIONS: Intermediate armrests (bolt-on). Skateboard guards, US Patent D647,729 S.

FMS-214 BACKLESS BENCH*

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg with armrest standard for 12 ft (3.6 m). Horizontal steel rods. Surface mount.

OPTION: Skateboard guards, US Patent D647,729 S.

FMS-314 ARMLESS BACKLESS BENCH*

4, 6 or 12 ft (1.2, 1.8 or 3.6 m) length. Center cast leg standard for 12 ft (3.6 m). Horizontal steel rods. Surface mount.

OPTION: Skateboard guards, US Patent D647,729 S.



FMS-314. Patented.



FMS-214. Patented.

*One or more of the following apply: US Patent(s) D523,263 S; D532,620 S; D563,689 S; D579,685 S; D579,227 S; D585,220 S; D599,570 S; Canada © 110954; 117181; 130717; 126322; 126323; 130714; EC Reg. Des. 000503297-0001.