

IRONSITES® COLLECTION



SD-42 and S-20. National Harbor, Maryland, USA.

THE ORIGINAL IRONSITES® FLARED RECEPTACLES

From Classic to Post-Modern, this collection provides design that transcends period styling. A family of products designed to fit into almost every landscape theme from the very simple to the most ornate. The quality and aesthetic appeal of Ironsites® products contribute to the ongoing beautification of the public areas they occupy.

The Ironsites® premier line of site furnishings includes litter receptacles, recycling stations, benches, ash urns, planters, and tree guards.

- S-35 LITTER RECEPTACLE** 24 gal (90 L).
- S-42 LITTER RECEPTACLE** 36 gal (136 L).
- S-424 LITTER RECEPTACLE** 36 gal (136 L).

Standard tapered formed lid. Black plastic liner. Four leveling feet. Bottom recessed pedestal.

OPTIONS: Dome lid (ashtrays available). Convex lid (self-close door available). Rain bonnet lid (ashtrays available). Recycle lids (pages 105, 108). Half-Moon liners for S-42, S-424. Galvanized steel liner (powder coat available). Custom decals and plaques.

- S-45 LITTER RECEPTACLE** 45 gal (170 L).
 - S-535 CENTER-POST LITTER RECEPTACLE** 24 gal (90 L).
- Standard tapered formed lid. Black plastic liner. Four leveling feet on S-45. Bottom recessed pedestal.

OPTIONS: Surface mount for S-535. In-ground mount for S-535. Dome lid (ashtrays available). Convex lid (self-close door available). Rain bonnet lid (ashtrays available). Recycle lids (pages 105, 108). Half-Moon liners for S-45. Custom decals and plaques.

- SD-35 SIDE-DOOR LITTER RECEPTACLE** 24 gal (90 L).
 - SD-42 SIDE-DOOR LITTER RECEPTACLE** 36 gal (136 L).
- Standard tapered formed lid. Black plastic liner. Latch. Five leveling feet. Bottom recessed pedestal.
- OPTIONS: Keyed lock, US Patent 6,339,944 B1. Dome lid (ashtrays available). Convex lid (self-close door available). Rain bonnet lid (ashtrays available). Recycle lids (pages 105, 108). Half-Moon liners for SD-42. Galvanized steel liner (powder coat available). Custom decals and plaques.



S-45. Optional dome lid. Dubai Mall, Dubai, UAE.



S-535. Helsinki, Finland.

S-535	S-35	SD-35	S-42	SD-42	SD-242	S-424	S-45
25 in w	25 in w	25 in w	28 in w	28 in w	28 x 53 in w	28 in w	28 in w
31 in (787 mm) h	(635 mm) w	(635 mm) w	(711 mm) w	(711 mm) w	(711 x 1346 mm) w	(711 mm) w	(711 mm) w
	32.25 in h	36.75 in h	38.75 in h	41.75 in h	42 in h	34.5 in h	40.75 in h
	(819 mm) h	(933 mm) h	(984 mm) h	(1060 mm) h	(1067 mm) h	(876 mm) h	(1035 mm) h

Overall dimensions w=width h=height



SD-42

**THE INDUSTRY STANDARD
WORLDWIDE**

A Victor Stanley design against which every imitation should be measured. The iconic Ironsites® receptacles are a marvel of detail and structural integrity.

EXCLUSIVE SIDE-DOOR FEATURES:

Door Hinges

Composed of embedded precision stainless-steel pivot pins and oil-impregnated bronze bushings for reliable all-weather durability year after year (diagram page 105).

Side Door

Provides easy access and utility (no lifting of heavy full liners).

Latch or Keyed Lock

Standard latch closure or optional patented keyed lock, US Patent 6,339,944 B1. Our keyed lock is a unique design with a custom key to prevent tampering and residential trash.



SD-42.

Adjustable leveling feet and anchor bolt hole.



Latch open.



Latch closed.



Keyed lock open.



SD-242.
Recycle lid and standard tapered formed lid.

**AN ALL-IN-ONE SOLUTION
FOR PROMOTING RECYCLING
AND LITTER CONTAINMENT.**



SD-242.
Slotted lid and recycle lid.

SD-242 SIDE-DOOR RECYCLING STATION

CAPACITY: two 36 gal (136 L) liners. Includes two lids in any combination: standard tapered formed lid, recycle lid, and/or slotted lid. Black plastic liners. Latch. Leveling feet. Standard decals. Bottom recessed pedestal.

OPTIONS: Keyed lock, US Patent 6,339,944 B1. Dual-flow lid. Dome lid (ashtrays available). Convex lid (self-close door available). Rain bonnet lid (ashtrays available). Enclosed dome lid (ashtrays available). Half-Moon liners. Galvanized steel liner (powder coat available). Custom decals and plaques.

IRONSITES® RECEPTACLE FEATURES

Materials

Solid steel 5/8 in (16 mm) top ring with 3/8 x 1 in (10 x 25 mm) vertical solid steel bars. At least 98% of our steel bar's composition is obtained from recycled metal.

Plaques and Decals

Optional steel plaques with vinyl outdoor decals. Custom printed with your logo or lettering for messages, advertising, or memorials. See pages 106-111 for more information.

Elevated Base

Recessed pedestal-style base prevents dirt from reaching body of receptacle.

Adjustable Leveling Feet

Keeps receptacles level and off the surface. Prevents the bottom of the powder-coated steel frame from scuffing and allows for easier cleaning underneath the receptacle.

Anchor Bolt Hole

Only one anchor bolt is required enabling quick and cost-effective installation.

Lids

Standard tapered formed lid (acts as a funnel to direct trash into the liner). Optional raised dome lid (ashtrays available). Optional convex lid (self-close door available). Optional rain bonnet lid (ashtrays available). Recycle lids (pages 105, 108).

Standard Capacities

24, 36 and 45 gal (90, 136 and 170 L). Ironsites side-door receptacles are available in 24 and 36 gal (90 and 136 L) capacities.

Black Plastic Liners

High-density plastic liners are formed on custom molds designed for us. Reinforced, ribbed, and molded for durability, ease of use, and greater capacity. Half-Moon liners make it easier and more cost effective than ever to separate different waste streams without sacrificing capacity or durability.

Powder Coat Finish

Offered in 12 standard and metallic colors, plus a full range of RAL colors with available color matching. Additional cost may apply.



S-42. Optional dome lid. Optional ashtray.



S-42




S-7. Mississauga, Canada.*



S-6, S-24. Washington, D.C., USA.

From palaces to parks, a favorite throughout the world.



S-6. Specify hole or slot in ground supports.



S-13. Hong Kong.*

S-6 TREE GUARD

Please specify height and diameter for customized applications.

OPTIONS: Hole in ground supports. Slot in ground supports.

S-13 BENCH

S-7 BACKLESS BENCH

6 ft (1.8 m) length.

OPTIONS: Wood slats. 2nd Site Systems® recycled plastic slats.

S-20 STAND-ALONE ASH URN

16-gauge solid stainless-steel ashtray with 2 in (51 mm) depth and 10 in (254 mm) diameter. Black plastic liner. Leveling feet. Bottom recessed pedestal.

Bottom recessed pedestal.

OPTIONS: Covered ashtray. Custom decals.


S-24 PLANTER 18 gal (68 L).

Lid not included. Black plastic liner. Four leveling feet.

Bottom recessed pedestal.

OPTION: Wide-mouth formed lid.

*Natural wood colors will vary. Weathering may occur on site which will



S-13	S-7	S-24	S-6	S-20
25.25 in w	20.25 in w	28 in w	custom	16.5 in w
(641 mm) w	(514 mm) w	(711 mm) w	custom	(419 mm) w
32 in h	23.75 in h	24.5 in h	custom	27.125 in h
(813 mm) h	(603 mm) h	(622 mm) h	custom	(689 mm) h

Overall dimensions w=width h=height



Standard heavy-duty ashtray: large 2 in (51 mm) depth, 10 in (254 mm) diameter. Black plastic liner.

S-20

Optional covered ashtray.

Ironsites® Receptacles Around the World



1. *S-42 litter receptacles, FRST-6 tables with FRB-6 benches.*
University of East London, England.
2. *SD-42 litter receptacle with optional dome lid.*
University of British Columbia, Canada.
3. *S-42 litter receptacles.*
Alamo Plaza, San Antonio, Texas, USA.
4. *SD-42 side-door litter receptacle.*
Washington Nationals Stadium, Washington, D.C., USA.
5. *SD-35 side-door litter receptacle.*
Tivoli Gardens, Copenhagen, Denmark.
6. *SD-42 side-door litter receptacles.*
Miami Beach, Florida, USA.



We export to over twenty-five countries worldwide.




3



4



5



6