

Erectomatic® Price List

Effective November 1, 2016





General Instructions

All prices are based on Penco Standard Construction.
All orders are subject to final acceptance at the main office.

SPECIFICATIONS (Subject to change without notice)
Refer to current Penco Catalogs for description and specifications of Penco products.

SPECIAL ENGINEERING or engineering drawings for approval require additional time. Such drawings can be supplied only on an order of \$10,000 total price book value or more. Shipment for this type of order normally requires 6 to 8 weeks after receipt of approved drawings.

FREIGHT CHARGES
All shipments will be made pre-pay and add unless otherwise specified.
When freight is prepaid, charges will be added to the invoice. Parcel post charges will be added to invoice. Each order must be for one destination to one consignee.

WEIGHT
Weights shown in pounds are approximate for average packing per average order.

HOW TO ORDER
Order by indicating quantity, catalog number and color. Do NOT use standard catalog numbers for special or modified parts.

COLORS
Select from Penco's 24 colors. Request Color Chart or view it at www.pencoproducts.com.

RETURN SHIPMENTS
No return shipments will be accepted without previous written factory authorization. A re-stocking charge of 35% or more with a minimum of \$50.00 net will be levied on all authorized material subject to inspection for damage at the factory. No credit will be issued for damaged material. Material returned without authorization will be refused. All return freight charges must be prepaid.

CANCELLATION
Orders changed after scheduling but before manufacturing are subject to a minimum \$100.00 net charge, if approved by the main office. Orders are not subject to changes or cancellations after commencement of manufacturing. Orders requiring engineering drawings are subject to an engineering fee if cancelled.

CLAIMS AND FREIGHT DAMAGE
If freight arrangements are 3rd party or collect, claims for damage or short must be filed by the Penco distributor/customer with the delivering carrier. For pre-pay and add shipments, all claims for shortages and damages must be made in writing to the main office within 72 hours from receipt of shipment.

Caution: When the delivering carrier is given a clear receipt for a shipment in which there is damaged merchandise or a shortage, the carrier is relieved of further responsibility. Penco will not accept return of merchandise damaged in transit. The claim is with the delivering carrier.

CHOICE OF CARRIER
For pre-pay and add shipments, Penco retains the right to select the most appropriate carrier for delivery to your order's destination.





GUARANTEE
We guarantee our products for a one year limited warranty to be free from mechanical and manufacturing defects. Penco is not responsible for products damaged by misuse, abuse or any acts of vandalism. The guarantee is also voided if the finish is exposed to items such as high humidity, chlorine salts, abrasive cleaners, germicidal cleaners or acids.

PACKAGING AND MARKING
For special crating, marking, palletizing, or export packing, contact your Penco Representative.

PENCO ASSUMES NO RESPONSIBILITY FOR PRODUCT FAILURE OR PERSONAL INJURY IF PRODUCTS ARE MODIFIED OR USED FOR OTHER THAN THEIR DESIGNED PURPOSE.

Penco Products pursues a continuing program of design and product improvement. When such improvements occur, or when conditions exist beyond its control, Penco Products reserves the right to furnish equipment considered standard at time of shipment.

Prices are F.O.B. plant in Hamilton, NC 27840, Knocked Down. Prices are subject to change without notice.

Hi-Performance Shelf Capacities				
	22 Ga.  100 MINIMUM	20 Ga. 	18 Ga. 	18 Ga. 
Shelf Size W x D	Class 0 Medium Duty High Strength Steel	Class 1 Heavy Duty High Strength Steel	Class 2 Extra Heavy Duty High Strength Steel	Class 3 Extra Heavy Duty With Reinforcing - See Note (1)
36" x 12"	500	800	1100	-
36" x 15"	500	800	1100	-
36" x 18"	500	850	1200	2000
36" x 24"	500	800	1250	2000
36" x 30"	-	500	900	2000
36" x 36"	-	500	900	2000
42" x 12"	-	600	1100	-
42" x 15"	-	600	1100	-
42" x 18"	-	600	1050	1600
42" x 24"	-	600	900	1600
42" x 30"	-	625	1000	1600
42" x 32"	-	525	950	1600
42" x 36"	-	475	900	1600
48" x 12"	350	500	750	-
48" x 15"	-	500	850	-
48" x 18"	375	500	900	1200
48" x 24"	400	500	900	1200
48" x 30"	-	500	750	1200
48" x 36"	-	500	750	1200

All figures shown are shelf load capacities in pounds for evenly distributed loads and include a safety factor of 1.65. Note: (1): Class 3 capacities are based upon the use of Extra Heavy Duty Shelves with (A) Side Shelf Supports and (B) Center Support for additional capacity. To reinforce the bottom shelf when its surface is 3" from the floor, use Class 3 Center Support and Support Brace for bottom shelf.

© Copyright 2016, Penco Products, Inc. Penco®, Erectomatic® and Hi-Performance® are trademarks of Penco Products, Inc.


Post Load Capacity Information

Post calculations should always be based on applied loads, shelf spacing and the allowable load for any post. To determine the actual load for any post, use the following procedure.

Calculate:

- Add the shelves in each unit multiplied by the load for each shelf. Do not include the bottom shelf which is 3" above the floor in your count.
- Divide the result by 2 to achieve loading to intermediate posts, and by 4 to achieve loading totals for posts located at aisle ends.
- The resulting numbers will be the load superimposed on each post.
- Check the superimposed load with the allowable load shown in the chart.

If your shelving installation is in an area where seismic activity may occur, please contact Penco Products for design assistance.



All post capacities shown are based on the latest AISI Design Manual for cold-formed members.

Floor Plan Information

Beaded Post Shelving

For "D" — Single Face add 3/16" to nominal shelf depth.



For "D" — Double Face add 3/8" to nominal shelf depth.

H-Post Shelving

For "D1" — Single Face add 5/16" to nominal shelf depth.

For "D1" — Double Face add 13/16" to nominal shelf depth for closed models, and 29/32" for open models.

Erectomatic Shelving Growth




NOTE: Widths of Erectomatic posts should be added to the nominal shelf width in any floor plan to determine the overall shelving width. Check "D" and "D1" dimensions depth.

NOTE REGARDING SWAY BRACES

Open shelving units, 87' high or less, must have at least one set of side sway braces per side and one set of back braces.

Both side and back braces may be common with adjacent units. For multiple level, deck-over or high-rise shelving structures, the lowest set of braces should be within 6" of the floor. For posts over 87" high up to 123", order two sets of side and rear braces for each unit. Posts taller than 123" may require additional bracing.

For brace location requirements in regions where there is seismic activity, contact Penco Products for assistance.





Starting and Adjoining Units

All starting units are complete and free standing. Open starting units utilize beaded front posts with offset angle posts at the rear; closed starting units use welded end panels. Adjoining open shelving units consist of shelves, 1 beaded post, 1 T-post, 1 set of side sway braces and 1 set of back sway braces. Closed adjoining units consist of shelves, 1 T-Panel, 1 base strip and a back panel.

When installing a row of shelving with starting and adjoining units, a rear angle post or end panel from the starting unit is replaced with the T-Post or T-Panel supplied with the adjoining unit, and is used in common between the units. The angle post or end panel from the starting unit is used at the end of the row.

Back-to-back shelving utilizes common back braces or back panels.





Erectomatic® Heavy Duty OPEN Units

W	D	H	Cat. No.	Price	Per	Wt. Pkg.	W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------	---	---	---	----------	-------	-----	----------

Open Units



5 Shelves

Starting

36	12	87	H51012	261.55	Ea.	72.7 LPP
36	18	87	H51018	296.05	Ea.	84.5 LPP
36	24	87	H51024	329.85	Ea.	95.8 LPP
36	30	87	H51030	371.75	Ea.	107.8 LPP
36	36	87	H51036	405.15	Ea.	119.2 LPP

Adjoining

36	12	87	H51012A	220.40	Ea.	62.2 LPP
36	18	87	H51018A	253.90	Ea.	73.6 LPP
36	24	87	H51024A	286.05	Ea.	84.5 LPP
36	30	87	H51030A	325.75	Ea.	96.0 LPP
36	36	87	H51036A	357.95	Ea.	107.2 LPP

Starting

42	12	87	H57512	281.10	Ea.	78.3 LPP
42	18	87	H57518	315.85	Ea.	91.6 LPP
42	24	87	H57524	356.65	Ea.	104.9 LPP
42	30	87	H57530	411.55	Ea.	118.4 LPP
42	36	87	H57536	435.20	Ea.	131.3 LPP

Adjoining

42	12	87	H57512A	239.95	Ea.	67.8 LPP
42	18	87	H57518A	273.70	Ea.	80.7 LPP
42	24	87	H57524A	312.85	Ea.	93.6 LPP
42	30	87	H57530A	365.55	Ea.	106.6 LPP
42	36	87	H57536A	388.00	Ea.	119.3 LPP

Starting

48	12	87	H56912	304.60	Ea.	83.8 LPP
48	18	87	H56918	372.85	Ea.	98.6 LPP
48	24	87	H56924	426.40	Ea.	113.4 LPP
48	30	87	H56930	452.55	Ea.	128.9 LPP
48	36	87	H56936	474.20	Ea.	148.3 LPP

Adjoining

48	12	87	H56912A	263.45	Ea.	73.3 LPP
48	18	87	H56918A	330.70	Ea.	87.7 LPP
48	24	87	H56924A	382.60	Ea.	102.1 LPP
48	30	87	H56930A	406.55	Ea.	117.1 LPP
48	36	87	H56936A	427.00	Ea.	136.3 LPP



6 Shelves

Starting

36	12	87	H51112	287.95	Ea.	80.0 LPP
36	18	87	H51118	328.95	Ea.	94.0 LPP
36	24	87	H51124	368.85	Ea.	107.4 LPP
36	30	87	H51130	418.25	Ea.	121.6 LPP
36	36	87	H51136	457.85	Ea.	135.2 LPP

Adjoining

36	12	87	H51112A	246.80	Ea.	69.5 LPP
36	18	87	H51118A	286.80	Ea.	83.1 LPP
36	24	87	H51124A	325.05	Ea.	96.1 LPP
36	30	87	H51130A	372.25	Ea.	109.8 LPP
36	36	87	H51136A	410.65	Ea.	123.2 LPP

Starting

42	12	87	H57712	311.00	Ea.	86.6 LPP
42	18	87	H57718	352.30	Ea.	102.4 LPP
42	24	87	H57724	400.60	Ea.	118.2 LPP
42	30	87	H57730	465.60	Ea.	134.2 LPP
42	36	87	H57736	493.50	Ea.	149.6 LPP

Adjoining

42	12	87	H57712A	269.85	Ea.	76.1 LPP
42	18	87	H57718A	310.15	Ea.	91.5 LPP
42	24	87	H57724A	356.80	Ea.	106.9 LPP
42	30	87	H57730A	419.60	Ea.	122.4 LPP
42	36	87	H57736A	446.30	Ea.	137.6 LPP

Starting

48	12	87	H57112	339.20	Ea.	93.2 LPP
48	18	87	H57118	420.70	Ea.	110.8 LPP
48	24	87	H57124	484.30	Ea.	128.4 LPP
48	30	87	H57130	514.80	Ea.	146.8 LPP
48	36	87	H57136	540.30	Ea.	170.0 LPP

Adjoining

48	12	87	H57112A	298.05	Ea.	82.7 LPP
48	18	87	H57118A	378.55	Ea.	99.9 LPP
48	24	87	H57124A	440.50	Ea.	117.1 LPP
48	30	87	H57130A	468.80	Ea.	135.0 LPP
48	36	87	H57136A	493.10	Ea.	158.0 LPP



7 Shelves

Starting

36	12	87	H51212	314.35	Ea.	87.3 LPP
36	18	87	H51218	361.85	Ea.	103.5 LPP
36	24	87	H51224	407.85	Ea.	119.0 LPP
36	30	87	H51230	464.75	Ea.	135.4 LPP
36	36	87	H51236	510.55	Ea.	151.2 LPP

Adjoining

36	12	87	H51212A	273.20	Ea.	76.8 LPP
36	18	87	H51218A	319.70	Ea.	92.6 LPP
36	24	87	H51224A	364.05	Ea.	107.7 LPP
36	30	87	H51230A	418.75	Ea.	123.6 LPP
36	36	87	H51236A	463.35	Ea.	139.2 LPP

Starting

42	12	87	H57912	340.90	Ea.	94.9 LPP
42	18	87	H57918	388.75	Ea.	113.2 LPP
42	24	87	H57924	444.55	Ea.	131.5 LPP
42	30	87	H57930	519.65	Ea.	150.0 LPP
42	36	87	H57936	551.80	Ea.	167.9 LPP

Adjoining

42	12	87	H57912A	299.75	Ea.	84.4 LPP
42	18	87	H57918A	346.60	Ea.	102.3 LPP
42	24	87	H57924A	400.75	Ea.	120.2 LPP
42	30	87	H57930A	473.65	Ea.	138.2 LPP
42	36	87	H57936A	504.60	Ea.	155.9 LPP

Starting

48	12	87	H57312	373.80	Ea.	102.6 LPP
48	18	87	H57318	468.55	Ea.	123.0 LPP
48	24	87	H57324	542.20	Ea.	143.4 LPP
48	30	87	H57330	577.05	Ea.	164.7 LPP
48	36	87	H57336	606.40	Ea.	191.7 LPP

Adjoining

48	12	87	H57312A	332.65	Ea.	92.1 LPP
48	18	87	H57318A	426.40	Ea.	112.1 LPP
48	24	87	H57324A	498.40	Ea.	132.1 LPP
48	30	87	H57330A	531.05	Ea.	152.9 LPP
48	36	87	H57336A	559.20	Ea.	179.7 LPP



8 Shelves

Starting

36	12	87	H51312	340.75	Ea.	94.6 LPP
36	18	87	H51318	394.75	Ea.	113.0 LPP
36	24	87	H51324	446.85	Ea.	130.6 LPP
36	30	87	H51330	511.25	Ea.	149.2 LPP
36	36	87	H51336	563.25	Ea.	167.2 LPP

Adjoining

36	12	87	H51312A	299.60	Ea.	84.1 LPP
36	18	87	H51318A	352.60	Ea.	102.1 LPP
36	24	87	H51324A	403.05	Ea.	119.3 LPP
36	30	87	H51330A	465.25	Ea.	137.4 LPP
36	36	87	H51336A	516.05	Ea.	155.2 LPP




Erectomatic® Heavy Duty BIN Units

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

Bin Units




14 Openings

Starting

36	12	87	H52512	582.70	Ea.	127.9 LPP
36	18	87	H52518	660.30	Ea.	160.4 LPP
36	24	87	H52524	756.80	Ea.	189.7 LPP

Adjoining

36	12	87	H52512A	512.95	Ea.	115.4 LPP
36	18	87	H52518A	579.45	Ea.	142.4 LPP
36	24	87	H52524A	662.40	Ea.	164.7 LPP



21 Openings

Starting

36	12	87	H52612	681.75	Ea.	134.9 LPP
36	18	87	H52618	763.55	Ea.	172.3 LPP
36	24	87	H52624	878.25	Ea.	205.1 LPP

Adjoining

36	12	87	H52612A	612.00	Ea.	122.4 LPP
36	18	87	H52618A	682.70	Ea.	154.3 LPP
36	24	87	H52624A	783.85	Ea.	180.1 LPP



36 Openings

Starting

36	12	87	H52712	878.90	Ea.	157.7 LPP
36	18	87	H52718	987.50	Ea.	203.8 LPP
36	24	87	H52724	1165.00	Ea.	244.9 LPP

Adjoining

36	12	87	H52712A	809.15	Ea.	145.2 LPP
36	18	87	H52718A	906.65	Ea.	185.8 LPP
36	24	87	H52724A	1070.60	Ea.	219.9 LPP



54 Openings

Starting

36	12	87	H52812	1170.20	Ea.	172.5 LPP
36	18	87	H52818	1263.60	Ea.	228.0 LPP
36	24	87	H52824	1529.10	Ea.	276.5 LPP

Adjoining

36	12	87	H52812A	1044.45	Ea.	160.0 LPP
36	18	87	H52818A	1156.75	Ea.	210.0 LPP
36	24	87	H52824A	1378.70	Ea.	251.5 LPP




78 Openings

Starting

36	12	87	H52912	1479.30	Ea.	205.7 LPP
36	18	87	H52918	1646.95	Ea.	268.0 LPP
36	24	87	H52924	1847.10	Ea.	326.9 LPP

Adjoining

36	12	87	H52912A	1409.55	Ea.	193.2 LPP
36	18	87	H52918A	1566.10	Ea.	250.0 LPP
36	24	87	H52924A	1752.70	Ea.	301.9 LPP



54 Openings with Bin Fronts

Starting

36	12	87	H53012	1239.50	Ea.	194.1 LPP
36	18	87	H53018	1362.90	Ea.	249.6 LPP
36	24	87	H53024	1598.40	Ea.	298.1 LPP

Adjoining

36	12	87	H53012A	1159.00	Ea.	179.6 LPP
36	18	87	H53018A	1274.05	Ea.	227.6 LPP
36	24	87	H53024A	1492.50	Ea.	268.1 LPP




29 Openings

Starting

36	12	87	H53112	787.40	Ea.	146.8 LPP
36	18	87	H53118	882.90	Ea.	188.9 LPP
36	24	87	H53124	1030.30	Ea.	226.1 LPP

Adjoining

36	12	87	H53112A	717.65	Ea.	134.3 LPP
36	18	87	H53118A	802.05	Ea.	170.9 LPP
36	24	87	H53124A	935.90	Ea.	201.1 LPP



21 Openings

Starting

36	12	87	H53212	680.80	Ea.	139.6 LPP
36	18	87	H53218	770.50	Ea.	176.9 LPP
36	24	87	H53224	894.30	Ea.	210.5 LPP

Adjoining

36	12	87	H53212A	611.05	Ea.	127.1 LPP
36	18	87	H53218A	689.65	Ea.	158.9 LPP
36	24	87	H53224A	799.90	Ea.	185.5 LPP



16 Openings

Starting

36	12	87	H53312	611.00	Ea.	129.9 LPP
36	18	87	H53318	689.80	Ea.	163.8 LPP
36	24	87	H53324	791.50	Ea.	194.1 LPP

Adjoining

36	12	87	H53312A	541.25	Ea.	117.4 LPP
36	18	87	H53318A	608.95	Ea.	145.8 LPP
36	24	87	H53324A	697.10	Ea.	169.1 LPP



24 Openings

Starting

36	12	87	H53412	724.20	Ea.	137.9 LPP
36	18	87	H53418	807.80	Ea.	177.4 LPP
36	24	87	H53424	930.30	Ea.	211.7 LPP

Adjoining

36	12	87	H53412A	654.45	Ea.	125.4 LPP
36	18	87	H53418A	726.95	Ea.	159.4 LPP
36	24	87	H53424A	893.40	Ea.	186.7 LPP



38 Openings

Starting

36	12	87	H53512	854.20	Ea.	157.7 LPP
36	18	87	H53518	1021.50	Ea.	203.2 LPP
36	24	87	H53524	1238.20	Ea.	244.3 LPP

Adjoining

36	12	87	H53512A	784.45	Ea.	145.2 LPP
36	18	87	H53518A	940.65	Ea.	185.2 LPP
36	24	87	H53524A	1086.30	Ea.	219.3 LPP



21 Openings with Bin Fronts

Starting

36	12	87	H53612	833.65	Ea.	151.7 LPP
36	18	87	H53618	915.45	Ea.	189.1 LPP
36	24	87	H53624	1030.15	Ea.	221.9 LPP

Adjoining

36	12	87	H53612A	763.90	Ea.	139.2 LPP
36	18	87	H53618A	834.60	Ea.	171.1 LPP
36	24	87	H53624A	935.75	Ea.	196.9 LPP

Erectomatic® Heavy Duty BIN & LEDGE Units



W	D	H	Cat. No.	Price	Per	Wt. Pkg.	W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------	---	---	---	----------	-------	-----	----------

Open Ledge Units



Starting

36	12/18	87	H5491218	504.55	Ea.	117.6 LPP
36	12/24	87	H5491224	548.65	Ea.	131.2 LPP
36	18/24	87	H5491824	556.95	Ea.	135.6 LPP

Adjoining

36	12/18	87	H5491218A	394.50	Ea.	100.0 LPP
36	12/24	87	H5491224A	428.75	Ea.	111.0 LPP
36	18/24	87	H5491824A	445.90	Ea.	117.6 LPP

Closed Ledge Units



Starting

36	12/18	87	H5501218	645.20	Ea.	143.9 LPP
36	12/24	87	H5501224	689.30	Ea.	157.5 LPP
36	18/24	87	H5501824	717.00	Ea.	171.1 LPP

Adjoining

36	12/18	87	H5501218A	506.55	Ea.	124.3 LPP
36	12/24	87	H5501224A	540.80	Ea.	135.3 LPP
36	18/24	87	H5501824A	567.25	Ea.	146.0 LPP



With Bins

Starting

36	12/18	87	H5511218	734.10	Ea.	152.9 LPP
36	12/24	87	H5511224	772.10	Ea.	164.4 LPP
36	18/24	87	H5511824	813.10	Ea.	184.2 LPP

Adjoining

36	12/18	87	H5511218A	595.45	Ea.	133.3 LPP
36	12/24	87	H5511224A	623.60	Ea.	142.2 LPP
36	18/24	87	H5511824A	663.35	Ea.	159.1 LPP

Open Counter Units



Starting

36	18	39	H55418	323.05	Ea.	70.5 LPP
36	24	39	H55424	361.60	Ea.	84.5 LPP

Adjoining

36	18	39	H55418A	236.50	Ea.	56.5 LPP
36	24	39	H55424A	265.75	Ea.	68.1 LPP

Closed Counter Units



Starting

36	18	39	H55518	446.00	Ea.	93.2 LPP
36	24	39	H55524	506.25	Ea.	113.1 LPP

Adjoining

36	18	39	H55518A	330.55	Ea.	76.8 LPP
36	24	39	H55524A	374.10	Ea.	92.4 LPP

With Swinging Doors



Starting

36	18	39	H55818	739.35	Ea.	130.2 LPP
36	24	39	H55824	799.60	Ea.	150.1 LPP

Adjoining


36	18	39	H55818A	623.90	Ea.	113.8 LPP
36	24	39	H55824A	667.45	Ea.	129.4 LPP



Erectomatic® Heavy Duty CABINET Units / POSTS

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

Cabinet Ledge Units



2 Sets Swinging Doors

Starting

36	12/18	87	H5641218	1231.90	Ea.	217.9 LPP
36	12/24	87	H5641224	1276.00	Ea.	231.5 LPP
36	18/24	87	H5641824	1303.70	Ea.	245.1 LPP

Adjoining

36	12/18	87	H5641218A	1093.25	Ea.	198.3 LPP
36	12/24	87	H5641224A	1127.50	Ea.	209.3 LPP
36	18/24	87	H5641824A	1153.95	Ea.	220.0 LPP



2 Sets Sliding Doors


Starting

72	12/18	87	H5651218	2808.35	Ea.	396.4 LPP
72	12/24	87	H5651224	2886.70	Ea.	421.0 LPP
72	18/24	87	H5651824	2940.85	Ea.	445.3 LPP

Adjoining

72	12/18	87	H5651218A	2669.70	Ea.	376.8 LPP
72	12/24	87	H5651224A	2738.20	Ea.	398.8 LPP
72	18/24	87	H5651824A	2791.10	Ea.	420.2 LPP

Cabinet



With Swinging Doors

Starting

36	12	87	H55912	903.95	Ea.	183.3 LPP
36	18	87	H55918	964.35	Ea.	206.5 LPP
36	24	87	H55924	1030.45	Ea.	228.1 LPP

Adjoining

36	12	87	H55912A	834.20	Ea.	170.8 LPP
36	18	87	H55918A	883.50	Ea.	188.5 LPP
36	24	87	H55924A	936.05	Ea.	203.1 LPP



2 Sets Swinging Doors

Starting

36	12	87	H56312	1068.10	Ea.	194.9 LPP
36	18	87	H56318	1141.50	Ea.	222.5 LPP
36	24	87	H56324	1219.80	Ea.	248.3 LPP

Adjoining

36	12	87	H56312A	998.35	Ea.	182.4 LPP
36	18	87	H56318A	1060.65	Ea.	204.5 LPP
36	24	87	H56324A	1125.40	Ea.	223.3 LPP



With Sliding Doors

Starting


72	18	87	H56618	2066.95	Ea.	402.0 LPP
72	24	87	H56624	2210.00	Ea.	446.6 LPP

Adjoining

72	18	87	H56618A	1986.10	Ea.	384.0 LPP
72	24	87	H56624A	2115.60	Ea.	421.6 LPP

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------


Erectomatic Shelving Posts



Beaded Front Posts

Used at front of shelving, in single units or in common with adjoining unit. Permits full access to shelf width. Allows independent adjustment of shelves on 1-1/2" centers.


39	H0023C	16.70	Ea.	4.5	10
75	H0026C	29.05	Ea.	8.3	10
87	H0027C	33.70	Ea.	9.5	10
99	H0028C	39.00	Ea.	10.5	10
123	H00210C	48.45	Ea.	14.0	10



Offset Angle Posts

Angles for rear of single or end units. Slotted on 1-1/2" centers to permit easy shelf adjustment.

39	H0043C	8.75	Ea.	2.7	10
75	H0046C	15.10	Ea.	5.5	10
87	H0047C	17.55	Ea.	6.0	10
99	H0048C	21.70	Ea.	7.0	10
123	H00410C	26.80	Ea.	8.5	10



T-Posts

Constructed by spotwelding two offset angle posts together. Use at rear of shelving when adjoining units are added to form a continuous row.

39	H0063C	17.60	Ea.	5.4	10
75	H0066C	30.25	Ea.	11.0	10
87	H0067C	34.85	Ea.	12.0	10
99	H0068C	43.40	Ea.	14.0	10
123	H00610C	53.45	Ea.	17.0	10

Foot Plate, Erectomatic




NOT for H-Post

1/8" thick, zinc plated with mounting bracket for bolting to post. Has 7/16" diameter hole for floor anchor bolts. Includes hardware to fasten to post. If shims are required, use shim # H026.

2-1/4	3-1/2	H050H	9.15	Ea.	0.3 PPO
-------	-------	--------------	-------------	-----	---------

Foot Plate, Erectomatic, Heavy Duty



(7 Ga.) NOT for H-Post

Specify color. Hardware included to fasten to post.


HD Footplate for use with Beaded, Angle and Tee Posts. 7 ga. thick with two mounting brackets and intended for use in high seismic areas or in conditions where

post loading is intended to be spread over a larger area, such as on a mezzanine/work platform elevated deck.

Footplate is drilled to accept 3/8" floor anchors, and should be used with # 9281 wedge anchors to meet IBC 2003/2006 building code requirements in high seismic areas.

5-1/2	2-3/8	1ACX326H	22.30	Ea.	0.8 PPO
-------	-------	-----------------	--------------	-----	---------

Shim for Heavy Duty Foot Plate



(7 Ga.) Specify color.

5-1/2	2-3/8	1ACX330	4.35	Ea.	0.4 PPO
-------	-------	----------------	-------------	-----	---------


Erectomatic® Shelving Components



W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

Concrete Floor Anchor

Use the longer anchor # 9281 in seismic zones above 2A.



3/8	2-1/4	9280	1.75	Ea.	0.1 PPO
3/8	3-3/4	9281	2.40	Ea.	0.2 PPO

Erectomatic Splice Channel




Replaces Part No. H009H.

For adding height to Beaded Front, Angle and T posts.
Hardware included.

HXAS071H	10.50	Ea.	0.3 PPO
-----------------	--------------	-----	---------


Erectomatic Welded End Panel Assemblies



Welded one-piece construction for easy assembly.
Consists of beaded front post, rear offset angle post
and one-piece side panel. For left or right ends of single
units or continuous rows.

12	39	H0921203C	50.35	Ea.	8.9	4
12	75	H0921206C	82.50	Ea.	19.1	4
12	87	H0921207C	88.50	Ea.	20.0	4
12	99	H0921208C	109.55	Ea.	21.5	4
12	123	H0921210C	143.50	Ea.	29.4	2
15	87	H0921507C	93.80	Ea.	20.5	2
18	39	H0921803C	60.10	Ea.	11.3	4
18	75	H0921806C	91.30	Ea.	20.0	4
18	87	H0921807C	99.20	Ea.	25.0	4
18	99	H0921808C	124.00	Ea.	29.7	2
18	123	H0921810C	161.65	Ea.	36.5	2
24	39	H0922403C	69.55	Ea.	13.6	4
24	75	H0922406C	107.60	Ea.	22.8	4
24	87	H0922407C	113.95	Ea.	29.5	4
24	99	H0922408C	143.80	Ea.	30.5	2
24	123	H0922410C	179.40	Ea.	36.5	2
30	87	H0923007C	149.00	Ea.	37.0	2
36	87	H0923607C	159.00	Ea.	42.5	2


Erectomatic Welded T-Panel Assemblies



Welded construction for easy assembly. Consisting of
beaded front post, rear T-post and one-piece side panel.
For use between units when adjoining models are added
to form a continuous shelving row.

12	39	H0941203C	58.40	Ea.	11.8	4
12	75	H0941206C	100.85	Ea.	24.5	4
12	87	H0941207C	107.25	Ea.	27.5	4
12	99	H0941208C	132.20	Ea.	30.5	4
12	123	H0941210C	161.10	Ea.	38.5	2
15	87	H0941507C	112.05	Ea.	30.8	4
18	39	H0941803C	66.50	Ea.	14.3	4
18	75	H0941806C	107.60	Ea.	27.1	4
18	87	H0941807C	117.55	Ea.	32.0	4
18	99	H0941808C	152.85	Ea.	37.5	2
18	123	H0941810C	181.25	Ea.	44.0	2
24	39	H0942403C	76.35	Ea.	16.6	4
24	75	H0942406C	124.00	Ea.	27.3	4
24	87	H0942407C	133.50	Ea.	34.0	4
24	99	H0942408C	166.60	Ea.	41.2	2
24	123	H0942410C	201.05	Ea.	47.0	2
30	87	H0943007C	163.00	Ea.	39.1	2
36	87	H0943607C	173.00	Ea.	44.8	2


Erectomatic Welded Ledge Panel Assemblies



For converting open or closed type shelving models
to ledge models. All-welded construction. Combines
beaded front post and preformed panel into a one-piece
unit. Ledge panel cover is included.

6	39	H0120306H	68.90	Ea.	7.1	6
12	39	H0120312H	78.75	Ea.	9.7	6
18	39	H0120318H	88.55	Ea.	12.3	6

Back Panels



For Closed Shelving

Punched on 1" centers at vertical edges and center for
attaching to posts & shelves. 36" w backs are furnished
in 1 pc. thru 87" h.; over 87", split horizontally. 42" & 48"
in 1 pc. thru 51"; 2 pcs. above 51" h. Includes back clip
and hardware.

36	39	12500H	41.30	Ea.	9.4	10
36	51	12510H	52.30	Ea.	12.3	8
36	75	12530H	69.65	Ea.	17.9	6
36	87	12540H	84.70	Ea.	20.9	5
36	99	12550H	104.35	Ea.	23.5	4
42	39	12600H	62.90	Ea.	10.7	5
42	51	12610H	65.00	Ea.	13.9	5
42	75	12630H	110.85	Ea.	21.4	5
42	87	12640H	108.35	Ea.	24.4	5
42	99	12650H	125.95	Ea.	27.8	5
48	39	12700H	55.20	Ea.	12.3	5
48	51	12710H	72.00	Ea.	15.9	5
48	75	12730H	110.25	Ea.	27.9	5
48	87	12740H	127.20	Ea.	28.2	5
48	99	12750H	143.80	Ea.	31.8	5

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Side Sway Braces (Pair)



For Open Shelving

One pair forms a set which bolts to the front and rear posts for stability. Can be used in common between adjoining units. Dimension shown is shelf depth.

12	12015S	7.20	Pr.	1.0	20
15	12019S	8.20	Pr.	1.1	20
18	12026S	8.20	Pr.	1.4	20
24	12034S	9.85	Pr.	1.8	20
30	12045S	12.05	Pr.	2.3	20
32	12046S	12.80	Pr.	2.4	20
36	12049S	12.05	Pr.	2.5	20


Back Sway Braces (Pair)



One pair forms a set which bolts to the short leg of the rear Offset Angle Posts for lateral stability. Can be used in common between back-to-back units. Dimension shown is shelf width.

36	12036H	12.65	Pr.	3.2	20
42	12042H	14.70	Pr.	3.8	20
48	12048H	14.70	Pr.	3.8	20

Erectomatic Shelving "H" Posts



H-Posts

Very strong tubular design. 1-1/2" wide x 2-15/16" deep in heights shown. Used in front and rear post positions. Sides slotted on 1-1/2" centers for shelf clip adjustment. Has more than 2 times the load carrying capacity than standard posts.

87	H0037C	45.40	Ea.	13.4	4
99	H0038C	48.85	Ea.	15.2	4
123	H00310C	65.50	Ea.	18.7	4
147	H00312C	81.15	Ea.	22.6	4


Foot Plate, Erectomatic



For H-Post ONLY, Light/Medium Duty

Mounting bracket welded to top for bolting inside H-Posts. Base plate has 7/16" diameter hole for floor anchor bolts. If shims are required, use H026.

3-1/2	2-1/4	H025H	24.65	Ea.	0.5 PPO
-------	-------	--------------	--------------	-----	---------



For H-Post ONLY, Heavy Duty

Mounting bracket is welded to top for bolting inside H-Post. Base plate is 3/8" thick and has four 7/16" diameter holes for receiving the embosses in shim plate (No. H016C) and for floor anchor bolt.

4	3-1/2	H015H	44.25	Ea.	1.8 PPO
---	-------	--------------	--------------	-----	---------

Shim Plate, Erectomatic



Light/Medium Duty

For H050H & H025H Foot Plates ONLY

Fits under foot plate (Cat. No. H025H or H050H) for leveling. Has (1) 7/16" diameter hole which aligns with hole in foot plate to permit anchoring to floor.

3-1/2	2-1/4	H026	2.30	Ea.	0.1 PPO
-------	-------	-------------	-------------	-----	---------


Heavy Duty

For H015H Foot Plate ONLY

Fits under foot plate (Cat. No. H015H) for leveling. Has (2) 7/16" diameter holes which align with footplate holes to permit anchoring to floor.

4	3-1/2	H016	2.55	Ea.	0.3 PPO
---	-------	-------------	-------------	-----	---------


Side Panel, H-Posts



Provides closed side panels where desired. Punched on 6" centers for mounting to front and rear H-Posts. Attach with 1/4x20x1/2" bolts and 7/16" nuts (included).

18	39	H0911803H	47.95	Ea.	3.4	20
18	87	H0911807H	62.80	Ea.	7.7	10
24	39	H0912403H	48.85	Ea.	5.0	20
24	87	H0912407H	69.70	Ea.	11.2	8
36	39	H0913603H	68.40	Ea.	11.0	10
36	87	H0913607H	121.90	Ea.	24.5	5

Connector Strips



For H-Post Back

For connecting Back Panels or braces to rear H-Posts; punched on 1" centers. 2-1/16" wide pieces are for back posts at row ends. 3-1/8" wide pieces are for adjoining intermediate back posts, and are punched at outside vertical edges & center. Hardware included.

2-1/16	39	H1143H	25.20	Ea.	1.8	PPO
2-1/16	51	H1144H	29.80	Ea.	2.3	PPO
2-1/16	87	H1147H	26.20	Ea.	3.7	PPO
3-1/8	39	H1153H	28.95	Ea.	2.5	PPO
3-1/8	51	H1154H	33.65	Ea.	3.3	PPO
3-1/8	87	H1157H	38.50	Ea.	5.5	PPO


Erectomatic Side Sway Braces (Pair)

For H-Posts ONLY

Each pair forms a set for connecting front and rear H-Posts for stability. Can be used in common with adjoining unit.

12	H34112H	24.05	Pr.	1.4	20
15	H34115H	12.80	Pr.	1.5	20
18	H34118H	24.30	Pr.	1.6	20
24	H34124H	13.30	Pr.	1.7	20
30	H34130H	13.75	Pr.	1.9	20
32	H34132H	14.00	Pr.	2.0	20
36	H34136H	14.35	Pr.	2.1	20

Splice, H-Posts



For use in multi-level and high rise shelving. Fits inside two connecting H-Posts. Punched for bolting. Maintains post strength at the splice without interfering with clips or other accessories. Hardware included.

9-3/4	H010H	14.55	Ea.	1.0	PPO
-------	--------------	--------------	-----	-----	-----

Erectomatic® Shelving Components



W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Combination Clip

For H-Post




Mounts to rear H-Posts to provide anchor point for back sway braces. Also used to connect H-Posts and common back panels or common back sway braces together in back to back models. Zinc plated. Hardware included.

H027Z	1.35	Ea.	0.1	PPO
--------------	-------------	-----	-----	-----

H-Post Beams

Plywood Beam with H-Post End Connector Support Angles Required




36-1/2	900036	24.90	Ea.	7.4	PPO
42-1/2	900042	28.80	Ea.	7.8	PPO
48-1/2	900048	32.75	Ea.	8.2	PPO
72-1/2	900072	41.85	Ea.	11.1	PPO
84-1/2	900084	44.30	Ea.	12.8	PPO
96-1/2	900096	47.50	Ea.	14.5	PPO

Standard H-Post Beam Capacities (With Plywood Support Angles)	36-1/2	42-1/2	48-1/2	72-1/2	84-1/2	96-1/2
	2500/Pr.	2500/Pr.	2500/Pr.	1760/Pr.	1500/Pr.	1350/Pr.

All Capacities are based on uniformly distributed loads in pounds

Plywood Support Angles

For Standard Plywood Beam




Use 2 per level of 48-1/2" & 60-1/2" beams; 3 for 72-1/2" & 84-1/2"; 4 for 96-1/2" beams.

18	20349C	6.10	Ea.	1.2	PPO
24	20341C	6.15	Ea.	1.5	PPO
30	20330C	7.15	Ea.	2.0	PPO
36	20342C	8.00	Ea.	2.5	PPO
42	20332C	10.30	Ea.	2.8	PPO
48	20336C	11.20	Ea.	3.3	PPO

Note: The usual hardware supplied with Connector Strips is the 8407 self-tapping screw. On large requirements, pop-rivets may be supplied.

Erectomatic Counter Tops


(Not for use with Ledge Panel Models)



Heavy duty steel working surface with cornice at front and rear. Use End Caps for finishing cornice on ends. Hardware included.

36	18	H1953618H	115.55	Ea.	23.0	2
36	24	H1953624H	130.95	Ea.	30.0	2

Erectomatic End Caps (Pair)



Provides a finished cornice on extreme ends of counter top applications. Sold in pairs; hardware included.

18	H20118H	61.75	Pr.	8.1	8
24	H20124H	69.40	Pr.	10.1	8


Front Base Strips



Fastens directly to the bottom shelf front to close the gap beneath it and the floor. Normally used with closed shelving. 4-1/2" H model is for use with H-Posts attached to foot plates and in X-Ray units. Includes hardware.

36	3	14520H	10.75	Ea.	1.6	10
36	4-1/2	H23336H	20.05	Ea.	2.2	10
42	3	14530H	11.75	Ea.	1.8	10
48	3	14540H	13.95	Ea.	2.0	10

Label Holders




Punched for attaching to the front flange of shelves. Accepts 7/8" high labels. Attaches with plastic button fasteners (included).

36		13920H	6.15	Ea.	0.4	100
42		13930H	6.80	Ea.	0.4	100
48		13940H	7.80	Ea.	0.5	100


Bin Fronts

Hardware included for fastening to front of shelf.



36	1	14210H	17.35	Ea.	1.6	10
36	2	14220H	19.60	Ea.	2.0	10
36	3	14240H	21.85	Ea.	2.4	10
42	3	14340H	25.50	Ea.	2.8	10
48	3	14440H	29.15	Ea.	3.2	10

Full Height Dividers



Front edge beaded; top, bottom and rear edges flanged. Attaches with plastic button fasteners (included). For Class 3 use, contact your representative regarding special notching.

12	6	15600H	12.95	Ea.	0.6	PPO
12	9	15620H	12.50	Ea.	0.8	PPO
12	12	15640H	14.15	Ea.	1.0	PPO
12	18	15670H	16.70	Ea.	1.5	PPO
15	6	15700H	13.45	Ea.	0.8	PPO
15	9	15720H	17.00	Ea.	1.4	PPO
15	12	15740H	13.00	Ea.	1.4	PPO
18	6	15800H	13.80	Ea.	0.9	PPO
18	9	15820H	13.35	Ea.	1.3	PPO
18	12	15840H	14.75	Ea.	1.7	PPO
18	16-1/2	15865H	13.80	Ea.	2.3	48
18	18	15870H	18.35	Ea.	2.4	PPO
18	24	15890H	25.95	Ea.	4.8	PPO
24	6	15900H	14.75	Ea.	1.2	PPO
24	9	15920H	16.65	Ea.	1.7	PPO
24	12	15940H	17.35	Ea.	2.2	PPO
24	18	15970H	20.70	Ea.	3.2	PPO
24	24	15990H	26.60	Ea.	6.2	PPO
36	6	16100H	34.00	Ea.	1.8	PPO
36	9	16120H	25.55	Ea.	2.4	PPO
36	12	16140H	29.35	Ea.	3.1	PPO
36	18	16170H	43.05	Ea.	4.7	PPO
36	24	16180H	62.60	Ea.	9.1	PPO




Erectomatic® Shelving Accessories

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------


Partial Dividers



Partitions shelves from front to rear. Flanged and punched for shelf attachment. Has rounded top corners for safety. Attaches with plastic button fasteners (included).

12	2	16395H	5.85	Ea.	0.4 PPO
12	4	16410H	6.05	Ea.	0.7 PPO
18	2	16397H	7.70	Ea.	0.6 PPO
18	4	16430H	7.05	Ea.	1.1 PPO
24	4	16440H	8.60	Ea.	1.5 PPO

Sliding Dividers



For Hi-Performance Shelves ONLY

Formed to fit around front and over rear edges of shelf. Can be positioned horizontally anywhere along shelf surface. No hardware required. Medium & Heavy Duty Hi-Performance shelves only (NOT for Conv. Flange shelf or Extra HD).

12	4	1H4124C	18.45	Ea.	1.0 PPO
12	6	1H4126C	18.55	Ea.	1.3 PPO
18	4	1H4184C	16.95	Ea.	1.5 PPO
18	6	1H4186C	18.00	Ea.	1.9 PPO
24	4	1H4244C	18.10	Ea.	1.9 PPO
24	6	1H4246C	20.60	Ea.	2.4 PPO

Swinging Doors




With Lock & 2 Keys

Pre-hung at the factory on a welded frame for easy assembly. Includes 3-point latch system with locking handle and 2 keys. Can be used on standard ledge or counter units up to 87" high. Hardware and Universal Clips for attaching are included.

36	36	H3003636	293.35	Pr.	37.0 1
36	48	H3003648	328.70	Pr.	49.0 1
36	85	H3003684	475.35	Pr.	77.0 1
48	36	H3004836	513.35	Pr.	32.5 1
48	85	H3004884	583.70	Pr.	121.0 1

Sliding Doors



Flanged on all 4 sides and reinforced. Doors slide on quiet, smooth-running nylon rollers and guides. Complete with grooved key cylinder lock w/ keys, mounting channels & universal clips. Designed for use on side by side models with shelf at top.

72	36	H2907236	828.30	Pr.	64.1 1
72	84	H2907284	1038.20	Pr.	123.0 1

Shelf Boxes

Has integral full finger grip and embossed label holder. Slotted on 1" centers for dividers. Back stop minimizes accidental removal of drawer. Depth dimension nominal. Boxes per 36" wide shelf: 6" wide, 6; 8" wide, 4; 11" wide, 3.



028 Gray is Standard

Order Box Dividers separately.

5-5/8	11	4-5/8	38030C	22.20	Ea.	2.9 12
8-7/16	11	4-5/8	38035C	30.35	Ea.	3.4 8
11-1/4	11	4-5/8	38040C	32.50	Ea.	5.5 6
5-5/8	17	4-5/8	38180C	28.65	Ea.	3.9 12
8-7/16	17	4-5/8	38185C	33.55	Ea.	4.7 8
11-1/4	17	4-5/8	38190C	37.35	Ea.	6.0 6
5-5/8	23	4-5/8	38255C	35.70	Ea.	4.9 12
8-7/16	23	4-5/8	38260C	37.45	Ea.	6.0 8
11-1/4	23	4-5/8	38265C	48.25	Ea.	7.4 6

Divider, Shelf Boxes



For quick and easy partitioning of shelf boxes on 1" centers. Galvanized steel.

5-5/8	4-1/2	38306	1.80	Ea.	0.3 10
8-7/16	4-1/2	38307	2.30	Ea.	0.4 10
11-1/4	4-1/2	38308	3.10	Ea.	0.6 10


Shelf Box Guide/Filler



Aligns shelf boxes between beaded front posts and provides a neat, finished closure.

4-5/8	H396H	7.75	Pr.	0.2 20
-------	--------------	-------------	-----	--------

Reference Shelf



Sliding Pull-out Shelf

All Reference Shelves are 12" Deep, and will fit shelf sizes shown.

A 12" deep sliding pull-out shelf designed to aid shelving users who need a work surface while working in the shelving area. Fastens beneath any Hi-Performance shelf size shown here and neatly slides out of the way when not needed.

36	12	10RS03612H	105.40	Ea.	9.3
36	15	10RS03615H	106.30	Ea.	10.4
36	18	10RS03618H	108.00	Ea.	11.5
42	12	10RS04212H	104.00	Ea.	10.3
42	15	10RS04215H	104.95	Ea.	11.2
42	18	10RS04218H	106.70	Ea.	12.8
42	30	10RS04230H	112.00	Ea.	17.8
42	32	10RS04232H	112.00	Ea.	15.9
48	12	10RS04812H	105.95	Ea.	11.4
48	15	10RS04815H	107.10	Ea.	12.3
48	18	10RS04818H	108.75	Ea.	14.2


Accessories / Handrail Parts: Multi-Level Shelving




W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------

Handrail/Parts: Multi-Level Shelving


Available with posts for 2 rails and 3 rails. Finished in 710 Yellow. Use only with Penco Channel-Lock Grating. For handrail with other types of decking, contact your representative.




Post, Left Hand End, 2 Rails	4285204A	74.00	Ea.	10.5
Post, Left Hand End, 3 Rails	4285205A	80.10	Ea.	10.7




Post, Right Hand End, 2 Rails	4285204B	74.00	Ea.	10.5
Post, Right Hand End, 3 Rails	4285205B	80.10	Ea.	10.7



Post, Intermediate, 2 Rails	4285204C	87.20	Ea.	11.2
Post, Intermediate, 3 Rails	4285205C	98.80	Ea.	11.4




Post, Outside Corner, 2 Rails	4285204D	86.95	Ea.	11.0
Post, Outside Corner, 3 Rails	4285205D	98.80	Ea.	11.4



Post, Inside Corner, 2 Rails	4285204E	86.95	Ea.	11.0
Post, Inside Corner, 3 Rails	4285205E	98.80	Ea.	11.4

Handrail - Nominal 6' Section	72	852066C	34.10	Ea.	9.6
--------------------------------------	----	---------	-------	-----	-----

Kick Plate					
Standard Nominal 6' Length	72	850072C	24.25	Ea.	9.2




End Of Aisle Handrail Bracket					
Order 2 Per Pc. of Handrail		85207H	13.95	Ea.	1.0


Stairs and Stair Structures are available
 All applications involving stairs are reviewed individually and designed to meet or exceed local, state and federal codes in effect at the location where the stairs are to be installed.

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------


Multi-Level Shelving Parts




Post Assembly						
	3	2-1/4	87	84087C	150.65	Ea. 25.0
	3	2-1/4	99	84099C	167.35	Ea. 28.0



5" High Beam						
To be used with Post Assembly. Maximum 93" Long.						
	93	2	5	85293C	69.90	Ea. 31.0




Aisle Support for Use with H-Posts						
For use with H-Post shelving posts and HXAS006H Aisle Support Adaptor. Provides low profile aisle supports for use with elevated shelving walkways. Can also be used to support deck-over applications.						
	36	1-3/4		HXAS082H	32.20	Ea. 5.7 PPO
	48	1-3/4		HXAS177H	42.95	Ea. 6.0 PPO




Aisle Support Adapter						
For H-Post Only						
Aisle supports for use with this adapter are available and subject to special pricing.						
				HXAS006H	8.45	Ea. 0.3 PPO




End of Aisle Kickplate						
For Clipper & Erectomatic Posts						
	30	4		H2KP30	20.80	Ea. 4.8
	36	4		H2KP36	22.50	Ea. 5.6
	42	4		H2KP42	25.60	Ea. 6.4
	48	4		H2KP48	26.55	Ea. 7.3



Grating Support Hanger						
	3	2	4	H2GS02	6.20	Ea. 0.9



Grating Support Angle						
For Beaded or H Posts						
	1	2	4	H2GS01	3.65	Ea. 0.4



Multi Level Bracket						
				H2GS03	7.85	Ea. 0.6




Erectomatic® Multi-Level Parts/Touch-up Paint

W	D	H	Cat. No.	Price	Per	Wt. Pkg.
---	---	---	----------	-------	-----	----------


Cross Aisle Support

Includes hardware for Beaded Posts Only



30	4		H1CA30E	23.65	Ea.	4.7
36	4		H1CA36E	25.45	Ea.	5.5
42	4		H1CA42E	27.20	Ea.	6.3
48	4		H1CA48E	32.45	Ea.	10.6

Grating Support Channel



30	4		H2GS30E	22.75	Ea.	4.4
36	4		H2GS36E	25.35	Ea.	5.3
42	4		H2GS42E	26.05	Ea.	6.0
48	4		H2GS48E	30.70	Ea.	10.0


Cross Aisle Support

Includes hardware for H Posts Only




30	4		H1CA30H	23.65	Ea.	4.7
36	4		H1CA36H	25.45	Ea.	5.5
42	4		H1CA42H	27.20	Ea.	6.3
48	4		H1CA48H	32.45	Ea.	10.6

Grating Support Channel



30	4		H2GS30H	22.75	Ea.	4.4
36	4		H2GS36H	25.35	Ea.	5.3
42	4		H2GS42H	26.05	Ea.	6.0
48	4		H2GS48H	30.70	Ea.	10.0

Touch Up Paint, Air Dry



4.5 Oz. Spray Can

Tawny Tan	97012	25.60	Ea.	1.0
Gray Ash	97021	25.60	Ea.	1.0
028 Gray	97028	25.60	Ea.	1.0
Reflex Blue	97052	25.60	Ea.	1.0
Canvas	97054	25.60	Ea.	1.0
Shamrock	97055	25.60	Ea.	1.0
Sunburst	97056	25.60	Ea.	1.0
Nordic Purple	97058	25.60	Ea.	1.0
Champagne	97073	25.60	Ea.	1.0
Spray Green	97701	25.60	Ea.	1.0
Sagebrush Yellow	97710	25.60	Ea.	1.0
Lake Blue	97715	25.60	Ea.	1.0
Mandarin Orange	97720	25.60	Ea.	1.0
Patriot Red	97722	25.60	Ea.	1.0
Light Putty	97723	25.60	Ea.	1.0
Burgundy	97736	25.60	Ea.	1.0
Cardinal Red	97767	25.60	Ea.	1.0
Marine Blue	97806	25.60	Ea.	1.0
Hunter Green	97812	25.60	Ea.	1.0
Regal Blue	97822	25.60	Ea.	1.0
Slate Blue	97826	25.60	Ea.	1.0
January	97848	25.60	Ea.	1.0
Jet Black	97949	25.60	Ea.	1.0
Turquoise Teal	97952	25.60	Ea.	1.0

Orig. Erectomatic Spray Colors, 4.5 Oz.

049 Gray	97049	25.60	Ea.	1.0
059 Beige	97059	25.60	Ea.	1.0

Replacement Hardware

Shelf Clip, For ERECTOMATIC Posts

One piece compression clip that is shipped in sets of 4 with each shelf ordered. Order by single pieces for replacement use only.



H133Z	0.45	Ea.	0.1	500
--------------	-------------	-----	-----	-----

Universal Clips for ERECTOMATIC Shelving To Mount Doors - 6 per Door Set

Six clips required to mount swinging doors. Twelve clips required for sliding doors. Normally included with shipment; order here for replacement use only.



H315Z	1.60	Ea.	0.1	PPO
--------------	-------------	-----	-----	-----

Plastic Button

For attaching various shelving accessories such as dividers and label holders. Normally included with shipment; order here for replacement only.



8401	0.10	Ea.	0.1	PPO
-------------	-------------	-----	-----	-----

Pan Head Screw, 1/4-20 x 1/2"

1/2	8412H	6.05	100	2.0	100
-----	--------------	-------------	-----	-----	-----

Pan Head Screw 1/4-20x1-1/4

1/4	8409H	12.25	100	1.7	100
-----	--------------	--------------	-----	-----	-----

Pan Head Screw, 1/4-20 x 1/2", GRADE 5

1/2	8412G5H	6.55	100	1.7	100
-----	----------------	-------------	-----	-----	-----

Slotted Truss Head Mach. Bolt, 1/4-20 x 3/4"

3/4	8410H	9.20	100	2.3	100
-----	--------------	-------------	-----	-----	-----

Hex Nuts 1/4"-20

8473H	3.10	100	1.5	100
--------------	-------------	-----	-----	-----

Hex Nuts, 1/4"-20, GRADE 5

8473G5H	3.25	100	1.5	100
----------------	-------------	-----	-----	-----

Square Washers

8408H	71.80	100	2.0	100
--------------	--------------	-----	-----	-----

Self Tap Screw, #14, 5/8", Type B

5/8	8407H	38.20	100	1.5	100
-----	--------------	--------------	-----	-----	-----

Erectomatic® Shelves & Class 3 Shelf Supports



W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Erectomatic Shelves, with 4 Clips

Fastens to Erectomatic Posts with 4 shelf clips (included).
SEE CAPACITY CHART to select the proper shelf type for the expected maximum load.



Hi-Performance Medium Duty, Class 0

NOTE: Minimum order of 100 Medium Duty Shelves per order.

NOTE: Minimum order of 100 Medium Duty Shelves per order.

36	12	H1223612C	24.25	Ea.	6.1	10
36	15	H1223615C	28.20	Ea.	7.0	10
36	18	H1223618C	29.20	Ea.	7.9	10
36	24	H1223624C	35.25	Ea.	9.8	10
48	12	H1224812C	32.30	Ea.	7.4	10
48	18	H1224818C	44.95	Ea.	9.7	6
48	24	H1224824C	54.25	Ea.	12.1	6


Fastens to Erectomatic Posts with 4 shelf clips (included).
SEE CAPACITY CHART to select the proper shelf type for the expected maximum load.

Hi-Performance Heavy Duty, Class 1



36	12	H1203612C	26.40	Ea.	7.3	10
36	15	H1203615C	31.30	Ea.	8.4	10
36	18	H1203618C	32.90	Ea.	9.5	10
36	24	H1203624C	39.00	Ea.	11.6	10
36	30	H1203630C	46.50	Ea.	13.8	6
36	36	H1203636C	52.70	Ea.	16.0	6
42	12	H1204212C	29.90	Ea.	8.3	10
42	15	H1204215C	33.05	Ea.	9.2	6
42	18	H1204218C	36.45	Ea.	10.8	10
42	24	H1204224C	43.95	Ea.	13.3	6
42	30	H1204230C	54.05	Ea.	15.8	6
42	32	H1204232C	57.90	Ea.	15.9	6
42	36	H1204236C	58.30	Ea.	18.3	6
48	12	H1204812C	34.60	Ea.	9.4	10
48	15	H1204815C	41.15	Ea.	10.3	6
48	18	H1204818C	47.85	Ea.	12.2	6
48	24	H1204824C	57.90	Ea.	15.0	6
48	30	H1204830C	62.25	Ea.	17.9	6
48	36	H1204836C	66.10	Ea.	21.7	6

Hi-Performance Extra Heavy Duty, Class 2




Can be converted to Class 3 Shelf by adding center support and side shelf support or support brace.

36	12	H1183612C	35.30	Ea.	9.9	10
36	15	H1183615C	40.95	Ea.	11.5	10
36	18	H1183618C	43.00	Ea.	13.0	10
36	24	H1183624C	51.65	Ea.	16.0	10
36	30	H1183630C	62.75	Ea.	19.0	6
36	36	H1183636C	74.50	Ea.	22.0	6
42	12	H1184212C	40.65	Ea.	11.4	10
42	15	H1184215C	47.65	Ea.	12.9	6
42	18	H1184218C	51.85	Ea.	14.9	10
42	24	H1184224C	61.65	Ea.	18.4	6
42	30	H1184230C	74.50	Ea.	21.9	6
42	32	H1184232C	78.75	Ea.	22.5	6
42	36	H1184236C	85.00	Ea.	24.8	6
48	12	H1184812C	45.60	Ea.	12.9	10
48	15	H1184815C	53.10	Ea.	14.6	6
48	18	H1184818C	58.40	Ea.	16.8	6
48	24	H1184824C	71.00	Ea.	20.8	6
48	30	H1184830C	83.50	Ea.	24.7	6
48	36	H1184836C	95.60	Ea.	28.7	6

Class 3 Shelf Supports

Center Support


Runs left to right beneath the mid-point of the shelf for conversion to Class 3. Supported by side shelf supports.



36	H13736C	15.10	Ea.	3.9	20
42	H13742C	16.40	Ea.	4.6	20
48	H13748C	17.75	Ea.	5.2	20

Erectomatic Side Shelf Support (Pair)

Used to support center support hat section (except on bottom shelf) in Class 3 applications.



18	H13618H	41.90	Pr.	2.910	pr
24	H13624H	41.05	Pr.	3.910	pr
30	H13630H	47.30	Pr.	4.910	pr
36	H13636H	50.70	Pr.	5.910	pr

Support Brace For Bottom Shelf

Used only on Class 3 bottom shelves to support center support hat section. Positioned in center of shelf; rests on floor. Includes hardware.



5	2	1-3/4	H131H	9.55	Ea.	0.8 PPO
---	---	-------	--------------	-------------	-----	---------



www.pencoproducts.com

Every customer's first choice to transform space into safe, secure and effective storage.

Erectomatic® Shelving Price List

See our other price lists for *Lockers, Clipper® Shelving, Pallet Rack and QuickShip products.*

All prices shown are FOB plant of manufacture, with standard construction, unless otherwise stated. Prices and specifications are subject to change without notice.

Main Office

Penco Products, Inc.
1820 Stonehenge Drive
Greenville, NC 27858

Phone: 800-562-1000
252-917-5287

Fax: 800-248-1555
252-917-5294

Send orders directly to the main office.

Manufacturing

1301 Penco Drive
Hamilton, NC 27840

QuickShip Distribution Centers*

Northeast

Pennsylvania QuickShip
524 Imperial Court, Suite D
Bensalem, PA 19020

South

Tennessee QuickShip
3624 Democrat Road
Suite 2
Memphis, TN 38118

Central

Indiana QuickShip
2602 Innovation Court
Fort Wayne, IN 46818

West

Utah QuickShip
4093 West 8530 South
Salt Lake City, UT 84088

* QuickShip lockers and other QuickShip products are in a separate price list. To see which products are stocked at each Penco warehouse location, go to www.pencoproducts.com/quickship