




# PRO ACADEMY SCHOOL FURNITURE

*A to Z Turn-Key School Furnishing*

[www.proacademyfurniture.com](http://www.proacademyfurniture.com)

## Proacademy Metal Products



*OFFICE FURNITURE*



# OFFICE FURNITURE

## FILING CUPBOARDS

### STANDARD MODELS

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- 2.000 Differs 2 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL


- Inner & Top Cupboards
- Swan Neck Doors
- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys
- Same Lock Number
- Effective Transport for Sets with Two or Three Cupboards in One Package



view									
code	FLC 07	FLC 10	FLC 101	FLC 12	FLC 122	FLC 18	FLC 181	FLC 19	FLC 192
no of shelf	1	2	2	2	2	4	4	4	4
height (cm)	75	100	100	120	120	180	180	195	195
width (cm)	80	80	100	92	120	80	100	92	120
depth (cm)	38	38	38	42	42	38	38	42	42


view		
code	TC/FLC 409242	TC/FLC 401242
item	top cupboard	top cupboard
height (cm)	40	40
width (cm)	92	120
depth (cm)	42	42

view		
code	IC/FLC 409242	IC/FLC 401242
item	inner cupboard	inner cupboard
height (cm)	40	40
width (cm)	83	111
depth (cm)	35	35



dimensions in cm (approximate)

#### Standard Colors For This Range





# OFFICE FURNITURE

## FILING CUPBOARDS

### 180° HINGED DOOR

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Reinforced Doors with 180° Concealed Hinges and Anti-Noise Plastic Buffers
- 2.000 Differs 2 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton


#### OPTIONAL

- Inner & Top Cupboards
- Swan Neck Doors
- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys
- Same Lock Number
- Effective Transport for Sets with Two or Three Cupboards in One Package



view	TC/FDR 409242		TC/FDR 401242	
	item	top cupboard	item	top cupboard
	height (cm)	40	height (cm)	40
	width (cm)	92	width (cm)	120
	depth (cm)	42	depth (cm)	42


view	IC/FLC 409242		IC/FLC 401242	
	item	inner cupboard	item	inner cupboard
	height (cm)	40	height (cm)	40
	width (cm)	83	width (cm)	111
	depth (cm)	35	depth (cm)	35



view	FLC/DR.07	FLC/DR.10	FLC/DR.101	FLC/DR.12	FLC/DR.122	FLC/DR.18	FLC/DR.181	FLC/DR.19	FLC/DR.192
	no of shelf	1	2	2	2	4	4	4	4
	height (cm)	75	100	100	120	180	180	195	195
	width (cm)	80	80	100	92	120	80	92	120
	depth (cm)	38	38	38	42	42	38	42	42

dimensions in cm (approximate)

#### Standard Colors For This Range





# OFFICE FURNITURE

## FILING CUPBOARDS

### EXTERIOR LID

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Roll-Out Suspension File Frame and Shelf
- Roll-Out Drawer for Various Usage
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- 2.000 Differs 2 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL



- Inner & Top Cupboards
- Swan Neck Doors
- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys
- Same Lock Number
- Effective Transport for Sets with Two or Three Cupboards in One Package



view									
code	FLC/DK.07	FLC/DK.10	FLC/DK.101	FLC/DK.12	FLC/DK.122	FLC/DK.18	FLC/DK.181	FLC/DK.19	FLC/DK.192
no of shelf	1	2	2	2	2	4	4	4	4
height (cm)	75	100	100	120	120	180	180	195	195
width (cm)	80	80	100	92	120	80	100	92	120
depth (cm)	38	38	38	42	42	38	38	42	42

view		
code	TC/FLC.409242	TC/FLC.401242
item	top cupboard	top cupboard
height (cm)	40	40
width (cm)	92	120
depth (cm)	42	42

view		
code	IC/FLC.409242	IC/FLC.401242
item	inner cupboard	inner cupboard
height (cm)	40	40
width (cm)	83	111
depth (cm)	35	35




ROLL OUT ACCESSORIES						
view						
code	TLF/FLC.9242	TLF/FLC.1242	TLD/FLC.9242	TLD/FLC.1242	TLS/FLC.9242	TLS/FLC.1242
item	telescopic frame		telescopic drawer		telescopic shelf	
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	NA	NA	A4	A4
for cabinets	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)	120(w)*42(d)

STATIONARY ACCESSORIES				
view				
code	SFF/FLC.9242	SFF/FLC.1242	LTS/FLC.9242	LTS/FLC.1242
item	stationary frame		letter sorter	
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4	A4
for cabinets	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)	120(w)*42(d)

dimensions in cm (approximate)



#### Standard Colors For This Range




#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Wooden Doors with Concealed Hinges
- 1.000 Differs 2 Point Cylinder Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

E1



view		
code	FLC/T.WD.07	FLC/WD.19
no of shelf	1	4
top	25 mm wood	metal
height (cm)	75	195
width (cm)	80	92
depth (cm)	38	42



dimensions in cm (approximate)

#### Standard Metal Colors For This Range

7016  
Anthracite



7035  
Grey



9005  
Black



9006  
Silver



#### Standard Melamine Colors For This Range

Beech



Grey



Maple



Minimum Order Required



# OFFICE FURNITURE

## FILING CUPBOARDS

### FLATPACK

#### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Adjustable Shelves with A4 Suspension File Support
- Roll-Out Suspension File Frame and Shelf
- Roll-Out Drawer for Various Usage
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Several Corrugated Cartons on Pallet

#### OPTIONAL


- Inner Cupboard
- Swan Neck Doors
- Same Lock Number



view									
code	FLC/FP.709242	FLC/FP.701242	FLC/FP.109242	FLC/FP.101242	FLC/FP.12	FLC/FP.122	FLC/FP.189242	FLC/FP.19	FLC/FP.192
no of shelf	1	1	2	2	2	2	4	4	4
height (cm)	70	70	100	100	120	120	180	195	195
width (cm)	92	120	120	120	92	120	92	120	120
depth (cm)	42	42	42	42	42	42	42	42	42



code	IC/FLC.409242	IC/FLC.401242
item	inner cupboard	inner cupboard
height (cm)	40	40
width (cm)	83	111
depth (cm)	35	35




ROLL OUT ACCESSORIES						
view						
code	TLF/FLC.9242	TLF/FLC.1242	TLD/FLC.9242	TLD/FLC.1242	TLS/FLC.9242	TLS/FLC.1242
item	telescopic frame		telescopic drawer		telescopic shelf	
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	NA	NA	A4	A4
for cabinets	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)	120(w)*42(d)



STATIONARY ACCESSORIES			
view			
code	SFF/FLC.9242	SFF/FLC.1242	LTS/FLC.9242
item	stationary frame		letter sorter
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4
for cabinets	92(w)*42(d)	120(w)*42(d)	92(w)*42(d)

dimensions in cm (approximate)

#### Standard Colors For This Range





# OFFICE FURNITURE

## SHUTTER DOOR CUPBOARDS

### WELDED

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Roll-Out Suspension File Frame and Shelf
- Roll-Out Drawer for Various Usage
- Smooth Rolling Plastic Doors with Magnetic Metal Locking Slat
- Levelling Feet
- Desk End Use in 75 cm High Models
- 1.000 Differs Lock with Double Clamp and 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Wooden Top
- Inner & Top Cupboards
- Same Lock Number
- Effective Transport for Sets with Two Cupboards in One Package



80 SERIES					100 SERIES				
view					view				
code	SDC.0708	SDC.1008	SDC.1308	SDC.1908	code	SDC.0710	SDC.1010	SDC.1310	SDC.1910
no of shelf	1	2	2	4	no of shelf	1	2	2	4
height (cm)	75	105	135	195	height (cm)	75	105	135	195
width (cm)	80	80	80	80	width (cm)	100	100	100	100
depth (cm)	46	46	46	46	depth (cm)	46	46	46	46

120 SERIES				
view				
code	SDC.0712	SDC.1012	SDC.1312	SDC.1912
no of shelf	1	2	2	4
height (cm)	75	105	135	195
width (cm)	120	120	120	120
depth (cm)	46	46	46	46

TOP CUPBOARDS			
view			
code	TC/SDC.408046	TC/SDC.401046	TC/SDC.401246
height (cm)	40	40	40
width (cm)	80	100	120
depth (cm)	46	46	46


INNER CUPBOARDS		
view		
code	IC/SDC.401046	IC/SDC.401246
for cabinets	100(w)*46(d)	120(w)*46(d)
height (cm)	40	40
width (cm)	80	100
depth (cm)	35	35

STATIONARY ACCESSORIES				
view				
code	SFF/SDC.1046	SFF/SDC.1246	LTS/SDC.1046	LTS/SDC.1246
item	stationary frame		letter sorter	
suspension file				
size	A4+FOLIO+FS	A4+FOLIO+FS	A4	A4
for cabinets	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)



ROLL OUT ACCESSORIES						
view						
code	TLF/SDC.1046	TLF/SDC.1246	TLD/SDC.1046	TLD/SDC.1246	TLS/SDC.1046	TLS/SDC.1246
item	telescopic frame		telescopic drawer		telescopic shelf	
suspension file						
size	A4+FOLIO+FS	A4+FOLIO+FS	NA	NA	A4	A4
for cabinets	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Shutter Colors For This Range





# OFFICE FURNITURE

## SHUTTER DOOR CUPBOARDS

### FLATPACK

#### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Adjustable Shelves with A4 Suspension File Support
- Roll-Out Suspension File Frame and Shelf
- Roll-Out Drawer for Various Usage
- Smooth Rolling Plastic Doors with Magnetic Metal Locking Slat
- Levelling Feet
- 1.000 Differs Lock with Double Clamp and 2 Keys
- Masterkey Support
- Packaging: Flatpack in Several Corrugated Cartons on Pallet

#### OPTIONAL

- Inner Cupboards
- Same Lock Number




INNER CUPBOARDS		
view		
code	IC/SDC.401046	IC/SDC.401246
for cabinets	100(w)*46(d)	120(w)*46(d)
height (cm)	40	40
width (cm)	80	100
depth (cm)	35	35

ROLL OUT ACCESSORIES						
view						
code	TLF/SDC.1046	TLF/SDC.1246	TLD/SDC.1046	TLD/SDC.1246	TLS/SDC.1046	TLS/SDC.1246
item	telescopic frame		telescopic drawer		telescopic shelf	
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	NA	NA	A4	A4
for cabinets	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)

STATIONARY ACCESSORIES				
view				
code	SFF/SDC.1046	SFF/SDC.1246	LTS/SDC.1046	LTS/SDC.1246
item	stationary frame		letter sorter	
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4	A4
for cabinets	100(w)*46(d)	120(w)*46(d)	100(w)*46(d)	120(w)*46(d)

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Shutter Colors For This Range



view									
code	SDC/FP.0710	SDC/FP.0712	SDC/FP.1010	SDC/FP.1012	SDC/FP.1910	SDC/FP.1912	SDC/FP.1914	SDC/FP.1916	SDC/FP.1918
no of shelf	1	2	2	2	4	4	8 [4+4]	8 [4+4]	8 [4+4]
height (cm)	70	70	100	100	198	198	198	198	198
width (cm)	100	120	100	120	100	120	140	160	180
depth (cm)	45	45	45	45	45	45	45	45	45

# OFFICE FURNITURE

## SLIDING METAL DOOR CUPBOARDS

### WELDED

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Silent and Reinforced Sliding Metal Doors on Rollers
- Central Partition on 160 cm Wide Models
- Desk End Use in 75 cm High Models
- Levelling Feet
- 2.000 Differs Push Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Wooden Top
- Top Cupboards




view						
code	SLC.0708	SLC.0712	SLC.0716	SLC.1012	SLC.1016	SLC.1912
no of shelf	1	1	1+1	2	2+2	4
height (cm)	75	75	75	109	109	195
width (cm)	80	120	160	120	160	120
depth (cm)	45	45	45	45	45	45

TOP CUPBOARD	
view	
code	TC/SLC.401245
height (cm)	40
width (cm)	120
depth (cm)	45

dimensions in cm (approximate)

#### Standard Colors For This Range





#### FEATURES


- Durable Metal Construction
- Electrostatic Powder Coating
- Adjustable Shelves with A4 Suspension File Support
- Silent and Reinforced Sliding Metal Doors on Rollers
- Central Partition on 160 & 180 cm Wide Models
- Levelling Feet
- 2.000 Differs Push Lock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Several Corrugated Cartons on Pallet



view						
code	SLC/FP.10512	SLC/FP.10516	SLC/FP.10518	SLC/FP.1912	SLC/FP.1916	SLC/FP.1918
no of shelf	2	2+2	2+2	4	4+4	4+4
height (cm)	105	105	105	195	195	195
width (cm)	120	160	180	120	160	180
depth (cm)	45	45	45	45	45	45

dimensions in cm (approximate)







#### Standard Colors For This Range



#### FEATURES


- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Silent and Framed Sliding Tempered Glass Doors on Rollers
- Central Partition on 160 cm Wide Models
- Levelling Feet
- 2.000 Differs Push Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view						
code	SLG.0708	SLG.0712	SLG.0716	SLG.1012	SLG.1016	SLG.1912
no of shelf	1	1	1+1	2	2+2	4
height (cm)	75	75	75	109	109	195
width (cm)	80	120	160	120	160	120
depth (cm)	45	45	45	45	45	45

dimensions in cm (approximate)







#### Standard Colors For This Range



#### FEATURES


- Durable Metal Construction
- Electrostatic Powder Coating
- Adjustable Shelves with A4 Suspension File Support
- Silent and Framed Sliding Tempered Glass Doors on Rollers
- Central Partition on 160 & 180 cm Wide Models
- Levelling Feet
- 2.000 Differs Push Lock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Several Corrugated Cartons on Pallet



view						
code	SLG/FP.10512	SLG/FP.10516	SLG/FP.10518	SLG/FP.1912	SLG/FP.1916	SLG/FP.1918
no of shelf	2	2+2	2+2	4	4+4	4+4
height (cm)	105	105	105	195	195	195
width (cm)	120	160	180	120	160	180
depth (cm)	45	45	45	45	45	45

dimensions in cm (approximate)

#### Standard Colors For This Range









### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- 4-legged
- Individual Turning 18 mm Wooden Racks
- 2 mm Edgebanding Prevents Folders Falling Down
- 24 Folder Capacity on Each Rack
- Folder Separation Wires and Turning-Handles on Each Rack
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton



view				
code	TFR 2	TFR 3	TFR 4	TFR 5
folder height	2	3	4	5
shelf Ø	80	80	80	80
height (cm)	90	127	163	200
distance between shelves (cm)	35	35	35	35

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

7035  
Grey



#### Standard Melamine Colors For This Range

Grey



# OFFICE FURNITURE

## MAP-PAN CABINETS

### FLUSH DRAWERS


#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Use for Papers A0 and A1 Sizes
- Drawers on Telescopic Slides
- Flush Drawers with 2 Handles
- Stamped Label Holder on each Drawer
- Each Drawer with Flap Rod "Paper Clamp" in Front & Rear Hood
- Pins on Top and Housing on Bottom for Stacking
- Stackable - Up to Three Cabinets
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Strech Wrapped & Delivery on Pallet

#### OPTIONAL

- Metal Dividers for Various Paper Sizes
- 15 cm Base
- 15 cm Framed Feet

E1




DIVIDERS			
view			
code	PRT/S/MPC	PRT/M/MPC	PRT/B/MPC
for items	A0+A1	A0+A1	A0
height (cm)	5	5	5
length (cm)	14	28	62

ACCESSORIES			
view			
code	BS A0	BS A1	FRF A0
for items	A0	A1	A0
height (cm)	15	15	15
width (cm)	140	113	140
depth (cm)	95	83	95


dimensions in cm (approximate)

view				
code	MPC/FD.5.A0	MPC/FD.5.A1	MPC/FD.6.A0	MPC/FD.6.A1
no of drawers	5	5	6	6
height (cm)	53	53	61	61
width (cm)	140	113	140	113
depth (cm)	95	83	95	83

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range





# OFFICE FURNITURE

## MAP-PLAN CABINETS

### GOOSENECK HANDLE DRAWERS

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Use for Papers A0 and A1 Sizes
- Drawers on Telescopic Slides
- Full Size Gooseneck Handle
- Stamped Label Holder on each Drawer
- Each Drawer with Flap Rod "Paper Clamp" in Front & Rear Hood
- Pins on Top and Housing on Bottom for Stacking
- Stackable - Up to Three Cabinets
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Strech Wrapped & Delivery on Pallet


#### OPTIONAL

- Metal Dividers for Various Paper Sizes
- 15 cm Base
- 15 cm Framed Feet

E1



view				
code	MPC/5 A0	MPC/5 A1	MPC/6 A0	MPC/6 A1
no of drawers	5	5	6	6
height (cm)	53	53	61	61
width (cm)	140	113	140	113
depth (cm)	95	83	95	83




various paper size usage option		
item	A0 Cabinet	A1 Cabinet

DIVIDERS			
view			
code	PRT/S/MPC	PRT/M/MPC	PRT/B/MPC
for items	A0+A1	A0+A1	A0
height (cm)	5	5	5
length (cm)	14	28	62


ACCESSORIES			
view			
code	BS A0	BS A1	FRF A0
for items	A0	A1	A0
height (cm)	15	15	15
width (cm)	140	113	140
depth (cm)	95	83	95

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range





#### MULTI-DRAWERS - A3 FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Drawers on Telescopic Slides
- Full Size Gooseneck Handle
- Central Locking System
- 2,000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### MULTI-DRAWERS - A4 FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Drawers on Full Extension Runner Tracks
- Chrome Plated Bow Handle
- Stamped Label Holder
- No Locking
- Packaging: Nylon Bag + Corrugated Carton




A3		
view		
code	MDC/A3.8	MDC/A3.13
no of drawers	8	13
height (cm)	98	98
width (cm)	53	53
depth (cm)	43	43
inside drawer size (mm)	79(h)*460(w)*400(d)	49(h)*460(w)*400(d)

A4							
view							
code	MDC/A4.5	MDC/A4.6	MDC/A4.9	MDC/A4.10	MDC/A4.12	MDC/A4.15	MDC/A4.18
no of drawers	5	6	9	10	12	15	18
height (cm)	33	38	60	65	74	90	105
width (cm)	30	30	30	30	30	30	30
depth (cm)	40	40	40	40	40	40	40
inside drawer size (mm)	48(h)*230(w)*370(d) mm						

dimensions in cm (approximate)

#### Standard Colors For This Range



# OFFICE FURNITURE

## FILING CABINETS

### SINGLE - DOUBLE

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Single and Double Models
- Drawers on Full-Extension Telescopic Slides
- Drawers with Advanced Anti-Tilt Mechanism
- Full Size Gooseneck Handle
- Adhesive Label Holders
- Adjustable Suspension File Bar on 43-46-82-87 cm Wide Models
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



SINGLE			
40 SERIES			
view			
code	FGC.2.(40)	FGC.3.(40)	FGC.4.(40)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	40	40	40
depth (cm)	62	62	62
suspension file size	A4	A4	A4

43 SERIES			
view			
code	FGC.2.(43)	FGC.3.(43)	FGC.4.(43)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	43	43	43
depth (cm)	62	62	62
suspension file size	A4+FOLIO	A4+FOLIO	A4+FOLIO

46 SERIES			
view			
code	FGC.2.(46)	FGC.3.(46)	FGC.4.(46)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	46	46	46
depth (cm)	62	62	62
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS


DOUBLE			
76 SERIES			
view			
code	FGC/D.2.(76)	FGC/D.3.(76)	FGC/D.4.(76)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	76	76	76
depth (cm)	62	62	62
suspension file size	A4	A4	A4

82 SERIES			
view			
code	FGC/D.2.(82)	FGC/D.3.(82)	FGC/D.4.(82)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	82	82	82
depth (cm)	62	62	62
suspension file size	A4+FOLIO	A4+FOLIO	A4+FOLIO

87 SERIES			
view			
code	FGC/D.2.(87)	FGC/D.3.(87)	FGC/D.4.(87)
no of drawers	2	3	4
height (cm)	70	101	132
width (cm)	87	87	87
depth (cm)	62	62	62
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS

dimensions in cm (approximate)

#### Standard Colors For This Range





#### FEATURES


- Durable Metal Construction
- Electrostatic Powder Coating
- Single Models
- Drawers on Full-Extension Telescopic Slides
- Drawers with Advanced Anti-Tilt Mechanism
- Plastic Handles
- Adhesive Label Holders
- Adjustable Suspension File Bar on 46 cm Wide Models
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Several Corrugated Cartons on Pallet



40 SERIES				46 SERIES			
view				view			
code	FGC/FP.2 (40)	FGC/FP.3 (40)	FGC/FP.4 (40)	code	FGC/FP.2 (46)	FGC/FP.3 (46)	FGC/FP.4 (46)
no of drawers	2	3	4	no of drawers	2	3	4
height (cm)	67	96	125	height (cm)	67	96	125
width (cm)	40	40	40	width (cm)	46	46	46
depth (cm)	40	40	40	depth (cm)	40	40	40
suspension file size	A4	A4	A4	suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS

dimensions in cm (approximate)

#### Standard Colors For This Range





### DESKTOP CARD & INDEX CABINETS FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Metal Supports in Drawers
- Drawers on Full Extension Runner Tracks
- Packaging: Nylon Bag + Corrugated Carton




### OPTIONAL

- Lock with 2 Keys

### CARD & INDEX CABINETS FEATURES


- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Metal Supports in Drawers
- Drawers on Full-Extension Telescopic Slides
- Drawers with Advanced Anti-Tilt Mechanism
- Full Size Gooseneck Handle
- Adhesive Label Holders
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view		view		
code	DCIC.1 A5.	code	CIC 6(2) A5.	CIC 6(3) A5.
card size	A5	no of drawers	6	6
height (cm)	21	rows / drawer	2	3
width (cm)	27	card size	A5	A5
depth (cm)	40	height (cm)	132	132
		width (cm)	53	76
		depth (cm)	62	62

dimensions in cm (approximate)



### Standard Colors For This Range



### FEATURES


- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mount Hole on Back Top
- Can be Bolted Side by Side
- 140 Degree Flap Doors with Magnetic Catch
- Stamped Label Holder on Doors
- Anti-Noise Plastic Buffers on Doors
- Packaging: Nylon Bag + Corrugated Carton



view		
code	FDC.5	FDC.10
no of door	5	10
height (cm)	104	198
width (cm)	41	41
depth (cm)	35	35

dimensions in cm (approximate)


#### Standard Colors For This Range





**FEATURES**


- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Ideal for Home-Offices
- Short and Tall Models
- Drawers on Telescopic Slides
- Suspension File Support in Deep Drawer
- Plastic Handles
- 2.000 Differs Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view				
code	HF2 (1B+1K)	HF2 (2B)	HF3 (3K)	HF3 (1B+2K)
no of drawers	1 deep + 1 shallow	2 deep	3 shallow	1 deep + 2 shallow
height (cm)	51	66	51	66
width (cm)	40	40	40	40
depth (cm)	40	40	40	40
suspension file size	A4	A4	NA	A4

dimensions in cm (approximate)

**Standard Colors For This Range**



#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 25 mm Wooden or 15 mm Metal Top Models
- On Rollers
- Full Size Gooseneck Handle
- Drawers on Full-Extension Telescopic Slides
- Suspension File Support in Deep Drawer
- Adjustable Suspension File Bar in Deep Drawer
- Plastic Dividers on Shallow Drawers
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Pen Tray



STANDARD - WOODEN TOP				
view				
code	MPG/S 2	MPG/S 3	MPG/2	MPG/3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
top	25 mm wood	25 mm wood	25 mm wood	25 mm wood
height (cm)	62	62	62	62
width (cm)	46	46	46	46
depth (cm)	60	60	79	79
suspension file size	A4+FOLIO+FS	NA	A4+FOLIO+FS	NA

STANDARD - METAL TOP				
view				
code	MPG/S M 2	MPG/S M 3	MPG/M 2	MPG/M 3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
top	15 mm metal	15 mm metal	15 mm metal	15 mm metal
height (cm)	61	61	61	61
width (cm)	46	46	46	46
depth (cm)	60	60	79	79
suspension file size	A4+FOLIO+FS	NA	A4+FOLIO+FS	NA

ECONOMY with PEN TRAY				
view				
code	EPG/P 2	EPG/P 3	EPG/P M 2	EPG/P M 3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
top	25 mm wood	25 mm wood	15 mm metal	15 mm metal
height (cm)	56	56	55	55
width (cm)	39	39	39	39
depth (cm)	59	59	59	59
suspension file size	A4	NA	A4	NA

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

1015  
Beige



7016  
Anthracite



7035  
Grey



9005  
Black



9006  
Silver



#### Standard Melamine Colors For This Range

Beige



Grey



Beech



Cherry



Maple



Pear





#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 25 mm wooden or 15 mm metal top models
- On Rollers
- Side Handle
- Drawers on Full-Extension Telescopic Slides
- Suspension File Support in Deep Drawer
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton




ECONOMY with PEN TRAY				
view				
code	EPS/P.2	EPS/P.3	EPS/P.M.2	EPS/P.M.3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
top	25 mm wood	25 mm wood	15 mm metal	15 mm metal
height (cm)	56	56	55	55
width (cm)	39	39	39	39
depth (cm)	59	59	59	59
suspension file size	A4	NA	A4	NA


dimensions in cm (approximate)

STANDARD with PEN TRAY				
view				
code	MPS/P.2	MPS/P.3	MPS/P.M.2	MPS/P.M.3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
top	25 mm wood	25 mm wood	15 mm metal	15 mm metal
height (cm)	62	62	61	61
width (cm)	40	40	40	40
depth (cm)	60	60	60	60
suspension file size	A4	NA	A4	NA

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range



# OFFICE FURNITURE

## OFFICE DESKS

### FEATURES

- Durable Metal Frame Construction
- Electrostatic Powder Coating
- Pedestal Fixing Holes on Legs \*
- Levelling Feet
- Drawer Blocks Combination \*
- 25 mm Wooden Top
- 2 mm Edgebanding
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton

### OPTIONAL

- Metal Side and Front Panels \*

\* Not available on PC Corners and Wing Tables



### DESKS

code	drawer blocks capacity	item	size cm (w*d*th)
ODK.126.(0)	1 block	office desk no drawer	120*60*75
ODK.128.(0)	1 block	office desk no drawer	120*80*75
ODK.148.(0)	1 block	office desk no drawer	140*60*75
ODK.148.(0)	1 block	office desk no drawer	140*80*75
ODK.166.(0)	2 blocks	office desk no drawer	160*60*75
ODK.168.(0)	2 blocks	office desk no drawer	160*80*75
ODK.186.(0)	2 blocks	office desk no drawer	180*60*75
ODK.188.(0)	2 blocks	office desk no drawer	180*80*75
ODK.206.(0)	2 blocks	office desk no drawer	200*60*75
ODK.208.(0)	2 blocks	office desk no drawer	200*80*75



### DESK PEDESTALS

view	DKP/S.2	DKP/S.3	DKP/I2	DKP/I3
no of drawers	1 deep + 1 shallow	3 shallow	1 deep + 1 shallow	3 shallow
height (cm)	53,5	53,5	53,5	53,5
width (cm)	46	46	46	46
depth (cm)	60	60	79	79
suspension file size	A4+FOLIO+FS	NA	A4+FOLIO+FS	NA

### PANELS


code	item	for desks	size cm (H*L)
SIP/O.60	side panel	60 cm deep	53.5*52
SIP/O.80	side panel	80 cm deep	53.5*72
FR/PO.120(1B)	front panel	120 cm wide (1 Block)	53.5*66
FR/PO.140(1B)	front panel	140 cm wide (1 Block)	53.5*86
FR/PO.160(1B)	front panel	160 cm wide (1 Block)	53.5*106
FR/PO.180(1B)	front panel	180 cm wide (1 Block)	53.5*126
FR/PO.200(1B)	front panel	200 cm wide (1 Block)	53.5*146
FR/PO.160(2B)	front panel	160 cm wide (2 Blocks)	53.5*60
FR/PO.180(2B)	front panel	180 cm wide (2 Blocks)	53.5*80
FR/PO.200(2B)	front panel	200 cm wide (2 Blocks)	53.5*100

### PC CORNER & WING TABLES

code	item	size cm
MTB.PC.122	pc corner	120-120*80*75 (h)
MTB.W.R.186	wing right	180*120*80-80*75(h)
MTB.W.L.186	wing left	180*120*80-80*75(h)
MTB.W.R.188	wing right	180*120*80-80*75(h)
MTB.W.L.188	wing left	180*120*80-80*75(h)
MTB.W.R.208	wing right	200*120*80-80*75(h)
MTB.W.L.208	wing left	200*120*80-80*75(h)

dimensions in cm (approximate)

### Standard Metal Colors For This Range



### Standard Melamine Colors For This Range





### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 25 mm Wooden Top
- Levelling Feet
- Full Size Gooseneck Handle
- Drawers on Full-Extension Telescopic Slides
- Suspension File Support in Deep Drawer
- Adjustable Suspension File Bar in Deep Drawer
- Plastic Dividers on Shallow Drawers
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Pen Tray



60 CM DEEP			
view			
code	DNP/S.2	DNP/S.3	DNP/S.4
no of drawers	2 deep	1 deep + 2 shallow	4 shallow
height (cm)	75	75	75
width (cm)	46	46	46
depth (cm)	60	60	60
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	NA

79 CM DEEP			
view			
code	DNP/2	DNP/3	DNP/4
no of drawers	2 deep	1 deep + 2 shallow	4 shallow
height (cm)	75	75	75
width (cm)	46	46	46
depth (cm)	79	79	79
suspension file size	A4+FOLIO+FS	A4+FOLIO+FS	NA

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

1015  
Beige



7016  
Anthracite



7035  
Grey



9005  
Black



9006  
Silver



#### Standard Melamine Colors For This Range

Beige



Grey



Beech



Cherry



Maple



Pear



### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 25 mm Wooden Top
- Levelling Feet
- Gooseneck Handle
- Drawers on Telescopic Slides
- Exchangeable Dividers in Drawers Enabling use of CD/DVD
- Central Locking System
- 2.000 Differs Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton


E1



view				
code	MMP/H 4.60	MMP/H 4.80	MMP/V 2.60	MMP/V 2.80
no of drawers	4 horizontal	4 horizontal	2 vertical	2 vertical
height (cm)	75	75	75	75
width (cm)	50	50	50	50
depth (cm)	60	79	60	79
multimedia use	CD+DVD	CD+DVD	CD+DVD	CD+DVD

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range





# OFFICE FURNITURE

## COMBINED CABINETS

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Door & Drawer Combinations
- Wall Mounting Holes on Rear Top
- Adjustable Shelves with A4 Suspension File Support
- Various Door Types
- Drawers with A4+Folio+FS File Support
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

M1




view						
code	CMC/MD.2D3C	CMC/SN.2D3C	CMC/GD.2D3C	CMC/SD.2D3C	CMC/SM.2D3C	CMC/SG.2D3C
no of shelf	1	1	1	1	1	1
type of door	metal doors	swan neck metal doors	framed glass doors	shutter doors	sliding metal doors	sliding glass doors
no of drawer	3	3	3	3	3	3
height (cm)	180	180	180	180	180	180
width (cm)	87	87	87	87	87	87
depth (cm)	46	46	46	46	46	46
suspension file size in drawers	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS



view						
code	CMC/MD.3D2C	CMC/SN.3D2C	CMC/GD.3D2C	CMC/SD.3D2C	CMC/SM.3D2C	CMC/SG.3D2C
no of shelf	2	2	2	2	2	2
type of door	metal doors	swan neck metal doors	framed glass doors	shutter doors	sliding metal doors	sliding glass doors
no of drawer	2	2	2	2	2	2
height (cm)	180	180	180	180	180	180
width (cm)	87	87	87	87	87	87
depth (cm)	46	46	46	46	46	46
suspension file size in drawers	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS	A4+FOLIO+FS

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Shutter Colors For This Range



*EDUCATIONAL FURNITURE*





# EDUCATIONAL FURNITURE

## MAGAZINE CUPBOARDS

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Movable Display Shelves
- Elastic Band Holder for Magazines
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL


- Flap Display Shelves




view					
code	MGC.1	MGC.2	MGC.3	MGC.4	MGC.5
no of shelf	5 display shelves	3 display shelves	3 display shelves	3 display shelves	3 display shelves
type of door	no door	swing metal doors	shutter doors	sliding metal doors	sliding glass doors
height (cm)	195	195	195	195	195
width (cm)	100	100	100	100	100
depth (cm)	42	42	42	42	42

dimensions in cm (approximate)

### Standard Metal Colors For This Range



### Standard Shutter Colors For This Range





### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Single and Double Sided Models
- Adjustable Shelves
- Wire Book Supports
- Packaging: Flatpack in Several Corrugated Cartons on Pallet



dimensions in cm (approximate)

view		
code	LBC/S 2110	LBC/D 2110
model	single sided	double sided
no of shelf	5	5+5
height (cm)	210	210
width (cm)	100	100
depth (cm)	42	80

### Standard Colors For This Range

8029  
Pearl Copper



9005  
Black





### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Adjustable Shelves
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL


- Flatpack Model



view			
code	BKC.1233	BKC.1933	BKC/FP.1933
construction	welded	welded	flatpack
no of shelf	2	4	4
height (cm)	120	195	195
width (cm)	100	100	100
depth (cm)	33	33	33

dimensions in cm (approximate)

### Standard Colors For This Range



### TV & MEDIA CUPBOARD METAL DOOR FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- On Four Heavy Duty Rollers
- Cable and Ventilation Holes on Back
- Adjustable Shelves for Spacing TV and other Similar Audio-Video Equipments
- Reinforced Doors with 180° Concealed Hinges and Anti-Noise Plastic Buffers
- 2.000 Differs 2 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys



### TV & MEDIA CUPBOARD SHUTTER DOOR FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- On Four Heavy Duty Rollers
- Cable and Ventilation Holes on Back
- Adjustable Shelves for Spacing TV and other Similar Audio-Video Equipments
- Smooth Rolling Plastic Doors with Magnetic Metal Locking Slat
- 1.000 Differs Lock with Double Clamp and 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL


- Roll-Out Shelf



view		
code	TMC.17	TMC/S.17
no of shelf	3	3
door type	swing metal door	shutter door
height (cm)	178	178
width (cm)	90	90
depth (cm)	60	60

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Shutter Colors For This Range





### FEATURES



- Durable Metal Frame Construction
- Electrostatic Powder Coating
- Single and Double Models
- 25 mm Wooden Top
- 2 mm Edgebanding
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton

### OPTIONAL

- Shorter Models


E1



view		
code	SDK 757050.	SDK 7514050.
for	1 student	2 students
height (cm)	75	75
width (cm)	70	140
depth (cm)	50	50

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range



*WARDROBES & LOCKERS*





# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### CLEAN INDUSTRY

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Panel
- Top Shelf with Coat Rail and Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2,000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Bottom Shelf
- Perforated Door Types
- Swing Door Model
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2,000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 50 cm Top Cupboard [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]
- 40 cm Base Cupboards for Swing Door Models [Screw Fixing]



STANDARD				
view				
code	WRC/1.1830	WRC/2.1860	WRC/3.1890	WRC/4.18117
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50



VERSION 1				
view				
code	WRC/1.1830.V1	WRC/2.1860.V1	WRC/3.1890.V1	WRC/4.18117.V1
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

SWING DOORS V2 & V3				
view				
code	WRC/2.1860.V2	WRC/4.18117.V2	WRC/2.1860.V3	WRC/4.18117.V3
no of door	2	4	2	4
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

dimensions in cm (approximate)



VERSION 4				
view				
code	WRC/1.1830.V4	WRC/2.1860.V4	WRC/3.1890.V4	WRC/4.18117.V4
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5	
view	
code	WRC/2.1860.V5
no of door	2
door type	swing
ventilation	round perforated
height (cm)	180
width (cm)	60
depth (cm)	50

VERSION 6				
view				
code	WRC/1.1830.V6	WRC/2.1860.V6	WRC/3.1890.V6	WRC/4.18117.V6
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC/2.1860.V7	WRC/4.18117.V7
no of door	2	4
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

**Standard Colors For This Range**





# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### ACCESSORIES FOR C/I



#### TOP CUPBOARDS for C/I

view				
code	WTC/1.5030	WTC/2.5060	WTC/3.5090	WTC/4.50117
no of door	1	2	3	4
door type	standard	standard	standard	standard
ventilation	louvered	louvered	louvered	louvered
height (cm)	50	50	50	50
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

#### BASE CUPBOARDS for C/I - Swing Door Models \*

view		
code	WBC/1SL.4060	WBC/1DW.4060
model	1 sliding lid	1 drawer
ventilation	louvered	louvered
height (cm)	40	40
width (cm)	60	60
depth (cm)	80	80

\* Should be ordered together with the main cupboards

#### SLOPING ROOFS



code	height	width	depth
WRR.30	20	30	50
WRR.60	20	60	50
WRR.90	20	90	50
WRR.117	20	117	50

#### BASE



code	height	width	depth
WBS.30	10	30	50
WBS.60	10	60	50
WBS.90	10	90	50
WBS.117	10	117	50

#### FRAMED FEET



code	height	width	depth
WRF.30	10	30	50
WRF.60	10	60	50
WRF.90	10	90	50
WRF.117	10	117	50

#### BENCH - STANDARD



code	height	width	depth
WRB.30	40	30	80
WRB.60	40	60	80
WRB.90	40	90	80
WRB.117	40	117	80

#### BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.30	40	30	80
WRB/SG.60	40	60	80
WRB/SG.90	40	90	80
WRB/SG.117	40	117	80

#### BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.30	40	30	80
WRB/PO.60	40	60	80
WRB/PO.90	40	90	80
WRB/PO.117	40	117	80

dimensions in cm (approximate)

# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### DIRTY INDUSTRY

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Top Shelf with Coat Rail and Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Bottom Shelf
- Perforated Door Types
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 50 cm Top Cupboard [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD			
view			
code	WRD/1.1840	WRD/2.1880	WRD/3.1812
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRD/1.1840.V1	WRD/2.1880.V1	WRD/3.1812.V1
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 4			
view			
code	WRD/1.1840.V4	WRD/2.1880.V4	WRD/3.1812.V4
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 6			
view			
code	WRD/1.1840.V6	WRD/2.1880.V6	WRD/3.1812.V6
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

dimensions in cm (approximate)

#### Standard Colors For This Range





# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### ACCESSORIES FOR D/I



#### TOP CUPBOARDS

view			
code	WTC/1.5040	WTC/2.5080	WTC/3.5012
no of door	1	2	3
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	50	50	50
width (cm)	40	80	120
depth (cm)	50	50	50

#### SLOPING ROOFS



code	height	width	depth
WRR.40	20	40	50
WRR.80	20	80	50
WRR.120	20	120	50

#### BASE



code	height	width	depth
WBS.40	10	40	50
WBS.80	10	80	50
WBS.120	10	120	50

#### FRAMED FEET



code	height	width	depth
WRF.40	10	40	50
WRF.80	10	80	50
WRF.120	10	120	50

#### BENCH - STANDARD



code	height	width	depth
WRB.40	40	40	80
WRB.80	40	80	80
WRB.120	40	120	80

#### BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.40	40	40	80
WRB/SG.80	40	80	80
WRB/SG.120	40	120	80

#### BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.40	40	40	80
WRB/PO.80	40	80	80
WRB/PO.120	40	120	80

dimensions in cm (approximate)



# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### 1/2 DOORS - 180\*30 SERIES

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing Door Model
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet
- [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD				
view				
code	WRC.2(1.2).18030	WRC.4(2.2).18060	WRC.6(3.2).18090	WRC.8(4.2).180117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
VERSION 1				
view				
code	WRC.2(1.2).18030.V1	WRC.4(2.2).18060.V1	WRC.6(3.2).18090.V1	WRC.8(4.2).180117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
VERSION 2 & VERSION 3				
view				
code	WRC.4(2.2).18060.V2	WRC.8(4.2).180117.V2	WRC.4(2.2).18060.V3	WRC.8(4.2).180117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

VERSION 4					VERSION 5		
view					view		
code	WRC.2(1.2).18030.V4	WRC.4(2.2).18060.V4	WRC.6(3.2).18090.V4	WRC.8(4.2).180117.V4	code	WRC.4(2.2).18060.V5	WRC.8(4.2).180117.V5
no of door	2	4	6	8	no of door	4	8
door type	right hung	right hung	right hung	right hung	door type	swing	swing
ventilation	round perforated	round perforated	round perforated	round perforated	ventilation	round perforated	round perforated
height (cm)	180	180	180	180	height (cm)	180	180
width (cm)	30	60	90	117	width (cm)	60	117
depth (cm)	50	50	50	50	depth (cm)	50	50
VERSION 6					VERSION 7		
view					view		
code	WRC.2(1.2).18030.V6	WRC.4(2.2).18060.V6	WRC.6(3.2).18090.V6	WRC.8(4.2).180117.V6	code	WRC.4(2.2).18060.V7	WRC.8(4.2).180117.V7
no of door	2	4	6	8	no of door	4	8
door type	right hung	right hung	right hung	right hung	door type	swing	swing
ventilation	wire mesh	wire mesh	wire mesh	wire mesh	ventilation	wire mesh	wire mesh
height (cm)	180	180	180	180	height (cm)	180	180
width (cm)	30	60	90	117	width (cm)	60	117
depth (cm)	50	50	50	50	depth (cm)	50	50

dimensions in cm (approximate)

#### Standard Colors For This Range





STANDARD			
view			
code	WRC.2(1,2).18040	WRC.4(2,2).18080	WRC.6(3,2).180120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1,2).18040.V1	WRC.4(2,2).18080.V1	WRC.6(3,2).180120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3		
view		
code	WRC.4(2,2).18080.V2	WRC.4(2,2).18080.V3
no of door	4	4
door type	swing	swing
ventilation	louvered	square perforated
height (cm)	180	180
width (cm)	80	80
depth (cm)	50	50

VERSION 4			
view			
code	WRC.2(1,2).18040.V4	WRC.4(2,2).18080.V4	WRC.6(3,2).180120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 5	
view	
code	WRC.4(2,2).18080.V5
no of door	4
door type	swing
ventilation	round perforated
height (cm)	180
width (cm)	80
depth (cm)	50

VERSION 6			
view			
code	WRC.2(1,2).18040.V6	WRC.4(2,2).18080.V6	WRC.6(3,2).180120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 7	
view	
code	WRC.4(2,2).18080.V7
no of door	4
door type	swing
ventilation	wire mesh
height (cm)	180
width (cm)	80
depth (cm)	50

dimensions in cm (approximate)

STANDARD				
view				
code	WRC.2(1,2).19530	WRC.4(2,2).19560	WRC.6(3,2).19590	WRC.8(4,2).195117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 1				
view				
code	WRC.2(1,2).19530.V1	WRC.4(2,2).19560.V1	WRC.6(3,2).19590.V1	WRC.8(4,2).195117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 2 & VERSION 3				
view				
code	WRC.4(2,2).19560.V2	WRC.8(4,2).195117.V2	WRC.4(2,2).19560.V3	WRC.8(4,2).195117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

VERSION 4				
view				
code	WRC.2(1,2).19530.V4	WRC.4(2,2).19560.V4	WRC.6(3,2).19590.V4	WRC.8(4,2).195117.V4
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC.4(2,2).19560.V5	WRC.8(4,2).195117.V5
no of door	4	8
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

VERSION 6				
view				
code	WRC.2(1,2).19530.V6	WRC.4(2,2).19560.V6	WRC.6(3,2).19590.V6	WRC.8(4,2).195117.V6
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC.4(2,2).19560.V7	WRC.8(4,2).195117.V7
no of door	4	8
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)



STANDARD			
view			
code	WRC.2(1.2).19540	WRC.4(2.2).19580	WRC.6(3.2).195120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1.2).19540.V1	WRC.4(2.2).19580.V1	WRC.6(3.2).195120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3		
view		
code	WRC.4(2.2).19580.V2	WRC.6(3.2).195120.V3
no of door	4	4
door type	swing	swing
ventilation	louvered	square perforated
height (cm)	195	195
width (cm)	80	80
depth (cm)	50	50

VERSION 4			
view			
code	WRC.2(1.2).19540.V4	WRC.4(2.2).19580.V4	WRC.6(3.2).195120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 5	
view	
code	WRC.4(2.2).19580.V5
no of door	4
door type	swing
ventilation	round perforated
height (cm)	195
width (cm)	80
depth (cm)	50

VERSION 6			
view			
code	WRC.2(1.2).19540.V6	WRC.4(2.2).19580.V6	WRC.6(3.2).195120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 7	
view	
code	WRC.4(2.2).19580.V7
no of door	4
door type	swing
ventilation	wire mesh
height (cm)	195
width (cm)	80
depth (cm)	50

dimensions in cm (approximate)

SLOPING ROOFS			
code	height	width	depth
WRR.30	20	30	50
WRR.40	20	40	50
WRR.60	20	60	50
WRR.80	20	80	50
WRR.90	20	90	50
WRR.117	20	117	50
WRR.120	20	120	50

BASE			
code	height	width	depth
WBS.30	10	30	50
WBS.40	10	40	50
WBS.60	10	60	50
WBS.80	10	80	50
WBS.90	10	90	50
WBS.117	10	117	50
WBS.120	10	120	50

BENCH - STANDARD			
code	height	width	depth
WRB.30	40	30	80
WRB.40	40	40	80
WRB.60	40	60	80
WRB.80	40	80	80
WRB.90	40	90	80
WRB.117	40	117	80
WRB.120	40	120	80

FRAMED FEET			
code	height	width	depth
WRF.30	10	30	50
WRF.40	10	40	50
WRF.60	10	60	50
WRF.80	10	80	50
WRF.90	10	90	50
WRF.117	10	117	50
WRF.120	10	120	50

BENCH WITH SHOE GRILL			
code	height	width	depth
WRB/SG.30	40	30	80
WRB/SG.40	40	40	80
WRB/SG.60	40	60	80
WRB/SG.80	40	80	80
WRB/SG.90	40	90	80
WRB/SG.117	40	117	80
WRB/SG.120	40	120	80

BENCH WITH PULL OUT SEAT			
code	height	width	depth
WRB/PO.30	40	30	80
WRB/PO.40	40	40	80
WRB/PO.60	40	60	80
WRB/PO.80	40	80	80
WRB/PO.90	40	90	80
WRB/PO.117	40	117	80
WRB/PO.120	40	120	80

dimensions in cm (approximate)



# WARDROBES & LOCKERS

## WARDROBE CUPBOARDS

### FLATPACK

#### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Clean & Dirty Industry Models
- Base and Adding Units
- Top Shelf with Coat Rail and Hook in Each Section
- 1/2 Models (No Shelf)
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Single Corrugated Carton on Pallet

#### OPTIONAL

- Bottom Shelf \*
- Perforated Door Types
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys \*
- Latchlock
- Flush Latchlock
- 3 Point Latchlock \*
- 20 cm Sloping Roof
- 10 cm Framed Feet
- 40 cm Bench Models

\* Not Applicable for 1/2 Doors Model



#### CLEAN INDUSTRY - C/I

view		
code	WRC/FP 1/BU 30	WRC/FP 1/AU 30
item	base unit	adding unit
no of door	1	1
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	30	30
depth (cm)	50	50

#### DIRTY INDUSTRY - D/I

view		
code	WRD/FP 1/BU 40	WRD/FP 1/AU 40
item	base unit	adding unit
no of door	1	1
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	40	40
depth (cm)	50	50

#### 1/2 DOORS

view		
code	WRC/FP 2/BU 30	WRC/FP 2/AU 30
item	base unit	adding unit
no of door	2	2
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	30	30
depth (cm)	50	50

#### SLOPING ROOFS



code	height	width	depth
WRR.30.B1	20	30	50
WRR.40.B1	20	40	50
WRR.60.B1A1	20	60	50
WRR.80.B1A1	20	80	50
WRR.90.B1A2	20	90	50
WRR.120.B1A3	20	120	50
WRR.120.B1A2	20	120	50

#### BASE



code	height	width	depth
WBS.30.B1	10	30	50
WBS.40.B1	10	40	50
WBS.60.B1A1	10	60	50
WBS.80.B1A1	10	80	50
WBS.90.B1A2	10	90	50
WBS.120.B1A3	10	120	50
WBS.120.B1A2	10	120	50

#### FRAMED FEET



code	height	width	depth
WRF.30.B1	10	30	50
WRF.40.B1	10	40	50
WRF.60.B1A1	10	60	50
WRF.80.B1A1	10	80	50
WRF.90.B1A2	10	90	50
WRF.120.B1A3	10	120	50
WRF.120.B1A2	10	120	50

#### BENCH - STANDARD



code	height	width	depth
WRB.30.B1	40	30	80
WRB.40.B1	40	40	80
WRB.60.B1A1	40	60	80
WRB.80.B1A1	40	80	80
WRB.90.B1A2	40	90	80
WRB.120.B1A3	40	120	80
WRB.120.B1A2	40	120	80

#### BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.30.B1	40	30	80
WRB/SG.40.B1	40	40	80
WRB/SG.60.B1A1	40	60	80
WRB/SG.80.B1A1	40	80	80
WRB/SG.90.B1A2	40	90	80
WRB/SG.120.B1A3	40	120	80
WRB/SG.120.B1A2	40	120	80

#### BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.30.B1	40	30	80
WRB/PO.40.B1	40	40	80
WRB/PO.60.B1A1	40	60	80
WRB/PO.80.B1A1	40	80	80
WRB/PO.90.B1A2	40	90	80
WRB/PO.120.B1A3	40	120	80
WRB/PO.120.B1A2	40	120	80

dimensions in cm (approximate)

#### Standard Colors For This Range





#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with 180° Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing & Folding Door Models
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD			
view			
code	WRZ/2.1840	WRZ/4.1877	WRZ/6.18114
no of door	2	4	6
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 1			
view			
code	WRZ/2.1840.V1	WRZ/4.1877.V1	WRZ/6.18114.V1
no of door	2	4	6
door type	standard	standard	standard
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50



VERSION 2			
view			
code	WRZ/2.1840.V2	WRZ/4.1877.V2	WRZ/6.18114.V2
no of door	2	4	6
door type	swing	swing	swing
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 3			
view			
code	WRZ/2.1840.V3	WRZ/4.1877.V3	WRZ/6.18114.V3
no of door	2	4	6
door type	swing	swing	swing
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 4			
view			
code	WRZ/2.1840.V4	WRZ/4.1877.V4	WRZ/6.18114.V4
no of door	2	4	6
door type	standard	standard	standard
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

#### Standard Colors For This Range







VERSION 5			
view			
code	WRZ/2.1840.V5	WRZ/4.1877.V5	WRZ/6.18114.V5
no of door	2	4	6
door type	swing	swing	swing
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 8			
view			
code	WRZ/2.1840.V8	WRZ/4.1877.V8	WRZ/6.18114.V8
no of door	2	4	6
door type	folding	folding	folding
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 9			
view			
code	WRZ/2.1840.V9	WRZ/4.1877.V9	WRZ/6.18114.V9
no of door	2	4	6
door type	folding	folding	folding
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 10			
view			
code	WRZ/2.1840.V10	WRZ/4.1877.V10	WRZ/6.18114.V10
no of door	2	4	6
door type	folding	folding	folding
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

SLOPING ROOFS			
code	height	width	depth
WRR.Z40	20	40	50
WRR.77	20	77	50
WRR.114	20	114	50

BASE			
code	height	width	depth
WBS.Z40	10	40	50
WBS.77	10	77	50
WBS.114	10	114	50


FRAMED FEET			
code	height	width	depth
WRF.Z40	10	40	50
WRF.77	10	77	50
WRF.114	10	114	50

BENCH - STANDARD			
code	height	width	depth
WRB.Z40	40	40	80
WRB.77	40	77	80
WRB.114	40	114	80

BENCH WITH SHOE GRILL			
code	height	width	depth
WRB/SG.Z40	40	40	80
WRB/SG.77	40	77	80
WRB/SG.114	40	114	80

BENCH WITH PULL OUT SEAT			
code	height	width	depth
WRB/PO.Z40	40	40	80
WRB/PO.77	40	77	80
WRB/PO.114	40	114	80

dimensions in cm (approximate)





#### SEPARATE BENCHES FEATURES

- Metal Frame
- Varnished Hornbeam Slats
- Packaging: Flatpack in Corrugated Carton

#### OPTIONAL

- Plastic Slat
- Shoe Grill
- Legs with Floor Fixing Part  
[Screw Kit is Not Included]

#### STACKABLE BENCHES FEATURES

- Metal Frame
- Varnished Pine Slats
- Packaging: Stacked on Pallet

#### OPTIONAL

- Plastic Slat



SEPARATE BENCH			
code	height	width	depth
SRB.40	40	40	40
SRB.60	40	60	40
SRB.80	40	80	40
SRB.90	40	90	40
SRB.100	40	100	40
SRB.120	40	120	40
SRB.150	40	150	40
SRB.160	40	160	40
SRB.200	40	200	40

SEPARATE BENCH WITH BACK REST			
code	height	width	depth
SRB/R.100	40-90(th)	100	40
SRB/R.120	40-90(th)	120	40
SRB/R.150	40-90(th)	150	40
SRB/R.160	40-90(th)	160	40
SRB/R.200	40-90(th)	200	40

WALL MOUNT BENCH			
code	height	width	depth
WMB.4010030	40	100	30
WMB.4012030	40	120	30
WMB.4014030	40	140	30

STACKABLE BENCH			
code	height	width	depth
STB.120	45	120	43
STB.160	45	160	43
STB.200	45	200	43



FLOOR FIXING



PLASTIC SLAT

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

7016  
Anthracite



7035  
Grey



9005  
Black



#### FEATURES

- Metal Frame
- Varnished Hornbeam Slats
- Single and Double Sided Bench Units
- Legs with Floor Fixing Part [Screw Kit is Not Included]
- Packaging: Flatpack in Corrugated Carton

#### OPTIONAL

- Plastic Slat



#### SINGLE SIDED BENCH UNITS



code	model	no of hooks	height	width	depth
SBU/BG.120	only bottom grill	4	40(sh)-189(th)	120	40
SBU/BG.160	only bottom grill	6	40(sh)-189(th)	160	40
SBU/BG.200	only bottom grill	8	40(sh)-189(th)	200	40
SBU/TBG.120	top & bottom grill	4	40(sh)-189(th)	120	40
SBU/TBG.160	top & bottom grill	6	40(sh)-189(th)	160	40
SBU/TBG.200	top & bottom grill	8	40(sh)-189(th)	200	40

#### DOUBLE SIDED BENCH UNITS



code	model	no of hooks	height	width	depth
DBU/BG.120	only bottom grill	4+4	40(sh)-189(th)	120	77
DBU/BG.160	only bottom grill	6+6	40(sh)-189(th)	160	77
DBU/BG.200	only bottom grill	8+8	40(sh)-189(th)	200	77
DBU/TBG.120	top & bottom grill	4+4	40(sh)-189(th)	120	77
DBU/TBG.160	top & bottom grill	6+6	40(sh)-189(th)	160	77
DBU/TBG.200	top & bottom grill	8+8	40(sh)-189(th)	200	77

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

7016  
Anthracite



7035  
Grey



9005  
Black







### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Upper Shelf for Helmet
- Coat Rail with Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Louvered Doors for Air Circulation
- Envelope Case and 2 Hooks on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards  
[Screw Kit is Not Included]
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



view		
code	FRM/F.1	FRM/F.2
no of door	1	2
door type	right hung	right hung
ventilation	louvered	louvered
feet	10 cm	10 cm
height (cm)	205	205
width (cm)	50	97
depth (cm)	55	55

dimensions in cm (approximate)

### Standard Colors For This Range



# WARDROBES & LOCKERS

## POLICEMAN CUPBOARDS



### FEATURES

- Heavy Duty Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Handgun Case with Lock on Top Shelf
- Coat Rail with Hook in Each Section
- Small Shelves for Storage of Various Police Tools
- Mirror & Sunglasses-Handcuffs Cases & Baton Holder on Doors
- Round Perforated Doors for Air Circulation
- Anti-Noise Plastic Buffers on Doors
- Stamped Label Holder on Doors
- 1000 Differs 3 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



view		
code	PLC/F.1	PLC/F.2
no of door	1	2
door type	right hung	right hung
ventilation	round perforated	round perforated
feet	10 cm	10 cm
height (cm)	190	190
width (cm)	60	117
depth (cm)	55	55

dimensions in cm (approximate)

#### Standard Colors For This Range



\* Minimum Order Required



### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Can be Multiple by Bolting Together Side by Side or on Each Other
- Reinforced Doors with Semi-Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- 8 cm Base \*
- 2,000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

\* Should be Ordered Separately as per Column

### OPTIONAL

- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock



view		
code	CBL 38	BS/CBL 38
item	cube locker	base
height (cm)	38	8
width (cm)	38	38
depth (cm)	38	37

dimensions in cm (approximate)

### Standard Colors For This Range

5010 Blue		5015 Blue		7016 Anthracite		7035 Grey	
1021 Yellow		2004 Orange		3000 Red		6011 Green	

\* Minimum Order Required

# WARDROBES & LOCKERS

## MULTI-CASE LOCKERS

### STANDARD - 30 SERIES

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- Stamped Label Holder on Doors
- 2,000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1/4 SERIES				
view				
code	MCL.4(1.4).30	MCL.8(2.4).30	MCL.12(3.4).30	MCL.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			

1/5 SERIES				
view				
code	MCL.5(1.5).30	MCL.10(2.5).30	MCL.15(3.5).30	MCL.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			



dimensions in cm (approximate)

1/3 SERIES				
view				
code	MCL.3(1.3).30	MCL.6(2.3).30	MCL.9(3.3).30	MCL.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			

#### Standard Colors For This Range



\* Minimum Order Required



# WARDROBES & LOCKERS

## MULTI-CASE LOCKERS

### STANDARD - 40 SERIES

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- Stamped Label Holder on Doors
- 2,000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



#### 1/3 SERIES

view			
code	MCL.3(1.3).40	MCL.6(2.3).40	MCL.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

#### 1/4 SERIES

view			
code	MCL.4(1.4).40	MCL.8(2.4).40	MCL.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

#### 1/5 SERIES

view			
code	MCL.5(1.5).40	MCL.10(2.5).40	MCL.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

dimensions in cm (approximate)

#### Standard Colors For This Range



\* Minimum Order Required

SLOPING ROOFS



code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

BASE



code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50


FRAMED FEET



code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50

dimensions in cm (approximate)

CAMLOCK



LATCHLOCK



WHEEL COMBINATION LOCK



COIN LOCK (1 euro)



FLUSH LATCHLOCK





#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Framed Plexiglass Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]

1/3 SERIES				
view				
code	MCLVD.3(1.3).30	MCLVD.6(2.3).30	MCLVD.9(3.3).30	MCLVD.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			
1/4 SERIES				
view				
code	MCLVD.4(1.4).30	MCLVD.8(2.4).30	MCLVD.12(3.4).30	MCLVD.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			
1/5 SERIES				
view				
code	MCLVD.5(1.5).30	MCLVD.10(2.5).30	MCLVD.15(3.5).30	MCLVD.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			

dimensions in cm (approximate)



dimensions in cm (approximate)

1/3 SERIES			
view			
code	MCLVD.3(1.3).40	MCLVD.6(2.3).40	MCLVD.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

1/4 SERIES			
view			
code	MCLVD.4(1.4).40	MCLVD.8(2.4).40	MCLVD.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

1/5 SERIES			
view			
code	MCLVD.5(1.5).40	MCLVD.10(2.5).40	MCLVD.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

#### Standard Colors For This Range



\* Minimum Order Required

SLOPING ROOFS



code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

BASE



code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50

FRAMED FEET



code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50

dimensions in cm (approximate)

CAMLOCK



LATCHLOCK



FLUSH LATCHLOCK



COIN LOCK (1 euro)



WHEEL COMBINATION LOCK





# WARDROBES & LOCKERS

## MULTI-CASE LOCKERS

### LAMINATE DOORS - 30 SERIES

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Compact Laminate Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1/3 SERIES				
view				
code	MCL/LD.3(1.3).30	MCL/LD.6(2.3).30	MCL/LD.9(3.3).30	MCL/LD.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			

1/4 SERIES				
view				
code	MCL/LD.4(1.4).30	MCL/LD.8(2.4).30	MCL/LD.12(3.4).30	MCL/LD.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			

1/5 SERIES				
view				
code	MCL/LD.5(1.5).30	MCL/LD.10(2.5).30	MCL/LD.15(3.5).30	MCL/LD.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			

dimensions in cm (approximate)

#### Standard Metal Colors For This Range

7016  
Anthracite



#### Standard Laminate Colors For This Range

Grey



\* Minimum Order Required

#### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Compact Laminate Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

#### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1/3 SERIES			
view			
code	MCL/LD.3(1.3).40	MCL/LD.6(2.3).40	MCL/LD.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

1/4 SERIES			
view			
code	MCL/LD.4(1.4).40	MCL/LD.8(2.4).40	MCL/LD.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

1/5 SERIES			
view			
code	MCL/LD.5(1.5).40	MCL/LD.10(2.5).40	MCL/LD.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

dimensions in cm (approximate)

#### SLOPING ROOFS



code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

#### BASE



code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50

#### FRAMED FEET



code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50

dimensions in cm (approximate)

#### LOCK OPTIONS

##### LATCHLOCK



#### Standard Metal Colors For This Range

7016 Anthracite



#### Standard Laminate Colors For This Range

Grey



\* Minimum Order Required



# WARDROBES & LOCKERS

## SCHOOL CUPBOARDS

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



### 1/3 SERIES

view			
code	SHC.3(1.3).40	SHC.6(2.3).40	SHC.9(3.3).40
door(s)	3	6	9
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	575(h)*320(w)*425(d) mm		

### 1/4 SERIES

view			
code	SHC.4(1.4).40	SHC.8(2.4).40	SHC.12(3.4).40
door(s)	4	8	12
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	425(h)*320(w)*425(d) mm		

### 1/5 SERIES

view			
code	SHC.5(1.5).40	SHC.10(2.5).40	SHC.15(3.5).40
door(s)	5	10	15
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	330(h)*320(w)*425(d) mm		

dimensions in cm (approximate)

### Standard Colors For This Range



\* Minimum Order Required

**SLOPING ROOFS**



code	height	width	depth
SHR.41	20	41	45
SHR.80	20	80	45
SHR.119	20	119	45

**BASE**




code	height	width	depth
SHB.41	10	41	45
SHB.80	10	80	45
SHB.119	10	119	45

**FRAMED FEET**



code	height	width	depth
SHF.41	10	41	45
SHF.80	10	80	45
SHF.119	10	119	45

dimensions in cm (approximate)





# WARDROBES & LOCKERS

## CLOAKROOM STORAGE UNITS

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Combination of Lockers & Vestuary Set & Side Panels
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view						
code	CRU.5S3065	CRU.5S3065	CRU.5S4065	CRU.5S4065	CSU.5S4065	CSU.5S4065
combination	5+S	5+5	5+S	5+5	5+S	5+5
vestiary set	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm
height (cm)	180	180	180	180	190	190
width (cm)	30+65	30+65+30	40+65	40+65+40	41+65	41+65+41
depth (cm)	50	50	50	50	45	45
compartment size	315(h)*220(w)*475(d) mm		315(h)*320(w)*475(d) mm		330(h)*320(w)*425(d) mm	

dimensions in cm (approximate)

### Standard Colors For This Range



\* Minimum Order Required

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 1 and 2 Rows Models
- Rear Mounting Holes
- Wooden Slat with Hook under Lockers in Equal Number to Compartments
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Hinge
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock




LOCKERS						
view						
code	WLC.3(3.1).40	WLC.6(3.2).40	WLC.4(4.1).40	WLC.8(4.2).40	WLC.5(5.1).40	WLC.10(5.2).40
no of door	3	6	4	8	5	10
height (cm)	40	74	40	74	40	74
width (cm)	119	119	157	157	196	196
depth (cm)	45	45	45	45	45	45
compartment size	320(h)*320(w)*425(d)					

SLATS WITH HOOKS						
view						
code	STH.3.119	STH.6.119	STH.4.157	STH.8.157	STH.5.196	STH.10.196
no of hook	3	6	4	8	5	10
height (cm)	11	11	11	11	11	11
width (cm)	119	119	157	157	196	196

dimensions in cm (approximate)

### Standard Colors For This Range



\* Minimum Order Required



### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Ideal for Small Valuables
- Wall Mounting Holes on Rear Top
- Reinforced Doors with Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Coin Lock



view							
code	PEL 20(4.5)	PEL 24(4.6)	PEL 28(4.7)	PEL 32(4.8)	PEL 25(5.5)	PEL 30(6.5)	PEL 35(7.5)
no of door	20	24	28	32	25	30	35
height (cm)	110	130	149	168	110	110	110
width (cm)	80	80	80	80	99	119	138
depth (cm)	15	15	15	15	15	15	15
compartment size	165(h)*140(w)*125(d) mm						

dimensions in cm (approximate)

### Standard Colors For This Range



### FEATURES


- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



dimensions in cm (approximate)

view	
code	LSL_10(1.10)
no of door	10
height (cm)	180
width (cm)	50
depth (cm)	50
compartment size (mm)	160(h)*400(w)*475(d)

### Standard Colors For This Range

5010  
Blue



5015  
Blue



7016  
Anthracite



7035  
Grey





*MAILROOM FURNITURE*







### MAIL BOX CUPBOARDS - MASTER DOOR FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Hole on Rear Top
- Anti-Noise Plastic Buffers on Doors
- Locked and Mastered Doors
- Packaging: Nylon Bag + Corrugated Carton

### MAIL BOX CUPBOARDS - SHORT DOOR FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Hole on Rear Top
- Can be Bolted Side by Side
- Anti-Noise Plastic Buffers on Doors
- Short Doors with Magnetic Catch
- Packaging: Nylon Bag + Corrugated Carton



view			
code	MBC/SD 8	MBC/SD 10	MBC 10
no of door	8 [1x8]	10 [1x10]	10 [1x10]
closure	magnetic	magnetic	locked
height (cm)	146	180	180
width (cm)	30	30	40
depth (cm)	40	40	50

dimensions in cm (approximate)

#### Standard Colors For This Range





### MAIL SORTING STATION FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Combination of Module & Module Riser and Base Cupboard
- Module Pockets Suitable for C4 Envelope
- Packaging: Nylon Bag + Corrugated Carton

### MAIL BAG HOLDERS FEATURES

- Durable Tube Construction
- Electrostatic Powder Coating
- Stationary or Mobile Models
- Adjustable Hooks for Bags
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton



M1

E1



### MAIL SORTING STATION

view			
code	MSM 5(20)	MRB 150	MSBC/SD 150
item name	module	module riser	shutter door base cupboard
description	5 cases / 20 pockets	open	25 mm top & 1 shelf
height (cm)	35	35	75
width (cm)	150	150	150
depth (cm)	35	35	80

### MAIL BAG HOLDER

view				
code	MBH 2	MBHM 2	MBH 3	MBHM 3
capacity	2 bags	2 bags	3 bags	3 bags
moving	stationary	mobile	stationary	mobile
height (cm)	122	132	122	132
width (cm)	89	89	127	127
depth (cm)	46	46	46	46

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range



#### Standard Shutter Colors For This Range



*LAUNDRY & CLEANING CUPBOARDS*





# LAUNDRY & CLEANING CUPBOARDS

## LAUNDRY CUPBOARDS

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Stamped Label Holder on Doors
- Air Slots on Back for Air Circulation
- Master Door
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1 COLUMN						
view						
code	LRC.5(1.5).40	LRC.6(1.6).40	LRC.7(1.7).40	LRC.8(1.8).40	LRC.9(1.9).40	LRC.10(1.10).40
no of door	5	6	7	8	9	10
height (cm)	180	180	180	180	180	180
width (cm)	40	40	40	40	40	40
depth (cm)	50	50	50	50	50	50
compartment size (mm)	285(h)*280(w)*475(d)	235(h)*280(w)*475(d)	200(h)*280(w)*475(d)	170(h)*280(w)*475(d)	150(h)*280(w)*475(d)	130(h)*280(w)*475(d)

2 COLUMNS						
view						
code	LRC.10(2.5).40	LRC.12(2.6).40	LRC.14(2.7).40	LRC.16(2.8).40	LRC.18(2.9).40	LRC.20(2.10).40
no of door	10	12	14	16	18	20
height (cm)	180	180	180	180	180	180
width (cm)	74	74	74	74	74	74
depth (cm)	50	50	50	50	50	50
compartment size (mm)	285(h)*280(w)*475(d)	235(h)*280(w)*475(d)	200(h)*280(w)*475(d)	170(h)*280(w)*475(d)	150(h)*280(w)*475(d)	130(h)*280(w)*475(d)

dimensions in cm (approximate)

### Standard Colors For This Range



# LAUNDRY & CLEANING CUPBOARDS


## GARMENT COLLECTORS



### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Hole on Rear Top
- Reinforced Doors with Semi-Concealed Hinges and Anti-Noise Plastic Buffers
- Hinged Small Lid on Top with Magnet for Garment Input
- Telescopic Frame with Bag Hook
- Slots on Door for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



view		
code	GRC/1.1840	GRC/1.1860
no of door	1	1
no of shelf	1	1
height (cm)	180	180
width (cm)	40	60
depth (cm)	50	50

dimensions in cm (approximate)

### Standard Colors For This Range

5010  
Blue



5015  
Blue



7016  
Anthracite



7035  
Grey





### FEATURES

- Durable Tube Construction
- Electrostatic Powder Coating
- Stationary or Mobile Models
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton



view				
code	GAR 160	GAR/W 160	GAR 180	GAR/W 180
moving	stationary	mobile	stationary	mobile
height (cm)	167	171	167	171
width (cm)	160	160	180	180
depth (cm)	50	50	50	50

dimensions in cm (approximate)

### Standard Colors For This Range

5010  
Blue



5015  
Blue



7016  
Anthracite



7035  
Grey






### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Full or Half Divider Models
- Adjustable Shelves on Left
- Top Shelf with Coat Rail and Hook on Right
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Door
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]



view				
code	CLC/FD.1860	CLC/FD.1880	CLC/HD.1860	CLC/HD.1880
no of door	2 swing	2 swing	2 swing	2 swing
divider	full divider	full divider	half divider	half divider
shelves	1 right + 4 left	1 right + 4 left	1 right + 4 left	1 right + 4 left
height (cm)	180	180	180	180
width (cm)	60	80	60	80
depth (cm)	50	50	50	50

dimensions in cm (approximate)

### Standard Colors For This Range





*WORKSHOP & INDUSTRIAL FURNITURE*



# WORKSHOP & INDUSTRIAL FURNITURE

## INDUSTRIAL PC CABINET

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- On Four Heavy Duty Rollers
- Semi-Concealed Hinged Top Door with Transparent Monitor Display
- Telescopic Keyboard Drawer
- Bottom Case for CPU with Swing Doors
- Anti-Noise Plastic Buffers on Doors
- Ventilation Holes on Side & Rear Panels
- 2.000 Differs Locks with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view	
code	IPC/M1
height (cm)	170
width (cm)	68
depth (cm)	60

dimensions in cm (approximate)

### Standard Colors For This Range





### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- On Four Heavy Duty Rollers
- Pull Handle on Left
- Anti-Tilt Drawers on Full-Extension Telescopic Slides
- Dividers in Drawers
- Tray Shelf in Models having Door
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys for Drawers
- 2.000 Differs Square Head Camlock with 2 Keys for Doors
- Paired Locks in 2 Column Models
- Masterkey Support
- Packaging: Stretch Wrapped & Delivery on Pallet



view				
code	MTC.5	MTC/RD.5	MTC/LD.5	MTC.10
no of drawer	5	5	5	10
no of door	na	right door	left door	na
no of shelf	na	1	1	na
height (cm)	84	84	84	84
width (cm)	56	109	109	109
depth (cm)	60	60	60	60

dimensions in cm (approximate)

### Standard Colors For This Range



\* Minimum Order Required

### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 40 mm Plywood Top
- Reinforced Bottom Shelf
- 1-2-3 Drawer Blocks Combinations
- Central Locking System
- 2.000 Differs Square Head Pedestal Lock with 2 Keys
- Masterkey Support
- Packaging: Stretch Wrapped & Delivery on Pallet



view					
code	WBN.126.(0)	WBN.166.(0)	WBP/S.1	WBP/S.2	WBP/S.3
item	table + 1 shelf	table + 1 shelf	pedestal 1 drawer	pedestal 2 drawers	pedestal 3 drawers
height (cm)	84	84	23	38	38
width (cm)	120	160	46	46	46
depth (cm)	60	60	55	55	55



view			
code	MPD.3012	MPD.6012	MPD.9012
item	metal pegboard	metal pegboard	metal pegboard
height (cm)	30	60	90
width (cm)	120	120	120
depth (cm)	3	3	3

view			
code	MPD.3016	MPD.6016	MPD.9016
item	metal pegboard	metal pegboard	metal pegboard
height (cm)	30	60	90
width (cm)	160	160	160
depth (cm)	3	3	3

view		
code	WMTC/2P.120	WMTC/2P.160
item	wall mount cupboard	wall mount cupboard
height (cm)	60	60
width (cm)	120	160
depth (cm)	20	20

dimensions in cm (approximate)

### Standard Colors For This Range



\* Minimum Order Required



# WORKSHOP & INDUSTRIAL FURNITURE

## MULTI-PURPOSE STORAGE CUPBOARD

### FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Shelf Fronts with Full Size Lable Holder
- Divider Holes on Shelves
- Plastic Dividers for Sorting
- Packaging: Nylon Bag + Corrugated Carton



code	MPSC.1930	MPSC.1940
shelves	12	12
height (cm)	198	198
width (cm)	100	100
depth (cm)	30	40

dimensions in cm (approximate)

### Standard Colors For This Range



# WORKSHOP & INDUSTRIAL FURNITURE

## CHEMICAL STORAGE CUPBOARDS



### FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Liquid Leak Free Shelves with Welded Corners
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Square Perforated Doors for Air Circulation
- Document Case on Door
- 1.000 Differs 3 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

### OPTIONAL

- Filter Plate on Shelves
- 10 cm High Base Shelf
- Flatpack Model



view		
code	CSC.1950	CSC.1992
no of doors	1 right hung	2 swing
no of shelves	4	4
height (cm)	195	195
width (cm)	50	92
depth (cm)	42	42

dimensions in cm (approximate)

### Standard Colors For This Range





*SAFES*



**FEATURES**

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Double Walls Filled with Rock Wool
- Adjustable Shelves with A4 Suspension File Support
- Flame Resistant Flat Wick Between Walls and Doors
- 180 Degree Rotating Heavy Duty Hinged Doors
- High Quality Safe Lock with 4 Point Locking with 2 Keys
- Packaging: Strech Wrapped & Delivery on Pallet

**OPTIONAL**

- Inner Cupboards
- Roll-Out Accessories



view			
code	FSC.1570	FSC.1970	FSC.1995
no of door	1 right hung	1 right hung	2 swing
no of shelf	3	4	4
height (cm)	150	195	195
width (cm)	70	70	95
depth (cm)	55	55	55

dimensions in cm (approximate)

**Standard Colors For This Range**

7016  
Anthracite



7035  
Grey



9005  
Black



9006  
Silver






FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- High Quality Safe Lock with Single Point Locking with 2 Keys
- Packaging: Nylon Bag + Corrugated Carton



view	
code	SFB.408038
height (cm)	40
width (cm)	80
depth (cm)	38

dimensions in cm (approximate)

Standard Colors For This Range

7016  
Anthracite



7035  
Grey



9005  
Black



9006  
Silver



## *TABLES & CHAIRS*





# TABLES & CHAIRS

## STANDARD TABLES


### SQUARE LEG

#### FEATURES

- Durable Metal Frame Construction
- Electrostatic Powder Coating
- Square Tube Legs
- Levelling Feet under Tubes
- 25 mm Wooden Top
- 2 mm Edgebanding
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton
- Delivery on Pallet

#### OPTIONAL

- Chrome-Plated Legs



SQUARE TABLES			
view			
code	MTB.S.66	MTB.S.77	MTB.S.88
top shape	square	square	square
leg type	square	square	square
height (cm)	75	75	75
width (cm)	60	70	80
depth (cm)	60	70	80

RECTANGLE TABLES - 60 CM DEEP							
view							
code	MTB.R.106	MTB.R.126	MTB.R.146	MTB.R.166	MTB.R.186	MTB.R.206	
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle	
leg type	square	square	square	square	square	square	
height (cm)	75	75	75	75	75	75	
width (cm)	100	120	140	160	180	200	
depth (cm)	60	60	60	60	60	60	

RECTANGLE TABLES - 70 CM DEEP						
view						
code	MTB.R.107	MTB.R.127	MTB.R.147	MTB.R.167	MTB.R.187	MTB.R.207
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	square	square	square	square	square	square
height (cm)	75	75	75	75	75	75
width (cm)	100	120	140	160	180	200
depth (cm)	70	70	70	70	70	70

RECTANGLE TABLES - 80 CM DEEP						
view						
code	MTB.R.108	MTB.R.128	MTB.R.148	MTB.R.168	MTB.R.188	MTB.R.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	square	square	square	square	square	square
height (cm)	75	75	75	75	75	75
width (cm)	100	120	140	160	180	200
depth (cm)	80	80	80	80	80	80

dimensions in cm (approximate)

# TABLES & CHAIRS

## STANDARD TABLES

### SQUARE LEG



QUARTER TABLES			
view			
code	MTB.Q.66	MTB.Q.77	MTB.Q.88
top shape	quarter	quarter	quarter
leg type	square	square	square
height (cm)	75	75	75
width (cm)	60	70	80
depth (cm)	60	70	80

HALF MOON TABLES			
view			
code	MTB.M.126	MTB.M.147	MTB.M.168
top shape	half moon	half moon	half moon
leg type	square	square	square
height (cm)	75	75	75
width (cm)	120	140	160
depth (cm)	60	70	80

CIRCLE TABLES			
view			
code	MTB.CR.80	MTB.CR.100	MTB.CR.120
top shape	circle	circle	circle
leg type	square	square	square
height (cm)	75	75	75
a (cm)	80	100	120

TRAPEZOID TABLES			
view			
code	MTB.T.126	MTB.T.147	MTB.T.168
top shape	trapezoid	trapezoid	trapezoid
leg type	square	square	square
height (cm)	75	75	75
width (cm)	120-60	140-70	160-80
depth (cm)	60	70	80

dimensions in cm (approximate)




# TABLES & CHAIRS

## STANDARD TABLES


### SQUARE LEG




CRESCENT & HALF BOAT & TRIANGLE			
view			
code	MTB.C.126	MTB.HB.126	MTB.G.88
top shape	crescent	half boat	triangle
leg type	square	square	square
height (cm)	75	75	75
width (cm)	120-120	120-120	80-80
depth (cm)	60	60	113



#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range



dimensions in cm (approximate)

# TABLES & CHAIRS

## STANDARD TABLES

### ROUND LEG

#### FEATURES

- Durable Metal Frame Construction
- Electrostatic Powder Coating
- Round Tube Legs
- Levelling Feet under Tubes
- 25 mm Wooden Top
- 2 mm Edgebanding
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton
- Delivery on Pallet

#### OPTIONAL

- Chrome-Plated Legs

E1



SQUARE TABLES			
view			
code	RLTB.S.66	RLTB.S.77	RLTB.S.88
top shape	square	square	square
leg type	round	round	round
height (cm)	75	75	75
width (cm)	60	70	80
depth (cm)	60	70	80

RECTANGLE TABLES - 60 CM DEEP						
view						
code	RLTB.R.106	RLTB.R.126	RLTB.R.146	RLTB.R.166	RLTB.R.186	RLTB.R.206
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	round	round	round	round	round	round
height (cm)	75	75	75	75	75	75
width (cm)	100	120	140	160	180	200
depth (cm)	60	60	60	60	60	60

RECTANGLE TABLES - 70 CM DEEP						
view						
code	RLTB.R.107	RLTB.R.127	RLTB.R.147	RLTB.R.167	RLTB.R.187	RLTB.R.207
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	round	round	round	round	round	round
height (cm)	75	75	75	75	75	75
width (cm)	100	120	140	160	180	200
depth (cm)	70	70	70	70	70	70

RECTANGLE TABLES - 80 CM DEEP						
view						
code	RLTB.R.108	RLTB.R.128	RLTB.R.148	RLTB.R.168	RLTB.R.188	RLTB.R.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	round	round	round	round	round	round
height (cm)	75	75	75	75	75	75
width (cm)	100	120	140	160	180	200
depth (cm)	80	80	80	80	80	80

QUARTER TABLES			
view			
code	RLTB.Q.66	RLTB.Q.77	RLTB.Q.88
top shape	quarter	quarter	quarter
leg type	round	round	round
height (cm)	75	75	75
width (cm)	60	70	80
depth (cm)	60	70	80

HALF MOON TABLES			
view			
code	RLTB.M.126	RLTB.M.147	RLTB.M.168
top shape	half moon	half moon	half moon
leg type	round	round	round
height (cm)	75	75	75
width (cm)	120	140	160
depth (cm)	60	70	80


CIRCLE TABLES			
view			
code	RLTB.CR.80	RLTB.CR.100	RLTB.CR.120
top shape	circle	circle	circle
leg type	round	round	round
height (cm)	75	75	75
ø (cm)	80	100	120

TRAPEZOID TABLES			
view			
code	RLTB.T.126	RLTB.T.147	RLTB.T.168
top shape	trapezoid	trapezoid	trapezoid
leg type	round	round	round
height (cm)	75	75	75
width (cm)	120-60	140-70	160-80
depth (cm)	60	70	80


CRESCENT & HALF BOAT & TRIANGLE			
view			
code	RLTB.C.126	RLTB.HB.126	RLTB.G.88
top shape	crescent	half boat	triangle
leg type	round	round	round
height (cm)	75	75	75
width (cm)	120-120	120-120	80-80
depth (cm)	60	60	113

dimensions in cm (approximate)

#### Standard Metal Colors For This Range



#### Standard Melamine Colors For This Range





# TABLES & CHAIRS

## FOLDING TABLES

### FEATURES

- Durable Metal Leg Construction
- Electrostatic Powder Coating
- Various Square or Round Tube Leg Models
- Folding Mechanism & Horizontal Stiffeners
- 25 mm Wooden Top
- 2 mm Edgebanding
- Stackable
- Packaging: Folded in Corrugated Carton
- Delivery on Pallet

### OPTIONAL

- Chrome-Plated Legs



E1



ROUND TUBE 1 STAND & T LEG					
view					
code	FTB/R1.T.148	FTB/R1.T.168	FTB/R1.T.188	FTB/R1.T.208	
top shape	rectangle	rectangle	rectangle	rectangle	
leg type	T	T	T	T	
height (cm)	75	75	75	75	
width (cm)	140	160	180	200	
depth (cm)	80	80	80	80	

ROUND TUBE 2 STAND & T LEG					
view					
code	FTB/R2.T.128	FTB/R2.T.148	FTB/R2.T.168	FTB/R2.T.188	FTB/R2.T.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	T	T	T	T	T
height (cm)	75	75	75	75	75
width (cm)	120	140	160	180	200
depth (cm)	80	80	80	80	80



ROUND TUBE 2 STAND & CRESCENT LEG					
view					
code	FTB/R2.C.128	FTB/R2.C.148	FTB/R2.C.168	FTB/R2.C.188	FTB/R2.C.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	crescent	crescent	crescent	crescent	crescent
height (cm)	75	75	75	75	75
width (cm)	120	140	160	180	200
depth (cm)	80	80	80	80	80


SQUARE TUBE 2 STAND & T LEG					
view					
code	FTB/S2.T.128	FTB/S2.T.148	FTB/S2.T.168	FTB/S2.T.188	FTB/S2.T.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	T	T	T	T	T
height (cm)	75	75	75	75	75
width (cm)	120	140	160	180	200
depth (cm)	80	80	80	80	80

SQUARE TUBE & H LEG					
view					
code	FTB/S.H.128	FTB/S.H.148	FTB/S.H.168	FTB/S.H.188	FTB/S.H.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	H	H	H	H	H
height (cm)	75	75	75	75	75
width (cm)	120	140	160	180	200
depth (cm)	80	80	80	80	80


FRAMED & SQUARE TUBE LEG					
view					
code	FTB/F.128	FTB/F.148	FTB/F.168	FTB/F.188	FTB/F.208
top shape	rectangle	rectangle	rectangle	rectangle	rectangle
leg type	framed	framed	framed	framed	framed
height (cm)	75	75	75	75	75
width (cm)	120	140	160	180	200
depth (cm)	80	80	80	80	80

dimensions in cm (approximate)

### Standard Metal Colors For This Range





### Standard Melamine Colors For This Range



### FEATURES

- Metal Round Tube
- Electrostatic Powder Coating
- Wooden Seat and Rest
- Stackable
- Packaging: Stacked & Shrink Nylon



view		
code	CHR.01	CHR.02
tube	ø 21	ø 21
back height (cm)	79	79
seat height (cm)	45	45
seat width (cm)	40	38
seat depth (cm)	39	36

dimensions in cm (approximate)

### Standard Metal Colors For This Range





### FEATURES

- Heavy-Duty Metal Frame Construction
- Electrostatic Powder Coating
- 1 or 2 way Entrance Models
- 25 mm Wooden Top
- 2 mm Edgebanding
- Easy Assembly
- Packaging: Flatpack in Corrugated Carton
- Delivery on Pallet

### OPTIONAL


- Separator Panel



dimensions in cm (approximate)

view					
code	FFT/WS.2W1	FFT/WS.4W1	FFT/WS.4W2	FFT/WS.6W1	FFT/WS.6W2
seat	2 wooden seats	4 wooden seats	4 wooden seats	6 wooden seats	6 wooden seats
entrance	1 way	1 way	2 ways	1 way	2 ways
back height (cm)	79	79	79	79	79
top height (cm)	75	75	75	75	75
seat height (cm)	45	45	45	45	45
width (cm)	53	107	107	160	160
depth (cm)	100	100	100	100	100

### Standard Metal Colors For This Range



### Standard Melamine Colors For This Range

