

Table Base CATALOG



February, 2016

SPECIAL **T**

About Us

Special-T is a manufacturer of tables and table bases. Our customers include office furniture dealers, table manufacturers and re-manufacturers. We are a wholly owned subsidiary of Global Resource Alliance, a family-owned business with half a century of experience in the office furnishings industry. We attribute our staying power and growth to the following:

- Alert, responsive customer service
- High quality products, low prices
- Debt-free, financially stable company

Purpose Statement

Our goal is to develop long term, mutually beneficial relationships using the highest level of values, ethics and unique products. Let us help you by ...

- Putting profit back into your projects
- Solving problems with creative solutions
- Utilizing 'A' Grade tables and bases



OUR CUSTOMER SERVICE TEAM IS WAITING FOR YOUR CALL!

- Personal attention
- Honesty, integrity, follow-through
- We actually do what we promise



SAME DAY SHIPPING!

- 24-hour turn-around time
- You're never late on quick turnaround projects
- Over 300,000 bases in stock



MORE OPTIONS – MORE CHOICES!

- Highest quality powder-coated finishes
- 19 standard industry colors available
- Polished chrome and Stainless Steel on some items
- Non-standard heights available

11820 WILLS ROAD, SUITE 140
ALPHARETTA, GA 30009

PHONE 888-705-0777 FAX 678-456-6046
WWW.SPECIALT.NET

SPECIAL 

Table of Contents

STAINLESS STEEL

Stainless Steel Round Base _____ 4

Stainless Steel Square Base _____ 5

Stainless Steel Bolt Down Leg _____ 6

Stainless Steel Post Leg _____ 7

CAST IRON

Cast Iron X and T Bases _____ 8

Cast Iron Round Base _____ 9

CONTEMPORARY

Curved U-Legs _____ 10

Dual Column Y-Legs _____ 11

Square End Base _____ 12

Square H-Legs _____ 13

Triangular Bases _____ 14

Drum Bases _____ 15

ARCHED

Arched Single Column T-Legs _____ 16

Arched Single Column C-Legs _____ 17

Arched Dual Column T-Legs _____ 18

Arched TU-Legs _____ 19

Double Arched TU-Legs _____ 20

Arched Single Column X-Bases _____ 21

Tripod Bases _____ 22







PHONE 888-705-0777

FAX 678-456-6046











ORDER ONLINE AT WWW.SPECIALT.NET

Table of Contents





POSTS

Single Column Post Legs _____	23	
1.5" Post Legs _____	24	
Tapered Post Legs _____	25	
Square Post Leg _____	26	
Reveal Legs _____	27	
Bolt Down Leg _____	28	

TRADITIONAL

Bolted Single Column T-Legs _____	29	
Welded Single Column T-Legs _____	30	
EZ Roll T-Leg _____	31	
Dual Column Legs _____	32	
Single Column C-Legs _____	33	
Dual Column C-Legs _____	34	
Dual Column H-Legs _____	35	
Single Column X-Bases _____	36	
Multi Column X-Bases _____	37	
4 and 5 Column X-Bases _____	38	

SIENNA SERIES

Sienna Round & Square Bases _____	39	
Sienna X Bases _____	40	
Sienna Boomerang Base _____	41	
Sienna Rectangle Base _____	42	

PHONE 888-705-0777


FAX 678-456-6046


ORDER ONLINE AT WWW.SPECIALT.NET

Table of Contents


Sienna T-Leg & C-Leg _____ 43 


HEIGHT ADJUSTABLE


Spring Clip Height Adjustable Bases _____ 44 


ValuLift Base _____ 45 

FOLDING/FLIP AND NEST


Folding Legs _____ 46 


Kingston Flip Base _____ 47 


Convertible Base _____ 48 

Transform-2 Base _____ 49 

ACCESSORIES

Perforated Steel Modesty Panels _____ 50 

Laminate Modesty Panels _____ 51 

Accessories _____ 52 


Casters & Glides _____ 53 



Table Cart _____ 54 

Table Tops QS24 1-Day Quick Ship Program _____ 55 

IMPORTANT INFORMATION _____ 56

METAL FINISHES _____ Inside Back Cover

Stainless Steel Round Base

SPECIAL **T**



SSP450-RB




SSP720-RB

DESCRIPTION

The stainless steel Round Base is composed of 304 grade stainless steel. The high quality, beautiful finish and style make this base perfect for office, restaurant and hospitality applications. Available in office and bar heights.

- UNIT HEIGHT: 27.75" and 40.75". SSP720-RB is available only in 27.75" height
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 17-23/32" x 17-23/32", 22-27/32" x 22-27/32", 28-23/64" x 28-23/64"; cover plate is 1mm thick 304 grade sunray brushed stainless steel
- LEVELERS: 3/4" diameter plastic for leveling on uneven floors
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 3 boxes

PART #	FLOOR PLATE DIAMETER	UNIT HEIGHT	RECOM. TOP SIZE	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSP450-RB	17-23/32"	27.75"	≤ 32" Rd. ≤ 28" Sq.	13.75" x 13.75"	34 lbs.	\$453
SSP450-RB-42	17-23/32"	40.75"	≤ 30" Rd. ≤ 24" Sq.	13.75" x 13.75"	36 lbs.	\$617
SSP580-RB	22-27/32"	27.75"	≤ 40" Rd. ≤ 36" Sq.	13.75" x 13.75"	70 lbs.	\$628
SSP580-RB-42	22-27/32"	40.75"	≤ 36" Rd. ≤ 32" Sq.	13.75" x 13.75"	72 lbs.	\$792
SSP720-RB	28-23/64" 3 columns	27.75"	≤ 60" Rd. ≤ 54" Sq.	13.75" x 13.75"	82 lbs.	\$597



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Stainless Steel Square Base


DESCRIPTION

Classic design meets beautiful finish in this stainless steel table base. Our Square Base is composed of 304 grade stainless steel. It is perfect for architectural, office, restaurant and hospitality applications and available in office and bar heights.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 17-23/32" x 17-23/32", 22-27/32 x 22-27/32"; cover plate is 1mm thick 304 grade linear brushed stainless steel
- LEVELERS: 3/4" diameter plastic for leveling on uneven floors
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 3 boxes



SSP450-SB



PART #	FLOOR PLATE	UNIT HEIGHT	RECOM. TOP SIZE	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSP450-SB	17-23/32"	27.75"	≤ 32" Rd. ≤ 28" Sq.	13.75" x 13.75"	39 lbs.	\$475
SSP450-SB-42	17-23/32"	40.75"	≤ 30" Rd. ≤ 24" Sq.	13.75" x 13.75"	41 lbs.	\$639
SSP580-SB	22-27/32"	27.75"	≤ 40" Rd. ≤ 36" Sq.	13.75" x 13.75"	59 lbs.	\$650
SSP580-SB-42	22-27/32"	40.75"	≤ 36" Rd. ≤ 32" Sq.	13.75" x 13.75"	61 lbs.	\$814

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Stainless Steel Bolt Down Leg

SPECIAL 



SSBD

DESCRIPTION

This stylish yet heavy duty base provides form and function in bolt down applications. It is perfect for office or hospitality settings. The base bolts to the floor with 8" diameter cover plate and has 3" column diameter.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 8" diameter; cover plate is 1mm thick 304 grade sunray brushed stainless steel
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 2 boxes

PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSBD	27.75"	3"	13.75" x 13.75"	16 lbs.	\$224
SSBD-42	40.75"	3"	13.75" x 13.75"	22 lbs.	\$388



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Our Stainless Steel Post Leg is crafted from high quality stainless steel.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 5" x 5" 2.5 mm powder coated pressed milled steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- LEVELER: 3.25" x .75" black plastic with 1/2" of adjustment
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed 4 per box



SS29-3PL



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SS29-PL	27.75"	3"	5 1/8" x 5 1/8"	6 lbs.	\$131
SS36-PL	34.75"	3"	5 1/8" x 5 1/8"	7 lbs.	\$158
SS42-PL	40.75"	3"	5 1/8" x 5 1/8"	8 lbs.	\$186

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Cast Iron X and T Bases

SPECIAL **T**



WXL-2222-42
with Foot Ring

WXL-2222

WTL-24

DESCRIPTION

The cast iron X and T Bases are fabricated from a 14 gauge tubular steel column and a heavy duty cast iron floor base. Milled steel threaded rod and nut are used for assembly.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 9.5" x 9.5" 2.5 mm pressed milled steel
- COLUMN: 3" diameter
- LEVELERS: 11/8" diameter plastic for leveling on uneven floors
- FINISH: black sandtex
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: Floor Plate and column are packaged separately

OPTIONS

- FOOT RING: 16" diameter, 12" high foot ring is available for 40.75" high XL bases (Black Powder Coat)
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$56 List for WXL base and \$28 List for WTL base

PART #	BASE SPREAD	UNIT HEIGHT	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
WXL-2222	22/22"	27.75"	≤ 30" Rd. or ≤ 24" Sq.	15 lbs.	\$93
WXL-2222-42	22/22"	40.75"	≤ 24" Rd. or ≤ 24" Sq.	19 lbs.	\$156
WXL-2230	22/30"	27.75"	24" x 36"	21 lbs.	\$104
WXL-2230-42	22/30"	40.75"	24" x 36"	25 lbs.	\$167
WXL-3030	30/30"	27.75"	≤ 36" Rd. or ≤ 36" Sq.	26 lbs.	\$116
WXL-3030-42	30/30"	40.75"	≤ 36" Rd. or ≤ 36" Sq.	29 lbs.	\$179
WXL-3333	33/33"	27.75"	≤ 42" Rd. or ≤ 36" Sq.	27 lbs.	\$139
WXL-3333-42	33/33"	40.75"	≤ 36" Rd. or ≤ 36" Sq.	31 lbs.	\$202
WTL-24	22"	27.75"	24" - 30"	13 lbs.	\$70
WTL-2442	22"	40.75"	24" - 30"	17 lbs.	\$133
FOOTRING-3		12"		6 lbs.	\$63



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

The cast iron Round Base is composed of a column made from 14 gauge tubular steel and a heavy duty cast iron floor plate. Milled steel threaded rod and nut are used for assembly.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 9.5" x 9.5" 2.5 mm pressed milled steel
- LEVELERS: 1 1/8" diameter plastic for leveling on uneven floors
- FINISH: black sandtex
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: Floor Plate and column are packaged separately

OPTIONS

- FOOT RING: 16" diameter for 3" column, 19.5" diameter for 4" column, 12" high foot ring is available for 40.75" high bases (Black Powder Coat)
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$56 List



W24RB-42
with Foot Ring



W24RB



PART #	FLOOR PLATE	COLUMN DIAMETER	UNIT HEIGHT	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
W18RB	18"	3"	27.75"	≤ 30" Rd. ≤ 24" Sq.	22 lbs.	\$116
W18RB-42	18"	3"	40.75"	≤ 26" Rd. ≤ 22" Sq.	26 lbs.	\$179
W24RB	24"	4"	27.75"	≤ 42" Rd. ≤ 36" Sq.	40 lbs.	\$186
W24RB-42	24"	4"	40.75"	≤ 36" Rd. ≤ 32" Sq.	45 lbs.	\$249
W30RB	30"	4"	27.75"	≤ 54" Rd. ≤ 48" Sq.	58 lbs.	\$261
W30RB-42	30"	4"	40.75"	≤ 48" Rd. ≤ 42" Sq.	62 lbs.	\$324
FOOTING			12"		6 lbs.	\$67

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Curved U-Legs

SPECIAL **T**



UL-24
shown in Metallic Silver

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular steel with threaded inserts for glides. Welded construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



PART #	UNIT HEIGHT	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
UL-24	27.75"	22"	5" x 8"	24"-28"	8 lbs.	\$151
UL-30	27.75"	26"	5" x 8"	30"-36"	9 lbs.	\$162

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular columns bent and welded together.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- BELL GLIDES: 2 3/8" diameter nylon glide in 2.5" high steel extender
- CASTERS: 3" skate wheel locking caster with black core. 112 lbs. loading capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



YL-30



choose
between Skate Caster-SC
or Bell Glide options



YL-30-SC



shown in Metallic Silver

PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
YL-24	23.5"	5" x 8"	24"-28"	11 lbs.	\$151
YL-24-SC	23.5"	5" x 8"	24"-28"	11 lbs.	\$151
YL-30	27.5"	5" x 8"	30"-36"	12 lbs.	\$162
YL-30-SC	27.5"	5" x 8"	30"-36"	12 lbs.	\$162

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Square End Base

SPECIAL **T**



RSSB-24

DESCRIPTION

Fabricated 14 gauge 2" x 1" tubular steel with threaded inserts for glides. Welded construction. Bases mount flush with table edge.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Metallic Silver. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
RSSB-24	24"	4-3/4" x 3-1/2"	24"	14 lbs.	\$200
RSSB-30	30"	4-3/4" x 3-1/2"	30"	15 lbs.	\$218

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 2" x 1" tubular steel with threaded inserts for glides. Welded construction. Bases mount flush with table edge.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Metallic Silver. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



RSHL-24



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
RSHL-24	24"	4-3/4" x 3-1/2"	24"	14 lbs.	\$178
RSHL-30	30"	4-3/4" x 3-1/2"	30"	15 lbs.	\$200

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Triangular Bases

SPECIAL **T**



DESCRIPTION

Fabricated 14 gauge tubular steel with welded cross members.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 4" x 4" 7/32"
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: Floor Plate and column are packaged separately



OPTIONS

- BALLAST: one or two 4 lbs. each. Ballasts can be mounted under a floor plate for more stability
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$56 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
TRI-8	27.75"	2"	10"	4" x 4" triangle (3 pcs)	-	15 lbs.	\$273
TRI-8-42	40.75"	2"	10"	4" x 4" triangle (3 pcs)	-	20 lbs.	\$331
TRI-8-18TRIP Base with Floor Plate	27.75"	2"	18"	4" x 4" triangle (3 pcs)	max 30" square	27 lbs.	\$388
TRI-8-22TRIP Base with Floor Plate	27.75"	2"	22"	4" x 4" triangle (3 pcs)	max 36" square	33 lbs.	\$429
TRI-8-26TRIP Base with Floor Plate	27.75"	2"	26"	4" x 4" triangle (3 pcs)	max 48" square	46 lbs.	\$486
TRI-842-18TRIP Base with Floor Plate	40.75"	2"	18"	4" x 4" triangle (3 pcs)	max 30" square	32 lbs.	\$446
TRI-842-22TRIP Base with Floor Plate	40.75"	2"	22"	4" x 4" triangle (3 pcs)	max 36" square	38 lbs.	\$487
TRI-842-26TRIP Base with Floor Plate	40.75"	2"	26"	4" x 4" triangle (3 pcs)	max 48" square	53 lbs.	\$544
BALLAST						4 lbs.	\$36

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Perforated steel with welded mounting tabs and threaded steel inserts for levelers.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING TABS: 1.5" x 1" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 1 per box



DB-26



OPTION

- LAMINATE INSERT: add laminate insert for unique design detail. Specify -LI

PART #	UNIT HEIGHT	BASE DIAMETER	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	PRICE WITH LAMINATE INSERT
DB-18	27.75"	18"	36" -42" round or conference table	19 lbs.	\$424	\$572
DB-22	27.75"	22"	42" -48" round or conference table	28 lbs.	\$464	\$616
DB-26	27.75"	26"	54" -60" round or conference table	30 lbs.	\$595	\$752

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Arched Single Column T-Legs

SPECIAL **T**



1ATL-24-SC



1ATL-24



DESCRIPTION

Our Arched T-legs are fabricated from the highest quality 14 gauge tubular steel. The column and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packed 2 per box

OPTIONS

- CASTERS: 3" locking skate casters, each 112 lbs. capacity. Specify - SC. Add \$42 List
- ADJUSTABLE HEIGHT: see page 44 for more information. Add \$70 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
1ATL-18	27.75"	2"	16"	5" x 8"	18"-22"	7 lbs.	\$108
1ATL-1842	40.75"	2"	16"	5" x 8"	18"-22"	9 lbs.	\$149
1ATL-24	27.75"	2"	22"	5" x 8"	24"-28"	7 lbs.	\$110
1ATL-2442	40.75"	2"	22"	5" x 8"	24"-28"	9 lbs.	\$151
1ATL-30	27.75"	2"	26"	5" x 8"	28"-30"	8 lbs.	\$112
1ATL-3042	40.75"	2"	26"	5" x 8"	28"-30"	10 lbs.	\$153

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Arched Single Column C-Legs

DESCRIPTION

Our Arched C-legs are fabricated from highest quality 14 gauge tubular steel. The offset column and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 2 per box



1ACL-24



PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
1ACL-24	27.75"	2"	22"	5" x 8"	24"-28"	7 lbs.	\$110
1ACL-30	27.75"	2"	26"	5" x 8"	28"-30"	8 lbs.	\$112

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Arched Dual Column T-Legs

SPECIAL **T**



2ATL-24

2ATL-42



DESCRIPTION

This base is fabricated from highest quality 14 gauge tubular steel. The columns and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with 2ATL-24 and 2ATL-30. Specify -PI-2ATL. Add \$61 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
2ATL-24	27.75"	2"	22"	5" x 12"	24"-28"	11 lbs.	\$155
2ATL-30	27.75"	2"	26"	5" x 12"	30"-36"	12 lbs.	\$158
2ATL-42	27.75"	2"	36"	(2) 5" x 8" welded	42"-46"	13 lbs.	\$163
2ATL-48	27.75"	2"	42"	(2) 5" x 8" welded	46"-48"	14 lbs.	\$168

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET


DESCRIPTION

Fabricated 14 gauge steel 1.5" diameter columns and 1 3/8" diameter arched feet with threaded inserts for levelers.
Welded construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 11" x 7/32" (ATUL-42 comes with two plates 6" x 6")
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with ATUL-24 and ATUL-30. Specify -PI-TU. Add \$61 List



ATUL-42



ATUL-24-PL-TU



ATUL-30

shown with optional Perforated Panel



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
ATUL-24	22"	5" x 11"	24"-28"	11 lbs.	\$191
ATUL-30	26"	5" x 11"	30"-36"	12 lbs.	\$213
ATUL-42	36"	(2) 6" x 6"	36"-42"	13 lbs.	\$243

Please note: this base may require longer lead time.
Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777
FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Double Arched TU-Legs

SPECIAL **T**



2ATUL-30-PI-TU
shown with optional
Perforated Panel

DESCRIPTION

Fabricated 14 gauge steel 1.5" diameter columns and 1 3/8" diameter arched feet with threaded inserts for levelers. Welded construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 11" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with 2ATUL-24 and 2ATUL-30. Specify -PI-TU. Add \$61 List



2ATUL-30



2ATUL-24



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
2ATUL-24	22"	5" x 11"	24"-28"	16 lbs.	\$213
2ATUL-30	26"	5" x 11"	30"-36"	19 lbs.	\$233

Please note: this base may require longer lead time.
Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Arched Single Column X-Bases



1AXL-42

DESCRIPTION

Our Arched Legs are fabricated from highest quality 14 gauge tubular steel. The column is 3" and arched feet are 2" in diameter. Mounting plate and all threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black and Chrome. See inside of Back Cover for additional powder coat colors
- PACKAGING: 2XL bases are packaged in 2 boxes; 3XL and 4XL bases are packaged in 3 and 4 boxes



OPTION

- CASTERS: 3" locking skate casters, each 112 lbs. capacity. Specify -SC. Add \$84 List
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$56 List
- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$103 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
Powder Coat Finish							
1AXL-30	27.75"	3"	26" x 26"	8" x 8"	30" - 36"	14 lbs.	\$197
1AXL-3042	40.75"	3"	26" x 26"	8" x 8"	30" - 36"	17 lbs.	\$258
1AXL-36	27.75"	3"	32" x 32"	8" x 8"	36" - 42"	16 lbs.	\$207
1AXL-3642	40.75"	3"	32" x 32"	8" x 8"	36" - 42"	19 lbs.	\$269
1AXL-42	27.75"	3"	38" x 38"	8" x 8"	42" - 48"	18 lbs.	\$222
1AXL-4242	40.75"	3"	38" x 38"	8" x 8"	42" - 48"	21 lbs.	\$283
Polished Chrome Finish							
1AXL-30PC	27.75"	3"	26" x 26"	8" x 8"	30" - 36"	14 lbs.	\$311
1AXL-3042PC	40.75"	3"	26" x 26"	8" x 8"	30" - 36"	17 lbs.	\$373
1AXL-36PC	27.75"	3"	32" x 32"	8" x 8"	36" - 42"	16 lbs.	\$322
1AXL-3642PC	40.75"	3"	32" x 32"	8" x 8"	36" - 42"	19 lbs.	\$384
1AXL-42PC	27.75"	3"	38" x 38"	8" x 8"	42" - 48"	18 lbs.	\$336
1AXL-4242PC	40.75"	3"	38" x 38"	8" x 8"	42" - 48"	21 lbs.	\$398

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Tripod Bases

SPECIAL **T**

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for glides. Column is made of 3" diameter tubular steel. 3 arched feet are 1 3/8" diameter. Bolted construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 per box



TP-30
shown in
Metallic Silver



table shown with
TP-3060 base



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
TP-30	26"	8" x 8"	26" -32"	20 lbs.	\$262
TP-36	32"	8" x 8"	32" -38"	24 lbs.	\$284
TP-3060	23" x 41"	(2) 8" x 8"	30" x 60"	40 lbs.	\$524
TP-3072	23" x 47"	(2) 8" x 8"	30" x 72"	40 lbs.	\$524
TP-3660	29" x 41"	(2) 8" x 8"	36" x 60"	48 lbs.	\$546
TP-3672	29" x 47"	(2) 8" x 8"	36" x 72"	48 lbs.	\$568

Please note: this base may require longer lead time.
Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET



PL-27-C PL-27-2FM PL-27-4 PL-27

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 4 x 4 x 7/32" or 6 x 6 x 7/32", welded
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts. PL-27-4 has 4" metal glide
- CASTERS: PL-27-2-C and PL-27-C come with 2" dual wheel locking caster, 112 lbs. capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box. PL-27-2, and PL-27-2-C are packaged 4 per box

OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$41 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
PL-27-2	27.75"	2"	4" x 4"	4 lbs.	\$49
PL-27-2-C	27.75"	2"	4" x 4"	4 lbs.	\$61
PL-27-2FM	27.75"	2"	5" x 8"	7 lbs.	\$151
PL-27	27.75"	2 3/8"	6" x 6"	5 lbs.	\$74
PL-27-C	27.75"	2 3/8"	6" x 6"	5 lbs.	\$86
PL-27-3	27.75"	3"	6" x 6"	6 lbs.	\$72
PL-27-342	40.75"	3"	6" x 6"	10 lbs.	\$113
PL-27-4	27.75"	4"	6" x 6"	8 lbs.	\$98
PL-27-442	40.75"	4"	6" x 6"	12 lbs.	\$139

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

1.5" Post Legs

SPECIAL 

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular column.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4" x 4" x 7/32"
- BELL GLIDE: 2 3/8" diameter nylon glide in 2.5" high steel extender
- CASTERS: 3" locking skate wheel caster with Black core. 112 lbs. loading capacity
- ADJUSTABLE HEIGHT: adjustment range is from 24.75" to 34.75" in 1" increments
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 4 per box



SPYL-SC



SPYL



SPYL-AH



choose between
skate caster or bell glide



PART #	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SPYL	1.5"	4" x 4"	4 lbs.	\$71
SPYL-SC	1.5"	4" x 4"	4 lbs.	\$71
SPYL-AH	1.5"	4" x 4"	5 lbs.	\$92

spring clip adjustable height

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Tapered Post Leg is fabricated from 14 gauge tubular steel and is welded for maximum strength and stability.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATES: 4" x 4" x 7/32"
- LEVELERS: 2 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 4 per box



TPL



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TPL	27.75"	2 3/8" Top 1 1/4" Bottom	4 x 4"	4 lbs.	\$74

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Square Post Legs

SPECIAL 



SQ-RH

DESCRIPTION

Fabricated 14 gauge square steel with threaded inserts for levelers. Post mounts flush with table corner.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED CORNER MOUNTING PLATE: 5" x 5" x 7/32"
- LEVELERS: 2 3/8" diameter plastic in steel threaded inserts
- CASTERS: SQ-RH-C comes with a 2.5" dual wheel locking caster, 112 lbs. capacity
- FINISH: stock color is Black and Chrome. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 4 per box



PART #	UNIT HEIGHT	COLUMN DIAMETER	CORNER MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SQ-RH	27.75"	2 3/8"	5" x 5"	6 lbs.	\$77
SQ-RH-C	27.75"	2 3/8"	5" x 5"	6 lbs.	\$89
SQ-RH-42	40.75"	2 3/8"	5" x 5"	9 lbs.	\$118
SQ-RH-PC	27.75"	2 3/8"	5" x 5"	6 lbs.	\$121

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 2" diameter tubular steel with 45° angle support welded to 6" x 6" mounting plate for maximum strength.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 6" x 6" x 7/32" steel
- LEVELER: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



RL

OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	CORNER MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
RL	27.75"	2"	6" x 6"	6 lbs.	\$109

Bolt Down Leg

SPECIAL **T**



BD-29

DESCRIPTION

This stylish yet heavy duty base provides form and function in bolt down applications. It is perfect for educational or hospitality settings. The base bolts to the floor with 6" diameter plate and has 3" column diameter.

- UNIT HEIGHT: 27.75", 34.75" and 40.75"
- MOUNTING PLATE: 10" x 10"
- COLUMN: 3" diameter
- FLOOR PLATE: 6" diameter with cover
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 2 boxes



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
BD-29	27.75"	3"	10" x 10"	13 lbs.	\$109
BD-36	34.75"	3"	10" x 10"	14 lbs.	\$150
BD-42	40.75"	3"	10" x 10"	15 lbs.	\$150

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Bolted Single Column T-Legs

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters. Bolted construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



TL-24



TL-24-C

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$82 List
- BAR HEIGHT: Specify -42 and add \$41 List
- COUNTER HEIGHT: Specify -36 and add \$41 List
- CASTERS: 2" dual wheel locking caster, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$24 List
- ADJUSTABLE HEIGHT: see page 44 for more information. Add \$70 List
- FOLDING: see page 46 for more information. Add \$160 List

PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TL-18	2"	16"	5" x 8"	7 lbs.	\$115
TL-20	2"	18"	5" x 8"	8 lbs.	\$115
TL-22	2"	20"	5" x 8"	8 lbs.	\$117
TL-24	2"	22"	5" x 8"	8 lbs.	\$117
TL-30	2"	26"	5" x 8"	9 lbs.	\$120

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Welded Single Column T-Legs

SPECIAL **T**



TL-24W

DESCRIPTION

Fabricated 16 gauge steel with steel endcaps and threaded inserts for levelers. Welded construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TL-18W	2"	16"	5" x 8"	7 lbs.	\$115
TL-24W	2"	22"	5" x 8"	8 lbs.	\$117
TL-30W	2"	26"	5" x 8"	9 lbs.	\$120

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

T-Leg with concealed EZ-Roll wheels is stationary or can be mobile when tilted. Fabricated 14 gauge 2" diameter columns with steel endcaps and EZ-Roll wheels.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- EZ ROLL WHEELS: 1.5" diameter built-in wheels
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List



TL30-EZ



built-in EZ-Roll wheel



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
TL-18EZ	2"	16"	5" x 8"	18" - 22"	7 lbs.	\$143
TL-24EZ	2"	22"	5" x 8"	24" - 26"	8 lbs.	\$145
TL-30EZ	2"	26"	5" x 8"	28" - 30"	9 lbs.	\$147

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Dual Column T-Legs

SPECIAL **T**



2TL-30-PL-2TL

with optional perforated panel



2TL-30

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$82 List. Specify -CUT2 and height >27.75. Add \$164 List
- BAR HEIGHT: Specify -42 and add \$82 List
- COUNTER HEIGHT: Specify -36 and add \$82 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity. Specify -C1 and add \$24 List
- PERFORATED PANEL: decorative panel snaps between the columns. Available only for 2TL-24 and 2TL-30. Specify -PI -2TL. Add \$61 List
- ADJUSTABLE HEIGHT: see page 44 for more information. Add \$140 List



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
2TL-24	2"	22"	5" x 11" welded	24" - 28"	11 lbs.	\$158
2TL-30	2"	26"	5" x 11" welded	30" - 36"	12 lbs.	\$160
2TL-42	2"	36"	6" x 16"	42" - 46"	15 lbs.	\$173
2TL-48	2"	42"	6" x 16"	48" - 52"	16 lbs.	\$180
2TL-60	2 3/8"	42"	(2) 6" x 6"	52" - 60"	17 lbs.	\$235

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



CL-24



CL-24-C



OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$82 List
- BAR HEIGHT: Specify -42 and add \$41 List
- COUNTER HEIGHT: Specify -36 and add \$41 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$24 List
- ADJUSTABLE HEIGHT: see page 44 for more information. Add \$70 List
- FOLDING: see page 46 for more information. Add \$160 List

PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
CL-18	2"	16"	5" x 8"	18" - 22"	7 lbs.	\$114
CL-24	2"	22"	5" x 8"	24" - 28"	8 lbs.	\$116
CL-30	2"	26"	5" x 8"	28" - 30"	9 lbs.	\$121

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Dual Column C-Legs

SPECIAL **T**



2CL-30-PI-2TL

with optional perforated panel



2CL-30

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 11" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$82 List. Specify -CUT2 and height >27.75. Add \$164 List
- BAR HEIGHT: Specify -42 and add \$82 List
- COUNTER HEIGHT: Specify -36 and add \$82 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$24 List
- PERFORATED PANEL: decorative panel snaps between the columns. Specify -PI-2TL. Add \$61 List
- ADJUSTABLE HEIGHT: see page 44 for more information. Add \$140 List



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
2CL-24	2"	22"	5" x 11"	24" - 28"	11 lbs.	\$158
2CL-30	2"	26"	5" x 11"	30" - 36"	12 lbs.	\$160

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for levelers or casters. Welded construction.

- UNIT HEIGHT: 27.75" or 40.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$82 List. Specify -CUT2 and height >27.75. Add \$164 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
HL-24	27.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	12 lbs.	\$115
HL-24-C with Caster	27.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	11 lbs.	\$139
HL-2436 Counter Height	34.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	13 lbs.	\$156
HL-2442 Bar Height	40.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	14 lbs.	\$156
HL-30	27.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	13 lbs.	\$129
HL-30-C with Caster	27.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	12 lbs.	\$153
HL-3036 Counter Height	34.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	14 lbs.	\$170
HL-3042 Bar Height	40.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	16 lbs.	\$170
HL-330	27.75"	3"	23.5"	(2) 6" x 6"	30" - 40"	16 lbs.	\$151
HL-342	27.75"	3"	30"	(2) 6" x 6"	42" - 48"	18 lbs.	\$175

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Single Column X-Bases

SPECIAL **T**



DESCRIPTION

Fabricated 14 gauge steel column and 14 gauge feet with threaded inserts for levelers or casters. Bolted construction.

- UNIT HEIGHT: 27.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black
- PACKAGING: bases are packaged in 2 boxes

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$41 List
- BAR HEIGHT: Specify -42 and add \$41 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$48 List
- SELF LEVELING GLIDES: see page 53 for more information. Add \$56 List

PART #	BASE SPREAD	RECOM. SPREAD	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE	PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
"Quick Flip" Flip Top Legs						Powder Coat Finish						
XL-24QF	X-Base	20"	20" - 24" Rd.	20 lbs.	\$308	XL-24	3"	20" x 20"	10" x 10"	20" - 24" Rd. 20" - 22" Sq.	15 lbs.	\$175
XL-30QF	X-Base	26"	26" - 30" Rd.	25 lbs.	\$313	XL-30	3"	26" x 26"	10" x 10"	26" - 36" Rd. 26" - 30" Sq.	17 lbs.	\$180
XL-36QF	X-Base	32"	32" - 36" Rd.	29 lbs.	\$318	XL-36	3"	32" x 32"	10" x 10"	32" - 42" Rd. 32" - 36" Sq.	19 lbs.	\$186
XL-42QF	X-Base	36"	36" - 48" Rd.	26 lbs.	\$323	XL-42	3"	36" x 36"	10" x 10"	36" - 48" Rd. 36" - 42" Sq.	21 lbs.	\$191
						XL-48	3"	42" x 42"	10" x 10"	42" - 52" Rd. 42" - 48" Sq.	23 lbs.	\$197
						XL-2436	3"	22" x 33"	10" x 10"	24" x 36"	18 lbs.	\$186
						Polished Chrome Finish						
						XL-24PC	3"	20" x 20"	10" x 10"	20" - 24" Rd. 20" - 22" Sq.	15 lbs.	\$281
						XL-30PC	3"	26" x 26"	10" x 10"	26" - 36" Rd. 26" - 30" Sq.	17 lbs.	\$286
						XL-36PC	3"	32" x 32"	10" x 10"	32" - 42" Rd. 32" - 36" Sq.	19 lbs.	\$292
						XL-42PC	3"	36" x 36"	10" x 10"	36" - 48" Rd. 36" - 42" Sq.	21 lbs.	\$297
						XL-48PC	3"	42" x 42"	10" x 10"	42" - 52" Rd. 42" - 48" Sq.	23 lbs.	\$303



PHONE 888-705-0777
 FAX 678-456-6046
 ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 11 gauge steel columns and 14 gauge feet with threaded inserts for levelers or casters. Bolted construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 8" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: 2XL bases are packaged in 2 boxes; 3XL and 4XL bases are packaged in 3 and 4 boxes

OPTION

- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$72 List



3X-4896



2XL-3672



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Dual Column X-Bases						
2XL-2460	3"	53" x 20"	8" x 8"	24" x 60"	31 lbs.	\$371
2XL-2466	3"	59" x 20"	8" x 8"	24" x 66"	32 lbs.	\$371
2XL-2472	3"	62" x 20"	8" x 8"	24" x 72"	33 lbs.	\$371
2XL-3060	3"	53" x 26"	8" x 8"	30" x 60"	37 lbs.	\$371
2XL-3066	3"	59" x 26"	8" x 8"	30" x 66"	34 lbs.	\$371
2XL-3072	3"	62" x 26"	8" x 8"	30" x 72"	35 lbs.	\$371
2XL-3672	3"	68" x 32"	8" x 8"	36" x 72"	38 lbs.	\$371
2XL-3684	3"	78" x 32"	8" x 8"	36" x 84"	40 lbs.	\$371
2XL-4284	3"	78" x 36"	8" x 8"	42" x 84"	42 lbs.	\$371
Triple Column X-Bases						
3XL-4296	3"	90" x 36"	8" x 8"	42" x 96"	57 lbs.	\$579
3XL-42108	3"	102" x 36"	8" x 8"	42" x 108"	54 lbs.	\$593
3XL-4896	3"	90" x 42"	8" x 8"	48" x 96"	60 lbs.	\$609
3XL-48108	3"	102" x 42"	8" x 8"	48" x 108"	62 lbs.	\$611
3XL-48120	3"	114" x 42"	8" x 8"	48" x 120"	65 lbs.	\$628
Quadruple Column X-Base						
4XL-48144	3"	131" x 42"	8" x 8"	48" x 144"	81 lbs.	\$808

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

4 and 5 Column X-Bases

SPECIAL **T**



4XL-38



5XL-48



DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters. Bolted construction. 4XL-38 with 4 columns, 5XL-48 with 5 columns.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 5 plates 10" x 10", 4 plates 4" x 4"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 per box

OPTIONS

- BAR HEIGHT: Specify -42 and add \$164 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$48 List
- SELF LEVELING GLIDES: see page 53 for more information. Specify -SLG1 and add \$56 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	LIST PRICE
4 columns						
4XL-38	27.75"	2"	38"	4" x 4"	42" - 60" Sq. 42" - 60" Rd.	\$358
5 columns						
5XL-48	27.75"	2"	48"	10" x 10"	60" - 72" Sq. 60" - 84" Rd.	\$389

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Sienna Round & Square Bases

DESCRIPTION

4" column with 3/8" thick laser cut solid steel and flush mounted adjustable glides.

- UNIT HEIGHT: 27.75" or 40.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32" steel
- LEVELERS: 3/4" diameter plastic for leveling on uneven floors
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: base is packaged in 2 boxes



C442-2222FPS



C4-22FPR

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$41 List
- FOOT RING: 19.5" foot ring is available for bar height. Specify -FR
- SELF LEVELING GLIDES: see page 53 for more information. Specify -SLG2 and add \$56 List



PART #	UNIT HEIGHT	PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Round Plate					
C4-18FPR	27.75"	18"D	24" - 30"	38 lbs.	\$327
C442-18FPR	40.75"	18"D	24" - 30"	41 lbs.	\$368
C4-22FPR	27.75"	22"D	30" - 36"	51 lbs.	\$394
C442-22FPR	40.75"	22"D	30" - 36"	54 lbs.	\$435
C4-26FPR	27.75"	26"D	36" - 48"	67 lbs.	\$474
C442-26FPR	40.75"	26"D	36" - 48"	70 lbs.	\$515
Square Plate					
C4-1818FPS	27.75"	18" x 18"	24" - 30"	46 lbs.	\$327
C442-1818FPS	40.75"	18" x 18"	24" - 30"	49 lbs.	\$368
C4-2222FPS	27.75"	22" x 22"	30" - 36"	65 lbs.	\$394
C442-2222FPS	40.75"	22" x 22"	30" - 36"	68 lbs.	\$435
C4-2626FPS	27.75"	26" x 26"	36" - 48"	86 lbs.	\$474
C442-2626FPS	40.75"	26" x 26"	36" - 48"	89 lbs.	\$515
FOOTRING-4		19.5"		8 lbs.	\$65

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Sienna X Bases

SPECIAL **T**



C3-2626FFP



4C3-4848FFP

DESCRIPTION

Designed for breakroom or conference room environments. The bases are constructed with 3" diameter columns. The floor plate is heavy-duty 3/8" thick laser cut solid steel.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 8"x8"x7/32 steel
- COLUMN: 3" diameter
- LEVELERS: 23/8" diameter plastic
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: Single Column X base is packaged in 2 boxes. 4 Column X Base is packaged in 5 Boxes

OPTION

- CASTERS: 2.5" locking skate wheel caster with gray ribbed core each with 112 lbs. loading capacity. Specify -SC1 and add \$84 List
- CUSTOM HEIGHT: Single Column X base, specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$103 List
- BAR HEIGHT: Single Column X base, specify -42 and add \$41 List. 4 Column X Base, specify -42 and add \$164 List
- SELF LEVELING GLIDES: See page 53 for more information. Specify -SLG2 and add \$56 List



NAME	PART #	UNIT HEIGHT	PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Sienna 4 Column X	4C3-4848FFP	27.75"	48" x 48"	RND 54-72"	77 lbs.	\$680
Sienna X Base	C3-2626FFP	27.75"	26" x 26"	30" - 36" dia.	26 lbs.	\$375
Sienna X Base	C342-2626FFP	40.75"	26" x 26"	30" - 36" dia.	26 lbs.	\$416
Sienna X Base	C3-3232FFP	27.75"	32" x 32"	36" - 42" dia.	32 lbs.	\$425
Sienna X Base	C342-3232FFP	40.75"	32" x 32"	36" - 42" dia.	32 lbs.	\$466
Sienna X Base	C3-3636FFP	27.75"	36" x 36"	42" - 48" dia.	39 lbs.	\$494
Sienna X Base	C342-3636FFP	27.75"	36" x 36"	42" - 48" dia.	38 lbs.	\$535

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Designed for a conference room environment or for corner desk application using multiple bases. 3" diameter column with a stylish Boomerang shaped 3/8" thick laser cut steel foot.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 8"x8"x7/32 steel
- COLUMN: 3" diameter
- LEVELERS: 23/8" diameter plastic
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: Single Column bases are packaged in 3 boxes. Dual Column bases are packaged in 5 boxes

OPTION

- CASTERS: 2.5" locking skate wheel caster with gray ribbed core each with 112 lbs. loading capacity. Specify -SC1 and add \$21 List
- CUSTOM HEIGHT: Single Column, specify -CUT1 and height <27.75. Add \$41 List. Specify -CUT2 and height >27.75. Add \$103 List. Dual Column, specify -CUT1 and height <27.75. Add \$82 List. Specify -CUT2 and height >27.75. Add \$ 164 List.
- BAR HEIGHT: Single column, specify -42 and add \$41 List. Dual column specify -42 and add \$82 List
- SELF LEVELING GLIDES: See page 53 for more information. Specify - SLG2 and add \$56 List



NAME	PART #	PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Sienna Boomerang Dual	2C3-2LGBL-24	22"	24"D x 36" - 84"W	26 lbs.	\$259
Sienna Boomerang Dual	2C3-2LGBL-30	26"	30"-36"D x 36"-84"W	28 lbs.	\$259
Sienna Boomerang Dual	2C3-2LGBL-42	36"	36"-42"D x 42"-96"W	38 lbs.	\$309
Sienna Boomerang Single LEFT	C3-LGBL-24L	22"	24"D x 36" - 84"W	17 lbs.	\$183
Sienna Boomerang Single RIGHT	C3-LGBL-24R	22"	24"D x 36" - 84"W	17 lbs.	\$183
Sienna Boomerang Single Center	C3-LGBL-30	26"	30"-36"D x 36"-84"W	19 lbs.	\$190
Sienna Boomerang Single Center	C3-LGBL-42	36"	36"-42"D x 42"-96"W	29 lbs.	\$212

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Sienna Rectangle Base

SPECIAL **T**



2C3-2230FPR

DESCRIPTION

Designed for a conference room environment with two 3" diameter columns. The rectangular floor plate is 3/8" thick laser cut steel.

- UNIT HEIGHT: 27.75"
- COLUMN: 3" diameter
- PLATE SIZE: 22" x 30"
- WELDING PLATE: 8" x 8" x 7/32 steel
- LEVELERS: 2 3/8" diameter plastic
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: base is packaged in 3 boxes.

OPTION

- CUSTOM HEIGHT: specify -CUT1 and height <27.75. Add \$82 List. Specify -CUT2 and height >27.75. Add \$164 List
- SELF LEVELING GLIDES: see page 53 for more information. Specify - SLG2 and add \$56 List
- BAR HEIGHT: Dual column specify -42 and add \$82 List



NAME	PART #	PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
Sienna Rectangle Base	2C3-2230FPR	22" x 30"	30"-36"D x 42"-96"W	92 lbs.	\$578

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

T-Leg and C-Leg feature an elegant foot design for conference room or training room environments. The bases are constructed with 3" diameter columns. The floor plate is heavy-duty 3/8" thick laser cut solid steel.

- UNIT HEIGHT: 27.75"
- SINGLE COLUMN: 2 3/4" x 2 3/4" with a square 5"x 8" welding plate
- DUAL COLUMN: 3" diameter with 8" x 8" welding plate
- LEVELERS: 2 3/8" diameter plastic
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: 2 Floor plates per box. Single Column bases are packaged in 3 boxes. Dual Column bases are packaged in 5 boxes



2C3-2LGTL-36



LGCL-24



LGTL-24



OPTIONS

- BAR HEIGHT: single column, specify -42 and add \$41 List. Dual column specify -42 and add \$82
- CASTERS: 2.5" locking skate wheel caster with gray ribbed core each with 112 lbs. loading capacity. Specify -SC1 and add \$21 List
- SELF LEVELING GLIDES: see page 53 for more information. Specify -SLG2 and add \$56 List

PART #	PART #	PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
Sienna T Dual	2C3-2LGTL-36	32"	30"-36"D x 42"-96"W	29 lbs.	\$278
Sienna T Single	LGTL-18	16"	18"-20"D x 24"-120"W	15 lbs.	\$155
Sienna T Single	LGTL-24	22"	24"D x 36" - 84"W	17 lbs.	\$168
Sienna T Single	LGTL-30	26"	30"-36"D x 36"-84"W	18 lbs.	\$175
Sienna T Single	LGTL-36	32"	36"D x 42"-96"W	20 lbs.	\$197

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Spring Clip Height Adjustable Bases

SPECIAL **T**



TL-18AH



CL-18AH



SPYL-AH



1ATL-24AH

DESCRIPTION

Bolted construction 14 gauge tubular steel. Adjusts in 1" increments by depressing spring clip pin to release the outer column for height adjustment. Pin snaps back into a locking position when realigned with the outer column holes. Thumb screw locks column in position.

- ADJUSTMENT RANGE: 24.75" to 34.75"
- COLUMN DIAMETER: 2" outer column
- WELDED MOUNTING PLATE: 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box. SPYL-AH are packaged 4 per box

OPTION

- CASTERS: the height of the base will increase by 2". See page 53 for caster options. Specify -C1 for CL-AH, TL-AH, 2CL-AH and 2TL-AH bases and add \$24 List. Specify -SC1 for SPYL-AH (add \$21 list) and 1ATL-AH (add \$42 List)

PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE	PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
SPYL-AH	1.5"	4" x 4"	-	6 lbs.	\$92	1ATL-18AH	16"	5" x 8"	18" - 22"	9 lbs.	\$178
CL-18AH	16"	5" x 8"	18" - 22"	9 lbs.	\$184	1ATL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$180
CL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$186	1ATL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$182
CL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$191	2CL-24AH	22"	(2) 5" x 8"	24" - 28"	18 lbs.	\$298
TL-18AH	16"	5" x 8"	18" - 20"	9 lbs.	\$185	2CL-30AH	26"	(2) 5" x 8"	30" - 36"	19 lbs.	\$300
TL-20AH	18"	5" x 8"	20" - 22"	9 lbs.	\$185	2TL-24AH	22"	(2) 5" x 8"	24" - 28"	18 lbs.	\$298
TL-22AH	20"	5" x 8"	22" - 24"	10 lbs.	\$187	2TL-30AH	26"	(2) 5" x 8"	30" - 36"	19 lbs.	\$300
TL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$187	2TL-42AH	36"	(2) 5" x 8"	42" - 46"	20 lbs.	\$313
TL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$190	2TL-48AH	48"	(2) 5" x 8"	48" - 52"	21 lbs.	\$320

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

The ValuLift-Basic brings performance into the realm of affordability, and ValuLift-Plus adds high-end design at minimal cost.

- MOTOR: Heavy duty dual motor electric
- HEIGHT RANGE is 25.5" – 50" without top
- MIN/MAX top width is 36" - 72" (Width under 48" must use the Frameless Mounting System kit.)
- MIN/MAX top depth: Basic: 24" - 30", Plus: 24" - 36"
- MAX LIFTING SPEED: 1.4"/sec
- MAX BASE LOAD: 220 lbs.
- METAL FINISH: black, white or silver
- CONTROLLER: Programmable Switch
- SET INCLUDES 2 bases, control box, cables, top frame, feet and programmable switch
- 5 YEARS parts and labors warranty



ValuLift-Basic



ValuLift-Plus



ELECTRICAL INFORMATION

- RATED VOLTAGE: 120V
- MAX OUTPUT: 8A
- STANDBY: <0.5w
- MOTOR NOISE: <48dB
- OVERLOAD PROTECTION: >308 lbs.
- FUNCTIONS: Soft-Start-Stop

OPTIONS

- Frameless Mounting System kit. Specify VALUL-B+MOUNT. Add \$100 List
- ValuLift-Plus Foot*. Specify LGTL-B+24/30-PAIR. Add \$190 List
- CASTERS: (ValuLift-Plus only) 3" locking skate caster, each 112 lbs. capacity. Specify -SC. Add \$84 List
- Additional table shapes and sizes*

PART #	RECOM. TOP SIZE	BASE SPREAD	NET WEIGHT	LIST PRICE
--------	-----------------	-------------	------------	------------

ValuLift-Basic

Black (Available May 2016)

VALULIFT-B-24/30-BLK	24" - 30"D x 48" - 72"W	23" x 48" - 72"	60 lbs.	\$995
----------------------	-------------------------	-----------------	---------	-------

Silver

VALULIFT-B-24/30-SLV	24" - 30"D x 48" - 72"W	23" x 48" - 72"	60 lbs.	\$995
----------------------	-------------------------	-----------------	---------	-------

White

VALULIFT-B-24/30-WHT	24" - 30"D x 48" - 72"W	23" x 48" - 72"	60 lbs.	\$995
----------------------	-------------------------	-----------------	---------	-------

ValuLift-Plus

Black

VALULIFT-B+24/30-BLK	24" - 30"D x 48" - 72"W	23" x 48" - 72"	70 lbs.	\$1285
----------------------	-------------------------	-----------------	---------	--------

Silver

VALULIFT-B+24/30-SLV	24" - 30"D x 48" - 72"W	23" x 48" - 72"	70 lbs.	\$1285
----------------------	-------------------------	-----------------	---------	--------

White

VALULIFT-B+24/30-WHT	24" - 30"D x 48" - 72"W	23" x 48" - 72"	70 lbs.	\$1285
----------------------	-------------------------	-----------------	---------	--------

* For more information about the ValuLift Base options and additional table options go to www.specialt.net or contact customer service.

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Folding Legs

SPECIAL **T**



TL30-GFM



DESCRIPTION

Molded folding mechanism is operated by lever which can be pushed up by hand or foot making a positive connection in both open and closed positions. Folding Mechanism allows legs to lay flat when table is 60" or longer. To fold smaller table, rising brackets must be used.

- UNIT HEIGHT: 27.75"
- COLUMN DIAMETER: 2"
- MECHANISM DIMENSION: 9" x 8" x 3"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CASTERS: 2" dual wheel locking caster, 112 lbs. capacity or 3" locking skate casters, each 112 lbs. capacity depending on leg style. Specify -C1 and add \$24 List
- RISING BRACKET: is available for folding tables less than 60" long for additional charge. Specify -RISER

PART #	LEG STYLE	BASE SPREAD	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
CL-18GFM	C-Leg	16"	18" - 22"	8 lbs.	\$274
CL-24GFM	C-Leg	22"	24" - 28"	9 lbs.	\$276
CL-30GFM	C-Leg	26"	28" - 30"	10 lbs.	\$281
TL-18GFM	T-Leg	16"	18" - 20"	8 lbs.	\$274
TL-20GFM	T-Leg	18"	20" - 22"	8 lbs.	\$274
TL-22GFM	T-Leg	20"	22" - 24"	9 lbs.	\$276
TL-24GFM	T-Leg	22"	24" - 28"	9 lbs.	\$276
TL-30GFM	T-Leg	26"	28" - 30"	10 lbs.	\$280
PL-27-2FM	Post Leg	2" dia.	-	10 lbs.	\$151
RISER					\$38

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Includes a set of two legs, a heavy tubular steel beam, single point release dual lock mechanism and 2 hingers. Beam prevents table from sagging. Save space by nesting tables!

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 8" x 7/32"
- CASTERS: standard 2" locking casters are included with T-legs. Arched T-legs come standard with 2.5" locking skate wheel caster with gray ribbed core. 112 lbs. loading capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 set (2 legs) in one box and beam in separate box



shown with TLSF-2460



Release Mechanism

PART #	LEG STYLE	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
TLSF-1848-C	T-Leg	16" x 43"	5" x 8"	18" x 48"	25 lbs.	\$676
TLSF-1860-C	T-Leg	16" x 55"	5" x 8"	18" x 60"	25 lbs.	\$688
TLSF-1872-C	T-Leg	16" x 67"	5" x 8"	18" x 72"	29 lbs.	\$700
TLSF-2448-C	T-Leg	22" x 43"	5" x 8"	24" x 48"	26 lbs.	\$676
ATLSF-2448-S	Arched TL	22" x 43"	5" x 8"	24" x 48"	25 lbs.	\$753
TLSF-2460-C	T-Leg	22" x 55"	5" x 8"	24" x 60"	29 lbs.	\$688
ATLSF-2460-S	Arched T-Leg	22" x 55"	5" x 8"	24" x 60"	27 lbs.	\$765
TLSF-2472-C	T-Leg	22" x 67"	5" x 8"	24" x 72"	31 lbs.	\$700
ATLSF-2472-S	Arched T-Leg	22" x 67"	5" x 8"	24" x 72"	29 lbs.	\$777
TLSF-3048-C	T-Leg	26" x 43"	5" x 8"	30" x 48"	28 lbs.	\$676
ATLSF-3048-S	Arched T-Leg	26" x 43"	5" x 8"	30" x 48"	25 lbs.	\$753
TLSF-3060-C	T-Leg	26" x 55"	5" x 8"	30" x 60"	31 lbs.	\$688
ATLSF-3060-S	Arched T-Leg	26" x 55"	5" x 8"	30" x 60"	27 lbs.	\$765
TLSF-3072-C	T-Leg	26" x 67"	5" x 8"	30" x 72"	33 lbs.	\$700
ATLSF-3072-S	Arched T-Leg	26" x 67"	5" x 8"	30" x 72"	29 lbs.	\$777



Nested Tables with Arched T-Leg



Nested Tables with T-Leg

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Convertible Base

SPECIAL **T**



DESCRIPTION

Our sleekly designed Convertible Base™ is constructed with space efficiency in mind. Its unique structure allows straight-on nesting in the flipped position. Each table takes up only 4.5" of space. The base includes locking skate casters for easy mobility. Heavy duty beam prevents top from sagging.

- **STRUCTURE:** 14 gauge 1.5" diameter tubular columns bent and welded together at 190° angle. Two end bases are connected with a heavy duty beam with two hinges and one single point flip top mechanism in the center
- **UNIT HEIGHT:** 27.75"
- **CASTERS:** standard black 2.5" locking skate wheel caster with gray ribbed core each with 112 lbs. loading capacity
- **FINISH:** stock color is Black. See inside of Back Cover for optional colors
- **PACKAGING:** bases are sold and packaged 1 set (2 legs) in one box and beam in another box

PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
CV-1848-S	18" x 43"	5" x 8"	18" x 48"	29 lbs.	\$709
CV-1860-S	18" x 55"	5" x 8"	18" x 60"	31 lbs.	\$721
CV-1872-S	18" x 67"	5" x 8"	18" x 72"	34 lbs.	\$733
CV-2448-S	23.5" x 43"	5" x 8"	24" x 48"	32 lbs.	\$721
CV-2460-S	23.5" x 55"	5" x 8"	24" x 60"	35 lbs.	\$733
CV-2472-S	23.5" x 67"	5" x 8"	24" x 72"	37 lbs.	\$746
CV-3048-S	27.5" x 43"	5" x 8"	30" x 48"	32 lbs.	\$739
CV-3060-S	27.5" x 55"	5" x 8"	30" x 60"	35 lbs.	\$751
CV-3072-S	27.5" x 67"	5" x 8"	30" x 72"	37 lbs.	\$763



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Transform-2™ Base is a versatile contemporary base with straight on nesting option in flip top applications. Its light weight materials, casters and one-handed activation allows anyone to flip and move tables with ease. Perforated steel modesty panel is an integral part of the base providing privacy and elegant look at the same time. Continuous heavy duty beam prevents top from sagging.

- **STRUCTURE:** 14 gauge 1.5" diameter tubular legs are connected by modesty panel and stretcher with flip top mechanism. Modesty panel attaches to legs and extends 14" below the table top
- **UNIT HEIGHT:** 27.75"
- **CASTERS:** locking dual wheel black 2.5" with silver cap; 112 lbs. loading capacity
- **FINISH:** stock color is Metallic Silver or Black
- **PACKAGING:** each base is packaged in 2 boxes



PART #	BASE SPREAD	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Silver				
TF2-2448	19" x 47"	24" x 48"	35 lbs.	\$431
TF2-2460	19" x 59"	24" x 60"	39 lbs.	\$463
TF2-2472	19" x 71"	24" x 72"	43 lbs.	\$503
Black				
TF2-2448-B	19" x 47"	24" x 48"	35 lbs.	\$431
TF2-2460-B	19" x 59"	24" x 60"	39 lbs.	\$463
TF2-2472-B	19" x 71"	24" x 72"	43 lbs.	\$503

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Perforated Steel Modesty Panels

SPECIAL **T**



DESCRIPTION

Fabricated 18 gauge steel with perforated front.

- PERFORATION PATTERN: 3/16" dia. holes spaced 1 3/4" apart. Cable cutout is 1 1/4" x 3". The 3" x 3" wire channel runs through the bottom of the modesty panel
- ATTACHMENT: modesty panel attaches to the top with screws
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: packaged 2 per box

PART #	LENGTH	HEIGHT	RECOM. TOP LENGTH	NUMBER OF CABLE CUTOUTS	CABLE CUTOUT POSITION	NET WEIGHT	LIST PRICE
MP-1030	30"	10"	30"	1	center	10 lbs.	\$123
MP-1042SF	42"	10"	42"	1	center	13 lbs.	\$159
MP-1048SF	48"	10"	48"	1	center	14 lbs.	\$186
MP-1054SF	54"	10"	54"	1	center	15 lbs.	\$213
MP-1060SF	60"	10"	60"	2	12" from each end	16 lbs.	\$224
MP-1066SF	66"	10"	66"	2	12" from each end	20 lbs.	\$249
MP-1072SF	72"	10"	72"	2	12" from each end	22 lbs.	\$274
MP-1084SF	84"	10"	84"	3	(1) in center (2) 12" from each end	25 lbs.	\$316
MP-1096SF	96"	10"	96"	3	(1) in center (2) 12" from each end	30 lbs.	\$342

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL **T**

Laminate Modesty Panels/ Workstation Shelf Riser

DESCRIPTION

Laminate modesty panels are 3/4" thick, 10" high and 1/4" shorter than the top length.

- COLORS: any standard Wilsonart laminate on both sides
- EDGE: 3 mm PVC edge



PART #	LENGTH	RECOM. TOP LENGTH	NET WEIGHT	LIST PRICE
MPL-1042	41.75"	42"	8 lbs.	\$128
MPL-1048	47.75"	48"	9 lbs.	\$134
MPL-1054	53.75"	54"	10 lbs.	\$147
MPL-1060	59.75"	60"	11 lbs.	\$153
MPL-1066	65.75"	66"	12 lbs.	\$159
MPL-1072	71.75"	72"	13 lbs.	\$173
MPL-1084	83.75"	84"	16 lbs.	\$211
MPL-1096	95.75"	96"	18 lbs.	\$229

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts.

- ATTACHMENT: post is attached by a bolt running through the desktop
- MOUNTING PLATE: 5" x 8" x 7/32" steel
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: risers are packaged 2 per box



2SP-20



2SP-11

PART #	UNIT HEIGHT	COLUMN DIAMETER	NET WEIGHT	LIST PRICE
2SP-11	11"	2"	5 lbs.	\$98
2SP-20	20"	2"	6 lbs.	\$107
3SP-11	11"	2"	6 lbs.	\$129
3SP-20	20"	2"	7 lbs.	\$140



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Accessories

SPECIAL 

TABLE LEG WIRE MANAGER



A half-moon shape channel with adhesive double-sided tape. Features co-extruded invisible hinge that opens to accept wires. Serrated finish. Inside space is 7/16" by 1 3/32". Stock color is Black. Available in 24" lengths.

SPECIFY LIST PRICE

WM-24	\$40
-------	------

LARGE J-SHAPE WIRE MANAGER (JWM)



J-shape wire management channel with adhesive double-sided tape to be fastened under a desk/work surface to keep cables up and out of the way. Available in 4, 5, and 6 ft. lengths. Size: 4 5/16" overall flange, 1 3/32" deep. Trough is 2 9/16" high. Stock color is Black.

SPECIFY LIST PRICE

JWM-4	\$71
JWM-5	\$90
JWM-6	\$109

STEEL TOP SUPPORT




10 gauge channel. Screws are included. Surface mount or flush mount for folding tables. Available 42" L or 54" L.

SPECIFY LIST PRICE

STS-42	\$47
STS-54	\$53

QUICK ALIGN TABLE CONNECTOR




connected disconnected

Connect two or more tables and add flexibility to any space. 6 1/4" x 2 1/2" steel plate, 2 plastic knobs.

SPECIFY LIST PRICE

QA	\$49
----	------

QUICK RELEASE TABLE CONNECTOR



connected disconnected

12" x 4", 4 knobs per connector. Just loosen the hand knobs, slide tables together and hand tighten knobs.

SPECIFY LIST PRICE

QRTC-1	\$55
--------	------

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

STANDARD CASTER



2" locking dual wheel hooded caster; nylon 25 mm x 8 mm stem, 112 lbs. capacity.

SPECIFY	LIST PRICE
C -1	\$12

LOCKING SKATE WHEEL CASTER



3" in-line skate wheel caster with gray ribbed core. 25 mm x 8 mm stem, 112 lbs. capacity.

SPECIFY	LIST PRICE
SC -1	\$21

HARD SURFACE CASTER



2" locking dual wheel hooded caster with polyurethane soft tread for use on hard surface. 25 mm x 8 mm stem, 112 lbs. capacity.

SPECIFY	LIST PRICE
HSC -1	\$16

ADJUSTABLE LEVELING GLIDE



Metric thread; can be used on most Special-T table bases, 1 3/8" diameter nylon cap; 2" long.

SPECIFY	LIST PRICE
ALG -1	\$2

SELF LEVELING GLIDE



Automatically stabilizes table. Easy to install. Requires no adjustment. Automatically adjusts 5/16" on any uneven surface 1 3/8" diameter nylon cap. SLG-1 with 1/4-20 stem for cast iron bases only SLG-M8 with 8mm stem

SPECIFY	LIST PRICE
SLG -1	\$14
SLG -M8	\$14

Table Cart

SPECIAL 


DESCRIPTION

Simplify your folding table transportation and storage. Stack, store and transport up to 5 folding tables on a durable storage cart that maneuvers easily on swivel caster wheels.

- **MATERIAL:** Frame is 1 ½" diameter 14 gauge steel; cross rails are 1 ½" diameter; 11 gauge steel
- **CASTERS:** 4 black 5" diameter locking casters
- **FINISH:** black wrinkle
- **PACKAGING:** table carts are shipped knocked down and packaged 1 per box

PART #	DIMENSIONS	CAPACITIES 4-5 STANDART TABLES PER CART	NET WEIGHT	LIST PRICE
TBC-60	65"L x 32"D x 46"H	42"-60" Round Tables 36"-60" Square Tables 36"-60"L up to 48"W Rectangular Tables	40 lbs.	\$798
TBC-72	77"L x 32"D x 35"H	24"-36" Round Tables 24"-36" Square Tables 24"-72"L up to 36"W Rectangular Tables	45 lbs.	\$860
TBC-84	89"L x 32"D x 35"H	32"-42" Round Tables 28"-36" Square Tables 28"-84"L up to 36"W Rectangular Tables	50 lbs.	\$921

PHONE 888-705-0777

FAX 678-456-6046


 ORDER ONLINE AT WWW.SPECIALT.NET

Table Tops QS24 1-Day Quick Ship Program

DESCRIPTION

Durable thermofused table tops for office and restaurants with several color choices with matching edge.

- STRUCTURE: 1" thick with 3mm PVC matching edge
- LAMINATE: high impact 45# core in 6 low pressure laminates: Cherry, Mahogany, Espresso, Burnished Teak, Light Gray and White
- PACKAGING: tops are packed individually



PART #	SIZE	NET WEIGHT	LIST PRICE	PART #	SIZE	NET WEIGHT	LIST PRICE	PART #	SIZE	NET WEIGHT	LIST PRICE
Rectangular				Round				Square			
01RT-2448	18" x 60"	30 lbs.	\$305	01RD-36	36"	33 lbs.	\$343	01SQ-36	36" x 36"	39 lbs.	\$320
	18" x 72"		\$345								
01RT-2460	24" x 48"	38 lbs.	\$288	01RD42	42"	37 lbs.	\$400	01SQ42	42" x 42"	49 lbs.	\$380
	24" x 60"		\$315								
01RT-2472	24" x 72"	48 lbs.	\$370								
	30" x 60"		\$370								
	30" x 72"		\$408								

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Important Information

SPECIAL 

CONVENIENT PAYMENT OPTIONS:
 FAXED CHECK, VISA, MASTERCARD,
 AMERICAN EXPRESS, DISCOVER

SPECIAL-T is an ISO 9000/9001 certified manufacturer. Our products meet or exceed all relevant ANSI/BIFMA standards. We are committed to the highest degree of quality and craftsmanship. Our Quality Management System is designed to guarantee the highest price-quality ratio.

TERMS:

Upon credit approval, terms are net 30 days from date of invoice. Prior to approved credit, payment must be received before shipping. We accept Visa, MasterCard, Discover and American Express. When you provide a faxed or mailed check, you authorize us either to use information from your check to make a one-time electronic funds transfer from your account or to process this transaction as a check. 50% deposit required on all custom orders. COD payment method is not accepted.

LEAD-TIMES:

Standard lead-time for all available stock products in standard finish is 24 hrs. after order is confirmed. When a custom finish is requested, lead-time is approximately 10 business days. Complete tables ship in 5 - 20 business days. Please contact the Special-T Customer Service Department at (888) 705-0777 to check availability.

ACKNOWLEDGMENT OF ORDERS:

All orders are entered, manufactured, and shipped according to the acknowledgment. Notify Special-T immediately of any discrepancy.

PRICES:

All prices are subject to change without notice.

RETURN POLICY:

The return of any merchandise to the Special-T warehouse must be authorized prior to shipment. Please contact our Customer Service Department at (888) 705-0777 to obtain Return Authorization.

The Return Authorization Form must accompany all returns. If received in new condition and original packaging a 25% restocking charge will apply.

CANCELLATION POLICY:

Custom orders are not subject to cancellation.

SHIPMENT INFORMATION:

Orders will be shipped via UPS or common LTL carrier, whichever is least expensive. Orders may be shipped collect on an alternative LTL carrier as designated. Special shipping arrangements and International shipping arrangements will be made as necessary and should be noted on the original Purchase Order. All orders are shipped FOB our warehouse. We do not ship COD. The buyer accepts legal responsibility for the merchandise when shipped. Upon receipt, please inspect shipment carefully for both visible and possible concealed damage. If package is lost or damage is discovered, the responsible receiving party should note this with the carrier and a claim should be filed immediately.

WARRANTY:

All bases manufactured by Special-T are guaranteed to be free of defects due to workmanship for a period of ten (10) years from the date of purchase.

Electric Height Adjustable table bases are warranted to the original purchase for a period of 5 years from the date of delivery, under normal use, against manufacturing defects.

We will repair or replace, at our option, any product that we determine to be defective as a result of faulty material or workmanship. In no event shall our liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where product has been abused, mishandled, or subjected to use other than that for which it was designed. For purposes of this warranty, normal wear to the product finish shall not be considered a defect. There are no other warranties expressed or implied.

PHONE 888-705-0777


FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

POWDER COAT:



GLOSSY WHITE



BEIGE



LIGHT TONE



SAND



INNERTONE LIGHT



TAUPE



TAN



MEDIUM TONE



BROWNSTONE




PLATINUM



SMOKE



GRAPHITE



BLACK WRINKLE



BLACK
(STOCK COLOR)

POWDER COAT METALLIC:




METALLIC SILVER



STEEL SILVER



GUN METAL



METALLIC SAND



METALLIC
CHAMPAGNE

NON-POWDER COAT:



POLISHED
CHROME*



STAINLESS STEEL*

*Metal finishes vary by base style. Additional charges apply. Refer to options for color availability
Images are representative of the material to be supplied and may not indicate an exact match; some variation may occur

SPECIAL

TABLES & BASES

888.705.0777
www.specialt.net



Special-T
11820 Wills Road, Suite 140
Alpharetta, GA 30009

P: 888-705-0777
P: 678-879-0777
F: 678-456-6046



ISO
9001:2008

Printed in USA
0220166000