



# Vehicle Spec

| <b>BASE MODEL</b> | <b>Description</b> | <b>Front Weight</b> | <b>Rear Weight</b> | <b>Price</b> |
|-------------------|--------------------|---------------------|--------------------|--------------|
| 004636 BASE MODEL | VHD64FT300         | 8,379               | 5,775              | 137,402      |

## MODEL PACKAGE

|          |                               |                                     |   |   |   |
|----------|-------------------------------|-------------------------------------|---|---|---|
| S 99X76X | <b>MANUFACTURING LOCATION</b> | VOLVO TRUCKS - ASSEMBLED IN THE USA | 0 | 0 | 0 |
|----------|-------------------------------|-------------------------------------|---|---|---|

## VEHICLE ADAPTATION

|          |  |   |   |   |   |
|----------|--|---|---|---|---|
| S 114010 | <b>MARKET ADAPTATION</b>               | USA / USA TERRITORY MARKET ADAPTATION                                     | 0 | 0 | 0 |
| S 38XCNX | <b>OPERATOR'S MANUAL LANGUAGE</b>      | ENGLISH   | 0 | 0 | 0 |
| S 125001 | <b>AREA/DOMICILE (EXHAUST)</b>         | 49 STATE + CANADA / NON CALIFORNIA  | 0 | 0 | 0 |
| S 263009 | <b>VEHICLE APPLICATION</b>             | TRACTOR / LOW-BOY TRAILER   | 0 | 0 | 0 |
| S DKXG2X | <b>GROSS COMBINATION WEIGHT</b>        | 80,000 LB GROSS COMBINATION WEIGHT  | 0 | 0 | 0 |
| S 2MCA1X | <b>VEHICLE GHG CERTIFICATION</b>       | GREEN HOUSE GAS COMPLETE VEHICLE CERTIFICATION                            | 0 | 0 | 0 |
| S 3GCB1X | <b>GHG VEHICLE APPLICATION</b>         | GREEN HOUSE GAS VOCATIONAL APPLICATION                                    | 0 | 0 | 0 |
| S 898003 | <b>VEHICLE WARRANTY QUALIFICATION</b>  | STANDARD HEAVY DUTY WARRANTY QUALIFIED                                    | 0 | 0 | 0 |
| S 259003 | <b>VEHICLE VOCATION</b>                | CONSTRUCTION SERVICE  | 0 | 0 | 0 |
| S 260006 | <b>OPERATING CONDITIONS</b>            | ON HIGHWAY, STARTING GRADES<16%   | 0 | 0 | 0 |
| S QCXA1X | <b>TOPOGRAPHY</b>                      | MOSTLY FLAT, MOST GRADES <3% (EX. OHIO)                                   | 0 | 0 | 0 |
| S E1BD1X | <b>AMBIENT TEMPERATURE UPPER LIMIT</b> | SUMMER AMBIENT TEMPERATURES DO NOT REGULARLY EXCEED 104 DEG F (40 DEG C)  | 0 | 0 | 0 |
| S 264001 | <b>LOADING SURFACE FACTOR</b>          | CONCRETE LOADING AND / OR UNLOADING SURFACE                               | 0 | 0 | 0 |
| S DHX20X | <b>OPERATING CLASS</b>                 | OPERATING CLASS TWO (ON/OFF HIGHWAY)                                      | 0 | 0 | 0 |
| S FHXL1X | <b>VEHICLE WIDTH</b>                   | 102" (2590 MM) VEHICLE WIDTH  | 0 | 0 | 0 |
| O 938001 | <b>CUSTOMER FLEET SIZE</b>             | DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND | 0 | 0 | 0 |

## PASSIVE AND ACTIVE SAFETY



|          |   |  |   |   |     |
|----------|---|--|---|---|-----|
| S 2CXD1X | <b>CAB TYPE</b>                             | HIGH-STRENGTH STEEL (HSS) DAY CAB              | 0 | 0 | 0   |
| S DUXA1X | <b>SRS AIR BAG</b>                          | VOLVO SRS AIR BAG-DRIVER SIDE ONLY             | 0 | 0 | 0   |
| S D8XC1X | <b>SAFETY BELT REMINDER</b>                 | SAFETY BELT INDICATOR AND AUDIBLE REMINDER     | 0 | 0 | 0   |
| S 43X40X | <b>AUXILIARY DOWN VIEW MIRROR</b>           | DOWN VIEW MIRROR OVER PASSENGER DOOR           | 0 | 0 | 0   |
| S 8ZDAAX | <b>STABILITY CONTROL REGULATIONS</b>        | ELECTRONIC STABILITY CONTROL, REGULATION FMVSS | 0 | 0 | 0   |
| S ZMXA1X | <b>ELECTRONIC VEHICLE STABILITY CONTROL</b> | VOLVO ENHANCED STABILITY TECHNOLOGY (VEST)     | 0 | 0 | 893 |
| S WPXA1X | <b>ABS TRACTION CONTROL</b>                 | TRACTION CONTROL WITH LIMITED DISABLE          | 0 | 0 | 0   |

## ENGINE

|          |                       |   |   |   |   |
|----------|-----------------------|---|---|---|---|
| S 1017V0 | <b>ENGINE PACKAGE</b> | VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL | 0 | 0 | 0 |
|----------|-----------------------|---|---|---|---|

## ENGINE EQUIPMENT

|          |                                  |   |   |   |     |
|----------|----------------------------------|---|---|---|-----|
| S KWXA1X | <b>AIR CLEANER</b>               | SINGLE STAGE AIR CLEANER  | 0 | 0 | 0   |
| S JWXD1X | <b>AIR INTAKE</b>                | HOOD MOUNTED AIR INTAKE   | 0 | 0 | 0   |
| S H9XM1X | <b>RADIATOR</b>                  | 930 SQ IN, 2 ROW CORE RADIATOR  | 0 | 0 | 0   |
| S K9X09X | <b>COOLANT</b>                   | EXTENDED LIFE ANTIFREEZE -34 F (-37 C)  | 0 | 0 | 0   |
| S C4XE1X | <b>COOLANT MANUFACTURER</b>      | CHEVRON   | 0 | 0 | 0   |
| O 208025 | <b>FAN CLUTCH PACKAGE</b>        | ELECTRONIC VISCOUS FAN CLUTCH   | 0 | 0 | 0   |
| S NCXA5X | <b>STARTER</b>                   | DELCO REMY 12V 39MTHD STARTER   | 0 | 0 | 0   |
| S PJXMGX | <b>ALTERNATOR</b>                | 135 AMP DELCO REMY 35SI PAD MOUNT ALTERNATOR (12V)  | 0 | 0 | -54 |
| S 810111 | <b>BATTERY PACKAGE</b>           | 2 VOLVO 1000 CCA MAINTENANCE FREE 12V BATTERIES, 2000 CCA   | 0 | 0 | 0   |
| S L4X16X | <b>BATTERY BOX MOUNTING</b>      | BATTERY BOX, LEFT HAND SIDE, BEHIND FRONT FENDER  | 0 | 0 | 0   |
| S NQXB1X | <b>BATTERY BOX CONFIGURATION</b> | BATTERY BOX - 3 CAPACITY  | 0 | 0 | 0   |
| S L5XA1X | <b>BATTERY BOX COVER</b>         | BASIC BATTERY BOX COVER   | 0 | 0 | 0   |
| S NFXA0X | <b>BATTERY DISCONNECT SWITCH</b> | MANUAL BATTERY DISCONNECT MAIN SWITCH   | 0 | 0 | 0   |
| S 428001 | <b>DIESEL EXHAUST FLUID TANK</b> | 18.5 GALLON LH 26", FRAME MOUNTED (168 LBS OF DEF WHEN FILLED TO MAXIMUM LEVEL) INCLUDED IN BASE MODEL WEIGHT | 0 | 0 | 0   |
| S 230046 | <b>EXHAUST SYSTEM</b>            | INTEGRATED DPF & SCR MTD RHS UNDER CAB, WITH SINGLE VERTICAL STACK BACK OF CAB                                | 0 | 0 | 0   |
| S 232079 | <b>EXHAUST OUTLET PACKAGE</b>    | 12' 6" ALUMINIZED STAINLESS STEEL SINGLE STACK  | 0 | 0 | 0   |



|          |                                     |   |   |   |   |
|----------|-------------------------------------|---|---|---|---|
| S K0XD1X | <b>EXHAUST FEATURES</b>             | TURNED OUT EXHAUST EXTENSION                                | 0 | 0 | 0 |
| S DVXC3X | <b>LOWER EXHAUST PIPING</b>         | ALUMINIZED STAINLESS STEEL EXHAUST PIPE                     | 0 | 0 | 0 |
| S CUXB1X | <b>EXHAUST PIPING FLEX SECTION</b>  | STAINLESS STEEL EXHAUST FLEX SECTION                        | 0 | 0 | 0 |
| S KNXC1X | <b>EXHAUST SHIELD</b>               | ALUMINUM EXHAUST SHIELD                                     | 0 | 0 | 0 |
| S JVXH1X | <b>PRIMARY FUEL FILTER</b>          | VOLVO DUAL ENGINE MOUNTED FUEL FILTERS WITH WATER SEPARATOR | 0 | 0 | 0 |
| S MBXA1X | <b>PRIMARY FUEL FILTER LOCATION</b> | STANDARD FUEL FILTER LOCATION                               | 0 | 0 | 0 |
| S VWXCAX | <b>COMPRESSOR</b>                   | WABCO 31.8 CFM COMPRESSOR                                   | 0 | 0 | 0 |
| S 2GBAZX | <b>CLUTCHABLE AIR COMPRESSOR</b>    | NO CLUTCHABLE AIR COMPRESSOR PROVIDED                       | 0 | 0 | 0 |
| S HTXK1X | <b>ENGINE BRAKE</b>                 | VOLVO ENGINE BRAKE (I-VEB) FOR D11 ENGINE                   | 0 | 0 | 0 |
| S QHXC1X | <b>ENGINE OIL PAN</b>               | STAMPED STEEL OIL PAN (STANDARD OIL CHANGE INTERVALS)       | 0 | 0 | 0 |

## **TRANSMISSION**

|          |  |   |   |   |     |
|----------|--|---|---|---|-----|
| S 270707 | <b>TRANSMISSION PACKAGE</b>                        | VOLVO I-SHIFT FOR SEVERE DUTY, AT2612F DIRECT DRIVE, 12 SPEED                         | 0 | 0 | 166 |
| S CNXHAX | <b>VOLVO TRANSMISSION ELECTRONICS</b>              | PERFORMANCE VOLVO I-SHIFT TRANSMISSION ELECTRONICS (VOCATIONAL/HEAVY HAUL)            | 0 | 0 | 0   |
| S 6RAA1X | <b>VOLVO TRANSMISSION PERFORMANCE MODE</b>         | VOLVO I-SHIFT TRANSMISSION PERFORMANCE MODE, ENABLED WITH AUTO RETURN TO ECONOMY MODE | 0 | 0 | 0   |
| S 6SAA1X | <b>VOLVO TRANSMISSION KICK-DOWN MODE</b>           | VOLVO I-SHIFT TRANSMISSION KICK-DOWN MODE, ENABLED IN ECONOMY AND PERFORMANCE MODES   | 0 | 0 | 22  |
| S 4LDA1X | <b>TRANSMISSION OUTPUT TORQUE</b>                  | I-SHIFT STANDARD OUTPUT TORQUE  | 0 | 0 | 0   |
| S RVXH5X | <b>GEAR SHIFT LEVER</b>                            | GEAR SHIFT LEVER, PREMIUM, I-Shift  | 0 | 0 | 47  |
| S T2XB1X | <b>TRANSMISSION COOLER</b>                         | WATER TO OIL TRANS COOLER MOUNTED ON TRANSMISSION                                     | 0 | 0 | 0   |
| S D4AB1X | <b>AUTOMATED MANUAL TRANSMISSION PTO FUNCTIONS</b> | AMT PTO FUNCTIONS ENHANCED  | 0 | 0 | 62  |
| S THXC2X | <b>DRIVELINE MANUFACTURER</b>                      | SPICER LIFE DRIVELINE WITH GREASEABLE XL U-JOINTS                                     | 0 | 0 | 0   |
| S TKXA1X | <b>DRIVELINE</b>                                   | CALCULATED TO TORQUE REQUIREMENTS   | 0 | 0 | 0   |
| S 250111 | <b>CLUTCH</b>                                      | VOLVO SACHS 17" SINGLE PLATE DAMPENED ORGANIC FOR I-SHIFT                             | 0 | 0 | 0   |

## **PROGRAMMABLE FEATURES**



|          |  |  |   |   |   |
|----------|--|--|---|---|---|
| S 9KAB1X | <b>IDLE EMISSION CERTIFICATION</b>             | IDLE EMISSION CERTIFICATION, CARB 08   | 0 | 0 | 0 |
| S Y7BB1X | <b>IDLE EMISSION LABEL LOCATION</b>            | CAB MOUNTED CARB '08 DECAL LOCATION  | 0 | 0 | 0 |
| S 78AC7X | <b>EMISSION ON BOARD DIAG CONTROL</b>          | EMISSION OBD,DISPLAY ONLY,USA 2018   | 0 | 0 | 0 |
| S A3AAAX | <b>ENGINE IDLE AUTOMATIC SHUTDOWN (AL)</b>     | ENGINE IDLE SHUTDOWN, ENABLE   | 0 | 0 | 0 |
| S E0XFLX | <b>ENGINE IDLE SHUTDOWN TIME (AM)</b>          | IDLE SHUTDOWN TIME 5 MINUTES   | 0 | 0 | 0 |
| S K7XA1X | <b>ENGINE IDLE CONTROL (CMQ)</b>               | BASIC ENGINE IDLE CONTROL  | 0 | 0 | 0 |
| S D3AAEX | <b>AMBIENT TEMP MAX THRESHOLD (CMO)</b>        | MAX AMBIENT AIR TEMP OVER-RIDE, 80 DEG F (27 DEG C)                          | 0 | 0 | 0 |
| S D2AACX | <b>AMBIENT TEMP MIN THRESHOLD (CMN)</b>        | MIN AMBIENT AIR TEMP OVER-RIDE, 45 DEG F (7 DEG C)                           | 0 | 0 | 0 |
| S JDXD1X | <b>CRUISE CONTROL (AG)</b>                     | WITH ECO CRUISE CONTROL  | 0 | 0 | 0 |
| S JFXLLX | <b>CRUISE CONTROL, MAX SPEED (AI)</b>          | MAXIMUM CRUISE, 65 MPH (105 KM/H)  | 0 | 0 | 0 |
| S Y3CC5X | <b>PEDAL ROAD SPEED LIMIT SETTING (P1116)</b>  | PEDAL ROAD SPEED LIMIT, 65 MPH (105 KM/H)                                    | 0 | 0 | 0 |
| S JCXE6X | <b>ROAD SPEED LIMIT SETTING (P1AOC)</b>        | ROAD SPEED LIMIT, 65 MPH (105 KM/H)  | 0 | 0 | 0 |
| S U4AA1X | <b>GEAR DOWN VEHICLE SPEED LIMITER (P1AL0)</b> | GEAR DOWN VEHICLE SPEED LIMITER ENABLED                                      | 0 | 0 | 0 |
| S U5AK3X | <b>GEAR DOWN VEHICLE SPEED LIMIT (P1AOD)</b>   | GEAR DOWN VEHICLE SPEED, 58 MPH (93 KM/H)                                    | 0 | 0 | 0 |
| S E3AAEX | <b>CRUISE CONTROL MIN SPEED (BK)</b>           | MIN CRUISE, 30 MPH (48 KM/H)   | 0 | 0 | 0 |
| S X2BA1X | <b>ROAD SPEED LIMIT CONTROL TYPE (P1I01)</b>   | WITH ECO RSL CONTROL   | 0 | 0 | 0 |
| S 0NAA1X | <b>OPTIMIZED FUEL ECON INDICATOR (P1LXM)</b>   | OPTIMIZED FUEL ECONOMY INDICATOR, SWEET SPOT                                 | 0 | 0 | 0 |
| S X1BA1X | <b>ENGINE LOAD IN PTO (CMM)</b>                | 30% MINIMUM ENGINE LOAD LIMIT IN PTO BEFORE ALLOW IDLE SHUTDOWN              | 0 | 0 | 0 |
| S W5BE1X | <b>MAXIMUM ENGINE SPEED AT 0 MPH (P1ANA)</b>   | 1400 MAXIMUM ENGINE RPM AT 0 MPH   | 0 | 0 | 0 |
| S K5XA2X | <b>ENGINE PROTECTION SYSTEM (P1FQT)</b>        | ENGINE PROTECTION (SHUTDOWN)   | 0 | 0 | 0 |
| S X4BA1X | <b>COOLANT WARM HOLD TEMP (KBS)</b>            | COOLANT WARM HOLD TEMP ENABLED   | 0 | 0 | 0 |
| S 0RAD1X | <b>DPF REGENERATION CONTROLS</b>               | DPF REGEN CONTROL, AUTO REGEN IN MOTION, MANUAL PARKED REGEN, MANUAL INHIBIT | 0 | 0 | 0 |



|          |  |                            |   |   |   |
|----------|--|----------------------------|---|---|---|
| S EXXGSX | <b>PTO MAX ENGINE SET SPEED (AND)</b>    | PTO ENGINE MAXIMUM 700 RPM | 0 | 0 | 0 |
| S EYXGSX | <b>PTO RESUME ENGINE SET SPEED (ANE)</b> | PTO ENGINE RESUME 700 RPM  | 0 | 0 | 0 |

## FRONT AXLE

|          |                                     |  |    |   |    |
|----------|-------------------------------------|--|----|---|----|
| S 370403 | <b>FRONT AXLE PACKAGE</b>           | VOLVO VF14 14,600 LB FRONT SPRINGS                                   | 0  | 0 | 0  |
| S 70BC1X | <b>BRAKE REGULATION</b>             | BRAKE REGULATION, STOPPING DISTANCE 250 FT (76M)                     | 0  | 0 | 0  |
| S 782014 | <b>FRONT BRAKE PACKAGE</b>          | FRONT BRAKE BENDIX SPICER, NEXT GENERATION HEAVY DUTY, STANDARD LUBE | 0  | 0 | 0  |
| S U5XB1X | <b>FRONT BRAKE DIMENSION</b>        | 16.5X6 FRONT BRAKE SIZE  | 15 | 0 | 60 |
| S U3XA1X | <b>BRAKE TYPE, FRONT AXLE</b>       | CAST IRON FRONT BRAKE DRUM OUTBOARD MOUNTED                          | 0  | 0 | 0  |
| S LQXAIX | <b>FRONT BRAKE LINING MATERIAL</b>  | BRAKE LINING MATERIAL FRONT, BENDIX SPICER BX380                     | 0  | 0 | 0  |
| S K2EA1X | <b>BRAKE SHOE COATING FRONT</b>     | BRAKE SHOE COATING FRONT, BASIC                                      | 0  | 0 | 0  |
| S UDXA1X | <b>FRONT AXLE BRAKE DUST SHIELD</b> | FRONT BRAKE DUST SHIELDS   | 0  | 0 | 0  |
| S 0KXI5X | <b>HUBS, FRONT AXLE</b>             | IRON PRESET PLUS FRONT AXLE HUB WITH INTEGRATED SPINDLE NUT          | 0  | 0 | 0  |
| S ZGXE1X | <b>FRONT OIL SEAL CAP</b>           | STEMCO VISIBLE CAP WITH DRAIN  | 0  | 0 | 0  |
| S 7VXB1X | <b>FRONT AXLE LUBRICANT</b>         | SYNTHETIC FRONT AXLE LUBRICANT                                       | 0  | 0 | 0  |
| S XAXBFX | <b>POWER STEERING GEAR</b>          | TRW THP60 INTEGRAL POWER STEERING GEAR                               | 0  | 0 | 0  |
| S 371071 | <b>FRONT SUSPENSION PACKAGE</b>     | PARABOLIC LEAF FRONT SUSPENSION                                      | 0  | 0 | 0  |
| S IRXA1X | <b>SPRING MAINTENANCE TYPE</b>      | LUBRICATED SPRING PINS AND BUSHINGS                                  | 0  | 0 | 0  |

## REAR AXLE

|          |                                   |   |   |     |      |
|----------|-----------------------------------|---|---|-----|------|
| S 330684 | <b>REAR AXLE PACKAGE</b>          | MERITOR MT-40-14X4D HYPOID (HEAVY DUTY HOUSING) 40,000 LB CAPACITY  | 0 | 0   | 0    |
| S TAXCAX | <b>REAR AXLE RATIO</b>            | 2.64 REAR AXLE RATIO  | 0 | 0   | 0    |
| S TUXB1X | <b>DIFFERENTIAL LOCK</b>          | INTERAXLE DIFFERENTIAL LOCK   | 0 | 0   | 0    |
| S 350377 | <b>REAR SUSPENSION PACKAGE</b>    | 40,000 LB VOLVO T-RIDE (2-LEAF FIRM RIDE) 54" SPACING               | 0 | -40 | -101 |
| S YVXA1X | <b>REAR SHOCK ABSORBER</b>        | REAR SHOCK ABSORBERS  | 0 | 0   | 0    |
| S 783022 | <b>REAR BRAKE PACKAGE</b>         | REAR BRAKE BENDIX SPICER, NEXT GENERATION HEAVY DUTY, STANDARD LUBE | 0 | 0   | 0    |
| S U8XA1X | <b>DRIVE AXLE BRAKE DIMENSION</b> | 16.5X7 REAR BRAKE SIZE  | 0 | 0   | 0    |



|          |  |   |   |   |   |
|----------|--|---|---|---|---|
| S U4XA1X | <b>BRAKE TYPE, DRIVE AXLE</b>            | CAST IRON DRIVE AXLE BRAKE DRUM<br>OUTBOARD MOUNTED   | 0 | 0 | 0 |
| S UEXA1X | <b>DRIVE AXLE BRAKE DUST SHIELD</b>      | REAR BRAKE DUST SHIELDS   | 0 | 0 | 0 |
| S MAXACX | <b>DRIVE AXLE BRAKE LINING MATERIAL</b>  | BRAKE LINING MATERIAL DRIVE, BENDIX<br>SPICER BX415   | 0 | 0 | 0 |
| S J8EA1X | <b>BRAKE SHOE COATING DRIVE</b>          | BRAKE SHOE COATING DRIVE, BASIC   | 0 | 0 | 0 |
| S 0LXI5X | <b>HUBS, DRIVE AXLE</b>                  | IRON PRESET PLUS DRIVE AXLE HUB WITH<br>INTEGRATED SPINDLE NUT                                      | 0 | 0 | 0 |
| S 7WXADX | <b>REAR AXLE LUBRICANT</b>               | CHEVRON DELO GEAR LUBRICANT ESI SAE<br>80W-90 (APPROVED FOR MERITOR EXTENDED<br>COMPONENT WARRANTY) | 0 | 0 | 0 |
| S 781056 | <b>PARKING BRAKE CHAMBER PACKAGE</b>     | FOUR CAM TYPE HALDEX  | 0 | 0 | 0 |
| S V1AB1X | <b>REAR BRAKE CHAMBER SIZE</b>           | REAR BRAKE CHAMBER 30 / 30 SQ INCHES<br>(SERVICE / EMERGENCY)                                       | 0 | 0 | 0 |
| S UKXA1X | <b>CHAMBER STROKE LENGTH, DRIVE AXLE</b> | BASIC LENGTH BRAKE CHAMBER STROKE   | 0 | 0 | 0 |
| S 784009 | <b>FRONT AND REAR SLACK ADJUSTERS</b>    | HALDEX BRAKE ADJUSTER FRONT AND REAR  | 0 | 0 | 0 |
| S O5BD1X | <b>FRONT BRAKE CHAMBER SIZE</b>          | FRONT BRAKE CHAMBER 24 SQUARE INCHES<br>(SERVICE)   | 0 | 0 | 0 |

## CHASSIS

|          |   |   |   |   |   |
|----------|---|---|---|---|---|
| S 3XB3AX | <b>DRIVER SIDE FRONT CHASSIS CONFIGURATION</b>    | LEFT HAND BATTERY BOX - 3 CAPACITY, DEF<br>TANK MOUNTED BEHIND BATTERY BOX (VHDF) | 0 | 0 | 0 |
| S 3YBADX | <b>PASSENGER SIDE FRONT CHASSIS CONFIGURATION</b> | INTEGRATED DPF & SCR (VHDF / VAH)   | 0 | 0 | 0 |
| S 400185 | <b>WHEELBASE</b>                                  | 185" WHEELBASE  | 0 | 0 | 0 |
| S 402055 | <b>OVERHANG</b>                                   | 55" OVERHANG  | 0 | 0 | 0 |
| S KBXB1X | <b>FUEL TANK SHAPE - DIESEL</b>                   | 26" DIA CYLINDRICAL FUEL TANK   | 0 | 0 | 0 |
| S J8XB1X | <b>FUEL TANK, LEFT HAND SIDE - DIESEL</b>         | 75 GALLON LEFT HAND FUEL TANK   | 0 | 0 | 0 |
| S J9XK1X | <b>FUEL TANK, RIGHT HAND SIDE - DIESEL</b>        | NO RIGHT HAND DIESEL TANK PROVIDED  | 0 | 0 | 0 |
| S KEXA1X | <b>FUEL TANK MATERIAL - DIESEL</b>                | ALUMINUM FUEL TANK MATERIAL   | 0 | 0 | 0 |
| S HBXB1X | <b>FUEL TANK POSITION - DIESEL</b>                | FUEL TANK POSITION 1  | 0 | 0 | 0 |
| S 8NAA1X | <b>DPF COVER</b>                                  | DPF COVER, PAINTED STEEL  | 0 | 0 | 0 |
| S U6BA1X | <b>DIESEL EXHAUST FLUID TANK COVER</b>            | PAINTED DIESEL EXHAUST FLUID TANK COVER   | 0 | 0 | 0 |



|          |   |  |   |   |   |
|----------|---|--|---|---|---|
| S JHXA1X | <b>FUEL LINES</b>                             | NYLON FUEL LINES   | 0 | 0 | 0 |
| S KHXA1X | <b>FUEL TANK STRAPS</b>                       | PAINTED STEEL FUEL TANK STRAPS   | 0 | 0 | 0 |
| S KFXA1X | <b>FUEL TANK CAP / DEF TANK CAP</b>           | NON-LOCKING FUEL TANK CAP  | 0 | 0 | 0 |
| S 8HAA1X | <b>AIR TANK ARRANGEMENT</b>                   | AIR TANK ARRANGEMENT, BASIC  | 0 | 0 | 0 |
| S U2XB1X | <b>AIR TANKS</b>                              | STEEL AIR TANKS  | 0 | 0 | 0 |
| S VHXD7X | <b>AIR DRYER</b>                              | MERITOR WABCO AIR DRYER, 1200UP WITHOUT TURBO CUT OFF VALVE, WITH HEATER AND COALESCING OIL FILTER | 0 | 0 | 0 |
| S UWXB1X | <b>AIR TANK DRAIN VALVE</b>                   | MANUAL PULL CORD ON BRAKE SYSTEM TANKS   | 1 | 0 | 0 |
| S 403005 | <b>FRAME RAIL PACKAGE</b>                     | 11.81"X3.54"X.31" STRAIGHT STEEL RAILS   | 0 | 0 | 0 |
| S X4X99X | <b>FRONT FRAME EXTENSION</b>                  | NO FRONT FRAME EXTENSION PROVIDED  | 0 | 0 | 0 |
| S 8EXB1X | <b>INTERMEDIATE CROSSMEMBER MATERIAL</b>      | STEEL CROSSMEMBER MATERIAL   | 0 | 0 | 0 |
| S OAXA1X | <b>INTERMEDIATE CROSSMEMBER CONFIGURATION</b> | BASIC INTERMEDIATE CROSSMEMBER   | 0 | 0 | 0 |
| S X8XB1X | <b>FORWARD REAR SUSP CROSSMEMBER MATERIAL</b> | STEEL CROSSMEMBER MATERIAL   | 0 | 0 | 0 |
| S ZIXA1X | <b>BOGIE CROSSMEMBER MATERIAL</b>             | STEEL CROSSMEMBER MATERIAL   | 0 | 0 | 0 |
| S X6XB1X | <b>REAR FRAME TREATMENT</b>                   | TAPERED REAR CROSSMEMBER, 27 DEGREE  | 0 | 0 | 0 |
| S 4DXE3X | <b>FRONT BUMPER</b>                           | STEEL CONSTRUCTION BUMPER-THREE PIECE  | 0 | 0 | 0 |
| S FRXA1X | <b>BUMPER POSITION</b>                        | BUMPER MOUNTED STANDARD POSITION   | 0 | 0 | 0 |
| S 65XB1X | <b>FRONT FENDER EXTENSION</b>                 | NO FRONT FENDER EXTENSION PROVIDED   | 0 | 0 | 0 |
| S 4EXB1X | <b>FRONT TOWING DEVICE</b>                    | TWO FRONT TOWING DEVICES   | 0 | 0 | 0 |
| S Q8CH1X | <b>MAIN CHASSIS WIRING HARNESS COVERING</b>   | HEAVY DUTY MAIN CHASSIS WIRING HARNESS COVERING  | 0 | 0 | 0 |
| S U7CFCX | <b>LH FUEL TANK FACE LOCATION</b>             | LH FUEL TANK FRONT FACE @ XM=4325  | 0 | 0 | 0 |

## TRANSPORT ADAPTATION

|          |                                       |   |    |     |   |
|----------|---------------------------------------|---|----|-----|---|
| S 490314 | <b>FIFTH WHEEL PACKAGE</b>            | JOST AIR SLIDE LEFT HAND RELEASE              | 42 | 421 | 0 |
| S E5BAVX | <b>GROUND TO 5TH WHEEL TOP HEIGHT</b> | 50.5" FIFTH WHEEL HEIGHT                      | 0  | 0   | 0 |
| S 6JXA1X | <b>SLIDING FIFTH WHEEL TRAVEL</b>     | 12.0 INCHES OF FIFTH WHEEL TRAVEL             | 0  | 0   | 0 |
| S LIXA1X | <b>FIFTH WHEEL ANGLE MATERIAL</b>     | STEEL FIFTH WHEEL ANGLES                      | 0  | 0   | 0 |
| S 6BX54X | <b>FIFTH WHEEL REARMOST POSITION</b>  | 27" BEHIND FORWARD DRIVE AXLE CENTER (-685MM) | 0  | 0   | 0 |



|          |  |   |    |   |     |
|----------|--|---|----|---|-----|
| S 51XA1X | <b>HOSEHANGERS</b>                       | DUMMY GLADHANDS AND CABLE STORAGE BRACKET LEFT HAND BACK OF CAB REACHABLE FROM GROUND | 0  | 0 | 0   |
| S WHXD1X | <b>TRAILER BRAKE CONNECTION POSITION</b> | CAB MOUNTED TRAILER BRAKE CONNECTION  | 0  | 0 | 0   |
| S WKX99X | <b>HOSE TENDER POSITION</b>              | NO HOSE TENDER POSITION PROVIDED  | 0  | 0 | 0   |
| S 52XA1X | <b>TRAILER ELECTRICAL CABLE</b>          | FIXED TRAILER CABLE   | 0  | 0 | 0   |
| S 5ZXB1X | <b>TRAILER BRAKE HOSES &amp; CABLES</b>  | 12' COILED TRAILER BRAKE HOSES AND CABLE  | 0  | 0 | 0   |
| S WLXC1X | <b>TRAILER BRAKE HAND CONTROL</b>        | DELETE TRAILER BRAKE HAND CONTROL   | 0  | 0 | 0   |
| S 6WXA1X | <b>CENTER CONSOLE FOR BODY CONTROLS</b>  | MOUNTING PLATE ONLY FOR BODY CONTROLS   | 0  | 0 | 0   |
| S L3XA1X | <b>BODY BUILDER ELECTRICAL PREP</b>      | ELECTRICAL PREP KIT FOR BODY BUILDER  | -1 | 8 | -31 |

## **CAB EXTERIOR**

|          |                                   |   |   |   |     |
|----------|-----------------------------------|---|---|---|-----|
| S 2DX05X | <b>CAB SUSPENSION</b>             | MECHANICAL CAB SUSPENSION WITH SHOCKS               | 0 | 0 | 0   |
| S 21XA1X | <b>AUXILIARY REAR WINDOW</b>      | STANDARD REAR WINDOW                                | 0 | 0 | 0   |
| S D2XA1X | <b>WIPER BLADE</b>                | BASIC WIPER BLADE                                   | 0 | 0 | 0   |
| S 28XA1X | <b>FRONT GRILLE</b>               | BLACK MOLDED FRONT GRILLE                           | 0 | 0 | 0   |
| S 0EAC1X | <b>AIR INTAKE GRILLE FINISH</b>   | AIR INTAKE GRILLE, BLACK                            | 0 | 0 | 0   |
| S LZXD1X | <b>AIR HORN</b>                   | DUAL TRUMPET MOUNTED UNDER CAB                      | 0 | 0 | 0   |
| S 3FX51X | <b>EXTERIOR SIDE VIEW MIRRORS</b> | BLACK VOCATIONAL MIRRORS WITH LONG ARMS             | 0 | 0 | 0   |
| S 3GXC1X | <b>EXTERIOR MIRROR FEATURES</b>   | HEATED, POWER AXIS MIRROR, BOTH SIDES               | 2 | 0 | 201 |
| S 4NXB1X | <b>EXTERIOR SUNVISOR</b>          | EXTERIOR SUN VISOR WITH CLEAR LENS LED MARKER LAMPS | 0 | 0 | 0   |

## **CAB INTERIOR**

|          |   |   |   |   |   |
|----------|---|---|---|---|---|
| S 540088 | <b>INTERIOR TRIM PACKAGE</b>                  | FLEET - VINYL PANELS WITH METAL HEX TRIM        | 0 | 0 | 0 |
| S 1DAF1X | <b>DRIVER SEAT MFG AND SERIES</b>             | NATIONAL DRIVER SEAT                            | 0 | 0 | 0 |
| S 520101 | <b>DRIVER SEAT</b>                            | X1 WREN VINYL                                   | 0 | 0 | 0 |
| S 3ZXG2X | <b>DRIVER SEAT SUPPORT</b>                    | DRIVER SEAT - AIR SUSPENDED                     | 0 | 0 | 0 |
| S I5DA1X | <b>DRIVER SEAT PROFILE</b>                    | STANDARD WIDTH, HIGH BACK                       | 0 | 0 | 0 |
| S I7DA1X | <b>DRIVER SEAT COMFORT</b>                    | DRIVER SEAT - ONE AIR ADJUSTABLE LUMBAR CHAMBER | 0 | 0 | 0 |
| S 1GAF1X | <b>PASSENGER SEAT MANUFACTURER AND SERIES</b> | NATIONAL PASSENGER SEAT                         | 0 | 0 | 0 |





|          |                                       |  |   |   |   |
|----------|---------------------------------------|--|---|---|---|
| S 521101 | <b>PASSENGER SEAT</b>                 | X1 WREN VINYL  | 0 | 0 | 0 |
| S 34XAAX | <b>PASSENGER SEAT SUPPORT</b>         | PASSENGER SEAT - FIXED WITH INTEGRATED STORAGE   | 0 | 0 | 0 |
| S I6DA1X | <b>PASSENGER SEAT PROFILE</b>         | STANDARD WIDTH, HIGH BACK  | 0 | 0 | 0 |
| S 0HAA1X | <b>SEAT SUPPORT, DUST COVER</b>       | SEAT BASE DUST COVER, DRIVER SIDE  | 0 | 0 | 0 |
| S K7AA1X | <b>SAFETY BELT LENGTH</b>             | STANDARD SAFETY BELT LENGTH  | 0 | 0 | 0 |
| S OUXA1X | <b>SAFETY BELT DRIVER SEAT</b>        | SAFETY BELT DRIVER SEAT, BLACK   | 0 | 0 | 0 |
| S OXXA1X | <b>SAFETY BELT PASSENGER SEAT</b>     | SAFETY BELT PASSENGER SEAT, BLACK  | 0 | 0 | 0 |
| S 4AXB1X | <b>CLIMATE UNIT</b>                   | INTEGRAL AIR CONDITIONER WITH HEATER - MANUAL CONTROLS                                   | 0 | 0 | 0 |
| S 41X25X | <b>PARKING HEATER</b>                 | WITHOUT PARKING HEATER   | 0 | 0 | 0 |
| S 31XK2X | <b>FLOOR MATS</b>                     | FRONT FLOOR INSERTS, RUBBER  | 0 | 0 | 0 |
| S 4JXD1X | <b>STORAGE OVERHEAD DRIVER</b>        | NETTED OVERHEAD STORAGE (DRIVER/PASSENGER SIDES) WITH CB MOUNTING AND AUXILIARY SWITCHES | 0 | 0 | 0 |
| S XRXB1X | <b>STEERING WHEEL ADJUSTMENT</b>      | STANDARD STEERING WHEEL ADJUSTMENT   | 0 | 0 | 0 |
| S 7BAA3X | <b>STEERING WHEEL</b>                 | STANDARD STEERING WHEEL COVERING   | 0 | 0 | 0 |
| S 571020 | <b>GAUGE PACKAGE</b>                  | EIGHT GAUGE INSTRUMENT CLUSTER   | 0 | 0 | 0 |
| S PGXB1X | <b>TRANSMISSION TEMPERATURE GAUGE</b> | NO TRANSMISSION TEMP GAUGE PROVIDED  | 0 | 0 | 0 |
| S 9NDB1X | <b>TRIP METER</b>                     | TRIP METER, TWO TRIPS  | 0 | 0 | 0 |
| S PVXA2X | <b>AIR RESTRICTION INDICATOR</b>      | GRADUATED ARI ON FILTER  | 0 | 0 | 0 |
| S N8XD1X | <b>SPEEDOMETER GRADUATION</b>         | MPH SPEEDOMETER GRADUATION   | 0 | 0 | 0 |

## **LIGHTING**

|          |                              |   |   |   |     |
|----------|------------------------------|---|---|---|-----|
| S NJXZ1X | <b>AUXILIARY LAMPS</b>       | NO AUXILIARY LAMPS PROVIDED   | 0 | 0 | -10 |
| S 836005 | <b>HEADLAMPS</b>             | LED HEADLAMPS WITH BASIC DRL  | 0 | 0 | 0   |
| S LSXG1X | <b>DAYTIME RUNNING LAMPS</b> | EQUIPPED WITH DAYTIME RUNNING LIGHTS  | 0 | 0 | 0   |
| S NEXH1X | <b>STOP AND TAIL LIGHTS</b>  | DUAL INTEGRATED SUPER 60 LED TAIL LIGHTS WITH SEPARATE LED BACKUP LIGHT - ALL LIGHTS MOUNTED IN TAPERED CROSSMEMBER | 0 | 0 | 0   |
| S NPXB1X | <b>TURN SIGNAL SWITCH</b>    | SELF CANCELLING TURN SIGNAL SWITCH  | 0 | 0 | 0   |

## **AUDIO SYSTEM**



|          |                                  |  |   |   |    |
|----------|----------------------------------|--|---|---|----|
| S 590014 | <b>RADIO PACKAGE</b>             | AM / FM / CD / MP3 / USB / BLUETOOTH RADIO             | 0 | 0 | 0  |
| S 73AJ1X | <b>RADIO ANTENNA</b>             | SINGLE RIGHT HAND 48 INCH MIRROR MOUNTED RADIO ANTENNA | 2 | 0 | 0  |
| S N0XA1X | <b>MARKER INTERRUPTER SWITCH</b> | MARKER INTERRUPTER SWITCH                              | 0 | 0 | 11 |
| S 5CXA1X | <b>RADIO SPEAKERS</b>            | SPEAKERS IN DASH ONLY                                  | 0 | 0 | 0  |
| S 5JXB1X | <b>CB RADIO MOUNTING</b>         | OVERHEAD MOUNTED CB HOLD DOWN                          | 0 | 0 | 0  |
| S 5BXB5X | <b>CB ANTENNA</b>                | SINGLE LEFT HAND 48 INCH MIRROR MOUNTED CB ANTENNA     | 0 | 0 | 0  |

### MISC CAB EQUIPMENT

|          |                              |                              |   |   |   |
|----------|------------------------------|------------------------------|---|---|---|
| S 2XX35X | <b>WINDOW LIFT</b>           | POWER WINDOW LIFT BOTH DOORS | 6 | 4 | 0 |
| S 3AXB1X | <b>DOOR LOCKS CAB</b>        | MANUAL CAB DOOR LOCKS        | 0 | 0 | 0 |
| S 20XA1X | <b>KEY TYPE</b>              | BASIC UNIQUE KEY             | 0 | 0 | 0 |
| S 8BXB1X | <b>KEY QUANTITY PER UNIT</b> | 4 KEYS PROVIDED PER UNIT     | 0 | 0 | 0 |

### TIRES AND WHEELS FRONT

|          |                                      |  |     |   |   |
|----------|--------------------------------------|--|-----|---|---|
| S 093719 | <b>TIRE PACKAGE FRONT</b>            | 315/80R22.5L BRIDGESTONE M860A (20000 LBS. GAWR) ON/OFF ROAD USAGE         | 322 | 0 | 0 |
| S 4WCC1X | <b>TIRE CLASSIFICATION FRONT</b>     | GHG FRONT TIRE CLASSIFICATION, LOW ROLLING RESISTANCE                      | 0   | 0 | 0 |
| S 084562 | <b>RIM/WHEEL PACKAGE FRONT</b>       | 22.5X9.00 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTTED | 206 | 0 | 0 |
| S 907002 | <b>FRONT WHEEL AND TIRE QUANTITY</b> | TWO FRONT WHEELS AND TIRES   | 0   | 0 | 0 |

### TIRES AND WHEELS REAR

|          |                                      |  |   |     |   |
|----------|--------------------------------------|--|---|-----|---|
| S 094736 | <b>TIRE PACKAGE REAR</b>             | 11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL                  | 0 | 976 | 0 |
| S 4XCC1X | <b>TIRE CLASSIFICATION REAR</b>      | GHG REAR TIRE CLASSIFICATION, LOW ROLLING RESISTANCE                       | 0 | 0   | 0 |
| S 085069 | <b>RIM/WHEEL PACKAGE REAR</b>        | 22.5X8.25 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTTED | 0 | 544 | 0 |
| S 908008 | <b>DRIVE WHEEL AND TIRE QUANTITY</b> | EIGHT DRIVE WHEELS AND TIRES   | 0 | 0   | 0 |

### MISC TIRE EQUIPMENT

|          |                             |                                |   |   |   |
|----------|-----------------------------|--------------------------------|---|---|---|
| S 15XABX | <b>TIRE INFLATION VALVE</b> | TIRE INFLATION VALVE, STANDARD | 0 | 0 | 0 |
|----------|-----------------------------|--------------------------------|---|---|---|

### PAINT

|          |                          |                         |   |   |   |
|----------|--------------------------|-------------------------|---|---|---|
| S 950800 | <b>CAB PAINT SCHEME</b>  | SINGLE COLOR PAINT      | 0 | 0 | 0 |
| S 9801T4 | <b>FIRST TRUCK COLOR</b> | GLACIER WHITE; P3029    | 0 | 0 | 0 |
| S MPB980 | <b>CAB COLOR</b>         | CAB SAME AS FIRST COLOR | 0 | 0 | 0 |



|          |                                |  |   |   |   |
|----------|--------------------------------|--|---|---|---|
| S MPD980 | <b>HOOD COLOR</b>              | HOOD SAME AS FIRST COLOR   | 0 | 0 | 0 |
| S MPE980 | <b>COWL COLOR</b>              | COWL SAME AS FIRST COLOR   | 0 | 0 | 0 |
| S 987980 | <b>BUMPER COLOR</b>            | BUMPER SAME AS FIRST COLOR   | 0 | 0 | 0 |
| S 996980 | <b>SUN VISOR COLOR</b>         | SUN VISOR SAME AS FIRST COLOR  | 0 | 0 | 0 |
| S 9861U1 | <b>CHASSIS COLOR</b>           | BLACK P3036  | 0 | 0 | 0 |
| S 988401 | <b>DISC WHEEL OR RIM COLOR</b> | STEEL DISC WHEELS-PREPAINTED WHITE, POWDER-COAT, ALUMINUM OR STYLIZED DISC-UNPAINTED | 0 | 0 | 0 |

### **BUSINESS SERVICES**

|          |                                |                                |   |   |   |
|----------|--------------------------------|--------------------------------|---|---|---|
| S 9LAA1X | <b>PRE-DELIVERY INSPECTION</b> | PRE-DELIVERY INSPECTION, BASIC | 0 | 0 | 0 |
|----------|--------------------------------|--------------------------------|---|---|---|

### **BASE WARRANTY AND PURCHASED COVERAGES**

|          |  |   |   |   |   |
|----------|--|---|---|---|---|
| S 899302 | <b>WARRANTY TYPE</b>                               | HEAVY_DUTY_STANDARD_BASE_COVERAGE<br>12_MONTHS/100,000_MILES  | 0 | 0 | 0 |
| S 896900 | <b>VOLVO D11/D13 ENGINE EXTENDED COVERAGE</b>      | VOLVO D11/D13 BASE ENGINE COVERAGE -<br>24MTHS/250K MILES   | 0 | 0 | 0 |
| S 875001 | <b>VEHICLE EMISSIONS COMPONENTS COVERAGE</b>       | US & CANADA VOLVO ENGINE EQUIPPED<br>VEHICLE EMISSIONS COMPONENTS<br>COVERAGE_60 MONTHS/100K_MILES    | 0 | 0 | 0 |
| S 880301 | <b>TRANSMISSION COVERAGE</b>                       | 36 MO: STANDARD I-SHIFT FOR SEVERE DUTY<br>AND I-SHIFT WITH CRAWLER GEARS<br>TRANS,HEAVY DUTY VEHICLE | 0 | 0 | 0 |
| S 888900 | <b>ADDITIONAL EXTENDED CHASSIS TOWING COVERAGE</b> | BASE CHASSIS TOWING COVERAGE, 90<br>DAY/5000 MILE/8050 KILOMETER                                      | 0 | 0 | 0 |
| S 874900 | <b>ADDITIONAL EXTENDED ENGINE TOWING COVERAGE</b>  | BASE VOLVO ENGINE TOWING COVERAGE, 24<br>MO/250K MILE   | 0 | 0 | 0 |
| S 866011 | <b>REMOTE DIAGNOSTICS BUNDLE</b>                   | REMOTE DIAGNOSTICS WITH REMOTE<br>PROGRAMMING - 24 MONTHS   | 0 | 0 | 0 |
| S 867001 | <b>UPTIME CENTER BUNDLE</b>                        | ASIST AND VOLVO ACTION SERVICE - 24<br>MONTHS   | 0 | 0 | 0 |

### **SUB TOTALS**

|                             |       |       |         |
|-----------------------------|-------|-------|---------|
| BASE WEIGHT/PRICE           | 8,379 | 5,775 | 137,402 |
| FACTORY OPTION WEIGHT/PRICE | 592   | 1,913 | 1,266   |
| DEALER OPTION WEIGHT/PRICE  | 0     | 0     | 0       |

### **TOTALS**

|                  |       |       |         |
|------------------|-------|-------|---------|
| TOTAL PRICE(\$)  |       |       | 138,668 |
| TOTAL WEIGHT(LB) | 8,971 | 7,688 | 16,659  |

