



# Vehicle Spec

<b>BASE MODEL</b>	<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004765 <b>BASE MODEL</b>	VHD86FT300	8,689	8,283	157,181

## **MODEL PACKAGE**

S 99X76X <b>MANUFACTURING LOCATION</b>	VOLVO TRUCKS - ASSEMBLED IN THE USA	0	0	0
--	-------------------------------------	---	---	---

## **VEHICLE ADAPTATION**

S 114010 <b>MARKET ADAPTATION</b>	USA / USA TERRITORY MARKET ADAPTATION	0	0	0
S 38XCXN <b>OPERATOR'S MANUAL LANGUAGE</b>	ENGLISH	0	0	0
S 125001 <b>AREA/DOMICILE (EXHAUST)</b>	49 STATE + CANADA / NON CALIFORNIA	0	0	0
S 263009 <b>VEHICLE APPLICATION</b>	TRACTOR / LOW-BOY TRAILER	0	0	0
S DKXL6X <b>GROSS COMBINATION WEIGHT</b>	125,000 LB GROSS COMBINATION WEIGHT	0	0	0
S 2MCA1X <b>VEHICLE GHG CERTIFICATION</b>	GREEN HOUSE GAS COMPLETE VEHICLE CERTIFICATION	0	0	0
S 3GCB1X <b>GHG VEHICLE APPLICATION</b>	GREEN HOUSE GAS VOCATIONAL APPLICATION	0	0	0
S 898003 <b>VEHICLE WARRANTY QUALIFICATION</b>	STANDARD HEAVY DUTY WARRANTY QUALIFIED	0	0	0
S 259003 <b>VEHICLE VOCATION</b>	CONSTRUCTION SERVICE	0	0	0
S 260006 <b>OPERATING CONDITIONS</b>	ON HIGHWAY, STARTING GRADES<16%	0	0	0
S QCXA1X <b>TOPOGRAPHY</b>	MOSTLY FLAT, MOST GRADES <3% (EX. OHIO)	0	0	0
S E1BD1X <b>AMBIENT TEMPERATURE UPPER LIMIT</b>	SUMMER AMBIENT TEMPERATURES DO NOT REGULARLY EXCEED 104 DEG F (40 DEG C)	0	0	0
S 264001 <b>LOADING SURFACE FACTOR</b>	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0	0
S DHX20X <b>OPERATING CLASS</b>	OPERATING CLASS TWO (ON/OFF HIGHWAY)	0	0	0
S FHXL1X <b>VEHICLE WIDTH</b>	102" (2590 MM) VEHICLE WIDTH	0	0	0
O 938001 <b>CUSTOMER FLEET SIZE</b>	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0	0

## **PASSIVE AND ACTIVE SAFETY**



S 2CXD1X	<b>CAB TYPE</b>	HIGH-STRENGTH STEEL (HSS) DAY CAB	0	0	0
S DUXA1X	<b>SRS AIR BAG</b>	VOLVO SRS AIR BAG-DRIVER SIDE ONLY	0	0	0
S D8XC1X	<b>SAFETY BELT REMINDER</b>	SAFETY BELT INDICATOR AND AUDIBLE REMINDER	0	0	0
S 43X40X	<b>AUXILIARY DOWN VIEW MIRROR</b>	DOWN VIEW MIRROR OVER PASSENGER DOOR	0	0	0
S 8ZDABX	<b>STABILITY CONTROL REGULATIONS</b>	WITHOUT STABILITY CONTROL REGULATION	0	0	0
S WPXB1X	<b>ABS TRACTION CONTROL</b>	6 CHANNEL TRACTION CONTROL WITH LIMITED DISABLE	0	0	0

## ENGINE

S 1017W0	<b>ENGINE PACKAGE</b>	VOLVO D13 375HP 2100RPM 1450 LBFT - EPA'17 EMISSION LEVEL	0	0	0
----------	-----------------------	---	---	---	---

## ENGINE EQUIPMENT

S KWXA1X	<b>AIR CLEANER</b>	SINGLE STAGE AIR CLEANER	0	0	0
S JWXD1X	<b>AIR INTAKE</b>	HOOD MOUNTED AIR INTAKE	0	0	0
S H9XK1X	<b>RADIATOR</b>	1240 SQ IN, 2 ROW CORE RADIATOR	0	0	0
S K9X09X	<b>COOLANT</b>	EXTENDED LIFE ANTIFREEZE -34 F (-37 C)	0	0	0
S C4XE1X	<b>COOLANT MANUFACTURER</b>	CHEVRON	0	0	0
O 208025	<b>FAN CLUTCH PACKAGE</b>	ELECTRONIC VISCOUS FAN CLUTCH	0	0	0
S NCXA5X	<b>STARTER</b>	DELCO REMY 12V 39MTHD STARTER	0	0	0
S PJXMGX	<b>ALTERNATOR</b>	135 AMP DELCO REMY 35SI PAD MOUNT ALTERNATOR (12V)	0	0	-54
S 810111	<b>BATTERY PACKAGE</b>	2 VOLVO 1000 CCA MAINTENANCE FREE 12V BATTERIES, 2000 CCA	0	0	0
S L4X16X	<b>BATTERY BOX MOUNTING</b>	BATTERY BOX, LEFT HAND SIDE, BEHIND FRONT FENDER	0	0	0
S NQXB1X	<b>BATTERY BOX CONFIGURATION</b>	BATTERY BOX - 3 CAPACITY	0	0	0
S L5XA1X	<b>BATTERY BOX COVER</b>	BASIC BATTERY BOX COVER	0	0	0
S NFXA0X	<b>BATTERY DISCONNECT SWITCH</b>	MANUAL BATTERY DISCONNECT MAIN SWITCH	0	0	0
S 428001	<b>DIESEL EXHAUST FLUID TANK</b>	18.5 GALLON LH 26", FRAME MOUNTED (168 LBS OF DEF WHEN FILLED TO MAXIMUM LEVEL) INCLUDED IN BASE MODEL WEIGHT	0	0	0
S 230046	<b>EXHAUST SYSTEM</b>	INTEGRATED DPF & SCR MTD RHS UNDER CAB, WITH SINGLE VERTICAL STACK BACK OF CAB	0	0	0
S 232079	<b>EXHAUST OUTLET PACKAGE</b>	12' 6" ALUMINIZED STAINLESS STEEL SINGLE STACK	0	0	0
S K0XD1X	<b>EXHAUST FEATURES</b>	TURNED OUT EXHAUST EXTENSION	0	0	0



S DVXC3X	<b>LOWER EXHAUST PIPING</b>	ALUMINIZED STAINLESS STEEL EXHAUST PIPE	0	0	0
S CUXB1X	<b>EXHAUST PIPING FLEX SECTION</b>	STAINLESS STEEL EXHAUST FLEX SECTION	0	0	0
S KNXC1X	<b>EXHAUST SHIELD</b>	ALUMINUM EXHAUST SHIELD	0	0	0
S JVXH1X	<b>PRIMARY FUEL FILTER</b>	VOLVO DUAL ENGINE MOUNTED FUEL FILTERS WITH WATER SEPARATOR	0	0	0
S MBXA1X	<b>PRIMARY FUEL FILTER LOCATION</b>	STANDARD FUEL FILTER LOCATION	0	0	0
S VWXCAX	<b>COMPRESSOR</b>	WABCO 31.8 CFM COMPRESSOR	0	0	0
S 2GBAZX	<b>CLUTCHABLE AIR COMPRESSOR</b>	NO CLUTCHABLE AIR COMPRESSOR PROVIDED	0	0	0
S HTXA8X	<b>ENGINE BRAKE</b>	VOLVO ENGINE BRAKE (I-VEB)	0	0	0
S QHXC1X	<b>ENGINE OIL PAN</b>	STAMPED STEEL OIL PAN (STANDARD OIL CHANGE INTERVALS)	0	0	0

## TRANSMISSION

S 270708	<b>TRANSMISSION PACKAGE</b>	VOLVO I-SHIFT FOR SEVERE DUTY, ATO2612F, 12 SPEED	-2	-1	166
S CNXHAX	<b>VOLVO TRANSMISSION ELECTRONICS</b>	PERFORMANCE VOLVO I-SHIFT TRANSMISSION ELECTRONICS (VOCATIONAL/HEAVY HAUL)	0	0	0
S 6RAA1X	<b>VOLVO TRANSMISSION PERFORMANCE MODE</b>	VOLVO I-SHIFT TRANSMISSION PERFORMANCE MODE, ENABLED WITH AUTO RETURN TO ECONOMY MODE	0	0	0
S 6SAA1X	<b>VOLVO TRANSMISSION KICK-DOWN MODE</b>	VOLVO I-SHIFT TRANSMISSION KICK-DOWN MODE, ENABLED IN ECONOMY AND PERFORMANCE MODES	0	0	22
S 4LDA1X	<b>TRANSMISSION OUTPUT TORQUE</b>	I-SHIFT STANDARD OUTPUT TORQUE	0	0	0
S RVXH5X	<b>GEAR SHIFT LEVER</b>	GEAR SHIFT LEVER, PREMIUM, I-Shift	0	0	47
S T2XB1X	<b>TRANSMISSION COOLER</b>	WATER TO OIL TRANS COOLER MOUNTED ON TRANSMISSION	0	0	0
S D4AB1X	<b>AUTOMATED MANUAL TRANSMISSION PTO FUNCTIONS</b>	AMT PTO FUNCTIONS ENHANCED	0	0	62
S THXC2X	<b>DRIVELINE MANUFACTURER</b>	SPICER LIFE DRIVELINE WITH GREASEABLE XL U-JOINTS	0	0	0
S TKXA1X	<b>DRIVELINE</b>	CALCULATED TO TORQUE REQUIREMENTS	0	0	0
S 250111	<b>CLUTCH</b>	VOLVO SACHS 17" SINGLE PLATE DAMPENED ORGANIC FOR I-SHIFT	0	0	0

## PROGRAMMABLE FEATURES

S 9KAB1X	<b>IDLE EMISSION CERTIFICATION</b>	IDLE EMISSION CERTIFICATION, CARB 08	0	0	0
----------	------------------------------------	--------------------------------------	---	---	---



S Y7BB1X	<b>IDLE EMISSION LABEL LOCATION</b>	CAB MOUNTED CARB '08 DECAL LOCATION	0	0	0
S 78AC7X	<b>EMISSION ON BOARD DIAG CONTROL</b>	EMISSION OBD,DISPLAY ONLY,USA 2018	0	0	0
S A3AAAX	<b>ENGINE IDLE AUTOMATIC SHUTDOWN (AL)</b>	ENGINE IDLE SHUTDOWN, ENABLE	0	0	0
S E0XFLX	<b>ENGINE IDLE SHUTDOWN TIME (AM)</b>	IDLE SHUTDOWN TIME 5 MINUTES	0	0	0
S K7XA1X	<b>ENGINE IDLE CONTROL (CMQ)</b>	BASIC ENGINE IDLE CONTROL	0	0	0
S D3AAEX	<b>AMBIENT TEMP MAX THRESHOLD (CMO)</b>	MAX AMBIENT AIR TEMP OVER-RIDE, 80 DEG F (27 DEG C)	0	0	0
S D2AACX	<b>AMBIENT TEMP MIN THRESHOLD (CMN)</b>	MIN AMBIENT AIR TEMP OVER-RIDE, 45 DEG F (7 DEG C)	0	0	0
S JDXD1X	<b>CRUISE CONTROL (AG)</b>	WITH ECO CRUISE CONTROL	0	0	0
S JFXLLX	<b>CRUISE CONTROL, MAX SPEED (AI)</b>	MAXIMUM CRUISE, 65 MPH (105 KM/H)	0	0	0
S Y3CC5X	<b>PEDAL ROAD SPEED LIMIT SETTING (P1I16)</b>	PEDAL ROAD SPEED LIMIT, 65 MPH (105 KM/H)	0	0	0
S JCXE6X	<b>ROAD SPEED LIMIT SETTING (P1AOC)</b>	ROAD SPEED LIMIT, 65 MPH (105 KM/H)	0	0	0
S U4AA1X	<b>GEAR DOWN VEHICLE SPEED LIMITER (P1AL0)</b>	GEAR DOWN VEHICLE SPEED LIMITER ENABLED	0	0	0
S U5AK7X	<b>GEAR DOWN VEHICLE SPEED LIMIT (P1AOD)</b>	GEAR DOWN VEHICLE SPEED, 60 MPH (97 KM/H)	0	0	0
S E3AAEX	<b>CRUISE CONTROL MIN SPEED (BK)</b>	MIN CRUISE, 30 MPH (48 KM/H)	0	0	0
S X2BA1X	<b>ROAD SPEED LIMIT CONTROL TYPE (P1I01)</b>	WITH ECO RSL CONTROL	0	0	0
S 0NAA1X	<b>OPTIMIZED FUEL ECON INDICATOR (P1LXM)</b>	OPTIMIZED FUEL ECONOMY INDICATOR, SWEET SPOT	0	0	0
S X1BA1X	<b>ENGINE LOAD IN PTO (CMM)</b>	30% MINIMUM ENGINE LOAD LIMIT IN PTO BEFORE ALLOW IDLE SHUTDOWN	0	0	0
S W5BE1X	<b>MAXIMUM ENGINE SPEED AT 0 MPH (P1ANA)</b>	1400 MAXIMUM ENGINE RPM AT 0 MPH	0	0	0
S K5XA2X	<b>ENGINE PROTECTION SYSTEM (P1FQT)</b>	ENGINE PROTECTION (SHUTDOWN)	0	0	0
S X4BA1X	<b>COOLANT WARM HOLD TEMP (KBS)</b>	COOLANT WARM HOLD TEMP ENABLED	0	0	0
S 0RAD1X	<b>DPF REGENERATION CONTROLS</b>	DPF REGEN CONTROL, AUTO REGEN IN MOTION, MANUAL PARKED REGEN, MANUAL INHIBIT	0	0	0
S EXXGSX	<b>PTO MAX ENGINE SET SPEED (AND)</b>	PTO ENGINE MAXIMUM 700 RPM	0	0	0
S EYXGSX	<b>PTO RESUME ENGINE SET SPEED (ANE)</b>	PTO ENGINE RESUME 700 RPM	0	0	0



## FRONT AXLE

S 370403	<b>FRONT AXLE PACKAGE</b>	VOLVO VF14 14,600 LB FRONT SPRINGS	0	0	0
S 70BC1X	<b>BRAKE REGULATION</b>	BRAKE REGULATION, STOPPING DISTANCE 250 FT (76M)	0	0	0
S 782014	<b>FRONT BRAKE PACKAGE</b>	FRONT BRAKE BENDIX SPICER, NEXT GENERATION HEAVY DUTY, STANDARD LUBE	0	0	0
S U5XB1X	<b>FRONT BRAKE DIMENSION</b>	16.5X6 FRONT BRAKE SIZE	15	0	60
S U3XA1X	<b>BRAKE TYPE, FRONT AXLE</b>	CAST IRON FRONT BRAKE DRUM OUTBOARD MOUNTED	0	0	0
S LQXAIX	<b>FRONT BRAKE LINING MATERIAL</b>	BRAKE LINING MATERIAL FRONT, BENDIX SPICER BX380	0	0	0
S K2EA1X	<b>BRAKE SHOE COATING FRONT</b>	BRAKE SHOE COATING FRONT, BASIC	0	0	0
S UDXA1X	<b>FRONT AXLE BRAKE DUST SHIELD</b>	FRONT BRAKE DUST SHIELDS	0	0	0
S 0KXI5X	<b>HUBS, FRONT AXLE</b>	IRON PRESET PLUS FRONT AXLE HUB WITH INTEGRATED SPINDLE NUT	0	0	0
S ZGXE1X	<b>FRONT OIL SEAL CAP</b>	STEMCO VISIBLE CAP WITH DRAIN	0	0	0
S 7VXB1X	<b>FRONT AXLE LUBRICANT</b>	SYNTHETIC FRONT AXLE LUBRICANT	0	0	0
S XAXBFX	<b>POWER STEERING GEAR</b>	TRW THP60 INTEGRAL POWER STEERING GEAR	0	0	0
S 371071	<b>FRONT SUSPENSION PACKAGE</b>	PARABOLIC LEAF FRONT SUSPENSION	0	0	0
S IRXA1X	<b>SPRING MAINTENANCE TYPE</b>	LUBRICATED SPRING PINS AND BUSHINGS	0	0	0

## REAR AXLE

S 330681	<b>REAR AXLE PACKAGE</b>	MERITOR RZ-166P 69,000 LB CAPACITY STANDARD TRACK	0	0	0
S R4XA1X	<b>REAR AXLE LUBE PUMP</b>	REAR AXLE LUBE PUMP	0	0	0
S TAXHGX	<b>REAR AXLE RATIO</b>	4.30 REAR AXLE RATIO	0	0	0
S TUXB1X	<b>DIFFERENTIAL LOCK</b>	INTERAXLE DIFFERENTIAL LOCK	0	0	0
S 350442	<b>REAR SUSPENSION PACKAGE</b>	50,000 LB VOLVO PRIMAAX EX TRIDEM AIR SUSPENSION 108" SPACING	0	0	0
S YVXA1X	<b>REAR SHOCK ABSORBER</b>	REAR SHOCK ABSORBERS	0	0	0
S 783022	<b>REAR BRAKE PACKAGE</b>	REAR BRAKE BENDIX SPICER, NEXT GENERATION HEAVY DUTY, STANDARD LUBE	0	0	0
S U8XA1X	<b>DRIVE AXLE BRAKE DIMENSION</b>	16.5X7 REAR BRAKE SIZE	0	0	0
S U4XA1X	<b>BRAKE TYPE, DRIVE AXLE</b>	CAST IRON DRIVE AXLE BRAKE DRUM OUTBOARD MOUNTED	0	0	0
S UEXA1X	<b>DRIVE AXLE BRAKE DUST SHIELD</b>	REAR BRAKE DUST SHIELDS	0	0	0



S MAXACX	<b>DRIVE AXLE BRAKE LINING MATERIAL</b>	BRAKE LINING MATERIAL DRIVE, BENDIX SPICER BX415	0	0	0
S J8EA1X	<b>BRAKE SHOE COATING DRIVE</b>	BRAKE SHOE COATING DRIVE, BASIC	0	0	0
S 0LXI5X	<b>HUBS, DRIVE AXLE</b>	IRON PRESET PLUS DRIVE AXLE HUB WITH INTEGRATED SPINDLE NUT	0	0	0
S 7WXADX	<b>REAR AXLE LUBRICANT</b>	CHEVRON DELO GEAR LUBRICANT ESI SAE 80W-90 (APPROVED FOR MERITOR EXTENDED COMPONENT WARRANTY)	0	0	0
S 781096	<b>PARKING BRAKE CHAMBER PACKAGE</b>	SIX CAM TYPE HALDEX	0	0	0
S V1AB1X	<b>REAR BRAKE CHAMBER SIZE</b>	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE / EMERGENCY)	0	0	0
S UKXB1X	<b>CHAMBER STROKE LENGTH, DRIVE AXLE</b>	EXTENDED LENGTH BRAKE CHAMBER STROKE	0	1	74
S 784009	<b>FRONT AND REAR SLACK ADJUSTERS</b>	HALDEX BRAKE ADJUSTER FRONT AND REAR	0	0	0
S O5BD1X	<b>FRONT BRAKE CHAMBER SIZE</b>	FRONT BRAKE CHAMBER 24 SQUARE INCHES (SERVICE)	0	0	0

## CHASSIS

S 3XB3AX	<b>DRIVER SIDE FRONT CHASSIS CONFIGURATION</b>	LEFT HAND BATTERY BOX - 3 CAPACITY, DEF TANK MOUNTED BEHIND BATTERY BOX (VHDF)	0	0	0
S 3YBADX	<b>PASSENGER SIDE FRONT CHASSIS CONFIGURATION</b>	INTEGRATED DPF & SCR (VHDF / VAH)	0	0	0
S 400230	<b>WHEELBASE</b>	230" WHEELBASE	792	-341	0
S 402084	<b>OVERHANG</b>	84" OVERHANG	0	0	0
S KBXB1X	<b>FUEL TANK SHAPE - DIESEL</b>	26" DIA CYLINDRICAL FUEL TANK	0	0	0
S J8XB1X	<b>FUEL TANK, LEFT HAND SIDE - DIESEL</b>	75 GALLON LEFT HAND FUEL TANK	0	0	0
S J9XK1X	<b>FUEL TANK, RIGHT HAND SIDE - DIESEL</b>	NO RIGHT HAND DIESEL TANK PROVIDED	0	0	0
S KEXA1X	<b>FUEL TANK MATERIAL - DIESEL</b>	ALUMINUM FUEL TANK MATERIAL	0	0	0
S HBXB1X	<b>FUEL TANK POSITION - DIESEL</b>	FUEL TANK POSITION 1	0	0	0
S 8NAA1X	<b>DPF COVER</b>	DPF COVER, PAINTED STEEL	0	0	0
S U6BA1X	<b>DIESEL EXHAUST FLUID TANK COVER</b>	PAINTED DIESEL EXHAUST FLUID TANK COVER	0	0	0
S JHXB1X	<b>FUEL LINES</b>	KEVLAR REINFORCED FUEL LINES	15	5	188
S KHXA1X	<b>FUEL TANK STRAPS</b>	PAINTED STEEL FUEL TANK STRAPS	0	0	0
S KFXA1X	<b>FUEL TANK CAP / DEF TANK CAP</b>	NON-LOCKING FUEL TANK CAP	0	0	0



S 8HAA1X	<b>AIR TANK ARRANGEMENT</b>	AIR TANK ARRANGEMENT, BASIC	0	0	0
S U2XB1X	<b>AIR TANKS</b>	STEEL AIR TANKS	0	0	0
S VHXD7X	<b>AIR DRYER</b>	MERITOR WABCO AIR DRYER, 1200UP WITHOUT TURBO CUT OFF VALVE, WITH HEATER AND COALESCING OIL FILTER	0	0	0
S UWXB1X	<b>AIR TANK DRAIN VALVE</b>	MANUAL PULL CORD ON BRAKE SYSTEM TANKS	1	0	0
S 403006	<b>FRAME RAIL PACKAGE</b>	11.81"X3.54"X.38" STRAIGHT STEEL RAILS	0	0	248
S X4X99X	<b>FRONT FRAME EXTENSION</b>	NO FRONT FRAME EXTENSION PROVIDED	0	0	0
S 8EXB1X	<b>INTERMEDIATE CROSSMEMBER MATERIAL</b>	STEEL CROSSMEMBER MATERIAL	0	0	0
S OAXA1X	<b>INTERMEDIATE CROSSMEMBER CONFIGURATION</b>	BASIC INTERMEDIATE CROSSMEMBER	0	0	0
S X8XB1X	<b>FORWARD REAR SUSP CROSSMEMBER MATERIAL</b>	STEEL CROSSMEMBER MATERIAL	0	0	0
S ZIXA1X	<b>BOGIE CROSSMEMBER MATERIAL</b>	STEEL CROSSMEMBER MATERIAL	0	0	0
S X6XB1X	<b>REAR FRAME TREATMENT</b>	TAPERED REAR CROSSMEMBER, 27 DEGREE	0	0	0
S 4DXE3X	<b>FRONT BUMPER</b>	STEEL CONSTRUCTION BUMPER-THREE PIECE	0	0	0
S FRXA1X	<b>BUMPER POSITION</b>	BUMPER MOUNTED STANDARD POSITION	0	0	0
S 65XB1X	<b>FRONT FENDER EXTENSION</b>	NO FRONT FENDER EXTENSION PROVIDED	0	0	0
S 4EXB1X	<b>FRONT TOWING DEVICE</b>	TWO FRONT TOWING DEVICES	0	0	0
S Q8CH1X	<b>MAIN CHASSIS WIRING HARNES COVERING</b>	HEAVY DUTY MAIN CHASSIS WIRING HARNESS COVERING	0	0	0
S U7CFCX	<b>LH FUEL TANK FACE LOCATION</b>	LH FUEL TANK FRONT FACE @ XM=4325	0	0	0

## TRANSPORT ADAPTATION

S 490314	<b>FIFTH WHEEL PACKAGE</b>	JOST AIR SLIDE LEFT HAND RELEASE	42	421	0
S E5BAVX	<b>GROUND TO 5TH WHEEL TOP HEIGHT</b>	50.5" FIFTH WHEEL HEIGHT	0	0	0
S 6JXA1X	<b>SLIDING FIFTH WHEEL TRAVEL</b>	12.0 INCHES OF FIFTH WHEEL TRAVEL	0	0	0
S LIXA1X	<b>FIFTH WHEEL ANGLE MATERIAL</b>	STEEL FIFTH WHEEL ANGLES	0	0	0
S 6BX9LX	<b>FIFTH WHEEL REARMOST POSITION</b>	54" BEHIND FORWARD DRIVE AXLE CENTER (- 1370MM)	0	0	0
S 51XA1X	<b>HOSEHANGERS</b>	DUMMY GLADHANDS AND CABLE STORAGE BRACKET LEFT HAND BACK OF CAB REACHABLE FROM GROUND	0	0	0
S WHXD1X	<b>TRAILER BRAKE CONNECTION POSITION</b>	CAB MOUNTED TRAILER BRAKE CONNECTION	0	0	0



S WKX99X	<b>HOSE TENDER POSITION</b>	NO HOSE TENDER POSITION PROVIDED	0	0	0
S 52XA1X	<b>TRAILER ELECTRICAL CABLE</b>	FIXED TRAILER CABLE	0	0	0
S 5ZXB1X	<b>TRAILER BRAKE HOSES &amp; CABLES</b>	12' COILED TRAILER BRAKE HOSES AND CABLE	0	0	0
S WLXC1X	<b>TRAILER BRAKE HAND CONTROL</b>	DELETE TRAILER BRAKE HAND CONTROL	0	0	0
S 6WXA1X	<b>CENTER CONSOLE FOR BODY CONTROLS</b>	MOUNTING PLATE ONLY FOR BODY CONTROLS	0	0	0
S L3XA1X	<b>BODY BUILDER ELECTRICAL PREP</b>	ELECTRICAL PREP KIT FOR BODY BUILDER	-1	8	-31

## **CAB EXTERIOR**

S 2DX05X	<b>CAB SUSPENSION</b>	MECHANICAL CAB SUSPENSION WITH SHOCKS	0	0	0
S 21XA1X	<b>AUXILIARY REAR WINDOW</b>	STANDARD REAR WINDOW	0	0	0
S D2XA1X	<b>WIPER BLADE</b>	BASIC WIPER BLADE	0	0	0
S 28XA1X	<b>FRONT GRILLE</b>	BLACK MOLDED FRONT GRILLE	0	0	0
S 0EAC1X	<b>AIR INTAKE GRILLE FINISH</b>	AIR INTAKE GRILLE, BLACK	0	0	0
S LZXD1X	<b>AIR HORN</b>	DUAL TRUMPET MOUNTED UNDER CAB	0	0	0
S 3FX51X	<b>EXTERIOR SIDE VIEW MIRRORS</b>	BLACK VOCATIONAL MIRRORS WITH LONG ARMS	0	0	0
S 3GXC1X	<b>EXTERIOR MIRROR FEATURES</b>	HEATED, POWER AXIS MIRROR, BOTH SIDES	2	0	201
S 4NXB1X	<b>EXTERIOR SUNVISOR</b>	EXTERIOR SUN VISOR WITH CLEAR LENS LED MARKER LAMPS	0	0	0

## **CAB INTERIOR**

S 540088	<b>INTERIOR TRIM PACKAGE</b>	FLEET - VINYL PANELS WITH METAL HEX TRIM	0	0	0
S 1DAF1X	<b>DRIVER SEAT MFG AND SERIES</b>	NATIONAL DRIVER SEAT	0	0	0
S 520101	<b>DRIVER SEAT</b>	X1 WREN VINYL	0	0	0
S 3ZXG2X	<b>DRIVER SEAT SUPPORT</b>	DRIVER SEAT - AIR SUSPENDED	0	0	0
S I5DA1X	<b>DRIVER SEAT PROFILE</b>	STANDARD WIDTH, HIGH BACK	0	0	0
S I7DA1X	<b>DRIVER SEAT COMFORT</b>	DRIVER SEAT - ONE AIR ADJUSTABLE LUMBAR CHAMBER	0	0	0
S 1GAF1X	<b>PASSENGER SEAT MANUFACTURER AND SERIES</b>	NATIONAL PASSENGER SEAT	0	0	0
S 521101	<b>PASSENGER SEAT</b>	X1 WREN VINYL	0	0	0
S 34XAAX	<b>PASSENGER SEAT SUPPORT</b>	PASSENGER SEAT - FIXED WITH INTEGRATED STORAGE	0	0	0
S I6DA1X	<b>PASSENGER SEAT PROFILE</b>	STANDARD WIDTH, HIGH BACK	0	0	0





S 0HAA1X	<b>SEAT SUPPORT, DUST COVER</b>	SEAT BASE DUST COVER, DRIVER SIDE	0	0	0
S K7AA1X	<b>SAFETY BELT LENGTH</b>	STANDARD SAFETY BELT LENGTH	0	0	0
S OUXA1X	<b>SAFETY BELT DRIVER SEAT</b>	SAFETY BELT DRIVER SEAT, BLACK	0	0	0
S OXXA1X	<b>SAFETY BELT PASSENGER SEAT</b>	SAFETY BELT PASSENGER SEAT, BLACK	0	0	0
S 4AXB1X	<b>CLIMATE UNIT</b>	INTEGRAL AIR CONDITIONER WITH HEATER - MANUAL CONTROLS	0	0	0
S 41X25X	<b>PARKING HEATER</b>	WITHOUT PARKING HEATER	0	0	0
S 31XK2X	<b>FLOOR MATS</b>	FRONT FLOOR INSERTS, RUBBER	0	0	0
S 4JXD1X	<b>STORAGE OVERHEAD DRIVER</b>	NETTED OVERHEAD STORAGE (DRIVER/PASSENGER SIDES) WITH CB MOUNTING AND AUXILIARY SWITCHES	0	0	0
S XRXB1X	<b>STEERING WHEEL ADJUSTMENT</b>	STANDARD STEERING WHEEL ADJUSTMENT	0	0	0
S 7BAA3X	<b>STEERING WHEEL</b>	STANDARD STEERING WHEEL COVERING	0	0	0
S 571020	<b>GAUGE PACKAGE</b>	EIGHT GAUGE INSTRUMENT CLUSTER	0	0	0
S PGXB1X	<b>TRANSMISSION TEMPERATURE GAUGE</b>	NO TRANSMISSION TEMP GAUGE PROVIDED	0	0	0
S 9NDB1X	<b>TRIP METER</b>	TRIP METER, TWO TRIPS	0	0	0
S PVXA2X	<b>AIR RESTRICTION INDICATOR</b>	GRADUATED ARI ON FILTER	0	0	0
S N8XD1X	<b>SPEEDOMETER GRADUATION</b>	MPH SPEEDOMETER GRADUATION	0	0	0

## LIGHTING

S NJXZ1X	<b>AUXILIARY LAMPS</b>	NO AUXILIARY LAMPS PROVIDED	0	0	-10
S 836005	<b>HEADLAMPS</b>	LED HEADLAMPS WITH BASIC DRL	0	0	0
S LSXG1X	<b>DAYTIME RUNNING LAMPS</b>	EQUIPPED WITH DAYTIME RUNNING LIGHTS	0	0	0
S NEXH1X	<b>STOP AND TAIL LIGHTS</b>	DUAL INTEGRATED SUPER 60 LED TAIL LIGHTS WITH SEPARATE LED BACKUP LIGHT - ALL LIGHTS MOUNTED IN TAPERED CROSSMEMBER	0	0	0
S NPXB1X	<b>TURN SIGNAL SWITCH</b>	SELF CANCELLING TURN SIGNAL SWITCH	0	0	0

## AUDIO SYSTEM

S 590014	<b>RADIO PACKAGE</b>	AM / FM / CD / MP3 / USB / BLUETOOTH RADIO	0	0	0
S 73AJ1X	<b>RADIO ANTENNA</b>	SINGLE RIGHT HAND 48 INCH MIRROR MOUNTED RADIO ANTENNA	2	0	0
S N0XA1X	<b>MARKER INTERRUPTER SWITCH</b>	MARKER INTERRUPTER SWITCH	0	0	11
S 5CXA1X	<b>RADIO SPEAKERS</b>	SPEAKERS IN DASH ONLY	0	0	0



S 5JXB1X	<b>CB RADIO MOUNTING</b>	OVERHEAD MOUNTED CB HOLD DOWN	0	0	0
S 5BXB5X	<b>CB ANTENNA</b>	SINGLE LEFT HAND 48 INCH MIRROR MOUNTED CB ANTENNA	0	0	0

## MISC CAB EQUIPMENT

S 2XX35X	<b>WINDOW LIFT</b>	POWER WINDOW LIFT BOTH DOORS	6	4	0
S 3AXB1X	<b>DOOR LOCKS CAB</b>	MANUAL CAB DOOR LOCKS	0	0	0
S 20XA1X	<b>KEY TYPE</b>	BASIC UNIQUE KEY	0	0	0
S 8BXB1X	<b>KEY QUANTITY PER UNIT</b>	4 KEYS PROVIDED PER UNIT	0	0	0

## TIRES AND WHEELS FRONT

S 093719	<b>TIRE PACKAGE FRONT</b>	315/80R22.5L BRIDGESTONE M860A (20000 LBS. GAWR) ON/OFF ROAD USAGE	322	0	0
S 4WCC1X	<b>TIRE CLASSIFICATION FRONT</b>	GHG FRONT TIRE CLASSIFICATION, LOW ROLLING RESISTANCE	0	0	0
S 084562	<b>RIM/WHEEL PACKAGE FRONT</b>	22.5X9.00 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTED	206	0	0
S 907002	<b>FRONT WHEEL AND TIRE QUANTITY</b>	TWO FRONT WHEELS AND TIRES	0	0	0

## TIRES AND WHEELS REAR

S 094736	<b>TIRE PACKAGE REAR</b>	11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL	0	1,464	0
S 4XCC1X	<b>TIRE CLASSIFICATION REAR</b>	GHG REAR TIRE CLASSIFICATION, LOW ROLLING RESISTANCE	0	0	0
S 085069	<b>RIM/WHEEL PACKAGE REAR</b>	22.5X8.25 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTED	0	816	0
S 908012	<b>DRIVE WHEEL AND TIRE QUANTITY</b>	TWELVE DRIVE WHEELS AND TIRES	0	0	0

## MISC TIRE EQUIPMENT

S 15XABX	<b>TIRE INFLATION VALVE</b>	TIRE INFLATION VALVE, STANDARD	0	0	0
----------	-----------------------------	--------------------------------	---	---	---

## PAINT

S 950800	<b>CAB PAINT SCHEME</b>	SINGLE COLOR PAINT	0	0	0
S 9801T4	<b>FIRST TRUCK COLOR</b>	GLACIER WHITE; P3029	0	0	0
S MPB980	<b>CAB COLOR</b>	CAB SAME AS FIRST COLOR	0	0	0
S MPD980	<b>HOOD COLOR</b>	HOOD SAME AS FIRST COLOR	0	0	0
S MPE980	<b>COWL COLOR</b>	COWL SAME AS FIRST COLOR	0	0	0
S 987980	<b>BUMPER COLOR</b>	BUMPER SAME AS FIRST COLOR	0	0	0
S 996980	<b>SUN VISOR COLOR</b>	SUN VISOR SAME AS FIRST COLOR	0	0	0
S 9861U1	<b>CHASSIS COLOR</b>	BLACK P3036	0	0	0



S 988401	<b>DISC WHEEL OR RIM COLOR</b>	STEEL DISC WHEELS-PREPAINTED WHITE, POWDER-COAT, ALUMINUM OR STYLIZED DISC-UNPAINTED	0	0	0
----------	--------------------------------	--	---	---	---

**BUSINESS SERVICES**

S 9LAA1X	<b>PRE-DELIVERY INSPECTION</b>	PRE-DELIVERY INSPECTION, BASIC	0	0	0
----------	--------------------------------	--------------------------------	---	---	---

**BASE WARRANTY AND PURCHASED COVERAGES**

S 899302	<b>WARRANTY TYPE</b>	HEAVY_DUTY_STANDARD_BASE_COVERAGE 12_MONTHS/100,000_MILES	0	0	0
S 896900	<b>VOLVO D11/D13 ENGINE EXTENDED COVERAGE</b>	VOLVO D11/D13 BASE ENGINE COVERAGE - 24MTHS/250K MILES	0	0	0
S 875001	<b>VEHICLE EMISSIONS COMPONENTS COVERAGE</b>	US & CANADA VOLVO ENGINE EQUIPPED VEHICLE EMISSIONS COMPONENTS COVERAGE_60 MONTHS/100K_MILES	0	0	0
S 880301	<b>TRANSMISSION COVERAGE</b>	36 MO: STANDARD I-SHIFT FOR SEVERE DUTY AND I-SHIFT WITH CRAWLER GEARS TRANS,HEAVY DUTY VEHICLE	0	0	0
S 888900	<b>ADDITIONAL EXTENDED CHASSIS TOWING COVERAGE</b>	BASE CHASSIS TOWING COVERAGE, 90 DAY/5000 MILE/8050 KILOMETER	0	0	0
S 874900	<b>ADDITIONAL EXTENDED ENGINE TOWING COVERAGE</b>	BASE VOLVO ENGINE TOWING COVERAGE, 24 MO/250K MILE	0	0	0
S 866011	<b>REMOTE DIAGNOSTICS BUNDLE</b>	REMOTE DIAGNOSTICS WITH REMOTE PROGRAMMING - 24 MONTHS	0	0	0
S 867001	<b>UPTIME CENTER BUNDLE</b>	ASIST AND VOLVO ACTION SERVICE - 24 MONTHS	0	0	0

**SUB TOTALS**

BASE WEIGHT/PRICE	8,689	8,283	157,181
FACTORY OPTION WEIGHT/PRICE	1,397	2,377	984
DEALER OPTION WEIGHT/PRICE	0	0	0

**TOTALS**

TOTAL PRICE(\$)			158,165
TOTAL WEIGHT(LB)	10,086	10,660	20,746